

Maryland Situation Update on Coronavirus Disease (COVID-19) for BHA

Maryland Department of Health

Infectious Disease Epidemiology and Outbreak Response Bureau

October 29, 2021

Call Agenda


- Epi summary
- COVID-19 Booster updates
- Q and A

https://covidlink.maryland.gov/content/vaccine/govax/






Worldwide: COVID-19





Worldwide: COVID-19

Source: https://covid19.who.int/ accessed 10/29/21



US Case Counts and Rates

TOTAL CASES

45,655,635

+80,248 New Cases

7 DAY CASE RATE PER 100,000

145.1

TOTAL DEATHS


740,348

+1,619 New Deaths




Number of Cases Reported in the USA, by Day


Daily Trends in Number of COVID-19 Cases in The United States Reported to CDC



















Data current as of 10/29/2021

Maryland: COVID-19 Cases

• Cases: 559,763

• 911 new

Deaths: 10,634


11 new

Hospitalizations: 50,575

Current: 590 (Up 2)


Case rate: 12.4 per 100,000


Percent Positivity: 2.41%






Source: https://coronavirus.maryland.gov/, accessed 10/29/21










10/29/21: **12.5** per 100k

Low: 6/24/21 at 0.90 per 100K

High: 1/12/21 at **53.39** per 100k











13

US: COVID-19 Vaccinations

Total Vaccine Doses

Delivered 510,735,525

Administered 417,795,537

Learn more about the distribution of vaccines.

191.2M

People fully vaccinated

15.4M

People received a booster dose**

At Least One Dose	Fully Vaccinated	Booster Dose	
Fully Vaccinated* People	Count	Percent of US Population	
Total	191,242,432	57.6%	
Population ≥ 12 Years of Age	191,109,061	67.4%	
Population ≥ 18 Years of Age	178,635,217	69.2%	
Population ≥ 65 Years of Age	46,428,087	84.9%	



Maryland Vaccine Dashboard

CDC: 18+ Population with at Least One Dose

86.1%

Source: CDC Covid Data Tracker

Fully Vaccinated **4,011,86**1

1st Dose Administered

4,061,870

24hr Change +5,180

2nd Dose Administered

3,700,711

24hr Change +3,441

Single Dose Administered

311,151

24hr Change +421

Additional Dose Administered

333,820

24hr Change +20,106

All Doses Administered


Vaccinations by Dose

Doses Distributed

10,755,220



Percent of age groups with at least one dose





US: Delta Variant

United States: 7/18/2021 - 10/23/2021

United States: 10/17/2021 - 10/23/2021 NOV

USA





03A						
WHO label	Lineage #	US Class	%Total	95%PI		
Alpha	B.1.1.7	VBM	0.0%	0.0-0.09		
Delta	B.1.617.2	VOC	99.5%	99.2-99		
	AY.1	voc	0.1%	0.0-0.19		
	AY.2	voc	0.0%	0.0-0.09		
Other	Other*		0.4%	0.3-0.89		

^{*} Enumerated lineages are US VOC and lineages circulating above 1% nationally in at least one week period. "Other" represents the aggregation of lineages which are circulating <1% nationally during all weeks displayed.

https://covid.cdc.gov/covid-data-tracker/#variant-proportions Accessed 10/29/21




^{**} These data include Nowcast estimates, which are modeled projections that may differ from weighted estimates generated at later dates

[#] Q.1-Q.8 are aggregated with B.1.1.7. AY.3-AY.38 and their sublineages are aggregated with B.1.617.2.

Maryland Influenza Dashboard

Clinical Laboratories Influenza Test Percent Positive






https://health.maryland.gov/phpa/infl uenza/Pages/flu-dashboard.aspx accessed 10/27/21

Maryland Influenza Dashboard

Influenza Associated Hospitalization by Influenza Season



Influenza Associated Hospitalization by Age Group 2021-2022 Influenza Season

Hospitalizations by Age Group (Years)	This Week Count	This Week Percent	Last Week Count	Last Week Percent
0-4	0	096	0	0%
5-24	1	100%	1	0%
25-49	0	096	1	0%
50-64	0	096	1	0%
65+	0	096	0	0%



COVID-19 Updates



 MDH Bulletin: Updates on Maryland's COVID-19 Vaccine Plan (10/22/21)

 CDC Expands Eligibility for COVID-19 Booster Shots- Media Statement (10/21/21)



For those individuals that received a primary series of **Pfizer-BioNTech or Moderna COVID-19 vaccine**, all providers shall offer a booster dose of any FDA approved or authorized COVID-19 vaccine at least 6 months after the primary series to the following individuals:

- People 65 years and older
- Age 18+ who live in long-term care settings,
- Age 18+ who have underlying medical conditions,
- Age 18+ who work or live in high-risk settings.

Please note that the dosage for the Moderna booster dose is smaller than the doses in the Moderna primary series.



For those individuals that received a primary series of Janssen (J&J) vaccine, all providers shall offer a booster dose of any FDA approved or authorized COVID-19 vaccine at least 2 months after the primary dose to any individual 18 years and older.

Patients should talk to their healthcare providers to determine individual benefits and risks of receiving a booster dose.



CDC: "There are now booster recommendations for all three available COVID-19 vaccines in the United States. Eligible individuals may choose which vaccine they receive as a booster dose.

Some people may have a preference for the vaccine type that they originally received, and others may prefer to get a different booster. CDC's recommendations now allow for this type of mix and match dosing for booster shots."



COVID-19 Vaccines- Hospital Providers

All hospital providers shall, subject to the availability of vaccine supply, offer COVID-19 vaccine to any eligible inpatients being discharged from a hospital admission to a nursing home, assisted living program, or other post-acute care facility (such as a rehabilitation center).



COVID-19 Vaccine- International Travel

- On October 25, 2021, the <u>CDC issued orders</u> operationalizing the <u>White House announcement</u> that vaccines will be required for non-U.S. citizens or immigrants traveling to the United States, with an effective date of November 8, 2021.
- For purposes of entry into the United States, vaccines accepted will include FDA approved or authorized and WHO Emergency Use Listing vaccines.



Severity of Disease Among Adults Hospitalized with Laboratory-Confirmed COVID-19 Before and During the Period of SARS-CoV-2 B.1.617.2 (Delta) Predominance

- The Delta variant is more transmissible than previously circulating SARS-CoV-2 variants; however, whether it causes more severe disease in adults has been uncertain
- Data from the CDC COVID-19—Associated Hospitalization
 Surveillance Network (COVID-NET), a population-based
 surveillance system for COVID-19—associated hospitalizations,
 were used to examine trends in severe outcomes in adults aged
 ≥18 years hospitalized with laboratory-confirmed COVID-19 during
 periods before (January–June 2021) and during (July–August 2021)
 Delta variant predominance

Severity of Disease Among Adults Hospitalized with Laboratory-Confirmed COVID-19 Before and During the Period of SARS-CoV-2 B.1.617.2 (Delta) Predominance

- The proportion of patients who were admitted to an intensive care unit (ICU), received invasive mechanical ventilation (IMV), or died while hospitalized did not significantly change from the pre-Delta period to the Delta period
- When examined by vaccination status, 71.8% of COVID-19—associated hospitalizations in the Delta period were in unvaccinated adults
- During the Delta period, adults aged 18–49 years accounted for a larger proportion of hospitalized patients compared with the pre-Delta period.
- This was driven by the larger number of unvaccinated hospitalized patients in this age group, likely reflecting lower vaccination coverage in younger adults than in older adults.

Questions?

mdh.ipcovid@maryland.gov

