

2016 Chlamydia/GC NAAT Statewide Sticker Allocation System Ordering Policy

THE ONLY CHANGE FROM 2015 IS THE COLOR OF THE STICKERS, THE VALID DATES, AND THE BARCODE HAS BEEN REMOVED.

For 2016, the Light Orange Chlamydia/GC NAAT allocation stickers are pre-printed with a test request for Chlamydia trachomatis/GC NAAT.

SAMPLE:

<p>SPEC. SOURCE: _____ (must be completed) Test Request: Chlamydia trachomatis/GC NAAT 16CT00001 Valid 1-1-2016 to 12-31-2016</p>

BE AWARE:

1. You must provide the specimen source (using the specimen codes on the lab slip) by writing it in the space provided **ON THE STICKER ITSELF**.
2. **BY PLACING THE STICKER** on a MD DHMH Laboratory “Infectious Agents: Culture/Detection” form (DHMH 4676), you **ARE ORDERING** the Chlamydia trachomatis/GC NAAT. There is **NO NEED** to then repeat that order by marking the box on the lower half of the form.

AS ALWAYS, THE FORM MUST BE COMPLETE WITH:

- Submitter name, address, contact name, name of person authorized to order tests (TRAB), phone and fax #'s and your lab client ID #.
- Patient name, case # (if you use one), address, gender, ethnicity, race
- Collection date/time

Please sign and date below. Fax to Dr. Maria Carlos at 443-681-4508.

I have read and understand the 2016 Chlamydia/GC NAAT Statewide Sticker Allocation System Ordering Policy as stated above and will inform all clinics to which I disseminate stickers.

Sticker Steward Signature _____ Date: _____

Printed Name _____

Questions? Call the lab at 443-681-3937