

MyLIMS INSTRUCTIONS

4 MONTH GC PREVALENCE ASSESSMENT: TEMPORARY CHANGE TO CHLAMYDIA TESTING STICKER ALLOCATION SYSTEM 2010 Effective 09-13-10 through 12-31-10
Page 1 of 2

STARLIMS v10(PRODUCTION) User: SYSADM - Windows Internet Explorer

http://starlims.dhnh.md.gov/starlims10.dhnhlabs.prod/start.lims

File Edit View Favorites Tools Help

Google Search Share Sidewiki Check Translate AutoFill Sign In

STARLIMS v10(PRODUCTION) User: SYSADM

Test Order

STARLIMS

Metadata Type: Human Quantity: 1

Available Panels

- Bacteriology Clinical
- Bacteriology Ref.
- Bartonella cat scratch fever
- Biological Indicators
- Bordetella Culture
- Bordetella pertussis real-time DNA PCR
- Brucella abortus Antibody Slide Agglutination Test
- BT Culture
- BT PCR
- BT TRF
- California Encephalitis
- Chagas Disease
- Chikungunya virus
- Chlamydia and Gonorrhea nucleic acid amplification**
- Chlamydia Cell Culture
- Chlamydia DFA
- Chlamydia Group IgG by EIA
- Chlamydia nucleic acid amplification

OK Cancel

NEW

For Sept. 13-Dec. 31 2010, STICKERS ARE FOR the COMBO assay, select this test (Chlamydia and Gonorrhea nucleic acid amplification) to order Chlamydia trachomatis/GC NAAT.

STARLIMS v10(PRODUCTION) User: SYSADM

Dashboard Clinical Lo

Test Order Copy

Accession# Created

Requested Panels

Panel Name

Requested Tests

Test Name

Done

Internet 100%

start Novell GroupWi... 2 Limsi 2 Windows Ex... 2 Microsoft Of... STARLIMS v10(...

3:24 PM

4 MONTH GC PREVALENCE ASSESSMENT: TEMPORARY CHANGE TO CHLAMYDIA TESTING STICKER ALLOCATION SYSTEM 2010 Effective 09-13-10 through 12-31-10
Page 2 of 2

