

Maryland Primary Care Program: Behavioral Health Integration

Choose What's Best for Your Practice

Program Management Office

What do we mean by Behavioral Health?

- *Mental health and substance use disorders*
- Focus on most common and most harmful diagnoses in the primary care setting:
 - Mental health – in particular depression and anxiety
 - Substance use disorders – in particular alcohol and opioids

Why Behavioral Health Integration?

- Often overlooked
- Frequently worsens co-morbid conditions
- Few existing programs in primary care
- Opioid Crisis- 4th leading cause of death in Maryland
- Frequent cause of avoidable ED and Hospital admission
- Emergency room visits in Maryland fell 8 percent from 2013 to 2016, but the number of patients with behavioral health problems jumped 18.5 percent. Such cases now make up roughly **a quarter of all** emergency visits in Maryland.
- Key feature in MDPCP and required to move to track 2

Overview of Series

1. Overview
2. Build your team
- 3. Choose what's best for your practice**
4. Establishing workflows for treatment and referral
5. Recruiting Resources
6. Registry and Data
7. Collaborative Care Model
8. SBIRT and MAT
9. Coding and Billing

BHI Levels of Care

Screening (universal)

- Registry creation/maintenance
- Risk stratification

Treatment

- Counseling – Behavioralist
- Medication – Clinician
- Coordination – Care Manager

Referral (as needed)


- Psychiatry
- Addiction Specialist

- Coding and billing
- Communication across providers
- Quality assurance

BHI Overview




Build the Team



Options for Behavioral Health Integration (“the menu”)

Select what’s best for your practice and patients:

1. **Pick a focus:** mental health, substance use, or both
2. **Select screening tools**
3. **Choose a model for counseling:**
 1. Onsite/offsite behavioral health specialist
 2. Collaborative Care Model with off-site psychiatrist
4. **Choose a model for medications:** When do providers prescribe on-site, when do they refer off-site?



This will drive your practice workflows

1. Pick a focus

Mental health disorders

- Depression
- Anxiety

And/Or

Substance use disorders

- Alcohol
- Opioids

Or others based on clinic population and capacity

2. Select Screening Tools

- Mental health:
 - PHQ-2, PHQ-9, GAD-7
- Substance use disorders (the “S” in SBIRT):
 - AUDIT-C, NIDA Quick Screen
- Other screening options
- Intuition
- Data Capture Important- Initial and Longitudinal


3. BH Integration- Onsite

Identification and
prioritization


Referral by Care
Manager or Provider

Onsite Behavioral
Health Provider
(LCSW, Psychologist,
Psychiatrist)
Possible telehealth

3. BH Integration- Offsite




3. BH Integration- Psychiatric Collaborative Care Model (CoCM)



Psychiatric Collaborative Care Model (CoCM)

(CMS billing codes apply)



4. Models for Medication

Mental health diagnoses

Lead clinician
prescribes
medications

Referral to
psychiatry (off-
site/on-site) for
complex cases

Substance use disorders

Lead clinician
prescribes
medications

Referral to
addiction
specialist if not
waivered or for
complex cases

Models for SUD

Focus on alcohol:

- SBIRT: Screening, Brief Intervention, Referral for Treatment
 - Evidence-based protocol
 - Completing 3-4 simple questions will take 1-2 minutes.
 - For 15-25% of patients who screen positive, the full screen and brief intervention will take between 5 - 20 minutes to complete.
- Referral to counseling and peer support --> Behavioralist on-site or off-site

Models for SUD

Focus on opioid use disorder (OUD):

- Medications are essential: Buprenorphine & methadone save lives independent of counseling
 - Buprenorphine by on-site MD/NP/PA with waiver (we can get your providers waived!)
 - Referral to off-site buprenorphine clinic
 - Referral to methadone clinic
- Your practice can build on the SBIRT model to incorporate medications as part of treatment

Thank you!



Updates and More Information:

<https://health.maryland.gov/MDPCP>

Questions: email mdh.pcmode@Maryland.gov

Select References

- “CPC+ Behavioral Health Integration Requirement – 2019.” Center for Medicare and Medicaid Innovation. October 2018.
- Unutzer, Jurgen. “Which Flavor of Integrated Care?” *Psychiatric News*. Oct 16, 2014. <https://psychnews.psychiatryonline.org/doi/full/10.1176/appi.pn.2014.T0b25>. Accessed October 18, 2018.
- “CoCM Behavioral Health Care Manager: Sample Job Description, Typical Workload & Resource Requirement.” AIMS Center, University of Washington Psychiatry & Behavioral Sciences. http://aims.uw.edu/sites/default/files/CareManagerJobDescription_0.pdf. Accessed October 18, 2018.
- “Frequently Asked Questions about Billing Medicare for Behavioral Health Integration (BHI) Services.” Center for Medicare and Medicaid Services. April 17, 2018. <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/Downloads/Behavioral-Health-Integration-FAQs.pdf> Accessed October 18, 2018.
- Kohl R, Calderon K, Daly S, et al. “Integrating Behavioral Health into Primary Care: Lessons Learned from the Comprehensive Primary Care Initiative.” TMF Health Quality Institute. https://www.tmf.org/LinkClick.aspx?fileticket=gSv9OHvF_W8%3D&tabid=271&portalid=0&mid=741&forcedownload=true. Accessed October 18, 2018.
- Zivin K, Miller BF, Finke B, et al. “Behavioral Health and the Comprehensive Primary Care (CPC) Initiative: findings from the 2014 CPC behavioral health survey.” *BMC Health Services Research* (2017) 17:612.
- Sordo, Luis, et al. “Mortality risk during and after opioid substitution treatment: systematic review and meta-analysis of cohort studies.” *BMJ*. 357 (2017): j1550.