

| Prescription Drug Formulary | Drug Categories | | Fail First/Step Therapy (FF/ST) NQTL | | | | Medical Necessity Criteria NQTL | | | | Prior Authorization (PA) NQTL | | | | Tiered Drug Formulary NQTL | | | |
|---|-----------------|-----|--------------------------------------|-----|--------------------|-----|---------------------------------|---------------------|--------------------|-----|-------------------------------|---------------------|--------------------|-----|----------------------------|---------------------|--------------------|-----|
| | All Groups | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | |
| | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD |
| desipramine (Norpramin) | X | | | | | | | X | | X | | | | | | | | |
| desvenlafaxine ER (Pristiq) | X | | | | | | | X | | X | | | | | | | | |
| desvenlafaxine fumarate ER | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| dexmethylphenidate tablets (Focalin) | X | | | | | | | X | | X | | | | | | | | |
| dexmethylphenidate XR (Focalin XR) | X | | | | | | | X | | X | | | | | | | | |
| dextroamphetamine capsules (Dexedrine ER) | X | | | | | | | X | | X | | | | | | | | |
| dextroamphetamine solution (Procentra) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| dextroamphetamine tablets | X | | | | | | | X | | X | | | | | | | | |
| Diacomit capsules, powder pack (stiripentol) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Diastat, Diastat Acudial (Brand only) | X | | | | | | | X | | X | | | | | | | | |
| diazepam | X | | | | | | | X | | X | | | | | | X | | X |
| diazepam rectal | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| divalproex sprinkles (Depakote Sprinkles) (generic only) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| divalproex, divalproex ER (Depakote, Depakote ER) | X | | | | | | | X | | X | | | | | | | | |
| doxepin (Silenor) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Drizalma Sprinkle (duloxetine sprinkles) | X | | GAD Dx ONLY: ≥7y.o. | | | | | GAD Dx ONLY: ≥7y.o. | | X | | GAD Dx ONLY: ≥7y.o. | | X | | GAD Dx ONLY: ≥7y.o. | | X |
| droperidol (Inapsine) | X | | | | | | | X | | X | | | | | | X | | X |
| duloxetine (Cymbalta) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| duloxetine 40mg (Irenka) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Dyanavel XR (amphetamine ER) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Edluar SL (zolpidem) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Elepsia XR (levetiracetam ER) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Emsam (selegiline) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Epidiolex (cannabidiol [CBD] extract) | ≥1y.o. | | ≥1y.o. | | X | | | ≥1y.o. | | X | | ≥1y.o. | | X | | ≥1y.o. | | X |
| Eprontia oral solution (topiramate oral solution) | X | | x | | X | | | X | | X | | X | | X | | X | | X |
| Equetro (carbamazepine) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| escitalopram oral solution (Lexapro) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| escitalopram tablets (Lexapro) | X | | | | | | | X | | X | | | | | | | | |
| estazolam (ProSom) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| eszopiclone (Lunesta) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| ethosuximide (Zarontin) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Evekeo ODT (amphetamine sulfate ODT) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Fanapt (iloperidone) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| felbamate (Felbatol) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Fetzima (levomilnacipran) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Fintepla (fenfluramine) | ≥2y.o. | | ≥2y.o. | | X | | | ≥2y.o. | | X | | ≥2y.o. | | X | | ≥2y.o. | | X |
| fluoxetine capsules 60mg (Prozac) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| fluoxetine capsules, oral solution, tablets (all strengths except 60mg and weekly) (Prozac) | X | | | | | | | X | | X | | | | | | | | |
| fluoxetine weekly (Prozac Weekly) | X | | | | X | | | X | | X | | | | X | | X | | X |
| fluphenazine (Prolixin) | X | | | | | | | X | | X | | X | | | | X | | X |
| fluphenazine decanoate inj. (Prolixin Inj.) | X | | X | | | | | X | | X | | X | | | | X | | X |
| flurazepam (Dalmane) | X | | | | | | | X | | X | | | | | | X | | X |
| fluvoxamine (Luvox) | X | | | | | | | X | | X | | | | | | | | |
| fluvoxamine ER (Luvox CR) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| Focalin XR (dexmethylphenidate ER) (Brand only) | X | | | | | | | X | | X | | | | X | | X | | X |
| Fycompa (perampanel) | ≥4y.o. | | ≥4y.o. | | X | | | ≥4y.o. | | X | | ≥4y.o. | | X | | ≥4y.o. | | X |
| gabapentin capsules, tablets (Neurontin) | X | | | | | | | X | | X | | | | | | | | |
| gabapentin oral solution (Neurontin) | X | | X | | X | | | X | | X | | X | | X | | X | | X |
| guanfacine ER (Intuniv) | ≥6y.o. | | ≥6y.o. | | X | | | ≥6y.o. | | X | | ≥6y.o. | | X | | ≥6y.o. | | X |
| haloperidol (Haldol) | X | | | | | | | X | | X | | X | | | | X | | X |
| haloperidol decanoate inj. (Haldol IM) | X | | X | | | | | X | | X | | X | | | | X | | X |
| Hetlioz (tasimelteon) | ≥16y.o. | | ≥16y.o. | | X | | | ≥16y.o. | | X | | ≥16y.o. | | X | | ≥16y.o. | | X |
| Hetlioz LQ (tasimelteon oral suspension) | 3-15y.o | | 3-15y.o | | | | | 3-15y.o | | | | 3-15y.o | | | | 3-15y.o | | |
| hydroxyzine | X | | | | | | | X | | X | | | | X | | X | | X |
| imipramine (Tofranil) | X | | | | | | | X | | X | | | | | | | | |
| Ingrezza (valbenazine) | X | | | | | | | X | | X | | | | X | | X | | X |

| Prescription Drug Formulary | Drug Categories | | Fail First/Step Therapy (FF/ST) NQTL | | | | Medical Necessity Criteria NQTL | | | | Prior Authorization (PA) NQTL | | | | Tiered Drug Formulary NQTL | | | |
|---|-----------------|---------|--------------------------------------|-----------|--------------------|-----------|---------------------------------|-----------|--------------------|-----------|-------------------------------|-----------|--------------------|-----------|----------------------------|-----------|--------------------|-----------|
| | All Groups | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | |
| | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD | MH | SUD |
| venlafaxine ER tablets (Effexor ER) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Versacloz (clozapine, USP) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| vigabatrin (Sabril) | X | | | | X | | X | | X | | | | X | | X | | X | |
| Viibryd (vilazodone Hcl) (Brand only) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Vraylar (cariprazine) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Vyvanse (lisdexamfetamine dimesylate capsules) | X | | | | | | X | | X | | | | | | | | | |
| Vyvanse chewable tablets (lisdexamfetamine dimesylate chewable tablets) | X | | | | | | X | | X | | | | | | X | | X | |
| Wakix (pitolisant) | ≥18y.o. | | | | X | | | | X | | | | X | | | | X | |
| Xcopri (cenobamate tablets) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| zaleplon (Sonata) | X | | | | | | X | | X | | | | | | X | | X | |
| Zenzedi (dextroamphetamine sulfate tablets, USP) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| ziprasidone (Geodon) | X | | | | | | X | | X | | X | | | | X | | X | |
| ziprasidone IM (Geodon IM) | X | | | | | | X | | X | | X | | | | X | | X | |
| zolpidem (Ambien) | X | | | | | | X | | X | | | | | | X | | X | |
| zolpidem ER (Ambien CR) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| zolpidem SL (Intermezzo) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Zolpimist (zolpidem tartrate oral spray) | X | | | | | | X | | X | | | | X | | X | | X | |
| zonisamide (Zonegran) | X | | | | | | X | | X | | | | | | | | | |
| Zulresso (brexanolone) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Zyprexa Relprevv inj. (olanzapine ER inj.) | X | | X | | X | | X | | X | | X | | X | | X | | X | |
| Prescription Drug Formulary | Drug Categories | | Fail First/Step Therapy (FF/ST) NQTL | | | | Medical Necessity Criteria NQTL | | | | Prior Authorization (PA) NQTL | | | | Tiered Drug Formulary NQTL | | | |
| | All Groups | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | | Pediatric Participants | | Adult Participants | |
| | MH | SUD | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs | MH Drugs | SUD Drugs |
| acamprosate (Campral) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Bunavail SL film (buprenorphine/naloxone) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| buprenorphine SL (Subutex SL tablets) | | X | | | | | | X | | X | | X | | X | | X | | X |
| buprenorphine/naloxone SL film (Suboxone SL film) (generic only) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| buprenorphine/naloxone SL tablets (Suboxone) | | X | | | | | | X | | X | | | | X | | X | | X |
| buprenorphine buccal (Belbuca buccal film) | | X | | | | | | X | | X | | X | | X | | X | | X |
| buprenorphine transdermal (Butrans patches) | | X | | | | | | X | | X | | X | | X | | X | | X |
| bupropion SR (Zyban SR) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Campral (acamprosate) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Chantix (varenicline) | | X | | | | | | X | | X | | X | | | | X | | X |
| chlordiazepoxide (multiple formulations) | | X | | | | | | X | | X | | X | | X | | X | | X |
| disulfiram (Antabuse) | | X | | | | | | X | | X | | X | | X | | X | | X |
| Kloxxado (naloxone HCl nasal spray) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Lucemyra (lofexidine) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| methadone (Diskets dispersible tablets) | | X | | | | | | X | | X | | X | | X | | X | | X |
| methadone (Dolophine) | | X | | | | | | X | | X | | X | | X | | X | | X |
| naloxone injectable (Narcan) | | X | | | | | | X | | X | | | | | | | | |
| naloxone nasal spray (Narcan nasal spray) (Brand and generic) | | X | | | | | | X | | X | | | | | | | | |
| naltrexone (Revia) | | X | | | | | | X | | X | | | | | X | | X | |
| nicotine gum (Nicorette (OTC) gum) | | X | | | | | | X | | X | | X | | X | | X | | X |
| nicotine inhaled (Nicotrol inhaler) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| nicotine lozenges (Nicorette (OTC) lozenges) | | X | | | | | | X | | X | | X | | X | | X | | X |
| nicotine nasal spray (Nicotrol Nasal Spray) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| nicotine transdermal patches (Nicoderm CQ (OTC) patches) | | X | | | | | | X | | X | | X | | X | | X | | X |
| Sublocade pre-filled syringes inj. (buprenorphine ER inj.) | | ≥18y.o. | | | | X | | | | X | | | | X | | | | X |
| Suboxone film (Brand only) | | X | | | | | | X | | X | | | | | X | | X | |
| Vivitrol inj. (naltrexone ER inj.) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Zimhi (naloxone HCl inj.) | | X | | X | | X | | X | | X | | X | | X | | X | | X |
| Zubsolv SL film (burprenorphine/naloxone) | | X | | | | | | X | | X | | | | | X | | X | |