

MARYLAND Department of Health

Larry Hogan, Governor • Boyd Rutherford, Lt. Governor • Robert R. Neall, Secretary

MARYLAND BOARD OF PHARMACY

4201 Patterson Avenue, Baltimore, Maryland 21215-2299
Kevin M. Morgan, Board President ● Deena Speights-Napata, Executive Director

SUPPLEMENTAL STERILE PROCESSING INSPECTION FORM

	Business Fax Number			
	Expiration Expiration			
	Expiration			
Pharmacy Hours:				
nspection Date: Arrival '	Time: Departure Time:			
	low-up Previous Date:			
es No				
	241			
☐ The pharmacy department provides service COMAR 10.34.05.	ce 24 hours a day.			
☐ The pharmacy hours of operation are pror COMAR 10.34.05.03B	minently displayed.			
☐ All permits, licenses, and registrations are posted conspicuously. HO §12-311, HO §12-408(b) and HO §12-6B-08				
☐ The pharmacy fills original prescriptions r	received via the internet.			
If yes, how do pharmacists verify that a rel	lationship exists between the patient and the prescriber.			
HG §21-220; COMAR 10.19.03.02 and .0	7			

Pharmacist Employees		License #	Exp. Date	
(attach list if n	ecessary)			
Registered Technicians		Registration #	Exp. Date	
(attach list if n	ecessary)			
Support Personnel		Title	Duties	
(attach list if no	ecessary)			
3. FACILITY A	ND EQUIPMENT S	TANDARDS FOR COMPOUNDIN	G STERILE PREPARATIONS	
Docum	entation shows:			
Yes No				
	Certification that each LAFW (Laminar Air Flow Workbench), BSC (Biological Safety Cabinet), and CAI (Compounding Aseptic Isolator) is functioning properly and meets the air quality requirement of ISO Class 5, and is performed by a qualified operator(s) using current, state-of-the-art electronic air sampling at least every six months and whenever the LAFW, BSC, or CAI is relocated. COMAR 10.34.19.03B(5) & (10); COMAR 10.34.19.15D			
	The air quality of the clean room and anteroom area is evaluated by a qualified operator(s) for conformance to ISO Class 7 and ISO Class 8 requirements, as appropriate, at least every six months and when renovations occur. COMAR 10.34.19.03B(5); COMAR 10.34.19.15E			ş
	Records of clean r COMAR 10.34.19	2	iewed by the supervising pharmacist.	

	Yes No	
		Evidence of daily calibration and routine maintenance on the following equipment, if applicable, for
		use:
		□□ Autoclave
		□□ Electronic Balance
		□□ Convection Oven
		 □□ Incubator □□ Automated Compounding Devices (pumps) COMAR 10.34.19.10B
		A refrigerator and freezer, if applicable, with sufficient capacity to meet the storage requirements for all material requiring refrigeration/freezing must be available in the facility. Evidence of maintenance of acceptable temperature ranges must be available. COMAR 10.34.19.10A
		The facility must contain appropriate waste containers to isolate sharps, hazardous waste, biological, and chemotherapy waste. COMAR 10.34.19.09B(6) & .15F; COMAR 10.34.19.10A(3)
		Access to designated areas and clean rooms is limited to those individuals who are properly attired. COMAR 10.34.19.09A
		All equipment used in the designated area or clean room must be made of a material that can be easily cleaned and disinfected. COMAR 10.34.19.09B(3)
		Closed system vial transfer devices (CSTD) are employed when handling cytotoxic drugs. $COMAR\ 10.34.19.12(17)$
4. CON	APOUND	DING AREA COMAR 10.34.19.09
	Yes No	
		Clean room walls, ceilings, counters, lighting fixtures and floors are made of non-porous, non-shedding, cleanable surfaces. COMAR 10.34.19.09B(3)
		Supplies are stored in a manner that maintains integrity of an aseptic environment.
		The anteroom contains a sink with hot and cold running water. COMAR 10.34.19.09C(2)(a)
5. POLI	CIES AN	D PROCEDURES MUST ADDRESS: COMAR 10.34.19.12
	Policies	and procedures address at least the following:
	Yes No	
		The compounding, filling, and labeling of sterile compounds. COMAR 10.34.19.12C(6)(a), (c) and (d)
		Proper labeling of the compounded sterile preparation including the intended route of administration and recommended rate of administration. COMAR 10.34.19.12C(6)(d)
		Availability of equipment and supplies. COMAR 10.34.19.12C(3); COMAR 10.34.19.12C(17)(a)
		The training of staff in the preparation of compounded sterile preparations. COMAR 10.34.19.12C(10); COMAR 10.34.19.14B

		Staff competency evaluations. COMAR 10.34.19.14E
		The Quality Assurance Program. COMAR 10.34.19.12C(9); 10.34.19.15
		All record keeping requirements. COMAR 10.34.19.12C(7)
	Yes No	
		A written process, verified by a pharmacist, describing ingredients and the compounding process for each preparation. COMAR 10.34.19.05B(4); COMAR 10.34.19.07B(1) and (2)
		Documentation demonstrating that all personnel involved have read the policies and procedures before compounding sterile preparations. COMAR 10.34.19.12B
		Documentation of communication of policy and procedure for additions and deletions.
		The storage and handling of products and supplies. COMAR 10.34.19.12C(6)(b)
		The storage and delivery of final preparation. COMAR 10.34.19.12(6)(b) and (f)
		Media fill process verification testing. COMAR 10.34.19.12C(11)
		The criteria for Beyond Use Dating (BUD). COMAR 10.34.19.12C(6)(e)
		Personnel access and movement of materials into and near the compounding area. $COMAR\ 10.34.19.12C(2)$
		The use and maintenance of environmental control devices used to create the critical area for manipulation of sterile preparations (e.g. laminar air flow workstations, biological safety cabinet, ISO Class 7 clean room, and/or CAIs. COMAR 10.34.19.12C(3)
		A regular cleaning schedule for the controlled area and any equipment in the controlled area and the alternation of disinfectants (pharmacies subject to an institutional infection control policy may follow that policy).
		The method used to monitor the environment for bacterial microorganisms. COMAR 10.34.19.12 $\mathrm{C}(4)$
		The disposal of packaging materials, used syringes, containers, and needles to avoid accumulation and maintain sanitation in the controlled area. COMAR 10.34.19.12C(18); COMAR 10.34.19.15F
		Written policies and procedures for the use of established master formulas and worksheets for sterile batch compounding, if applicable.
		Established sterilization procedures including documentation of results, if applicable. $COMAR\ 10.34.19.12C(4)$
		End-product evaluation and testing, if applicable. COMAR 10.34.19.12C(11); COMAR 10.34.19.15H
6. LABE	ELING	REQUIREMENTS COMAR 10.34.19.06
	All lab Yes No	beling must include the following:
		The name and concentration or amount of each ingredient contained in the preparation. $COMAR\ 10.34.19.06B(7)\ and\ (8)$
		Instructions for storage and handling. COMAR 10.34.19.06B(12)
		Cytotoxic agents include a special label which states "Chemotherapy-Dispose of Properly." COMAR 10.34.19.06B(13)

4

		Beyond Use Dating. COMAR 10.34.19.06B(11)
		For short dated preparations, labeling must include: Time Date Caution label/start-up time
7. RECOR	D K	EEPING REQUIREMENTS COMAR 10.34.19.07
Th	ne fo	llowing records must be maintained:
Ye	s No	
		A readily retrievable medication profile for each patient. COMAR 10.34.19.07A
		Compounding worksheets for preparations for future use, indicating the drug name and amount/dose, ingredient lot numbers, quantity prepared, preparation date and BUD. COMAR 10.34.19.07B(2)
Ye	s No	
		Documentation for 3 years to include: COMAR 10.34.19.07B – 5 years
		☐ Training and competency evaluation of employees in sterile preparation procedures. COMAR 10.34.19.07B(1)(a)
		□ Refrigerator and freezer temperatures. COMAR 10.34.19.07B(1)(b)
		$\hfill\Box$ Certification of the testing of the sterile compounding environment. COMAR 10.34.19.07B(1)(c)
		□ Other facility quality control logs specific to the pharmacy's policies and procedures (e.g. cleaning logs for facilities and equipment). COMAR 10.34.19.07B(1)(d)
		□ Preparation records including the master work sheet, the preparation work sheet and records of end-product evaluation, if applicable. COMAR 10.34.19.07B(1)(f)
		□ Daily, weekly and monthly records of disinfection of workbench surface, walls, floors, ceilings, shelving, tables and stools, and after any unanticipated event which increases the risk of contamination. COMAR 10.34.19.07B(1)(d)
3. ATTIRE	10.	34.19.13
Ye	s No	
		Clean room garb consists of a non-shedding coverall, head cover, face mask, and shoe covers must be worn inside the designated area at all times. COMAR 10.34.19.13A(3)
		Clean room garb must be donned and removed outside the designated area. COMAR 10.34.19.13A(4)
		Hand, finger, and wrist jewelry must be removed. COMAR 10.34.19.13A(5)
		Head and facial hair must be covered. COMAR 10.34.19.13A(3)(b)
		Makeup must not be worn in clean room. COMAR 10.34.19.13A(7)
		Protective gloves made of non-shedding materials are required. COMAR 10.34.19.11A
		When preparing cytotoxic agents, appropriate personal protective equipment including gowns and gloves are worn. COMAR 10.34.19.12C(17); COMAR 10.34.19.14B
Req	_l uire	ements may not apply if a barrier isolator is used to compound sterile preparations.

9. TRAINING OF STAFF, PATIENT, AND CAREGIVER COMAR 10.34.19.14

	In non-hospital environments:				
	Yes No				
		Consultation shall be available to the patient and/or primary caregiver concerning proper use of compounded sterile preparations and related supplies furnished by the pharmacy. COMAR 10.34.19.14A			
	Yes No				
		The supervising pharmacist shall ensure all personnel engaging in compounding sterile drug preparations shall have training and demonstrate on-going competence in the safe handling and compounding of sterile drug preparations including cytotoxic agents if applicable. COMAR 10.34.19.14B			
		Pharmacies must establish and follow a written program of training performance evaluation designed to ensure that each person working in the designated area has the knowledge and skills necessary to perform their assigned tasks properly. COMAR $10.34.19.14E(1)$			
		The program of training and evaluation addresses the following:			
		□ Aseptic technique			
		□ Pharmaceutical calculations/terminology			
		☐ Sterile preparations compounding documentation			
		☐ Quality assurance procedures			
		□ Aseptic preparation procedures			
		 □ Proper cleansing and garbing techniques □ General conduct in the controlled area 			
		☐ Cleaning/sanitizing and maintaining equipment used in the controlled area			
		☐ Sterilization techniques if applicable See COMAR 10.34.19.14E(1)(a) – (i) for above			
		☐ Handling, storage, and delivery of sterile compounded preparations			
		□ Equipment training COMAR 10.34.19.14E(1)(j)			
		□ Competency assessment COMAR 10.34.19.14B			
		☐ Equipment and closure system selection COMAR 10.34.19.14E(1)(j)			
		Each person assigned to the controlled area must successfully complete practical skills training in aseptic technique and aseptic area practices. COMAR 10.34.19.14E(2)			
		$Evaluations \ must include \ written \ testing \ and \ a \ written \ protocol \ of \ periodic \ routine \ performance \ checks involving \ adherence \ to \ aseptic \ area \ policies \ and \ procedures. \ COMAR \ 10.34.19.14E(3)$			
		Each person's proficiency and continuing training needs must be reassessed every 12 months (every 6 months for high-risk compounding). COMAR 10.34.19.14 $E(1)(a)$			
		Records of training and demonstrated competence shall be available for each individual and shall be retained for three (3) years beyond the period of employment. 5 years for employees. COMAR 10.34.19.14C			
10. DISP	OSAL	OF WASTE MATERIAL			
	Yes No				
		Pharmacies compounding sterile preparations shall have written policies and procedures for disposal of infectious materials and/or materials containing cytotoxic residue or hazardous waste. $COMAR\ 10.34.19.12C(18)$			
		Procedures must include cleanup of spills and shall be in conformance with local health jurisdictions. $COMAR\ 10.34.19.12C(4)$			

11. QUALITY ASSURANCE AND PROCESS VERIFICATION COMAR 10.34.19.15

Yes No	0				
		ll have a documented, ongoing quality assurance program that monitors personnel nent and facilities. COMAR 10.34.19.12C; COMAR 10.34.19.15			
Yes No	0				
	The Quality Assura	rance Program shall include documentation of monitoring to assure			
		Cleaning and sanitization of the parenteral medication preparation area. COMAR 10.34.19.15E			
		The storage of compounded parenteral preparations in the pharmacy and periodic documentation of refrigeration/freezer temperature. COMAR 10.34.19.15B			
		Steps taken in the event of a drug recall. COMAR 10.34.19.12C(6)(h)			
		Written justification including literature references of the chosen beyond use dates for compounded sterile preparations.			
		Written policies and procedures for implementing the immediate use exemption for admixtures.			
		Each individual involved in the preparation of compounded sterile preparations must successfully complete a verification process before being allowed to prepare sterile preparations. COMAR 10.34.19.14B			
		The verification process shall be carried out using the same personnel, procedures, equipment, and materials as normal production, except that an appropriate microbiological growth medium is used in the compounding process to verify the sterility of the final preparation. COMAR 10.34.19.12C(11); COMAR 10.34.19.15C			
		Completed media samples must be incubated according to currently accepted standards. COMAR 10.34.19.15 $\!$			
		If microbial growth is detected, then the sterile preparation process must be evaluated, corrective action taken, and the verification process repeated.			
		Personnel competency must be re-verified at least every 12 months (every 6 months for high-risk), whenever the quality assurance program yields an unacceptable result, or whenever improper aseptic technique is observed.			
		The verification and re-verification process must be documented. $COMAR\ 10.34.19.07B(3)$			
		Other personnel monitoring requirements as required by current standards must be performed, such as fingertip touch testing.			
		There must be current and appropriate reference materials regarding the			

compounding of sterile preparations located in or immediately available to the pharmacy. COMAR 10.34.19.16

☐ Written documentation that the end product has been tested on a periodic sampling basis for microbial contamination and steps taken in the event that testing for contamination proves positive, if applicable. COMAR 10.34.19.15C

spectors Comments:		

Pharmacist Name:	Date:		
(Print)			
(=)			
Signature:			
Signature:			
FINAL 4/25/08			