



Coronavirus Disease 2019 (COVID-19): Frequently Asked Questions About Mental Health

Updated October 8, 2020

The outbreak of COVID-19 can feel overwhelming for people and communities. Feelings of fear, anxiety, sadness and uncertainty are normal during a pandemic. There are online resources to support you. Please reach out if you need help.

Information follows about how to cope with mental health and stress and anxiety during this time:

- Mental Health, Stress and Anxiety for Individuals (p.2)
- Mental Health, Stress and Anxiety for Parents of Young Children (p.5)
- Mental Health, Stress and Anxiety for Adolescents and Young Adults (p.9)
- Mental Health, Stress and Anxiety for Health Care Workers (p.12)
- Mental Health, Stress and Anxiety for Older Adults and Individuals with Disabilities (p.15)

Mental Health, Stress and Anxiety for Individuals

What should I do if I have an existing mental health condition?

People with pre-existing mental health conditions should continue with their treatment plans during an emergency and monitor for any new symptoms.

Additional information may be found at the Substance Abuse and Mental Health Services Administration (SAMHSA) website, <https://www.samhsa.gov/disaster-preparedness>.

What if I am feeling anxious or stressed as a result of COVID-19?

Everyone reacts differently to stressful situations. The emotional impact of an emergency on a person can depend on the person's characteristics and experiences, the social and economic circumstances of the person and their community and the availability of local resources. People can become more distressed if they see repeated images or hear repeated reports about the COVID-19 outbreak in the media.

Reactions during an infectious disease outbreak can include:

- Fear and worry about your own health status and that of your loved ones
- Changes in sleep or eating patterns
- Difficulty sleeping or concentrating
- Worsening of chronic health problems
- Increased use of alcohol, tobacco or other drugs

Feelings of fear, anxiety, sadness and uncertainty are normal during a pandemic. Fortunately, being proactive about your mental health can help to keep both your mind and body stronger.

What can I do to support myself?

Avoid excessive exposure to media coverage of COVID-19. Take breaks from watching, reading, or listening to news stories. It can be upsetting to hear about the crisis and see images repeatedly. Try to do some other activities you enjoy to return to your normal life. When you do read news, avoid media outlets that build hype or dwell on things that can't be controlled. Instead, turn to information sources that provide reliable information about how to protect yourself.

Recognize the things you can control. Take care of your body. Take deep breaths, stretch, meditate, and exercise. Keep yourself grounded. Try to get regular sleep and maintain a healthy diet. It is not unusual for individuals to experience disruptions in both eating and sleeping during a crisis, and it is very important to try to maintain healthy habits, and to avoid strategies such as using drugs or alcohol to handle stress.

Make time to unwind and remind yourself that strong feelings will fade. Share your concerns and how you are feeling with a friend or family member. Maintain healthy relationships. Maintain a sense of hope and positive thinking.

Stay connected. Staying at home and distancing from others should not mean you are completely isolated. Reaching out to people you trust is one of the best ways to reduce anxiety, depression, loneliness, and boredom during social distancing, quarantine, and isolation. You can use the phone, email, text messaging, and social media to connect with friends, family, and others. Talk “face to face” with friends and loved ones using Skype or FaceTime.

Maintain proper infection control techniques such as hand-washing and social distancing.

Check how realistically you are viewing the situation. The Centers for Disease Control and Prevention (CDC) has continually pointed out that the vast majority of individuals, even if they do get sick, will not become terribly ill. Avoid dramatic media and stick to credible sources of information, such as the CDC. Social media is not a great source of information.

What are some of the things you can't control?

All you can do is pay attention to those things above that you can control. Worrying will merely aggravate the situation. The infection is likely to spread through the population in unpredictable ways. There is nothing you can do about this. If you follow precautions you are less likely to get sick, but there are no guarantees.

There is some benefit to planning. But after you have a plan, move on and focus on living your life rather than worrying about the virus. Don't try to control other people's reactions. Listen and help people work through the facts concerning the virus, but understand that hyping or denying the existence of a threat is not helpful.

Call your health care provider if stress reactions interfere with your daily activities for several days in a row.

Where can I find additional resources?

Maryland's Crisis Helpline:

Call 211 and press 1, text 898-211, or visit pressone.211md.org for information or to [chat confidentially](#) about local services and programs.

MD Mind Health

Text “MDMindHealth” to 898-211 to sign up to receive encouragement, reminders, and resources for staying connected.

Black Mental Health Alliance

<https://blackmentalhealth.com>

Call 410-338-2642 or email info@blackmentalhealth.com

CDC: Mental Health and Coping with COVID-19:

<https://www.cdc.gov/coronavirus/2019-ncov/about/coping.html>

CDC: Taking Care of Your Emotional Health:

<https://emergency.cdc.gov/coping/selfcare.asp>

SAMHSA: Warning Signs and Risk Factors for Emotional Distress:

<https://www.samhsa.gov/find-help/disaster-distress-helpline/warning-signs-risk-factors>

The Center for the Study of Traumatic Stress: Coronavirus and Emerging Infectious Disease Outbreaks Response:

<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

American Foundation for Suicide Prevention: Taking Care of Your Mental Health in the Face of Uncertainty

<https://afsp.org/story/taking-care-of-your-mental-health-in-the-face-of-uncertainty>

CDC: Strategies to Help Children Cope With a Disaster:

<https://www.cdc.gov/childrenindisasters/helping-children-cope.html>

SAMHSA's: Tips for Social Distancing, Quarantine and Isolation

<https://www.samhsa.gov/sites/default/files/tips-social-distancing-quarantine-isolation-031620.pdf>

SAMHSA's FACT SHEET: Coping With Stress During Infectious Disease Outbreaks:

<https://store.samhsa.gov/product/Coping-with-Stress-During-Infectious-Disease-Outbreaks/sma14-4885>

SAMHSA's FACT SHEET: Taking Care of Your Behavioral Health: Tips for Social Distancing, Quarantine, and Isolation During an Infectious Disease Outbreak

<https://store.samhsa.gov/product/Taking-Care-of-Your-Behavioral-Health-During-an-Infectious-Disease-Outbreak/sma14-4894>

SAMHSA's FACT SHEET: Talking with Children: Tips for Caregivers, Parents, and Teachers during Infectious Disease Outbreaks

<https://store.samhsa.gov/product/Talking-With-Children-Tips-for-Caregivers-Parents-and-Teachers-During-Infectious-Disease-Outbreaks/PEP20-01-01-006>

SAMHSA's Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

MDH's Operation Roll Call

Maryland veterans can also enroll in Operation Roll Call (1-877-770-4801) — a program that offers regular check-in calls and a chance to talk to someone who can offer support.

Mental Health, Stress and Anxiety for Parents of Young Children

How can I help my children?

Children react, in part, to what they see from the adults around them. When parents and caregivers deal with the COVID-19 calmly and confidently, they can provide the best support for their children. Parents can be more reassuring to others around them, especially children, if they are better prepared.

Not all children respond to stress in the same way. Some common stress-related behavior to watch for in children include:

- Excessive crying and irritation
- Returning to behaviors they have outgrown, like toileting accidents or bedwetting
- Excessive worry or sadness
- Unhealthy eating or sleeping habits
- Irritability and “acting out” behaviors
- Poor school performance or avoiding assignments
- Difficulty with attention and concentration
- Avoidance of activities enjoyed in the past
- Unexplained headaches or body pain
- Use of alcohol, tobacco, or other drugs

There are many things you can do to support your child:

Take time to talk with your child. Answer questions and share facts_ about COVID-19 in a way that your child can understand: [Stop the Spread of Rumors](#). Limit your child’s exposure to media coverage of COVID-19. Children may misinterpret what they hear and can become frightened about something they do not understand.

Reassure your child that they are safe. Let them know it is okay if they feel upset. Share with them how you deal with your own stress so that they can learn how to cope from you.

Help children find positive ways to express disturbing feelings such as fear and sadness. Every child has his/her own way to express emotions. Sometimes engaging in a creative activity, such as playing and drawing, can facilitate this process. Children feel relieved if they can express and communicate their disturbing feelings in a safe and supportive environment.

Help your child to have a sense of structure. Be a role model; take breaks, get plenty of sleep, exercise, and eat well. Connect with your friends and family members and rely on your social support system.

The American Academy of Child and Adolescent Psychiatry has more resources and information about children and anxiety:

https://www.aacap.org/AACAP/Families_and_Youth/Resource_Centers/Anxiety_Disorder_Resource_Center/FAQ.aspx#anxietyfaq2

The American Academy of Child and Adolescent Psychiatry has more information about talking to children about coronavirus (COVID-19):

https://www.aacap.org/App_Themes/AACAP/Docs/latest_news/2020/Coronavirus_COVID19_Children.pdf

How should I talk to my child about the 2020/21 school year?

Help the child be at ease with the new school year by having open and honest conversations, being sure to address their fears and concerns. This school year looks very different from previous years due to the pandemic and the specific measures in place to curb its spread. Talk to your child and explain the planned safety measures. This may include wearing face masks, desks being far apart from each other, teachers adhering to the six feet physical distancing rule, eating lunch in classrooms instead of the cafeteria, or distant learning for those schools opting to implement an online schooling curriculum. Reassure your child that the safety measures are in place to keep everyone safe and healthy. Remind them about the positives of returning to school, such as seeing their friends and teachers and continuing to learn new things.

The Centers for Disease Control (CDC) has more detailed resources and information on back to school planning:

<https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/parent-checklist.html>

Will my children pick up on my stress and anxiety?

Yes. Children are “sponges” and take emotional cues from their parents and caregivers. However, it is perfectly normal to feel stress and anxiety during this time of uncertainty. If you feel immobilized by these feelings, please seek professional help through a licensed behavioral health/medical provider. It is important that parents, caregivers and teachers manage their own emotions by remaining calm, being mindful of tone, listening to their concerns, and reassuring them of their safety and well-being.

Where can I find additional resources?

Maryland's Crisis Helpline:

Call 211 and press 1, text 898-211, or visit [pressone.211md.org](https://www.pressone.211md.org) for information or to [chat confidentially](#) about local services and programs.

Maryland Family Tree 24/7 Parenting Helpline: 1-800-243-7337

WHO Healthy Parenting in the time of COVID-19:

<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/advice-for-public/healthy-parenting>

CDC: Mental Health and Coping with COVID-19:
<https://www.cdc.gov/coronavirus/2019-ncov/about/coping.html>

CDC: Taking Care of Your Emotional Health:
<https://emergency.cdc.gov/coping/selfcare.asp>

SAMHSA: Warning Signs and Risk Factors for Emotional Distress:
<https://www.samhsa.gov/find-help/disaster-distress-helpline/warning-signs-risk-factors>

National Association of School Psychologists: Helping Children Cope With Changes Resulting From COVID-19
<https://www.nasponline.org/resources-and-publications/resources-and-podcasts/school-climate-safety-and-crisis/health-crisis-resources/helping-children-cope-with-changes-resulting-from-covid-19>

Gender Spectrum Resources for Challenging Times
<https://www.genderspectrum.org/blog/resources-for-challenging-times>

Black Mental Health Alliance
<https://blackmentalhealth.com>
Call 410-338-2642 or email info@blackmentalhealth.com

American Foundation for Suicide Prevention: Taking Care of Your Mental Health in the Face of Uncertainty
<https://afsp.org/story/taking-care-of-your-mental-health-in-the-face-of-uncertainty>

The Center for the Study of Traumatic Stress: Coronavirus and Emerging Infectious Disease Outbreaks Response:
<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

CDC: Strategies to Help Children Cope With a Disaster:
<https://www.cdc.gov/childrenindisasters/helping-children-cope.html>

SAMHSA's: Tips for Social Distancing, Quarantine and Isolation
<https://www.samhsa.gov/sites/default/files/tips-social-distancing-quarantine-isolation-031620.pdf>

SAMHSA's FACT SHEET: Coping With Stress During Infectious Disease Outbreaks:
<https://store.samhsa.gov/product/Coping-with-Stress-During-Infectious-Disease-Outbreaks/sma14-4885>

SAMHSA's FACT SHEET: Taking Care of Your Behavioral Health: Tips for Social Distancing, Quarantine, and Isolation During an Infectious Disease Outbreak
<https://store.samhsa.gov/product/Taking-Care-of-Your-Behavioral-Health-During-an-Infectious-Di>

[sease-Outbreak/sma14-4894](#)

SAMHSA's FACT SHEET: Talking with Children: Tips for Caregivers, Parents, and Teachers during Infectious Disease Outbreaks

<https://store.samhsa.gov/product/Talking-With-Children-Tips-for-Caregivers-Parents-and-Teachers-During-Infectious-Disease-Outbreaks/PEP20-01-01-006>

SAMHSA's Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

Mental Health, Stress and Anxiety for Adolescents and Young Adults

What should I do if I have an existing mental health condition?

People with pre-existing mental health conditions should continue with their treatment plans during an emergency and monitor for any new symptoms.

Additional information may be found at the Substance Abuse and Mental Health Services Administration (SAMHSA) website, <https://www.samhsa.gov/disaster-preparedness>.

Everyone is worrying about the coronavirus pandemic, but everyone I know is healthy. Should I worry?

Everyone reacts differently to stressful situations. Adolescents and young adults often feel like nothing can go wrong. While this is normal, and can help reduce your worries, make sure you take steps to stay healthy.

Recognize others may be hiding their worries in many ways. Some people become very irritable, angry and even start fights with others. Sleep and eating may become disrupted. Especially if other frightening things have happened, some youth may develop nightmares or have panic attacks. Still others may increase their use of alcohol, tobacco and drugs to escape from what is going on.

What can I do to help cope?

Limit your screen time. Limit your time watching, reading or listening to news stories. Avoid scrolling through your friends' Instagram or Snap posts about illness and COVID-19.

Keep yourself grounded. Exercise, meditate. Draw, write in a journal or use music to express your thoughts and feelings. Do things that make you feel good and are also good for you.

Plan the things you *can* do: wear your mask, wash your hands, carry wet wipes or other items when you are out in public. Recognize the things you can control, like having good hygiene.

Reach out to your friends and family. If you can, talk about how you are feeling. Talk about anything positive — laugh, joke. Make sure you get enough sleep and stick to your pre-COVID-19 routine as much as you can. Let someone know if you are not able to do your usual activities because of your worrying.

Stay connected. Staying at home and distancing from others should not mean you are completely isolated. Reaching out to people you trust is one of the best ways to reduce anxiety, depression, loneliness, and boredom during social distancing, quarantine, and isolation. You can use the

phone, email, text messaging, and social media to connect with friends, family, and others. Talk “face to face” with friends and loved ones using Skype or FaceTime.

Where can I find additional resources?

There are resources online to help support you through this difficult time. Please use them, and ask for help if you need it.

Maryland's Crisis Helpline:

Call 211 and press 1, text 898-211, or visit pressone.211md.org for information or to [chat confidentially](#) about local services and programs.

MD Mind Health

Text “MDMindHealth” to 898-211 to sign up to receive encouragement, reminders, and resources for staying connected.

Black Mental Health Alliance

<https://blackmentalhealth.com>

Call 410-338-2642 or email info@blackmentalhealth.com

CDC: Mental Health and Coping with COVID-19:

<https://www.cdc.gov/coronavirus/2019-ncov/about/coping.html>

CDC: Taking Care of Your Emotional Health:

<https://emergency.cdc.gov/coping/selfcare.asp>

SAMHSA: Warning Signs and Risk Factors for Emotional Distress:

<https://www.samhsa.gov/find-help/disaster-distress-helpline/warning-signs-risk-factors>

The Center for the Study of Traumatic Stress: Coronavirus and Emerging Infectious Disease Outbreaks Response:

<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

Gender Spectrum Resources for Challenging Times:

<https://www.genderspectrum.org/blog/resources-for-challenging-times>

American Foundation for Suicide Prevention: Taking Care of Your Mental Health in the Face of Uncertainty:

<https://afsp.org/story/taking-care-of-your-mental-health-in-the-face-of-uncertainty>

CDC: Strategies to Help Children Cope With a Disaster:

<https://www.cdc.gov/childrenindisasters/helping-children-cope.html>

SAMHSA’s: Tips for Social Distancing, Quarantine and Isolation

<https://www.samhsa.gov/sites/default/files/tips-social-distancing-quarantine-isolation-031620.pdf>

f

SAMHSA's FACT SHEET: Coping With Stress During Infectious Disease Outbreaks:

<https://store.samhsa.gov/product/Coping-with-Stress-During-Infectious-Disease-Outbreaks/sma14-4885>

SAMHSA's FACT SHEET: Taking Care of Your Behavioral Health: Tips for Social Distancing, Quarantine, and Isolation During an Infectious Disease Outbreak

<https://store.samhsa.gov/product/Taking-Care-of-Your-Behavioral-Health-During-an-Infectious-Disease-Outbreak/sma14-4894>

SAMHSA's FACT SHEET: Talking with Children: Tips for Caregivers, Parents, and Teachers during Infectious Disease Outbreaks

<https://store.samhsa.gov/product/Talking-With-Children-Tips-for-Caregivers-Parents-and-Teachers-During-Infectious-Disease-Outbreaks/PEP20-01-01-006>

SAMHSA's Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

Mental Health, Stress and Anxiety for Health Care Workers

What should I know?

As a health professional, you may feel overwhelmed. As a person working with individuals who are potentially ill, you also likely have concerns about the risk of becoming infected yourself. You may also be concerned about your own financial security and family in the event of a quarantine or infection.

It is important to look after yourself and maintain a balanced view of the situation. There are some things you can control, and other things that you can do nothing about. The challenge is to separate these things so that you can take reasonable steps to protect yourself, but also let go of worries and anxieties that simply get in your way. It will be important to help your clients make the same distinctions.

It is important to recognize that health care workers can suffer secondary trauma as a result of their emotional involvement with distressing situations. Check in with yourself, noting if you have any symptoms of anxiety or depression. These could include sleeplessness, fatigue, irritability, depression, anger, illness, guilt and withdrawal. There are resources available online to help you cope. Please use them if you need them.

Think about what you need to help yourself and those you are helping to handle the stress involved in this situation — what are some of the things you can control?

Make sure you understand how your employer will address the outbreak. Remember that your reaction to the situation may not be the same as those of your colleagues or your clients. Everybody reacts differently to stressors, including those brought on by this outbreak. Respect other people's feelings.

Maintain proper infection control techniques such as wearing your mask, hand-washing and social distancing.

Check how realistically you are viewing the situation. The Centers for Disease Control and Prevention (CDC) has continually pointed out that the vast majority of individuals, even if they do get sick, will not become terribly ill. Avoid dramatic media and stick to credible sources of information, such as the CDC. Social media is not a great source of information.

Keep yourself grounded. Exercise, meditate. Talk to your friends on the phone. Try to get regular sleep and a healthy diet. It is not unusual for individuals to experience disruptions in both eating and sleeping during a crisis, and it is very important to try to maintain healthy habits, and to avoid strategies such as using drugs or alcohol to handle stress.

What are some of the things you can't control? Worrying will merely aggravate the situation. All you can do is pay attention to those things above that you can control. The infection is likely to spread through the population in unpredictable ways. There is nothing you can do about this. If you follow precautions you are less likely to get sick, but there are no guarantees.

There is some benefit to planning. But after you have a plan, move on and focus on living your life rather than worrying about the virus. Don't try to control other people's reactions. Listen and help people work through the facts concerning the virus, but understand that hyping or denying the existence of a threat is not helpful.

Visit the Center for the Study of Traumatic Stress page on Sustaining the Well-Being of Healthcare Personnel during Coronavirus and other Infectious Disease Outbreaks:
<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

Where can I find additional resources?

Maryland's Crisis Helpline:

Call 211 and press 1, text 898-211, or visit [pressone.211md.org](https://www.pressone.211md.org) for information or to [chat confidentially](#) about local services and programs.

MD Mind Health

Text "MDMindHealth" to 898-211 to sign up to receive encouragement, reminders, and resources for staying connected.

CDC: Mental Health and Coping with COVID-19:

<https://www.cdc.gov/coronavirus/2019-ncov/about/coping.html>

CDC: Taking Care of Your Emotional Health:

<https://emergency.cdc.gov/coping/selfcare.asp>

American Psychiatric Association: COVID-19 Mental Health Impacts: Resources for Psychiatrists:

<https://www.psychiatry.org/news-room/apa-blogs/apa-blog/2020/03/covid-19-mental-health-impacts-resources-for-psychiatrists>

SAMHSA: Warning Signs and Risk Factors for Emotional Distress:

<https://www.samhsa.gov/find-help/disaster-distress-helpline/warning-signs-risk-factors>

The Center for the Study of Traumatic Stress: Coronavirus and Emerging Infectious Disease Outbreaks Response:

<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

American Foundation for Suicide Prevention: Taking Care of Your Mental Health in the Face of Uncertainty:

<https://afsp.org/story/taking-care-of-your-mental-health-in-the-face-of-uncertainty>

Black Mental Health Alliance

<https://blackmentalhealth.com>

Call 410-338-2642 or email info@blackmentalhealth.com

CDC: Strategies to Help Children Cope With a Disaster:

<https://www.cdc.gov/childrenindisasters/helping-children-cope.html>

SAMHSA's: Tips for Social Distancing, Quarantine and Isolation

<https://www.samhsa.gov/sites/default/files/tips-social-distancing-quarantine-isolation-031620.pdf>

SAMHSA's FACT SHEET: Coping With Stress During Infectious Disease Outbreaks:

<https://store.samhsa.gov/product/Coping-with-Stress-During-Infectious-Disease-Outbreaks/sma14-4885>

SAMHSA's FACT SHEET: Taking Care of Your Behavioral Health: Tips for Social Distancing, Quarantine, and Isolation During an Infectious Disease Outbreak

<https://store.samhsa.gov/product/Taking-Care-of-Your-Behavioral-Health-During-an-Infectious-Disease-Outbreak/sma14-4894>

SAMHSA's FACT SHEET: Talking with Children: Tips for Caregivers, Parents, and Teachers during Infectious Disease Outbreaks

<https://store.samhsa.gov/product/Talking-With-Children-Tips-for-Caregivers-Parents-and-Teachers-During-Infectious-Disease-Outbreaks/PEP20-01-01-006>

SAMHSA's Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

MDH's Operation Roll Call

Maryland veterans can also enroll in Operation Roll Call (1-877-770-4801) — a program that offers regular check-in calls and a chance to talk to someone who can offer support.

Mental Health, Stress and Anxiety for Older Adults and Adults with Disabilities

What are warning signs and risk factors that older adults and adults with disabilities may be experiencing emotional stress or anxiety?

Older adults and adults with disabilities who are impacted by an infectious disease outbreak are faced with difficult challenges. Many older adults already struggle to maintain social connections and meaningful activities because they may not have many friends and family members nearby, they may not drive, children are grown and they are likely retired. When asked to further limit contact with the public to reduce exposure to COVID-19, they may experience increased loneliness and isolation.

Additionally, many older adults and adults with disabilities are reliant on help from family, friends or paid caregivers. Fear of not having access to this care if the caregiver becomes sick can cause stress and anxiety.

Warnings signs of stress may include:

- Difficulty concentrating on daily activities
- Loss of interest in daily activities
- Crying spells, irritability or bursts of anger
- Difficulty eating
- Sleep problems, like difficulty falling asleep, staying asleep or sleeping too much
- Increasing physical distress symptoms such as headaches, stomach pains or restlessness
- Increased fatigue
- Feeling guilty, helpless or hopeless

Older adults and adults with disabilities most at risk of experiencing severe emotional stress or anxiety include those with a history of:

- Exposure to other traumas, including severe accidents, abuse, assault, combat or rescue work
- Chronic medical illness or psychological disorders
- Chronic poverty, homelessness, or discrimination
- Those who lost a loved one or friend involved in an infectious disease outbreak
- Those who lack economic stability and/or knowledge of the English language

- Older adults who may lack mobility or independence
- Older adults who rely upon others for daily assistance

What can older adults and adults with disabilities do to reduce emotional stress and anxiety?

- Avoid excessive exposure to media coverage of COVID-19
- Only consult legitimate sources, like the Centers for Disease Control and Prevention, for information about COVID-19
- Engage in activities that bring comfort or joy
- Take deep breaths, stretch or meditate
- Try to eat healthy, well-balanced meals, exercise regularly, get plenty of sleep and avoid alcohol and drugs
- Make time to unwind and remember that strong feelings will fade
- Share your concerns and how you are feeling with a friend or family member
- Call your health care provider if stress reactions interfere with your daily activities for several days in a row
- Avoid making major life decisions

Be especially aware of scams related to COVID-19. The Federal Trade Commission has identified several of them and is offering tips to protect yourself and others: [Coronavirus Advice for Consumers](#).

SAMHSA’s Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

Where can I find additional resources?

Maryland's Crisis Helpline:

Call 211 and press 1, text 898-211, or visit pressone.211md.org for information or to [chat confidentially](#) about local services and programs.

MD Mind Health

Text “MDMindHealth” to 898-211 to sign up to receive encouragement, reminders, and resources for staying connected.

Black Mental Health Alliance

<https://blackmentalhealth.com>

Call 410-338-2642 or email info@blackmentalhealth.com

CDC: Mental Health and Coping with COVID-19:

<https://www.cdc.gov/coronavirus/2019-ncov/about/coping.html>

CDC: Taking Care of Your Emotional Health:

<https://emergency.cdc.gov/coping/selfcare.asp>

SAMHSA: Warning Signs and Risk Factors for Emotional Distress:

<https://www.samhsa.gov/find-help/disaster-distress-helpline/warning-signs-risk-factors>

The Center for the Study of Traumatic Stress: Coronavirus and Emerging Infectious Disease Outbreaks Response:

<https://www.cstsonline.org/resources/resource-master-list/coronavirus-and-emerging-infectious-disease-outbreaks-response>

American Foundation for Suicide Prevention: Taking Care of Your Mental Health in the Face of Uncertainty:

<https://afsp.org/story/taking-care-of-your-mental-health-in-the-face-of-uncertainty>

CDC: Strategies to Help Children Cope With a Disaster:

<https://www.cdc.gov/childrenindisasters/helping-children-cope.html>

SAMHSA's: Tips for Social Distancing, Quarantine and Isolation

<https://www.samhsa.gov/sites/default/files/tips-social-distancing-quarantine-isolation-031620.pdf>

SAMHSA's FACT SHEET: Coping With Stress During Infectious Disease Outbreaks:

<https://store.samhsa.gov/product/Coping-with-Stress-During-Infectious-Disease-Outbreaks/sma14-4885>

SAMHSA's FACT SHEET: Taking Care of Your Behavioral Health: Tips for Social Distancing, Quarantine, and Isolation During an Infectious Disease Outbreak

<https://store.samhsa.gov/product/Taking-Care-of-Your-Behavioral-Health-During-an-Infectious-Disease-Outbreak/sma14-4894>

SAMHSA's FACT SHEET: Talking with Children: Tips for Caregivers, Parents, and Teachers during Infectious Disease Outbreaks

<https://store.samhsa.gov/product/Talking-With-Children-Tips-for-Caregivers-Parents-and-Teachers-During-Infectious-Disease-Outbreaks/PEP20-01-01-006>

SAMHSA's Disaster Distress Helpline provides 24/7, 365-day-a-year crisis counseling and support to people experiencing emotional distress related to natural or human-caused disasters. This toll-free, multilingual, and confidential crisis support service is available to all residents in the United States and its territories: 1-800-985-5990

MDH's Operation Roll Call

Maryland veterans can also enroll in Operation Roll Call (1-877-770-4801) — a program that offers regular check-in calls and a chance to talk to someone who can offer support.