
Demographics & Social Determinants of Health (2005-2009)

	Queen		
	Anne's	Maryland	
	County		
Population			Household Income
Total	46,653	5,637,418	% Earning \$0-\$24,999
Female	23,333	2,907,051	% Earning \$25,000-\$39,999
Male	23,320	2,730,367	% Earning \$40,000-\$59,999
			% Earning \$60,000-\$74,999
% Race/Ethnicity:			% Earning \$75,000+
White	88.4	60.9	Median Household Income
African American	8.2	28.8	% Living in Poverty
Asian	0.7	4.9	
Native American	0.3	0.3	Educational Attainment
Pacific Islander	0.0	0.1	% with High School Education
2+ Races	1.3	2.0	% with Bachelor's Degree
Other	1.1	3.0	
Hispanic	1.9	6.6	
% of Population Aged:			
0 - 4	5.9	6.7	re show a
5 - 9	6.9	6.4	man the seal
10 - 14	6.8	6.8	
15 - 17	4.5	4.3	
18 - 24	7.4	9.4	
25 - 44	25.2	28.1	
45 - 64	30.0	26.6	
65+	13.6	11.8	
Households			
Total	17,169	2,092,538	Queen Anne's County, Maryla
% Families with Children	58.5	57.5	

ופי		
	Queen	
	Anne's	Maryland
	County	
	12.1	15.3
	8.7	11.9
	15.2	16.1
	11.5	10.4
	52.5	46.2
	\$78,615	\$69,475
	5.7	8.0
n	89.2	87.5
	17.3	19.6
	•	





These county profiles were developed for Maryland and its local jurisdictions. The profiles give a picture of Maryland, focusing on social, demographic, and environmental factors that are thought to be important determinants of health. When looking at the data, some things to consider are the direction of change, the speed of change, and the size of the measure.

Click here for more information about the data and measures.

For more information about environmental public health tracking go to:

The Environmental Public Health Tracking Site


Major Health Indicators (2008)^a Queen Anne's Maryland County **Overall Health** 78.1 79.0 Life Expectancy at Birth 24.2 20.5 % With Activity Limitations 79.5 % With Fair or Poor Health 15.4 12.5 79.0 22.2 % Experiencing Unhealthy Days 24.8 These are some of the 78.5 All Cause Mortality ** 780.8 766.5 most basic measures of health across the 78.0 state. Many of these Maternal/Child Health 77.5 are also included in 6.5 Infant Mortality Rate * NA Queen Anne's County Maryland 2.8 4.9 % Low Birth Weight (Singleton) Maryland's State % Low Birth Weight (All) 4.9 6.7 Fig. 1 Life Expectancy at Birth Health Improvement Process (SHIP) % Very Low Birth Weight (Singleton) 1.3 1.0 % Very Low Birth Weight (All) 1.7 1.3 % Pre-Term Births 9.2 9.5 Teen Birth Rate * 32.0 25.9 For more information 6.2 % Mothers Smoking During Pregnancy 5.3 about environmental 6.5 public health tracking % Mothers with Late or No Prenatal 1.9 4.2 6 go to: Care 5.5 **Communicable Disease** The Environmental 5 Public Health Tracking Tuberculosis Incidence ** 0.0 4.9 4.5 Site Chlamydia Rate ** 214.5 437.9 Queen Anne's County Maryland Gonorrhea Rate ** 34.0 118.3 Rate of HIV/AIDS Cases ** 15.0 46.6 Number of HIV Deaths 1 431 Fig. 2 Percent of Mothers Smoking During their Pregnancies Number of Septicemia Deaths Δ 988

^a 2008 Data was used whenever available. Please refer to metadata for additional information.

* Rate per 1,000 Births

Health Outcomes/Risk Factors (2008)^a

-	•	-	
	Queen Anne's	Maryland	
	County		
Mental Health			
Number of Suicide Deaths	8	493	
% with Anxiety Disorders	12.1	12.6	
Substance Abuse			
Number of Alcohol-Induced Deaths	1	407	
% Binge Drinkers	16.5	13.8	
Environmental Health			
% Children Tested for Presence of Blood Lead	16.6	22.4	
% Children With Lead Poisoning	0.2	0.7	
Health Insurance			
% Without Health Insurance (Adults)	NA	NA	
% Without Health Insurance (Children)	NA	NA	
Unmet Medical Need			
% in Last Year that Could Not Afford to See a Doctor	14.4	10.4	
Oral Health			
% That did not see a Dentist in the Last Year	33.8	28.6	






Fig. 4: Percent of tested children with elevated blood lead levels



These represent some important determinants of health, including mental health, substance abuse, and access to health services. Many of these are part of the <u>State Health</u> Improvement Process (SHIP)

For more information about environmental public health tracking go to:

The Environmental Public Health Tracking Site

^a 2008 Data was used whenever available. Please refer to metadata for additional information.

* Rate per 1,000 Births

Risk Factors (2008)^a

	Queen		
	Anne's	Maryland	
	County		
Unhealthy Weight			
% Overweight (Adults)	45.6	36.7	
% Obese (Adults)	24.7	26.7	
% Overweight (School-Age)	15.8	17.7	
% Obese (School-Age)	23.5	22.3	
Smokers			
% Adults that Smoke	19.0	14.9	
% Middle Schoolers that Smoke	5.3	5.2	
% High Schoolers that Smoke	9.4	7.0	
Injury and Violence			
Number of Homicide Deaths	1	528	
Number of Aggravated Assaults	132	20,571	
Rate of Motor Vehicle Injury	131.7	109.8	
Hospitalizations **	131.7	105.0	
Number of Motor Vehicle Deaths	6	643	
Injury-Related ER Visits **	7,602	9,135	
Injury-Related Hospitalizations **	1,053	1,068	
Injury-Related Deaths **	74.3	63.0	
Physical Inactivity and Built Environment			
% Adults Not Meeting CDC	61.9	64.4	
Recommendation for Activity	01.9	04.4	
% With No Physical Activity	29.9	24.0	
Access to Recreational Facilities **	17	12	
% With Access to Healthy Foods	60.0	62.0	




Fig. 5: Percent of population with access to healthy foods




Fig. 6: Percent of children and adults that are obese



The indicators on this page might be thought of as related in some ways to the built environment. While other factors such as personal behaviors must also be considered, there are relationships between the built environment and some important health outcomes.

For more information about environmental public health tracking go to:

The Environmental Public Health Tracking Site

^a 2008 Data was used whenever available. Please refer to metadata for additional information.

Public Health Tracking

Site

Health Outcomes (2008)^a Queen Anne's Maryland County Built Environment, cont. Percent Who Get to Work By: 78.6 73.2 Single Occupancy Vehicle 10.0 2.8 Active Transport (Walking, Biking) 1.7 8.0 8.7 **Public Transportation** 1.1 6.0 4.0 **Chronic Disease** Prevention and 2.0 Number of Colorectal Cancer Deaths 964 12 reduction of chronic 0.0 5 840 Number of Breast Cancer Deaths diseases requires a Queen Anne's County Maryland 82 combination of Number of Heart Disease Deaths 11,217 approaches, including Number of Stroke Deaths 25 2,250 Fig.7: Percent with Diabetes improvements in 8.7 % with Diabetes 7.0 screening, changes in Diabetes Deaths ** 22.4 NA personal behaviors, % Children with Asthma 12.1 14.3 and changes in Number of Childhood Asthma 10 1,318 environmental Hospitalizations conditions. % Adults with Asthma 12.8 14.3 15.0 Number of Adult Asthma 43 3.746 Hospitalizations 14.0 13.0 **Cancer Screening** For more information % Adult Women that have Received a 12.0 70.3 64.2 about environmental Mammogram public health tracking 11.0 % Testing for Colorectal Cancer in Past go to: 28.5 25.0 Queen Anne's County Maryland 2 Years Fig. 8: Percent of children with asthma The Environmental

^a 2008 Data was used whenever available. Please refer to metadata for additional information.

* Rate per 1,000 Births

Physical and Environmental Determinants (2008)^a

	Queen Anne's	Maryland
Immunizations	County	
Average % of Kindergarten Students Immunized	100.0	99.3
% Adults Receiving Flu Shots	39.8	38.5
% Adults Receiving Pneumonia Shots	23.0	24.7
Environmental Exposure		
Ozone Days	11	16
Particulate Matter Days	1	4
Water Quality- Arsenic +	11.8	NA
Water Quality- Nitrates ‡	NA	NA
Water Quality- Trihalomethane +	NA	NA
Water Quality- Haloecetic Acids +	NA	NA

^a 2008 Data was used whenever available. Please refer to metadata for additional information.

+ Parts per Billion

‡ Parts per Million

Funding for this county indicators project was made possible by cooperative agreement award 5U38EH000194-05 from the Centers for Disease Control and Prevention to the Maryland Department of Health and Mental Hygiene. The computed indicators and interpretation of the various measures do not necessarily reflect the official policies of the CDC or the Department of Health and Human Services, nor does any reference to trade names, commercial practices, or organizations imply endorsement by the U.S. Government.



Some connections between the environment and health are well known, such as that between asthma and air pollution. However, air pollution has also been shown to affect overall death rates. Data and information collected by public health agencies is being used by researchers to increase our understanding of these complicated relationships and design cost-effective prevention strategies.

For more information about environmental public health tracking go to:

The Environmental Public Health Tracking Site