



# Maryland HIV/AIDS Quarterly Update

## Fourth Quarter 2022

Data reported through December 31, 2022  
 Center for HIV Surveillance, Epidemiology and Evaluation  
 Infectious Disease Prevention and Health Services Bureau  
 Prevention and Health Promotion Administration  
 Maryland Department of Health  
<https://phpa.health.maryland.gov/OIDEOR/CHSE/pages/Home.aspx>  
 800-358-9001

**Note.** Data for 2021 should be interpreted with caution due to the impact of the Coronavirus Disease 2019 (COVID-19) pandemic on access to HIV testing and care-related services.

### Table of Contents

<b>Section I – Technical Notes.....</b>	<b>2</b>
<b>Glossary of Terms.....</b>	<b>4</b>
<b>Section II – Reported HIV Diagnoses, Among People Aged 13+, by Jurisdiction.....</b>	<b>7</b>
Table 1 – Reported HIV Diagnoses and Reported AIDS Diagnoses, Among People Aged 13+ During July 1, 2021 through June 30, 2022, by Jurisdiction of Residence at Diagnosis, Reported through December 31, 2022.....	7
Table 2 – Reported HIV Diagnoses, Among People Aged 13+ During July 1, 2021 through June 30, 2022, Linked to Care, Late Diagnosis, First CD4 Test Result, and Mean Years from HIV Diagnosis by Jurisdiction of Residence at Diagnosis, Reported through December 31, 2022.....	8
Table 3 – People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Residence at Diagnosis and Current Residence, Reported through December 31, 2022.....	9
Table 4 – CD4 Test Results During July 1, 2021 through June 30, 2022 for People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Current Residence, Reported through December 31, 2022.....	10
Table 5 – Viral Load Test Results During July 1, 2021 through June 30, 2022 for People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Current Residence, Reported through December 31, 2022.....	10

## Section I – Technical Notes

### HIV/AIDS Reporting

The Maryland HIV/AIDS Reporting Act of 2007 requires that people living with HIV be reported by name to the Maryland Department of Health (MDH). As per the reporting requirements of Health-General Articles 18-201.1, 18-202.1, and 18-205 of the Annotated Code of Maryland, as specified in the Code of Maryland Regulations (COMAR) 10.18.02, physicians are required to report patients in their care with diagnoses of HIV or AIDS and infants born to mothers living with HIV, clinical and infection control practitioners in medical and correctional facilities are required to report patients in the care of the institution with diagnoses of HIV or AIDS, and laboratory directors are required to report all HIV diagnostic and HIV-related monitoring test results, including HIV negative test results.

### Data Specifications

Surveillance is the ongoing systematic collection, analysis, interpretation, and dissemination of data. Data are collected on all people with HIV who were residents of the state of Maryland or received HIV care in Maryland. Data are presented for people who were Maryland residents at the time of their HIV diagnosis and for people who were living with HIV and were current residents of Maryland as of June 30, 2022.

Data presented were reported to the MDH through December 31, 2022. Reported new diagnoses and estimates of people living with diagnosed HIV are as of June 30, 2022.

This report presents data with a six-month reporting delay. This lag allows for time to report case and laboratory data and to complete investigations. Due to reporting delays, estimates by exposure category and mortality are preliminary.

Please read all table titles and footnotes carefully to ensure a complete understanding of the displayed data. A glossary of terms is also available.

### COVID-19 and HIV Surveillance Data

Data for 2021 should be interpreted with caution due to the impact of the COVID-19 pandemic on access to HIV testing and care-related services.

The following HIV morbidity estimates may have been affected by the COVID-19 pandemic in 2020-2021.

- Declines in new HIV diagnoses might not represent declines in new HIV infections, but rather decreases and/or delays in testing or changes in testing modality (e.g., self-testing).
- Caution should be used when interpreting prevalence (people living with HIV) estimates. Fewer HIV diagnoses and more deaths (resulting in lower prevalence) may be due to COVID-19 and not HIV activities.
- Declines in linkage to care, retention in care, and viral suppression estimates may be due to lack of laboratory testing during care visits (e.g., telemedicine) and/or changes in testing modality (e.g., self-testing).

### AIDS Diagnoses

CD4+ T-lymphocyte tests are measures of a person's immune system function. An adult living with diagnosed HIV is considered to have AIDS if they have less than 200 CD4+ cells per microliter of blood, if the percent of T-Lymphocyte cells that are CD4+ is less than 14 percent, or if a person has been diagnosed with an opportunistic infection.

### Mortality

People are assumed to be alive unless reported as deceased. Caution should be exercised when interpreting mortality estimates for recent years due to delays in reporting of non-AIDS deaths and out-of-state deaths. Most deaths are reported within two years.

### Engagement in HIV Care

Treatment recommendations are that a person in HIV medical care should have their CD4 and viral load levels measured regularly, at least once per year. The presence of these lab tests is used as an indicator that someone has been "linked to care" after diagnosis or is "retained in care."

### Viral Suppression

Viral load tests are measures of the amount of HIV in a person's body. The goal of HIV treatment is to have a low number of copies of virus per milliliter of blood, below what the test can measure, which is called an undetectable level. Low levels of viral load, such as less than 200 copies per milliliter of blood, is known as viral suppression. Estimates of viral suppression among people living with diagnosed HIV are inclusive of people diagnosed in the specified year; therefore, they may not have had sufficient time to engage in HIV care and/or achieve viral suppression.

## Geographic Distribution

Residence at diagnosis is used exclusively to describe new diagnoses. Statistics describing the number of people living with diagnosed HIV use current residence. Current residence numbers are restricted to people for which there is a case report form or laboratory test reported since January 1, 2009. Restricting address data to recent years presents the most accurate data available and helps to account for people that may have moved out of state whose data would no longer be reported in Maryland. However, current residence data excludes people that may still be residents of Maryland but have not received any HIV care since prior to 2009. In addition, residence is dynamic and people living with diagnosed HIV may have resided at multiple addresses that cannot all be represented in single time point estimates.

In the quarterly reports, not all data has been geocoded and therefore is preliminary. Geocoding is the process of assigning geographic identifiers to map features and data records. Addresses are standard data elements required by law and submitted as part of reporting requirements; however, the information may be incomplete which then requires a geocoding process to improve the quality of data. This process is fully completed on the end-of-the-year data set.

## Residents of Correctional Facilities

New diagnoses of HIV and people living with diagnosed HIV who were reported to be residing in local jails or detention centers are presented, whenever possible, as residing at their home address. New diagnosis of HIV

and people living with diagnosed HIV who were reported to be residing in a state or federal prison in Maryland are presented in residing in a separate "Corrections" jurisdiction.

## Sources of Data

Information on HIV and AIDS diagnoses, including residence, vital status, and CD4 and HIV viral load test results are from MDH's Enhanced HIV/AIDS Reporting System (eHARS), as of December 31, 2022.

## Tabulation of Column Totals

Numbers in figures, tables and generally in the text have been rounded. Discrepancies in tables between totals and sums of components are due to rounding.

## Data Suppression

In order to protect the confidentiality of people living with HIV, data are suppressed in the following instances:

- Data describing a demographic group or geographic area (e.g., ZIP code) with a population less than 1,000 people.
- All clinical/laboratory information if it is describing less than five people.
- If any cell is suppressed, additional cells are also suppressed as necessary to prevent back calculation of the suppressed cell(s).

Tables presenting clinical/laboratory information for reported new diagnoses by ZIP code will present only ZIP codes with at least five people. Exposure/risk data is not suppressed due to statistical adjustments resulting in the presentation of estimated or probable risk.

## Glossary of Terms

**CD4 Result Distribution (<200, 200-349, 350-499, 500+):** Percent of people living with diagnosed HIV with a CD4 test distributed by their CD4 count results (cells per microliter).

**CD4 With Test:** Number and percent of total people aged 13+ living with diagnosed HIV with a recent CD4 test result.

**Corrections:** Residence in a state or federal prison. Does not include local jails and detention centers.

**Current Residence:** Jurisdiction of residence from the most recent report since January 1, 2009.

**First CD4 Test Result Median Count:** Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

**First CD4 Test Result Percent with Test:** Percent of reported HIV diagnoses among people aged 13+ with the first CD4 test result reported within 12 months following the initial HIV diagnosis.

**Jurisdiction of Current Residence:** Jurisdiction of residence from the most recent report since January 1, 2009.

**Jurisdiction of Residence:** Jurisdiction of residence at diagnosis or current residence.

**Jurisdiction of Residence at AIDS Diagnosis:** Jurisdiction of residence at time of initial AIDS diagnosis.

**Jurisdiction of Residence at Diagnosis:** Jurisdiction of residence at the later time of initial HIV diagnosis or time of initial AIDS diagnosis.

**Jurisdiction of Residence at HIV Diagnosis:** Jurisdiction of residence at time of initial HIV diagnosis.

**Late HIV Diagnosis:** Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 3 months after their initial HIV diagnosis.

**Linked to Care:** Percent of adult/adolescent reported HIV diagnoses with a reported CD4 or viral load test performed less than or equal to 1 month or 3 months after their initial HIV diagnosis.

**People Aged 13+ Living with Diagnosed HIV:** Reported HIV diagnoses, age 13 years or older as of June 30, 2022 and not reported to have died as of December 31, 2022.

**People Living with Diagnosed HIV:** Reported HIV diagnoses not reported to have died as of December 31, 2022.

**Median Count:** Median CD4 count (cells per microliter), among total people aged 13+ living with diagnosed HIV, of the most recent CD4 test result measured in the specified year.

**Median Unsuppressed:** Median unsuppressed viral load (copies per milliliter) among people aged 13+ living with diagnosed HIV of the most recent viral load test result measured in the specified year of 200 copies per milliliter or greater.

**Percent Change:** The percent change in number of total people aged 13+ living with diagnosed HIV from residence at diagnosis to current residence.

**Percent Late HIV Diagnosis:** Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to 3 months prior to their initial AIDS diagnosis.

**Percent Suppressed:** Percent of total people aged 13+ living with diagnosed HIV with a recent viral load test result measured in the specified year of less than 200 copies per milliliter.

**Population:** Population estimate for July 1, 2021.

**Population Age 13+:** Population age 13 years or older, estimate for July 1, 2021.

**Rate:** Number of people living with diagnosed HIV divided by the population and multiplied by 100,000.

**Ratio (1 in X):** Number of people for every 1 person living with diagnosed HIV in the population, or 1 person living with diagnosed HIV in every X number of people.

**Recent CD4 Test Result:** The most recent CD4 test result measured in the specified year.

**Recent Viral Load Test Result:** The most recent viral load test result measured in the specified year.

**Reported AIDS Diagnoses Among People Aged 13+:** Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

**Reported HIV Diagnoses Among People Aged 13+:** Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

**Residence at Diagnosis:** Jurisdiction of residence at later time of initial HIV diagnosis or initial AIDS diagnosis.

**Total People Aged 13+ Living with Diagnosed HIV:** Reported HIV diagnoses, age 13 years or older as of June 30, 2022 not reported to have died as of December 31, 2022.

**Viral Load With Test:** Number and percent of total people aged 13+ living with diagnosed HIV with a recent viral load test result.

## **Maryland Department of Health Non-Discrimination Statement**

The Maryland Department of Health (MDH) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability in its health programs and activities.

### **English**

Help is available in your language: 410-767-5227 (TTY: 800-735-2258). These services are available for free.

### **Español/Spanish**

Hay ayuda disponible en su idioma: 410-767-5227 (TTY: 800-735-2258). Estos servicios están disponibles gratis.

### **中文/Chinese**

用您的语言为您提供帮助: 410-767-5227 (TTY: 800-735-2258). 这些服务都是免费的

**Suggested Citation:** Maryland HIV/AIDS Quarterly Update, Fourth Quarter 2022. Baltimore, MD: Center for HIV Surveillance, Epidemiology and Evaluation, Infectious Disease Prevention and Health Services Bureau, Prevention and Health Promotion Administration, Maryland Department of Health. January 2023.

## Section II – Reported HIV Diagnoses, Among People Aged 13+, by Jurisdiction

Table 1 – Reported HIV Diagnoses and Reported AIDS Diagnoses, Among People Aged 13+ During July 1, 2021 through June 30, 2022, by Jurisdiction of Residence at Diagnosis, Reported through December 31, 2022

Jurisdiction of Residence at Diagnosis	Population Age 13+	Reported HIV Diagnoses Among People Aged 13+			Reported AIDS Diagnoses Among People Aged 13+		
		No.	% of Total	Rate	No.	% of Total	Rate
Allegany	59,378	1	0.1%	1.7	1	0.3%	1.7
Anne Arundel	495,875	30	4.0%	6.0	18	4.5%	3.6
Baltimore City	490,631	161	21.7%	32.8	103	25.9%	21.0
Baltimore	717,800	99	13.4%	13.8	47	11.8%	6.5
Calvert	78,973	1	0.1%	1.3	2	0.5%	2.5
Caroline	27,816	0	0.0%	0.0	0	0.0%	0.0
Carroll	147,304	6	0.8%	4.1	4	1.0%	2.7
Cecil	87,791	0	0.0%	0.0	1	0.3%	1.1
Charles	140,617	26	3.5%	18.5	10	2.5%	7.1
Dorchester	27,673	3	0.4%	10.8	1	0.3%	3.6
Frederick	234,052	13	1.8%	5.6	7	1.8%	3.0
Garrett	25,091	0	0.0%	0.0	0	0.0%	0.0
Harford	221,922	16	2.2%	7.2	5	1.3%	2.3
Howard	278,903	20	2.7%	7.2	13	3.3%	4.7
Kent	17,162	2	0.3%	11.7	1	0.3%	5.8
Montgomery	884,987	97	13.1%	11.0	44	11.1%	5.0
Prince George's	802,287	222	30.0%	27.7	118	29.7%	14.7
Queen Anne's	43,380	1	0.1%	2.3	0	0.0%	0.0
Saint Mary's	95,213	8	1.1%	8.4	3	0.8%	3.2
Somerset	21,550	4	0.5%	18.6	2	0.5%	9.3
Talbot	32,881	0	0.0%	0.0	0	0.0%	0.0
Washington	131,419	8	1.1%	6.1	6	1.5%	4.6
Wicomico	87,489	21	2.8%	24.0	10	2.5%	11.4
Worcester	46,885	2	0.3%	4.3	1	0.3%	2.1
Corrections	--	0	0.0%	--	0	0.0%	--
<b>Total</b>	<b>5,197,078</b>	<b>741</b>	<b>100.0%</b>	<b>14.8</b>	<b>397</b>	<b>100.0%</b>	<b>7.8</b>

Table 2 – Reported HIV Diagnoses, Among People Aged 13+ During July 1, 2021 through June 30, 2022, Linked to Care, Late Diagnosis, and First CD4 Test Result by Jurisdiction of Residence at Diagnosis, Reported through December 31, 2022

Jurisdiction of Residence at HIV Diagnosis	Reported HIV Diagnoses Among People Aged 13+					
	No.	Linked to Care		% Late HIV Diagnoses	First CD4 Test Result	
		% 1 mo.	% 3 mo.		% with Test	Median Count
Allegany	1	***	***	***	***	***
Anne Arundel	30	89.5%	92.1%	23.7%	94.7%	343
Baltimore City	161	84.5%	88.8%	19.9%	93.2%	390
Baltimore	99	89.6%	93.4%	28.3%	95.3%	383
Calvert	1	***	***	***	***	***
Caroline	0	--	--	--	--	--
Carroll	6	100.0%	100.0%	62.5%	100.0%	96
Cecil	0	--	--	--	--	--
Charles	26	88.5%	92.3%	30.8%	92.3%	365
Dorchester	3	***	***	***	***	***
Frederick	13	70.0%	80.0%	50.0%	90.0%	83
Garrett	0	--	--	--	--	--
Harford	16	77.8%	88.9%	0.0%	88.9%	489
Howard	20	82.6%	82.6%	21.7%	95.7%	337
Kent	2	***	***	***	***	***
Montgomery	97	87.8%	92.9%	32.7%	94.9%	369
Prince George's	222	84.3%	93.0%	26.9%	90.1%	406
Queen Anne's	1	***	***	***	***	***
Saint Mary's	8	85.7%	100.0%	***	100.0%	583
Somerset	4	***	***	***	***	***
Talbot	0	--	--	--	--	--
Washington	8	91.7%	91.7%	41.7%	91.7%	212
Wicomico	21	88.9%	88.9%	***	100.0%	279
Worcester	2	***	***	***	***	***
Corrections	0	--	--	--	--	--
<b>Total</b>	741	86.0%	91.4%	26.4%	92.8%	383

\*\*\* Data withheld due to low population counts and/or small numbers



Table 3 – People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Residence at Diagnosis and Current Residence, Reported through December 31, 2022

Jurisdiction of Residence	Population Age 13+	Total People Aged 13+ Living with Diagnosed HIV								
		Residence at Diagnosis				Current Residence				% Change
		No.	% of Total	Rate	Ratio (1 in X)	No.	% of Total	Rate	Ratio (1 in X)	
Allegany	59,378	92	0.3%	154.9	645	105	0.3%	176.8	566	14.1%
Anne Arundel	495,875	1,336	4.0%	269.4	371	1,431	4.5%	288.6	347	7.1%
Baltimore City	490,631	11,729	35.4%	2,390.6	42	10,222	32.1%	2,083.4	48	-12.8%
Baltimore	717,800	3,332	10.1%	464.2	215	3,810	12.0%	530.8	188	14.3%
Calvert	78,973	118	0.4%	149.4	669	134	0.4%	169.7	589	13.6%
Caroline	27,816	67	0.2%	240.9	415	61	0.2%	219.3	456	-9.0%
Carroll	147,304	156	0.5%	105.9	944	159	0.5%	107.9	926	1.9%
Cecil	87,791	127	0.4%	144.7	691	155	0.5%	176.6	566	22.0%
Charles	140,617	538	1.6%	382.6	261	690	2.2%	490.7	204	28.3%
Dorchester	27,673	125	0.4%	451.7	221	148	0.5%	534.8	187	18.4%
Frederick	234,052	397	1.2%	169.6	590	512	1.6%	218.8	457	29.0%
Garrett	25,091	9	0.0%	35.9	2,788	14	0.0%	55.8	1,792	55.6%
Harford	221,922	466	1.4%	210.0	476	544	1.7%	245.1	408	16.7%
Howard	278,903	643	1.9%	230.5	434	747	2.3%	267.8	373	16.2%
Kent	17,162	43	0.1%	250.6	399	51	0.2%	297.2	337	18.6%
Montgomery	884,987	4,235	12.8%	478.5	209	3,704	11.6%	418.5	239	-12.5%
Prince George's	802,287	8,084	24.4%	1,007.6	99	7,997	25.1%	996.8	100	-1.1%
Queen Anne's	43,380	57	0.2%	131.4	761	57	0.2%	131.4	761	0.0%
Saint Mary's	95,213	149	0.5%	156.5	639	164	0.5%	172.2	581	10.1%
Somerset	21,550	78	0.2%	361.9	276	90	0.3%	417.6	239	15.4%
Talbot	32,881	63	0.2%	191.6	522	81	0.3%	246.3	406	28.6%
Washington	131,419	324	1.0%	246.5	406	392	1.2%	298.3	335	21.0%
Wicomico	87,489	268	0.8%	306.3	326	268	0.8%	306.3	326	0.0%
Worcester	46,885	77	0.2%	164.2	609	63	0.2%	134.4	744	-18.2%
Corrections	--	584	1.8%	--	--	250	0.8%	--	--	--
<b>Total</b>	<b>5,197,078</b>	<b>33,097</b>	<b>100.0%</b>	<b>636.8</b>	<b>157</b>	<b>31,849</b>	<b>100.0%</b>	<b>612.8</b>	<b>163</b>	<b>-3.8%</b>

**Table 4 – CD4 Test Results During July 1, 2021 through June 30, 2022 for People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Current Residence, Reported through December 31, 2022**

Jurisdiction of Current Residence	Total People Aged 13+ Living with Diagnosed HIV								
	No.	Recent CD4 Test Result				<200	200-349	350-499	500+
		No. with Test	% with Test	Median Count					
Allegany	105	92	87.6%	686	4.3%	7.6%	12.0%	76.1%	
Anne Arundel	1,431	1,082	75.6%	664	5.8%	9.4%	15.2%	69.5%	
Baltimore City	10,222	7,472	73.1%	624	8.4%	11.7%	15.6%	64.3%	
Baltimore	3,810	2,749	72.2%	658	6.0%	10.2%	15.2%	68.5%	
Calvert	134	111	82.8%	689	4.5%	13.5%	11.7%	70.3%	
Caroline	61	50	82.0%	778	4.0%	10.0%	8.0%	78.0%	
Carroll	159	116	73.0%	690	10.3%	3.4%	16.4%	69.8%	
Cecil	155	97	62.6%	644	2.1%	11.3%	15.5%	71.1%	
Charles	690	535	77.5%	692	8.0%	9.7%	12.7%	69.5%	
Dorchester	148	110	74.3%	617	7.3%	15.5%	14.5%	62.7%	
Frederick	512	371	72.5%	643	5.4%	11.1%	15.9%	67.7%	
Garrett	14	12	85.7%	650	0.0%	8.3%	16.7%	75.0%	
Harford	544	373	68.6%	664	7.2%	10.5%	12.9%	69.4%	
Howard	747	571	76.4%	651	6.3%	8.9%	15.6%	69.2%	
Kent	51	37	72.5%	700	5.4%	2.7%	13.5%	78.4%	
Montgomery	3,704	2,563	69.2%	610	5.5%	11.5%	17.7%	65.3%	
Prince George's	7,997	6,000	75.0%	641	6.4%	10.6%	15.7%	67.4%	
Queen Anne's	57	47	82.5%	682	8.5%	14.9%	8.5%	68.1%	
Saint Mary's	164	131	79.9%	627	6.9%	12.2%	17.6%	63.4%	
Somerset	90	68	75.6%	614	8.8%	10.3%	22.1%	58.8%	
Talbot	81	70	86.4%	554	11.4%	15.7%	15.7%	57.1%	
Washington	392	299	76.3%	692	6.7%	10.4%	14.0%	68.9%	
Wicomico	268	206	76.9%	522	12.1%	18.0%	18.4%	51.5%	
Worcester	63	49	77.8%	653	6.1%	8.2%	16.3%	69.4%	
Corrections	250	197	78.8%	705	4.1%	7.1%	10.7%	78.2%	
<b>Total</b>	<b>31,849</b>	<b>23,408</b>	<b>73.5%</b>	<b>638</b>	<b>6.9%</b>	<b>10.9%</b>	<b>15.6%</b>	<b>66.5%</b>	

**Table 5 – Viral Load Test Results During July 1, 2021 through June 30, 2022 for People Aged 13+ Living with Diagnosed HIV, Alive on June 30, 2022, by Jurisdiction of Current Residence, Reported through December 31, 2022**

Jurisdiction of Current Residence	Total People Aged 13+ Living with Diagnosed HIV				
	No.	Recent Viral Load Test Result			Median Unsuppressed
		No. with Test	% with Test	% Suppressed	
Allegany	105	95	90.5%	96.8%	32,251
Anne Arundel	1,431	1,019	71.2%	90.5%	7,350
Baltimore City	10,222	7,523	73.6%	87.2%	6,000
Baltimore	3,810	2,795	73.4%	89.5%	6,930
Calvert	134	109	81.3%	91.7%	1,270
Caroline	61	52	85.2%	96.2%	38,907
Carroll	159	114	71.7%	93.0%	26,250
Cecil	155	93	60.0%	89.2%	4,910
Charles	690	487	70.6%	88.5%	7,630
Dorchester	148	107	72.3%	92.5%	20,950
Frederick	512	354	69.1%	89.3%	923
Garrett	14	12	85.7%	100.0%	--
Harford	544	369	67.8%	87.5%	17,479
Howard	747	564	75.5%	90.1%	2,405
Kent	51	38	74.5%	92.1%	303,000
Montgomery	3,704	2,273	61.4%	89.5%	11,350
Prince George's	7,997	5,350	66.9%	88.7%	7,045
Queen Anne's	57	44	77.2%	95.5%	29,200
Saint Mary's	164	131	79.9%	88.5%	19,300
Somerset	90	68	75.6%	88.2%	28,250
Talbot	81	69	85.2%	88.4%	13,385
Washington	392	301	76.8%	94.7%	32,950
Wicomico	268	214	79.9%	84.1%	20,040
Worcester	63	49	77.8%	91.8%	28,100
Corrections	250	184	73.6%	86.4%	1,100
<b>Total</b>	<b>31,849</b>	<b>22,414</b>	<b>70.4%</b>	<b>88.6%</b>	<b>6,760</b>