


Maryland Department of Health and Mental Hygiene

Martin O'Malley
Governor of Maryland

Anthony G. Brown
Lieutenant Governor of Maryland

Joshua M. Sharfstein, M.D.
*Secretary, Maryland Department
of Health and Mental Hygiene*



Cancer in Maryland Incidence and Mortality 2009 Supplemental Report

THIS PAGE INTENTIONALLY LEFT BLANK

Cancer in Maryland Incidence and Mortality 2009 Supplemental Report


**Maryland Cancer Registry
Center for Cancer Prevention and Control
Cancer and Chronic Disease Bureau
Prevention and Health Promotion Administration
Maryland Department of Health and Mental Hygiene**

Prepared by:

**Maryland Cancer Registry
Diane Dwyer, M.D., (Former) Medical Director
Kimberly Stern, Program Manager
Jennifer Hayes, Sr. Epidemiologist
Afaq Ahmad, Epidemiologist
Delores Rich, Program Coordinator**

**Quality Assurance/Database Management
Westat:**

**Serban Neigota, Program Manager
Mary Mesnard, Quality Assurance Manager**



This report is supported with funds from the Maryland Department of Health and Mental Hygiene, the Maryland Cigarette Restitution Fund Program, and the Centers for Disease Control and Prevention, National Program of Cancer Registries
(Grant Number - U55CCU321894)

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	10
INTRODUCTION	11
A. Introduction	11
B. History of the Maryland Cancer Registry	11
C. MCR Operations	12
D. Organization of this Supplemental Report	12
DATA COLLECTION AND MANAGEMENT	12
A. Reporting Facilities	12
B. Cancer Case Reporting and Definition	12
C. Registry Certification	13
D. Quality Assurance/Quality Control (QA/QC)	13
E. Data Confidentiality	13
DATA TABLES	13
INCIDENCE	
Table I1: Cancer Sites and All sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	16
Table I2: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males	18
Table I3: Cancer Sites and All sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females	20
Table I4: 7 Selected Cancer Sites for the State and all Sites Combined in Allegany County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	22
Table I5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	23
Table I6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	24

Table I7: 7 Selected Cancer Sites for the State and All sites Combined in Baltimore County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	25
Table I8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	26
Table I9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline county, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	27
Table I10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	28
Table I11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	29
Table I12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	30
Table I13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	31
Table I14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	32
Table I15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	33
Table I16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	34
Table I17: 7 Selected Cancer Sites for the State and All sites Combined in Howard County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	35
Table I18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	36
Table I19: 7 Selected Cancer Sites for the State and All Sites Combined in Montgomery County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	37
Table I20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	38
Table I21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	39
Table I22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	40

Table I23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	41
Table I24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot county, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	42
Table I25: 7 Selected Cancer Sites for the State and All Sites Combined in Washington County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	43
Table I26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	44
Table I27: Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	45

MORTALITY

Table M1: Cancer Sites and All Sites Combined in Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	48
Table M2: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	49
Table M3: Cancer sites and All Sites Combined for Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	52
Table M4: 7 Selected Cancer Sites for the State and All Sites Combined in Allegany County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	54
Table M5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	55
Table M6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	56
Table M7: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	57
Table M8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	58
Table M9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	59
Table M10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	60

Table M11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	61
Table M12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	62
Table M13: 7 Selected Cancer Sites for the State and All sites Combined in Dorchester County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	63
Table M14: 7 Selected Cancer Sites for the State and All Sties Combined in Frederick County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	64
Table M15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	65
Table M16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	66
Table M17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	67
Table M18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	68
Table M19: 7 Cancer Sites and All Sites Combined for Montgomery County, Maryland: Count, Age- Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	69
Table M20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	70
Table M21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	71
Table M22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	72
Table M23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	73
Table M24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	74
Table M25: 7 Selected Cancer Sites for the State and All sites Combined in Washington County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	75
Table M26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	76

Table M27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	77
APPENDIX A: DEFINITION OF CANCER GROUPS BY TOPOGRAPHY (SITE) AND HISTOLOGY	79

ACKNOWLEDGEMENTS

This report would not be possible without the support and diligence of the tumor registrars in Maryland reporting facilities. We greatly appreciate their efforts.

We thank the staff of the Center for Cancer Prevention and Control, Maryland Cancer Registry for their contributions to this report: Kimberly Stern, M.H.A., C.T.R.; Jennifer Hayes, M.Ed., M.P.H.; Afaq Ahmad, M.D., M.P.H., C.T.R.; Delores Rich, M.A.; Carolyn Davis-Harris; and Diane Dwyer, M.D., (former Medical Director)

We thank the staff of the MCR Quality Assurance and Database Management contractors at Westat, Inc, Rockville, MD, for their contributions to the 2009 data for this report, especially Serban Negoita, M.D., Ph. D., C.T.R., Mary Mesnard, R.H.I.A., C.T.R., and Krishna Hari, M.S..

We thank the staff at the Maryland Vital Statistics Administration, especially Isabelle Horon, Dr. P.H., Director, and Bob Hayman, Ph.D.

We also acknowledge Maryland hospitals, laboratories, ambulatory care facilities, therapeutic radiological centers, physicians, nursing facilities, assisted living programs, and general hospice care programs and the States of Alabama, Delaware, Florida, Georgia, New Jersey, New York, North Carolina, Pennsylvania, South Carolina, Texas, Virginia, West Virginia and the District of Columbia, who report cancer cases to the Maryland Cancer Registry.

The National Program of Cancer Registries (NPCR) of the Centers for Disease Control and Prevention and the North American Association of Central Cancer Registries (NAACCR) have been supportive of cancer registration in Maryland. We thank the NPCR and NAACCR staff for their technical assistance and support.

Funding for the Maryland Cancer Registry is provided by the State of Maryland General Funds, the Maryland Cigarette Restitution Fund, and the Federal Centers for Disease Control and Prevention, NPCR.

INTRODUCTION

A. Introduction

This year, the Maryland Cancer Registry is presenting the incidence and mortality tables as a supplement to the Cancer Report 2012 of the Cigarette Restitution Fund Program. These reports are located at http://phpa.dhmh.maryland.gov/cancer/SitePages/surv_data-reports.aspx.

Please see Appendix C of the Cancer Report 2012 of the Cigarette Restitution Fund Program for cancer report data sources, references, and data considerations. This appendix also includes information on data suppression in part III. Data Considerations. Please see Appendix F of those reports for the U.S. Standard Population, 2000.

B. History of the Maryland Cancer Registry

The Maryland Cancer Registry (MCR) is Maryland's official source for cancer statistics. The MCR registers all new cases of reportable cancers diagnosed and/or treated in Maryland.

In 1992, the Maryland General Assembly enacted Maryland Health-General Article §§ 18-203 and 18-204. The new laws required hospitals, radiation therapy centers, and in- and out-of-state-cancer diagnostic laboratories (that provide services to Maryland physicians) to electronically report all cancer cases diagnosed and/or treated in Maryland beginning July 1, 1993. In 1996, the laws were amended to require freestanding ambulatory care facilities, surgical centers, and physicians (whose non-hospitalized patients are not otherwise reported by either a hospital, radiation therapy center, surgical center or ambulatory care facility) to report cancer cases diagnosed and/or treated beginning with cases diagnosed January 1, 1999.

In 2001, the Maryland General Assembly enacted House Bill 636, which requires the reporting of benign brain and central nervous system tumors to the MCR, effective October 2001.

The Code of Maryland Regulations 10.14.01 were adopted in 1992 and were further amended in 1993, 1997, 2003, and 2011. The MCR operates in accordance with Public Law 202-515 and the standards set by North American Association of Central Cancer Registries (NAACCR) and the National Program of Cancer Registries (NPCR) of the Centers for Disease Control and Prevention (CDC).

Through data exchange agreements with 12 other states including the neighboring states of Delaware, Pennsylvania, Virginia, West Virginia, and with the District of Columbia, the MCR receives information on Maryland residents diagnosed and/or treated for cancer in these areas. The MCR also receives information on Maryland residents with cancer from selected District of Columbia and federal hospitals.

The MCR first received funding from the NPCR in 1996. The MCR has since received non-interrupted funding from the NPCR to support MCR efforts towards the collection of timely, complete, and accurate data. The MCR is also supported by Maryland State General funds and Cigarette Restitution Funds.

C. MCR Operations

The MCR is composed of a central office, located at DHMH within the Center for Cancer Prevention and Control, and a subcontractor that provides database management and quality assurance. The MCR central office has administrative, technical, analytical, and fiscal oversight of the MCR. The subcontractor, Westat, collects and processes all cancer reports, maintains the databases, and performs quality assurance and quality control activities on the data.

D. Organization of this Supplemental Report

This report provides cancer incidence and mortality statistics for the State of Maryland for the 2009 incidence years supplemental to the Cancer Report 2012 Cigarette Restitution Fund Program. Data tables include counts for major cancer sites and age-adjusted incidence rates (by incidence year, site, gender, and race) for Maryland and for selected cancer sites for each county. See Appendix A for a definition of cancer groups by topography (site) and histology. This report is also available on the MCR website

at: http://phpa.dhmd.maryland.gov/cancer/SitePages/surv_data-reports.aspx

DATA COLLECTION AND MANAGEMENT

A. Reporting Facilities

This report presents data collected from 45 Maryland hospitals, 16 radiation treatment centers, 38 laboratories, 83 ambulatory surgery centers, 98 physicians, 12 state center cancer registries, and the District of Columbia central cancer registry. Reporters are required to submit cancer reports on all newly diagnosed or treated cancer cases.

B. Cancer Case Reporting and Definition

The MCR is the source for the cancer incidence (new cases) data presented in this report. The MCR database contains two types of tumor cases:

1. Invasive cancers that are defined using American Cancer Society (ACS) criteria, and
2. Additional benign and in situ tumors that the Maryland DHMH considers important for the evaluation of cancer in Maryland and of state cancer control programs.

The ACS criteria for invasive cancer cases are those cancer cases that are used for incidence calculations by the National Cancer Institute's Surveillance Epidemiology End Results Program (SEER), the American College of Surgeons (ACoS), and NAACCR. For this report, invasive cancer includes all malignant cancers at any site (except for non-genital basal and squamous cell carcinoma of skin) and in situ cancers of the urinary bladder diagnosed in Maryland residents between January 1, 2009 and December 31, 2009. Cancer sites are grouped according to the conventions of the SEER program using the International Classification of Diseases, 3rd

Edition (ICD-O-3), by the World Health Organization (WHO) and shown in Appendix A. Only new cases diagnosed among Maryland residents are included in the analyses, not recurrent or metastatic cases.

C. Registry Certification

Each year, NAACCR evaluates MCR data for completeness, quality, and timeliness. The Maryland 2009 incidence data achieved Silver certification for completeness, quality, and timeliness.

D. Quality Assurance /Quality Control (QA/QC)

The MCR maintains two major activities for improving the accuracy and quality of the information received: 1) internal intra- and inter-record edits of the cancer reports, and 2) a yearly case finding review and re-abstraction of a sample of records from selected reporting facilities.

The MCR QA/QC program also includes the following components for case finding data completeness:

- A review of death certificate data to identify additional cancer cases among deceased Maryland residents who were not previously reported to the MCR; and
- Follow-back to the ordering physician on cases reported by laboratory-only to obtain additional clinical and treatment information.

E. Data Confidentiality

The Maryland Department of Health and Mental Hygiene (DHMH) regards data received, processed, and reported to or by the MCR as confidential. Data are secured from unauthorized access and disclosure. The MCR manages and releases information in accordance with the laws and regulations established for and by the State of Maryland as set forth in the Md. Code Ann., Health-General §§18-203 and 204, the Code of Maryland Regulations 10.14.01, Cancer Registry, and policies available at http://phpa.dhmh.maryland.gov/cancer/SitePages/mcr_regs.aspx.

DATA TABLES

The data tables present 2009 cancer incidence by cancer group, gender, and race for the State of Maryland. The tables must be reviewed with caution because small numbers are subject to wide variation. Confidence intervals are included with rates to help guide interpretation. In accordance with the MCR Data Use Manual and Procedures, this report presents data in the aggregate.

THIS PAGE INTENTIONALLY LEFT BLANK

2009

Maryland Cancer Incidence Cases by Selected Site,
Race, and Gender

Table I1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	26,800	443.7	438.3	449.1	18,912	446.5	440.1	453.0	6,557	431.8	421.0	442.8
Brain	334	5.8	5.2	6.4	242	6.1	5.3	6.9	61	4.0	3.0	5.1
Cervix	208	6.8	5.9	7.8	110	5.8	4.7	7.0	73	7.8	6.1	9.9
Colon and Rectum	2,269	38.0	36.4	39.6	1,534	36.0	34.2	37.9	612	42.4	38.9	46.0
Esophagus	289	4.7	4.2	5.3	222	5.1	4.5	5.8	60	4.0	3.0	5.2
Female Breast (Malignant Only)	4,236	127.4	123.5	131.3	2,896	127.8	123.1	132.7	1,107	121.7	114.5	129.2
Hodgkin Lymphoma	137	2.4	2.0	2.9	97	2.7	2.2	3.3	35	2.0	1.4	2.9
Kidney and Renal Pelvis	856	14.1	13.1	15.1	579	13.7	12.6	14.8	246	16.1	14.0	18.3
Larynx	216	3.5	3.0	4.0	151	3.5	2.9	4.1	62	4.1	3.1	5.3
Leukemia	657	11.3	10.4	12.2	492	12.0	11.0	13.1	121	8.6	7.1	10.4
Liver and Intrahepatic Bile Duct	390	6.2	5.6	6.9	218	5.0	4.4	5.7	143	8.4	7.1	10.0
Lung and Bronchus	3,461	58.6	56.6	60.6	2,571	60.7	58.3	63.1	786	55.6	51.6	59.8
Melanoma	1,192	20.0	18.9	21.2	1,157	28.2	26.6	29.9	13	**	**	**
Multiple Myeloma	339	5.7	5.1	6.4	201	4.7	4.1	5.5	123	8.9	7.4	10.7
Myelodysplastic Syndrome	189	3.3	2.8	3.8	145	3.4	2.9	4.0	33	2.5	1.7	3.5
Non-Hodgkin Lymphoma	1017	17.2	16.1	18.3	774	18.6	17.3	20.0	196	12.5	10.8	14.5
Oral Cavity and Pharynx	624	10.0	9.3	10.9	484	11.2	10.2	12.2	120	7.5	6.2	9.1
Ovary	391	11.6	10.5	12.9	289	12.6	11.2	14.2	77	8.4	6.6	10.5
Pancreas	706	11.8	11.0	12.8	470	11.0	10.1	12.1	205	14.4	12.4	16.6
Prostate	4,221	148.4	143.9	153.1	2,604	127.2	122.3	132.3	1,408	217.9	205.8	230.6
Stomach	357	6.0	5.4	6.7	205	4.8	4.2	5.6	114	8.4	6.9	10.1
Testis	115	4.2	3.5	5.1	97	5.5	4.5	6.8	8	**	**	**
Thyroid	771	12.9	12.0	13.9	562	14.2	13.0	15.5	149	8.9	7.5	10.5
Urinary Bladder	1077	18.4	17.3	19.5	905	21.3	19.9	22.8	126	9.1	7.5	10.9
Uterus	865	25.3	23.6	27.0	613	26.4	24.3	28.7	191	20.3	17.4	23.4

*All Races include unspecified and unknown race

**Both Genders include male, female, hermaphrodite, transexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2009											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	711	255.4	236.2	275.7	73	365.5	282.6	464.1	651	300.2	275.3	326.6
Brain	16	6.6	3.7	10.8	<6	**	**	**	14	**	**	**
Cervix	14	**	**	**	<6	**	**	**	8	**	**	**
Colon and Rectum	78	29.7	23.2	37.4	<6	**	**	**	44	22.3	15.7	30.5
Esophagus	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Female Breast (Malignant Only)	132	80.5	67.1	95.9	10	**	**	**	116	88.6	72.5	107.0
Hodgkin Lymphoma	<6	**	**	**	0	0	0	0	<6	**	**	**
Kidney and Renal Pelvis	14	**	**	**	<6	**	**	**	14	**	**	**
Larynx	<6	**	**	**	<6	**	**	**	<6	**	**	**
Leukemia	16	5.2	2.9	8.6	<6	**	**	**	25	9.3	5.4	14.6
Liver and Intrahepatic Bile Duct	20	8.1	4.9	12.6	<6	**	**	**	24	10.7	6.6	16.2
Lung and Bronchus	75	28.3	22	35.7	11	**	**	**	45	25.5	18.3	34.4
Melanoma	0	0	0	0	<6	**	**	**	10	**	**	**
Multiple Myeloma	7	**	**	**	0	0.0	0.0	0.0	14	**	**	**
Myelodysplastic Syndrome	8	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	23	8.1	5.1	12.4	<6	**	**	**	29	13.0	8.3	19.3
Oral Cavity and Pharynx	13	**	**	**	0	0.0	0.0	0.0	7	**	**	**
Ovary	18	11.5	6.7	18.4	<6	**	**	**	18	14.8	8.5	23.7
Pancreas	25	10.5	6.6	15.5	<6	**	**	**	8	**	**	**
Prostate	72	55.3	42.6	70.4	6	**	**	**	92	110	86.7	136.9
Stomach	24	8.9	5.6	13.4	<6	**	**	**	23	10.9	6.6	16.8
Testis	<6	**	**	**	0	0.0	0.0	0.0	9	**	**	**
Thyroid	39	11.8	8.4	16.2	<6	**	**	**	42	14.4	9.8	20.2
Urinary Bladder	20	8.6	5.2	13.3	<6	**	**	**	21	14.2	8.6	21.7
Uterus	29	17.9	11.9	26	<6	**	**	**	26	23	14.7	33.9

*All Races include unspecified and unknown race

**Both Genders include male, female, hermaphrodite, transexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table 12: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males

	Male 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	13,346	500.4	491.6	509.2	9,451	493.4	483.3	503.7	3,287	527.8	508.3	547.9
Brain	174	6.8	5.8	7.9	129	7.2	6.0	8.5	30	5.0	3.3	7.4
Colon and Rectum	1,092	42.1	39.6	44.8	772	41.1	38.2	44.2	258	43.5	37.9	49.8
Esophagus	228	8.5	7.4	9.7	180	9.3	7.9	10.8	43	6.5	4.6	8.9
Hodgkin Lymphoma	76	2.7	2.2	3.4	54	3.0	2.2	3.9	19	2.5	1.5	4.0
Kidney and Renal Pelvis	524	19.3	17.6	21.1	364	18.9	17.0	21.0	139	20.8	17.2	24.8
Larynx	168	6.0	5.1	7.0	120	6.0	5.0	7.2	46	7.0	5.0	9.6
Leukemia	385	15.7	14.2	17.4	315	17.8	15.8	19.9	50	8.3	6.0	11.1
Liver and Intrahepatic Bile Duct	275	9.5	8.4	10.7	145	7.2	6.0	8.5	111	15.9	12.8	19.5
Lung and Bronchus	1,723	67.6	64.3	70.9	1,267	67.9	64.1	71.8	397	69.9	62.6	77.7
Melanoma	694	26.5	24.5	28.6	673	35.4	32.8	38.3	6	**	**	**
Multiple Myeloma	168	6.6	5.6	7.7	109	5.8	4.7	7.0	53	9.8	7.2	12.9
Myelodysplastic Syndrome	107	4.8	3.9	5.8	91	5.4	4.3	6.7	12	**	**	**
Non-Hodgkin Lymphoma	556	21.2	19.4	23.1	422	22.5	20.3	24.8	113	16.4	13.3	20.1
Oral Cavity and Pharynx	439	15.4	14.0	17.0	337	16.6	14.8	18.5	89	13.5	10.7	16.9
Pancreas	336	13.2	11.8	14.7	231	12.6	11.0	14.4	93	15.9	12.6	19.8
Prostate	4,221	148.4	143.9	153.1	2,604	127.2	122.3	132.3	1,408	217.9	205.8	230.6
Stomach	214	8.4	7.3	9.7	124	6.7	5.5	8.0	69	13.3	10.0	17.1
Testis	115	4.2	3.5	5.1	97	5.5	4.5	6.8	8	**	**	**
Thyroid	191	6.7	5.7	7.7	151	7.6	6.4	9.0	29	4.1	2.7	6.0
Urinary Bladder	793	32.9	30.6	35.3	673	37.4	34.6	40.4	86	16.3	12.8	20.5

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table I2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males

	Male 2009											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	302	243.4	215.0	274.3	30	360.4	233.3	527.0	285	319.3	278.2	364.0
Brain	9	**	**	**	<6	**	**	**	<6	**	**	**
Colon and Rectum	42	34.9	24.5	48	<6	**	**	**	17	18.7	10	31.1
Esophagus	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Hodgkin Lymphoma	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Kidney and Renal Pelvis	10	**	**	**	<6	**	**	**	<6	**	**	**
Larynx	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Leukemia	8	**	**	**	0	0.0	0.0	0.0	15	**	**	**
Liver and Intrahepatic Bile Duct	11	**	**	**	<6	**	**	**	17	16.2	8.8	27
Lung and Bronchus	43	35.4	25.1	48.3	<6	**	**	**	26	33.2	20.7	49.7
Melanoma	0	0	0	0	<6	**	**	**	<6	**	**	**
Multiple Myeloma	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Myelodysplastic Syndrome	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	9	**	**	**	<6	**	**	**	15	**	**	**
Oral Cavity and Pharynx	8	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Pancreas	10	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Prostate	72	55.3	42.6	70.4	6	**	**	**	92	110	86.7	136.9
Stomach	13	**	**	**	<6	**	**	**	15	**	**	**
Testis	<6	**	**	**	0	0.0	0.0	0.0	9	**	**	**
Thyroid	7	**	**	**	<6	**	**	**	9	**	**	**
Urinary Bladder	17	17.3	9.7	28.1	<6	**	**	**	15	**	**	**

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table 13: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females

	Female 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	13,413	405.0	398.1	412.0	9,439	415.6	407.1	424.3	3,258	369.9	357.0	383.1
Brain	159	5.0	4.2	5.9	112	5.1	4.2	6.2	31	3.4	2.3	4.9
Cervix	208	6.8	5.9	7.8	110	5.8	4.7	7.0	73	7.8	6.1	9.9
Colon and Rectum	1,174	34.8	32.8	36.9	760	32.0	29.7	34.4	353	41.3	37.0	46.0
Esophagus	61	1.8	1.4	2.3	42	1.8	1.3	2.4	17	2.1	1.2	3.4
Female Breast (Malignant Only)	4,236	127.4	123.5	131.3	2,896	127.8	123.1	132.7	1,107	121.7	114.5	129.2
Hodgkin Lymphoma	61	2.1	1.6	2.7	43	2.4	1.7	3.2	16	1.7	1.0	2.8
Kidney and Renal Pelvis	331	9.9	8.8	11.0	214	9.4	8.1	10.7	107	12.4	10.1	15.0
Larynx	47	1.3	1.0	1.8	30	1.3	0.8	1.8	s	2.0	1.1	3.2
Leukemia	271	8.4	7.4	9.4	177	8.0	6.8	9.3	71	8.7	6.8	11.0
Liver and Intrahepatic Bile Duct	115	3.4	2.8	4.1	73	3.0	2.4	3.9	32	3.4	2.3	4.8
Lung and Bronchus	1,731	52.2	49.7	54.7	1,299	55.6	52.6	58.7	387	46.3	41.7	51.2
Melanoma	495	15.5	14.1	17.0	482	23.1	21.0	25.3	7	**	**	**
Multiple Myeloma	171	5.1	4.3	5.9	92	3.9	3.1	4.8	70	8.3	6.4	10.5
Myelodysplastic Syndrome	82	2.4	1.9	3.0	54	2.1	1.6	2.8	21	2.6	1.6	4.0
Non-Hodgkin Lymphoma	461	14.1	12.8	15.5	352	15.5	13.9	17.3	83	9.7	7.7	12.0
Oral Cavity and Pharynx	184	5.6	4.8	6.4	147	6.5	5.5	7.7	30	3.2	2.2	4.6
Ovary	391	11.6	10.5	12.9	289	12.6	11.2	14.2	77	8.4	6.6	10.5
Pancreas	369	10.9	9.8	12.1	238	9.9	8.7	11.3	112	13.4	11.0	16.2
Stomach	143	4.3	3.6	5.1	81	3.4	2.7	4.3	45	5.5	4.0	7.4
Thyroid	579	18.6	17.1	20.2	410	20.6	18.6	22.7	120	12.9	10.6	15.4
Urinary Bladder	280	8.4	7.4	9.5	232	9.7	8.5	11.1	39	4.7	3.3	6.4
Uterus	865	25.3	23.6	27.0	613	26.4	24.3	28.7	191	20.3	17.4	23.4

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08, 2011 Maryland Cancer Registry

Table I3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females

	Female 2009											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	409	267.3	241.2	295.4	43	380.2	272.1	516.5	365	298.3	266.6	332.4
Brain	7	**	**	**	0	0.0	0.0	0.0	9	**	**	**
Cervix	14	**	**	**	<6	**	**	**	8	**	**	**
Colon and Rectum	36	24.7	17.0	34.5	<6	**	**	**	27	25.2	16.2	37.0
Esophagus	0	0.0	0.0	0.0	0	0.0	0.0	0.0	<6	**	**	**
Female Breast (Malignant Only)	132	80.5	67.1	95.9	10	**	**	**	116	88.6	72.5	107.0
Hodgkin Lymphoma	<6	**	**	**	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kidney and Renal Pelvis	<6	**	**	**	0	0.0	0.0	0.0	9	**	**	**
Larynx	0	0.0	0.0	0.0	<6	**	**	**	0	0.0	0.0	0.0
Leukemia	8	**	**	**	<6	**	**	**	10	**	**	**
Liver and Intrahepatic Bile Duct	9	**	**	**	0	0.0	0.0	0.0	7	**	**	**
Lung and Bronchus	32	22.5	15.2	31.9	6	**	**	**	19	19.7	11.7	30.6
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	7	**	**	**
Multiple Myeloma	<6	**	**	**	0	0.0	0.0	0.0	11	**	**	**
Myelodysplastic Syndrome	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	14	**	**	**	0	0.0	0.0	0.0	14	**	**	**
Oral Cavity and Pharynx	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Ovary	18	11.5	6.7	18.4	<6	**	**	**	18	14.8	8.5	23.7
Pancreas	15	**	**	**	<6	**	**	**	<6	**	**	**
Stomach	11	**	**	**	<6	**	**	**	8	**	**	**
Thyroid	32	18.3	12.5	26.1	<6	**	**	**	32	23.1	15.3	33.4
Urinary Bladder	<6	**	**	**	<6	**	**	**	6	**	**	**
Uterus	29	17.9	11.9	26.0	<6	**	**	**	26	23.0	14.7	33.9

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Note: Other include American Indian and Alaskan Native

Table I4: 7 Selected Cancer Sites for the State and all Sites Combined in Allegany County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	518	532.3	486.4	581.9	503	537.0	489.5	588.3	14	**	**	**
Colon and Rectum	53	51.8	38.5	68.6	51	51.1	37.8	68.3	<6	**	**	**
Female Breast (Malignant Only)	71	135.6	104.5	174.2	s	138.1	106.2	177.8	<6	**	**	**
Lung and Bronchus	81	78.8	62.3	98.8	s	80.1	63.3	100.8	<6	**	**	**
Melanoma	19	22.6	13.2	36.3	19	24.8	14.3	40.3	0	0.0	0.0	0.0
Pancreas	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Prostate	65	143.9	110.8	184.6	62	141.3	108.1	182.7	<6	**	**	**
Urinary Bladder	28	26.7	17.6	39.4	28	27.4	18.1	40.7	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	254	588.7	517.7	667.1	242	584.4	512.1	664.9	11	**	**	**
Colon and Rectum	24	54.9	35.0	82.7	22	52.1	32.5	80.3	<6	**	**	**
Lung and Bronchus	36	83.1	58.0	116.1	s	84.3	58.4	118.7	<6	**	**	**
Melanoma	12	**	**	**	12	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Prostate	65	143.9	110.8	184.6	62	141.3	108.1	182.7	<6	**	**	**
Urinary Bladder	21	49.3	30.3	76.5	21	50.8	31.2	79.1	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	263	503.9	440.4	574.9	260	512.8	447.5	585.9	<6	**	**	**
Colon and Rectum	29	50.6	33.0	75.9	29	51.8	33.8	77.8	0	0.0	0.0	0.0
Female Breast (Malignant Only)	71	135.6	104.5	174.2	s	138.1	106.2	177.8	<6	**	**	**
Lung and Bronchus	45	73.2	52.8	100.8	45	74.8	53.9	103.2	0	0.0	0.0	0.0
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table 15: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2589	472.8	454.4	491.8	2204	476.1	456.0	496.9	311	464.9	412.7	521.5
Colon and Rectum	199	37.4	32.2	43.0	156	34.4	29.1	40.4	33	58.2	39.5	82
Female Breast (Malignant Only)	381	127.8	115.1	141.6	322	129.7	115.7	145.0	45	109.3	79.1	147.1
Lung and Bronchus	358	66.9	60.0	74.4	317	68.9	61.3	77.1	37	63.2	44	87.5
Melanoma	153	27.3	23.1	32.1	148	31.7	26.7	37.4	<6	**	**	**
Pancreas	63	11.8	9.0	15.2	53	11.5	8.6	15.2	10	**	**	**
Prostate	440	159.3	144.2	175.6	355	150.3	134.5	167.5	73	223.8	173.7	283.7
Urinary Bladder	95	18.6	14.9	22.8	84	19.3	15.3	24.0	8	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1342	530.9	501.5	561.5	1151	533.4	501.6	566.6	154	506.2	425.3	597.5
Colon and Rectum	105	41.5	33.6	50.7	87	40.9	32.4	50.9	13	**	**	**
Lung and Bronchus	178	74.3	63.3	86.7	156	74.8	63.0	88.2	18	69.7	40.3	111
Melanoma	98	36.9	29.6	45.4	94	41.4	33.1	51.2	<6	**	**	**
Pancreas	26	11.2	7.1	16.6	22	10.9	6.7	16.9	<6	**	**	**
Prostate	440	159.3	144.2	175.6	355	150.3	134.5	167.5	73	223.8	173.7	283.7
Urinary Bladder	65	29.2	22.2	37.5	56	29.3	21.9	38.4	6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1241	427.7	403.9	452.6	1049	432.5	406.3	460.1	155	418.5	353.8	491.4
Colon and Rectum	94	32.9	26.5	40.4	69	28.6	22.2	36.4	20	63.7	38.6	98.0
Female Breast (Malignant Only)	381	127.8	115.1	141.6	322	129.7	115.7	145.0	45	109.3	79.1	147.1
Lung and Bronchus	177	61.5	52.6	71.4	158	64.8	55.0	76.0	19	56.9	33.9	88.8
Melanoma	55	19.8	14.8	25.8	54	23.9	17.9	31.4	0	0.0	0.0	0.0
Pancreas	37	12.6	8.8	17.5	31	12.4	8.3	17.8	6	**	**	**
Urinary Bladder	30	10.4	7.0	15.0	28	11.5	7.6	16.7	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	3048	471.5	454.8	488.8	1094	483.5	454.7	513.6	1898	462.3	441.5	484
Colon and Rectum	288	44.8	39.7	50.4	99	44.0	35.6	53.8	184	45.3	38.9	52.5
Female Breast (Malignant Only)	418	114.3	103.5	126.0	156	128.4	108.5	151.0	255	107.8	94.7	122.1
Lung and Bronchus	514	81.1	74.1	88.5	183	84.2	72.2	97.6	324	79.6	71.1	88.8
Melanoma	64	10.0	7.7	12.8	62	27.4	20.9	35.3	<6	**	**	**
Pancreas	94	14.4	11.6	17.6	31	13.2	8.9	19.0	62	14.8	11.3	19.0
Prostate	432	155.4	140.7	171.1	109	104.0	84.9	126.0	309	183	162.5	205.4
Urinary Bladder	93	14.4	11.6	17.7	59	25.4	19.2	32.9	32	8.1	5.5	11.5

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1512	564.7	535.8	594.7	545	544.5	498.7	593.4	942	569.6	532.5	608.5
Colon and Rectum	129	50.6	42.0	60.3	56	57.6	43.2	75.3	71	45.1	34.9	57.3
Lung and Bronchus	257	99.6	87.5	112.9	89	91.4	73.0	113.0	167	106.5	90.4	124.5
Melanoma	37	14.7	10.3	20.4	s	36.8	25.6	51.3	<6	**	**	**
Pancreas	43	16.1	11.5	21.9	16	16.3	9.2	26.7	27	16.0	10.4	23.6
Prostate	432	155.4	140.7	171.1	109	104.0	84.9	126.0	309	183	162.5	205.4
Urinary Bladder	57	22.9	17.2	29.9	40	41.1	29.2	56.3	16	10.1	5.7	16.5

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1533	410.8	390.2	432.2	549	444.3	406.9	484.4	954	393.8	368.9	420.1
Colon and Rectum	159	41.7	35.4	48.8	43	34.0	24.4	46.3	113	45.7	37.6	55.1
Female Breast (Malignant Only)	418	114.3	103.5	126.0	156	128.4	108.5	151.0	255	107.8	94.7	122.1
Lung and Bronchus	257	69.0	60.8	78.1	94	78.7	63.3	96.8	157	63.3	53.7	74.2
Melanoma	27	7.4	4.8	10.9	s	21.7	13.9	32.3	<6	**	**	**
Pancreas	51	13.2	9.8	17.4	15	**	**	**	35	13.8	9.6	19.4
Urinary Bladder	35	8.9	6.2	12.5	19	13.6	8.0	21.9	16	6.4	3.7	10.5

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table 17: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	4369	476.3	462.1	490.8	3502	484.1	467.7	500.9	741	466.4	431.5	503.1
Colon and Rectum	398	42.3	38.2	46.8	294	38.5	34.2	43.4	90	60.1	47.7	74.7
Female Breast (Malignant Only)	699	140.6	130.1	151.7	541	141.1	128.9	154.1	136	138.6	115.5	165
Lung and Bronchus	676	73.3	67.8	79.1	590	78.7	72.4	85.5	77	54	42	68
Melanoma	229	25.7	22.4	29.3	223	32.7	28.4	37.5	<6	**	**	**
Pancreas	122	13.0	10.8	15.6	91	11.9	9.5	14.7	24	17.8	11.1	26.6
Prostate	512	119.7	109.4	130.7	350	102.2	91.7	113.8	147	209	174.5	248.1
Urinary Bladder	163	17.0	14.5	19.9	148	19.0	16.0	22.5	11	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2081	516.7	494.4	539.7	1667	516.1	491.2	541.9	354	545.8	485.3	611.4
Colon and Rectum	187	46.9	40.4	54.3	135	41.5	34.7	49.3	45	79.3	54.9	109.8
Lung and Bronchus	329	83.9	75.0	93.6	286	88.4	78.3	99.4	36	64.2	43.4	90.6
Melanoma	130	33.1	27.6	39.4	127	40.1	33.3	47.8	0	0.0	0.0	0.0
Pancreas	57	14.5	10.9	18.8	43	13.6	9.8	18.4	11	**	**	**
Prostate	512	119.7	109.4	130.7	350	102.2	91.7	113.8	147	209	174.5	248.1
Urinary Bladder	128	31.8	26.5	37.9	114	34.4	28.3	41.5	s	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2285	450.6	431.9	470.0	1832	466.5	444.3	489.6	387	411.8	370.2	456.7
Colon and Rectum	211	39.2	33.9	45.1	159	36.8	31.0	43.5	45	49.3	35.5	66.5
Female Breast (Malignant Only)	699	140.6	130.1	151.7	541	141.1	128.9	154.1	136	138.6	115.5	165.0
Lung and Bronchus	347	66.3	59.4	73.9	304	72.7	64.5	81.7	41	47.0	33.3	64.2
Melanoma	99	20.7	16.7	25.4	96	28.2	22.5	35.0	<6	**	**	**
Pancreas	64	11.7	9.0	15.1	47	10.4	7.6	14.1	13	**	**	**
Urinary Bladder	35	6.2	4.3	8.8	s	7.5	5.0	10.8	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	360	412.9	369.9	459.6	308	423.4	375.7	475.5	46	356.8	259	479.3
Colon and Rectum	27	31.1	20.2	45.8	23	31.8	19.8	48.4	<6	**	**	**
Female Breast (Malignant Only)	57	118.3	88.8	154.6	46	116.8	84.5	157.5	11	**	**	**
Lung and Bronchus	41	50.2	35.7	68.7	35	51.3	35.3	72.0	<6	**	**	**
Melanoma	17	19.6	11.2	31.9	17	23.5	13.4	38.2	0	0.0	0.0	0.0
Pancreas	15	**	**	**	13	**	**	**	<6	**	**	**
Prostate	53	127.4	93.2	169.9	41	113.0	79.0	156.5	11	**	**	**
Urinary Bladder	21	27.3	16.7	42.0	21	32.6	19.9	50.1	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	168	424.8	358.3	499.8	144	426.3	354.6	508.1	22	468.1	275.7	732.6
Colon and Rectum	9	**	**	**	9	**	**	**	0	0	0	0
Lung and Bronchus	12	**	**	**	10	**	**	**	<6	**	**	**
Melanoma	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	7	**	**	**	<6	**	**	**
Prostate	53	127.4	93.2	169.9	41	113.0	79.0	156.5	11	**	**	**
Urinary Bladder	17	52.3	29.2	85.3	17	60.9	33.9	99.3	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	185	396.3	339.9	459.4	160	416.6	352.9	488.6	22	296.7	184.4	453.7
Colon and Rectum	15	**	**	**	12	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	57	118.3	88.8	154.6	46	116.8	84.5	157.5	11	**	**	**
Lung and Bronchus	28	62.3	41.1	90.7	25	66.0	42.3	98.4	<6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	156	428.9	363.2	503.2	136	442.7	370.2	525.5	19	367.9	219.8	579
Colon and Rectum	19	51.9	31.0	81.7	19	61.1	36.5	96.4	0	0	0	0
Female Breast (Malignant Only)	22	115.2	71.7	176.0	17	104.6	60.5	169.4	<6	**	**	**
Lung and Bronchus	20	56.1	34.0	87.2	17	57.0	32.9	92.1	<6	**	**	**
Melanoma	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	23	125.3	77.4	192.4	18	111.2	63.4	182.0	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	79	480.9	377.6	603.5	69	494.5	380.8	631.3	9	**	**	**
Colon and Rectum	10	**	**	**	10	**	**	**	0	0	0	0
Lung and Bronchus	11	**	**	**	9	**	**	**	<6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	23	125.3	77.4	192.4	18	111.2	63.4	182.0	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	77	395.7	310.9	497.1	67	409.3	315.5	523.0	10	**	**	**
Colon and Rectum	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	22	115.2	71.7	176.0	17	104.6	60.5	169.4	<6	**	**	**
Lung and Bronchus	9	**	**	**	5	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	839	440.7	410.9	472.2	800	440.7	410.2	473.0	24	386.7	244.7	579.3
Colon and Rectum	66	34.7	26.8	44.4	60	33.1	25.1	42.8	<6	**	**	**
Female Breast (Malignant Only)	157	151.9	128.7	178.4	149	151.0	127.3	178.2	6	**	**	**
Lung and Bronchus	96	51.7	41.7	63.4	s	53.3	43.0	65.4	<6	**	**	**
Melanoma	66	35.6	27.4	45.6	66	37.5	28.8	48.0	0	0.0	0.0	0.0
Pancreas	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Prostate	114	122.6	100.5	148.4	102	115.4	93.4	141.1	7	**	**	**
Urinary Bladder	39	20.7	14.6	28.5	36	20.1	14.0	28.1	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	412	478.2	431.5	528.5	391	476.2	428.6	527.7	12	**	**	**
Colon and Rectum	38	44.3	31.0	61.5	35	43.5	30.0	61.2	<6	**	**	**
Lung and Bronchus	47	54.4	39.5	73.1	47	56.9	41.3	76.4	0	0	0	0
Melanoma	40	50.6	35.7	69.6	40	52.9	37.3	72.8	0	0.0	0.0	0.0
Pancreas	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Prostate	114	122.6	100.5	148.4	102	115.4	93.4	141.1	7	**	**	**
Urinary Bladder	31	39.3	26.2	56.4	28	37.2	24.3	54.4	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	427	417.1	377.8	459.6	409	418.6	378.3	462.4	12	**	**	**
Colon and Rectum	28	26.8	17.7	39.3	25	24.5	15.7	36.9	<6	**	**	**
Female Breast (Malignant Only)	157	151.9	128.7	178.4	149	151.0	127.3	178.2	6	**	**	**
Lung and Bronchus	49	48.8	35.9	65.0	s	49.6	36.4	66.4	<6	**	**	**
Melanoma	26	25.7	16.6	38.2	26	27.2	17.6	40.6	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2011 Maryland Cancer Registry

Table I11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	455	430.5	391.2	472.7	431	434.9	394.1	478.8	20	365.2	219.3	568.6
Colon and Rectum	38	36.9	26.0	51.0	s	38.7	27.1	53.6	<6	**	**	**
Female Breast (Malignant Only)	62	107.1	81.9	137.9	59	108.7	82.4	140.9	<6	**	**	**
Lung and Bronchus	86	81.9	65.3	101.6	81	82.2	65.0	102.6	<6	**	**	**
Melanoma	22	20.9	13.0	32.0	22	22.3	13.8	34.1	0	0.0	0.0	0.0
Pancreas	14	**	**	**	12	**	**	**	<6	**	**	**
Prostate	63	127.3	96.4	165.0	56	117.6	87.5	154.7	7	**	**	**
Urinary Bladder	19	18.9	11.3	29.7	18	19.3	11.4	30.8	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	234	483.3	420.7	552.5	217	477.3	413.3	548.5	13	**	**	**
Colon and Rectum	23	48.3	30.1	73.4	23	51.6	32.1	78.5	0	0	0	0
Lung and Bronchus	41	86.1	60.8	118.3	37	83.1	57.5	116.1	<6	**	**	**
Melanoma	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	s	**	**	**	<6	**	**	**
Prostate	63	127.3	96.4	165.0	56	117.6	87.5	154.7	7	**	**	**
Urinary Bladder	12	**	**	**	11	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	221	392.8	342.2	449.0	214	405.4	352.3	464.4	7	**	**	**
Colon and Rectum	15	**	**	**	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	62	107.1	81.9	137.9	59	108.7	82.4	140.9	<6	**	**	**
Lung and Bronchus	45	78.5	57.1	105.6	s	81.5	59.0	110.0	<6	**	**	**
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	500	387.9	353.3	424.9	313	376.1	334.4	421.6	163	403.7	340.2	475.2
Colon and Rectum	55	45.2	33.6	59.3	36	46.8	32.5	65.2	15	**	**	**
Female Breast (Malignant Only)	74	100.4	78.2	127.0	41	90.2	64.2	123.6	32	140	93.1	201.1
Lung and Bronchus	58	48.0	36.0	62.5	40	49.0	34.6	67.4	16	43	23.7	70.9
Melanoma	18	13.4	7.8	21.5	s	19.7	11.3	32.2	<6	**	**	**
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	90	140.6	111.6	174.8	46	108.9	78.3	147.9	38	213.4	147	299.2
Urinary Bladder	22	20.2	12.3	30.8	18	24.7	14.5	39.3	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	267	457.1	399.8	519.9	171	439.5	372.1	515.6	85	488.6	379.5	617.8
Colon and Rectum	32	60.0	39.2	87.2	20	60.9	35.6	96.2	10	**	**	**
Lung and Bronchus	25	43.3	27.3	65.2	17	40.7	23.1	67.1	8	**	**	**
Melanoma	12	**	**	**	s	**	**	**	<6	**	**	**
Pancreas	<6	**	**	**	0	**	**	**	<6	**	**	**
Prostate	90	140.6	111.6	174.8	46	108.9	78.3	147.9	38	213.4	147	299.2
Urinary Bladder	16	39.9	21.7	65.6	16	53.9	29.5	89.1	0	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	230	327.3	285.4	373.7	142	319.6	268.1	378.5	76	335.0	260.0	423.9
Colon and Rectum	23	33.7	21.2	50.9	16	35.9	20.4	59.2	<6	**	**	**
Female Breast (Malignant Only)	74	100.4	78.2	127.0	41	90.2	64.2	123.6	32	140.0	93.1	201.1
Lung and Bronchus	32	49.4	33.4	70.0	23	54.0	33.9	81.9	7	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	171	389.3	331.8	454.8	122	369.2	304.6	445.1	47	445.2	325.6	596.2
Colon and Rectum	16	34.5	19.6	57.7	10	**	**	**	6	**	**	**
Female Breast (Malignant Only)	32	140.4	94.4	202.9	22	131.8	79.7	208.2	10	**	**	**
Lung and Bronchus	27	57.6	37.8	85.4	19	52.9	31.6	85.9	8	**	**	**
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	22	109.2	68.0	168.5	12	**	**	**	10	**	**	**
Urinary Bladder	9	**	**	**	s	**	**	**	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	83	441.4	349.5	551.3	57	393.0	295.4	515.5	26	611.9	394	908
Colon and Rectum	<6	**	**	**	<6	**	**	**	<6	**	**	**
Lung and Bronchus	17	85.7	49.5	140.6	11	**	**	**	6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	22	109.2	68.0	168.5	12	**	**	**	10	**	**	**
Urinary Bladder	s	**	**	**	7	**	**	**	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	87	353.6	281.0	441.4	65	355.4	269.8	463.2	21	336.6	206.7	523.4
Colon and Rectum	11	**	**	**	6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	32	140.4	94.4	202.9	22	131.8	79.7	208.2	10	**	**	**
Lung and Bronchus	10	**	**	**	8	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1035	463.0	434.5	492.8	934	465.7	435.6	497.4	73	474.9	368.4	600.8
Colon and Rectum	117	55.8	45.9	67.1	106	56.6	46.1	68.7	9	**	**	**
Female Breast (Malignant Only)	143	115.2	96.8	136.1	133	119.4	99.6	142.0	<6	**	**	**
Lung and Bronchus	123	56.7	46.9	68.0	115	58.3	47.9	70.4	7	**	**	**
Melanoma	52	22.2	16.4	29.3	51	24.6	18.2	32.7	0	0.0	0.0	0.0
Pancreas	24	11.2	7.1	16.8	19	9.6	5.7	15.1	<6	**	**	**
Prostate	135	122.8	102.0	146.6	113	114.1	93.0	138.4	18	243.1	134.5	399.7
Urinary Bladder	46	21.7	15.8	29.1	40	20.8	14.8	28.5	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	488	496.6	451.1	545.2	434	490.7	443.3	541.7	39	585.7	399.6	821.6
Colon and Rectum	51	57.0	41.7	75.8	47	58.6	42.4	78.7	<6	**	**	**
Lung and Bronchus	57	60.3	44.9	79.1	53	60.7	44.6	80.4	<6	**	**	**
Melanoma	32	28.6	19.2	41.1	31	31.2	20.8	44.9	0	0.0	0.0	0.0
Pancreas	10	**	**	**	s	**	**	**	<6	**	**	**
Prostate	135	122.8	102.0	146.6	113	114.1	93.0	138.4	18	243.1	134.5	399.7
Urinary Bladder	36	41.2	28.3	57.6	32	40.5	27.2	57.7	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	545	447.6	410.2	487.6	498	457.8	417.8	500.8	34	397.1	273.0	555.8
Colon and Rectum	66	56.5	43.5	72.2	59	56.5	42.8	73.3	6	**	**	**
Female Breast (Malignant Only)	143	115.2	96.8	136.1	133	119.4	99.6	142.0	<6	**	**	**
Lung and Bronchus	66	54.6	42.0	69.8	62	57.2	43.6	73.8	<6	**	**	**
Melanoma	20	16.4	9.9	25.6	20	18.9	11.4	29.6	0	0.0	0.0	0.0
Pancreas	14	**	**	**	10	**	**	**	<6	**	**	**
Urinary Bladder	10	**	**	**	8	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	158	409.3	346.3	481.3	155	405.9	342.8	478.1	0	0	0	0
Colon and Rectum	13	**	**	**	13	**	**	**	0	0	0	0
Female Breast (Malignant Only)	32	155.8	105.2	224.9	30	148.6	98.8	217.1	0	0	0	0
Lung and Bronchus	22	53.2	32.9	82.7	21	51.3	31.3	80.7	0	0	0	0
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	14	**	**	**	14	**	**	**	0	0	0	0
Urinary Bladder	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	65	350.0	268.6	450.1	65	352.6	270.6	453.6	0	0	0	0
Colon and Rectum	9	**	**	**	9	**	**	**	0	0	0	0
Lung and Bronchus	12	**	**	**	12	**	**	**	0	0	0	0
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	14	**	**	**	14	**	**	**	0	0	0	0
Urinary Bladder	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	93	470.4	375.9	583.1	90	461.2	367.0	573.9	0	0.0	0.0	0.0
Colon and Rectum	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	32	155.8	105.2	224.9	30	148.6	98.8	217.1	0	0.0	0.0	0.0
Lung and Bronchus	10	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1333	513.4	485.7	542.3	1169	508.5	479.2	539.2	125	519.3	428.6	622.6
Colon and Rectum	121	47.7	39.4	57.2	106	47.3	38.6	57.5	14	**	**	**
Female Breast (Malignant Only)	223	156.8	136.6	179.1	186	148.1	127.3	171.5	30	209.6	139.7	301.3
Lung and Bronchus	156	61.5	52.1	72.2	141	62.0	52.0	73.4	10	**	**	**
Melanoma	77	30.4	23.8	38.1	75	33.6	26.3	42.4	0	0.0	0.0	0.0
Pancreas	37	14.1	9.8	19.6	35	14.8	10.2	20.7	<6	**	**	**
Prostate	200	153.9	132.5	177.7	168	143.8	122.1	168.3	23	216.3	133.5	330
Urinary Bladder	64	25.4	19.4	32.5	61	27.2	20.7	35.1	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	666	560.3	516.5	606.7	592	559.9	513.6	609.2	57	540.3	402.8	707.9
Colon and Rectum	58	51.5	38.6	67.4	50	49.7	36.3	66.4	7	**	**	**
Lung and Bronchus	91	80.3	63.7	99.7	84	82.3	64.7	103.1	<6	**	**	**
Melanoma	39	34.0	23.8	47.0	38	37.1	25.9	51.5	0	0.0	0.0	0.0
Pancreas	15	**	**	**	s	**	**	**	<6	**	**	**
Prostate	200	153.9	132.5	177.7	168	143.8	122.1	168.3	23	216.3	133.5	330
Urinary Bladder	51	49.1	35.9	65.4	48	51.5	37.3	69.1	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	667	481.3	445.0	519.8	577	473.0	434.6	513.9	68	496.2	382.5	631.9
Colon and Rectum	63	44.4	34.1	57.1	56	45.0	33.9	58.8	7	**	**	**
Female Breast (Malignant Only)	223	156.8	136.6	179.1	186	148.1	127.3	171.5	30	209.6	139.7	301.3
Lung and Bronchus	65	47.6	36.6	60.9	57	47.1	35.6	61.4	<6	**	**	**
Melanoma	38	27.8	19.5	38.4	37	31.2	21.7	43.4	0	0.0	0.0	0.0
Pancreas	22	15.7	9.8	24.0	s	16.8	10.4	26.0	<6	**	**	**
Urinary Bladder	13	**	**	**	13	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1084	387.3	363.7	412.0	810	388.3	361.0	417.2	167	389.1	330.1	455.1
Colon and Rectum	90	34.6	27.6	42.9	55	28.0	20.8	36.7	18	47.7	27.7	75.8
Female Breast (Malignant Only)	203	128.2	110.7	147.6	145	123.2	103.4	145.8	34	132.1	90.6	186.1
Lung and Bronchus	99	39.0	31.5	47.8	77	40.4	31.6	50.9	13	**	**	**
Melanoma	61	20.0	15.0	26.0	59	25.7	19.2	33.7	<6	**	**	**
Pancreas	34	14.2	9.7	19.9	28	15.5	10.1	22.6	<6	**	**	**
Prostate	163	115.0	97.1	135.4	109	100.0	81.2	122.1	41	218.4	153.6	300.9
Urinary Bladder	36	13.6	9.4	19.0	32	16.2	10.9	23.1	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	506	401.5	364.9	440.7	385	405.4	363.3	450.9	71	406.8	309	523.9
Colon and Rectum	46	42.8	30.5	58.0	30	36.3	23.7	52.9	<6	**	**	**
Lung and Bronchus	50	43.4	31.6	57.9	39	44.8	31.3	62.1	<6	**	**	**
Melanoma	34	24.4	16.4	35.0	34	32.2	21.7	46.3	0	0.0	0.0	0.0
Pancreas	16	15.7	8.7	25.7	13	**	**	**	<6	**	**	**
Prostate	163	115.0	97.1	135.4	109	100.0	81.2	122.1	41	218.4	153.6	300.9
Urinary Bladder	25	24.3	15.2	36.6	22	28.8	17.4	44.3	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	575	378.8	347.6	412.1	423	375.9	339.8	415.0	96	394.6	317.8	484.1
Colon and Rectum	44	30.4	21.9	41.1	25	23.7	15.1	35.5	15	**	**	**
Female Breast (Malignant Only)	203	128.2	110.7	147.6	145	123.2	103.4	145.8	34	132.1	90.6	186.1
Lung and Bronchus	49	35.5	26.0	47.4	38	36.6	25.5	50.9	8	**	**	**
Melanoma	25	14.7	9.3	22.3	s	19.1	11.9	29.2	<6	**	**	**
Pancreas	18	12.4	7.2	19.8	15	**	**	**	<6	**	**	**
Urinary Bladder	11	**	**	**	s	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	141	457.3	383.4	543.4	115	443.4	364.2	537.4	24	499.4	317.5	762.7
Colon and Rectum	9	**	**	**	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	22	132.0	81.3	209.0	17	127.5	72.4	215.9	<6	**	**	**
Lung and Bronchus	16	54.9	30.6	93.4	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	25	181.5	116.3	274.9	18	150.0	87.7	246.6	7	**	**	**
Urinary Bladder	8	**	**	**	s	**	**	**	<6	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	72	531.8	414.3	676.4	57	488.0	367.8	640.5	14	**	**	**
Colon and Rectum	6	**	**	**	<6	**	**	**	<6	**	**	**
Lung and Bronchus	6	**	**	**	6	**	**	**	0	0	0	0
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	25	181.5	116.3	274.9	18	150.0	87.7	246.6	7	**	**	**
Urinary Bladder	6	**	**	**	<6	**	**	**	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	69	410.8	316.4	529.6	58	422.0	316.3	558.1	10	**	**	**
Colon and Rectum	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	22	132.0	81.3	209.0	17	127.5	72.4	215.9	<6	**	**	**
Lung and Bronchus	10	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I19: 7 Selected Cancer Sites for the State and All Sites Combined in Montgomery County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** *2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	4052	389.2	377.1	401.6	2952	387.6	373.4	402.2	566	406.8	372.4	443.3
Colon and Rectum	269	25.3	22.3	28.6	187	23.2	19.9	26.9	35	27.1	18.5	38.1
Female Breast (Malignant Only)	731	127.1	117.9	136.9	522	127.4	116.4	139.2	112	124.7	102.3	150.7
Lung and Bronchus	371	36.8	33.1	40.8	273	35.9	31.7	40.5	61	48.6	36.8	62.8
Melanoma	174	16.9	14.4	19.6	169	23.0	19.5	26.8	<6	**	**	**
Pancreas	100	9.6	7.8	11.8	68	8.8	6.8	11.3	18	12.7	7.4	20.3
Prostate	732	152.8	141.6	164.6	516	144.2	131.7	157.5	130	250.1	205.3	301.1
Urinary Bladder	186	18.2	15.6	21.0	157	20.3	17.2	23.9	12	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1989	437.1	417.6	457.2	1479	436.3	413.9	459.6	275	533	465.7	606.5
Colon and Rectum	129	27.7	23.0	33.1	96	27.7	22.3	34.0	14	**	**	**
Lung and Bronchus	165	38.7	32.9	45.2	121	37.6	31.1	45.0	25	52.3	32.6	78.6
Melanoma	104	22.9	18.6	27.8	101	30.1	24.4	36.8	<6	**	**	**
Pancreas	48	10.8	7.9	14.4	35	10.7	7.4	15.0	7	**	**	**
Prostate	732	152.8	141.6	164.6	516	144.2	131.7	157.5	130	250.1	205.3	301.1
Urinary Bladder	150	35.4	29.8	41.6	127	38.7	32.1	46.2	10	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2061	359.6	343.9	375.8	1472	356.9	338.3	376.3	291	344.6	305.0	387.8
Colon and Rectum	140	22.9	19.2	27.2	91	19.1	15.2	23.8	21	29.0	17.7	44.5
Female Breast (Malignant Only)	731	127.1	117.9	136.9	522	127.4	116.4	139.2	112	124.7	102.3	150.7
Lung and Bronchus	206	35.9	31.1	41.3	152	35.2	29.7	41.4	36	47.3	32.7	65.7
Melanoma	70	12.6	9.7	16.0	68	17.6	13.5	22.6	<6	**	**	**
Pancreas	52	8.8	6.5	11.7	33	7.4	5.0	10.7	11	**	**	**
Urinary Bladder	35	6.3	4.3	8.8	30	7.3	4.8	10.6	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	3003	387.6	373.3	402.4	851	336.9	314.5	360.5	1957	408.4	388.2	429.4
Colon and Rectum	254	33.7	29.5	38.3	71	28.1	21.9	35.5	167	38	31.6	45.3
Female Breast (Malignant Only)	513	115.0	105.1	125.7	106	82.0	66.9	99.6	372	125.9	112.5	140.4
Lung and Bronchus	312	43.3	38.4	48.6	125	49.5	41.2	59.1	177	41.9	35.1	49.6
Melanoma	40	6.1	4.3	8.3	37	15.2	10.6	20.9	<6	**	**	**
Pancreas	81	10.8	8.4	13.5	19	7.7	4.6	12.0	58	12.9	9.4	17.2
Prostate	630	180.4	165.4	196.4	116	100.3	82.6	120.5	483	233.4	208	260.9
Urinary Bladder	90	13.4	10.7	16.6	41	16.1	11.6	21.9	44	10.5	7.3	14.5

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1516	458.9	434.0	484.9	439	385.8	350.0	424.2	990	506.1	466.9	547.5
Colon and Rectum	121	36.8	30.0	44.6	38	32.3	22.7	44.4	73	40.4	29.1	54.1
Lung and Bronchus	167	57.1	48.0	67.4	68	62.2	48.1	79.1	91	54.8	40.9	71.4
Melanoma	24	10.1	6.2	15.3	24	23.2	14.8	34.5	0	0.0	0.0	0.0
Pancreas	36	11.8	7.9	16.7	9	**	**	**	25	14.3	7.9	23.3
Prostate	630	180.4	165.4	196.4	116	100.3	82.6	120.5	483	233.4	208	260.9
Urinary Bladder	56	21.9	16.0	29.0	25	24.2	15.5	35.8	29	19.5	11.7	29.9

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1483	341.5	323.9	359.9	411	308.2	278.7	340.2	965	348.1	324.6	372.9
Colon and Rectum	133	31.3	26.0	37.2	33	24.7	16.9	35.1	94	36.5	28.7	45.6
Female Breast (Malignant Only)	513	115.0	105.1	125.7	106	82.0	66.9	99.6	372	125.9	112.5	140.4
Lung and Bronchus	144	34.1	28.6	40.3	56	40.2	30.2	52.5	86	34.5	26.9	43.5
Melanoma	16	3.8	2.1	6.2	13	**	**	**	<6	**	**	**
Pancreas	45	10.4	7.5	14.0	10	**	**	**	33	12.5	8.2	18.0
Urinary Bladder	34	8.4	5.8	11.9	16	10.8	6.1	17.9	15	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	258	452.6	397.8	513.3	234	459.9	401.3	525.2	21	393.4	242	612.4
Colon and Rectum	18	30.4	17.8	49.3	15	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	36	119.2	82.5	167.8	34	128.0	87.4	182.1	<6	**	**	**
Lung and Bronchus	32	56.3	38.1	80.5	29	57.7	38.2	84.2	<6	**	**	**
Melanoma	15	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	5	**	**	**	<6	**	**	**
Prostate	55	191.5	142.9	252.4	50	188.9	138.6	252.8	<6	**	**	**
Urinary Bladder	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	139	513.2	428.8	609.9	124	504.3	416.4	606.0	14	**	**	**
Colon and Rectum	6	**	**	**	<6	**	**	**	<6	**	**	**
Lung and Bronchus	17	61.7	35.3	101.1	14	**	**	**	<6	**	**	**
Melanoma	7	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	55	191.5	142.9	252.4	50	188.9	138.6	252.8	<6	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	119	406.4	335.0	489.3	110	425.5	347.8	516.3	7	**	**	**
Colon and Rectum	12	**	**	**	10	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	36	119.2	82.5	167.8	34	128.0	87.4	182.1	<6	**	**	**
Lung and Bronchus	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2011 Maryland Cancer Registry

Table I22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	370	382.9	343.9	425.1	329	413.3	368.7	461.9	36	252.1	175.4	350.1
Colon and Rectum	26	28.3	18.3	41.8	s	32.5	20.7	48.3	<6	**	**	**
Female Breast (Malignant Only)	53	100.0	74.5	131.4	45	105.3	76.3	141.7	7	**	**	**
Lung and Bronchus	55	60.6	45.3	79.2	50	67.9	50.0	89.9	<6	**	**	**
Melanoma	21	20.4	12.5	31.5	21	24.8	15.2	38.3	0	0.0	0.0	0.0
Pancreas	13	**	**	**	11	**	**	**	<6	**	**	**
Prostate	50	97.0	71.0	129.4	40	90.4	63.7	124.9	10	**	**	**
Urinary Bladder	20	25.3	15.3	39.0	20	30.9	18.6	47.6	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	191	406.5	348.2	471.5	171	437.3	370.9	511.9	19	280.6	164.9	444.4
Colon and Rectum	14	**	**	**	s	**	**	**	<6	**	**	**
Lung and Bronchus	36	79.1	54.4	110.9	34	91.0	61.8	128.9	<6	**	**	**
Melanoma	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Prostate	50	97.0	71.0	129.4	40	90.4	63.7	124.9	10	**	**	**
Urinary Bladder	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	178	357.4	306.1	414.8	157	389.9	330.4	457.0	17	218.2	126.7	349.6
Colon and Rectum	12	**	**	**	12	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	53	100.0	74.5	131.4	45	105.3	76.3	141.7	7	**	**	**
Lung and Bronchus	19	41.8	25.0	65.3	16	44.3	25.1	71.7	<6	**	**	**
Melanoma	12	**	**	**	12	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	137	470.8	394.4	558.2	100	500.3	404.1	614.6	32	414.7	282.5	585
Colon and Rectum	9	**	**	**	6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	10	**	**	**	6	**	**	**	<6	**	**	**
Lung and Bronchus	23	78.1	49.3	118.4	18	82.9	48.9	135.6	<6	**	**	**
Melanoma	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	27	186.2	120.8	275.5	19	176.5	104.2	286.8	8	**	**	**
Urinary Bladder	7	**	**	**	s	**	**	**	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	83	625.8	494.3	781.7	66	705.0	539.4	908.8	15	**	**	**
Colon and Rectum	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0	0	0
Lung and Bronchus	14	**	**	**	10	**	**	**	<6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	27	186.2	120.8	275.5	19	176.5	104.2	286.8	8	**	**	**
Urinary Bladder	7	**	**	**	s	**	**	**	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	54	370.3	274.3	490.5	34	339.9	228.7	491.0	17	401.5	231.1	649.9
Colon and Rectum	9	**	**	**	6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	10	**	**	**	6	**	**	**	<6	**	**	**
Lung and Bronchus	9	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	271	471.8	412.4	538.3	235	474.3	410.2	546.7	32	401.5	266.4	590.5
Colon and Rectum	28	44.3	28.6	67.3	s	49.4	31.5	76.0	<6	**	**	**
Female Breast (Malignant Only)	40	145.9	99.6	208.1	35	155.8	102.7	228.3	<6	**	**	**
Lung and Bronchus	27	40.8	26.8	61.8	24	42.2	26.9	65.9	<6	**	**	**
Melanoma	19	34.9	20.4	57.4	19	40.7	23.6	67.3	0	0.0	0.0	0.0
Pancreas	7	**	**	**	s	**	**	**	<6	**	**	**
Prostate	54	176.3	131.9	234.5	46	171.9	125.3	235.0	7	**	**	**
Urinary Bladder	16	23.3	13.3	40.6	14	**	**	**	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	154	581.3	487.1	690.4	130	562.1	463.1	678.6	20	561.9	338.5	900.3
Colon and Rectum	13	**	**	**	13	**	**	**	0	0	0	0
Lung and Bronchus	13	**	**	**	11	**	**	**	<6	**	**	**
Melanoma	12	**	**	**	12	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	54	176.3	131.9	234.5	46	171.9	125.3	235.0	7	**	**	**
Urinary Bladder	11	**	**	**	9	**	**	**	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	117	382.4	308.9	470.2	105	401.4	320.4	499.4	12	**	**	**
Colon and Rectum	15	**	**	**	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	40	145.9	99.6	208.1	35	155.8	102.7	228.3	<6	**	**	**
Lung and Bronchus	14	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I25: 7 Selected Cancer Sites For the State and All Sites Combined in Washington County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	786	471.7	439.1	506.2	735	468.4	434.9	504.0	37	455.7	308.7	644.4
Colon and Rectum	68	41.3	32.0	52.6	64	41.0	31.5	52.7	<6	**	**	**
Female Breast (Malignant Only)	103	118.5	96.4	144.3	97	117.3	94.8	143.9	<6	**	**	**
Lung and Bronchus	121	73.2	60.6	87.6	117	74.1	61.2	89.0	<6	**	**	**
Melanoma	38	23.2	16.4	32.0	36	23.6	16.5	32.9	0	0.0	0.0	0.0
Pancreas	20	12.3	7.5	19.1	17	11.1	6.4	18.0	<6	**	**	**
Prostate	88	119.2	95.3	147.4	83	118.9	94.4	148.0	<6	**	**	**
Urinary Bladder	38	21.8	15.4	30.1	37	22.2	15.6	30.9	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	391	532.6	480.4	588.9	365	529.5	475.9	587.7	21	480.2	257.9	811.2
Colon and Rectum	34	46.5	32.0	65.2	32	46.4	31.6	65.9	<6	**	**	**
Lung and Bronchus	63	89.5	68.5	114.7	60	89.6	68.2	115.8	<6	**	**	**
Melanoma	16	21.7	12.3	35.5	14	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	s	**	**	**	<6	**	**	**
Prostate	88	119.2	95.3	147.4	83	118.9	94.4	148.0	<6	**	**	**
Urinary Bladder	25	35.3	22.7	52.4	24	35.8	22.8	53.7	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	394	440.0	396.9	486.7	369	435.3	391.1	483.4	16	455.7	253.7	744.7
Colon and Rectum	34	37.5	25.8	53.0	32	37.3	25.2	53.4	<6	**	**	**
Female Breast (Malignant Only)	103	118.5	96.4	144.3	97	117.3	94.8	143.9	<6	**	**	**
Lung and Bronchus	57	62.0	46.8	80.8	s	63.6	47.9	83.3	<6	**	**	**
Melanoma	22	24.9	15.5	38.2	22	26.5	16.5	40.8	0	0.0	0.0	0.0
Pancreas	9	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	13	**	**	**	13	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	561	550.4	505.2	598.6	433	555.9	503.9	611.8	116	534.3	440.6	641.6
Colon and Rectum	48	47.4	34.9	63.0	34	43.6	30.2	61.3	14	**	**	**
Female Breast (Malignant Only)	57	105.2	79.1	137.3	46	112.4	81.4	151.5	9	**	**	**
Lung and Bronchus	85	82.2	65.5	101.9	65	81.5	62.7	104.4	18	82.9	48.9	131.1
Melanoma	44	46.2	33.4	62.2	41	56.0	40.0	76.5	0	0.0	0.0	0.0
Pancreas	12	**	**	**	7	**	**	**	<6	**	**	**
Prostate	99	211.2	170.7	258.6	70	192.6	149.2	245.0	28	293.4	192.3	428.2
Urinary Bladder	33	32.3	22.1	45.6	28	35.0	23.2	51.0	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	320	715.4	637.1	800.6	246	709.4	621.4	806.5	68	747.9	575.8	953.8
Colon and Rectum	20	50.5	30.4	78.3	14	**	**	**	6	**	**	**
Lung and Bronchus	42	93.5	66.8	127.3	32	92.2	62.4	131.5	9	**	**	**
Melanoma	24	57.9	36.6	86.8	22	67.6	41.8	103.4	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	99	211.2	170.7	258.6	70	192.6	149.2	245.0	28	293.4	192.3	428.2
Urinary Bladder	29	64.9	43.1	94.0	25	72.6	46.5	108.1	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	239	429.7	375.9	489.2	186	446.4	382.9	517.7	47	373.5	273.7	497.6
Colon and Rectum	28	47.8	31.7	69.7	20	45.9	27.9	71.9	8	**	**	**
Female Breast (Malignant Only)	57	105.2	79.1	137.3	46	112.4	81.4	151.5	9	**	**	**
Lung and Bronchus	43	74.0	53.4	100.2	33	74.2	50.9	105.3	9	**	**	**
Melanoma	19	37.2	22.2	58.4	18	47.2	27.6	75.4	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	387	500.4	449.4	556.4	320	472.3	419.7	530.8	41	442.7	312.2	612.6
Colon and Rectum	31	39.5	26.0	58.7	27	40.1	25.3	61.8	<6	**	**	**
Female Breast (Malignant Only)	62	158.6	119.8	208.1	52	158.6	116.6	213.6	7	**	**	**
Lung and Bronchus	53	62.9	46.8	84.0	41	55.3	39.5	77.3	6	**	**	**
Melanoma	21	29.6	17.7	47.5	19	30.7	17.9	50.6	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	60	154.9	117.5	203.0	49	142.8	104.7	193.5	9	**	**	**
Urinary Bladder	18	22.1	13.0	36.7	16	21.9	12.5	38.0	<6	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	205	584.7	504.0	676.2	167	530.9	450.2	624.1	24	665.5	412.7	1016.7
Colon and Rectum	18	54.9	31.0	91.5	16	57.0	30.7	98.5	<6	**	**	**
Lung and Bronchus	30	81.6	54.6	119.7	23	71.1	44.7	110.9	<6	**	**	**
Melanoma	13	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	60	154.9	117.5	203.0	49	142.8	104.7	193.5	9	**	**	**
Urinary Bladder	16	45.2	25.6	76.4	14	**	**	**	<6	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	181	432.4	368.4	506.4	153	424.1	356.2	503.9	16	323.8	179.4	545.8
Colon and Rectum	13	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	62	158.6	119.8	208.1	52	158.6	116.6	213.6	7	**	**	**
Lung and Bronchus	23	48.3	30.2	77.0	18	41.5	24.5	71.5	<6	**	**	**
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

THIS PAGE INTENTIONALLY LEFT BLANK

2009

Maryland Cancer Mortality Cases by Selected Site,
Race, and Gender

Table M1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	10,376	177.7	174.3	181.2	7,472	176.6	172.6	180.7	2,658	193.0	185.4	200.8
Brain	244	4.1	3.6	4.7	193	4.6	3.9	5.3	42	3.0	2.1	4.1
Cervix	77	2.3	1.8	2.9	38	1.7	1.2	2.4	33	3.8	2.6	5.4
Colon and Rectum	986	16.8	15.8	17.9	659	15.5	14.3	16.7	300	21.6	19.1	24.3
Esophagus	267	4.5	4.0	5.1	213	5.0	4.4	5.7	54	3.5	2.6	4.6
Female Breast (Malignant Only)	793	23.5	21.9	25.2	540	22.6	20.7	24.6	240	27.1	23.7	30.8
Hodgkins Lymphoma	13	**	**	**	8	**	**	**	<5	**	**	**
Kidney and Renal Pelvis	235	4.0	3.5	4.6	178	4.2	3.6	4.9	48	3.5	2.6	4.7
Larynx	82	1.4	1.1	1.7	52	1.2	0.9	1.6	s	2.1	1.4	3.0
Leukemia	374	6.5	5.8	7.2	285	6.9	6.1	7.8	82	6.1	4.8	7.7
Liver and Intrahepatic Bile Duct	342	5.6	5.0	6.2	204	4.8	4.2	5.5	120	7.7	6.3	9.3
Lung and Bronchus	2,835	48.7	46.9	50.5	2,134	50.6	48.5	52.8	641	46.2	42.6	50.0
Melanoma	172	2.9	2.5	3.4	163	3.9	3.3	4.5	9	**	**	**
Mutiple Myeloma	223	3.9	3.4	4.5	147	3.5	2.9	4.1	73	5.7	4.4	7.2
Non-Hodgkins Lymphoma	333	5.8	5.2	6.5	276	6.6	5.8	7.4	52	3.9	2.9	5.2
Oral Cavity and Pharynx	153	2.5	2.1	2.9	99	2.3	1.9	2.8	50	3.3	2.4	4.4
Ovary	259	7.7	6.8	8.7	191	8.0	6.9	9.2	61	6.8	5.2	8.8
Pancreas	652	11.2	10.4	12.1	462	10.9	9.9	11.9	175	13.0	11.0	15.2
Prostate	542	25.5	23.4	27.8	333	20.7	18.5	23.0	202	49.6	42.4	57.7
Stomach	218	3.8	3.3	4.4	122	2.9	2.4	3.5	75	5.7	4.4	7.2
Urinary Bladder	288	5.1	4.5	5.7	244	5.7	5.0	6.5	40	3.3	2.3	4.5
Uterus	159	4.6	3.9	5.4	101	4.2	3.4	5.1	55	6.7	5.0	8.8

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	232	92.7	80.7	106.0					131	72.3	59.6	86.9
Brain	9	**	**	**					<5	**	**	**
Cervix	5	**	**	**					<5	**	**	**
Colon and Rectum	26	10.1	6.4	15					11	**	**	**
Esophagus	0	0	0	0					<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**					9	**	**	**
Hodgkins Lymphoma	<5	**	**	**					0	0.0	0.0	0.0
Kidney and Renal Pelvis	9	**	**	**					<5	**	**	**
Larynx	<5	**	**	**					<5	**	**	**
Leukemia	6	**	**	**					11	**	**	**
Liver and Intrahepatic Bile Duct	18	**	**	**					16	**	**	**
Lung and Bronchus	54	22	16.4	28.3					14	**	**	**
Melanoma	0	0	0	0					<5	**	**	**
Mutiple Myeloma	<5	**	**	**					5	**	**	**
Non-Hodgkins Lymphoma	<5	**	**	**					8	**	**	**
Oral Cavity and Pharynx	<5	**	**	**					<5	**	**	**
Ovary	7	**	**	**					<5	**	**	**
Pancreas	15	**	**	**					5	**	**	**
Prostate	<5	**	**	**					<5	**	**	**
Stomach	21	8.2	4.9	12.8					11	**	**	**
Urinary Bladder	<5	**	**	**					<5	**	**	**
Uterus	<5	**	**	**					<5	**	**	**

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

**Table M2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race**

	Male 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	5,267	217.6	211.6	223.7	3,790	212.6	205.8	219.6	1,345	255.7	240.7	271.4
Brain	140	5.3	4.4	6.3	112	5.9	4.8	7.1	21	3.6	2.1	5.7
Colon and Rectum	506	20.5	18.7	22.4	333	18.6	16.6	20.7	161	28.5	23.8	33.8
Esophagus	205	8	6.9	9.2	170	9.2	7.9	10.7	35	5.2	3.6	7.3
Hodgkins Lymphoma	7	**	**	**	<5	**	**	**	<5	**	**	**
Kidney and Renal Pelvis	146	5.8	4.9	6.9	112	6.1	5.0	7.4	28	5	3.1	7.6
Larynx	60	2.3	1.7	2.9	35	1.9	1.3	2.6	25	4.3	2.7	6.6
Leukemia	205	8.8	7.6	10.1	163	9.5	8.0	11.1	s	6.4	4.3	9.1
Liver and Intrahepatic Bile Duct	216	8	6.9	9.2	122	6.5	5.4	7.8	83	12.5	9.7	15.8
Lung and Bronchus	1,483	60	56.9	63.2	1,086	59.7	56.1	63.4	358	65.8	58.5	73.7
Melanoma	109	4.7	3.8	5.7	105	6	4.8	7.3	<5	**	**	**
Mutiple Myeloma	107	4.4	3.9	5.3	71	3.9	3.0	4.9	s	6.4	4.3	9.1
Non-Hodgkins Lymphoma	178	7.5	6.4	8.7	152	8.6	7.3	10.1	s	4.6	2.8	7.2
Oral Cavity and Pharynx	103	3.9	3.2	4.8	61	3.2	2.4	4.1	s	6.4	4.4	8.9
Pancreas	328	13.3	11.9	14.9	243	13.5	11.8	15.3	76	13.5	10.4	17.3
Prostate	542	25.5	23.4	27.8	333	20.7	18.5	23.0	202	49.6	42.4	57.7
Stomach	133	5.6	4.7	6.7	77	4.4	3.5	5.5	43	8.5	5.4	11.8
Urinary Bladder	204	9.4	8.1	10.8	174	10.4	8.9	12.0	s	6.5	4.0	9.8

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Male 2009											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	127	113.4	93.2	136.7					75	96.8	73.7	124.8
Brain	s	**	**	**					0	0.0	0.0	0.0
Colon and Rectum	12	**	**	**					6	**	**	**
Esophagus	0	0.0	0.0	0.0					<5	**	**	**
Hodgkins Lymphoma	<5	**	**	**					0	0.0	0.0	0.0
Kidney and Renal Pelvis	s	**	**	**					<5	**	**	**
Larynx	0	0.0	0.0	0.0					<5	**	**	**
Leukemia	s	**	**	**					9	**	**	**
Liver and Intrahepatic Bile Duct	11	**	**	**					9	**	**	**
Lung and Bronchus	37	32.5	22.4	45.7					9	**	**	**
Melanoma	0	0.0	0.0	0.0					<5	**	**	**
Mutiple Myeloma	<5	**	**	**					<5	**	**	**
Non-Hodgkins Lymphoma	<5	**	**	**					5	**	**	**
Oral Cavity and Pharynx	<5	**	**	**					<5	**	**	**
Pancreas	9	**	**	**					5	**	**	**
Prostate	<5	**	**	**					<5	**	**	**
Stomach	13	**	**	**					9	**	**	**
Urinary Bladder	<5	**	**	**					<5	**	**	**

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Female 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	5,109	152.2	148.0	156.5	3,682	153.2	148.2	158.3	1,313	157.9	149.3	166.9
Brain	104	3.2	2.6	3.9	81	3.6	2.9	4.5	21	2.6	1.6	3.9
Cervix	77	2.3	1.8	2.9	38	1.7	1.2	2.4	33	3.8	2.6	5.4
Colon and Rectum	480	14	12.8	15.3	326	13.1	11.7	14.6	139	17.1	14.3	20.3
Esophagus	62	1.8	1.4	2.3	43	1.8	1.3	2.4	19	**	**	**
Female Breast (Malignant Only)	793	23.5	21.9	25.2	540	22.6	20.7	24.6	240	27.1	23.7	30.8
Hodgkins Lymphoma	6	**	**	**	<5	**	**	**	<5	**	**	**
Kidney and Renal Pelvis	89	2.7	2.2	3.3	66	2.7	2.0	3.5	20	2.5	1.5	3.9
Larynx	22	0.7	0.4	1.0	17	**	**	**	<5	**	**	**
Leukemia	169	5	4.3	5.8	122	5.1	4.2	6.1	s	5.8	4.2	7.8
Liver and Intrahepatic Bile Duct	126	3.7	3.0	4.4	82	3.4	2.7	4.2	37	4.4	3.0	6.1
Lung and Bronchus	1,352	40.8	38.6	43.0	1048	44.2	41.5	46.9	283	34.2	30.3	38.5
Melanoma	63	1.8	1.4	2.3	58	2.5	1.9	3.2	s	**	**	**
Mutiple Myeloma	116	3.5	2.9	4.2	76	3.2	2.5	4.0	s	5	3.5	6.9
Non-Hodgkins Lymphoma	155	4.7	3.9	5.5	124	5.1	4.2	6.1	s	3.6	2.4	5.2
Oral Cavity and Pharynx	50	1.4	1.0	1.9	38	1.5	1.0	2.0	s	**	**	**
Ovary	259	7.7	6.8	8.7	191	8	6.9	9.2	61	6.8	5.2	8.8
Pancreas	324	9.6	8.6	10.7	219	9	7.8	10.3	99	12.4	10.0	15.2
Stomach	85	2.6	2.0	3.2	45	1.8	1.3	2.4	32	4.1	2.8	5.8
Urinary Bladder	84	2.5	1.9	3.1	70	2.8	2.2	3.6	s	**	**	**
Uterus	159	4.6	3.9	5.4	101	4.2	3.4	5.1	55	6.7	5.0	8.8

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Female 2009											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	105	76.5	62.1	93.2					56	55.0	41.0	72.2
Brain	<5	**	**	**					<5	**	**	**
Cervix	5	**	**	**					<5	**	**	**
Colon and Rectum	14	**	**	**					5	**	**	**
Esophagus	0.0	0.0	0.0	0.0					0	0.0	0.0	0.0
Female Breast (Malignant Only)	11	**	**	**					9	**	**	**
Hodgkins Lymphoma	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Kidney and Renal Pelvis	<5	**	**	**					0	0.0	0.0	0.0
Larynx	<5	**	**	**					0	0.0	0.0	0.0
Leukemia	<5	**	**	**					<5	**	**	**
Liver and Intrahepatic Bile Duct	7	**	**	**					7	**	**	**
Lung and Bronchus	17	**	**	**					5	**	**	**
Melanoma	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Mutiple Myeloma	<5	**	**	**					<5	**	**	**
Non-Hodgkins Lymphoma	<5	**	**	**					<5	**	**	**
Oral Cavity and Pharynx	<5	**	**	**					<5	**	**	**
Ovary	7	**	**	**					<5	**	**	**
Pancreas	6	**	**	**					<5	**	**	**
Stomach	8	**	**	**					<5	**	**	**
Urinary Bladder	<5	**	**	**					0	0.0	0.0	0.0
Uterus	<5	**	**	**					<5	**	**	**

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M4: 7 Selected Cancer Sites for the State and All Sites Combined in Allegany County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Race*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	198	194.3	167.9	223.7	194	194.9	168.1	224.7	<5	**	**	**
Colon and Rectum	22	21.3	13.3	32.4	22	21.9	13.6	33.3	0	0.0	0.0	0.0
Female Breast (Malignant Only)	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	47	46.8	34.3	62.4	44	44.8	32.4	60.4	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	16	**	**	**	16	**	**	**	0	0.0	0.0	0.0
Prostate	7	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	92	220.1	177.2	270.3	s	220	176.4	271.2	<5	**	**	**
Colon and Rectum	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	21	50.3	31.0	77.1	s	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Prostate	7	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	106	175.4	142.7	213.4	s	177.3	144.0	215.9	<5	**	**	**
Colon and Rectum	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	26	45.2	29.0	67.0	s	44.3	28.2	66.3	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	952	186.4	174.6	198.8	836	191.4	178.5	205.0	105	174.5	141.7	212.6
Colon and Rectum	75	14.5	11.4	18.3	61	13.7	10.4	17.7	14	**	**	**
Female Breast (Malignant Only)	62	21.5	16.4	27.6	52	21.7	16.2	28.5	8	**	**	**
Lung and Bronchus	296	58.3	51.7	65.5	269	61.8	54.5	69.8	24	40.6	25.6	61.0
Melanoma	23	4.5	2.8	6.8	21	4.7	2.9	7.3	<5	**	**	**
Pancreas	57	10.6	7.9	13.8	49	10.7	7.9	14.2	8	**	**	**
Prostate	48	24.8	18.0	33.3	38	22.7	15.8	31.6	10	**	**	**
Urinary Bladder	34	7.1	4.9	9.9	29	7.0	4.7	10.0	<5	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	507	232.7	211.9	254.9	448	238.6	216.1	262.8	54	212.0	156.5	280.8
Colon and Rectum	47	20.0	14.5	26.9	39	19.6	13.7	27.2	8	**	**	**
Lung and Bronchus	165	74.6	63.2	87.5	150	78.5	65.9	92.7	13	**	**	**
Melanoma	16	**	**	**	14	**	**	**	<5	**	**	**
Pancreas	26	11.2	7.1	16.8	23	11.5	7.1	17.6	<5	**	**	**
Prostate	48	24.8	18.0	33.3	38	22.7	15.8	31.6	10	**	**	**
Urinary Bladder	23	13.0	8.0	19.8	s	**	**	**	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	445	155.5	141.2	170.8	388	160.0	144.4	177.0	51	146.1	108.0	193.2
Colon and Rectum	28	9.6	6.4	13.9	22	8.6	5.4	13.0	6	**	**	**
Female Breast (Malignant Only)	62	21.5	16.4	27.6	52	21.7	16.2	28.5	8	**	**	**
Lung and Bronchus	131	46.4	38.7	55.2	119	49.7	41.1	59.6	11	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	31	10.4	7.0	14.8	26	10.2	6.6	15.0	s	**	**	**
Urinary Bladder	11	**	**	**	s	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,853	197.1	188.2	206.4	1,529	197.6	187.6	207.9	296	202.3	178.6	228.2
Colon and Rectum	171	17.9	15.3	20.8	138	17.3	14.5	20.5	30	19.1	12.5	27.9
Female Breast (Malignant Only)	149	28.5	24.0	33.6	120	28.6	23.5	34.5	29	25.9	17.2	37.5
Lung and Bronchus	532	57.1	52.3	62.2	456	59.8	54.4	65.6	68	48.5	37.1	62.3
Melanoma	34	3.7	2.6	5.2	32	4.4	2.9	6.3	<5	**	**	**
Pancreas	117	12.5	10.3	15.0	94	12.3	9.9	15.1	20	15.5	9.3	24.3
Prostate	87	23.7	18.9	29.3	64	20.0	15.4	25.6	23	56.4	34.1	87.8
Urinary Bladder	62	6.3	4.8	8.1	54	6.5	4.9	8.5	8	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	902	233	217.9	248.8	739	229.6	213.3	246.8	148	272.6	225.8	326.3
Colon and Rectum	85	21.4	17.0	26.5	68	20.7	16.0	26.3	16	**	**	**
Lung and Bronchus	256	65.4	57.6	74.0	213	65.9	57.3	75.4	38	67.6	46.2	95.4
Melanoma	20	5.2	3.2	8.0	20	6.4	3.9	9.9	0	0.0	0.0	0.0
Pancreas	53	13.8	10.3	18.0	43	13.8	9.9	18.7	9	**	**	**
Prostate	87	23.7	18.9	29.3	64	20.0	15.4	25.6	23	56.4	34.1	87.8
Urinary Bladder	43	11.5	8.3	15.5	39	12.1	8.6	16.6	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	951	176	164.8	187.8	790	179.3	166.5	192.8	148	162.2	136.1	191.8
Colon and Rectum	86	15.3	12.2	19.0	70	14.8	11.4	18.9	14	**	**	**
Female Breast (Malignant Only)	149	28.5	24.0	33.6	120	28.6	23.5	34.5	29	25.9	17.2	37.5
Lung and Bronchus	276	51.9	45.9	58.5	243	56.4	49.3	64.2	30	35.6	23.6	51.5
Melanoma	14	**	**	**	12	**	**	**	<5	**	**	**
Pancreas	64	11.6	8.9	14.9	51	11.3	8.3	14.9	11	**	**	**
Urinary Bladder	19	**	**	**	15	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M7: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,380	218.2	206.8	230.1	473	206.9	188.4	226.7	899	227.0	212.2	242.5
Colon and Rectum	145	22.9	19.3	26.9	45	19.2	13.9	25.8	97	24.8	20	30.3
Female Breast (Malignant Only)	102	27.5	22.4	33.5	33	23.9	16.2	33.9	67	28.6	22.0	36.5
Lung and Bronchus	413	64.8	58.7	71.4	162	70.6	60	82.5	249	61.9	54.4	70.2
Melanoma	6	**	**	**	s	**	**	**	<5	**	**	**
Pancreas	68	10.7	8.3	13.6	16	**	**	**	52	13	9.7	17.1
Prostate	89	40	31.9	49.4	16	**	**	**	72	55.3	42.8	70.4
Urinary Bladder	29	4.8	3.2	6.9	20	9.3	5.7	14.4	9	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	705	283.8	262.7	306.1	238	253.4	221.7	288.3	463	309.0	208.3	339.8
Colon and Rectum	72	29.7	23	37.7	19	**	**	**	52	36.6	26.8	48.8
Lung and Bronchus	230	90.5	78.9	103.3	90	90.9	72.8	112.2	138	89.6	74.8	106.5
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	31	11.6	7.8	16.6	8	**	**	**	23	14	8.7	21.4
Prostate	89	40	31.9	49.4	16	**	**	**	72	55.3	42.8	70.4
Urinary Bladder	23	10.3	6.5	15.6	s	**	**	**	s	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	675	177.5	164.2	191.5	235	175.0	152.7	199.6	436	180.2	163.5	198.1
Colon and Rectum	73	18.8	14.7	23.7	26	18.0	11.5	26.7	45	18.5	13.4	24.8
Female Breast (Malignant Only)	102	27.5	22.4	33.5	33	23.9	16.2	33.9	67	28.6	22.0	36.5
Lung and Bronchus	183	48.1	41.3	55.7	72	54.6	42.5	69.1	111	45.2	37.1	54.5
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	37	9.8	6.9	13.5	8	**	**	**	29	11.9	7.9	17.1
Urinary Bladder	6	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	150	188.9	159.3	222.5	129	194.9	162.0	232.5	21	176.7	107.9	272.8
Colon and Rectum	10	**	**	**	8	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	13	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	39	48.0	33.8	66.0	37	54.0	37.7	75.0	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	19	**	**	**	17	**	**	**	<5	**	**	**
Prostate	6	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	64	191.7	145.1	248.5	56	194.5	144.3	256.5	8	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	16	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	9	**	**	**	<5	**	**	**
Prostate	6	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	86	193.7	154.4	239.9	73	201.1	157.0	253.7	13	**	**	**
Colon and Rectum	s	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	13	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	23	52.8	33.3	79.6	s	60.8	37.8	92.6	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	76	214.5	168.6	269.0	64	213.4	163.9	273.2	12	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0	0	0
Female Breast (Malignant Only)	10	**	**	**	8	**	**	**	<5	**	**	**
Lung and Bronchus	23	62.4	39.3	94	s	69.8	43.5	106.2	<5	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	42	301.4	215.2	410.6	36	301.6	208.5	422.0	6	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0	0	0
Lung and Bronchus	17	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	34	167.7	115.6	235.3	28	162.8	107.4	236.7	6	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	10	**	**	**	8	**	**	**	<5	**	**	**
Lung and Bronchus	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	320	174.3	155.5	194.7	312	176.7	157.4	197.7	6	**	**	**
Colon and Rectum	33	18.7	12.8	26.4	33	19.5	13.3	27.5	0	0.0	0.0	0.0
Female Breast (Malignant Only)	19	**	**	**	19	**	**	**	0	0	0	0
Lung and Bronchus	100	54.2	44.0	66.0	96	54.1	43.7	66.2	<5	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	22	11.6	7.2	17.6	22	12.1	7.6	18.4	0	0.0	0.0	0.0
Prostate	16	**	**	**	16	**	**	**	0	0	0	0
Urinary Bladder	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	185	236.6	202.7	274.6	180	239.5	204.8	278.4	<5	**	**	**
Colon and Rectum	21	28.6	17.4	44.2	21	29.9	18.3	46.2	0	0	0	0
Lung and Bronchus	58	72.3	54.4	94.2	56	72.7	54.4	95.2	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Prostate	16	**	**	**	16	**	**	**	0	0	0	0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	135	128.3	107.3	152.2	132	130.5	108.9	155.2	<5	**	**	**
Colon and Rectum	12	**	**	**	12	**	**	**	0	0	0	0
Female Breast (Malignant Only)	19	**	**	**	19	**	**	**	0	0	0	0
Lung and Bronchus	42	40.4	29	54.8	40	39.9	28.4	54.5	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	215	210.9	183.2	241.6	206	214.5	185.8	246.4	9	**	**	**
Colon and Rectum	18	**	**	**	16	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	15	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	78	74.6	58.7	93.4	78	79.3	62.5	99.3	0	0	0	0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	s	**	**	**	<5	**	**	**
Prostate	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	118	257.9	211.2	311.8	113	263.4	214.8	319.8	s	**	**	**
Colon and Rectum	12	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	43	83.5	59.7	113.7	43	88.9	63.5	121	0	0	0	0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	s	**	**	**	s	**	**	**	<5	**	**	**
Prostate	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	97	174.6	141.3	213.4	93	177.6	143.1	217.9	<5	**	**	**
Colon and Rectum	6	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	15	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	35	62.7	43.6	87.4	35	66.6	42.3	92.8	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	209	182.2	157.5	209.7	143	181.8	152.5	215.1	61	181.7	135.5	238.5
Colon and Rectum	18	**	**	**	11	**	**	**	7	**	**	**
Female Breast (Malignant Only)	13	**	**	**	7	**	**	**	6	**	**	**
Lung and Bronchus	64	56.3	42.9	72.5	49	62.2	45.6	82.9	12	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	10	**	**	**	6	**	**	**	<5	**	**	**
Prostate	10	**	**	**	8	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	103	214.2	171.1	264.9	71	212.4	162.3	273.1	31	232.4	146.3	350.6
Colon and Rectum	10	**	**	**	5	**	**	**	5	**	**	**
Lung and Bronchus	32	66.6	43.8	97.1	24	68.6	42.3	105.1	7	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Prostate	10	**	**	**	8	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	106	163.4	133.2	198.3	72	163.9	127.8	207.0	28	153.2	101.0	222.9
Colon and Rectum	8	**	**	**	6	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	13	**	**	**	7	**	**	**	6	**	**	**
Lung and Bronchus	32	51.1	34.7	72.6	25	59.7	38.4	88.6	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	5	**	**	**	5	**	**	**	<5	**	**	**
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	84	182.3	145.3	225.8	54	151.2	113.4	197.5	30	276.9	186.5	395.8
Colon and Rectum	7	**	**	**	5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	8	**	**	**	6	**	**	**	<5	**	**	**
Lung and Bronchus	34	73.7	51	103	19	**	**	**	15	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0	0	0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	47	246.3	180.2	328.7	30	201.5	135.4	288.7	17	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	22	114.20	71.10	173.70	12	**	**	**	10	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.00	0.00	0.00
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	37	136.0	95.3	188.2	24	111.3	70.7	166.8	13	**	**	**
Colon and Rectum	5	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	8	**	**	**	6	**	**	**	<5	**	**	**
Lung and Bronchus	12	**	**	**	7	**	**	**	5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	0	0.0	0.0	0.0	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	385	179.6	161.8	198.8	346	179.0	160.3	199.3	28	177.7	115.8	260.9
Colon and Rectum	35	16.2	11.2	22.7	32	16.7	11.3	23.7	<5	**	**	**
Female Breast (Malignant Only)	28	21.4	14.1	31.1	24	20.3	12.9	30.4	<5	**	**	**
Lung and Bronchus	106	50.2	40.9	60.9	92	48.3	38.8	59.5	11	**	**	**
Melanoma	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Pancreas	21	10.2	6.3	15.7	s	10.6	6.4	16.5	<5	**	**	**
Prostate	17	**	**	**	17	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	182	205.5	175.4	239.3	162	203.3	171.9	238.7	13	**	**	**
Colon and Rectum	16	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	50	56	40.9	74.8	41	50.6	35.7	69.6	s	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Prostate	17	**	**	**	17	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Females 2008											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	203	165.0	142.8	189.7	184	166.0	142.6	192.2	15	**	**	**
Colon and Rectum	19	**	**	**	17	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	28	21.4	14.1	31.1	24	20.3	12.9	30.4	<5	**	**	**
Lung and Bronchus	56	46.5	34.9	60.6	51	47.3	35.0	62.4	<5	**	**	**
Melanoma	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	67	170.6	131.8	217.3	67	171.8	132.7	218.8	0	0.0	0.0	0.0
Colon and Rectum	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	22	55.6	34.7	84.5	22	56.0	34.9	85.1	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	40	231.3	164.0	316.8	40	232.6	165.0	318.6	0	0.0	0.0	0.0
Colon and Rectum	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	27	124.5	81.2	182.6	27	126.5	81.8	184.2	0	0.0	0.0	0.0
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	433	177.0	160.5	194.8	393	180.0	162.4	199.0	35	160.9	109.8	227.5
Colon and Rectum	46	19.0	13.8	25.5	38	18.3	12.9	25.2	7	**	**	**
Female Breast (Malignant Only)	33	23.4	16	32.9	30	24.4	16.4	34.9	<5	**	**	**
Lung and Bronchus	115	47.1	38.8	56.7	108	49.2	40.2	59.6	<5	**	**	**
Melanoma	17	**	**	**	17	**	**	**	0	0.0	0.0	0.0
Pancreas	22	8.6	5.3	13.1	s	9.1	5.6	13.9	<5	**	**	**
Prostate	17	**	**	**	14	**	**	**	<5	**	**	**
Urinary Bladder	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	221	208.0	180.2	238.8	203	212.0	182.6	244.8	15	**	**	**
Colon and Rectum	23	21	13	31.9	17	**	**	**	s	**	**	**
Lung and Bronchus	63	59	44.7	76.4	60	62.3	46.9	81	<5	**	**	**
Melanoma	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	s	**	**	**	<5	**	**	**
Prostate	17	**	**	**	14	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	212	154.8	134.6	177.2	190	156.9	135.3	181.0	20	156.9	94.6	244.7
Colon and Rectum	23	17.0	10.7	25.6	21	17.9	11.0	27.5	<5	**	**	**
Female Breast (Malignant Only)	33	23.4	16	32.9	30	24.4	16.4	34.9	<5	**	**	**
Lung and Bronchus	52	38	28.3	49.9	48	39.3	28.9	52.2	<5	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	11	**	**	**	0	0	0	0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	352	145.4	130.2	161.9	288	156.8	138.7	176.6	41	110.8	78.4	152.2
Colon and Rectum	31	12.6	8.5	18	23	12.3	7.7	18.7	6	**	**	**
Female Breast (Malignant Only)	34	22.6	15.4	31.9	28	24.5	16	38.8	<5	**	**	**
Lung and Bronchus	72	30.9	24	39.1	61	34.8	26.5	44.9	<5	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	27	11.3	7.4	16.6	22	12	7.4	18.4	<5	**	**	**
Prostate	18	**	**	**	15	**	**	**	<5	**	**	**
Urinary Bladder	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	172	168.6	142.8	197.7	137	175.6	145.8	209.7	19	**	**	**
Colon and Rectum	12	**	**	**	8	**	**	**	<5	**	**	**
Lung and Bronchus	29	26.4	17.3	38.5	21	25.8	15.6	40.2	<5	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	17	**	**	**	13	**	**	**	<5	**	**	**
Prostate	18	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	180	130.4	111.6	151.4	151	145.7	122.9	171.6	22	96.3	59.6	147.3
Colon and Rectum	19	**	**	**	15	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	34	22.6	15.4	31.9	28	24.5	16	38.8	<5	**	**	**
Lung and Bronchus	43	33.1	23.8	44.8	40	40.6	28.8	55.7	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	10	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	66	208.1	160.7	265.2	49	182.9	135.0	242.3	17	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	18	**	**	**	11	**	**	**	7	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	7	**	**	**	5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	39	290.0	205.4	397.8	30	262.7	176.5	376.4	9	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	8	**	**	**	5	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	7	**	**	**	5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	27	148.6	97.1	217.7	19	**	**	**	8	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	10	**	**	**	6	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table a m: 7 Selected Cancer Sites for the State and All Sites Combined For Montgomery County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,304	126.7	119.8	133.9	992	126.3	118.4	134.6	197	155.1	133.4	179.4
Colon and Rectum	102	9.5	7.7	11.6	70	8.6	6.7	10.9	19	**	**	**
Female Breast (Malignant Only)	126	20.7	17.2	24.8	89	19.1	15.2	23.7	33	36.6	24.9	51.8
Lung and Bronchus	253	25.3	22.3	28.7	197	25.7	22.2	29.6	37	31.4	21.9	43.6
Melanoma	20	1.9	1.2	2.9	s	**	**	**	<5	**	**	**
Pancreas	92	9.1	7.3	11.2	72	9.3	7.3	11.8	13	**	**	**
Prostate	76	19.6	15.4	24.6	55	18.1	13.6	23.6	16	**	**	**
Urinary Bladder	34	3.1	2.1	4.4	27	3.0	1.9	4.4	5	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	629	151.7	139.9	164.2	475	150.1	136.8	164.4	93	212.6	168.0	265.4
Colon and Rectum	44	10.0	7.2	13.5	28	8.5	5.6	12.3	11	**	**	**
Lung and Bronchus	114	27.5	22.6	33.1	82	25.9	20.6	32.2	20	49.2	29.3	77.6
Melanoma	15	**	**	**	s	**	**	**	<5	**	**	**
Pancreas	50	12.0	8.9	15.9	42	13.3	9.6	18	<5	**	**	**
Prostate	76	19.6	15.4	24.6	55	18.1	13.6	23.6	16	**	**	**
Urinary Bladder	27	6.9	4.5	10.0	s	7.2	4.6	10.8	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	675	111.8	103.4	120.8	517	112.0	102.3	122.4	104	129.0	104.8	157.0
Colon and Rectum	58	9.2	6.9	12.0	42	8.9	6.4	12.1	8	**	**	**
Female Breast (Malignant Only)	126	20.7	17.2	24.8	89	19.1	15.2	23.7	33	36.6	24.9	51.8
Lung and Bronchus	139	23.7	19.9	28.0	115	25.6	21.0	30.9	17	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	42	6.9	4.9	9.4	30	6.5	4.3	9.4	s	**	**	**
Urinary Bladder	7	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,203	170.3	160.4	180.7	400	158.2	143.0	174.6	769	187.2	172.3	203.0
Colon and Rectum	129	18	14.9	21.6	31	12.0	8.1	17.0	94	23	18	28.9
Female Breast (Malignant Only)	97	22.3	17.9	27.4	27	21.6	14.0	31.7	68	25.5	19.3	33.0
Lung and Bronchus	285	41	36.2	46.3	106	42.3	34.6	51.2	169	41.4	34.4	49.4
Melanoma	10	**	**	**	8	**	**	**	<5	**	**	**
Pancreas	91	13.3	10.6	16.5	28	11.1	7.4	16.0	61	15	11	19.9
Prostate	75	34.1	26.2	43.7	18	**	**	**	56	54.6	37.9	76.2
Urinary Bladder	18	**	**	**	7	**	**	**	11	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	611	215.9	197.2	235.9	205	188.9	163.5	217.1	388	255.4	222.7	291.6
Colon and Rectum	64	20	15	26	13	**	**	**	49	27	19.1	37
Lung and Bronchus	161	58.6	48.9	69.6	61	57.8	44	74.5	93	60.8	44.9	80.4
Melanoma	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Pancreas	45	15.6	11	21.5	16	**	**	**	27	16.5	9.7	26.3
Prostate	75	34.1	26.2	43.7	18	**	**	**	56	54.6	37.9	76.2
Urinary Bladder	12	**	**	**	<5	**	**	**	s	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	592	144.3	132.6	156.8	195	140.3	121.0	161.7	381	153.0	136.6	170.8
Colon and Rectum	65	16.1	12.3	20.6	18	**	**	**	45	19.4	13.7	26.6
Female Breast (Malignant Only)	97	22.3	17.9	27.4	27	21.6	14.0	31.7	68	25.5	19.3	33.0
Lung and Bronchus	124	30.7	25.4	36.8	45	32.7	23.8	43.8	76	31.3	23.9	40.2
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	46	11.8	8.5	15.9	12	**	**	**	34	14.4	9.6	20.7
Urinary Bladder	6	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	88	160.1	127.9	198.0	79	161.6	127.2	202.4	8	**	**	**
Colon and Rectum	6	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	24	43.7	27.8	65.4	22	45.5	28.3	69.4	<5	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	46	190.0	137.8	255.4	40	183.6	129.7	252.3	s	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	12	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0	0	0	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	42	136.7	98.1	185.4	39	143.7	101.7	197.3	<5	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	12	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	173	189.9	161.9	221.3	153	203.9	172.0	239.9	19	**	**	**
Colon and Rectum	19	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	10	**	**	**	7	**	**	**	<5	**	**	**
Lung and Bronchus	57	64.0	48.1	83.4	49	67.7	49.6	90.2	7	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	15	**	**	**	13	**	**	**	<5	**	**	**
Prostate	9	**	**	**	6	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	95	224.8	179.4	278.3	84	241.9	189.8	303.8	11	**	**	**
Colon and Rectum	10	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	32	70	46.8	100.7	27	70.6	45.2	105	5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	9	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Prostate	9	**	**	**	6	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	78	161.7	127.4	202.4	69	174.9	135.6	222.1	8	**	**	**
Colon and Rectum	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	10	**	**	**	7	**	**	**	<5	**	**	**
Lung and Bronchus	25	55.8	35.9	82.7	22	61.4	38.3	93.3	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	68	241.4	186.9	306.9	48	241.0	176.2	321.8	20	265.1	161.2	410.8
Colon and Rectum	12	**	**	**	7	**	**	**	5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	15	**	**	**	13	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	32	261.0	175.6	373.4	26	286.9	185.3	424.3	6	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	8	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	36	241.2	165.8	339.1	22	214.1	129.0	334.2	14	**	**	**
Colon and Rectum	s	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	7	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	117	186.1	153.0	224.2	107	195.4	158.9	237.7	10	**	**	**
Colon and Rectum	10	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	9	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	29	45.8	30.5	66.0	26	46.9	30.5	69.0	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	9	**	**	**	s	**	**	**	<5	**	**	**
Prostate	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	5	**	**	**	<5	**	**	**	<5	**	**	**

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	66	244.1	188.0	311.6	59	248.7	188.5	322.0	7	**	**	**
Colon and Rectum	s	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	16	**	**	**	14	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	s	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	51	144.7	105.6	193.6	48	157.7	113.3	213.7	<5	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	**	**	**
Female Breast (Malignant Only)	9	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	13	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M25: 7 Selected Cancer Sites for the State and All Sites Combined in Washington County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	292	174.8	155.3	196.1	278	175.5	155.4	197.5	12	**	**	**
Colon and Rectum	35	20.8	14.5	28.9	s	21.2	14.5	29.7	<5	**	**	**
Female Breast (Malignant Only)	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	92	54.8	44.2	67.3	89	55.7	44.7	68.6	<5	**	**	**
Melanoma	8	**	**	**	8				0	0.0	0.0	0.0
Pancreas	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Prostate	11	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	156	223.2	189.1	261.7	147	221.2	186.5	260.5	s	**	**	**
Colon and Rectum	24	35.30	22.50	52.80	s	35.50	22.40	53.50	<5	**	**	**
Lung and Bronchus	52	74.2	55.2	97.7	50	75.2	55.6	99.5	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Prostate	11	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	136	148.3	124.0	175.9	131	150.3	125.2	178.9	<5	**	**	**
Colon and Rectum	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	40	43.5	31	59.3	s	44.4	31.5	60.8	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	231	226.6	198.1	258.0	190	241.6	208.2	278.8	41	192.0	137.4	261.0
Colon and Rectum	29	27.5	18.3	39.7	22	27	16.8	41.1	7	**	**	**
Female Breast (Malignant Only)	13	**	**	**	11	**	**	**	<5	**	**	**
Lung and Bronchus	68	66.2	51.4	84	58	73.4	55.7	94.9	10	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	13	**	**	**	8	**	**	**	5	**	**	**
Prostate	12	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	119	280.5	231.1	337.3	99	298.6	241.4	365.2	20	238.5	142.0	375.6
Colon and Rectum	15	**	**	**	11	**	**	**	<5	**	**	**
Lung and Bronchus	34	78	53.5	109.8	29	86.4	57.4	124.9	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	12	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	112	190.2	156.4	229.1	91	201.0	161.4	247.3	21	166.2	102.8	254.2
Colon and Rectum	14	**	**	**	11	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	13	**	**	**	11	**	**	**	<5	**	**	**
Lung and Bronchus	34	59.5	41.2	83.2	29	66.6	44.5	95.8	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	160	203.1	171.8	238.4	142	208.4	174.2	247.4	18	**	**	**
Colon and Rectum	16	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	53	64	47.8	83.9	48	65.4	48.1	86.9	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0

	Males 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	94	277.4	222.3	341.9	83	278.2	219.4	347.0	11	**	**	**
Colon and Rectum	9	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	33	91.4	62.4	129.3	29	89.0	59.2	128.6	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2009											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	66	142.2	109.0	182.3	59	147.7	111.3	192.3	7	**	**	**
Colon and Rectum	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	11	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	20	43.2	26.2	67.2	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A

**DEFINITIONS OF CANCER GROUPS
BY TOPOGRAPHY (SITE) AND HISTOLOGY**

THIS PAGE INTENTIONALLY LEFT BLANK

Definitions of Cancer Groups by Topography (Site) and Histology

International Classification of Diseases for Oncology, 3rd Edition (ICD-O-3)* Codes Used for Maryland Cancer Registry Cancer Incidence Report		
Cancer Group	Topography (Site)	Histology
All sites	C00.0 – C80.9	Includes all invasive cancers of all sites except --excludes basal and squamous cell skin cancers; Includes in situ cancer of the urinary bladder
Brain and Other Nervous System	C70.0--C72.9	Excludes codes 9050-9055, 9140, and 9590-9989
Cervix	C53.0--C53.9	Excludes codes 9050-9055, 9140, and 9590-9989
Colon and Rectum	C18.0--C20.9, C26.0	Excludes codes 9050-9055, 9140, and 9590-9989
Corpus and Uterus NOS	C54.0--C54.9, C55.9	Excludes codes 9050-9055, 9140, and 9590-9989
Esophagus	C15.0--C15.9	Excludes codes 9050-9055, 9140, and 9590-9989
Female Breast	C50.0--C50.9	Excludes codes 9050-9055, 9140, and 9590-9989
Hodgkins Lymphoma	C 00.0--C80.9	Includes codes 9650-9667
Kidney and Renal Pelvis	C64.9, C65.9	Excludes codes 9050-9055, 9140, and 9590-9989
Larynx	C32.0--C32.9	Excludes codes 9050-9055, 9140, and 9590-9989
Leukemia	C00.0--C80.9	Includes codes 9733, 9742, 9800, 9801, 9805, 9820, 9826, 9831-9837, 9840, 9860, 9861, 9863, 9866, 9867, 9870-9876, 9891, 9895-9897, 9910, 9920, 9930, 9931, 9940, 9945, 9946, 9948, 9963, 9964
	C42.0, C42.1, C42.4	Includes codes 9823, 9827
Liver and Intrahepatic Bile Duct	C22.0, C22.1	Excludes codes 9050-9055, 9140, and 9590-9989
Lung and Bronchus	C34.0--C34.9	Excludes codes 9050-9055, 9140, and 9590-9989
Multiple Myeloma	C42.1, C42.0, C42.4	Includes codes 9731-9732, 9734
Myelodysplastic Syndromes	C42.1	Includes codes 9980,9982-9987,9989
Non-Hodgkins Lymphoma	C00.0--C80.9	Includes codes 9590-9596, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687, 9689-9691,9695, 9698-9702, 9705, 9708-9709, 9714-9719, 9727-9729,
	C00.0--C80.9 excluding codes C42.0, C42.1, C42.2	Includes codes 9823, 9827
Oral Cavity and Pharynx	C00.0--C14.8	Excludes codes 9050-9055, 9140, and 9590-9989
Ovary	C56.9	Excludes codes 9050-9055, 9140, and 9590-9989
Pancreas	C25.0--C25.9	Excludes codes 9050-9055, 9140, and 9590-9990
Prostate	C61.9	Excludes codes 9050-9055, 9140, and 9590-9990
Skin Melanoma	C44.0--C44.9	Includes codes 8720-8790
Stomach	C16.0--C16.9	Excludes codes 9050-9055, 9140, and 9590-9990
Testis	C62.0--C62.9	Excludes codes 9050-9055, 9140, and 9590-9990
Thyroid	C73.9	Excludes codes 9050-9055, 9140, and 9590-9990
Urinary Bladder (includes in situ and malignant)	C67.0--C67.9	Excludes codes 9050-9055, 9140, and 9590-9990
*See http://www.who.int/classifications/icd/adaptations/oncology/en/index.html		

The services and facilities of the Maryland State Department of Health and Mental Hygiene (DHMH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges and accommodations.

The Department, in compliance with the Americans with Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from DHMH services, programs, benefits, and employment opportunities.