


Maryland Department of Health and Mental Hygiene

Martin O'Malley
Governor of Maryland

Anthony G. Brown
Lieutenant Governor of Maryland

Joshua M. Sharfstein, M.D.
*Secretary, Maryland Department
of Health and Mental Hygiene*



Cancer in Maryland Incidence and Mortality 2010 Supplemental Report


THIS PAGE INTENTIONALLY LEFT BLANK

Cancer in Maryland Incidence and Mortality 2010 Supplemental Report

**Maryland Cancer Registry
Center for Cancer Prevention and Control
Cancer and Chronic Disease Bureau
Prevention and Health Promotion Administration
Maryland Department of Health and Mental Hygiene**

**Prepared by:
Maryland Cancer Registry
Diane Dwyer, MD (Former) Medical Director
Kimberly Stern, Program Manager
Jennifer Hayes, Sr. Epidemiologist
Afaq Ahmad, Epidemiologist
Delores Rich, Program Coordinator**

**Quality Assurance/Database Management
Westat:
Serban Neigota, Program Manager
Mary Mesnard, Quality Assurance Manager**



This report is supported with funds from the Maryland Department of Health and Mental Hygiene, the Maryland Cigarette Restitution Fund Program, and the Centers for Disease Control and Prevention, National Program of Cancer Registries
(Grant Number - U55CCU321894)

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	10
INTRODUCTION	11
A. Introduction	11
B. History of the Maryland Cancer Registry	11
C. MCR Operations	12
D. Organization of this Supplemental Report	12
DATA COLLECTION AND MANAGEMENT	12
A. Reporting Facilities	12
B. Cancer Case Reporting and Definition	12
C. Registry Certification	13
D. Quality Assurance/Quality Control (QA/QC)	13
E. Data Confidentiality	13
DATA TABLES	13
INCIDENCE	
Table I1: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	16
Table I2: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males	18
Table I3: Cancer Sites and All sites Combined for Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females	20
Table I4: 7 Selected Cancer Sites for the State and all Sites Combined in Allegany County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	22
Table I5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	23
Table I6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	24

Table I7: 7 Selected Cancer Sites for the State and All sites Combined in Baltimore County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	25
Table I8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	26
Table I9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	27
Table I10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	28
Table I11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	29
Table I12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	30
Table I13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	31
Table I14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	32
Table I15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	33
Table I16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	34
Table I17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	35
Table I18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	36
Table I19: 7 Selected Cancer Sites for the State and All Sites Combined in Montgomery County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	37
Table I20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	38
Table I21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	39
Table I22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary’s County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	40

Table I23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	41
Table I24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	42
Table I25: 7 Selected Cancer Sites for the State and All Sites Combined in Washington County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	43
Table I26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	44
Table I27: Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	45

MORTALITY

Table M1: Cancer Sites and All Sites Combined in Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	48
Table M2: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	50
Table M3: Cancer Sites and All Sites Combined for Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	52
Table M4: 7 Selected Cancer Sites for the State and All Sites Combined in Allegany County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	54
Table M5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	55
Table M6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	56
Table M7: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	57
Table M8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	58
Table M9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	59
Table M10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	60

Table M11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	61
Table M12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	62
Table M13: 7 Selected Cancer Sites for the State and All sites Combined in Dorchester County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	63
Table M14: 7 Selected Cancer Sites for the State and All Sties Combined in Frederick County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	64
Table M15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	65
Table M16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	66
Table M17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	67
Table M18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	68
Table M19: 7 Selected Cancer Sites for the State and All Sites Combined for Montgomery County, Maryland: Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race	69
Table M20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	70
Table M21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	71
Table M22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary’s County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	72
Table M23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	73
Table M24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	74
Table M25: 7 Selected Cancer Sites for the State and All sites Combined in Washington County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race	75
Table M26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	76

Table M27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland: Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race.....	77
APPENDIX A: DEFINITION OF CANCER GROUPS BY TOPOGRAPHY (SITE) AND HISTOLOGY	79

ACKNOWLEDGEMENTS

This report would not be possible without the support and diligence of the tumor registrars in Maryland reporting facilities. We greatly appreciate their efforts.

We thank the staff of the Center for Cancer Prevention and Control, Maryland Cancer Registry for their contributions to this report: Kimberly Stern, M.H.A., C.T.R.; Jennifer Hayes, M.Ed., M.P.H.; Afaq Ahmad, M.D., M.P.H., C.T.R.; Delores Rich, M.A.; Carolyn Davis-Harris; and Diane Dwyer, M.D. (former Medical Director).

We thank the staff of the MCR Quality Assurance and Database Management contractors at Westat, Inc, Rockville, MD, for their contributions to the 2010 data for this report, especially Serban Negoita, M.D., Ph. D., C.T.R., Mary Mesnard, R.H.I.A., C.T.R., and Krishna Hari, M.S..

We thank the staff at the Maryland Vital Statistics Administration, especially Isabelle Horon, Dr. P.H., Director, and Bob Hayman, Ph.D.

We also acknowledge Maryland hospitals, laboratories, ambulatory care facilities, therapeutic radiological centers, physicians, nursing facilities, assisted living programs, and general hospice care programs and the States of Alabama, Delaware, Florida, Georgia, New Jersey, New York, North Carolina, Pennsylvania, South Carolina, Texas, Virginia, West Virginia and the District of Columbia, who report cancer cases to the Maryland Cancer Registry.

The National Program of Cancer Registries (NPCR) of the Centers for Disease Control and Prevention and the North American Association of Central Cancer Registries (NAACCR) have been supportive of cancer registration in Maryland. We thank the NPCR and NAACCR staff for their technical assistance and support.

Funding for the Maryland Cancer Registry is provided by the State of Maryland General Funds, the Maryland Cigarette Restitution Fund, and the Federal Centers for Disease Control and Prevention, NPCR.

INTRODUCTION

A. Introduction

This year, the Maryland Cancer Registry is presenting the incidence and mortality tables as a supplement to the Cancer Report 2013 of the Cigarette Restitution Fund Program. These reports are located at http://phpa.dhmh.maryland.gov/cancer/SitePages/surv_data-reports.aspx.

Please see Appendix C of the Cancer Report 2013 of the Cigarette Restitution Fund Program for cancer report data sources, references, and data considerations. This appendix also includes information on data suppression in part III. Data Considerations. Please see Appendix F of those reports for the U.S. Standard Population, 2000.

B. History of the Maryland Cancer Registry

The Maryland Cancer Registry (MCR) is Maryland's official source for cancer statistics. The MCR registers all new cases of reportable cancers diagnosed and/or treated in Maryland.

In 1992, the Maryland General Assembly enacted Maryland Health-General Article §§ 18-203 and 18-204. The new laws required hospitals, radiation therapy centers, and in- and out-of-state-cancer diagnostic laboratories (that provide services to Maryland physicians) to electronically report all cancer cases diagnosed and/or treated in Maryland beginning July 1, 1993. In 1996, the laws were amended to require freestanding ambulatory care facilities, surgical centers, and physicians (whose non-hospitalized patients are not otherwise reported by either a hospital, radiation therapy center, surgical center or ambulatory care facility) to report cancer cases diagnosed and/or treated beginning with cases diagnosed January 1, 1999.

In 2001, the Maryland General Assembly enacted House Bill 636, which requires the reporting of benign brain and central nervous system tumors to the MCR, effective October 2001.

The Code of Maryland Regulations 10.14.01 were adopted in 1992 and were further amended in 1993, 1997, 2003, 2011 and 2013. The MCR operates in accordance with Public Law 202-515 and the standards set by North American Association of Central Cancer Registries (NAACCR) and the National Program of Cancer Registries (NPCR) of the Centers for Disease Control and Prevention (CDC).

Through data exchange agreements with 12 other states including the neighboring states of Delaware, Pennsylvania, Virginia, West Virginia, and with the District of Columbia, the MCR receives information on Maryland residents diagnosed and/or treated for cancer in these areas. The MCR also receives information on Maryland residents with cancer from selected District of Columbia and federal hospitals.

The MCR first received funding from the NPCR in 1996. The MCR has since received non-interrupted funding from the NPCR to support MCR efforts towards the collection of timely, complete, and accurate data. The MCR is also supported by Maryland State General funds and Cigarette Restitution Funds.

C. MCR Operations

The MCR is composed of a central office, located at DHMH within the Center for Cancer Prevention and Control, and a subcontractor that provides database management and quality assurance. The MCR central office has administrative, technical, analytical, and fiscal oversight of the MCR. The subcontractor, Westat, collects and processes all cancer reports, maintains the databases, and performs quality assurance and quality control activities on the data.

D. Organization of this Supplemental Report

This report provides cancer incidence and mortality statistics for the State of Maryland for the 2010 incidence years supplemental to the Cancer Report 2013 Cigarette Restitution Fund Program. Data tables include counts for major cancer sites and age-adjusted incidence rates (by incidence year, site, gender, and race) for Maryland and for selected cancer sites for each county. See Appendix A for a definition of cancer groups by topography (site) and histology. This report is also available on the MCR website

at: http://phpa.dhmdh.maryland.gov/cancer/SitePages/surv_data-reports.aspx

DATA COLLECTION AND MANAGEMENT

A. Reporting Facilities

This report presents data collected from 45 Maryland hospitals, 16 radiation treatment centers, 38 laboratories, 83 ambulatory surgery centers, 98 physicians, 12 state center cancer registries, and the District of Columbia central cancer registry. Reporters are required to submit cancer reports on all newly diagnosed or treated cancer cases.

B. Cancer Case Reporting and Definition

The MCR is the source for the cancer incidence (new cases) data presented in this report. The MCR database contains two types of tumor cases:

1. Invasive cancers that are defined using American Cancer Society (ACS) criteria, and
2. Additional benign and in situ tumors that the Maryland DHMH considers important for the evaluation of cancer in Maryland and of state cancer control programs.

The ACS criteria for invasive cancer cases are those cancer cases that are used for incidence calculations by the National Cancer Institute's Surveillance Epidemiology End Results Program (SEER), the American College of Surgeons (ACoS), and NAACCR. For this report, invasive cancer includes all malignant cancers at any site (except for non-genital basal and squamous cell carcinoma of skin) and in situ cancers of the urinary bladder diagnosed in Maryland residents between January 1, 2010 and December 31, 2010. Cancer sites are grouped according to the conventions of the SEER program using the International Classification of Diseases, 3rd

Edition (ICD-O-3), by the World Health Organization (WHO) and shown in Appendix A. Only new cases diagnosed among Maryland residents are included in the analyses, not recurrent or metastatic cases.

C. Registry Certification

Each year, NAACCR evaluates MCR data for completeness, quality, and timeliness. The Maryland 2010 incidence data achieved Gold certification for completeness, quality, and timeliness.

D. Quality Assurance /Quality Control (QA/QC)

The MCR maintains two major activities for improving the accuracy and quality of the information received: 1) internal intra- and inter-record edits of the cancer reports, and 2) a yearly case finding review and re-abstraction of a sample of records from selected reporting facilities.

The MCR QA/QC program also includes the following components for case finding data completeness:

- A review of death certificate data to identify additional cancer cases among deceased Maryland residents who were not previously reported to the MCR; and
- Follow-back to the ordering physician on cases reported by laboratory-only to obtain additional clinical and treatment information.

E. Data Confidentiality

The Maryland Department of Health and Mental Hygiene (DHMH) regards data received, processed, and reported to or by the MCR as confidential. Data are secured from unauthorized access and disclosure. The MCR manages and releases information in accordance with the laws and regulations established for and by the State of Maryland as set forth in the Md. Code Ann., Health-General §§18-203 and 204, the Code of Maryland Regulations 10.14.01, Cancer Registry, and policies available at http://phpa.dhmh.maryland.gov/cancer/SitePages/mcr_regs.aspx.

DATA TABLES

The data tables present 2010 cancer incidence by cancer group, gender, and race for the State of Maryland. The tables must be reviewed with caution because small numbers are subject to wide variation. Confidence intervals are included with rates to help guide interpretation. In accordance with the MCR Data Use Manual and Procedures, this report presents data in the aggregate.

THIS PAGE INTENTIONALLY LEFT BLANK

2010

Maryland Cancer Incidence Cases by Selected Site,
Race, and Gender

Table I1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	27,801	449.8	444.4	455.2	19,240	449.0	442.5	455.5	7,067	451.5	440.5	462.6
Brain	369	6.1	5.5	6.8	289	7.2	6.4	8.1	64	3.9	3.0	5.0
Cervix	232	7.3	6.4	8.4	120	6.2	5.1	7.4	87	9.1	7.2	11.2
Colon and Rectum	2,289	37.4	35.9	39.0	1,547	35.9	34.1	37.8	635	43.0	39.6	46.6
Esophagus	288	4.7	4.2	5.3	206	4.8	4.2	5.5	76	5.2	4.1	6.6
Female Breast (Malignant Only)	4,390	129.0	125.2	133.0	2,894	127.6	122.9	132.5	1,219	129.4	122.0	137.0
Hodgkin Lymphoma	161	2.7	2.3	3.2	100	2.6	2.1	3.2	51	2.9	2.2	3.9
Kidney and Renal Pelvis	902	14.6	13.6	15.6	647	15.1	13.9	16.3	226	14.2	12.3	16.2
Larynx	192	3.0	2.6	3.5	126	2.8	2.3	3.4	60	3.7	2.8	4.8
Leukemia	700	11.7	10.9	12.6	514	12.4	11.3	13.5	148	9.6	8.1	11.3
Liver and Intrahepatic Bile Duct	439	6.7	6.1	7.4	233	5.3	4.6	6.0	174	9.7	8.2	11.3
Lung and Bronchus	3,482	57.6	55.7	59.6	2,511	58.5	56.2	60.9	873	59.2	55.2	63.5
Melanoma	1,316	21.4	20.2	22.6	1,241	29.7	28.0	31.4	15	**	**	**
Multiple Myeloma	432	7.0	6.4	7.8	214	5.0	4.3	5.7	188	12.6	10.8	14.6
Myelodysplastic Syndrome	232	4.0	3.5	4.6	179	4.2	3.6	4.8	42	3.5	2.5	4.7
Non-Hodgkin Lymphoma	1,124	18.5	17.4	19.7	841	19.9	18.5	21.3	225	13.6	11.8	15.6
Oral Cavity and Pharynx	669	10.6	9.8	11.5	505	11.6	10.6	12.7	121	7.5	6.2	9.0
Ovary	343	10.1	9.0	11.2	245	10.7	9.4	12.2	74	7.8	6.1	9.9
Pancreas	763	12.6	11.7	13.5	516	11.9	10.9	13.0	215	14.8	12.8	17.0
Prostate	4,111	140.6	136.2	145.1	2,541	122.0	117.2	127.0	1,332	195.0	183.9	206.5
Stomach	408	6.7	6.1	7.4	225	5.2	4.5	5.9	123	8.7	7.2	10.4
Testis	109	4.0	3.3	4.8	93	5.5	4.4	6.7	10	**	**	**
Thyroid	854	14.0	13.1	15.0	606	15.6	14.4	16.9	163	9.2	7.8	10.7
Urinary Bladder	1,116	18.7	17.6	19.9	887	20.5	19.1	21.9	171	12.6	10.7	14.7
Uterus	865	24.3	22.7	26.0	603	25.3	23.2	27.4	204	22.1	19.1	25.5

*All Races include unspecified and unknown race

**Both Genders include male, female, hermaphrodite, transexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2010											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	790	266.9	247.4	287.5	70	348.2	261.5	451.4	595	260.3	236.4	285.7
Brain	8	**	**	**	0	0.0	0.0	0.0	12	**	**	**
Cervix	11	**	**	**	<6	**	**	**	22	10.2	6.2	16.1
Colon and Rectum	75	28.8	22.2	36.5	<6	**	**	**	42	21.1	14.4	29.4
Esophagus	<6	**	**	**	<6	**	**	**	0	0	0	0
Female Breast (Malignant Only)	152	83.8	70.6	98.7	8	**	**	**	95	75.3	59.7	93.4
Hodgkin Lymphoma	<6	**	**	**	0	0	0	0	<6	**	**	**
Kidney and Renal Pelvis	13	**	**	**	<6	**	**	**	26	11.9	7.2	18.2
Larynx	<6	**	**	**	<6	**	**	**	0	0	0	0
Leukemia	14	**	**	**	<6	**	**	**	25	7.1	4.1	11.4
Liver and Intrahepatic Bile Duct	26	9.8	6.1	14.7	<6	**	**	**	8	**	**	**
Lung and Bronchus	74	29.4	22.7	37.3	8	**	**	**	37	23.3	15.9	32.6
Melanoma	<6	**	**	**	<6	**	**	**	17	6.8	3.5	11.6
Multiple Myeloma	14	**	**	**	0	0.0	0.0	0.0	6	**	**	**
Myelodysplastic Syndrome	7	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	32	10.7	7.1	15.4	<6	**	**	**	30	13.1	8	19.8
Oral Cavity and Pharynx	28	8.1	5.3	11.9	<6	**	**	**	19	7.5	4.1	12.5
Ovary	17	8.5	4.9	13.9	<6	**	**	**	8	**	**	**
Pancreas	23	8.6	5.3	13.2	<6	**	**	**	16	9.1	4.9	15
Prostate	80	55.3	43.4	69.5	<6	**	**	**	79	101.2	77.4	129
Stomach	43	15.5	11	21.2	<6	**	**	**	18	8.6	4.5	14.4
Testis	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Thyroid	56	15.3	11.5	20.1	<6	**	**	**	40	10.4	7.1	14.9
Urinary Bladder	30	13.1	8.6	18.9	<6	**	**	**	6	**	**	**
Uterus	26	16	10.2	23.8	<6	**	**	**	23	17	10.4	26.2

*All Races include unspecified and unknown race

**Both Genders include male, female, hermaphrodite, transexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table I2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males

	Male 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	13,917	507.5	498.9	516.3	9,718	497.4	487.3	507.7	3,508	541.7	522.4	561.5
Brain	207	7.5	6.5	8.7	166	8.8	7.5	10.2	34	4.7	3.2	6.8
Colon and Rectum	1,172	43.5	41.0	46.2	811	41.8	38.9	44.9	307	50.9	44.9	57.5
Esophagus	233	8.7	7.6	9.9	172	8.9	7.6	10.3	56	9.8	7.2	12.9
Hodgkin Lymphoma	101	3.6	3.0	4.4	60	3.3	2.5	4.2	32	4.2	2.8	6.0
Kidney and Renal Pelvis	565	20.3	18.6	22.1	420	21.2	19.2	23.4	132	20.0	16.5	24.0
Larynx	153	5.4	4.6	6.4	100	5.0	4.0	6.1	47	7.0	5.0	9.5
Leukemia	386	15.0	13.5	16.6	290	15.8	14.0	17.7	81	13.1	10.1	16.5
Liver and Intrahepatic Bile Duct	332	11.0	9.9	12.3	178	8.5	7.3	9.9	132	17.2	14.2	20.7
Lung and Bronchus	1,778	67.8	64.6	71.1	1,272	67.1	63.4	71.0	456	75.3	68.0	83.2
Melanoma	730	26.9	24.9	29.0	696	35.9	33.3	38.8	<6	**	**	**
Multiple Myeloma	221	8.2	7.1	9.4	123	6.5	5.4	7.8	82	12.7	9.9	16.1
Myelodysplastic Syndrome	132	5.9	4.9	7.0	109	6.4	5.2	7.7	19	4.2	2.4	6.6
Non-Hodgkin Lymphoma	591	22.0	20.2	23.9	450	23.7	21.6	26.1	103	13.6	11.0	16.6
Oral Cavity and Pharynx	467	16.3	14.8	17.9	360	17.7	15.9	19.7	81	12.1	9.4	15.2
Pancreas	371	14.2	12.8	15.8	244	12.8	11.2	14.6	111	19.4	15.7	23.7
Prostate	4,111	140.6	136.2	145.1	2,541	122.0	117.2	127.0	1,332	195.0	183.9	206.5
Stomach	246	9.2	8.1	10.5	133	6.8	5.6	8.1	73	13.0	9.9	16.6
Testis	109	4.0	3.3	4.8	93	5.5	4.4	6.7	10	**	**	**
Thyroid	218	7.5	6.5	8.6	171	8.8	7.5	10.3	30	3.8	2.5	5.5
Urinary Bladder	820	32.6	30.3	34.9	667	35.6	32.9	38.4	109	19.3	15.6	23.6

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table I2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Males

	Male 2010											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	345	267.5	237.6	299.9	32	416.2	258.8	621.1	250	272.3	232.4	316.2
Brain	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Colon and Rectum	37	31.7	21.6	44.5	<6	**	**	**	26	28.9	16.8	45.4
Esophagus	<6	**	**	**	<6	**	**	**	0	0	0	0
Hodgkin Lymphoma	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Kidney and Renal Pelvis	7	**	**	**	<6	**	**	**	15	**	**	**
Larynx	<6	**	**	**	<6	**	**	**	0	0	0	0
Leukemia	<6	**	**	**	<6	**	**	**	11	**	**	**
Liver and Intrahepatic Bile Duct	17	13.1	7.2	21.6	<6	**	**	**	<6	**	**	**
Lung and Bronchus	37	32	21.7	45	<6	**	**	**	14	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	8	**	**	**
Multiple Myeloma	8	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Myelodysplastic Syndrome	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	23	16.6	10.1	25.6	<6	**	**	**	14	**	**	**
Oral Cavity and Pharynx	16	9.9	5.5	16.5	<6	**	**	**	12	**	**	**
Pancreas	12	**	**	**	0	0.0	0.0	0.0	6	**	**	**
Prostate	80	55.3	43.4	69.5	<6	**	**	**	79	101.2	77.4	129
Stomach	31	26.9	17.5	39.1	<6	**	**	**	12	**	**	**
Testis	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Thyroid	11	**	**	**	<6	**	**	**	6	**	**	**
Urinary Bladder	23	22.7	13.8	34.6	<6	**	**	**	<6	**	**	**

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table I3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females

	Female 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	13,878	409.0	402.1	416.0	9,519	415.8	407.2	424.5	3,557	391.6	378.4	405.0
Brain	162	5.0	4.3	5.9	123	6.0	4.9	7.2	30	3.3	2.2	4.7
Cervix	232	7.3	6.4	8.4	120	6.2	5.1	7.4	87	9.1	7.2	11.2
Colon and Rectum	1,116	32.6	30.7	34.6	735	30.9	28.7	33.3	328	37.7	33.7	42.2
Esophagus	55	1.6	1.2	2.1	34	1.5	1.0	2.1	s	2.2	1.3	3.4
Female Breast (Malignant Only)	4,390	129.0	125.2	133.0	2,894	127.6	122.9	132.5	1,219	129.4	122.0	137.0
Hodgkin Lymphoma	60	1.9	1.5	2.5	40	2.0	1.4	2.8	s	1.9	1.2	3.0
Kidney and Renal Pelvis	337	10.0	8.9	11.2	227	9.9	8.6	11.3	94	10.2	8.2	12.5
Larynx	39	1.1	0.8	1.6	26	1.1	0.7	1.6	13	**	**	**
Leukemia	314	9.5	8.4	10.6	224	9.9	8.6	11.3	67	7.5	5.7	9.5
Liver and Intrahepatic Bile Duct	107	3.2	2.6	3.9	55	2.5	1.9	3.3	42	4.3	3.0	5.8
Lung and Bronchus	1,703	50.1	47.7	52.6	1,239	52.1	49.2	55.2	416	48.4	43.8	53.5
Melanoma	586	17.5	16.1	19.0	545	25.3	23.2	27.6	10	**	**	**
Multiple Myeloma	211	6.2	5.3	7.1	91	3.8	3.1	4.7	106	12.3	10.0	14.9
Myelodysplastic Syndrome	100	2.8	2.3	3.5	70	2.7	2.1	3.5	23	3.0	1.9	4.5
Non-Hodgkin Lymphoma	533	15.8	14.4	17.2	391	16.8	15.1	18.6	122	13.2	10.9	15.9
Oral Cavity and Pharynx	202	6.0	5.2	7.0	145	6.4	5.4	7.6	40	4.3	3.0	5.9
Ovary	343	10.1	9.0	11.2	245	10.7	9.4	12.2	74	7.8	6.1	9.9
Pancreas	392	11.3	10.2	12.5	272	11.1	9.8	12.5	104	11.8	9.6	14.4
Stomach	162	4.7	4.0	5.6	92	3.7	3.0	4.6	50	6.0	4.4	7.9
Thyroid	635	20.0	18.4	21.6	434	22.3	20.2	24.6	133	13.4	11.2	16.0
Urinary Bladder	296	8.6	7.7	9.7	220	9.0	7.8	10.3	62	7.8	6.0	10.1
Uterus	865	24.3	22.7	26.0	603	25.3	23.2	27.4	204	22.1	19.1	25.5

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Source: Data as of February 08,2011 Maryland Cancer Registry

Table I3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race for Females

	Female 2010											
	Asian/Pacific Islander				American Indian/Alaska Native				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	445	267.6	242.1	295.0	38	322.4	219.6	452.9	345	261.2	231.2	293.7
Brain	<6	**	**	**	0	0.0	0.0	0.0	8	**	**	**
Cervix	11	**	**	**	<6	**	**	**	22	10.2	6.2	16.1
Colon and Rectum	38	26.2	18.2	36.4	<6	**	**	**	16	15.1	8.1	25.0
Esophagus	<6	**	**	**	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Female Breast (Malignant Only)	152	83.8	70.6	98.7	8	**	**	**	95	75.3	59.7	93.4
Hodgkin Lymphoma	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Kidney and Renal Pelvis	6	**	**	**	<6	**	**	**	11	**	**	**
Larynx	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Leukemia	9	**	**	**	0	0.0	0.0	0.0	14	**	**	**
Liver and Intrahepatic Bile Duct	9	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Lung and Bronchus	37	27.2	18.8	37.8	<6	**	**	**	23	24.4	15.0	36.8
Melanoma	0	0.0	0.0	0.0	<6	**	**	**	9	**	**	**
Multiple Myeloma	6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Myelodysplastic Syndrome	<6	**	**	**	0	0.0	0.0	0.0	<6	**	**	**
Non-Hodgkin Lymphoma	9	**	**	**	<6	**	**	**	16	14.9	7.9	24.9
Oral Cavity and Pharynx	12	**	**	**	0	0.0	0.0	0.0	7	**	**	**
Ovary	17	8.5	4.9	13.9	<6	**	**	**	8	**	**	**
Pancreas	11	**	**	**	<6	**	**	**	10	**	**	**
Stomach	12	**	**	**	0	0.0	0.0	0.0	6	**	**	**
Thyroid	45	22.9	16.6	31.0	<6	**	**	**	34	18.1	12.2	26.2
Urinary Bladder	7	**	**	**	<6	**	**	**	<6	**	**	**
Uterus	26	16.0	10.2	23.8	<6	**	**	**	23	17.0	10.4	26.2

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

Source: Data as of February 07,2012 Maryland Cancer Registry

Note: Other include American Indian and Alaskan Native

Table I4: 7 Selected Cancer Sites for the State and all Sites Combined in Allegany County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	568	576.5	529.0	627.4	516	550.1	502.1	601.8	45	1851.3	1273.5	2575.4
Colon and Rectum	56	54.8	41.2	72.1	53	53.2	39.6	70.7	<6	**	**	**
Female Breast (Malignant Only)	56	113.1	84.2	149.7	54	112.6	83.3	150.0	<6	**	**	**
Lung and Bronchus	96	91.7	74.1	112.7	86	84.4	67.4	105.1	10	**	**	**
Melanoma	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Pancreas	18	17.3	10.1	28.2	14	**	**	**	<6	**	**	**
Prostate	79	168.1	132.8	210.6	68	151.4	117.3	193.3	9	**	**	**
Urinary Bladder	26	23.7	15.4	35.7	26	24.5	15.9	37.0	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	297	663.6	589.5	744.9	267	636.8	561.5	720.1	25	1867.6	1013.1	3070.3
Colon and Rectum	30	69.8	46.9	100.4	s	70.3	46.9	102.3	<6	**	**	**
Lung and Bronchus	46	101.9	74.4	136.8	40	91.7	65.4	126.1	6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	s	**	**	**	<6	**	**	**
Prostate	79	168.1	132.8	210.6	68	151.4	117.3	193.3	9	**	**	**
Urinary Bladder	21	45.7	28.2	70.9	21	47.2	29.1	73.6	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	271	511.5	449.3	580.8	249	485.2	423.5	554.5	20	2089.2	1252.7	3277.2
Colon and Rectum	26	41.4	26.7	63.3	24	38.8	24.5	60.7	<6	**	**	**
Female Breast (Malignant Only)	56	113.1	84.2	149.7	54	112.6	83.3	150.0	<6	**	**	**
Lung and Bronchus	50	84.0	62.0	112.9	46	79.0	57.5	107.7	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	6	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table 15: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2674	466.7	448.8	485.3	2292	474.2	454.5	494.6	307	448.7	397.1	504.7
Colon and Rectum	173	30.8	26.3	35.9	145	30.4	25.5	35.9	21	33.3	20	51.6
Female Breast (Malignant Only)	384	122.1	110.0	135.3	339	131.0	117.1	146.1	36	88.3	61	123.5
Lung and Bronchus	321	58.8	52.4	65.9	285	61.1	54.0	68.8	32	50.5	33.6	72.2
Melanoma	202	34.5	29.8	39.7	196	40.1	34.5	46.3	0	0.0	0.0	0.0
Pancreas	70	12.6	9.7	16.0	61	12.7	9.6	16.4	8	**	**	**
Prostate	427	151.5	136.9	167.3	351	144.7	129.4	161.4	67	213.5	162.8	274.5
Urinary Bladder	124	22.1	18.3	26.5	113	23.5	19.3	28.4	7	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1401	536.8	507.7	567.0	1202	536.5	505.4	569.1	167	586.4	492.2	692
Colon and Rectum	92	35.3	28.1	43.6	78	34.9	27.3	44.0	11	**	**	**
Lung and Bronchus	175	71.9	61.2	83.9	159	75.5	63.8	88.8	14	**	**	**
Melanoma	116	42.9	35.1	51.8	112	48.9	39.9	59.2	0	0.0	0.0	0.0
Pancreas	32	13.0	8.7	18.7	27	12.5	8.1	18.5	<6	**	**	**
Prostate	427	151.5	136.9	167.3	351	144.7	129.4	161.4	67	213.5	162.8	274.5
Urinary Bladder	88	35.0	27.7	43.6	84	38.4	30.3	48.1	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1273	412.1	389.4	435.9	1090	424.7	399.3	451.3	140	355.6	297.0	422.0
Colon and Rectum	81	26.3	20.8	32.9	67	25.4	19.6	32.6	10	**	**	**
Female Breast (Malignant Only)	384	122.1	110.0	135.3	339	131.0	117.1	146.1	36	88.3	61.0	123.5
Lung and Bronchus	146	48.4	40.7	57.1	126	49.2	40.8	58.9	18	48.3	27.9	77.0
Melanoma	86	27.5	21.9	34.1	84	32.8	26.0	40.8	0	0.0	0.0	0.0
Pancreas	38	12.3	8.6	17.0	34	12.7	8.8	18.0	<6	**	**	**
Urinary Bladder	36	12.1	8.4	16.9	29	11.5	7.6	16.7	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	3113	494.4	476.9	512.3	1042	484.1	454.3	515.4	1995	496.8	474.9	519.5
Colon and Rectum	296	47.0	41.7	52.7	84	38.0	30.1	47.4	210	53.1	46.1	61
Female Breast (Malignant Only)	474	134.7	122.7	147.7	148	135.3	113.4	160.2	311	133.1	118.5	149
Lung and Bronchus	454	73.3	66.6	80.5	140	68.0	57.0	80.7	310	77.5	69	86.8
Melanoma	65	9.8	7.5	12.5	60	26.3	19.9	34.2	<6	**	**	**
Pancreas	105	17.4	14.2	21.2	30	14.0	9.3	20.3	72	19.0	14.8	24.0
Prostate	375	135.1	121.4	149.9	83	81.1	64.3	101.2	275	162.9	143.5	184.2
Urinary Bladder	96	15.8	12.8	19.3	48	21.4	15.6	28.8	45	11.8	8.6	15.8

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1484	552.3	523.8	582.1	486	485.6	442.4	532.0	956	583.1	545.2	623
Colon and Rectum	148	56.5	47.5	66.6	41	40.0	28.5	54.7	106	67.1	54.5	81.8
Lung and Bronchus	226	86.4	75.2	98.7	66	69.5	53.4	89.0	157	98	82.6	115.2
Melanoma	34	11.9	8.1	16.8	s	30.9	21.0	44.0	<6	**	**	**
Pancreas	54	21.9	16.3	28.7	15	**	**	**	36	23.9	16.5	33.4
Prostate	375	135.1	121.4	149.9	83	81.1	64.3	101.2	275	162.9	143.5	184.2
Urinary Bladder	58	24.3	18.3	31.6	31	32.5	22.0	46.6	24	16.2	10.2	24.3

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1629	458.5	436.1	481.8	556	496.4	454.2	541.7	1039	443.5	416.6	471.7
Colon and Rectum	148	40.1	33.8	47.2	43	37.2	26.6	51.0	104	43.5	35.5	52.9
Female Breast (Malignant Only)	474	134.7	122.7	147.7	148	135.3	113.4	160.2	311	133.1	118.5	149.0
Lung and Bronchus	228	64.2	56.0	73.2	74	67.2	52.4	85.2	153	64.3	54.5	75.5
Melanoma	31	8.4	5.7	12.1	27	22.8	14.8	33.9	<6	**	**	**
Pancreas	51	14.4	10.6	19.0	15	**	**	**	36	15.8	11.0	22.0
Urinary Bladder	38	10.5	7.4	14.5	17	14.2	8.0	23.6	21	9.0	5.5	13.8

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table 17: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	4412	465.6	451.6	479.9	3412	464.8	448.7	481.3	814	466.3	433.1	501.3
Colon and Rectum	365	38.0	34.1	42.2	288	39.0	34.4	44.0	69	42.8	32.8	54.7
Female Breast (Malignant Only)	694	134.8	124.7	145.6	488	127.3	115.6	139.9	164	146.6	124.2	171.8
Lung and Bronchus	619	63.9	58.9	69.3	511	66.1	60.4	72.4	96	61.9	49.6	76.2
Melanoma	231	25.7	22.4	29.4	216	33.2	28.7	38.2	<6	**	**	**
Pancreas	137	14.3	11.9	16.9	108	14.0	11.4	17.0	26	14.8	9.3	22.1
Prostate	547	125.1	114.7	136.4	386	111.5	100.4	123.5	129	179.7	147.4	216.5
Urinary Bladder	203	20.2	17.5	23.3	178	21.8	18.6	25.5	16	10.4	5.8	17.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2122	511.6	489.6	534.3	1671	507.7	483.0	533.3	363	535.5	476.4	599.4
Colon and Rectum	182	44.7	38.4	51.9	149	46.4	39.1	54.8	30	49.8	31.8	73.4
Lung and Bronchus	307	74.5	66.3	83.5	255	77.1	67.8	87.5	45	71.6	50.3	98
Melanoma	113	28.2	23.2	34.1	105	34.1	27.7	41.6	<6	**	**	**
Pancreas	59	14.7	11.1	19.1	48	14.6	10.7	19.5	11	**	**	**
Prostate	547	125.1	114.7	136.4	386	111.5	100.4	123.5	129	179.7	147.4	216.5
Urinary Bladder	151	37.0	31.3	43.6	131	38.7	32.2	46.1	12	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2290	436.1	417.8	455.0	1741	438.2	416.6	460.8	451	429.4	389.1	472.6
Colon and Rectum	183	33.4	28.6	38.8	139	33.6	27.9	40.2	39	40.1	28.1	55.3
Female Breast (Malignant Only)	694	134.8	124.7	145.6	488	127.3	115.6	139.9	164	146.6	124.2	171.8
Lung and Bronchus	312	55.9	49.7	62.7	256	57.7	50.6	65.7	51	56.7	41.7	74.9
Melanoma	118	24.3	20.0	29.4	111	33.7	27.3	41.1	<6	**	**	**
Pancreas	78	13.8	10.8	17.4	60	13.4	10.1	17.6	15	**	**	**
Urinary Bladder	52	8.7	6.4	11.6	47	10.0	7.1	13.7	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	389	416.2	374.2	461.7	330	418.9	373.0	468.9	51	383.1	282.8	508.2
Colon and Rectum	30	32.5	21.5	47.2	21	26.1	15.8	40.9	8	**	**	**
Female Breast (Malignant Only)	82	159.6	126.1	199.8	72	169.6	131.6	215.5	9	**	**	**
Lung and Bronchus	52	61.9	45.6	82.0	48	66.9	48.7	89.7	<6	**	**	**
Melanoma	31	36.0	24.0	51.9	30	41.4	27.3	60.0	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	44	101.3	72.0	138.4	33	92.0	61.6	132.1	10	**	**	**
Urinary Bladder	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	186	447.1	380.7	521.4	158	451.4	378.7	533.8	27	446.6	289.3	660.5
Colon and Rectum	19	44.0	25.5	70.9	14	**	**	**	<6	**	**	**
Lung and Bronchus	31	89.5	59.4	128.7	29	96.4	62.9	140.7	<6	**	**	**
Melanoma	16	42.1	23.1	70.0	16	49.6	27.2	82.5	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	44	101.3	72.0	138.4	33	92.0	61.6	132.1	10	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	203	403.2	348.1	464.8	172	407.9	347.5	476.2	24	327.8	208.1	494.1
Colon and Rectum	11	**	**	**	7	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	82	159.6	126.1	199.8	72	169.6	131.6	215.5	9	**	**	**
Lung and Bronchus	21	42.2	25.7	65.6	19	46.2	27.4	73.5	<6	**	**	**
Melanoma	15	32.7	17.8	55.1	14	**	**	**	0	0.0	0.0	0.0
Pancreas	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	147	398.7	335.8	470.3	131	411.7	343.1	490.5	15	**	**	**
Colon and Rectum	15	**	**	**	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	23	117.6	73.7	178.7	20	119.7	72.4	187.6	<6	**	**	**
Lung and Bronchus	16	45.4	25.8	74.3	12	**	**	**	<6	**	**	**
Melanoma	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	19	96.7	57.2	154.7	17	100.2	57.3	165.0	<6	**	**	**
Urinary Bladder	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	63	378.2	288.0	488.0	54	364.5	271.1	480.4	8	**	**	**
Colon and Rectum	<6	**	**	**	<6	**	**	**	<6	**	**	**
Lung and Bronchus	8	**	**	**	<6	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	19	96.7	57.2	154.7	17	100.2	57.3	165.0	<6	**	**	**
Urinary Bladder	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	83	417.1	330.2	520.4	76	450.2	352.4	567.7	7	**	**	**
Colon and Rectum	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	23	117.6	73.7	178.7	20	119.7	72.4	187.6	<6	**	**	**
Lung and Bronchus	8	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	808	427.2	397.4	458.6	768	423.9	393.6	456.0	20	393.1	231.9	620.3
Colon and Rectum	72	39.3	30.6	49.8	69	38.9	30.1	49.6	<6	**	**	**
Female Breast (Malignant Only)	147	146.1	123.0	172.6	142	147.6	123.8	174.9	0	0	0	0
Lung and Bronchus	107	55.1	44.9	66.9	103	55.4	45.0	67.6	<6	**	**	**
Melanoma	57	31.2	23.3	40.9	55	31.7	23.5	41.8	0	0.0	0.0	0.0
Pancreas	27	14.1	9.2	20.9	24	12.9	8.1	19.5	<6	**	**	**
Prostate	87	91.8	72.8	114.4	78	84.6	66.2	106.8	<6	**	**	**
Urinary Bladder	37	20.1	14.0	27.9	s	20.3	14.1	28.4	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	407	473.9	427.1	524.4	385	468.0	420.6	519.4	13	**	**	**
Colon and Rectum	35	42.9	29.5	60.4	33	41.6	28.3	59.2	<6	**	**	**
Lung and Bronchus	61	71.5	54.1	92.9	59	72.3	54.4	94.3	<6	**	**	**
Melanoma	34	38.9	26.4	55.4	34	40.7	27.6	58.0	0	0.0	0.0	0.0
Pancreas	15	**	**	**	13	**	**	**	<6	**	**	**
Prostate	87	91.8	72.8	114.4	78	84.6	66.2	106.8	<6	**	**	**
Urinary Bladder	29	36.1	23.8	52.4	s	36.3	23.8	53.1	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	401	394.1	355.5	436.0	383	394.0	354.5	437.0	7	**	**	**
Colon and Rectum	37	35.8	25.0	50.0	s	36.3	25.2	51.0	<6	**	**	**
Female Breast (Malignant Only)	147	146.1	123.0	172.6	142	147.6	123.8	174.9	0	0.0	0.0	0.0
Lung and Bronchus	46	43.6	31.7	58.9	44	43.7	31.5	59.3	<6	**	**	**
Melanoma	23	24.5	15.1	37.5	21	23.9	14.4	37.4	0	0.0	0.0	0.0
Pancreas	12	**	**	**	s	**	**	**	<6	**	**	**
Urinary Bladder	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	537	506.2	463.2	552.2	499	503.5	459.1	551.0	27	480.3	309.3	709.3
Colon and Rectum	46	41.6	30.1	56.1	43	41.9	30.0	57.1	<6	**	**	**
Female Breast (Malignant Only)	60	103.3	78.4	133.9	54	99.3	74.1	130.6	6	**	**	**
Lung and Bronchus	97	95.5	77.0	117.1	90	95.1	76.1	117.5	<6	**	**	**
Melanoma	26	24.2	15.6	35.9	24	24.3	15.4	36.7	0	0.0	0.0	0.0
Pancreas	9	**	**	**	7	**	**	**	<6	**	**	**
Prostate	64	115.0	87.5	148.6	60	114.2	86.1	148.9	<6	**	**	**
Urinary Bladder	23	23.9	15.0	36.1	21	22.9	14.0	35.3	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	283	570.2	502.8	644.0	260	563.5	494.2	639.8	16	540.4	291.4	909.1
Colon and Rectum	26	50.5	32.0	75.8	24	50.6	31.4	77.1	<6	**	**	**
Lung and Bronchus	52	114.0	84.0	150.8	46	111.2	80.5	149.5	<6	**	**	**
Melanoma	15	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	64	115.0	87.5	148.6	60	114.2	86.1	148.9	<6	**	**	**
Urinary Bladder	17	38.2	21.8	61.7	15	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	252	451.4	396.4	512.1	238	455.8	398.7	519.1	11	**	**	**
Colon and Rectum	20	34.8	21.0	54.5	19	35.5	21.1	56.3	0	0.0	0.0	0.0
Female Breast (Malignant Only)	60	103.3	78.4	133.9	54	99.3	74.1	130.6	6	**	**	**
Lung and Bronchus	45	80.7	58.5	108.8	s	83.5	60.3	113.0	<6	**	**	**
Melanoma	11	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	611	451.3	414.6	490.4	373	430.4	386.4	478.2	209	484.2	414.1	562.1
Colon and Rectum	39	30.6	21.4	42.3	24	30.5	19.3	45.9	11	**	**	**
Female Breast (Malignant Only)	109	137.7	112.5	167.0	57	118.0	88.7	154.4	45	154.7	110.5	210.8
Lung and Bronchus	75	61.4	47.7	77.6	50	60.2	44.2	80.3	22	67.7	40.7	104.1
Melanoma	19	13.7	8.0	21.9	16	17.9	10.0	29.8	<6	**	**	**
Pancreas	14	**	**	**	6	**	**	**	8	**	**	**
Prostate	101	155.6	125.0	191.3	50	113.3	82.8	152.0	50	273.8	196.5	370.1
Urinary Bladder	24	20.5	12.8	30.8	20	23.4	14.0	36.9	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	309	525.1	463.3	592.4	198	508.4	435.6	589.9	101	562.5	445.2	699.3
Colon and Rectum	22	44.9	26.5	70.0	15	**	**	**	<6	**	**	**
Lung and Bronchus	44	79.3	56.3	108.1	31	78.6	52.4	113.5	11	**	**	**
Melanoma	15	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	<6	**	**	**	6	**	**	**
Prostate	101	155.6	125.0	191.3	50	113.3	82.8	152.0	50	273.8	196.5	370.1
Urinary Bladder	18	37.3	20.9	60.5	16	45.2	24.5	75.7	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	302	395.2	350.6	443.8	175	372.0	317.5	433.5	108	417.3	336.1	511.4
Colon and Rectum	17	23.0	13.2	37.3	9	**	**	**	6	**	**	**
Female Breast (Malignant Only)	109	137.7	112.5	167.0	57	118.0	88.7	154.4	45	154.7	110.5	210.8
Lung and Bronchus	31	45.8	30.6	65.6	19	41.5	24.6	66.1	11	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	<6	**	**	**
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	208	488.4	422.2	562.6	161	498.9	421.1	588.2	43	431.7	310.3	585.4
Colon and Rectum	19	43.6	26.0	69.8	13	**	**	**	6	**	**	**
Female Breast (Malignant Only)	28	124.8	81.2	185.0	22	127.1	77.8	200.5	<6	**	**	**
Lung and Bronchus	34	75.5	52.0	107.2	25	72.1	46.0	110.0	8	**	**	**
Melanoma	16	39.3	21.7	66.2	15	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	30	140.3	94.0	204.0	23	138.5	87.1	214.2	7	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	123	617.9	511.3	741.7	93	595.4	477.3	737.1	29	696.6	459.2	1012.1
Colon and Rectum	13	**	**	**	7	**	**	**	6	**	**	**
Lung and Bronchus	22	104.1	64.9	160.8	14	**	**	**	s	**	**	**
Melanoma	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	30	140.3	94.0	204.0	23	138.5	87.1	214.2	7	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	85	385.8	303.7	484.3	68	424.8	321.8	552.5	14	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	28	124.8	81.2	185.0	22	127.1	77.8	200.5	<6	**	**	**
Lung and Bronchus	12	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1038	437.6	410.7	465.9	923	433.2	405.0	463.0	78	487.8	378.6	617
Colon and Rectum	115	49.8	40.9	60.1	100	48.7	39.4	59.6	14	**	**	**
Female Breast (Malignant Only)	160	120.8	102.5	141.6	145	123.5	103.8	145.9	8	**	**	**
Lung and Bronchus	118	50.1	41.2	60.4	107	49.9	40.6	60.7	10	**	**	**
Melanoma	53	22.0	16.3	29.0	52	24.0	17.7	31.7	0	0.0	0.0	0.0
Pancreas	26	11.6	7.5	17.1	20	10.2	6.2	15.9	<6	**	**	**
Prostate	135	122.6	102.0	146.0	114	115.1	94.2	139.2	15	**	**	**
Urinary Bladder	32	13.3	9.0	18.9	30	13.6	9.1	19.6	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	535	505.3	461.5	552.1	469	492.3	446.9	540.9	46	606.6	430	830
Colon and Rectum	67	63.7	48.7	81.8	57	61.9	46.3	81.0	10	**	**	**
Lung and Bronchus	66	62.4	47.6	80.3	60	62.5	47.1	81.4	6	**	**	**
Melanoma	31	29.3	19.5	42.2	31	32.4	21.6	46.6	0	0.0	0.0	0.0
Pancreas	14	**	**	**	9	**	**	**	<6	**	**	**
Prostate	135	122.6	102.0	146.0	114	115.1	94.2	139.2	15	**	**	**
Urinary Bladder	22	20.1	12.3	31.1	22	21.8	13.3	33.7	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	503	386.4	352.6	422.6	454	389.7	353.8	428.4	32	375.7	251.9	536.0
Colon and Rectum	48	38.1	27.8	50.9	43	37.8	27.1	51.5	<6	**	**	**
Female Breast (Malignant Only)	160	120.8	102.5	141.6	145	123.5	103.8	145.9	8	**	**	**
Lung and Bronchus	52	39.7	29.4	52.5	47	39.2	28.6	52.7	<6	**	**	**
Melanoma	22	16.8	10.4	25.8	21	17.7	10.8	27.5	0	0.0	0.0	0.0
Pancreas	12	**	**	**	s	**	**	**	<6	**	**	**
Urinary Bladder	10	**	**	**	8	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	155	382.7	323.6	450.5	154	382.3	323.0	450.3	0	0	0	0
Colon and Rectum	19	45.8	27.2	73.7	18	43.4	25.4	70.9	0	0	0	0
Female Breast (Malignant Only)	21	111.6	67.9	174.6	21	112.3	68.4	175.8	0	0	0	0
Lung and Bronchus	18	45.3	26.7	73.2	18	45.5	26.8	73.7	0	0	0	0
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	19	88.2	52.7	142.3	19	88.7	53.0	143.2	0	0	0	0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	78	408.8	320.3	515.9	78	411.0	322.1	518.8	0	0	0	0
Colon and Rectum	11	**	**	**	11	**	**	**	0	0	0	0
Lung and Bronchus	13	**	**	**	13	**	**	**	0	0	0	0
Melanoma	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Pancreas	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate	19	88.2	52.7	142.3	19	88.7	53.0	143.2	0	0	0	0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	77	361.8	283.5	457.4	76	359.8	281.5	455.7	0	0.0	0.0	0.0
Colon and Rectum	8	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	21	111.6	67.9	174.6	21	112.3	68.4	175.8	0	0.0	0.0	0.0
Lung and Bronchus	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1289	480.4	454.0	508.0	1132	477.6	449.6	506.9	122	518.6	423.6	627.2
Colon and Rectum	119	45.7	37.7	54.9	106	45.3	36.9	55.0	10	**	**	**
Female Breast (Malignant Only)	208	143.2	124.0	164.5	177	139.6	119.4	162.4	25	168.8	106.9	253
Lung and Bronchus	171	64.8	55.3	75.6	153	64.7	54.7	76.1	17	80	44.2	130.8
Melanoma	80	29.8	23.5	37.3	78	33.7	26.4	42.3	0	0.0	0.0	0.0
Pancreas	33	12.5	8.5	17.7	30	12.4	8.3	17.9	<6	**	**	**
Prostate	178	137.9	117.6	160.8	149	130.4	109.6	154.1	21	201.2	114.4	323.4
Urinary Bladder	44	15.8	11.4	21.5	40	15.9	11.3	21.9	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	627	517.0	475.6	561.0	552	511.0	467.7	557.3	59	583	428	772
Colon and Rectum	61	49.8	37.7	64.5	55	50.6	37.8	66.5	6	**	**	**
Lung and Bronchus	74	67.0	52.0	84.9	67	67.5	51.8	86.6	6	**	**	**
Melanoma	45	37.0	26.6	50.1	44	41.1	29.5	55.9	0	0.0	0.0	0.0
Pancreas	17	13.7	7.8	22.4	15	**	**	**	<6	**	**	**
Prostate	178	137.9	117.6	160.8	149	130.4	109.6	154.1	21	201.2	114.4	323.4
Urinary Bladder	29	23.3	15.3	34.0	27	23.4	15.1	34.6	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	662	454.3	419.7	491.1	580	455.5	418.4	495.2	63	470.6	356.0	608.6
Colon and Rectum	58	40.0	30.2	52.0	51	39.1	28.9	51.9	<6	**	**	**
Female Breast (Malignant Only)	208	143.2	124.0	164.5	177	139.6	119.4	162.4	25	168.8	106.9	253.0
Lung and Bronchus	97	64.5	52.2	79.1	86	64.3	51.2	79.9	11	**	**	**
Melanoma	35	25.0	17.3	35.1	34	28.6	19.6	40.5	0	0.0	0.0	0.0
Pancreas	16	10.7	6.1	17.7	s	**	**	**	<6	**	**	**
Urinary Bladder	15	**	**	**	13	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1160	405.0	381.0	430.2	857	416.7	388.0	447.1	175	402.1	341.4	470
Colon and Rectum	81	29.1	22.8	36.6	57	27.0	20.1	35.5	11	**	**	**
Female Breast (Malignant Only)	206	124.7	107.7	143.7	144	124.7	104.5	148.0	36	126.9	87.7	178
Lung and Bronchus	100	40.9	33.0	50.0	75	42.3	33.0	53.4	15	**	**	**
Melanoma	80	25.6	20.1	32.1	75	34.0	26.5	43.2	<6	**	**	**
Pancreas	32	13.0	8.7	18.6	24	13.3	8.3	20.1	7	**	**	**
Prostate	175	119.0	100.9	139.4	125	116.1	95.3	140.1	31	161.8	106.9	234.2
Urinary Bladder	44	17.7	12.7	24.0	36	19.2	13.2	26.9	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	571	436.5	398.8	476.7	438	455.7	411.0	503.9	77	435.3	336	553.2
Colon and Rectum	44	32.0	22.5	44.0	30	28.0	18.1	41.6	6	**	**	**
Lung and Bronchus	45	40.9	29.2	55.5	34	41.8	28.3	59.2	7	**	**	**
Melanoma	42	30.3	21.4	41.7	40	39.1	27.3	54.5	<6	**	**	**
Pancreas	14	**	**	**	11	**	**	**	<6	**	**	**
Prostate	175	119.0	100.9	139.4	125	116.1	95.3	140.1	31	161.8	106.9	234.2
Urinary Bladder	34	30.6	20.6	43.3	29	34.6	22.6	50.6	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	589	381.9	350.6	415.2	419	387.5	349.8	428.2	98	381.5	306.6	468.7
Colon and Rectum	37	26.6	18.5	37.0	27	26.2	17.0	38.9	<6	**	**	**
Female Breast (Malignant Only)	206	124.7	107.7	143.7	144	124.7	104.5	148.0	36	126.9	87.7	178.0
Lung and Bronchus	55	40.2	30.0	52.6	41	41.6	29.5	57.1	8	**	**	**
Melanoma	38	21.9	15.4	30.5	35	30.1	20.6	42.8	<6	**	**	**
Pancreas	18	12.9	7.5	20.7	13	**	**	**	<6	**	**	**
Urinary Bladder	10	**	**	**	7	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	123	409.7	335.9	496.8	104	401.3	322.2	496.5	19	455.6	268.8	731.9
Colon and Rectum	9	**	**	**	6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	9	**	**	**	s	**	**	**	<6	**	**	**
Lung and Bronchus	23	73.9	45.5	116.4	20	75.9	44.5	124.8	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	22	139.0	86.3	219.3	18	126.5	74.3	212.3	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	68	477.1	365.7	615.9	57	471.2	350.5	625.6	11	**	**	**
Colon and Rectum	7	**	**	**	<6	**	**	**	<6	**	**	**
Lung and Bronchus	10	**	**	**	8	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	22	139.0	86.3	219.3	18	126.5	74.3	212.3	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	55	350.5	255.5	473.0	47	338.9	239.3	472.0	8	**	**	**
Colon and Rectum	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	9	**	**	**	s	**	**	**	<6	**	**	**
Lung and Bronchus	13	**	**	**	s	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I19: 7 Selected Cancer Sites for the State and All Sites Combined in Montgomery County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** *2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	4102	388.7	376.7	401.1	2937	385.7	371.5	400.4	610	407.8	374.5	443.2
Colon and Rectum	324	30.8	27.5	34.4	234	30.4	26.6	34.8	46	33	23.7	44.4
Female Breast (Malignant Only)	711	121.2	112.3	130.7	489	118.2	107.6	129.5	122	134.9	111.2	162.1
Lung and Bronchus	360	34.9	31.3	38.8	268	34.9	30.7	39.5	48	33.5	24.2	44.8
Melanoma	200	19.0	16.4	21.9	184	24.7	21.1	28.6	<6	**	**	**
Pancreas	120	11.2	9.3	13.4	88	11.1	8.9	13.8	18	13.4	7.7	21.5
Prostate	643	132.1	121.7	143.1	447	126.2	114.4	138.9	121	191.6	156.5	231.8
Urinary Bladder	182	18.2	15.6	21.1	140	18.8	15.7	22.3	16	12.4	6.9	20.1

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1983	429.3	410.1	449.2	1439	425.6	403.3	448.8	291	487.4	428.3	551.9
Colon and Rectum	159	35.4	30.0	41.5	121	36.5	30.2	43.9	17	35.2	19.3	57.6
Lung and Bronchus	147	32.9	27.6	38.8	106	31.6	25.7	38.4	20	35	20.6	54.9
Melanoma	113	24.9	20.4	30.1	102	30.8	24.9	37.5	<6	**	**	**
Pancreas	56	12.3	9.2	16.0	39	11.6	8.2	16.0	11	**	**	**
Prostate	643	132.1	121.7	143.1	447	126.2	114.4	138.9	121	191.6	156.5	231.8
Urinary Bladder	136	32.6	27.2	38.6	105	33.1	26.9	40.2	12	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	2118	362.2	346.5	378.3	1497	361.4	342.7	381.0	319	356.8	317.3	399.7
Colon and Rectum	165	27.4	23.2	32.0	113	25.6	20.9	31.1	29	33.0	21.8	47.8
Female Breast (Malignant Only)	711	121.2	112.3	130.7	489	118.2	107.6	129.5	122	134.9	111.2	162.1
Lung and Bronchus	213	36.9	32.0	42.4	162	38.1	32.3	44.7	28	33.1	21.5	48.5
Melanoma	87	14.7	11.7	18.3	82	20.4	16.1	25.6	<6	**	**	**
Pancreas	64	10.5	8.0	13.5	49	10.9	8.0	14.6	7	**	**	**
Urinary Bladder	46	7.8	5.7	10.5	35	8.2	5.6	11.7	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	3233	403.5	389.1	418.3	909	388.0	362.9	414.4	2134	404.8	386.4	423.8
Colon and Rectum	258	33.3	29.2	37.8	60	25.1	19.1	32.4	182	37.8	32	44.2
Female Breast (Malignant Only)	547	115.6	105.8	126.0	119	98.6	81.3	118.5	393	122.5	110.1	136
Lung and Bronchus	348	47.4	42.4	52.9	119	51.9	42.9	62.2	223	45.8	39.5	52.9
Melanoma	55	7.7	5.7	10.1	49	21.6	15.9	28.7	<6	**	**	**
Pancreas	89	12.2	9.7	15.1	28	12.4	8.2	18.0	54	10.9	7.9	14.5
Prostate	665	182.0	167.5	197.3	128	114.6	95.2	136.6	503	217.5	196.4	240
Urinary Bladder	110	15.7	12.8	19.1	45	19.6	14.3	26.3	58	13.3	9.8	17.4

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1663	483.5	458.8	509.1	480	447.0	407.2	489.7	1094	493	460.3	527.3
Colon and Rectum	119	35.5	28.9	43.1	33	30.1	20.5	42.5	75	38	28.5	49.5
Lung and Bronchus	188	60.6	51.6	70.6	61	60.8	46.3	78.3	124	61.2	49.5	74.7
Melanoma	35	11.8	8.0	16.7	33	32.3	22.1	45.5	0	0.0	0.0	0.0
Pancreas	46	15.0	10.7	20.3	15	**	**	**	28	15.5	9.6	23.5
Prostate	665	182.0	167.5	197.3	128	114.6	95.2	136.6	503	217.5	196.4	240
Urinary Bladder	87	30.0	23.6	37.5	40	39.9	28.3	54.4	41	21.8	14.9	30.5

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1568	346.3	328.8	364.4	429	348.1	315.4	383.4	1038	342.9	321.0	365.8
Colon and Rectum	139	31.8	26.6	37.8	27	21.0	13.7	30.9	107	38.3	31.0	46.8
Female Breast (Malignant Only)	547	115.6	105.8	126.0	119	98.6	81.3	118.5	393	122.5	110.1	136.0
Lung and Bronchus	159	38.1	32.2	44.7	58	45.9	34.7	59.6	98	34.8	27.8	43.0
Melanoma	20	4.7	2.8	7.3	16	13.1	7.4	21.4	<6	**	**	**
Pancreas	43	10.2	7.3	13.8	13	**	**	**	26	8.3	5.3	12.5
Urinary Bladder	23	5.7	3.6	8.6	<6	**	**	**	17	7.1	4.0	11.6

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	262	442.1	389.1	500.8	238	442.6	386.9	504.7	21	437.9	270.4	683
Colon and Rectum	15	**	**	**	12	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	38	125.7	88.4	174.7	34	125.7	86.5	178.0	<6	**	**	**
Lung and Bronchus	48	81.6	59.8	109.3	44	81.1	58.5	110.3	<6	**	**	**
Melanoma	12	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Prostate	38	122.8	86.1	171.6	35	122.8	84.6	174.3	<6	**	**	**
Urinary Bladder	8	**	**	**	s	**	**	**	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	135	476.9	397.5	568.4	125	481.9	398.6	578.5	9	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0	0	0
Lung and Bronchus	25	95.5	61.0	143.1	22	91.8	56.7	141.4	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	38	122.8	86.1	171.6	35	122.8	84.6	174.3	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	127	412.4	342.6	493.5	113	407.7	334.6	493.3	12	**	**	**
Colon and Rectum	9	**	**	**	6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	38	125.7	88.4	174.7	34	125.7	86.5	178.0	<6	**	**	**
Lung and Bronchus	23	71.7	45.0	110.1	s	74.5	46.1	115.7	<6	**	**	**
Melanoma	7	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary's County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	427	413.2	373.9	455.4	355	410.1	367.5	456.3	58	427.3	321.8	555.3
Colon and Rectum	37	35.6	24.8	49.4	35	40.1	27.7	56.2	<6	**	**	**
Female Breast (Malignant Only)	58	107.6	81.2	139.7	50	113.2	83.6	150.0	8	**	**	**
Lung and Bronchus	69	73.0	56.4	92.8	55	69.0	51.5	90.3	13	**	**	**
Melanoma	22	20.1	12.5	30.7	20	22.4	13.5	34.9	0	0.0	0.0	0.0
Pancreas	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Prostate	59	107.8	81.3	140.3	44	92.9	67.0	126.1	10	**	**	**
Urinary Bladder	16	18.7	10.6	30.4	14	**	**	**	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	220	448.2	388.6	514.2	181	435.0	371.5	506.1	34	540.8	368.2	763
Colon and Rectum	21	41.0	24.8	63.7	s	45.3	27.1	71.3	<6	**	**	**
Lung and Bronchus	42	94.1	66.9	128.2	32	86.5	58.2	123.2	10	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Prostate	59	107.8	81.3	140.3	44	92.9	67.0	126.1	10	**	**	**
Urinary Bladder	11	**	**	**	9	**	**	**	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	207	383.0	331.7	440.0	174	390.1	333.4	453.9	24	329.5	208.6	492.7
Colon and Rectum	16	30.1	17.1	49.2	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	58	107.6	81.2	139.7	50	113.2	83.6	150.0	8	**	**	**
Lung and Bronchus	27	53.6	35.0	78.4	23	53.4	33.6	80.7	<6	**	**	**
Melanoma	16	28.0	15.9	46.0	14	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	158	536.2	454.7	628.8	118	545.1	448.9	658.6	34	427.8	293.9	600.2
Colon and Rectum	17	56.0	32.4	91.3	11	**	**	**	6	**	**	**
Female Breast (Malignant Only)	21	148.6	90.1	232.9	18	178.7	102.5	296.0	<6	**	**	**
Lung and Bronchus	34	112.5	77.6	158.8	29	131.3	87.5	193.2	<6	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	14	**	**	**	9	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	83	590.8	466.2	739.1	61	573.4	434.7	747.7	16	508.8	271.5	849.3
Colon and Rectum	13	**	**	**	8	**	**	**	<6	**	**	**
Lung and Bronchus	18	127.7	73.2	207.3	15	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	14	**	**	**	9	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	75	515.1	401.4	653.0	57	543.4	405.4	719.2	18	449.2	262.9	717.9
Colon and Rectum	<6	**	**	**	<6	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	21	148.6	90.1	232.9	18	178.7	102.5	296.0	<6	**	**	**
Lung and Bronchus	16	99.7	56.5	167.0	14	**	**	**	<6	**	**	**
Melanoma	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	298	487.5	430.4	551.1	266	496.5	434.1	566.8	29	432.9	288.8	630.6
Colon and Rectum	19	32.5	18.6	54.0	15	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	41	132.7	91.9	187.7	39	145.8	99.3	209.8	<6	**	**	**
Lung and Bronchus	33	49.1	33.6	71.4	27	45.6	29.7	69.8	6	**	**	**
Melanoma	18	27.9	16.3	46.8	18	31.7	18.5	53.7	0	0.0	0.0	0.0
Pancreas	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Prostate	48	151.3	110.9	205.3	42	146.1	104.4	203.9	<6	**	**	**
Urinary Bladder	18	27.7	16.2	46.3	16	27.3	15.4	47.8	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	165	589.2	498.9	693.4	147	593.3	495.7	707.3	16	575	325.2	951.6
Colon and Rectum	10	**	**	**	7	**	**	**	<6	**	**	**
Lung and Bronchus	13	**	**	**	11	**	**	**	<6	**	**	**
Melanoma	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	48	151.3	110.9	205.3	42	146.1	104.4	203.9	<6	**	**	**
Urinary Bladder	13	**	**	**	s	**	**	**	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	133	402.5	332.0	486.2	119	414.2	336.4	508.0	13	**	**	**
Colon and Rectum	9	**	**	**	s	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	41	132.7	91.9	187.7	39	145.8	99.3	209.8	<6	**	**	**
Lung and Bronchus	20	54.0	32.7	88.9	16	48.9	27.5	87.3	<6	**	**	**
Melanoma	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I25: 7 Selected Cancer Sites For the State and All Sites Combined in Washington County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	790	462.7	430.6	496.5	729	453.4	420.7	488.2	48	508.9	350	713
Colon and Rectum	75	43.4	34.1	54.7	72	43.8	34.2	55.5	<6	**	**	**
Female Breast (Malignant Only)	106	118.8	96.8	144.5	101	118.8	96.2	145.5	<6	**	**	**
Lung and Bronchus	114	66.1	54.4	79.6	105	64.4	52.6	78.2	9	**	**	**
Melanoma	39	23.5	16.7	32.3	39	24.9	17.7	34.3	0	0.0	0.0	0.0
Pancreas	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Prostate	94	112.2	90.3	137.9	83	107.2	85.1	133.6	8	**	**	**
Urinary Bladder	37	21.8	15.3	30.2	34	20.9	14.4	29.5	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	410	524.6	474.2	578.9	373	512.7	461.3	568.4	29	549.8	329	888
Colon and Rectum	31	39.5	26.7	56.6	30	40.6	27.2	58.6	0	0	0	0
Lung and Bronchus	67	88.3	68.1	112.5	60	84.5	64.3	109.3	7	**	**	**
Melanoma	25	33.6	21.6	49.8	25	35.9	23.1	53.4	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Prostate	94	112.2	90.3	137.9	83	107.2	85.1	133.6	8	**	**	**
Urinary Bladder	32	42.2	28.7	59.9	29	40.2	26.8	58.3	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	380	422.5	380.3	468.4	356	414.2	371.3	461.0	19	487.8	277.1	791.0
Colon and Rectum	44	46.2	33.4	62.7	42	45.8	32.8	62.7	<6	**	**	**
Female Breast (Malignant Only)	106	118.8	96.8	144.5	101	118.8	96.2	145.5	<6	**	**	**
Lung and Bronchus	47	50.9	37.3	68.3	45	51.1	37.1	69.1	<6	**	**	**
Melanoma	14	**	**	**	14	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	538	507.8	465.1	553.5	414	503.4	455.1	555.7	111	522.6	427.4	632.1
Colon and Rectum	49	46.5	34.2	61.9	39	47.7	33.7	66.0	7	**	**	**
Female Breast (Malignant Only)	62	106.6	81.2	137.7	43	93.2	67.0	127.1	18	139.3	81.7	221.9
Lung and Bronchus	87	81.6	65.1	101.1	72	86.4	67.3	109.5	14	**	**	**
Melanoma	39	38.3	27.0	52.8	38	49.3	34.5	68.5	0	0.0	0.0	0.0
Pancreas	11	**	**	**	9	**	**	**	<6	**	**	**
Prostate	86	174.4	138.7	216.6	58	151.1	114.0	197.0	25	249.8	158.2	374.6
Urinary Bladder	24	25.0	15.9	37.3	20	25.8	15.6	40.3	<6	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	288	619.8	548.7	697.5	221	605.2	526.6	692.5	60	654.3	492	850.8
Colon and Rectum	25	52.7	33.7	78.6	18	48.6	28.5	77.9	<6	**	**	**
Lung and Bronchus	46	100.5	73.0	134.9	38	104.2	73.2	144.3	8	**	**	**
Melanoma	21	48.6	29.8	74.7	21	60.9	37.4	93.9	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	0	**	**	**
Prostate	86	174.4	138.7	216.6	58	151.1	114.0	197.0	25	249.8	158.2	374.6
Urinary Bladder	20	49.6	30.1	76.5	17	51.9	30.0	83.4	<6	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	250	427.2	374.7	485.2	193	431.0	370.5	499.1	51	418.7	309.6	553.0
Colon and Rectum	24	41.4	26.1	62.4	21	46.4	28.0	72.9	<6	**	**	**
Female Breast (Malignant Only)	62	106.6	81.2	137.7	43	93.2	67.0	127.1	18	139.3	81.7	221.9
Lung and Bronchus	41	67.5	48.1	92.4	34	72.4	49.8	102.8	6	**	**	**
Melanoma	18	33.7	19.5	54.1	17	44.5	25.1	72.9	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	<6	**	**	**
Urinary Bladder	<6	**	**	**	<6	**	**	**	<6	**	**	**

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

Table I27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland:
Count, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	448	531.3	480.3	587.2	380	505.6	452.3	564.7	43	479.1	344.5	651.4
Colon and Rectum	30	35.8	23.6	53.5	24	30.9	19.2	49.0	<6	**	**	**
Female Breast (Malignant Only)	57	134.7	99.3	180.5	48	130.9	92.7	182.3	<6	**	**	**
Lung and Bronchus	68	74.9	57.7	96.8	52	65.1	48.0	88.1	10	**	**	**
Melanoma	22	34.4	20.3	54.8	20	34.5	19.5	57.2	0	0.0	0.0	0.0
Pancreas	10	**	**	**	8	**	**	**	<6	**	**	**
Prostate	103	229.4	186.7	281.6	88	217.0	173.4	271.8	13	**	**	**
Urinary Bladder	26	28.6	18.6	43.7	25	31.1	20.0	48.5	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	268	649.5	571.3	737.4	227	616.1	534.7	709.1	31	796.8	539	1140.4
Colon and Rectum	19	47.1	27.6	77.8	15	**	**	**	<6	**	**	**
Lung and Bronchus	42	100.4	71.6	139.5	32	84.4	56.9	124.6	7	**	**	**
Melanoma	12	**	**	**	12	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	<6	**	**	**	<6	**	**	**
Prostate	103	229.4	186.7	281.6	88	217.0	173.4	271.8	13	**	**	**
Urinary Bladder	21	50.7	31.0	81.1	20	54.1	32.6	88.6	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	180	437.1	369.8	514.7	153	414.5	344.6	496.7	12	**	**	**
Colon and Rectum	11	**	**	**	9	**	**	**	<6	**	**	**
Female Breast (Malignant Only)	57	134.7	99.3	180.5	48	130.9	92.7	182.3	<6	**	**	**
Lung and Bronchus	26	53.4	34.4	82.4	20	48.4	28.9	80.9	<6	**	**	**
Melanoma	10	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<6	**	**	**	<6	**	**	**	0	0.0	0.0	0.0

*All Races include other specified, unspecified and unknown race

***Both Genders include male, female, hermaphrodite, transsexual and unknown(unspecified).

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<6 = case counts of 1-5 are suppressed per DHMH/MCR Data Use Policy

** Rates based on case counts of 1-15 are suppressed per DHMH/MCR Data Use Policy

s= Case counts are suppressed to prevent disclosure of data in other cell(s)

Source: Data as of February 07,2012 Maryland Cancer Registry

THIS PAGE INTENTIONALLY LEFT BLANK

2010

Maryland Cancer Mortality Cases by Selected Site,
Race, and Gender

Table M1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	10,249	170.9	167.6	174.3	7,165	166.1	162.2	170.0	2,808	197.0	189.5	204.8
Brain	243	4.0	3.5	4.6	198	4.7	4.0	5.4	39	2.5	1.7	3.5
Cervix	64	1.9	1.5	2.5	31	1.5	1.0	2.1	27	2.9	1.9	4.3
Colon and Rectum	910	15.1	14.1	16.1	575	13.1	12.0	14.2	307	22.2	19.7	24.9
Esophagus	241	3.9	3.4	4.4	171	4.0	3.4	4.7	69	4.6	3.5	5.9
Female Breast (Malignant Only)	839	24.2	22.6	25.9	516	21.1	19.3	23.0	309	34.1	30.3	38.2
Hodgkins Lymphoma	24	0.4	0.3	0.6	15	**	**	**	9	**	**	**
Kidney and Renal Pelvis	227	3.8	3.3	4.3	186	4.3	3.7	4.9	39	2.8	1.9	3.9
Larynx	74	1.2	0.9	1.5	42	1.0	0.7	1.4	32	2.1	1.4	3.0
Leukemia	364	6.2	5.6	6.9	274	6.4	5.7	7.2	74	5.5	4.3	6.9
Liver and Intrahepatic Bile Duct	368	5.9	5.3	6.5	219	5.0	4.4	5.7	109	6.7	5.4	8.2
Lung and Bronchus	2,738	46.0	44.3	47.8	1,989	46.5	44.5	48.6	689	48.5	44.8	52.4
Melanoma	143	2.4	2.0	2.8	137	3.2	2.7	3.8	S	**	**	**
Mutiple Myeloma	226	3.8	3.3	4.3	133	3.1	2.6	3.7	S	7.0	5.6	8.7
Non-Hodgkins Lymphoma	292	5.0	4.4	5.6	231	5.4	4.7	6.2	54	3.7	2.8	4.9
Oral Cavity and Pharynx	141	2.3	1.9	2.7	97	2.2	1.8	2.7	39	2.5	1.8	3.4
Ovary	280	8.2	7.3	9.2	230	9.7	8.5	11.0	44	4.7	3.4	6.4
Pancreas	718	12.0	11.1	12.9	505	11.7	10.7	12.8	196	13.4	11.5	15.5
Prostate	507	22.3	20.4	24.4	304	17.6	15.7	19.7	194	44.4	37.9	51.6
Stomach	203	3.3	2.9	3.8	114	2.6	2.1	3.1	65	4.8	3.7	6.2
Urinary Bladder	310	5.3	4.7	5.9	249	5.6	4.9	6.4	56	4.5	3.4	5.9
Uterus	185	5.3	4.6	6.1	118	5.0	4.1	6.0	63	7.0	5.3	9.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

S=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M1: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	243	97.2	84.6	111.2					145	85.7	70.8	102.9
Brain	5	**	**	**					<5	**	**	**
Cervix	<5	**	**	**					5	**	**	**
Colon and Rectum	27	12.1	7.8	18					6	**	**	**
Esophagus	0	0	0	0					<5	**	**	**
Female Breast (Malignant Only)	13	**	**	**					10	**	**	**
Hodgkins Lymphoma	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Kidney and Renal Pelvis	<5	**	**	**					<5	**	**	**
Larynx	0	0.0	0.0	0.0					<5	**	**	**
Leukemia	11	**	**	**					8	**	**	**
Liver and Intrahepatic Bile Duct	35	14.3	9.7	20.4					8	**	**	**
Lung and Bronchus	53	21.9	16.1	29.1					22	14.8	8.8	23.3
Melanoma	<5	**	**	**					<5	**	**	**
Mutliple Myeloma	<5	**	**	**					<5	**	**	**
Non-Hodgkins Lymphoma	5	**	**	**					5	**	**	**
Oral Cavity and Pharynx	5	**	**	**					<5	**	**	**
Ovary	5	**	**	**					9	**	**	**
Pancreas	16	**	**	**					11	**	**	**
Prostate	9	**	**	**					9	**	**	**
Stomach	21	8.9	5.3	14					15	**	**	**
Urinary Bladder	5	**	**	**					<5	**	**	**
Uterus	<5	**	**	**					<5	**	**	**

***Both Genders include unspecified and Unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Male 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	5,200	205.9	200.2	211.7	3,687	199	192.5	205.6	1,380	251.1	236.8	266
Brain	141	5.2	4.4	6.2	118	6.2	5.1	7.5	20	3.3	1.9	5.3
Colon and Rectum	464	18.3	16.6	20.1	305	16.4	14.6	18.4	148	27.3	22.7	32.6
Esophagus	192	7.2	6.2	8.3	139	7.2	6.0	8.5	52	8.7	6.3	11.7
Hodgkins Lymphoma	13	**	**	**	9	**	**	**	<5	**	**	**
Kidney and Renal Pelvis	146	5.7	4.8	6.7	120	6.4	5.3	7.7	24	4.2	2.6	6.5
Larynx	62	2.3	1.7	2.9	36	1.9	1.3	2.7	26	4.2	2.7	6.3
Leukemia	200	8.3	7.2	9.6	155	8.7	7.4	10.2	41	7.7	5.4	10.7
Liver and Intrahepatic Bile Duct	247	8.9	7.8	10.1	145	7.3	6.1	8.6	77	11.2	8.6	14.3
Lung and Bronchus	1,450	56.2	53.3	59.3	1,046	55.6	52.2	59.1	373	64.1	57.2	71.6
Melanoma	100	4	3.2	4.9	97	5.1	4.1	6.3	<5	**	**	**
Mutliple Myeloma	107	4.3	3.5	5.2	66	3.7	2.9	4.7	5	6.7	4.6	9.4
Non-Hodgkins Lymphoma	170	7	5.9	8.1	139	7.7	6.5	9.1	27	4.6	2.9	6.9
Oral Cavity and Pharynx	86	3.2	2.6	3.9	59	3	2.3	3.9	5	4.1	2.6	6.2
Pancreas	361	14	12.6	15.6	252	13.5	11.9	15.3	103	17.3	13.8	21.4
Prostate	507	22.3	20.4	24.4	304	17.6	15.7	19.7	194	44.4	37.9	51.6
Stomach	118	4.6	3.8	5.5	65	3.3	2.5	4.2	35	7.2	4.8	10.3
Urinary Bladder	221	9.6	8.3	10.9	182	10.3	8.9	11.9	34	7.4	5.0	10.6

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M2: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Male 2010											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	120	104.8	85.3	127.4					69	106.3	78.9	140.0
Brain	<5	**	**	**					<5	**	**	**
Colon and Rectum	11	**	**	**					<5	**	**	**
Esophagus	0	0.0	0.0	0.0					<5	**	**	**
Hodgkins Lymphoma	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Kidney and Renal Pelvis	<5	**	**	**					<5	**	**	**
Larynx	0	0.0	0.0	0.0					<5	**	**	**
Leukemia	<5	**	**	**					<5	**	**	**
Liver and Intrahepatic Bile Duct	24	20.3	12.4	31.4					<5	**	**	**
Lung and Bronchus	27	23.4	14.9	35.0					11	**	**	**
Melanoma	<5	**	**	**					0	0.0	0.0	0.0
Mutliple Myeloma	<5	**	**	**					<5	**	**	**
Non-Hodgkins Lymphoma	<5	**	**	**					<5	**	**	**
Oral Cavity and Pharynx	<5	**	**	**					<5	**	**	**
Pancreas	5	**	**	**					5	**	**	**
Prostate	9	**	**	**					9	**	**	**
Stomach	16	**	**	**					s	**	**	**
Urinary Bladder	5	**	**	**					<5	**	**	**

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Commuinity Health (MATCH) Data.

Table M3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Female 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	5,049	147.3	143.2	151.5	3,478	143.2	138.4	148.1	1,428	165.8	157.0	174.9
Brain	102	3.1	2.5	3.8	80	3.5	2.8	4.4	19	**	**	**
Cervix	64	1.9	1.5	2.5	31	1.5	1.0	2.1	27	2.9	1.9	4.3
Colon and Rectum	446	12.8	11.6	14.0	270	10.6	9.4	11.9	159	19.3	16.3	22.6
Esophagus	49	1.4	1.0	1.9	32	1.3	0.9	1.8	17	**	**	**
Female Breast (Malignant Only)	839	24.2	22.6	25.9	516	21.1	19.3	23.0	309	34.1	30.3	38.2
Hodgkins Lymphoma	11	**	**	**	6	**	**	**	s	**	**	**
Kidney and Renal Pelvis	81	2.3	1.8	2.9	66	2.7	2.0	3.4	15	**	**	**
Larynx	12	**	**	**	6	**	**	**	6	**	**	**
Leukemia	164	4.8	4.0	5.6	119	4.8	3.9	5.8	33	4	2.7	5.7
Liver and Intrahepatic Bile Duct	121	3.5	2.9	4.2	74	3.1	2.4	3.9	32	3.6	2.4	5.1
Lung and Bronchus	1,288	38.2	36.1	40.4	943	39.6	37.0	42.3	316	37.9	33.7	42.4
Melanoma	43	1.3	0.9	1.8	40	1.7	1.2	2.3	<5	**	**	**
Mutiple Myeloma	119	3.5	2.9	4.2	67	2.7	2.0	3.5	52	6.8	5.0	8.9
Non-Hodgkins Lymphoma	122	3.6	2.9	4.3	92	3.6	2.9	4.4	27	3.3	2.2	4.8
Oral Cavity and Pharynx	55	1.6	1.2	2.0	38	1.6	1.1	2.2	s	**	**	**
Ovary	280	8.2	7.3	9.2	230	9.7	8.5	11.0	44	4.7	3.4	6.4
Pancreas	357	10.4	9.3	11.6	253	10.3	9.0	11.7	93	10.8	8.7	13.3
Stomach	85	2.4	1.9	2.9	49	2	1.5	2.7	30	3.5	2.3	5.0
Urinary Bladder	89	2.5	1.9	3.1	67	2.6	1.9	3.3	22	2.8	1.7	4.3
Uterus	185	5.3	4.6	6.1	118	5	4.1	6.0	63	7	5.3	9.0

*All Races include unspecified and unknown race

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M3: Cancer Sites and All Sites Combined for Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Female 2010											
	Asian/Pacific Islander				Other				Spanish/Hispanic Ethnicity (of Any Race)			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	123	89.9	73.9	108.3					76	74.3	57.2	94.9
Brain	<5	**	**	**					0	0.0	0.0	0.0
Cervix	<5	**	**	**					5	**	**	**
Colon and Rectum	16	**	**	**					<5	**	**	**
Esophagus	0.0	0.0	0.0	0.0					0	0.0	0.0	0.0
Female Breast (Malignant Only)	13	**	**	**					10	**	**	**
Hodgkins Lymphoma	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Kidney and Renal Pelvis	0	0.0	0.0	0.0					<5	**	**	**
Larynx	0	0.0	0.0	0.0					0	0.0	0.0	0.0
Leukemia	s	**	**	**					5	**	**	**
Liver and Intrahepatic Bile Duct	11	**	**	**					<5	**	**	**
Lung and Bronchus	26	20.4	13.1	30.3					11	**	**	**
Melanoma	0	0.0	0.0	0.0					<5	**	**	**
Mutiple Myeloma	0	0.0	0.0	0.0					<5	**	**	**
Non-Hodgkins Lymphoma	<5	**	**	**					<5	**	**	**
Oral Cavity and Pharynx	<5	**	**	**					0	0.0	0.0	0.0
Ovary	5	**	**	**					9	**	**	**
Pancreas	11	**	**	**					6	**	**	**
Stomach	5	**	**	**					<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0					<5	**	**	**
Uterus	<5	**	**	**					<5	**	**	**

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M4: 7 Selected Cancer Sites for the State and All Sites Combined in Allegany County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Race*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	184	176.3	151.5	203.9	181	179.2	153.7	207.7	<5	**	**	**
Colon and Rectum	21	19.5	12.0	29.9	21	20	12.3	30.6	0	0.0	0.0	0.0
Female Breast (Malignant Only)	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	50	47.6	35.3	62.9	50	49	36.3	64.7	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	17	**	**	**	s	**	**	**	<5	**	**	**
Prostate	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	99	224.4	182.2	273.4	s	229.2	185.7	279.8	<5	**	**	**
Colon and Rectum	15	**	**	**	15	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	29	64.6	43.2	92.9	29	66.9	44.7	96.3	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	8	**	**	**	s	**	**	**	<5	**	**	**
Prostate	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	85	143.6	113.7	178.9	s	145.4	114.9	181.5	<5	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	21	34.3	20.9	52.9	21	35	21.4	53.9	0	0.0	0.0	0.0
Melanoma	0	0	0.0	0.0	0	0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M5: 7 Selected Cancer Sites for the State and All Sites Combined in Anne Arundel County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	894	165.5	154.6	176.9	754	162.6	151.0	174.8	121	197.1	161.8	237.7
Colon and Rectum	65	12.2	9.4	15.6	47	10.3	7.5	13.8	17	**	**	**
Female Breast (Malignant Only)	66	21.8	16.8	27.8	51	20.0	14.8	26.4	13	**	**	**
Lung and Bronchus	253	46.4	40.7	52.6	222	47.2	41.1	53.9	26	44.1	28.2	65.8
Melanoma	16	**	**	**	16	**	**	**	0	0.0	0.0	0.0
Pancreas	65	12.1	9.3	15.5	52	11.5	8.6	15.1	12	**	**	**
Prostate	34	16.0	10.9	22.6	28	15.0	9.8	21.9	5	**	**	**
Urinary Bladder	34	6.9	4.8	9.7	30	7.0	4.7	10.0	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	459	196.6	178.2	216.4	394	193.7	174.3	214.7	56	240.9	176.3	321.4
Colon and Rectum	35	14.2	9.7	20.0	28	13.1	8.6	19.2	6	**	**	**
Lung and Bronchus	129	52.7	43.6	63.0	114	52.7	43.2	63.7	13	**	**	**
Melanoma	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Pancreas	37	15.9	11.0	22.2	29	14.6	9.6	21.2	7	**	**	**
Prostate	34	16.0	10.9	22.6	28	15.0	9.8	21.9	5	**	**	**
Urinary Bladder	s	13.4	8.6	20.0	s	13.6	8.4	20.8	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	435	145.5	131.9	160.0	360	141.1	126.7	156.6	65	178.4	136.3	229.5
Colon and Rectum	30	10.3	6.9	14.8	19	**	**	**	11	**	**	**
Female Breast (Malignant Only)	66	21.8	16.8	27.8	51	20.0	14.8	26.4	13	**	**	**
Lung and Bronchus	124	41.8	34.7	49.9	108	42.7	34.9	51.7	13	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	28	9.3	6.1	13.5	23	9.1	5.8	13.7	5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M6: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,751	179	170.6	187.7	1,410	178.1	168.7	187.9	310	202.4	179.5	227.4
Colon and Rectum	149	14.9	12.6	17.6	117	14.5	11.9	17.5	29	19.9	13.0	28.9
Female Breast (Malignant Only)	130	23.5	19.5	28.0	89	20.1	15.9	25.1	39	36.5	25.6	50.4
Lung and Bronchus	500	52.0	47.5	56.8	421	53.8	48.7	59.3	72	49.6	38.4	63.0
Melanoma	29	3.0	1.9	4.4	29	3.9	2.6	5.7	0	0.0	0.0	0.0
Pancreas	122	12.5	10.4	15.0	95	11.9	9.6	14.6	22	13.6	8.3	21.0
Prostate	93	23.4	18.9	28.7	71	20.8	16.2	26.3	22	50.0	30.1	78.0
Urinary Bladder	57	5.6	4.2	7.3	48	5.6	4.0	7.5	9	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	868	216.4	202.1	231.4	698	212.0	196.4	228.5	159	294.0	245.9	348.8
Colon and Rectum	73	18.2	14.2	22.9	57	17.4	13.1	22.7	16	**	**	**
Lung and Bronchus	267	66.8	58.9	75.4	218	66.0	57.5	75.5	45	84.5	59.8	115.9
Melanoma	23	5.7	3.6	8.6	23	7.2	4.5	10.9	0	0.0	0.0	0.0
Pancreas	53	13.1	9.8	17.2	43	12.9	9.3	17.4	9	**	**	**
Prostate	93	23.4	18.9	28.7	71	20.8	16.2	26.3	22	50.0	30.1	78.0
Urinary Bladder	36	9.0	6.3	12.5	30	8.9	5.9	12.7	s	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	883	154	143.9	165.0	712	155.0	143.3	167.4	151	154.0	129.7	181.6
Colon and Rectum	76	12.8	10.0	16.1	60	12.5	9.4	16.2	13	**	**	**
Female Breast (Malignant Only)	130	23.5	19.5	28.0	89	20.1	15.9	25.1	39	36.5	25.6	50.4
Lung and Bronchus	233	41.7	36.4	47.5	203	45.2	39.0	52.1	27	29.8	19.4	43.8
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	69	11.8	9.1	15.0	52	11.0	8.0	14.6	13	**	**	**
Urinary Bladder	21	3.4	2.0	5.3	18	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M7: 7 Selected Cancer Sites for the State and All Sites Combined in Baltimore City, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,356	218.9	207.3	231.0	429	197.3	178.7	217.3	913	233.9	218.7	249.8
Colon and Rectum	133	21.7	18.1	25.8	34	15.4	10.6	21.6	98	25.7	20.8	31.4
Female Breast (Malignant Only)	117	33.4	27.5	40.2	33	26.0	17.6	36.9	84	37.1	29.5	46.1
Lung and Bronchus	369	59.6	53.6	66	123	58.3	48.4	69.7	243	61.6	54	69.9
Melanoma	11	**	**	**	8	**	**	**	<5	**	**	**
Pancreas	100	16.4	13.3	19.9	34	15.4	10.6	21.6	64	16.5	12.6	21.2
Prostate	81	35.5	28	44.4	13	**	**	**	67	51.3	39.3	65.8
Urinary Bladder	38	6.2	4.4	8.5	23	9.9	6.2	14.9	15	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	673	267.2	246.9	288.8	216	227.4	197.6	260.4	445	295.9	267.8	326.0
Colon and Rectum	63	25.7	19.6	33	16	**	**	**	46	32.1	23.2	43.4
Lung and Bronchus	181	70	59.9	81.3	66	68.3	52.6	87.2	112	71.1	58	86.2
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	53	21.7	16.1	28.6	19	**	**	**	33	22.1	14.9	31.5
Prostate	81	35.5	28	44.4	13	**	**	**	67	51.3	39.3	65.8
Urinary Bladder	24	10	6.3	15	15	**	**	**	9	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	683	189.5	175.4	204.5	213	174.4	151.1	200.3	468	200.0	182.1	219.2
Colon and Rectum	70	19.5	15.2	24.7	18	**	**	**	52	22.5	16.8	29.6
Female Breast (Malignant Only)	117	33.4	27.5	40.2	33	26.0	17.6	36.9	84	37.1	29.5	46.1
Lung and Bronchus	188	52.4	45.1	60.5	57	50.4	38.0	65.5	131	55.2	46.1	65.6
Melanoma	s	**	**	**	s	**	**	**	<5	**	**	**
Pancreas	47	12.7	9.3	16.9	15	**	**	**	31	13.1	8.9	18.6
Urinary Bladder	14	**	**	**	8	**	**	**	6	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M8: 7 Selected Cancer Sites for the State and All Sites Combined in Calvert County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	145	166.9	140.0	197.4	120	164.0	135.0	197.3	22	179.0	111.2	273.0
Colon and Rectum	14	**	**	**	11	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	40	46.0	32.4	63.3	33	45.1	30.6	64.1	6	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	8	**	**	**	s	**	**	**	<5	**	**	**
Prostate	7	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	7	**	**	**	s	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	80	213.9	166.8	270.2	67	218.3	166.2	281.6	11	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	26	68.2	43.0	102.6	22	70.9	42.9	110.3	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	7	**	**	**	s	**	**	**	<5	**	**	**
Prostate	s	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	65	131.9	101.2	168.9	53	127.1	94.5	167.3	11	**	**	**
Colon and Rectum	s	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	14	**	**	**	11	**	**	**	<5	**	**	**
Melanoma	0	**	**	**	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	0	0.0	0.0	0.0	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M9: 7 Selected Cancer Sites for the State and All Sites Combined in Caroline County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	62	174.7	133.6	224.4	50	164.6	121.9	217.5	12	**	**	**
Colon and Rectum	9	**	**	**	7	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	18	**	**	**	12	**	**	**	6	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	s	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	0	0	0	0	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	27	174.3	113.7	255.7	20	149.4	90.2	232.8	7	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0	0	0
Lung and Bronchus	11	**	**	**	5	**	**	**	6	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	0	0	0	0	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	35	165.6	114.6	231.6	30	166.5	111.5	239.2	5	**	**	**
Colon and Rectum	s	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M10: 7 Selected Cancer Sites for the State and All Sites Combined in Carroll County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	326	175.2	156.5	195.6	316	177.0	157.8	197.9	10	**	**	**
Colon and Rectum	26	14.1	9.1	20.8	26	14.7	9.6	21.6	0	0.0	0.0	0.0
Female Breast (Malignant Only)	27	25.1	16.5	36.6	s	25.1	16.3	36.9	<5	**	**	**
Lung and Bronchus	80	42.1	33.3	52.6	76	41.8	32.8	52.5	<5	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	27	14.0	9.2	20.5	25	13.5	8.7	20	<5	**	**	**
Prostate	12	**	**	**	12	**	**	**	0	0	0	0
Urinary Bladder	11	**	**	**	s	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	173	217.9	185.6	254.2	168	221.0	187.9	258.3	5	**	**	**
Colon and Rectum	10	**	**	**	10	**	**	**	0	0	0	0
Lung and Bronchus	48	57.7	42	77.3	45	56.9	41	76.8	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	17	**	**	**	s	**	**	**	<5	**	**	**
Prostate	12	**	**	**	12	**	**	**	0	0	0	0
Urinary Bladder	s	**	**	**	s	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	153	146.9	124.3	172.5	148	147.8	124.7	173.9	5	**	**	**
Colon and Rectum	16	**	**	**	16	**	**	**	0	0	0	0
Female Breast (Malignant Only)	27	25.1	16.5	36.6	s	25.1	16.3	36.9	<5	**	**	**
Lung and Bronchus	32	30.5	20.8	43.2	s	30.8	20.9	43.9	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M11: 7 Selected Cancer Sites for the State and All Sites Combined in Cecil County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	199	191.4	165.1	220.7	189	193.8	166.6	224.2	9	**	**	**
Colon and Rectum	16	**	**	**	16	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	14	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	64	61.2	46.8	78.6	59	60.5	45.7	78.5	<5	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	12	**	**	**	s	**	**	**	<5	**	**	**
Prostate	11	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	117	242.9	198.9	293.7	111	246.9	201.2	299.9	s	**	**	**
Colon and Rectum	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	33	66.2	44.7	94.4	30	65.6	43.4	95	<5	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	6	**	**	**	6	**	**	**	0	0	0	0
Prostate	11	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	82	147.5	116.9	183.6	78	148.8	117.2	186.3	<5	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	14	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	31	55.9	37.8	79.7	29	55.2	36.8	79.6	<5	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	6	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M12: 7 Selected Cancer Sites for the State and All Sites Combined in Charles County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	241	198.2	172.9	226.2	163	202.1	171.4	236.8	77	206.6	159.4	263.4
Colon and Rectum	14	**	**	**	5	**	**	**	9	**	**	**
Female Breast (Malignant Only)	23	31.5	19.7	47.8	14	**	**	**	9	**	**	**
Lung and Bronchus	71	59.9	46.2	76.4	56	70.5	52.8	92.3	14	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	15	**	**	**	7	**	**	**	8	**	**	**
Prostate	10	**	**	**	8	**	**	**	<5	**	**	**
Urinary Bladder	6	**	**	**	s	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	130	252.3	207.0	304.6	92	264.0	209.3	328.6	37	228.8	153.0	328.9
Colon and Rectum	8	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	36	70.4	47.7	100.2	29	81.2	52.7	119.5	6	**	**	**
Melanoma	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	<5	**	**	**	s	**	**	**
Prostate	11	**	**	**	<5	**	**	**	9	**	**	**
Urinary Bladder	6	**	**	**	s	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	111	161.1	131.7	195.0	71	159.9	124.2	202.7	40	184.1	128.1	256.2
Colon and Rectum	6	**	**	**	<5	**	**	**	s	**	**	**
Female Breast (Malignant Only)	23	31.5	19.7	47.8	14	**	**	**	9	**	**	**
Lung and Bronchus	35	53.4	36.8	74.9	27	63.8	41.7	93.5	8	**	**	**
Melanoma	0	0	0	0	0	0.0	0.0	0.0	0	0	0	0
Pancreas	5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M13: 7 Selected Cancer Sites for the State and All Sites Combined in Dorchester County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	83	190.6	150.7	237.8	62	183.0	138.5	237.2	21	225.9	138.9	346.9
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	25	56.2	35.7	84.1	19	**	**	**	6	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	7	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	48	244.6	178.9	326.5	37	236.4	164.7	328.7	11	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	14	**	**	**	11	**	**	**	<5	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Prostate	7	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	35	153.5	104.2	218.1	25	142.9	88.4	218.5	10	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0	0	0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	11	**	**	**	8	**	**	**	<5	**	**	**
Melanoma	0	0	0	0	0	0.0	0.0	0.0	0	0	0	0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M14: 7 Selected Cancer Sites for the State and All Sites Combined in Frederick County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	333	148.1	132.3	165.3	305	148.8	132.3	166.8	27	203.2	130.3	302.2
Colon and Rectum	38	17.6	12.4	24.3	s	18.7	13.1	25.9	<5	**	**	**
Female Breast (Malignant Only)	32	24.4	16.6	34.6	27	22.7	14.8	33.3	5	**	**	**
Lung and Bronchus	89	39.8	31.0	48.0	83	39.3	31.1	48.9	6	**	**	**
Melanoma	8	**	**	**	8	**	**	**	0	0.0	0.0	0.0
Pancreas	16	**	**	**	13	**	**	**	<5	**	**	**
Prostate	19	**	**	**	16	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	167	170.2	144.4	199.3	154	172.2	145.2	202.8	12	**	**	**
Colon and Rectum	21	22.3	13.6	34.5	s	23.6	14.3	36.8	<5	**	**	**
Lung and Bronchus	50	48.7	35.6	64.9	46	48.2	34.8	65.0	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	9	**	**	**	6	**	**	**	<5	**	**	**
Prostate	19	**	**	**	16	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	166	128.3	109.2	149.8	151	128.2	108.2	150.9	15	**	**	**
Colon and Rectum	17	**	**	**	17	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	32	24.4	16.6	34.6	27	22.7	14.8	33.3	5	**	**	**
Lung and Bronchus	39	30.3	21.4	41.7	37	31.8	22.3	44	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M15: 7 Selected Cancer Sites for the State and All Sites Combined in Garrett County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	65	165.2	126.9	211.4	65	166.0	127.6	212.4	0	0.0	0.0	0.0
Colon and Rectum	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	20	52.1	31.5	81.0	20	52.3	31.6	81.4	0	0.0	0.0	0.0
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	31	185.5	124.6	265.8	31	186.5	125.3	267.2	0	0.0	0.0	0.0
Colon and Rectum	s	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	34	152.7	105.0	214.6	34	153.4	105.5	215.6	0	0.0	0.0	0.0
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M16: 7 Selected Cancer Sites for the State and All Sites Combined in Harford County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	444	173.9	157.9	191.2	391	170.5	153.8	188.5	48	251.6	181.7	339.5
Colon and Rectum	33	13.1	8.9	18.5	25	10.8	6.9	16.0	7	**	**	**
Female Breast (Malignant Only)	36	23.8	16.6	33	s	26.2	18.2	36.5	<5	**	**	**
Lung and Bronchus	138	53.5	44.8	63.4	125	53.9	44.8	64.4	12	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	28	11.1	7.3	16.1	23	10.2	6.4	15.4	<5	**	**	**
Prostate	15	**	**	**	11	**	**	**	<5	**	**	**
Urinary Bladder	12	**	**	**	10	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	218	195.5	169.4	224.5	187	187.5	160.7	217.6	28	319.8	201.8	481.7
Colon and Rectum	14	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	71	61.4	47.4	78.3	63	60.8	46.2	78.6	s	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	s	**	**	**	<5	**	**	**
Prostate	15	**	**	**	11	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	226	157.8	137.7	180.0	204	158.8	137.5	182.4	20	195.8	117.8	305.9
Colon and Rectum	19	**	**	**	s	**	**	**	s	**	**	**
Female Breast (Malignant Only)	36	23.8	16.6	33	s	26.2	18.2	36.5	<5	**	**	**
Lung and Bronchus	67	47.3	36.5	60.2	62	48.9	37.4	62.8	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	17	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M17: 7 Selected Cancer Sites for the State and All Sites Combined in Howard County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	328	132.8	118.3	148.6	260	142.4	125.0	161.5	44	110.6	78.9	150.8
Colon and Rectum	33	12.9	8.8	18.3	25	12.5	7.9	18.7	6	**	**	**
Female Breast (Malignant Only)	31	19.9	13.4	28.5	28	24.4	16	35.6	<5	**	**	**
Lung and Bronchus	71	29.2	22.6	37.2	51	29.5	21.8	39.1	11	**	**	**
Melanoma	9	**	**	**	s	**	**	**	<5	**	**	**
Pancreas	30	11.9	7.9	17.2	25	13.9	8.8	20.8	<5	**	**	**
Prostate	11	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	12	**	**	**	10	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	147	140.7	117.4	167.3	119	155.1	126.9	187.6	18	**	**	**
Colon and Rectum	12	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	36	30.7	20.9	43.5	26	31.8	20.2	47.7	6	**	**	**
Melanoma	s	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Pancreas	15	**	**	**	13	**	**	**	<5	**	**	**
Prostate	11	**	**	**	9	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	s	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	181	129.9	111.2	150.9	141	136.9	114.7	162.2	26	111.6	71.7	165.7
Colon and Rectum	21	13.8	8.5	21.3	16	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	31	19.9	13.4	28.5	28	24.4	16	35.6	<5	**	**	**
Lung and Bronchus	35	27.6	19	38.6	25	27.3	17.5	40.6	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	<5	**	**	**
Pancreas	15	**	**	**	12	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M18: 7 Selected Cancer Sites for the State and All Sites Combined in Kent County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	63	199.1	151.4	257.0	51	185.7	136.3	247.2	12	**	**	**
Colon and Rectum	5	**	**	**	<5	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	27	89.4	57.5	132.6	21	79.6	47.4	125.4	6	**	**	**
Melanoma	<5	**	**	**	<5	**	**	*	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Prostate	<5	**	**	**	<5	**	**	**	0	0	0	0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	36	254.6	177.7	353.5	28	223.2	147.9	323.4	8	**	**	**
Colon and Rectum	5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	15	**	**	**	11	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Prostate	<5	**	**	**	<5	**	**	**	0	0	0	0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	27	158.3	100.1	237.9	23	158.6	94.8	248.9	8	**	**	**
Colon and Rectum	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	12	**	**	**	10	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0	0	0
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M19: 7 Selected Cancer Sites for the State and All Sites Combined in Montgomery County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,378	131.9	124.9	139.2	1,058	135.0	126.8	143.6	188	140.0	119.9	162.5
Colon and Rectum	108	10.0	8.2	12.1	73	8.9	6.9	11.2	21	15.1	9.1	23.5
Female Breast (Malignant Only)	128	21.1	17.5	25.2	92	20.7	16.6	25.6	28	32.4	21.3	47.2
Lung and Bronchus	296	28.9	25.7	32.4	233	30.4	26.6	34.6	38	30.2	21.2	41.8
Melanoma	26	2.6	1.7	3.8	24	3.1	1.9	4.7	<5	**	**	**
Pancreas	109	10.6	8.7	12.8	92	11.9	9.6	14.7	12	**	**	**
Prostate	64	15.9	12.2	20.4	51	15.9	11.8	21	8	**	**	**
Urinary Bladder	45	4.2	3.0	5.7	38	4.6	3.2	6.4	5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	657	152.0	140.4	164.3	508	155.0	141.6	169.3	86	174.4	136.7	219.3
Colon and Rectum	52	11.3	8.4	14.9	36	10.4	7.2	14.5	11	**	**	**
Lung and Bronchus	141	32.3	27.0	38.2	108	32.9	26.9	39.8	20	41.1	24.2	65.4
Melanoma	20	5.1	3.0	7.9	18	**	**	**	<5	**	**	**
Pancreas	51	11.9	8.8	15.7	45	13.8	10	18.5	5	**	**	**
Prostate	64	15.9	12.2	20.4	51	15.9	11.8	21	8	**	**	**
Urinary Bladder	31	7.4	5.0	10.6	26	7.8	5.0	11.5	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	721	119.6	110.8	128.9	550	122.8	112.4	133.9	102	121.1	98.2	147.8
Colon and Rectum	56	8.8	6.6	11.5	37	7.4	5.1	10.3	10	**	**	**
Female Breast (Malignant Only)	128	21.1	17.5	25.2	92	20.7	16.6	25.6	28	32.4	21.3	47.2
Lung and Bronchus	155	26.2	22.2	30.8	125	28.5	23.6	34.1	18	**	**	**
Melanoma	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Pancreas	58	9.9	7.5	12.8	47	10.8	7.9	14.5	7	**	**	**
Urinary Bladder	14	**	**	**	12	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M20: 7 Selected Cancer Sites for the State and All Sites Combined in Prince George's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	1,275	176.5	166.5	186.9	378	163.1	146.9	180.5	860	187.1	173.7	201.2
Colon and Rectum	142	19.3	16.1	22.9	34	14.2	9.8	19.9	102	22.2	17.7	27.4
Female Breast (Malignant Only)	130	29.0	24.1	34.6	20	15.8	9.6	24.5	109	36.4	29.5	44.4
Lung and Bronchus	305	42.5	37.7	47.8	100	43.9	35.7	53.4	199	43.3	37	50.4
Melanoma	9	**	**	**	9	**	**	**	0	0.0	0.0	0.0
Pancreas	80	10.8	8.5	13.6	26	11.2	7.3	16.5	52	10.4	7.6	13.9
Prostate	79	34.1	26.6	43	20	22.2	13.5	34.4	58	45.1	33	60.2
Urinary Bladder	30	4.7	3.1	6.8	16	**	**	**	14	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	638	218.2	200.3	237.3	212	211.1	183.2	242.0	410	229.3	204.4	256.5
Colon and Rectum	75	24.4	18.7	31.3	20	19.0	11.5	29.7	52	28.8	20.3	39.7
Lung and Bronchus	173	56.2	47.6	65.9	59	59.6	45.2	77.1	111	54.5	43.8	67.0
Melanoma	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0
Pancreas	38	12.3	8.4	17.5	12	**	**	**	25	12.5	7.3	20
Prostate	79	34.1	26.6	43	20	22.2	13.5	34.4	58	45.1	33	60.2
Urinary Bladder	20	8.2	4.9	12.9	s	**	**	**	8	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	637	150.1	138.3	162.6	166	128.2	109.2	149.6	450	161.7	146.2	178.4
Colon and Rectum	67	16.0	12.3	20.5	14	**	**	**	50	18.6	13.5	25.0
Female Breast (Malignant Only)	130	29.0	24.1	34.6	20	15.8	9.6	24.5	109	36.4	29.5	44.4
Lung and Bronchus	132	32.3	26.9	38.5	41	32.1	22.9	43.7	88	34.2	27.0	42.7
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	42	10.2	7.3	13.9	14	**	**	**	27	9.5	6.0	14.1
Urinary Bladder	10	**	**	**	<5	**	**	**	6	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M21: 7 Selected Cancer Sites for the State and All Sites Combined in Queen Anne's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	104	188.3	153.2	228.9	97	193.0	155.8	236.4	7	**	**	**
Colon and Rectum	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	29	54.5	36.3	78.7	27	56.5	37	82.6	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	8	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	62	245.4	186.4	317.1	s	241.1	180.2	315.9	s	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	22	91.1	52.2	139.6	20	91.7	55.0	143.5	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	s	**	**	**	s	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	42	140.0	100.5	189.9	s	150.9	107.8	205.5	<5	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	7	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M22: 7 Selected Cancer Sites for the State and All Sites Combined in St Mary's County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	150	155.2	130.8	182.9	128	157.5	130.7	188.2	19	**	**	**
Colon and Rectum	11	**	**	**	11	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	12	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	39	42.4	29.9	58.3	33	42.6	29.0	60.3	6	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Prostate	9	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	8	**	**	**	s	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	87	191.3	151.7	238.0	74	192.4	149.5	243.8	12	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	20	46	27.6	71.9	s	**	**	**	5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Prostate	9	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	s	**	**	**	6	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	63	123.3	94.2	158.5	54	127.3	95.0	167.0	7	**	**	**
Colon and Rectum	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	12	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	19	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	<5	**	**	**

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M23: 7 Selected Cancer Sites for the State and All Sites Combined in Somerset County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	69	234.8	182.3	297.8	48	216.4	159.2	287.4	20	275.9	167.5	428.0
Colon and Rectum	8	**	**	**	6	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	20	68.2	41.6	105.5	18	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	41	326.6	231.7	447.4	29	296.3	196.3	429.3	12	**	**	**
Colon and Rectum	s	**	**	**	6	**	**	**	<5	**	**	**
Lung and Bronchus	11	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	<5	**	**	**
Prostate	<5	**	**	**	<5	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	28	166.6	110.1	241.8	19	**	**	**	8	**	**	**
Colon and Rectum	<5	**	**	**	0	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	9	**	**	**	s	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M24: 7 Selected Cancer Sites for the State and All Sites Combined in Talbot County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	100	146.7	118.8	179.2	88	144.1	114.7	178.7	12	**	**	**
Colon and Rectum	11	**	**	**	8	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	26	37.8	24.7	55.5	21	33.8	20.9	51.8	5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	55	185.1	139.0	241.6	48	178.4	130.9	237.4	7	**	**	**
Colon and Rectum	5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	13	**	**	**	10	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	45	122.1	87.8	165.4	40	122.8	85.9	170.0	5	**	**	**
Colon and Rectum	6	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	5	**	**	**	5	**	**	**	0	0.0	0.0	0.0
Lung and Bronchus	13	**	**	**	11	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M25: 7 Selected Cancer Sites for the State and All Sites Combined in Washington County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	336	195.3	174.9	217.5	327	199.7	178.5	222.7	8	**	**	**
Colon and Rectum	26	14.8	9.7	21.7	26	15.4	10.0	22.6	0	0.0	0.0	0.0
Female Breast (Malignant Only)	20	20.50	12.50	31.80	20	21.3	12.9	33	0	0.0	0.0	0.0
Lung and Bronchus	89	52.0	41.7	64.0	s	54.0	43.3	66.6	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	23	13.5	8.5	20.3	s	13.6	8.5	20.6	<5	**	**	**
Prostate	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	186	248.9	213.9	287.9	180	254.0	217.9	294.3	5	**	**	**
Colon and Rectum	20	27.70	16.80	43.00	20	28.90	17.60	44.80	0	0.0	0.0	0.0
Lung and Bronchus	44	57.4	41.6	77.3	s	59.2	42.8	79.9	<5	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	13	**	**	**	s	**	**	**	<5	**	**	**
Prostate	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	s	**	**	**	s	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	150	158.2	133.6	186.0	147	162.1	136.6	191.0	<5	**	**	**
Colon and Rectum	6	**	**	**	6	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	20	20.50	12.50	31.80	20	21.3	12.9	33	0	0.0	0.0	0.0
Lung and Bronchus	45	47.7	34.7	63.9	45	49.9	36.3	66.9	0	0	0	0
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	10	**	**	**	10	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M26: 7 Selected Cancer Sites for the State and All Sites Combined in Wicomico County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	191	178.5	153.9	205.9	150	177.6	150.0	208.7	40	189.3	134.0	259.8
Colon and Rectum	19	**	**	**	16	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	6	**	**	**	5	**	**	**
Lung and Bronchus	63	59	45.3	75.6	52	61.9	46.1	81.3	11	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	12	**	**	**	s	**	**	**	<5	**	**	**
Prostate	10	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	6	**	**	**	s	**	**	**	<5	**	**	**

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	102	223.3	181.5	271.9	82	227.1	180.2	282.5	19	**	**	**
Colon and Rectum	11	**	**	**	s	**	**	**	<5	**	**	**
Lung and Bronchus	35	76.4	52.9	106.8	28	77.9	51.6	112.9	s	**	**	**
Melanoma	0	0	0	0	0	0	0	0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Prostate	10	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	6	**	**	**	s	**	**	**	<5	**	**	**

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	89	147.1	117.8	181.5	68	142.2	109.9	181.0	21	173.9	106.6	267.9
Colon and Rectum	8	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	6	**	**	**	5	**	**	**
Lung and Bronchus	28	45.6	30.2	66.1	24	49.7	31.6	74.3	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	s	**	**	**	s	**	**	**	<5	**	**	**
Urinary Bladder	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

Table M27: 7 Selected Cancer Sites for the State and All Sites Combined in Worcester County, Maryland:
Count, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Gender and Race

	Both Genders*** 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	172	200.7	170.9	234.2	145	190.4	159.5	225.5	25	273.1	176.4	403.8
Colon and Rectum	11	**	**	**	s	**	**	**	<5	**	**	**
Female Breast (Malignant Only)	11	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	56	61.6	46.4	80.1	46	56.7	41.4	75.8	9	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	11	**	**	**	8	**	**	**	<5	**	**	**
Prostate	10	**	**	**	7	**	**	**	<5	**	**	**
Urinary Bladder	5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Males 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	99	255.8	206.7	313.0	79	224.4	176.3	281.6	19	**	**	**
Colon and Rectum	<5	**	**	**	<5	**	**	**	<5	**	**	**
Lung and Bronchus	34	82.9	57	116.4	27	72.6	47.5	106.2	s	**	**	**
Melanoma	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Pancreas	s	**	**	**	s	**	**	**	<5	**	**	**
Prostate	10	**	**	**	7	**	**	**	<5	**	**	**
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

	Females 2010											
	All Races*				White				African-American			
	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI
All Sites	73	157.9	121.8	201.3	66	163.4	123.8	211.6	6	**	**	**
Colon and Rectum	s	**	**	**	7	**	**	**	0	0.0	0.0	0.0
Female Breast (Malignant Only)	11	**	**	**	9	**	**	**	<5	**	**	**
Lung and Bronchus	22	44.9	28	68.3	19	**	**	**	<5	**	**	**
Melanoma	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0
Urinary Bladder	<5	**	**	**	<5	**	**	**	0	0.0	0.0	0.0

*All Races include unspecified and unknown race

***Both Genders include unspecified and unknown genders

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

<5 = case counts of 1-4 are suppressed per DHMH / MATCH Data Use Policy

** Rates based on case counts of 1-19 are suppressed per DHMH / MATCH Data Use Policy

s=Death counts are suppressed to prevent disclosure of data in other cell(s)

Source: Maryland Assessment Tool for Community Health (MATCH) Data.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A

**DEFINITIONS OF CANCER GROUPS
BY TOPOGRAPHY (SITE) AND HISTOLOGY**

THIS PAGE INTENTIONALLY LEFT BLANK

Definitions of Cancer Groups by Topography (Site) and Histology

International Classification of Diseases for Oncology, 3rd Edition (ICD-O-3)* Codes Used for Maryland Cancer Registry Cancer Incidence Report		
Cancer Group	Topography (Site)	Histology
All sites	C00.0 – C80.9	Includes all invasive cancers of all sites except --excludes basal and squamous cell skin cancers; Includes in situ cancer of the urinary bladder
Brain and Other Nervous System	C70.0--C72.9	Excludes codes 9050-9055, 9140, and 9590-9989
Cervix	C53.0--C53.9	Excludes codes 9050-9055, 9140, and 9590-9989
Colon and Rectum	C18.0--C20.9, C26.0	Excludes codes 9050-9055, 9140, and 9590-9989
Corpus and Uterus NOS	C54.0--C54.9, C55.9	Excludes codes 9050-9055, 9140, and 9590-9989
Esophagus	C15.0--C15.9	Excludes codes 9050-9055, 9140, and 9590-9989
Female Breast	C50.0--C50.9	Excludes codes 9050-9055, 9140, and 9590-9989
Hodgkins Lymphoma	C 00.0--C80.9	Includes codes 9650-9667
Kidney and Renal Pelvis	C64.9, C65.9	Excludes codes 9050-9055, 9140, and 9590-9989
Larynx	C32.0--C32.9	Excludes codes 9050-9055, 9140, and 9590-9989
Leukemia	C00.0--C80.9	Includes codes 9733, 9742, 9800, 9801, 9805, 9820, 9826, 9831-9837, 9840, 9860, 9861, 9863, 9866, 9867, 9870-9876, 9891, 9895-9897, 9910, 9920, 9930, 9931, 9940, 9945, 9946, 9948, 9963, 9964
	C42.0, C42.1, C42.4	Includes codes 9823, 9827
Liver and Intrahepatic Bile Duct	C22.0, C22.1	Excludes codes 9050-9055, 9140, and 9590-9989
Lung and Bronchus	C34.0--C34.9	Excludes codes 9050-9055, 9140, and 9590-9989
Multiple Myeloma	C42.1, C42.0, C42.4	Includes codes 9731-9732, 9734
Myelodysplastic Syndromes	C42.1	Includes codes 9980,9982-9987,9989
Non-Hodgkins Lymphoma	C00.0--C80.9	Includes codes 9590-9596, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687, 9689-9691,9695, 9698-9702, 9705, 9708-9709, 9714-9719, 9727- 9729,
	C00.0--C80.9 excluding codes C42.0, C42.1, C42.2	Includes codes 9823, 9827
Oral Cavity and Pharynx	C00.0--C14.8	Excludes codes 9050-9055, 9140, and 9590-9989
Ovary	C56.9	Excludes codes 9050-9055, 9140, and 9590-9989
Pancreas	C25.0--C25.9	Excludes codes 9050-9055, 9140, and 9590-9990
Prostate	C61.9	Excludes codes 9050-9055, 9140, and 9590-9990
Skin Melanoma	C44.0--C44.9	Includes codes 8720-8790
Stomach	C16.0--C16.9	Excludes codes 9050-9055, 9140, and 9590-9990
Testis	C62.0--C62.9	Excludes codes 9050-9055, 9140, and 9590-9990
Thyroid	C73.9	Excludes codes 9050-9055, 9140, and 9590-9990
Urinary Bladder (includes in situ and malignant)	C67.0--C67.9	Excludes codes 9050-9055, 9140, and 9590-9990
*See http://www.who.int/classifications/icd/adaptations/oncology/en/index.html		

The services and facilities of the Maryland State Department of Health and Mental Hygiene (DHMH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges and accommodations.

The Department, in compliance with the Americans with Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from DHMH services, programs, benefits, and employment opportunities.