

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	18.0	( 16.3 - 19.9 )	2,658	18.6	( 16.3 - 21.1 )	1,112	17.0	( 14.5 - 19.7 )	1,519
<b>Age</b>									
15 or younger	19.4	( 16.9 - 22.2 )	1,290	20.0	( 16.5 - 24.1 )	519	18.0	( 14.6 - 22.0 )	754
16 or 17	16.3	( 14.2 - 18.7 )	1,211	17.0	( 14.0 - 20.6 )	515	15.4	( 12.6 - 18.7 )	688
18 or older	18.7	( 13.5 - 25.5 )	157	-	-	78	-	-	77
<b>Grade</b>									
9th	21.0	( 17.6 - 24.9 )	679	20.6	( 15.9 - 26.2 )	277	21.2	( 16.4 - 26.9 )	400
10th	16.0	( 13.1 - 19.5 )	792	16.0	( 12.6 - 20.1 )	345	15.6	( 11.6 - 20.7 )	440
11th	14.2	( 11.2 - 17.9 )	587	14.9	( 10.8 - 20.1 )	235	13.0	( 9.5 - 17.4 )	346
12th	18.2	( 15.5 - 21.4 )	560	19.9	( 15.6 - 24.9 )	235	16.6	( 13.0 - 21.0 )	322
<b>Race/Ethnicity</b>									
Black*	16.7	( 15.0 - 18.6 )	1,967	17.6	( 15.3 - 20.2 )	820	15.9	( 13.4 - 18.9 )	1,143
Hispanic/Latino	25.9	( 19.8 - 33.1 )	186	-	-	80	26.8	( 17.8 - 38.0 )	106
White*	14.5	( 9.6 - 21.5 )	129	-	-	61	-	-	68
All other races*	-	-	93	-	-	42	-	-	48
Multiple races*	20.3	( 14.6 - 27.4 )	163	-	-	56	20.9	( 15.1 - 28.1 )	107

Note: 24 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	5.2	( 3.7 - 7.2 )	971	5.3	( 3.4 - 8.2 )	421	4.7	( 2.9 - 7.6 )	535
15 or younger	5.0	( 3.1 - 8.0 )	384	4.0	( 1.8 - 8.7 )	177	5.1	( 2.6 - 9.9 )	199
16 or 17	5.2	( 3.5 - 7.9 )	523	6.3	( 3.8 - 10.4 )	218	4.3	( 2.2 - 8.3 )	299
18 or older	-	-	64	-	-	26	-	-	37
<b>Grade</b>									
9th	5.7	( 3.0 - 10.4 )	217	-	-	97	6.3	( 2.6 - 14.6 )	119
10th	5.1	( 2.8 - 9.0 )	244	3.1	( 1.1 - 8.4 )	116	7.6	( 3.5 - 15.6 )	122
11th	3.8	( 2.0 - 7.3 )	251	4.3	( 1.8 - 9.9 )	101	3.4	( 1.2 - 9.8 )	146
12th	5.2	( 2.7 - 9.7 )	244	-	-	97	2.2	( 0.5 - 8.6 )	146
<b>Race/Ethnicity</b>									
Black*	4.1	( 2.7 - 6.1 )	736	4.6	( 2.7 - 7.6 )	321	3.3	( 1.8 - 6.2 )	412
Hispanic/Latino	-	-	61	-	-	26	-	-	35
White*	-	-	43	-	-	14	-	-	29
All other races*	-	-	32	-	-	20	-	-	11
Multiple races*	-	-	43	-	-	16	-	-	27

Note: 1,711 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	17.4	( 14.5 - 20.8 )	998	18.9	( 14.9 - 23.5 )	439	14.1	( 10.6 - 18.4 )	540
15 or younger	15.2	( 11.3 - 20.1 )	389	15.3	( 10.7 - 21.4 )	181	11.1	( 6.6 - 18.0 )	198
16 or 17	17.9	( 14.1 - 22.6 )	539	20.1	( 14.2 - 27.5 )	227	15.2	( 10.9 - 20.8 )	305
18 or older	-	-	70	-	-	31	-	-	37
<b>Grade</b>									
9th	14.8	( 9.9 - 21.4 )	217	-	-	98	13.3	( 7.1 - 23.5 )	118
10th	14.0	( 9.1 - 21.1 )	253	14.4	( 7.9 - 24.7 )	122	12.2	( 6.5 - 21.7 )	125
11th	14.4	( 10.3 - 19.8 )	257	16.5	( 9.3 - 27.4 )	104	11.3	( 6.5 - 18.9 )	148
12th	24.2	( 19.1 - 30.2 )	251	29.5	( 21.5 - 38.9 )	102	18.3	( 12.6 - 25.8 )	146
<b>Race/Ethnicity</b>									
Black*	14.8	( 12.2 - 17.9 )	753	17.9	( 13.6 - 23.2 )	331	11.5	( 8.4 - 15.7 )	419
Hispanic/Latino	-	-	66	-	-	28	-	-	37
White*	-	-	43	-	-	14	-	-	29
All other races*	-	-	32	-	-	21	-	-	10
Multiple races*	-	-	43	-	-	17	-	-	26

Note: 1,684 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	19.5	( 17.5 - 21.7 )	2,576	24.4	( 21.6 - 27.5 )	1,067	14.3	( 12.3 - 16.5 )	1,489
<b>Age</b>									
15 or younger	18.3	( 15.4 - 21.7 )	1,247	23.0	( 19.0 - 27.7 )	493	12.9	( 10.2 - 16.3 )	742
16 or 17	19.7	( 17.3 - 22.3 )	1,178	25.3	( 21.5 - 29.5 )	500	14.2	( 11.6 - 17.4 )	672
18 or older	28.2	( 22.3 - 35.1 )	151	-	-	74	-	-	75
<b>Grade</b>									
9th	18.2	( 14.8 - 22.1 )	660	23.4	( 18.4 - 29.1 )	261	12.7	( 9.6 - 16.6 )	397
10th	20.2	( 16.0 - 25.0 )	774	24.9	( 18.9 - 32.1 )	335	15.4	( 11.5 - 20.5 )	433
11th	17.7	( 14.8 - 21.1 )	563	23.7	( 18.6 - 29.7 )	225	12.6	( 9.2 - 16.9 )	336
12th	21.1	( 17.3 - 25.5 )	544	25.4	( 20.0 - 31.7 )	228	16.8	( 11.8 - 23.3 )	314
<b>Race/Ethnicity</b>									
Black*	18.1	( 15.9 - 20.5 )	1,914	23.0	( 19.7 - 26.8 )	789	13.5	( 11.3 - 16.0 )	1,121
Hispanic/Latino	24.0	( 17.9 - 31.4 )	181	-	-	78	20.0	( 12.9 - 29.5 )	103
White*	21.8	( 16.1 - 28.8 )	130	-	-	62	-	-	68
All other races*	-	-	91	-	-	41	-	-	47
Multiple races*	17.6	( 11.6 - 25.7 )	160	-	-	54	11.0	( 6.2 - 18.7 )	106

Note: 106 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Maryland High School Survey**

**Baltimore City**

**Summary Tables - Weighted Data**

QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

	<b>Total</b>			<b>Male</b>			<b>Female</b>		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.8	( 6.4 - 9.3 )	2,556	8.5	( 6.7 - 10.6 )	1,059	6.6	( 5.2 - 8.4 )	1,480
<b>Age</b>									
15 or younger	6.3	( 4.9 - 7.9 )	1,229	7.7	( 5.4 - 11.0 )	484	4.3	( 2.9 - 6.2 )	737
16 or 17	8.9	( 6.9 - 11.5 )	1,177	8.6	( 5.8 - 12.7 )	501	8.8	( 6.6 - 11.7 )	669
18 or older	11.6	( 6.9 - 19.0 )	150	-	-	74	-	-	74
<b>Grade</b>									
9th	5.4	( 3.8 - 7.6 )	650	7.0	( 4.2 - 11.2 )	255	3.8	( 2.3 - 6.4 )	394
10th	8.1	( 5.6 - 11.4 )	768	8.8	( 6.0 - 12.7 )	331	6.9	( 4.1 - 11.4 )	431
11th	7.0	( 5.0 - 9.9 )	564	7.4	( 4.1 - 13.0 )	227	6.8	( 4.2 - 10.7 )	334
12th	11.1	( 7.7 - 15.6 )	542	11.2	( 6.9 - 17.8 )	229	10.3	( 6.3 - 16.6 )	312
<b>Race/Ethnicity</b>									
Black*	7.3	( 5.9 - 9.0 )	1,902	8.2	( 6.2 - 10.9 )	783	6.3	( 4.8 - 8.2 )	1,115
Hispanic/Latino	11.0	( 7.2 - 16.5 )	181	-	-	78	10.5	( 6.1 - 17.6 )	103
White*	5.3	( 2.7 - 10.4 )	130	-	-	62	-	-	68
All other races*	-	-	89	-	-	40	-	-	46
Multiple races*	8.8	( 4.6 - 16.2 )	161	-	-	55	5.7	( 2.3 - 13.4 )	106

Note: 126 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	8.6	( 7.3 - 10.2 )	2,623	9.1	( 7.4 - 11.2 )	1,092	7.5	( 6.2 - 9.1 )	1,507
<b>Age</b>									
15 or younger	8.0	( 6.3 - 10.2 )	1,266	8.3	( 6.1 - 11.1 )	506	6.9	( 5.1 - 9.2 )	747
16 or 17	8.5	( 6.7 - 10.8 )	1,201	9.0	( 6.5 - 12.4 )	510	7.6	( 5.8 - 10.1 )	682
18 or older	14.5	( 9.0 - 22.6 )	156	-	-	76	-	-	78
<b>Grade</b>									
9th	7.9	( 5.8 - 10.7 )	665	8.8	( 5.8 - 13.1 )	269	6.8	( 4.6 - 9.8 )	395
10th	8.5	( 6.1 - 11.7 )	785	9.5	( 6.6 - 13.5 )	341	7.1	( 4.7 - 10.6 )	438
11th	8.6	( 6.0 - 12.1 )	579	7.7	( 4.5 - 13.0 )	231	8.3	( 5.4 - 12.5 )	342
12th	9.5	( 6.7 - 13.4 )	559	10.2	( 6.6 - 15.7 )	234	8.1	( 5.3 - 12.1 )	321
<b>Race/Ethnicity</b>									
Black*	7.4	( 6.1 - 9.0 )	1,944	8.3	( 6.3 - 10.8 )	807	6.7	( 5.3 - 8.4 )	1,133
Hispanic/Latino	12.2	( 7.3 - 19.6 )	188	-	-	81	13.6	( 7.7 - 23.1 )	106
White*	8.7	( 5.5 - 13.5 )	132	-	-	62	-	-	70
All other races*	-	-	90	-	-	41	-	-	46
Multiple races*	11.4	( 6.9 - 18.2 )	160	-	-	54	8.5	( 4.1 - 16.6 )	106

Note: 59 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.9	( 8.5 - 11.6 )	2,678	12.1	( 10.1 - 14.5 )	1,121	7.0	( 5.4 - 9.1 )	1,529
<b>Age</b>									
15 or younger	10.4	( 8.6 - 12.5 )	1,300	12.7	( 9.9 - 16.1 )	524	6.7	( 5.1 - 8.9 )	759
16 or 17	9.4	( 7.5 - 11.7 )	1,220	11.8	( 9.1 - 15.0 )	519	6.9	( 4.8 - 10.0 )	692
18 or older	10.5	( 7.1 - 15.3 )	158	-	-	78	-	-	78
<b>Grade</b>									
9th	9.0	( 7.1 - 11.2 )	685	11.7	( 8.4 - 16.2 )	279	5.8	( 3.8 - 8.9 )	404
10th	9.5	( 7.1 - 12.6 )	797	11.2	( 7.4 - 16.5 )	348	7.6	( 4.9 - 11.5 )	442
11th	9.2	( 6.7 - 12.6 )	591	12.0	( 8.5 - 16.8 )	237	6.0	( 3.5 - 10.2 )	348
12th	10.6	( 8.0 - 13.9 )	564	11.8	( 8.0 - 17.0 )	236	8.7	( 5.7 - 13.2 )	324
<b>Race/Ethnicity</b>									
Black*	8.2	( 6.9 - 9.7 )	1,977	10.6	( 8.5 - 13.1 )	825	5.9	( 4.4 - 7.8 )	1,148
Hispanic/Latino	14.9	( 10.1 - 21.5 )	189	-	-	81	16.1	( 11.0 - 23.0 )	107
White*	8.6	( 5.2 - 13.9 )	132	-	-	62	-	-	70
All other races*	-	-	93	-	-	42	-	-	48
Multiple races*	14.1	( 9.2 - 21.0 )	163	-	-	56	11.2	( 6.7 - 18.3 )	107

Note: 4 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	22.8	( 20.5 - 25.4 )	2,664	26.3	( 23.2 - 29.6 )	1,113	18.8	( 16.2 - 21.6 )	1,524
<b>Age</b>									
15 or younger	27.1	( 23.4 - 31.1 )	1,292	33.4	( 29.1 - 38.0 )	519	19.7	( 16.0 - 24.0 )	756
16 or 17	18.8	( 16.5 - 21.4 )	1,215	19.5	( 16.1 - 23.3 )	517	17.9	( 14.9 - 21.3 )	690
18 or older	16.7	( 11.5 - 23.6 )	157	-	-	77	-	-	78
<b>Grade</b>									
9th	28.5	( 24.0 - 33.5 )	679	34.7	( 28.8 - 41.1 )	275	21.8	( 17.0 - 27.6 )	402
10th	23.3	( 19.5 - 27.6 )	795	26.1	( 21.7 - 31.0 )	347	20.2	( 15.4 - 26.0 )	441
11th	19.5	( 15.6 - 24.0 )	590	21.4	( 15.0 - 29.6 )	237	16.8	( 12.9 - 21.7 )	347
12th	14.5	( 11.8 - 17.8 )	561	14.1	( 10.0 - 19.6 )	234	13.8	( 10.3 - 18.3 )	323
<b>Race/Ethnicity</b>									
Black*	22.3	( 19.7 - 25.1 )	1,969	25.8	( 22.3 - 29.7 )	821	19.0	( 16.4 - 22.0 )	1,144
Hispanic/Latino	32.3	( 25.2 - 40.2 )	188	-	-	80	28.1	( 20.0 - 37.9 )	107
White*	9.4	( 5.2 - 16.4 )	132	-	-	62	-	-	70
All other races*	-	-	91	-	-	40	-	-	48
Multiple races*	20.2	( 14.3 - 27.8 )	163	-	-	56	12.0	( 7.3 - 19.0 )	107

Note: 18 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.0	( 7.5 - 10.7 )	2,576	7.8	( 6.0 - 10.0 )	1,082	10.1	( 8.5 - 12.1 )	1,482
<b>Age</b>									
15 or younger	7.3	( 5.6 - 9.5 )	1,247	5.7	( 3.8 - 8.3 )	500	8.9	( 6.6 - 11.9 )	741
16 or 17	10.2	( 8.2 - 12.7 )	1,181	9.4	( 6.4 - 13.5 )	510	11.1	( 8.8 - 13.8 )	666
18 or older	14.7	( 10.1 - 20.9 )	148	-	-	72	-	-	75
<b>Grade</b>									
9th	6.4	( 4.4 - 9.3 )	661	4.8	( 2.7 - 8.4 )	266	8.1	( 5.3 - 12.1 )	395
10th	8.7	( 6.3 - 12.0 )	774	7.6	( 4.4 - 12.8 )	337	9.5	( 6.8 - 13.2 )	433
11th	10.3	( 7.6 - 13.9 )	566	8.8	( 5.5 - 14.0 )	229	11.8	( 8.3 - 16.4 )	333
12th	10.5	( 8.8 - 12.5 )	543	8.9	( 6.1 - 12.8 )	230	11.9	( 9.0 - 15.5 )	312
<b>Race/Ethnicity</b>									
Black*	8.4	( 6.8 - 10.2 )	1,922	7.5	( 5.5 - 10.1 )	802	9.2	( 7.6 - 11.2 )	1,116
Hispanic/Latino	15.7	( 10.4 - 23.1 )	178	-	-	78	17.2	( 9.2 - 29.8 )	100
White*	7.7	( 4.3 - 13.5 )	131	-	-	61	-	-	70
All other races*	-	-	88	-	-	39	-	-	47
Multiple races*	10.5	( 6.5 - 16.6 )	159	-	-	54	14.1	( 8.4 - 22.8 )	105

Note: 106 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Maryland High School Survey**

**Baltimore City**

**Summary Tables - Weighted Data**

QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

	<b>Total</b>			<b>Male</b>			<b>Female</b>		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	10.4	( 8.7 - 12.5 )	1,823	9.2	( 7.2 - 11.7 )	763	10.8	( 8.5 - 13.6 )	1,039
15 or younger	8.7	( 6.5 - 11.5 )	876	7.3	( 4.7 - 11.2 )	365	9.1	( 6.2 - 13.0 )	499
16 or 17	11.3	( 9.0 - 14.1 )	848	10.4	( 7.6 - 14.2 )	354	11.4	( 8.9 - 14.6 )	486
18 or older	-	-	99	-	-	44	-	-	54
<b>Grade</b>									
9th	7.9	( 5.3 - 11.6 )	454	7.0	( 3.6 - 13.3 )	193	9.0	( 5.7 - 13.9 )	260
10th	8.6	( 5.8 - 12.6 )	552	7.7	( 5.1 - 11.6 )	243	8.9	( 5.3 - 14.5 )	304
11th	10.3	( 7.6 - 13.9 )	405	7.1	( 3.9 - 12.6 )	164	12.3	( 9.2 - 16.3 )	236
12th	16.4	( 12.9 - 20.7 )	382	17.6	( 12.3 - 24.5 )	149	14.3	( 10.0 - 20.1 )	230
<b>Race/Ethnicity</b>									
Black*	9.2	( 7.6 - 11.0 )	1,366	8.2	( 6.2 - 10.7 )	566	10.2	( 7.8 - 13.2 )	797
Hispanic/Latino	16.5	( 10.7 - 24.6 )	136	-	-	57	-	-	79
White*	-	-	88	-	-	43	-	-	45
All other races*	-	-	51	-	-	24	-	-	24
Multiple races*	13.6	( 8.1 - 22.1 )	106	-	-	40	-	-	66

Note: 859 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.8	( 6.3 - 9.6 )	1,819	7.1	( 5.4 - 9.3 )	761	7.7	( 5.8 - 10.0 )	1,038
15 or younger	8.6	( 6.3 - 11.6 )	871	7.1	( 4.4 - 11.3 )	361	8.5	( 5.7 - 12.7 )	499
16 or 17	6.6	( 5.0 - 8.6 )	849	6.5	( 4.5 - 9.3 )	355	6.4	( 4.5 - 9.1 )	486
18 or older	-	-	99	-	-	45	-	-	53
<b>Grade</b>									
9th	8.6	( 5.8 - 12.4 )	451	8.1	( 4.5 - 14.0 )	190	8.7	( 5.2 - 14.4 )	260
10th	5.9	( 4.1 - 8.4 )	550	6.0	( 3.5 - 10.1 )	242	5.9	( 3.7 - 9.1 )	304
11th	7.7	( 5.5 - 10.7 )	406	5.6	( 3.1 - 9.9 )	165	8.7	( 5.8 - 12.8 )	236
12th	7.9	( 5.6 - 11.1 )	382	7.8	( 4.4 - 13.5 )	150	7.1	( 4.4 - 11.4 )	229
<b>Race/Ethnicity</b>									
Black*	6.7	( 5.2 - 8.5 )	1,365	7.0	( 5.0 - 9.7 )	566	6.5	( 4.6 - 9.0 )	796
Hispanic/Latino	14.7	( 9.9 - 21.4 )	135	-	-	56	-	-	79
White*	-	-	88	-	-	43	-	-	45
All other races*	-	-	50	-	-	24	-	-	24
Multiple races*	11.7	( 6.1 - 21.1 )	106	-	-	39	-	-	67

Note: 863 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.4	( 12.0 - 14.9 )	2,569	12.9	( 11.1 - 15.0 )	1,072	13.9	( 12.1 - 16.0 )	1,485
<b>Age</b>									
15 or younger	14.1	( 12.6 - 15.8 )	1,245	13.1	( 10.6 - 16.1 )	492	15.0	( 13.2 - 17.1 )	747
16 or 17	12.8	( 10.6 - 15.2 )	1,178	12.5	( 9.5 - 16.2 )	505	13.0	( 10.4 - 16.2 )	668
18 or older	12.1	( 7.6 - 18.6 )	146	-	-	75	-	-	70
<b>Grade</b>									
9th	14.5	( 12.2 - 17.3 )	655	12.9	( 9.6 - 17.1 )	260	16.2	( 13.4 - 19.5 )	395
10th	13.2	( 11.1 - 15.6 )	773	12.1	( 9.2 - 15.8 )	334	14.4	( 11.5 - 18.0 )	434
11th	13.2	( 10.4 - 16.5 )	569	13.4	( 9.7 - 18.1 )	229	13.1	( 9.6 - 17.7 )	338
12th	11.5	( 8.7 - 15.2 )	541	11.9	( 7.8 - 17.6 )	231	10.7	( 7.3 - 15.4 )	308
<b>Race/Ethnicity</b>									
Black*	11.8	( 10.5 - 13.3 )	1,923	11.2	( 9.1 - 13.6 )	799	12.5	( 10.8 - 14.4 )	1,121
Hispanic/Latino	22.7	( 16.6 - 30.2 )	180	-	-	76	24.3	( 16.6 - 34.2 )	103
White*	20.4	( 14.6 - 27.7 )	130	-	-	61	-	-	69
All other races*	-	-	87	-	-	39	-	-	46
Multiple races*	18.8	( 13.3 - 25.8 )	157	-	-	53	20.5	( 13.6 - 29.7 )	104

Note: 113 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	10.6	( 9.1 - 12.4 )	2,616	9.1	( 7.3 - 11.2 )	1,092	11.7	( 9.8 - 13.8 )	1,507
<b>Age</b>									
15 or younger	10.9	( 9.1 - 12.9 )	1,263	9.9	( 7.8 - 12.6 )	506	11.2	( 8.8 - 14.2 )	750
16 or 17	10.0	( 8.0 - 12.4 )	1,199	7.7	( 5.4 - 10.7 )	510	11.8	( 9.4 - 14.8 )	681
18 or older	13.4	( 8.9 - 19.8 )	154	-	-	76	-	-	76
<b>Grade</b>									
9th	11.5	( 9.0 - 14.5 )	670	9.8	( 6.9 - 13.9 )	270	13.1	( 9.9 - 17.1 )	399
10th	9.8	( 8.0 - 12.0 )	782	8.5	( 6.2 - 11.6 )	341	10.8	( 8.3 - 13.9 )	437
11th	10.2	( 7.9 - 13.1 )	580	7.8	( 4.7 - 12.7 )	233	12.2	( 9.0 - 16.2 )	344
12th	9.7	( 7.3 - 12.8 )	549	8.7	( 6.3 - 11.9 )	231	10.2	( 6.9 - 15.0 )	317
<b>Race/Ethnicity</b>									
Black*	9.3	( 7.8 - 11.0 )	1,951	7.3	( 5.5 - 9.7 )	809	11.1	( 9.2 - 13.3 )	1,138
Hispanic/Latino	16.1	( 11.2 - 22.6 )	184	-	-	80	18.6	( 11.1 - 29.4 )	103
White*	14.2	( 9.6 - 20.6 )	131	-	-	62	-	-	69
All other races*	-	-	88	-	-	40	-	-	47
Multiple races*	12.9	( 8.4 - 19.2 )	161	-	-	55	9.5	( 4.8 - 17.9 )	106

Note: 66 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.9	( 25.7 - 30.2 )	2,597	21.4	( 18.7 - 24.3 )	1,086	34.4	( 32.0 - 36.8 )	1,491
<b>Age</b>									
15 or younger	25.8	( 23.1 - 28.8 )	1,256	18.2	( 15.3 - 21.6 )	504	33.6	( 29.9 - 37.4 )	742
16 or 17	30.0	( 26.7 - 33.6 )	1,189	23.3	( 18.9 - 28.3 )	507	36.2	( 32.4 - 40.1 )	674
18 or older	29.5	( 22.7 - 37.5 )	152	-	-	75	-	-	75
<b>Grade</b>									
9th	25.4	( 22.0 - 29.2 )	661	17.5	( 13.5 - 22.4 )	266	33.6	( 28.7 - 38.9 )	395
10th	27.6	( 24.0 - 31.4 )	781	20.6	( 16.8 - 25.0 )	339	34.8	( 30.1 - 39.8 )	435
11th	28.9	( 23.7 - 34.7 )	572	20.3	( 13.9 - 28.6 )	230	36.7	( 31.9 - 41.7 )	339
12th	30.5	( 27.3 - 33.9 )	546	28.2	( 22.2 - 35.2 )	231	32.9	( 28.5 - 37.7 )	312
<b>Race/Ethnicity</b>									
Black*	26.7	( 24.4 - 29.1 )	1,939	19.9	( 17.1 - 23.0 )	811	32.9	( 30.5 - 35.4 )	1,125
Hispanic/Latino	38.3	( 30.4 - 46.9 )	180	-	-	76	46.3	( 36.2 - 56.6 )	103
White*	29.2	( 23.2 - 36.1 )	130	-	-	61	-	-	69
All other races*	-	-	91	-	-	40	-	-	48
Multiple races*	41.8	( 34.6 - 49.4 )	156	-	-	53	50.4	( 42.1 - 58.6 )	103

Note: 85 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	15.3	( 13.6 - 17.1 )	2,572	10.9	( 8.8 - 13.4 )	1,069	19.4	( 17.6 - 21.4 )	1,486
<b>Age</b>									
15 or younger	15.7	( 13.6 - 18.0 )	1,242	11.4	( 8.8 - 14.5 )	491	19.6	( 17.2 - 22.2 )	743
16 or 17	15.1	( 12.9 - 17.5 )	1,183	9.9	( 7.4 - 13.0 )	504	19.8	( 17.1 - 22.9 )	672
18 or older	13.7	( 9.2 - 20.0 )	147	-	-	74	-	-	71
<b>Grade</b>									
9th	14.7	( 12.1 - 17.7 )	655	9.9	( 6.5 - 15.0 )	259	19.4	( 16.5 - 22.6 )	394
10th	15.2	( 12.4 - 18.4 )	775	12.3	( 8.9 - 16.8 )	338	18.1	( 14.6 - 22.1 )	432
11th	15.6	( 11.7 - 20.4 )	572	10.0	( 6.2 - 15.6 )	229	20.8	( 16.3 - 26.0 )	338
12th	15.3	( 12.6 - 18.5 )	538	10.7	( 7.4 - 15.3 )	226	19.0	( 14.7 - 24.2 )	311
<b>Race/Ethnicity</b>									
Black*	14.2	( 12.6 - 15.9 )	1,930	9.5	( 7.5 - 12.0 )	798	18.5	( 16.6 - 20.6 )	1,129
Hispanic/Latino	25.8	( 19.2 - 33.7 )	177	-	-	77	31.0	( 23.8 - 39.2 )	100
White*	15.6	( 10.2 - 23.0 )	128	-	-	60	-	-	68
All other races*	-	-	87	-	-	39	-	-	46
Multiple races*	30.3	( 23.0 - 38.8 )	155	-	-	52	33.9	( 26.1 - 42.8 )	103

Note: 110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.3	( 11.8 - 15.0 )	2,598	10.1	( 8.4 - 12.2 )	1,083	16.1	( 14.2 - 18.1 )	1,500
<b>Age</b>									
15 or younger	13.6	( 11.6 - 16.0 )	1,255	10.6	( 8.0 - 13.9 )	502	16.1	( 13.8 - 18.6 )	745
16 or 17	12.9	( 10.7 - 15.4 )	1,189	9.4	( 6.9 - 12.6 )	505	16.0	( 13.1 - 19.4 )	678
18 or older	13.5	( 9.1 - 19.7 )	154	-	-	76	-	-	77
<b>Grade</b>									
9th	14.2	( 11.4 - 17.6 )	664	11.9	( 8.3 - 16.7 )	267	16.6	( 13.3 - 20.5 )	396
10th	11.9	( 10.1 - 14.0 )	778	9.4	( 6.6 - 13.2 )	342	14.5	( 11.8 - 17.6 )	432
11th	14.6	( 11.2 - 18.8 )	575	8.9	( 5.4 - 14.2 )	228	19.3	( 14.9 - 24.7 )	344
12th	11.5	( 9.0 - 14.6 )	549	9.6	( 6.4 - 14.2 )	230	12.8	( 9.2 - 17.6 )	318
<b>Race/Ethnicity</b>									
Black*	12.7	( 11.2 - 14.4 )	1,947	9.8	( 7.9 - 12.2 )	810	15.5	( 13.6 - 17.6 )	1,134
Hispanic/Latino	20.0	( 13.2 - 29.0 )	182	-	-	78	23.9	( 15.0 - 35.9 )	104
White*	8.9	( 5.1 - 15.0 )	130	-	-	62	-	-	68
All other races*	-	-	88	-	-	39	-	-	47
Multiple races*	27.1	( 20.4 - 35.0 )	158	-	-	54	27.6	( 20.8 - 35.6 )	104

Note: 84 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	8.5	( 6.8 - 10.6 )	2,569	10.9	( 8.6 - 13.8 )	1,061	5.5	( 4.2 - 7.1 )	1,485
<b>Age</b>									
15 or younger	9.0	( 6.8 - 11.8 )	1,243	11.9	( 8.6 - 16.3 )	492	5.1	( 3.7 - 7.1 )	740
16 or 17	7.3	( 5.5 - 9.5 )	1,176	8.7	( 6.4 - 11.8 )	496	5.4	( 3.7 - 7.9 )	670
18 or older	13.8	( 8.9 - 20.8 )	150	-	-	73	-	-	75
<b>Grade</b>									
9th	8.4	( 6.2 - 11.4 )	653	11.0	( 7.1 - 16.5 )	259	5.6	( 3.6 - 8.8 )	393
10th	7.8	( 5.4 - 11.1 )	768	10.7	( 7.3 - 15.3 )	335	4.6	( 2.5 - 8.3 )	427
11th	8.0	( 5.2 - 11.9 )	570	10.7	( 6.7 - 16.5 )	224	4.6	( 2.6 - 8.1 )	341
12th	8.7	( 6.1 - 12.1 )	542	10.6	( 6.4 - 16.9 )	225	6.4	( 4.1 - 9.9 )	314
<b>Race/Ethnicity</b>									
Black*	7.3	( 5.8 - 9.1 )	1,908	10.0	( 7.4 - 13.2 )	785	4.8	( 3.5 - 6.4 )	1,120
Hispanic/Latino	12.9	( 8.2 - 19.9 )	183	-	-	78	10.9	( 5.8 - 19.5 )	104
White*	8.0	( 4.0 - 15.2 )	126	-	-	58	-	-	68
All other races*	-	-	89	-	-	38	-	-	48
Multiple races*	9.2	( 5.6 - 14.9 )	156	-	-	55	11.8	( 6.8 - 19.7 )	101

Note: 113 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.7	( 5.3 - 8.4 )	2,471	9.0	( 7.0 - 11.4 )	1,010	4.1	( 2.8 - 5.9 )	1,446
<b>Age</b>									
15 or younger	5.2	( 3.5 - 7.8 )	1,202	7.4	( 4.7 - 11.4 )	469	2.4	( 1.0 - 5.7 )	726
16 or 17	7.3	( 5.8 - 9.2 )	1,132	9.0	( 6.4 - 12.6 )	474	5.6	( 3.8 - 8.1 )	651
18 or older	15.4	( 9.7 - 23.6 )	137	-	-	67	-	-	69
<b>Grade</b>									
9th	4.5	( 2.8 - 7.3 )	636	7.6	( 4.3 - 13.2 )	249	1.5	( 0.7 - 3.6 )	387
10th	6.2	( 3.9 - 9.5 )	743	8.0	( 5.2 - 12.1 )	320	4.1	( 1.8 - 9.5 )	418
11th	7.8	( 5.4 - 11.1 )	545	10.0	( 6.3 - 15.5 )	211	5.1	( 2.9 - 9.0 )	330
12th	8.6	( 6.3 - 11.5 )	517	10.5	( 7.1 - 15.2 )	214	6.9	( 4.2 - 11.1 )	303
<b>Race/Ethnicity</b>									
Black*	5.8	( 4.4 - 7.5 )	1,851	8.1	( 6.0 - 10.9 )	753	3.7	( 2.3 - 5.8 )	1,096
Hispanic/Latino	6.3	( 3.2 - 12.1 )	167	-	-	71	-	-	96
White*	8.1	( 4.3 - 15.0 )	122	-	-	57	-	-	65
All other races*	-	-	87	-	-	38	-	-	47
Multiple races*	5.2	( 2.5 - 10.2 )	152	-	-	50	7.0	( 3.2 - 14.5 )	102

Note: 211 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	1.4	( 0.8 - 2.3 )	2,471	1.6	( 0.9 - 2.7 )	1,010	0.8	( 0.4 - 1.6 )	1,446
<b>Age</b>									
15 or younger	0.8	( 0.3 - 2.1 )	1,202	0.3	( 0.1 - 1.4 )	469	0.6	( 0.2 - 1.6 )	726
16 or 17	1.6	( 0.9 - 2.9 )	1,132	2.2	( 1.1 - 4.2 )	474	0.9	( 0.4 - 2.3 )	651
18 or older	4.6	( 1.9 - 10.7 )	137	-	-	67	-	-	69
<b>Grade</b>									
9th	0.2	( 0.0 - 0.5 )	636	0.1	( 0.0 - 0.8 )	249	0.2	( 0.0 - 0.9 )	387
10th	1.0	( 0.4 - 2.3 )	743	1.0	( 0.4 - 3.0 )	320	1.0	( 0.3 - 2.9 )	418
11th	2.8	( 1.4 - 5.5 )	545	3.9	( 1.8 - 8.0 )	211	1.0	( 0.3 - 4.2 )	330
12th	1.7	( 0.9 - 3.3 )	517	2.4	( 1.0 - 5.8 )	214	1.1	( 0.4 - 3.1 )	303
<b>Race/Ethnicity</b>									
Black*	0.9	( 0.5 - 1.6 )	1,851	1.5	( 0.8 - 2.6 )	753	0.4	( 0.1 - 1.4 )	1,096
Hispanic/Latino	1.1	( 0.3 - 4.4 )	167	-	-	71	-	-	96
White*	2.9	( 1.1 - 7.5 )	122	-	-	57	-	-	65
All other races*	-	-	87	-	-	38	-	-	47
Multiple races*	0.5	( 0.1 - 3.6 )	152	-	-	50	0.8	( 0.1 - 5.7 )	102

Note: 211 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Maryland High School Survey**

**Baltimore City**

**Summary Tables - Weighted Data**

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

	<b>Total</b>			<b>Male</b>			<b>Female</b>		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	0.9	( 0.5 - 1.5 )	2,471	1.1	( 0.6 - 2.1 )	1,010	0.5	( 0.2 - 1.2 )	1,446
<b>Age</b>									
15 or younger	0.4	( 0.2 - 1.1 )	1,202	0.3	( 0.0 - 1.4 )	469	0.4	( 0.1 - 1.4 )	726
16 or 17	1.1	( 0.6 - 2.2 )	1,132	1.4	( 0.6 - 3.4 )	474	0.6	( 0.2 - 1.6 )	651
18 or older	3.2	( 1.1 - 9.4 )	137	-	-	67	-	-	69
<b>Grade</b>									
9th	0.1	( 0.0 - 0.5 )	636	0.1	( 0.0 - 0.4 )	249	0.1	( 0.0 - 1.0 )	387
10th	0.7	( 0.3 - 1.8 )	743	0.7	( 0.2 - 2.6 )	320	0.7	( 0.2 - 2.7 )	418
11th	2.1	( 1.0 - 4.2 )	545	2.7	( 1.1 - 6.7 )	211	0.7	( 0.2 - 2.9 )	330
12th	1.1	( 0.5 - 2.7 )	517	1.9	( 0.7 - 5.3 )	214	0.5	( 0.1 - 2.0 )	303
<b>Race/Ethnicity</b>									
Black*	0.7	( 0.4 - 1.3 )	1,851	1.2	( 0.6 - 2.3 )	753	0.3	( 0.1 - 1.2 )	1,096
Hispanic/Latino	0.5	( 0.1 - 3.4 )	167	-	-	71	-	-	96
White*	2.4	( 0.8 - 7.2 )	122	-	-	57	-	-	65
All other races*	-	-	87	-	-	38	-	-	47
Multiple races*	0.0	-	152	-	-	50	0.0	-	102

Note: 211 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.2	( 4.5 - 14.3 )	151	-	-	86	-	-	58
<b>Age</b>									
15 or younger	-	-	54	-	-	33	-	-	16
16 or 17	-	-	78	-	-	40	-	-	36
18 or older	-	-	19	-	-	13	-	-	6
<b>Grade</b>									
9th	-	-	26	-	-	19	-	-	7
10th	-	-	38	-	-	23	-	-	14
11th	-	-	38	-	-	20	-	-	15
12th	-	-	43	-	-	21	-	-	22
<b>Race/Ethnicity</b>									
Black*	-	-	90	-	-	55	-	-	35
Hispanic/Latino	-	-	9	-	-	2	-	-	7
White*	-	-	11	-	-	7	-	-	4
All other races*	-	-	12	-	-	10	-	-	2
Multiple races*	-	-	7	-	-	1	-	-	6

Note: 2,531 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	31.3	( 22.3 - 41.9 )	120	-	-	65	-	-	48
15 or younger	-	-	49	-	-	29	-	-	15
16 or 17	-	-	71	-	-	36	-	-	33
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	-	-	24	-	-	17	-	-	7
10th	-	-	32	-	-	19	-	-	12
11th	-	-	35	-	-	17	-	-	15
12th	-	-	23	-	-	9	-	-	14
<b>Race/Ethnicity</b>									
Black*	-	-	67	-	-	38	-	-	29
Hispanic/Latino	-	-	7	-	-	2	-	-	5
White*	-	-	10	-	-	6	-	-	4
All other races*	-	-	11	-	-	8	-	-	2
Multiple races*	-	-	6	-	-	1	-	-	5

Note: 2,562 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNCIGINT: Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	17.7	( 11.2 - 26.8 )	120	-	-	65	-	-	48
15 or younger	-	-	49	-	-	29	-	-	15
16 or 17	-	-	71	-	-	36	-	-	33
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	-	-	24	-	-	17	-	-	7
10th	-	-	32	-	-	19	-	-	12
11th	-	-	35	-	-	17	-	-	15
12th	-	-	23	-	-	9	-	-	14
<b>Race/Ethnicity</b>									
Black*	-	-	67	-	-	38	-	-	29
Hispanic/Latino	-	-	7	-	-	2	-	-	5
White*	-	-	10	-	-	6	-	-	4
All other races*	-	-	11	-	-	8	-	-	2
Multiple races*	-	-	6	-	-	1	-	-	5

Note: 2,562 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.4	( 4.8 - 8.5 )	2,506	7.6	( 5.7 - 10.0 )	1,039	4.1	( 2.8 - 6.0 )	1,440
<b>Age</b>									
15 or younger	7.0	( 4.7 - 10.2 )	1,207	8.8	( 6.0 - 12.6 )	476	3.2	( 1.7 - 5.9 )	714
16 or 17	5.2	( 3.7 - 7.3 )	1,154	5.8	( 3.8 - 8.7 )	491	4.3	( 2.6 - 6.9 )	654
18 or older	11.1	( 6.9 - 17.6 )	145	-	-	72	-	-	72
<b>Grade</b>									
9th	5.6	( 3.6 - 8.6 )	636	7.7	( 4.9 - 12.1 )	251	3.1	( 1.4 - 6.8 )	383
10th	4.7	( 2.7 - 8.0 )	740	6.2	( 3.7 - 10.2 )	324	2.8	( 1.1 - 7.2 )	410
11th	6.7	( 4.0 - 10.9 )	567	7.6	( 4.2 - 13.4 )	228	4.7	( 2.3 - 9.2 )	333
12th	7.3	( 5.0 - 10.5 )	527	7.6	( 4.3 - 13.0 )	219	5.7	( 3.3 - 9.8 )	304
<b>Race/Ethnicity</b>									
Black*	4.9	( 3.6 - 6.6 )	1,842	6.8	( 4.9 - 9.3 )	759	3.1	( 2.0 - 4.8 )	1,079
Hispanic/Latino	11.9	( 6.7 - 20.4 )	179	-	-	79	-	-	99
White*	4.6	( 2.1 - 9.9 )	126	-	-	58	-	-	68
All other races*	-	-	89	-	-	41	-	-	45
Multiple races*	6.8	( 3.4 - 13.2 )	155	-	-	52	2.6	( 1.0 - 7.0 )	103

Note: 176 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	14.4	( 12.3 - 16.7 )	2,604	16.6	( 13.6 - 20.0 )	1,079	11.4	( 9.6 - 13.6 )	1,497
<b>Age</b>									
15 or younger	13.1	( 10.8 - 15.8 )	1,262	16.7	( 13.0 - 21.3 )	500	8.5	( 6.6 - 10.8 )	745
16 or 17	15.1	( 12.4 - 18.3 )	1,187	15.4	( 11.7 - 20.2 )	503	14.2	( 11.4 - 17.5 )	675
18 or older	19.9	( 14.8 - 26.2 )	155	-	-	76	-	-	77
<b>Grade</b>									
9th	13.1	( 9.9 - 17.1 )	663	17.9	( 12.6 - 24.7 )	266	7.9	( 5.6 - 11.1 )	395
10th	12.4	( 9.0 - 16.9 )	773	13.5	( 8.9 - 20.0 )	333	10.8	( 6.8 - 16.7 )	433
11th	15.7	( 12.0 - 20.4 )	583	16.1	( 10.7 - 23.7 )	232	14.4	( 10.7 - 19.2 )	345
12th	16.3	( 13.2 - 19.9 )	546	17.6	( 13.6 - 22.4 )	229	14.0	( 9.6 - 20.0 )	313
<b>Race/Ethnicity</b>									
Black*	13.4	( 11.2 - 16.1 )	1,919	15.9	( 12.6 - 19.9 )	792	11.1	( 8.9 - 13.8 )	1,123
Hispanic/Latino	13.9	( 8.1 - 22.8 )	187	-	-	80	16.5	( 9.2 - 28.0 )	106
White*	10.5	( 5.9 - 17.8 )	129	-	-	61	-	-	68
All other races*	-	-	93	-	-	42	-	-	48
Multiple races*	12.4	( 8.3 - 18.1 )	158	-	-	53	13.7	( 8.9 - 20.5 )	105

Note: 78 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	33.0	( 30.5 - 35.7 )	2,420	35.0	( 30.5 - 39.7 )	991	31.3	( 28.7 - 34.0 )	1,419
<b>Age</b>									
15 or younger	30.6	( 27.6 - 33.8 )	1,169	33.9	( 28.8 - 39.3 )	453	27.5	( 24.2 - 31.0 )	711
16 or 17	35.6	( 32.1 - 39.2 )	1,109	36.6	( 30.8 - 42.8 )	466	34.8	( 30.9 - 39.0 )	638
18 or older	34.8	( 27.4 - 43.1 )	142	-	-	72	-	-	70
<b>Grade</b>									
9th	29.0	( 25.5 - 32.9 )	621	33.1	( 27.0 - 39.9 )	244	25.1	( 21.1 - 29.5 )	377
10th	32.1	( 27.5 - 37.0 )	724	33.9	( 26.8 - 41.8 )	306	30.6	( 26.0 - 35.6 )	415
11th	34.8	( 29.8 - 40.0 )	545	35.7	( 28.6 - 43.5 )	217	33.8	( 28.6 - 39.5 )	326
12th	38.3	( 33.8 - 42.9 )	504	37.5	( 29.2 - 46.7 )	210	39.1	( 33.2 - 45.4 )	293
<b>Race/Ethnicity</b>									
Black*	31.6	( 28.7 - 34.6 )	1,815	33.3	( 28.4 - 38.6 )	734	30.1	( 27.3 - 33.1 )	1,078
Hispanic/Latino	46.2	( 37.8 - 54.8 )	173	-	-	74	-	-	99
White*	37.8	( 26.9 - 50.1 )	125	-	-	61	-	-	64
All other races*	-	-	84	-	-	38	-	-	44
Multiple races*	34.2	( 26.0 - 43.6 )	148	-	-	51	-	-	97

Note: 262 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
<b>Age</b>									
Total	16.0	( 13.8 - 18.4 )	2,461	16.1	( 13.1 - 19.7 )	1,011	15.2	( 12.9 - 17.7 )	1,429
15 or younger	14.7	( 12.2 - 17.7 )	1,190	15.6	( 12.4 - 19.4 )	465	12.9	( 10.3 - 16.0 )	712
16 or 17	17.0	( 14.2 - 20.1 )	1,125	17.1	( 13.1 - 22.0 )	472	16.6	( 13.4 - 20.5 )	646
18 or older	19.0	( 13.8 - 25.4 )	146	-	-	74	-	-	71
<b>Grade</b>									
9th	12.8	( 10.5 - 15.7 )	629	14.5	( 11.3 - 18.5 )	249	11.2	( 8.6 - 14.6 )	379
10th	14.9	( 11.6 - 18.8 )	727	14.9	( 10.8 - 20.2 )	308	14.2	( 10.8 - 18.4 )	413
11th	17.6	( 13.7 - 22.4 )	555	18.4	( 12.5 - 26.1 )	219	16.0	( 11.3 - 22.1 )	332
12th	19.5	( 16.8 - 22.5 )	516	17.9	( 12.9 - 24.2 )	218	20.9	( 17.1 - 25.4 )	296
<b>Race/Ethnicity</b>									
Black*	14.2	( 12.2 - 16.5 )	1,822	14.6	( 11.6 - 18.3 )	740	13.8	( 11.4 - 16.6 )	1,079
Hispanic/Latino	16.9	( 11.3 - 24.5 )	175	-	-	76	-	-	99
White*	22.9	( 15.4 - 32.8 )	124	-	-	59	-	-	65
All other races*	-	-	91	-	-	41	-	-	47
Multiple races*	18.2	( 11.1 - 28.5 )	151	-	-	53	-	-	98

Note: 221 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.3	( 26.3 - 32.5 )	2,428	33.0	( 28.7 - 37.6 )	1,000	24.7	( 22.1 - 27.5 )	1,401
<b>Age</b>									
15 or younger	27.5	( 24.0 - 31.3 )	1,170	33.8	( 29.0 - 39.1 )	459	19.9	( 16.9 - 23.2 )	694
16 or 17	30.0	( 26.2 - 34.1 )	1,116	31.1	( 25.4 - 37.3 )	468	28.7	( 24.6 - 33.0 )	639
18 or older	39.2	( 32.3 - 46.6 )	142	-	-	73	-	-	68
<b>Grade</b>									
9th	26.8	( 22.9 - 31.1 )	620	34.3	( 28.3 - 40.9 )	246	19.2	( 15.7 - 23.1 )	372
10th	26.1	( 20.6 - 32.4 )	702	29.8	( 21.8 - 39.3 )	302	22.1	( 17.3 - 27.7 )	394
11th	30.5	( 25.2 - 36.4 )	556	32.7	( 25.4 - 41.1 )	222	27.4	( 21.7 - 34.0 )	328
12th	33.5	( 29.7 - 37.6 )	515	33.5	( 26.8 - 41.0 )	213	32.6	( 27.5 - 38.1 )	298
<b>Race/Ethnicity</b>									
Black*	27.2	( 24.0 - 30.6 )	1,784	31.3	( 26.3 - 36.7 )	729	23.3	( 20.4 - 26.4 )	1,051
Hispanic/Latino	32.9	( 24.3 - 42.8 )	176	-	-	75	35.6	( 25.7 - 47.0 )	100
White*	30.1	( 21.2 - 40.9 )	121	-	-	55	-	-	66
All other races*	-	-	90	-	-	42	-	-	45
Multiple races*	29.9	( 22.5 - 38.6 )	146	-	-	51	-	-	95

Note: 254 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	20.0	( 17.3 - 23.1 )	2,470	24.6	( 21.0 - 28.6 )	1,021	14.5	( 12.3 - 17.0 )	1,423
<b>Age</b>									
15 or younger	18.6	( 15.3 - 22.4 )	1,197	25.3	( 20.8 - 30.4 )	471	10.5	( 8.1 - 13.5 )	710
16 or 17	20.2	( 16.9 - 23.8 )	1,132	22.1	( 17.5 - 27.5 )	479	17.8	( 14.8 - 21.2 )	644
18 or older	31.7	( 24.5 - 39.8 )	141	-	-	71	-	-	69
<b>Grade</b>									
9th	18.7	( 14.6 - 23.6 )	634	26.4	( 20.2 - 33.8 )	252	10.7	( 7.8 - 14.6 )	380
10th	16.8	( 12.2 - 22.5 )	724	20.9	( 14.9 - 28.6 )	314	12.1	( 7.7 - 18.5 )	404
11th	21.0	( 16.2 - 26.9 )	556	23.8	( 17.0 - 32.3 )	222	17.6	( 13.4 - 22.8 )	329
12th	22.3	( 18.4 - 26.8 )	520	24.9	( 19.4 - 31.3 )	215	19.0	( 14.1 - 25.1 )	301
<b>Race/Ethnicity</b>									
Black*	18.4	( 15.5 - 21.6 )	1,822	23.5	( 19.3 - 28.3 )	752	13.5	( 11.1 - 16.3 )	1,067
Hispanic/Latino	22.2	( 14.5 - 32.6 )	176	-	-	76	-	-	99
White*	18.6	( 12.3 - 27.2 )	119	-	-	53	-	-	66
All other races*	-	-	89	-	-	41	-	-	45
Multiple races*	19.3	( 14.0 - 25.9 )	151	-	-	51	17.1	( 11.6 - 24.4 )	100

Note: 212 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	17.5	( 15.1 - 20.2 )	2,521	21.2	( 18.1 - 24.8 )	1,033	12.9	( 10.9 - 15.2 )	1,463
<b>Age</b>									
15 or younger	15.9	( 13.0 - 19.2 )	1,222	21.2	( 16.9 - 26.3 )	476	9.3	( 7.1 - 12.2 )	732
16 or 17	18.2	( 15.3 - 21.6 )	1,153	19.8	( 15.6 - 24.8 )	485	16.1	( 13.4 - 19.4 )	659
18 or older	26.3	( 19.9 - 33.9 )	146	-	-	72	-	-	72
<b>Grade</b>									
9th	15.9	( 12.1 - 20.5 )	641	22.4	( 16.3 - 29.9 )	252	9.1	( 6.6 - 12.4 )	387
10th	14.8	( 10.9 - 19.9 )	748	18.0	( 12.5 - 25.2 )	319	11.3	( 7.2 - 17.4 )	423
11th	18.7	( 14.5 - 23.7 )	566	21.1	( 14.9 - 29.0 )	223	15.5	( 11.7 - 20.2 )	338
12th	20.2	( 16.6 - 24.4 )	531	22.1	( 17.3 - 27.7 )	221	17.5	( 12.9 - 23.4 )	306
<b>Race/Ethnicity</b>									
Black*	16.2	( 13.7 - 19.1 )	1,871	20.3	( 16.7 - 24.5 )	768	12.4	( 10.1 - 15.2 )	1,101
Hispanic/Latino	17.1	( 10.2 - 27.2 )	177	-	-	73	18.9	( 10.8 - 31.1 )	103
White*	15.6	( 9.8 - 23.8 )	121	-	-	56	-	-	65
All other races*	-	-	90	-	-	40	-	-	48
Multiple races*	14.9	( 10.5 - 20.7 )	151	-	-	49	16.7	( 11.3 - 23.9 )	102

Note: 161 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	77.9	( 75.4 - 80.2 )	2,220	75.7	( 71.4 - 79.5 )	888	80.4	( 77.8 - 82.7 )	1,320
<b>Age</b>									
15 or younger	80.4	( 77.1 - 83.3 )	1,069	76.1	( 70.8 - 80.8 )	403	84.7	( 81.4 - 87.4 )	660
16 or 17	76.0	( 72.7 - 79.0 )	1,030	75.6	( 70.4 - 80.2 )	425	76.5	( 72.5 - 80.1 )	599
18 or older	71.8	( 62.4 - 79.6 )	121	-	-	60	-	-	61
<b>Grade</b>									
9th	80.8	( 76.6 - 84.3 )	570	75.7	( 68.9 - 81.5 )	214	85.3	( 81.3 - 88.6 )	356
10th	79.2	( 74.1 - 83.5 )	656	76.3	( 67.7 - 83.2 )	276	82.0	( 76.9 - 86.2 )	376
11th	77.3	( 72.6 - 81.4 )	503	77.1	( 71.2 - 82.1 )	194	77.8	( 70.9 - 83.5 )	307
12th	73.9	( 70.2 - 77.4 )	465	74.3	( 67.1 - 80.4 )	191	73.7	( 68.8 - 78.0 )	274
<b>Race/Ethnicity</b>									
Black*	79.3	( 76.6 - 81.7 )	1,658	77.4	( 72.5 - 81.6 )	655	81.0	( 78.2 - 83.5 )	1,001
Hispanic/Latino	78.6	( 70.1 - 85.3 )	151	-	-	66	-	-	85
White*	74.0	( 63.6 - 82.2 )	114	-	-	52	-	-	62
All other races*	-	-	81	-	-	36	-	-	43
Multiple races*	74.9	( 66.0 - 82.2 )	139	-	-	46	-	-	93

Note: 462 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	85.3	( 82.9 - 87.5 )	2,329	81.9	( 78.1 - 85.2 )	943	89.0	( 87.2 - 90.6 )	1,372
<b>Age</b>									
15 or younger	87.6	( 84.4 - 90.3 )	1,123	82.6	( 77.6 - 86.7 )	428	92.9	( 90.7 - 94.6 )	688
16 or 17	83.7	( 80.8 - 86.3 )	1,080	82.3	( 77.5 - 86.3 )	453	85.4	( 82.6 - 87.8 )	620
18 or older	77.4	( 68.9 - 84.1 )	126	-	-	62	-	-	64
<b>Grade</b>									
9th	87.4	( 83.2 - 90.7 )	595	81.8	( 74.4 - 87.4 )	226	92.6	( 89.5 - 94.9 )	369
10th	87.3	( 82.6 - 90.9 )	694	83.6	( 76.6 - 88.9 )	297	91.0	( 85.7 - 94.5 )	393
11th	83.8	( 79.1 - 87.6 )	524	82.5	( 75.8 - 87.7 )	204	85.6	( 80.8 - 89.3 )	316
12th	83.0	( 79.3 - 86.2 )	489	80.7	( 74.8 - 85.5 )	202	85.0	( 79.7 - 89.1 )	287
<b>Race/Ethnicity</b>									
Black*	86.3	( 83.7 - 88.6 )	1,738	83.0	( 78.6 - 86.7 )	699	89.3	( 87.1 - 91.2 )	1,037
Hispanic/Latino	88.2	( 79.9 - 93.3 )	157	-	-	69	-	-	88
White*	83.0	( 75.0 - 88.8 )	117	-	-	53	-	-	64
All other races*	-	-	83	-	-	37	-	-	44
Multiple races*	85.1	( 79.1 - 89.6 )	146	-	-	47	-	-	99

Note: 353 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	85.9	( 83.7 - 87.8 )	2,430	82.7	( 79.1 - 85.7 )	987	89.4	( 87.6 - 90.9 )	1,428
<b>Age</b>									
15 or younger	87.7	( 84.7 - 90.1 )	1,179	82.9	( 77.7 - 87.1 )	454	92.7	( 90.6 - 94.4 )	718
16 or 17	84.7	( 82.0 - 87.1 )	1,115	83.5	( 78.8 - 87.4 )	467	86.2	( 83.4 - 88.6 )	641
18 or older	79.0	( 71.0 - 85.3 )	136	-	-	66	-	-	69
<b>Grade</b>									
9th	87.1	( 82.6 - 90.5 )	622	81.3	( 73.6 - 87.2 )	241	92.6	( 89.4 - 94.9 )	381
10th	87.9	( 83.8 - 91.0 )	729	84.8	( 78.3 - 89.7 )	309	90.9	( 86.0 - 94.2 )	415
11th	85.0	( 80.8 - 88.5 )	542	83.7	( 77.1 - 88.7 )	210	86.9	( 82.4 - 90.3 )	328
12th	83.9	( 80.4 - 86.9 )	507	82.2	( 76.8 - 86.6 )	211	85.3	( 80.2 - 89.3 )	296
<b>Race/Ethnicity</b>									
Black*	86.8	( 84.2 - 88.9 )	1,816	83.8	( 79.5 - 87.3 )	733	89.4	( 87.2 - 91.3 )	1,081
Hispanic/Latino	88.3	( 79.7 - 93.5 )	166	-	-	71	-	-	95
White*	85.2	( 77.5 - 90.5 )	120	-	-	56	-	-	64
All other races*	-	-	87	-	-	38	-	-	47
Multiple races*	85.6	( 79.8 - 90.0 )	150	-	-	49	84.1	( 76.6 - 89.5 )	101

Note: 252 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	48.8	( 46.1 - 51.5 )	2,351	42.7	( 39.0 - 46.5 )	935	53.7	( 50.7 - 56.7 )	1,395
<b>Age</b>									
15 or younger	42.9	( 39.2 - 46.7 )	1,139	36.4	( 31.9 - 41.2 )	428	47.4	( 42.8 - 51.9 )	698
16 or 17	54.5	( 50.9 - 58.1 )	1,081	48.7	( 43.0 - 54.4 )	443	59.8	( 55.7 - 63.7 )	630
18 or older	55.0	( 44.6 - 65.0 )	131	-	-	64	-	-	67
<b>Grade</b>									
9th	39.6	( 34.9 - 44.4 )	600	34.0	( 28.6 - 39.9 )	227	44.5	( 38.2 - 50.9 )	372
10th	45.0	( 40.5 - 49.5 )	681	37.5	( 30.9 - 44.5 )	277	51.3	( 45.8 - 56.7 )	398
11th	52.7	( 48.4 - 57.0 )	539	49.0	( 43.1 - 55.0 )	209	55.1	( 50.1 - 60.0 )	326
12th	62.8	( 56.1 - 69.0 )	502	54.3	( 45.0 - 63.3 )	209	69.8	( 64.0 - 75.0 )	290
<b>Race/Ethnicity</b>									
Black*	46.6	( 43.7 - 49.5 )	1,738	39.1	( 35.0 - 43.3 )	680	52.8	( 49.5 - 56.0 )	1,054
Hispanic/Latino	53.5	( 46.1 - 60.6 )	166	-	-	74	-	-	91
White*	61.2	( 51.5 - 70.1 )	125	-	-	58	-	-	67
All other races*	-	-	83	-	-	35	-	-	45
Multiple races*	56.3	( 48.6 - 63.7 )	150	-	-	50	58.0	( 48.7 - 66.9 )	100

Note: 331 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	18.7	( 17.0 - 20.5 )	2,483	19.2	( 16.6 - 22.1 )	1,016	17.9	( 15.5 - 20.5 )	1,446
<b>Age</b>									
15 or younger	20.5	( 18.1 - 23.1 )	1,177	21.4	( 17.5 - 25.8 )	456	19.2	( 16.1 - 22.7 )	710
16 or 17	17.4	( 15.1 - 19.9 )	1,156	18.0	( 15.1 - 21.3 )	485	16.6	( 13.3 - 20.6 )	662
18 or older	14.1	( 9.0 - 21.3 )	150	-	-	75	-	-	74
<b>Grade</b>									
9th	19.5	( 16.5 - 23.0 )	616	19.6	( 14.3 - 26.3 )	238	19.3	( 15.1 - 24.4 )	376
10th	19.7	( 16.2 - 23.7 )	726	20.0	( 15.4 - 25.5 )	305	19.2	( 15.2 - 24.0 )	415
11th	19.1	( 15.7 - 23.1 )	569	21.5	( 16.9 - 27.1 )	230	16.2	( 11.4 - 22.4 )	334
12th	14.1	( 11.2 - 17.6 )	535	12.4	( 8.1 - 18.5 )	224	15.3	( 11.6 - 20.0 )	310
<b>Race/Ethnicity</b>									
Black*	17.5	( 15.7 - 19.6 )	1,834	18.2	( 15.3 - 21.5 )	744	16.9	( 14.5 - 19.7 )	1,087
Hispanic/Latino	27.6	( 21.7 - 34.5 )	177	-	-	74	29.6	( 21.3 - 39.5 )	102
White*	20.0	( 14.0 - 27.9 )	128	-	-	59	-	-	69
All other races*	-	-	90	-	-	42	-	-	45
Multiple races*	23.3	( 17.6 - 30.1 )	154	-	-	52	20.4	( 13.8 - 29.0 )	102

Note: 199 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	19.2	( 16.9 - 21.7 )	2,182	17.7	( 14.8 - 21.1 )	874	20.1	( 17.2 - 23.3 )	1,293
<b>Age</b>									
15 or younger	14.7	( 12.5 - 17.1 )	1,074	13.1	( 9.8 - 17.3 )	408	15.3	( 12.7 - 18.3 )	658
16 or 17	23.7	( 20.0 - 27.8 )	991	22.5	( 17.7 - 28.2 )	407	24.6	( 20.0 - 29.8 )	577
18 or older	24.2	( 16.9 - 33.3 )	117	-	-	59	-	-	58
<b>Grade</b>									
9th	13.8	( 11.1 - 17.1 )	572	10.6	( 6.8 - 16.0 )	219	16.6	( 13.0 - 20.9 )	352
10th	15.0	( 12.1 - 18.5 )	639	15.9	( 12.0 - 20.8 )	263	14.0	( 10.7 - 18.1 )	372
11th	22.9	( 18.7 - 27.7 )	494	24.4	( 17.9 - 32.5 )	188	21.0	( 16.5 - 26.4 )	303
12th	28.3	( 23.8 - 33.4 )	450	24.0	( 17.7 - 31.8 )	192	32.2	( 27.0 - 37.9 )	258
<b>Race/Ethnicity</b>									
Black*	17.3	( 15.2 - 19.6 )	1,613	15.6	( 12.8 - 18.8 )	641	18.8	( 16.2 - 21.7 )	969
Hispanic/Latino	21.3	( 16.1 - 27.6 )	155	-	-	66	-	-	89
White*	29.9	( 19.4 - 43.1 )	118	-	-	56	-	-	62
All other races*	-	-	77	-	-	34	-	-	41
Multiple races*	18.6	( 12.3 - 27.3 )	141	-	-	45	-	-	96

Note: 500 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	7.7	( 6.5 - 9.2 )	2,385	8.2	( 6.5 - 10.4 )	965	6.8	( 5.2 - 8.9 )	1,405
<b>Age</b>									
15 or younger	6.1	( 4.6 - 8.1 )	1,154	6.8	( 4.4 - 10.3 )	437	4.8	( 3.2 - 7.2 )	708
16 or 17	8.9	( 7.0 - 11.3 )	1,095	9.3	( 6.7 - 12.6 )	461	8.4	( 6.2 - 11.3 )	628
18 or older	12.3	( 7.4 - 19.8 )	136	-	-	67	-	-	69
<b>Grade</b>									
9th	6.5	( 4.4 - 9.4 )	612	6.6	( 3.4 - 12.1 )	233	6.1	( 3.6 - 10.2 )	378
10th	4.8	( 3.3 - 7.0 )	708	6.2	( 3.9 - 9.8 )	294	3.2	( 2.0 - 5.2 )	409
11th	9.0	( 6.8 - 11.8 )	541	10.5	( 7.2 - 15.2 )	216	6.8	( 4.2 - 10.8 )	322
12th	11.6	( 8.6 - 15.5 )	496	10.9	( 6.8 - 17.1 )	208	12.3	( 8.7 - 17.0 )	288
<b>Race/Ethnicity</b>									
Black*	6.3	( 5.3 - 7.5 )	1,778	7.0	( 5.4 - 9.0 )	716	5.7	( 4.4 - 7.3 )	1,059
Hispanic/Latino	9.4	( 5.3 - 16.0 )	164	-	-	69	-	-	95
White*	16.1	( 10.5 - 24.0 )	127	-	-	61	-	-	66
All other races*	-	-	81	-	-	34	-	-	44
Multiple races*	9.4	( 5.2 - 16.3 )	149	-	-	49	6.8	( 2.9 - 15.1 )	100

Note: 297 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	43.6	( 38.2 - 49.1 )	420	39.2	( 30.7 - 48.4 )	158	47.8	( 41.5 - 54.1 )	255
<b>Age</b>									
15 or younger	37.5	( 28.9 - 47.0 )	153	-	-	55	-	-	92
16 or 17	48.8	( 41.9 - 55.8 )	240	-	-	91	50.6	( 41.8 - 59.4 )	148
18 or older	-	-	27	-	-	12	-	-	15
<b>Grade</b>									
9th	-	-	78	-	-	25	-	-	52
10th	-	-	88	-	-	37	-	-	49
11th	49.6	( 39.4 - 59.9 )	114	-	-	43	-	-	69
12th	44.2	( 35.3 - 53.4 )	133	-	-	50	-	-	83
<b>Race/Ethnicity</b>									
Black*	47.8	( 41.0 - 54.6 )	281	41.0	( 30.5 - 52.4 )	100	52.3	( 44.5 - 60.0 )	180
Hispanic/Latino	-	-	33	-	-	12	-	-	21
White*	-	-	39	-	-	18	-	-	21
All other races*	-	-	16	-	-	9	-	-	6
Multiple races*	-	-	26	-	-	7	-	-	19

Note: 2,262 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN47: Percentage of students who ever used marijuana (one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	42.5	( 39.9 - 45.1 )	2,330	44.3	( 40.7 - 48.0 )	932	40.7	( 37.3 - 44.1 )	1,385
<b>Age</b>									
15 or younger	36.6	( 33.3 - 40.1 )	1,129	39.0	( 34.6 - 43.6 )	423	34.2	( 30.5 - 38.1 )	700
16 or 17	48.5	( 44.8 - 52.2 )	1,067	50.2	( 44.3 - 56.1 )	443	46.8	( 42.7 - 50.9 )	618
18 or older	47.4	( 36.3 - 58.7 )	134	-	-	66	-	-	67
<b>Grade</b>									
9th	35.8	( 31.3 - 40.6 )	592	40.8	( 34.5 - 47.4 )	222	31.3	( 26.0 - 37.1 )	370
10th	40.1	( 35.9 - 44.4 )	690	39.8	( 34.4 - 45.5 )	287	40.5	( 35.2 - 46.1 )	400
11th	45.5	( 41.2 - 49.8 )	526	50.3	( 43.4 - 57.3 )	204	40.7	( 35.5 - 46.0 )	318
12th	52.4	( 45.9 - 58.7 )	492	48.8	( 39.2 - 58.4 )	203	55.4	( 47.5 - 63.1 )	289
<b>Race/Ethnicity</b>									
Black*	42.4	( 39.4 - 45.6 )	1,735	44.2	( 39.9 - 48.5 )	687	40.8	( 37.2 - 44.6 )	1,044
Hispanic/Latino	44.2	( 37.1 - 51.5 )	161	-	-	66	-	-	95
White*	40.1	( 31.3 - 49.5 )	125	-	-	58	-	-	67
All other races*	-	-	80	-	-	34	-	-	44
Multiple races*	40.0	( 32.7 - 47.9 )	146	-	-	49	-	-	97

Note: 352 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN48: Percentage of students who tried marijuana before age 13 years (for the first time)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.3	( 11.5 - 15.3 )	2,376	16.7	( 14.1 - 19.6 )	950	9.9	( 8.3 - 11.8 )	1,410
<b>Age</b>									
15 or younger	14.7	( 12.3 - 17.4 )	1,146	19.0	( 15.7 - 22.9 )	428	10.1	( 7.8 - 12.9 )	708
16 or 17	12.3	( 10.3 - 14.8 )	1,090	15.8	( 12.6 - 19.7 )	455	9.3	( 7.1 - 12.0 )	630
18 or older	9.1	( 4.8 - 16.6 )	140	-	-	67	-	-	72
<b>Grade</b>									
9th	15.3	( 12.5 - 18.6 )	599	20.1	( 15.4 - 26.0 )	223	11.0	( 7.8 - 15.2 )	376
10th	13.1	( 10.2 - 16.5 )	702	17.0	( 12.3 - 23.0 )	294	9.6	( 6.8 - 13.3 )	405
11th	13.5	( 10.4 - 17.4 )	540	17.5	( 12.8 - 23.6 )	209	9.5	( 6.6 - 13.4 )	326
12th	9.4	( 7.0 - 12.5 )	503	9.3	( 5.9 - 14.4 )	208	8.8	( 6.1 - 12.7 )	294
<b>Race/Ethnicity</b>									
Black*	13.0	( 10.9 - 15.3 )	1,772	16.8	( 13.7 - 20.5 )	707	9.6	( 7.7 - 11.7 )	1,061
Hispanic/Latino	12.3	( 7.3 - 20.0 )	163	-	-	66	-	-	97
White*	15.0	( 9.3 - 23.1 )	124	-	-	57	-	-	67
All other races*	-	-	81	-	-	34	-	-	45
Multiple races*	14.0	( 8.7 - 21.6 )	151	-	-	49	13.6	( 7.5 - 23.5 )	102

Note: 306 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	23.0	( 20.9 - 25.2 )	2,355	24.6	( 22.0 - 27.5 )	948	21.2	( 18.5 - 24.2 )	1,395
<b>Age</b>									
15 or younger	20.0	( 17.2 - 23.1 )	1,133	21.5	( 18.0 - 25.5 )	430	18.2	( 14.9 - 22.1 )	697
16 or 17	25.7	( 22.6 - 29.1 )	1,086	28.2	( 23.8 - 33.0 )	454	23.4	( 19.7 - 27.7 )	627
18 or older	27.0	( 20.1 - 35.3 )	136	-	-	64	-	-	71
<b>Grade</b>									
9th	18.5	( 15.4 - 22.0 )	591	20.4	( 16.2 - 25.5 )	222	16.8	( 13.1 - 21.2 )	369
10th	21.8	( 17.6 - 26.8 )	697	23.7	( 17.8 - 30.8 )	291	20.4	( 15.7 - 25.9 )	403
11th	24.6	( 21.0 - 28.5 )	538	29.0	( 22.7 - 36.2 )	209	20.3	( 16.3 - 25.1 )	325
12th	28.4	( 23.8 - 33.6 )	499	26.7	( 20.4 - 34.0 )	209	29.9	( 23.7 - 37.0 )	290
<b>Race/Ethnicity</b>									
Black*	22.5	( 20.1 - 25.1 )	1,760	24.0	( 21.1 - 27.2 )	701	20.9	( 17.9 - 24.4 )	1,055
Hispanic/Latino	24.5	( 18.7 - 31.4 )	163	-	-	68	-	-	95
White*	22.6	( 15.2 - 32.4 )	124	-	-	58	-	-	66
All other races*	-	-	80	-	-	33	-	-	45
Multiple races*	21.9	( 15.8 - 29.5 )	148	-	-	50	-	-	98

Note: 327 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.4	( 4.6 - 8.8 )	2,470	8.2	( 6.3 - 10.7 )	1,005	3.8	( 2.4 - 5.9 )	1,439
<b>Age</b>									
15 or younger	7.1	( 5.0 - 10.1 )	1,183	10.0	( 7.1 - 13.7 )	453	3.3	( 1.6 - 6.6 )	715
16 or 17	5.7	( 3.8 - 8.5 )	1,145	6.6	( 4.3 - 10.0 )	481	4.3	( 2.5 - 7.0 )	654
18 or older	5.6	( 2.9 - 10.6 )	142	-	-	71	-	-	70
<b>Grade</b>									
9th	6.4	( 4.3 - 9.5 )	618	9.1	( 5.7 - 14.3 )	236	3.7	( 1.9 - 7.3 )	380
10th	5.5	( 2.9 - 10.3 )	724	7.6	( 4.4 - 12.8 )	305	2.7	( 0.8 - 9.3 )	413
11th	7.0	( 4.1 - 11.6 )	567	8.4	( 4.6 - 14.8 )	226	4.6	( 2.2 - 9.2 )	335
12th	5.3	( 3.5 - 8.0 )	524	6.0	( 3.8 - 9.2 )	220	3.7	( 1.8 - 7.5 )	301
<b>Race/Ethnicity</b>									
Black*	4.9	( 3.3 - 7.1 )	1,829	6.8	( 4.8 - 9.6 )	738	3.1	( 1.8 - 5.5 )	1,087
Hispanic/Latino	9.5	( 5.4 - 16.3 )	169	-	-	73	-	-	95
White*	7.4	( 3.7 - 14.5 )	126	-	-	59	-	-	67
All other races*	-	-	89	-	-	39	-	-	47
Multiple races*	2.9	( 1.1 - 7.2 )	154	-	-	53	1.0	( 0.1 - 6.9 )	101

Note: 212 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.7	( 9.4 - 12.2 )	2,459	9.7	( 7.9 - 11.8 )	1,002	11.0	( 9.3 - 13.0 )	1,434
<b>Age</b>									
15 or younger	12.0	( 10.1 - 14.2 )	1,182	11.2	( 8.7 - 14.3 )	454	11.3	( 9.0 - 14.2 )	713
16 or 17	9.2	( 7.8 - 10.9 )	1,136	7.9	( 6.1 - 10.2 )	479	10.5	( 8.2 - 13.4 )	650
18 or older	11.6	( 7.0 - 18.5 )	141	-	-	69	-	-	71
<b>Grade</b>									
9th	11.6	( 9.1 - 14.7 )	617	9.5	( 6.4 - 13.8 )	236	13.2	( 9.6 - 17.8 )	379
10th	8.9	( 7.0 - 11.3 )	723	8.8	( 6.1 - 12.6 )	305	8.7	( 6.3 - 11.7 )	412
11th	12.1	( 9.4 - 15.4 )	562	11.0	( 7.4 - 16.2 )	225	12.4	( 8.9 - 17.0 )	332
12th	8.4	( 6.2 - 11.3 )	520	8.3	( 5.3 - 12.7 )	219	8.5	( 5.4 - 13.3 )	300
<b>Race/Ethnicity</b>									
Black*	9.8	( 8.5 - 11.2 )	1,821	8.6	( 6.9 - 10.7 )	735	10.9	( 9.1 - 12.9 )	1,082
Hispanic/Latino	12.0	( 8.0 - 17.6 )	167	-	-	72	-	-	95
White*	6.8	( 3.3 - 13.6 )	127	-	-	59	-	-	68
All other races*	-	-	89	-	-	39	-	-	47
Multiple races*	9.0	( 5.5 - 14.4 )	153	-	-	53	11.3	( 6.7 - 18.5 )	100

Note: 223 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Maryland High School Survey**

**Baltimore City**

**Summary Tables - Weighted Data**

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)

	<b>Total</b>			<b>Male</b>			<b>Female</b>		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.8	( 5.2 - 8.7 )	2,341	8.6	( 6.8 - 11.0 )	954	4.5	( 3.0 - 6.7 )	1,366
<b>Age</b>									
15 or younger	6.9	( 4.7 - 9.9 )	1,122	10.3	( 7.6 - 13.8 )	426	3.3	( 1.4 - 7.5 )	684
16 or 17	6.0	( 4.4 - 8.1 )	1,089	6.5	( 4.3 - 9.6 )	460	5.1	( 3.3 - 8.0 )	621
18 or older	11.8	( 6.9 - 19.6 )	130	-	-	68	-	-	61
<b>Grade</b>									
9th	5.9	( 3.9 - 9.1 )	583	8.1	( 5.1 - 12.5 )	221	3.8	( 1.7 - 8.3 )	360
10th	6.2	( 3.5 - 10.5 )	692	8.8	( 5.6 - 13.6 )	289	3.4	( 1.4 - 8.2 )	397
11th	6.4	( 4.0 - 10.1 )	537	9.3	( 5.6 - 15.1 )	214	3.4	( 1.6 - 7.4 )	318
12th	7.2	( 4.8 - 10.7 )	495	7.2	( 4.3 - 11.9 )	214	7.1	( 3.8 - 12.7 )	280
<b>Race/Ethnicity</b>									
Black*	5.7	( 4.3 - 7.4 )	1,730	7.9	( 6.0 - 10.2 )	697	3.7	( 2.3 - 5.7 )	1,029
Hispanic/Latino	9.6	( 5.6 - 16.0 )	159	-	-	69	-	-	90
White*	4.4	( 1.6 - 11.5 )	124	-	-	57	-	-	67
All other races*	-	-	82	-	-	37	-	-	42
Multiple races*	1.6	( 0.4 - 6.3 )	148	-	-	51	-	-	97

Note: 341 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	5.6	( 4.1 - 7.8 )	2,453	6.8	( 5.1 - 9.2 )	994	3.7	( 2.3 - 6.1 )	1,432
<b>Age</b>									
15 or younger	5.8	( 3.7 - 8.8 )	1,172	7.2	( 4.6 - 11.2 )	446	3.2	( 1.5 - 6.6 )	710
16 or 17	5.1	( 3.6 - 7.3 )	1,141	6.0	( 4.0 - 8.7 )	478	4.1	( 2.6 - 6.4 )	653
18 or older	8.7	( 5.2 - 14.4 )	140	-	-	70	-	-	69
<b>Grade</b>									
9th	4.8	( 2.5 - 9.0 )	616	5.7	( 2.9 - 11.0 )	235	3.6	( 1.4 - 9.2 )	379
10th	4.1	( 2.4 - 6.7 )	714	5.8	( 3.3 - 10.0 )	301	2.4	( 0.8 - 7.0 )	407
11th	6.3	( 4.0 - 9.7 )	566	8.1	( 5.0 - 12.7 )	223	3.9	( 2.0 - 7.6 )	337
12th	5.6	( 3.6 - 8.7 )	519	5.7	( 3.1 - 10.4 )	218	4.6	( 2.4 - 8.6 )	298
<b>Race/Ethnicity</b>									
Black*	4.5	( 3.2 - 6.5 )	1,815	6.1	( 4.3 - 8.5 )	733	3.1	( 1.8 - 5.5 )	1,078
Hispanic/Latino	7.6	( 4.4 - 13.0 )	171	-	-	73	-	-	97
White*	3.8	( 1.4 - 10.2 )	128	-	-	59	-	-	69
All other races*	-	-	87	-	-	38	-	-	46
Multiple races*	3.9	( 1.4 - 10.6 )	152	-	-	51	0.9	( 0.2 - 5.4 )	101

Note: 229 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.1	( 6.5 - 10.2 )	2,438	10.0	( 8.1 - 12.1 )	987	5.4	( 3.9 - 7.5 )	1,426
<b>Age</b>									
15 or younger	8.1	( 5.9 - 11.1 )	1,168	11.3	( 8.3 - 15.2 )	444	3.7	( 2.0 - 6.9 )	709
16 or 17	7.9	( 6.0 - 10.3 )	1,130	8.3	( 5.8 - 11.6 )	474	7.0	( 4.8 - 10.1 )	647
18 or older	10.5	( 5.8 - 18.3 )	140	-	-	69	-	-	70
<b>Grade</b>									
9th	7.9	( 5.7 - 10.8 )	616	11.9	( 8.5 - 16.5 )	235	3.8	( 2.1 - 6.8 )	379
10th	6.0	( 3.3 - 10.5 )	709	7.4	( 4.8 - 11.3 )	299	3.9	( 1.3 - 11.2 )	404
11th	8.8	( 5.9 - 12.8 )	562	9.8	( 6.2 - 15.1 )	221	6.8	( 3.8 - 11.8 )	335
12th	8.1	( 5.8 - 11.4 )	517	7.8	( 4.5 - 13.5 )	216	7.4	( 4.4 - 12.1 )	298
<b>Race/Ethnicity</b>									
Black*	6.1	( 4.8 - 7.8 )	1,805	8.0	( 6.3 - 10.3 )	725	4.3	( 2.8 - 6.6 )	1,076
Hispanic/Latino	10.2	( 6.3 - 16.0 )	169	-	-	73	-	-	95
White*	11.8	( 6.8 - 19.6 )	128	-	-	59	-	-	69
All other races*	-	-	87	-	-	38	-	-	46
Multiple races*	8.2	( 4.3 - 15.0 )	150	-	-	51	-	-	99

Note: 244 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)

	Percentage	Total		N	Male		N	Female		N	
		95% confidence interval			95% confidence interval			95% confidence interval			
Total	10.1	( 8.7 - 11.7 )		2,420	12.3	( 10.4 - 14.6 )		985	7.3	( 5.9 - 8.9 )	1,412
<b>Age</b>											
15 or younger	9.5	( 7.5 - 11.9 )		1,159	12.5	( 9.7 - 15.8 )		443	5.7	( 3.9 - 8.2 )	702
16 or 17	10.2	( 8.4 - 12.3 )		1,121	11.8	( 9.1 - 15.2 )		474	8.4	( 6.6 - 10.6 )	639
18 or older	14.4	( 8.4 - 23.5 )		140	-	-		68	-	-	71
<b>Grade</b>											
9th	9.4	( 7.2 - 12.2 )		613	12.8	( 9.5 - 16.9 )		235	6.1	( 3.7 - 10.0 )	376
10th	7.3	( 5.3 - 10.1 )		705	9.5	( 6.4 - 13.9 )		298	5.0	( 2.9 - 8.3 )	401
11th	11.7	( 8.9 - 15.3 )		555	14.1	( 10.1 - 19.5 )		220	8.6	( 6.2 - 11.8 )	330
12th	10.7	( 7.7 - 14.6 )		513	11.2	( 7.3 - 17.0 )		216	10.1	( 6.8 - 14.9 )	295
<b>Race/Ethnicity</b>											
Black*	8.1	( 6.9 - 9.4 )		1,787	10.4	( 8.5 - 12.6 )		721	5.9	( 4.6 - 7.5 )	1,062
Hispanic/Latino	15.0	( 9.9 - 22.1 )		169	-	-		73	-	-	96
White*	12.4	( 7.4 - 20.2 )		129	-	-		60	-	-	69
All other races*	-	-		86	-	-		39	-	-	44
Multiple races*	10.8	( 6.4 - 17.8 )		150	-	-		51	-	-	99

Note: 262 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	6.0	( 4.6 - 8.0 )	2,476	6.7	( 5.0 - 8.9 )	1,009	4.7	( 3.2 - 6.7 )	1,443
<b>Age</b>									
15 or younger	6.0	( 4.2 - 8.7 )	1,180	6.9	( 4.7 - 10.1 )	453	3.8	( 2.2 - 6.4 )	712
16 or 17	5.8	( 4.1 - 8.3 )	1,147	6.5	( 4.1 - 10.2 )	482	5.0	( 3.3 - 7.7 )	657
18 or older	7.7	( 4.1 - 14.1 )	149	-	-	74	-	-	74
<b>Grade</b>									
9th	4.6	( 2.8 - 7.6 )	623	5.6	( 3.2 - 9.7 )	241	3.6	( 1.7 - 7.6 )	380
10th	6.2	( 3.7 - 10.3 )	719	7.0	( 3.7 - 13.0 )	304	4.8	( 2.2 - 10.4 )	409
11th	6.6	( 4.0 - 10.5 )	567	8.0	( 4.5 - 14.1 )	223	4.6	( 2.5 - 8.3 )	339
12th	6.2	( 3.8 - 10.0 )	531	5.7	( 2.8 - 11.2 )	224	6.0	( 2.9 - 11.9 )	304
<b>Race/Ethnicity</b>									
Black*	5.1	( 3.8 - 6.7 )	1,833	6.0	( 4.2 - 8.4 )	744	4.2	( 2.8 - 6.1 )	1,085
Hispanic/Latino	9.1	( 5.3 - 15.0 )	175	-	-	74	8.7	( 4.7 - 15.7 )	100
White*	4.2	( 1.7 - 9.5 )	130	-	-	61	-	-	69
All other races*	-	-	89	-	-	40	-	-	46
Multiple races*	7.0	( 3.4 - 13.8 )	153	-	-	51	4.7	( 1.8 - 11.5 )	102

Note: 206 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	14.4	( 12.3 - 16.7 )	2,429	16.4	( 13.7 - 19.4 )	985	11.9	( 9.7 - 14.5 )	1,423
15 or younger	12.9	( 10.0 - 16.5 )	1,160	15.9	( 12.6 - 19.8 )	441	9.3	( 6.6 - 13.0 )	708
16 or 17	15.5	( 13.3 - 17.9 )	1,127	16.7	( 13.4 - 20.7 )	474	14.0	( 11.3 - 17.1 )	644
18 or older	18.4	( 11.6 - 27.9 )	142	-	-	70	-	-	71
<b>Grade</b>									
9th	13.1	( 9.8 - 17.2 )	615	16.4	( 12.9 - 20.7 )	235	9.7	( 6.3 - 14.7 )	378
10th	12.3	( 8.8 - 17.0 )	706	13.3	( 9.0 - 19.2 )	296	10.7	( 6.9 - 16.2 )	404
11th	15.3	( 11.9 - 19.4 )	558	16.7	( 11.5 - 23.5 )	219	12.8	( 9.6 - 16.8 )	333
12th	16.4	( 13.1 - 20.5 )	520	17.3	( 11.8 - 24.7 )	219	14.8	( 10.8 - 19.9 )	298
<b>Race/Ethnicity</b>									
Black*	12.5	( 10.7 - 14.7 )	1,798	14.6	( 12.2 - 17.5 )	724	10.7	( 8.4 - 13.5 )	1,071
Hispanic/Latino	16.6	( 11.6 - 23.1 )	171	-	-	73	-	-	97
White*	16.9	( 10.4 - 26.3 )	128	-	-	60	-	-	68
All other races*	-	-	88	-	-	38	-	-	47
Multiple races*	22.9	( 16.0 - 31.7 )	150	-	-	51	-	-	99

Note: 253 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	4.9	( 3.6 - 6.5 )	2,436	5.9	( 4.2 - 8.1 )	986	3.5	( 2.4 - 5.0 )	1,428
<b>Age</b>									
15 or younger	5.0	( 3.4 - 7.2 )	1,163	7.3	( 4.6 - 11.2 )	442	2.1	( 1.3 - 3.6 )	708
16 or 17	4.5	( 3.1 - 6.6 )	1,126	4.2	( 2.2 - 7.7 )	471	4.7	( 3.0 - 7.3 )	647
18 or older	6.5	( 3.0 - 13.3 )	147	-	-	73	-	-	73
<b>Grade</b>									
9th	4.6	( 2.9 - 7.3 )	615	7.5	( 4.3 - 12.9 )	234	2.0	( 1.1 - 3.6 )	379
10th	4.0	( 2.3 - 6.8 )	706	4.1	( 2.2 - 7.8 )	296	3.5	( 1.6 - 7.7 )	406
11th	5.1	( 3.2 - 8.1 )	562	5.6	( 2.9 - 10.8 )	221	4.3	( 2.2 - 8.1 )	336
12th	4.9	( 2.9 - 8.1 )	518	4.9	( 2.1 - 10.9 )	220	4.1	( 1.9 - 8.4 )	296
<b>Race/Ethnicity</b>									
Black*	4.4	( 3.1 - 6.0 )	1,815	5.7	( 3.8 - 8.4 )	732	3.2	( 2.1 - 4.9 )	1,079
Hispanic/Latino	3.8	( 1.8 - 8.1 )	167	-	-	70	-	-	97
White*	4.9	( 2.2 - 10.3 )	128	-	-	61	-	-	67
All other races*	-	-	85	-	-	38	-	-	46
Multiple races*	3.2	( 1.3 - 7.3 )	151	-	-	51	3.9	( 1.5 - 9.8 )	100

Note: 246 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	25.5	( 23.5 - 27.7 )	2,376	27.8	( 24.4 - 31.5 )	958	23.5	( 20.8 - 26.5 )	1,407
<b>Age</b>									
15 or younger	22.7	( 20.2 - 25.5 )	1,128	23.3	( 19.4 - 27.7 )	424	22.3	( 18.6 - 26.4 )	699
16 or 17	28.5	( 25.1 - 32.1 )	1,105	31.9	( 26.7 - 37.5 )	462	25.6	( 21.8 - 29.8 )	638
18 or older	25.7	( 17.1 - 36.9 )	143	-	-	72	-	-	70
<b>Grade</b>									
9th	19.2	( 16.0 - 22.7 )	601	21.3	( 16.0 - 27.8 )	226	17.2	( 13.7 - 21.5 )	375
10th	27.6	( 23.4 - 32.2 )	684	28.0	( 22.0 - 35.0 )	282	27.1	( 22.0 - 32.9 )	399
11th	28.6	( 23.7 - 34.0 )	548	30.4	( 23.7 - 38.2 )	217	27.2	( 21.8 - 33.4 )	328
12th	29.3	( 25.2 - 33.7 )	513	35.4	( 28.2 - 43.4 )	218	23.9	( 19.4 - 29.1 )	295
<b>Race/Ethnicity</b>									
Black*	24.6	( 22.2 - 27.1 )	1,785	26.9	( 22.9 - 31.2 )	715	22.7	( 19.8 - 25.9 )	1,067
Hispanic/Latino	32.2	( 24.5 - 40.9 )	164	-	-	69	-	-	95
White*	28.8	( 21.7 - 37.2 )	125	-	-	60	-	-	65
All other races*	-	-	83	-	-	37	-	-	45
Multiple races*	24.6	( 17.6 - 33.2 )	148	-	-	49	-	-	99

Note: 306 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN60: Percentage of students who ever had sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	48.0	( 43.4 - 52.6 )	1,888	58.2	( 53.4 - 62.8 )	717	39.7	( 34.2 - 45.5 )	1,165
<b>Age</b>									
15 or younger	33.7	( 28.5 - 39.2 )	908	47.8	( 41.0 - 54.6 )	319	23.0	( 18.4 - 28.4 )	587
16 or 17	61.5	( 56.6 - 66.1 )	883	67.7	( 61.2 - 73.6 )	357	56.3	( 50.3 - 62.0 )	522
18 or older	-	-	97	-	-	41	-	-	56
<b>Grade</b>									
9th	30.5	( 23.6 - 38.4 )	467	46.5	( 37.6 - 55.6 )	158	18.1	( 12.6 - 25.4 )	309
10th	45.5	( 39.9 - 51.3 )	564	58.1	( 50.6 - 65.2 )	228	35.0	( 29.1 - 41.3 )	334
11th	56.7	( 50.0 - 63.1 )	437	63.0	( 54.0 - 71.2 )	165	51.6	( 43.1 - 60.0 )	270
12th	66.2	( 60.0 - 71.8 )	404	68.3	( 59.7 - 75.8 )	159	64.5	( 57.2 - 71.2 )	245
<b>Race/Ethnicity</b>									
Black*	48.6	( 44.0 - 53.3 )	1,424	59.9	( 55.0 - 64.6 )	544	39.5	( 33.8 - 45.5 )	877
Hispanic/Latino	58.5	( 47.6 - 68.6 )	125	-	-	49	-	-	76
White*	39.1	( 27.9 - 51.6 )	106	-	-	45	-	-	61
All other races*	-	-	63	-	-	24	-	-	38
Multiple races*	45.9	( 37.4 - 54.6 )	123	-	-	37	-	-	86

Note: 794 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	11.4	( 9.8 - 13.2 )	1,900	22.1	( 19.4 - 25.1 )	722	2.8	( 2.0 - 3.8 )	1,168
<b>Age</b>									
15 or younger	10.1	( 8.0 - 12.6 )	905	20.6	( 16.4 - 25.6 )	315	2.3	( 1.4 - 3.8 )	588
16 or 17	13.0	( 10.7 - 15.9 )	895	24.4	( 20.4 - 28.8 )	365	3.2	( 1.9 - 5.3 )	523
18 or older	9.0	( 4.8 - 16.5 )	100	-	-	42	-	-	57
<b>Grade</b>									
9th	9.8	( 7.2 - 13.3 )	464	21.5	( 15.8 - 28.4 )	158	0.8	( 0.2 - 3.3 )	306
10th	11.9	( 9.0 - 15.7 )	568	22.8	( 17.7 - 28.9 )	228	3.0	( 1.5 - 5.9 )	338
11th	12.9	( 9.5 - 17.3 )	445	24.4	( 18.3 - 31.6 )	168	3.7	( 1.9 - 7.0 )	274
12th	10.0	( 7.2 - 13.6 )	405	16.8	( 11.8 - 23.5 )	161	4.2	( 2.3 - 7.4 )	243
<b>Race/Ethnicity</b>									
Black*	11.6	( 9.8 - 13.7 )	1,428	23.1	( 19.9 - 26.8 )	547	2.5	( 1.7 - 3.6 )	878
Hispanic/Latino	18.1	( 11.7 - 27.1 )	126	-	-	48	-	-	77
White*	3.3	( 1.4 - 8.0 )	106	-	-	46	-	-	60
All other races*	-	-	63	-	-	24	-	-	38
Multiple races*	11.2	( 5.9 - 20.0 )	122	-	-	37	-	-	85

Note: 782 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	16.5	( 14.1 - 19.2 )	1,887	27.2	( 23.1 - 31.6 )	710	7.9	( 6.2 - 10.0 )	1,168
<b>Age</b>									
15 or younger	9.4	( 7.2 - 12.2 )	902	18.5	( 13.9 - 24.0 )	312	2.7	( 1.7 - 4.4 )	588
16 or 17	23.0	( 19.4 - 26.9 )	885	35.3	( 29.7 - 41.4 )	356	12.2	( 9.4 - 15.7 )	523
18 or older	25.9	( 18.5 - 34.9 )	100	-	-	42	-	-	57
<b>Grade</b>									
9th	9.0	( 6.2 - 12.7 )	461	19.6	( 13.9 - 26.8 )	156	0.8	( 0.2 - 2.3 )	305
10th	13.4	( 9.7 - 18.1 )	566	23.5	( 17.2 - 31.2 )	225	4.8	( 2.6 - 8.5 )	339
11th	20.5	( 16.5 - 25.3 )	440	30.9	( 23.9 - 38.8 )	164	11.9	( 8.5 - 16.5 )	273
12th	25.5	( 20.4 - 31.5 )	403	35.8	( 27.6 - 44.9 )	158	17.3	( 12.2 - 23.9 )	244
<b>Race/Ethnicity</b>									
Black*	16.9	( 14.3 - 19.8 )	1,419	28.4	( 24.1 - 33.1 )	538	7.8	( 5.8 - 10.5 )	878
Hispanic/Latino	23.3	( 16.4 - 32.1 )	127	-	-	49	-	-	77
White*	6.2	( 2.8 - 12.8 )	104	-	-	44	-	-	60
All other races*	-	-	64	-	-	25	-	-	38
Multiple races*	13.3	( 8.1 - 21.1 )	122	-	-	37	-	-	85

Note: 795 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	32.6	( 29.2 - 36.1 )	1,882	38.0	( 34.0 - 42.2 )	709	28.2	( 24.2 - 32.6 )	1,164
<b>Age</b>									
15 or younger	20.7	( 17.1 - 24.8 )	893	28.9	( 23.1 - 35.4 )	307	14.8	( 11.7 - 18.6 )	584
16 or 17	43.6	( 39.4 - 47.9 )	889	46.5	( 40.7 - 52.4 )	360	41.0	( 36.2 - 46.1 )	523
18 or older	44.7	( 33.4 - 56.6 )	100	-	-	42	-	-	57
<b>Grade</b>									
9th	18.1	( 13.3 - 24.1 )	459	28.7	( 20.6 - 38.4 )	153	10.1	( 7.1 - 14.1 )	306
10th	28.0	( 23.3 - 33.1 )	559	32.6	( 25.7 - 40.3 )	223	24.0	( 18.8 - 30.2 )	334
11th	40.9	( 34.8 - 47.2 )	443	45.5	( 36.7 - 54.6 )	167	37.1	( 30.6 - 44.0 )	273
12th	49.4	( 43.1 - 55.7 )	404	48.2	( 38.9 - 57.7 )	159	50.2	( 42.3 - 58.1 )	244
<b>Race/Ethnicity</b>									
Black*	32.8	( 29.2 - 36.7 )	1,414	38.7	( 34.1 - 43.4 )	537	28.3	( 23.9 - 33.1 )	874
Hispanic/Latino	41.6	( 32.2 - 51.7 )	126	-	-	49	-	-	76
White*	27.6	( 19.0 - 38.2 )	104	-	-	44	-	-	60
All other races*	-	-	64	-	-	25	-	-	38
Multiple races*	31.6	( 23.9 - 40.5 )	123	-	-	37	-	-	86

Note: 800 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	18.0	( 14.9 - 21.5 )	596	16.8	( 13.2 - 21.2 )	267	19.4	( 14.7 - 25.2 )	326
<b>Age</b>									
15 or younger	15.0	( 10.5 - 20.9 )	181	-	-	88	-	-	93
16 or 17	17.9	( 14.2 - 22.4 )	372	18.3	( 13.1 - 24.9 )	162	17.9	( 12.8 - 24.4 )	207
18 or older	-	-	43	-	-	17	-	-	26
<b>Grade</b>									
9th	-	-	74	-	-	43	-	-	31
10th	11.6	( 6.8 - 19.0 )	149	-	-	72	-	-	76
11th	15.0	( 9.8 - 22.3 )	170	-	-	71	-	-	98
12th	26.6	( 21.4 - 32.5 )	197	-	-	77	29.9	( 21.5 - 39.8 )	119
<b>Race/Ethnicity</b>									
Black*	17.8	( 14.1 - 22.1 )	449	15.8	( 11.5 - 21.2 )	200	20.0	( 14.6 - 26.7 )	248
Hispanic/Latino	-	-	50	-	-	21	-	-	28
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	19	-	-	11	-	-	8
Multiple races*	-	-	38	-	-	17	-	-	21

Note: 2,086 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	68.3	( 64.1 - 72.2 )	562	76.6	( 70.1 - 82.0 )	252	59.5	( 54.2 - 64.7 )	308
<b>Age</b>									
15 or younger	72.6	( 63.5 - 80.2 )	161	-	-	81	-	-	80
16 or 17	67.1	( 61.8 - 72.0 )	358	77.6	( 69.4 - 84.1 )	153	57.2	( 50.4 - 63.7 )	203
18 or older	-	-	43	-	-	18	-	-	25
<b>Grade</b>									
9th	-	-	62	-	-	38	-	-	24
10th	70.8	( 60.3 - 79.5 )	139	-	-	69	-	-	69
11th	67.4	( 58.8 - 75.0 )	165	-	-	69	-	-	96
12th	62.5	( 55.0 - 69.5 )	191	-	-	73	59.8	( 51.3 - 67.8 )	117
<b>Race/Ethnicity</b>									
Black*	69.8	( 64.8 - 74.4 )	427	78.6	( 70.6 - 84.9 )	187	60.6	( 55.0 - 65.9 )	239
Hispanic/Latino	-	-	44	-	-	20	-	-	23
White*	-	-	29	-	-	13	-	-	16
All other races*	-	-	17	-	-	10	-	-	7
Multiple races*	-	-	36	-	-	16	-	-	20

Note: 2,120 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	9.7	( 7.3 - 12.7 )	572	6.7	( 4.5 - 9.7 )	256	12.5	( 9.0 - 17.2 )	313
<b>Age</b>									
15 or younger	5.6	( 3.0 - 10.4 )	166	-	-	85	-	-	81
16 or 17	10.9	( 7.6 - 15.5 )	362	7.6	( 3.7 - 14.9 )	153	13.4	( 9.1 - 19.2 )	206
18 or older	-	-	44	-	-	18	-	-	26
<b>Grade</b>									
9th	-	-	64	-	-	40	-	-	24
10th	2.7	( 1.2 - 6.0 )	140	-	-	68	-	-	71
11th	14.2	( 9.5 - 20.6 )	166	-	-	69	-	-	96
12th	11.4	( 6.7 - 18.8 )	196	-	-	75	14.3	( 7.9 - 24.3 )	120
<b>Race/Ethnicity</b>									
Black*	8.3	( 6.0 - 11.4 )	428	6.4	( 4.2 - 9.5 )	188	10.4	( 6.8 - 15.5 )	239
Hispanic/Latino	-	-	45	-	-	21	-	-	23
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	20	-	-	12	-	-	8
Multiple races*	-	-	37	-	-	16	-	-	21

Note: 2,110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	2.2	( 1.3 - 3.8 )	572	1.0	( 0.2 - 3.8 )	256	3.6	( 2.1 - 6.0 )	313
15 or younger	1.7	( 0.5 - 5.6 )	166	-	-	85	-	-	81
16 or 17	2.4	( 1.2 - 4.5 )	362	0.0	-	153	4.6	( 2.5 - 8.2 )	206
18 or older	-	-	44	-	-	18	-	-	26
<b>Grade</b>									
9th	-	-	64	-	-	40	-	-	24
10th	3.6	( 1.3 - 9.5 )	140	-	-	68	-	-	71
11th	1.9	( 0.6 - 5.8 )	166	-	-	69	-	-	96
12th	2.8	( 1.3 - 6.1 )	196	-	-	75	3.6	( 1.6 - 8.1 )	120
<b>Race/Ethnicity</b>									
Black*	2.2	( 1.2 - 4.1 )	428	0.6	( 0.1 - 4.2 )	188	3.9	( 2.2 - 6.9 )	239
Hispanic/Latino	-	-	45	-	-	21	-	-	23
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	20	-	-	12	-	-	8
Multiple races*	-	-	37	-	-	16	-	-	21

Note: 2,110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	6.8	( 4.7 - 9.7 )	572	2.4	( 1.0 - 5.4 )	256	11.3	( 7.4 - 16.8 )	313
15 or younger	2.5	( 0.9 - 6.5 )	166	-	-	85	-	-	81
16 or 17	8.7	( 6.0 - 12.5 )	362	3.6	( 1.6 - 7.8 )	153	13.2	( 8.4 - 20.3 )	206
18 or older	-	-	44	-	-	18	-	-	26
<b>Grade</b>									
9th	-	-	64	-	-	40	-	-	24
10th	4.0	( 1.7 - 9.2 )	140	-	-	68	-	-	71
11th	7.4	( 4.3 - 12.5 )	166	-	-	69	-	-	96
12th	9.8	( 5.5 - 17.0 )	196	-	-	75	14.1	( 7.3 - 25.3 )	120
<b>Race/Ethnicity</b>									
Black*	6.9	( 4.6 - 10.2 )	428	2.1	( 0.8 - 5.4 )	188	12.0	( 7.4 - 18.9 )	239
Hispanic/Latino	-	-	45	-	-	21	-	-	23
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	20	-	-	12	-	-	8
Multiple races*	-	-	37	-	-	16	-	-	21

Note: 2,110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	18.7	( 15.9 - 21.9 )	572	10.0	( 7.1 - 13.9 )	256	27.4	( 23.2 - 32.1 )	313
15 or younger	9.8	( 6.2 - 15.3 )	166	-	-	85	-	-	81
16 or 17	22.0	( 18.3 - 26.2 )	362	11.1	( 6.4 - 18.8 )	153	31.2	( 26.0 - 37.0 )	206
18 or older	-	-	44	-	-	18	-	-	26
<b>Grade</b>									
9th	-	-	64	-	-	40	-	-	24
10th	10.2	( 5.8 - 17.4 )	140	-	-	68	-	-	71
11th	23.6	( 17.8 - 30.6 )	166	-	-	69	-	-	96
12th	24.1	( 18.4 - 30.9 )	196	-	-	75	31.9	( 23.3 - 42.1 )	120
<b>Race/Ethnicity</b>									
Black*	17.4	( 14.4 - 20.9 )	428	9.1	( 6.2 - 13.1 )	188	26.3	( 21.4 - 32.0 )	239
Hispanic/Latino	-	-	45	-	-	21	-	-	23
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	20	-	-	12	-	-	8
Multiple races*	-	-	37	-	-	16	-	-	21

Note: 2,110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	7.4	( 5.4 - 10.3 )	552	3.4	( 1.9 - 6.0 )	249	11.8	( 8.3 - 16.6 )	301
15 or younger	2.2	( 0.9 - 4.9 )	155	-	-	80	-	-	75
16 or 17	8.7	( 6.0 - 12.4 )	354	3.8	( 1.8 - 8.0 )	151	13.3	( 8.8 - 19.6 )	201
18 or older	-	-	43	-	-	18	-	-	25
<b>Grade</b>									
9th	-	-	60	-	-	37	-	-	23
10th	3.1	( 1.2 - 7.8 )	133	-	-	67	-	-	65
11th	8.7	( 4.7 - 15.8 )	163	-	-	69	-	-	94
12th	11.8	( 7.5 - 18.2 )	191	-	-	73	18.2	( 11.1 - 28.4 )	117
<b>Race/Ethnicity</b>									
Black*	6.9	( 4.7 - 9.9 )	417	3.6	( 1.9 - 6.7 )	184	10.4	( 6.8 - 15.6 )	232
Hispanic/Latino	-	-	44	-	-	20	-	-	23
White*	-	-	29	-	-	13	-	-	16
All other races*	-	-	17	-	-	10	-	-	7
Multiple races*	-	-	36	-	-	16	-	-	20

Note: 2,130 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	15.5	( 12.2 - 19.5 )	572	12.1	( 7.7 - 18.5 )	256	19.3	( 15.2 - 24.3 )	313
<b>Age</b>									
15 or younger	16.9	( 10.6 - 26.0 )	166	-	-	85	-	-	81
16 or 17	14.9	( 10.8 - 20.0 )	362	11.4	( 5.8 - 21.2 )	153	18.3	( 13.0 - 25.0 )	206
18 or older	-	-	44	-	-	18	-	-	26
<b>Grade</b>									
9th	-	-	64	-	-	40	-	-	24
10th	16.5	( 10.6 - 24.6 )	140	-	-	68	-	-	71
11th	15.9	( 10.3 - 23.9 )	166	-	-	69	-	-	96
12th	13.9	( 9.5 - 19.9 )	196	-	-	75	17.5	( 10.7 - 27.3 )	120
<b>Race/Ethnicity</b>									
Black*	15.7	( 12.2 - 19.9 )	428	12.4	( 7.4 - 20.1 )	188	19.2	( 14.8 - 24.6 )	239
Hispanic/Latino	-	-	45	-	-	21	-	-	23
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	20	-	-	12	-	-	8
Multiple races*	-	-	37	-	-	16	-	-	21

Note: 2,110 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNOBESE: Percentage of students who were obese ( $\geq$  95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	17.1	( 15.2 - 19.3 )	2,379	19.0	( 16.5 - 21.9 )	1,030	15.2	( 12.8 - 17.9 )	1,349
<b>Age</b>									
15 or younger	17.4	( 14.7 - 20.5 )	1,126	18.7	( 15.1 - 22.9 )	468	16.1	( 13.0 - 19.9 )	658
16 or 17	17.2	( 14.7 - 20.0 )	1,113	20.4	( 16.9 - 24.3 )	491	14.1	( 11.1 - 17.7 )	622
18 or older	13.8	( 8.2 - 22.2 )	140	-	-	71	-	-	69
<b>Grade</b>									
9th	18.5	( 15.1 - 22.3 )	599	19.2	( 14.5 - 25.0 )	252	17.6	( 13.5 - 22.7 )	347
10th	15.2	( 12.2 - 18.7 )	700	15.6	( 12.0 - 20.1 )	313	14.8	( 10.8 - 20.0 )	387
11th	20.0	( 16.3 - 24.4 )	536	26.1	( 21.1 - 32.0 )	225	14.1	( 9.3 - 20.9 )	311
12th	14.9	( 11.8 - 18.6 )	514	16.6	( 12.5 - 21.7 )	221	13.3	( 9.0 - 19.4 )	293
<b>Race/Ethnicity</b>									
Black*	16.5	( 14.8 - 18.4 )	1,781	17.8	( 15.5 - 20.5 )	764	15.3	( 13.1 - 17.8 )	1,017
Hispanic/Latino	17.7	( 12.1 - 25.2 )	170	-	-	74	-	-	96
White*	26.2	( 15.3 - 40.9 )	117	-	-	57	-	-	60
All other races*	-	-	77	-	-	34	-	-	43
Multiple races*	17.5	( 11.8 - 25.1 )	149	-	-	55	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight ( $\geq$  85th percentile but  $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	18.6	( 17.0 - 20.3 )	2,379	16.4	( 14.1 - 18.9 )	1,030	20.8	( 18.6 - 23.2 )	1,349
<b>Age</b>									
15 or younger	18.9	( 16.6 - 21.6 )	1,126	18.7	( 15.0 - 23.0 )	468	19.2	( 16.1 - 22.6 )	658
16 or 17	18.0	( 15.8 - 20.4 )	1,113	13.8	( 11.3 - 16.6 )	491	22.1	( 18.6 - 26.2 )	622
18 or older	20.2	( 14.4 - 27.6 )	140	-	-	71	-	-	69
<b>Grade</b>									
9th	18.6	( 15.6 - 22.2 )	599	17.4	( 12.6 - 23.6 )	252	20.0	( 15.7 - 25.1 )	347
10th	18.5	( 15.5 - 21.9 )	700	18.2	( 14.7 - 22.4 )	313	18.7	( 14.3 - 24.2 )	387
11th	17.8	( 14.0 - 22.5 )	536	11.4	( 7.7 - 16.5 )	225	24.1	( 18.9 - 30.1 )	311
12th	19.4	( 16.3 - 23.0 )	514	17.6	( 13.1 - 23.3 )	221	21.0	( 16.7 - 26.1 )	293
<b>Race/Ethnicity</b>									
Black*	19.1	( 17.4 - 20.8 )	1,781	17.3	( 14.8 - 20.1 )	764	20.8	( 18.5 - 23.2 )	1,017
Hispanic/Latino	18.8	( 13.1 - 26.4 )	170	-	-	74	-	-	96
White*	14.6	( 9.5 - 21.8 )	117	-	-	57	-	-	60
All other races*	-	-	77	-	-	34	-	-	43
Multiple races*	13.7	( 9.1 - 20.2 )	149	-	-	55	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN69: Percentage of students who described themselves as slightly or very overweight

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.1	( 20.7 - 25.7 )	2,367	19.0	( 15.7 - 22.9 )	958	26.5	( 23.7 - 29.5 )	1,388
<b>Age</b>									
15 or younger	23.5	( 20.6 - 26.7 )	1,125	20.0	( 15.7 - 25.1 )	431	26.3	( 22.4 - 30.5 )	682
16 or 17	23.0	( 19.7 - 26.8 )	1,099	19.2	( 14.5 - 25.0 )	457	26.3	( 23.1 - 29.8 )	634
18 or older	19.7	( 12.8 - 29.2 )	143	-	-	70	-	-	72
<b>Grade</b>									
9th	23.4	( 19.6 - 27.6 )	592	21.3	( 15.2 - 29.0 )	224	25.3	( 21.0 - 30.2 )	366
10th	21.9	( 18.8 - 25.3 )	679	17.6	( 13.2 - 23.2 )	284	25.6	( 20.9 - 30.9 )	390
11th	23.9	( 17.8 - 31.3 )	551	20.5	( 12.8 - 31.3 )	221	26.6	( 20.8 - 33.4 )	325
12th	23.7	( 19.3 - 28.7 )	511	16.5	( 10.8 - 24.5 )	213	29.9	( 24.9 - 35.4 )	297
<b>Race/Ethnicity</b>									
Black*	22.2	( 19.9 - 24.7 )	1,756	17.6	( 14.3 - 21.5 )	709	25.9	( 23.0 - 29.0 )	1,043
Hispanic/Latino	23.9	( 18.5 - 30.3 )	159	-	-	69	-	-	90
White*	36.6	( 26.1 - 48.5 )	128	-	-	59	-	-	69
All other races*	-	-	83	-	-	34	-	-	47
Multiple races*	25.0	( 19.3 - 31.6 )	148	-	-	51	-	-	97

Note: 315 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	26.4	( 24.2 - 28.7 )	2,404	27.1	( 24.3 - 30.1 )	972	25.6	( 22.7 - 28.7 )	1,411
<b>Age</b>									
15 or younger	27.1	( 23.9 - 30.6 )	1,143	28.1	( 23.6 - 33.1 )	437	26.3	( 21.9 - 31.2 )	694
16 or 17	24.5	( 22.0 - 27.2 )	1,114	24.1	( 20.6 - 28.0 )	463	24.6	( 21.2 - 28.4 )	643
18 or older	34.9	( 26.0 - 45.0 )	147	-	-	72	-	-	74
<b>Grade</b>									
9th	27.2	( 23.0 - 31.9 )	603	28.4	( 22.6 - 34.9 )	229	26.3	( 20.9 - 32.6 )	372
10th	27.4	( 23.8 - 31.3 )	682	28.3	( 22.7 - 34.7 )	287	26.0	( 21.7 - 30.9 )	392
11th	22.1	( 18.6 - 26.2 )	560	22.9	( 17.7 - 29.1 )	223	21.8	( 17.1 - 27.3 )	332
12th	28.1	( 24.5 - 31.9 )	522	29.0	( 23.9 - 34.6 )	216	27.5	( 22.7 - 32.9 )	305
<b>Race/Ethnicity</b>									
Black*	26.0	( 23.7 - 28.4 )	1,784	27.1	( 23.9 - 30.6 )	717	25.0	( 22.1 - 28.3 )	1,063
Hispanic/Latino	28.5	( 22.4 - 35.6 )	165	-	-	70	-	-	95
White*	27.7	( 20.7 - 36.0 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	19.5	( 12.9 - 28.4 )	146	-	-	51	-	-	95

Note: 278 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	21.1	( 19.6 - 22.8 )	2,391	21.6	( 18.9 - 24.6 )	964	20.6	( 18.5 - 22.8 )	1,409
<b>Age</b>									
15 or younger	19.5	( 17.1 - 22.2 )	1,132	20.5	( 16.3 - 25.3 )	429	18.5	( 15.8 - 21.6 )	694
16 or 17	21.5	( 19.5 - 23.7 )	1,112	20.9	( 17.8 - 24.5 )	463	22.0	( 19.2 - 25.1 )	641
18 or older	31.1	( 23.9 - 39.5 )	147	-	-	72	-	-	74
<b>Grade</b>									
9th	20.5	( 17.0 - 24.6 )	599	21.0	( 15.1 - 28.4 )	226	19.8	( 15.7 - 24.7 )	371
10th	19.4	( 16.2 - 23.2 )	679	20.6	( 15.6 - 26.8 )	281	18.3	( 14.9 - 22.2 )	395
11th	24.2	( 20.9 - 27.8 )	558	24.1	( 19.3 - 29.7 )	223	24.6	( 20.0 - 29.9 )	330
12th	20.5	( 17.0 - 24.5 )	520	20.8	( 16.2 - 26.1 )	216	20.3	( 15.9 - 25.7 )	303
<b>Race/Ethnicity</b>									
Black*	21.8	( 19.8 - 23.8 )	1,769	22.7	( 19.3 - 26.4 )	709	21.0	( 18.9 - 23.2 )	1,056
Hispanic/Latino	16.7	( 11.3 - 23.9 )	166	-	-	69	-	-	96
White*	19.6	( 12.6 - 29.3 )	130	-	-	61	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	12.5	( 8.0 - 19.1 )	147	-	-	51	-	-	96

Note: 291 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	10.2	( 8.9 - 11.7 )	2,379	10.6	( 8.7 - 13.0 )	960	9.6	( 7.9 - 11.6 )	1,402
<b>Age</b>									
15 or younger	9.2	( 7.4 - 11.6 )	1,125	8.9	( 6.0 - 13.0 )	426	9.5	( 7.1 - 12.5 )	690
16 or 17	10.0	( 8.3 - 12.0 )	1,108	10.3	( 7.9 - 13.4 )	462	9.5	( 7.1 - 12.4 )	639
18 or older	19.4	( 12.9 - 28.2 )	146	-	-	72	-	-	73
<b>Grade</b>									
9th	10.2	( 7.4 - 13.9 )	597	8.9	( 5.0 - 15.5 )	225	11.3	( 7.7 - 16.3 )	370
10th	9.5	( 7.1 - 12.6 )	674	10.2	( 6.2 - 16.4 )	280	8.6	( 6.3 - 11.6 )	391
11th	10.0	( 7.9 - 12.7 )	556	10.5	( 7.4 - 14.7 )	222	9.8	( 6.9 - 13.7 )	329
12th	10.7	( 8.2 - 13.9 )	518	13.4	( 9.8 - 18.0 )	216	8.5	( 5.4 - 13.2 )	302
<b>Race/Ethnicity</b>									
Black*	9.6	( 8.1 - 11.3 )	1,766	10.5	( 8.2 - 13.2 )	707	8.8	( 7.1 - 10.8 )	1,055
Hispanic/Latino	12.9	( 8.5 - 19.2 )	164	-	-	69	-	-	95
White*	13.8	( 8.3 - 22.1 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	6.8	( 3.7 - 12.4 )	145	-	-	51	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	51.0	( 48.1 - 53.9 )	2,379	54.2	( 50.2 - 58.1 )	960	48.1	( 44.8 - 51.4 )	1,402
<b>Age</b>									
15 or younger	51.4	( 46.7 - 56.1 )	1,125	54.5	( 49.2 - 59.7 )	426	48.7	( 43.1 - 54.4 )	690
16 or 17	51.9	( 48.8 - 54.9 )	1,108	56.0	( 51.2 - 60.7 )	462	48.1	( 44.4 - 51.8 )	639
18 or older	40.8	( 33.0 - 49.2 )	146	-	-	72	-	-	73
<b>Grade</b>									
9th	50.8	( 45.4 - 56.2 )	597	55.9	( 48.9 - 62.6 )	225	46.3	( 41.1 - 51.6 )	370
10th	52.6	( 47.9 - 57.3 )	674	54.8	( 46.8 - 62.6 )	280	51.0	( 44.6 - 57.3 )	391
11th	51.8	( 47.8 - 55.8 )	556	51.5	( 46.0 - 57.0 )	222	51.3	( 46.1 - 56.5 )	329
12th	48.0	( 43.2 - 52.8 )	518	52.7	( 46.1 - 59.3 )	216	44.0	( 37.8 - 50.3 )	302
<b>Race/Ethnicity</b>									
Black*	49.6	( 46.4 - 52.8 )	1,766	52.7	( 47.9 - 57.4 )	707	46.9	( 43.5 - 50.4 )	1,055
Hispanic/Latino	54.7	( 46.2 - 62.8 )	164	-	-	69	-	-	95
White*	56.4	( 47.4 - 65.0 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	67.9	( 58.0 - 76.4 )	145	-	-	51	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	27.8	( 25.8 - 29.9 )	2,379	28.7	( 26.1 - 31.5 )	960	26.9	( 23.7 - 30.4 )	1,402
<b>Age</b>									
15 or younger	27.8	( 24.6 - 31.3 )	1,125	27.5	( 23.5 - 32.0 )	426	28.1	( 23.1 - 33.7 )	690
16 or 17	28.4	( 25.9 - 31.0 )	1,108	30.7	( 27.0 - 34.7 )	462	26.0	( 22.2 - 30.2 )	639
18 or older	23.6	( 17.0 - 31.8 )	146	-	-	72	-	-	73
<b>Grade</b>									
9th	28.8	( 25.0 - 32.8 )	597	30.6	( 24.8 - 37.0 )	225	27.3	( 22.2 - 32.9 )	370
10th	28.1	( 24.3 - 32.4 )	674	26.7	( 22.0 - 32.1 )	280	29.3	( 23.3 - 36.2 )	391
11th	28.0	( 24.7 - 31.6 )	556	28.3	( 24.2 - 32.9 )	222	27.0	( 21.7 - 33.2 )	329
12th	25.4	( 21.8 - 29.4 )	518	27.9	( 22.1 - 34.7 )	216	23.3	( 19.6 - 27.5 )	302
<b>Race/Ethnicity</b>									
Black*	27.9	( 25.5 - 30.5 )	1,766	28.9	( 25.8 - 32.2 )	707	27.1	( 23.4 - 31.1 )	1,055
Hispanic/Latino	29.7	( 22.7 - 37.9 )	164	-	-	69	-	-	95
White*	24.6	( 18.6 - 31.7 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	39.4	( 31.8 - 47.5 )	145	-	-	51	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	21.2	( 19.6 - 22.9 )	2,379	23.0	( 20.6 - 25.7 )	960	19.6	( 17.0 - 22.4 )	1,402
<b>Age</b>									
15 or younger	21.0	( 18.4 - 23.9 )	1,125	22.2	( 18.1 - 26.8 )	426	20.2	( 16.4 - 24.6 )	690
16 or 17	21.6	( 19.3 - 24.1 )	1,108	24.7	( 21.0 - 28.7 )	462	18.9	( 15.5 - 22.9 )	639
18 or older	18.8	( 12.5 - 27.3 )	146	-	-	72	-	-	73
<b>Grade</b>									
9th	22.6	( 19.8 - 25.7 )	597	26.1	( 20.5 - 32.5 )	225	19.6	( 16.0 - 23.8 )	370
10th	21.2	( 18.0 - 24.7 )	674	21.3	( 17.0 - 26.3 )	280	21.3	( 16.6 - 27.0 )	391
11th	21.2	( 18.2 - 24.6 )	556	20.4	( 16.0 - 25.8 )	222	21.4	( 16.5 - 27.4 )	329
12th	19.3	( 16.1 - 23.0 )	518	23.5	( 18.1 - 29.8 )	216	15.8	( 12.3 - 20.0 )	302
<b>Race/Ethnicity</b>									
Black*	21.8	( 19.8 - 24.0 )	1,766	23.6	( 20.6 - 26.8 )	707	20.4	( 17.2 - 24.0 )	1,055
Hispanic/Latino	21.0	( 15.3 - 28.2 )	164	-	-	69	-	-	95
White*	15.0	( 9.7 - 22.5 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	30.7	( 23.4 - 39.0 )	145	-	-	51	-	-	94

Note: 303 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN73: Percentage of students who did not eat salad (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	50.5	( 48.7 - 52.4 )	2,384	51.2	( 48.1 - 54.2 )	957	50.3	( 47.5 - 53.0 )	1,408
<b>Age</b>									
15 or younger	51.1	( 48.3 - 53.9 )	1,131	53.1	( 48.2 - 57.9 )	426	50.2	( 46.0 - 54.4 )	695
16 or 17	49.8	( 47.3 - 52.4 )	1,105	49.0	( 45.3 - 52.7 )	459	50.5	( 46.8 - 54.1 )	638
18 or older	51.2	( 43.8 - 58.6 )	148	-	-	72	-	-	75
<b>Grade</b>									
9th	50.8	( 46.9 - 54.6 )	595	52.1	( 44.8 - 59.3 )	222	49.8	( 43.8 - 55.8 )	371
10th	52.4	( 48.9 - 55.8 )	677	53.2	( 48.0 - 58.3 )	279	51.5	( 47.0 - 56.0 )	395
11th	51.6	( 47.7 - 55.6 )	557	51.0	( 46.1 - 55.8 )	223	53.0	( 47.1 - 58.9 )	329
12th	48.4	( 43.9 - 52.9 )	520	49.5	( 42.8 - 56.2 )	215	47.9	( 40.7 - 55.2 )	303
<b>Race/Ethnicity</b>									
Black*	51.7	( 49.5 - 53.9 )	1,763	52.5	( 48.6 - 56.2 )	703	51.1	( 48.2 - 54.0 )	1,056
Hispanic/Latino	53.2	( 45.2 - 61.0 )	165	-	-	69	-	-	95
White*	40.0	( 29.5 - 51.4 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	48.4	( 40.8 - 56.1 )	148	-	-	51	-	-	97

Note: 298 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	43.8	( 41.5 - 46.2 )	2,368	42.3	( 38.3 - 46.4 )	955	45.5	( 42.7 - 48.2 )	1,391
<b>Age</b>									
15 or younger	47.4	( 43.7 - 51.2 )	1,114	47.0	( 41.4 - 52.8 )	422	48.1	( 43.2 - 53.1 )	681
16 or 17	39.7	( 36.4 - 43.1 )	1,108	36.8	( 32.3 - 41.6 )	461	42.6	( 38.1 - 47.1 )	637
18 or older	46.0	( 38.6 - 53.6 )	146	-	-	72	-	-	73
<b>Grade</b>									
9th	44.5	( 40.1 - 49.0 )	588	45.1	( 37.5 - 53.0 )	222	44.0	( 38.3 - 49.8 )	364
10th	49.5	( 45.6 - 53.5 )	670	47.7	( 41.2 - 54.2 )	279	51.3	( 46.2 - 56.3 )	387
11th	42.0	( 37.2 - 46.9 )	557	38.7	( 32.7 - 45.0 )	222	45.2	( 38.4 - 52.1 )	330
12th	39.8	( 36.3 - 43.4 )	517	38.7	( 32.2 - 45.6 )	215	40.8	( 35.4 - 46.5 )	300
<b>Race/Ethnicity</b>									
Black*	44.8	( 42.0 - 47.6 )	1,751	42.1	( 37.6 - 46.7 )	704	47.3	( 44.3 - 50.3 )	1,043
Hispanic/Latino	40.1	( 32.3 - 48.4 )	160	-	-	67	-	-	92
White*	33.9	( 25.9 - 43.1 )	130	-	-	61	-	-	69
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	44.8	( 36.3 - 53.5 )	146	-	-	50	-	-	96

Note: 314 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	65.5	( 63.1 - 67.7 )	2,362	58.6	( 55.2 - 62.0 )	950	72.0	( 69.0 - 74.8 )	1,389
<b>Age</b>									
15 or younger	64.0	( 60.7 - 67.2 )	1,113	54.9	( 49.8 - 59.9 )	418	72.3	( 69.1 - 75.3 )	682
16 or 17	67.7	( 63.9 - 71.2 )	1,104	62.4	( 57.0 - 67.4 )	460	72.7	( 68.1 - 76.8 )	635
18 or older	60.5	( 53.1 - 67.5 )	145	-	-	72	-	-	72
<b>Grade</b>									
9th	64.6	( 60.4 - 68.6 )	586	55.1	( 49.3 - 60.7 )	220	73.3	( 69.0 - 77.1 )	364
10th	64.3	( 60.1 - 68.3 )	672	56.9	( 49.4 - 64.1 )	279	71.1	( 66.5 - 75.3 )	388
11th	68.0	( 62.1 - 73.4 )	555	63.7	( 53.6 - 72.8 )	221	72.5	( 66.9 - 77.5 )	329
12th	66.6	( 61.8 - 71.1 )	514	61.6	( 55.1 - 67.7 )	214	70.9	( 65.2 - 76.1 )	298
<b>Race/Ethnicity</b>									
Black*	68.1	( 65.8 - 70.4 )	1,748	59.9	( 55.8 - 63.9 )	703	75.1	( 71.9 - 78.1 )	1,041
Hispanic/Latino	57.2	( 49.2 - 64.8 )	160	-	-	67	-	-	92
White*	51.2	( 41.0 - 61.2 )	129	-	-	60	-	-	69
All other races*	-	-	83	-	-	34	-	-	47
Multiple races*	62.7	( 54.3 - 70.3 )	146	-	-	50	-	-	96

Note: 320 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	25.6	( 23.5 - 27.8 )	2,348	26.1	( 23.0 - 29.5 )	941	24.9	( 22.3 - 27.7 )	1,386
<b>Age</b>									
15 or younger	24.3	( 21.4 - 27.5 )	1,103	23.9	( 19.2 - 29.2 )	414	24.4	( 20.8 - 28.4 )	678
16 or 17	26.7	( 24.1 - 29.4 )	1,100	27.3	( 23.9 - 31.0 )	456	26.2	( 22.6 - 30.1 )	635
18 or older	27.0	( 18.5 - 37.6 )	145	-	-	71	-	-	73
<b>Grade</b>									
9th	26.2	( 22.6 - 30.1 )	584	26.2	( 20.9 - 32.3 )	219	26.1	( 21.4 - 31.4 )	363
10th	24.2	( 20.8 - 27.9 )	666	25.5	( 20.3 - 31.6 )	276	22.7	( 17.9 - 28.3 )	386
11th	28.2	( 24.1 - 32.7 )	553	26.8	( 21.1 - 33.3 )	221	29.9	( 24.8 - 35.5 )	327
12th	22.7	( 18.4 - 27.7 )	511	26.1	( 20.4 - 32.7 )	210	19.9	( 14.6 - 26.7 )	300
<b>Race/Ethnicity</b>									
Black*	25.6	( 23.3 - 28.1 )	1,742	26.2	( 22.3 - 30.5 )	697	25.1	( 22.5 - 28.0 )	1,041
Hispanic/Latino	27.6	( 20.5 - 36.1 )	158	-	-	65	-	-	92
White*	23.0	( 14.5 - 34.4 )	128	-	-	60	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	19.8	( 14.4 - 26.8 )	145	-	-	49	-	-	96

Note: 334 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
<b>Age</b>									
Total	12.2	( 10.8 - 13.8 )	2,314	13.1	( 10.8 - 15.7 )	922	11.4	( 9.6 - 13.6 )	1,374
15 or younger	11.9	( 9.6 - 14.5 )	1,084	12.0	( 8.7 - 16.4 )	403	11.9	( 9.1 - 15.4 )	672
16 or 17	11.9	( 9.9 - 14.1 )	1,086	12.2	( 9.7 - 15.2 )	448	11.5	( 9.0 - 14.6 )	630
18 or older	17.4	( 11.0 - 26.3 )	144	-	-	71	-	-	72
<b>Grade</b>									
9th	12.3	( 9.4 - 15.9 )	571	12.1	( 8.1 - 17.6 )	210	12.5	( 8.4 - 18.1 )	359
10th	13.5	( 10.9 - 16.7 )	654	14.1	( 10.4 - 18.9 )	269	12.8	( 9.8 - 16.6 )	382
11th	12.3	( 9.6 - 15.6 )	549	11.0	( 7.6 - 15.7 )	219	13.7	( 10.3 - 17.9 )	325
12th	10.7	( 8.3 - 13.7 )	508	16.0	( 12.2 - 20.6 )	209	6.4	( 3.8 - 10.3 )	298
<b>Race/Ethnicity</b>									
Black*	12.0	( 10.4 - 13.8 )	1,716	12.6	( 9.8 - 16.1 )	680	11.5	( 9.7 - 13.6 )	1,032
Hispanic/Latino	13.9	( 9.2 - 20.5 )	154	-	-	64	-	-	89
White*	11.4	( 6.2 - 20.0 )	128	-	-	60	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	12.3	( 8.0 - 18.3 )	145	-	-	49	-	-	96

Note: 368 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	49.8	( 47.6 - 52.0 )	2,314	53.0	( 49.7 - 56.4 )	922	46.7	( 43.8 - 49.6 )	1,374
15 or younger	49.3	( 45.7 - 52.9 )	1,084	53.3	( 47.7 - 58.9 )	403	45.3	( 41.5 - 49.2 )	672
16 or 17	50.8	( 47.9 - 53.7 )	1,086	54.3	( 50.1 - 58.3 )	448	47.8	( 43.4 - 52.3 )	630
18 or older	46.3	( 39.2 - 53.5 )	144	-	-	71	-	-	72
<b>Grade</b>									
9th	52.0	( 47.5 - 56.4 )	571	57.7	( 50.2 - 64.9 )	210	46.7	( 42.1 - 51.3 )	359
10th	46.3	( 41.8 - 51.0 )	654	48.4	( 42.5 - 54.4 )	269	44.7	( 38.6 - 51.0 )	382
11th	47.8	( 44.3 - 51.3 )	549	51.0	( 45.9 - 56.0 )	219	44.2	( 39.5 - 49.0 )	325
12th	51.4	( 46.5 - 56.3 )	508	52.2	( 45.5 - 58.8 )	209	50.6	( 43.6 - 57.6 )	298
<b>Race/Ethnicity</b>									
Black*	47.7	( 45.3 - 50.1 )	1,716	51.0	( 46.8 - 55.1 )	680	44.9	( 41.8 - 48.0 )	1,032
Hispanic/Latino	51.2	( 43.0 - 59.4 )	154	-	-	64	-	-	89
White*	64.3	( 55.2 - 72.4 )	128	-	-	60	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	55.1	( 46.7 - 63.1 )	145	-	-	49	-	-	96

Note: 368 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	22.9	( 20.6 - 25.3 )	2,314	26.9	( 24.2 - 29.9 )	922	18.9	( 16.6 - 21.5 )	1,374
15 or younger	22.6	( 19.1 - 26.7 )	1,084	27.8	( 22.8 - 33.5 )	403	17.7	( 14.3 - 21.7 )	672
16 or 17	23.0	( 20.2 - 26.0 )	1,086	26.1	( 22.5 - 30.1 )	448	20.0	( 16.5 - 24.0 )	630
18 or older	24.1	( 18.9 - 30.2 )	144	-	-	71	-	-	72
<b>Grade</b>									
9th	26.0	( 21.5 - 31.1 )	571	31.9	( 25.6 - 38.9 )	210	20.4	( 16.0 - 25.8 )	359
10th	19.7	( 16.5 - 23.4 )	654	22.7	( 17.7 - 28.5 )	269	17.4	( 14.4 - 20.8 )	382
11th	20.7	( 17.3 - 24.6 )	549	23.1	( 18.1 - 29.1 )	219	17.6	( 13.6 - 22.4 )	325
12th	23.4	( 18.8 - 28.9 )	508	27.6	( 22.0 - 34.0 )	209	19.7	( 14.5 - 26.3 )	298
<b>Race/Ethnicity</b>									
Black*	21.1	( 18.8 - 23.6 )	1,716	25.4	( 22.3 - 28.8 )	680	17.4	( 15.0 - 20.2 )	1,032
Hispanic/Latino	19.5	( 13.1 - 28.0 )	154	-	-	64	-	-	89
White*	33.2	( 24.3 - 43.4 )	128	-	-	60	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	29.6	( 22.7 - 37.6 )	145	-	-	49	-	-	96

Note: 368 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	14.0	( 12.5 - 15.6 )	2,314	16.9	( 14.5 - 19.6 )	922	10.9	( 9.4 - 12.7 )	1,374
15 or younger	14.3	( 12.0 - 17.0 )	1,084	17.8	( 13.6 - 22.9 )	403	10.7	( 8.2 - 13.8 )	672
16 or 17	14.0	( 11.9 - 16.4 )	1,086	16.3	( 13.3 - 19.9 )	448	11.6	( 9.3 - 14.3 )	630
18 or older	11.5	( 7.1 - 18.2 )	144	-	-	71	-	-	72
<b>Grade</b>									
9th	16.4	( 13.5 - 19.9 )	571	21.5	( 16.0 - 28.1 )	210	11.7	( 8.5 - 15.9 )	359
10th	11.5	( 9.1 - 14.5 )	654	14.0	( 10.3 - 18.7 )	269	9.6	( 7.0 - 13.0 )	382
11th	13.2	( 10.1 - 17.1 )	549	13.1	( 8.7 - 19.2 )	219	12.2	( 9.1 - 16.3 )	325
12th	13.0	( 9.6 - 17.3 )	508	16.9	( 12.1 - 23.1 )	209	9.4	( 5.8 - 14.8 )	298
<b>Race/Ethnicity</b>									
Black*	13.7	( 11.9 - 15.6 )	1,716	17.0	( 14.1 - 20.5 )	680	10.7	( 9.0 - 12.7 )	1,032
Hispanic/Latino	8.2	( 4.6 - 14.1 )	154	-	-	64	-	-	89
White*	15.1	( 9.8 - 22.5 )	128	-	-	60	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	19.5	( 13.4 - 27.6 )	145	-	-	49	-	-	96

Note: 368 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.9	( 21.4 - 26.6 )	2,349	26.3	( 23.2 - 29.6 )	945	21.3	( 18.6 - 24.4 )	1,382
<b>Age</b>									
15 or younger	22.8	( 19.5 - 26.6 )	1,108	26.2	( 21.4 - 31.6 )	418	19.6	( 16.5 - 23.2 )	679
16 or 17	24.8	( 22.0 - 27.8 )	1,098	25.8	( 22.5 - 29.4 )	457	23.2	( 19.4 - 27.5 )	631
18 or older	26.1	( 18.1 - 36.0 )	143	-	-	70	-	-	72
<b>Grade</b>									
9th	24.0	( 20.1 - 28.4 )	589	27.5	( 22.2 - 33.5 )	222	20.9	( 16.7 - 25.7 )	365
10th	20.5	( 16.0 - 25.8 )	662	23.7	( 17.3 - 31.4 )	273	17.2	( 12.6 - 23.0 )	385
11th	24.2	( 20.5 - 28.3 )	549	26.8	( 22.1 - 32.0 )	221	21.9	( 16.9 - 27.8 )	323
12th	26.5	( 22.7 - 30.6 )	513	27.4	( 21.8 - 33.7 )	212	25.0	( 20.2 - 30.5 )	299
<b>Race/Ethnicity</b>									
Black*	22.1	( 19.9 - 24.6 )	1,736	25.2	( 22.1 - 28.6 )	695	19.5	( 17.0 - 22.3 )	1,037
Hispanic/Latino	32.1	( 25.9 - 39.0 )	161	-	-	68	-	-	92
White*	29.5	( 19.8 - 41.5 )	129	-	-	61	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	23.4	( 16.8 - 31.5 )	144	-	-	48	-	-	96

Note: 333 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	24.3	( 21.9 - 26.9 )	2,349	23.6	( 19.8 - 28.0 )	945	25.0	( 22.3 - 27.9 )	1,382
<b>Age</b>									
15 or younger	23.9	( 20.9 - 27.2 )	1,108	22.6	( 17.6 - 28.6 )	418	25.0	( 21.7 - 28.5 )	679
16 or 17	24.5	( 21.3 - 27.9 )	1,098	24.8	( 19.8 - 30.5 )	457	24.4	( 20.5 - 28.7 )	631
18 or older	26.1	( 19.1 - 34.6 )	143	-	-	70	-	-	72
<b>Grade</b>									
9th	26.1	( 21.8 - 31.0 )	589	26.9	( 20.5 - 34.3 )	222	25.6	( 21.3 - 30.4 )	365
10th	23.9	( 20.6 - 27.5 )	662	20.4	( 15.1 - 27.0 )	273	26.9	( 21.2 - 33.4 )	385
11th	23.0	( 19.1 - 27.4 )	549	21.8	( 15.7 - 29.3 )	221	24.1	( 20.1 - 28.6 )	323
12th	23.4	( 19.4 - 27.9 )	513	23.4	( 17.5 - 30.6 )	212	23.6	( 19.0 - 28.8 )	299
<b>Race/Ethnicity</b>									
Black*	25.2	( 22.7 - 28.0 )	1,736	24.4	( 20.1 - 29.2 )	695	25.9	( 23.0 - 29.1 )	1,037
Hispanic/Latino	15.2	( 10.6 - 21.3 )	161	-	-	68	-	-	92
White*	23.7	( 16.3 - 33.1 )	129	-	-	61	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	30.8	( 23.3 - 39.5 )	144	-	-	48	-	-	96

Note: 333 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	18.5	( 16.4 - 20.8 )	2,349	17.2	( 14.2 - 20.8 )	945	19.8	( 17.5 - 22.3 )	1,382
<b>Age</b>									
15 or younger	18.5	( 16.1 - 21.3 )	1,108	16.7	( 12.4 - 22.2 )	418	20.2	( 17.3 - 23.4 )	679
16 or 17	18.0	( 15.3 - 21.1 )	1,098	17.4	( 13.8 - 21.7 )	457	18.9	( 15.5 - 22.9 )	631
18 or older	21.3	( 14.8 - 29.6 )	143	-	-	70	-	-	72
<b>Grade</b>									
9th	20.4	( 16.8 - 24.4 )	589	19.8	( 14.5 - 26.4 )	222	20.9	( 17.2 - 25.3 )	365
10th	18.3	( 15.0 - 22.1 )	662	15.9	( 10.9 - 22.7 )	273	20.7	( 16.4 - 25.7 )	385
11th	18.3	( 15.2 - 21.8 )	549	17.3	( 12.8 - 23.0 )	221	19.4	( 15.4 - 24.2 )	323
12th	16.7	( 13.3 - 20.7 )	513	15.0	( 10.7 - 20.7 )	212	18.2	( 14.1 - 23.2 )	299
<b>Race/Ethnicity</b>									
Black*	19.7	( 17.3 - 22.4 )	1,736	18.3	( 14.8 - 22.5 )	695	20.8	( 18.3 - 23.6 )	1,037
Hispanic/Latino	11.2	( 7.2 - 17.1 )	161	-	-	68	-	-	92
White*	15.9	( 10.6 - 23.2 )	129	-	-	61	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	24.8	( 17.4 - 34.0 )	144	-	-	48	-	-	96

Note: 333 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	13.2	( 11.3 - 15.4 )	2,349	12.9	( 10.2 - 16.1 )	945	13.6	( 11.6 - 16.0 )	1,382
<b>Age</b>									
15 or younger	13.4	( 11.0 - 16.2 )	1,108	12.5	( 8.9 - 17.3 )	418	14.3	( 11.5 - 17.6 )	679
16 or 17	12.9	( 10.6 - 15.5 )	1,098	13.4	( 10.5 - 17.0 )	457	12.6	( 9.8 - 16.1 )	631
18 or older	14.0	( 8.7 - 22.0 )	143	-	-	70	-	-	72
<b>Grade</b>									
9th	15.4	( 12.3 - 19.2 )	589	16.1	( 11.3 - 22.5 )	222	14.9	( 11.5 - 18.9 )	365
10th	13.5	( 10.3 - 17.5 )	662	11.7	( 7.0 - 19.1 )	273	15.3	( 11.4 - 20.0 )	385
11th	12.7	( 10.2 - 15.7 )	549	12.9	( 9.2 - 17.7 )	221	12.7	( 9.5 - 16.9 )	323
12th	10.5	( 7.9 - 13.8 )	513	9.4	( 6.3 - 13.9 )	212	11.5	( 8.0 - 16.4 )	299
<b>Race/Ethnicity</b>									
Black*	14.1	( 12.0 - 16.6 )	1,736	13.3	( 10.2 - 17.2 )	695	14.8	( 12.5 - 17.5 )	1,037
Hispanic/Latino	8.6	( 5.2 - 13.8 )	161	-	-	68	-	-	92
White*	11.4	( 6.7 - 18.8 )	129	-	-	61	-	-	68
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	14.5	( 9.2 - 22.2 )	144	-	-	48	-	-	96

Note: 333 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	32.5	( 30.0 - 35.1 )	2,333	36.5	( 33.4 - 39.6 )	939	29.3	( 25.8 - 33.0 )	1,372
15 or younger	32.5	( 28.3 - 37.0 )	1,093	35.6	( 30.9 - 40.5 )	411	30.3	( 24.6 - 36.8 )	670
16 or 17	32.8	( 29.9 - 35.8 )	1,099	38.1	( 33.5 - 42.9 )	458	28.4	( 25.4 - 31.6 )	632
18 or older	29.9	( 21.0 - 40.5 )	141	-	-	70	-	-	70
<b>Grade</b>									
9th	35.5	( 30.0 - 41.4 )	586	37.0	( 31.0 - 43.4 )	222	34.2	( 26.3 - 43.1 )	362
10th	29.2	( 24.8 - 34.0 )	651	35.8	( 29.0 - 43.2 )	267	23.7	( 19.1 - 28.9 )	380
11th	33.0	( 29.3 - 36.8 )	552	37.3	( 31.5 - 43.4 )	223	29.2	( 25.4 - 33.4 )	324
12th	31.6	( 27.3 - 36.2 )	509	35.6	( 28.9 - 42.9 )	211	28.5	( 23.5 - 34.2 )	296
<b>Race/Ethnicity</b>									
Black*	32.7	( 29.9 - 35.6 )	1,722	37.4	( 33.7 - 41.3 )	688	28.6	( 25.1 - 32.4 )	1,030
Hispanic/Latino	28.4	( 21.3 - 36.9 )	163	-	-	69	-	-	93
White*	36.8	( 29.3 - 45.0 )	126	-	-	60	-	-	66
All other races*	-	-	80	-	-	35	-	-	44
Multiple races*	33.8	( 26.2 - 42.4 )	145	-	-	49	-	-	96

Note: 349 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	26.5	( 24.5 - 28.6 )	2,333	23.4	( 20.9 - 26.1 )	939	29.5	( 26.8 - 32.3 )	1,372
15 or younger	25.1	( 22.2 - 28.1 )	1,093	23.1	( 18.4 - 28.6 )	411	27.1	( 23.8 - 30.6 )	670
16 or 17	26.9	( 24.2 - 29.9 )	1,099	21.7	( 18.2 - 25.8 )	458	31.6	( 27.6 - 35.9 )	632
18 or older	34.9	( 26.9 - 43.9 )	141	-	-	70	-	-	70
<b>Grade</b>									
9th	23.5	( 19.6 - 27.9 )	586	21.2	( 15.5 - 28.3 )	222	25.7	( 21.5 - 30.4 )	362
10th	28.8	( 24.7 - 33.3 )	651	25.4	( 18.8 - 33.3 )	267	31.9	( 27.1 - 37.1 )	380
11th	26.4	( 22.9 - 30.2 )	552	23.7	( 19.0 - 29.2 )	223	29.2	( 23.3 - 36.0 )	324
12th	28.6	( 24.5 - 33.0 )	509	23.7	( 18.0 - 30.6 )	211	32.9	( 27.2 - 39.2 )	296
<b>Race/Ethnicity</b>									
Black*	27.1	( 24.8 - 29.5 )	1,722	23.6	( 20.3 - 27.2 )	688	30.1	( 27.2 - 33.2 )	1,030
Hispanic/Latino	24.8	( 18.4 - 32.6 )	163	-	-	69	-	-	93
White*	23.5	( 16.3 - 32.8 )	126	-	-	60	-	-	66
All other races*	-	-	80	-	-	35	-	-	44
Multiple races*	17.8	( 12.3 - 25.1 )	145	-	-	49	-	-	96

Note: 349 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	18.8	( 17.1 - 20.8 )	2,333	21.9	( 19.2 - 24.9 )	939	16.3	( 14.1 - 18.8 )	1,372
15 or younger	17.7	( 15.2 - 20.6 )	1,093	18.7	( 14.9 - 23.1 )	411	17.3	( 14.0 - 21.0 )	670
16 or 17	20.1	( 17.4 - 23.0 )	1,099	25.2	( 21.0 - 29.9 )	458	15.6	( 12.9 - 18.9 )	632
18 or older	18.5	( 11.9 - 27.5 )	141	-	-	70	-	-	70
<b>Grade</b>									
9th	19.0	( 15.7 - 22.9 )	586	20.1	( 15.0 - 26.3 )	222	18.1	( 13.7 - 23.5 )	362
10th	17.3	( 14.3 - 20.8 )	651	20.5	( 15.4 - 26.7 )	267	14.5	( 11.2 - 18.5 )	380
11th	20.1	( 16.5 - 24.2 )	552	23.8	( 18.0 - 30.6 )	223	17.0	( 13.5 - 21.2 )	324
12th	19.1	( 15.6 - 23.0 )	509	24.3	( 18.7 - 31.0 )	211	14.8	( 11.1 - 19.6 )	296
<b>Race/Ethnicity</b>									
Black*	19.4	( 17.5 - 21.5 )	1,722	23.3	( 20.4 - 26.5 )	688	16.1	( 13.9 - 18.6 )	1,030
Hispanic/Latino	16.3	( 11.1 - 23.4 )	163	-	-	69	-	-	93
White*	17.3	( 12.0 - 24.2 )	126	-	-	60	-	-	66
All other races*	-	-	80	-	-	35	-	-	44
Multiple races*	18.4	( 11.9 - 27.3 )	145	-	-	49	-	-	96

Note: 349 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.4	( 34.7 - 40.2 )	2,313	37.5	( 34.0 - 41.3 )	928	37.6	( 34.6 - 40.8 )	1,363
<b>Age</b>									
15 or younger	38.3	( 35.3 - 41.4 )	1,081	36.8	( 32.6 - 41.2 )	406	39.9	( 36.0 - 44.0 )	663
16 or 17	35.3	( 31.5 - 39.3 )	1,090	37.3	( 31.9 - 42.9 )	452	33.7	( 29.6 - 38.2 )	629
18 or older	46.8	( 39.2 - 54.6 )	142	-	-	70	-	-	71
<b>Grade</b>									
9th	39.0	( 34.3 - 44.0 )	575	37.2	( 30.6 - 44.2 )	219	40.5	( 34.8 - 46.4 )	354
10th	39.7	( 34.6 - 45.0 )	644	42.0	( 34.9 - 49.6 )	260	38.4	( 32.4 - 44.7 )	380
11th	36.3	( 31.6 - 41.3 )	547	37.0	( 30.6 - 43.9 )	220	35.9	( 30.5 - 41.8 )	322
12th	35.9	( 30.4 - 41.8 )	512	36.9	( 29.0 - 45.4 )	213	35.1	( 28.2 - 42.7 )	297
<b>Race/Ethnicity</b>									
Black*	39.8	( 36.8 - 43.0 )	1,711	41.1	( 37.1 - 45.2 )	684	38.7	( 35.2 - 42.3 )	1,023
Hispanic/Latino	33.3	( 26.7 - 40.5 )	157	-	-	65	-	-	91
White*	26.0	( 18.2 - 35.6 )	126	-	-	59	-	-	67
All other races*	-	-	81	-	-	34	-	-	46
Multiple races*	35.9	( 27.7 - 45.1 )	144	-	-	49	-	-	95

Note: 369 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	41.2	( 38.8 - 43.7 )	2,320	41.6	( 38.1 - 45.1 )	928	41.1	( 37.4 - 44.8 )	1,370
<b>Age</b>									
15 or younger	44.1	( 40.7 - 47.6 )	1,086	43.9	( 38.6 - 49.3 )	406	44.6	( 40.4 - 48.9 )	668
16 or 17	38.4	( 35.2 - 41.7 )	1,093	38.0	( 33.3 - 42.9 )	453	38.7	( 34.2 - 43.5 )	631
18 or older	40.1	( 32.5 - 48.3 )	141	-	-	69	-	-	71
<b>Grade</b>									
9th	46.6	( 41.9 - 51.2 )	579	47.3	( 40.3 - 54.4 )	220	46.0	( 40.7 - 51.5 )	357
10th	40.5	( 35.8 - 45.3 )	645	40.3	( 33.2 - 47.7 )	261	40.8	( 34.7 - 47.2 )	381
11th	39.2	( 34.9 - 43.8 )	549	37.0	( 29.2 - 45.5 )	219	41.9	( 36.4 - 47.5 )	325
12th	37.7	( 33.0 - 42.6 )	511	42.6	( 34.8 - 50.8 )	212	33.9	( 28.2 - 40.2 )	297
<b>Race/Ethnicity</b>									
Black*	41.8	( 39.1 - 44.5 )	1,709	42.2	( 38.3 - 46.2 )	680	41.4	( 37.8 - 45.2 )	1,026
Hispanic/Latino	35.0	( 27.8 - 43.0 )	160	-	-	67	-	-	92
White*	45.6	( 34.9 - 56.8 )	128	-	-	61	-	-	67
All other races*	-	-	83	-	-	35	-	-	47
Multiple races*	39.0	( 30.0 - 48.8 )	143	-	-	47	-	-	96

Note: 362 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	28.6	( 25.1 - 32.4 )	2,284	32.7	( 27.8 - 38.0 )	913	24.4	( 21.2 - 28.0 )	1,351
<b>Age</b>									
15 or younger	31.9	( 26.5 - 38.0 )	1,064	35.7	( 28.3 - 43.9 )	397	27.8	( 22.6 - 33.8 )	655
16 or 17	24.8	( 20.8 - 29.3 )	1,081	29.4	( 23.7 - 35.9 )	447	20.6	( 16.6 - 25.2 )	627
18 or older	31.5	( 24.4 - 39.5 )	139	-	-	69	-	-	69
<b>Grade</b>									
9th	38.1	( 30.3 - 46.5 )	562	40.9	( 30.8 - 51.7 )	212	35.4	( 27.4 - 44.3 )	348
10th	22.8	( 17.1 - 29.7 )	636	27.9	( 20.2 - 37.1 )	256	17.9	( 13.3 - 23.6 )	377
11th	21.9	( 17.1 - 27.6 )	546	25.4	( 18.6 - 33.6 )	219	18.3	( 12.9 - 25.3 )	323
12th	27.5	( 21.8 - 34.1 )	505	31.7	( 24.6 - 39.7 )	210	23.3	( 17.0 - 31.1 )	293
<b>Race/Ethnicity</b>									
Black*	28.4	( 24.6 - 32.6 )	1,683	33.0	( 27.8 - 38.7 )	665	24.5	( 20.9 - 28.4 )	1,015
Hispanic/Latino	35.9	( 27.9 - 44.7 )	156	-	-	68	-	-	87
White*	18.7	( 12.3 - 27.2 )	127	-	-	61	-	-	66
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	34.3	( 27.6 - 41.7 )	143	-	-	48	-	-	95

Note: 398 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Maryland High School Survey**

**Baltimore City**

**Summary Tables - Weighted Data**

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

	<b>Total</b>			<b>Male</b>			<b>Female</b>		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	14.3	( 11.7 - 17.5 )	2,284	14.5	( 11.3 - 18.5 )	913	14.4	( 11.4 - 18.0 )	1,351
<b>Age</b>									
15 or younger	17.5	( 12.7 - 23.6 )	1,064	17.3	( 11.8 - 24.6 )	397	18.0	( 12.7 - 24.9 )	655
16 or 17	11.3	( 9.1 - 14.1 )	1,081	12.3	( 9.3 - 16.0 )	447	10.7	( 8.0 - 14.1 )	627
18 or older	12.4	( 7.2 - 20.5 )	139	-	-	69	-	-	69
<b>Grade</b>									
9th	23.4	( 16.4 - 32.4 )	562	22.4	( 15.0 - 32.0 )	212	24.5	( 16.1 - 35.4 )	348
10th	8.8	( 5.9 - 12.9 )	636	10.4	( 5.6 - 18.6 )	256	7.5	( 5.4 - 10.3 )	377
11th	8.2	( 5.8 - 11.5 )	546	7.2	( 4.6 - 11.0 )	219	9.2	( 5.9 - 14.1 )	323
12th	14.8	( 11.0 - 19.7 )	505	15.7	( 10.5 - 22.8 )	210	14.2	( 9.9 - 19.8 )	293
<b>Race/Ethnicity</b>									
Black*	14.8	( 12.0 - 18.3 )	1,683	14.7	( 11.1 - 19.2 )	665	15.0	( 11.9 - 18.9 )	1,015
Hispanic/Latino	17.0	( 11.4 - 24.4 )	156	-	-	68	-	-	87
White*	10.0	( 5.7 - 17.1 )	127	-	-	61	-	-	66
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	18.1	( 11.9 - 26.7 )	143	-	-	48	-	-	95

Note: 398 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.6	( 24.8 - 30.7 )	2,227	27.4	( 24.2 - 30.9 )	875	27.6	( 23.3 - 32.5 )	1,337
<b>Age</b>									
15 or younger	19.5	( 16.1 - 23.3 )	1,046	21.9	( 17.5 - 27.0 )	386	16.9	( 12.4 - 22.6 )	651
16 or 17	34.6	( 30.9 - 38.5 )	1,047	31.0	( 26.5 - 35.9 )	424	37.8	( 32.7 - 43.3 )	618
18 or older	39.9	( 30.2 - 50.5 )	134	-	-	65	-	-	68
<b>Grade</b>									
9th	18.6	( 14.7 - 23.2 )	555	22.4	( 17.0 - 29.1 )	211	15.1	( 10.0 - 22.1 )	344
10th	26.2	( 21.9 - 30.9 )	619	28.0	( 21.6 - 35.5 )	242	24.5	( 18.4 - 31.9 )	375
11th	30.4	( 26.1 - 35.2 )	539	26.4	( 20.5 - 33.3 )	213	34.4	( 28.2 - 41.1 )	322
12th	38.4	( 32.6 - 44.5 )	487	35.2	( 27.3 - 44.0 )	199	40.6	( 33.5 - 48.0 )	287
<b>Race/Ethnicity</b>									
Black*	27.8	( 24.8 - 31.0 )	1,649	27.8	( 24.2 - 31.8 )	639	27.8	( 23.2 - 32.8 )	1,007
Hispanic/Latino	29.1	( 22.4 - 36.8 )	146	-	-	62	-	-	84
White*	19.9	( 12.7 - 29.7 )	126	-	-	61	-	-	65
All other races*	-	-	81	-	-	33	-	-	47
Multiple races*	29.2	( 22.0 - 37.6 )	140	-	-	46	-	-	94

Note: 455 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	66.9	( 64.6 - 69.2 )	2,297	65.5	( 62.2 - 68.8 )	924	68.7	( 65.7 - 71.5 )	1,352
<b>Age</b>									
15 or younger	66.8	( 63.4 - 70.1 )	1,071	63.8	( 59.1 - 68.2 )	407	70.3	( 66.5 - 73.8 )	653
16 or 17	68.3	( 65.2 - 71.3 )	1,085	68.8	( 63.8 - 73.3 )	448	68.2	( 63.4 - 72.5 )	628
18 or older	57.0	( 48.2 - 65.4 )	141	-	-	69	-	-	71
<b>Grade</b>									
9th	66.5	( 62.3 - 70.5 )	570	62.8	( 56.1 - 69.0 )	220	70.3	( 64.8 - 75.4 )	348
10th	65.9	( 61.1 - 70.3 )	640	65.2	( 57.3 - 72.4 )	260	66.5	( 59.4 - 72.9 )	377
11th	68.3	( 63.4 - 72.8 )	543	65.1	( 56.8 - 72.5 )	217	71.9	( 66.3 - 76.9 )	321
12th	68.3	( 64.1 - 72.2 )	511	73.1	( 66.8 - 78.6 )	213	64.9	( 58.3 - 70.9 )	296
<b>Race/Ethnicity</b>									
Black*	67.0	( 64.3 - 69.5 )	1,697	65.7	( 62.0 - 69.2 )	681	68.1	( 64.8 - 71.3 )	1,013
Hispanic/Latino	64.2	( 55.3 - 72.2 )	157	-	-	66	-	-	90
White*	73.4	( 64.7 - 80.6 )	127	-	-	61	-	-	66
All other races*	-	-	82	-	-	34	-	-	47
Multiple races*	78.7	( 70.2 - 85.3 )	142	-	-	47	-	-	95

Note: 385 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	30.9	( 28.4 - 33.5 )	2,239	30.6	( 26.7 - 34.9 )	895	30.9	( 28.5 - 33.5 )	1,329
<b>Age</b>									
15 or younger	31.9	( 28.4 - 35.7 )	1,037	33.8	( 28.5 - 39.5 )	387	30.3	( 26.5 - 34.3 )	643
16 or 17	30.1	( 26.9 - 33.5 )	1,063	27.5	( 22.8 - 32.8 )	439	32.2	( 28.7 - 35.9 )	617
18 or older	28.7	( 20.3 - 38.8 )	139	-	-	69	-	-	69
<b>Grade</b>									
9th	29.8	( 25.8 - 34.1 )	557	30.3	( 24.0 - 37.5 )	212	29.4	( 24.9 - 34.3 )	344
10th	33.7	( 28.2 - 39.7 )	622	36.2	( 27.2 - 46.2 )	249	31.5	( 26.2 - 37.3 )	371
11th	33.1	( 28.9 - 37.6 )	535	30.1	( 23.2 - 38.1 )	214	35.6	( 30.8 - 40.6 )	318
12th	26.6	( 22.6 - 31.1 )	494	25.4	( 18.8 - 33.3 )	207	27.2	( 22.3 - 32.7 )	286
<b>Race/Ethnicity</b>									
Black*	31.6	( 29.2 - 34.1 )	1,660	32.0	( 27.8 - 36.4 )	658	31.3	( 28.7 - 34.0 )	999
Hispanic/Latino	27.9	( 19.5 - 38.2 )	150	-	-	63	-	-	87
White*	22.2	( 15.6 - 30.7 )	127	-	-	61	-	-	66
All other races*	-	-	80	-	-	33	-	-	46
Multiple races*	36.0	( 28.0 - 44.9 )	140	-	-	46	-	-	94

Note: 443 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	24.6	( 22.4 - 26.9 )	2,283	25.2	( 21.8 - 28.9 )	919	23.9	( 21.3 - 26.7 )	1,342
<b>Age</b>									
15 or younger	27.2	( 24.1 - 30.7 )	1,067	30.2	( 25.1 - 35.8 )	404	24.9	( 21.3 - 28.8 )	650
16 or 17	22.6	( 19.6 - 25.9 )	1,072	21.8	( 17.2 - 27.2 )	443	22.9	( 19.2 - 27.0 )	621
18 or older	18.6	( 12.8 - 26.2 )	144	-	-	72	-	-	71
<b>Grade</b>									
9th	31.1	( 26.9 - 35.6 )	569	35.2	( 28.5 - 42.5 )	219	27.4	( 22.1 - 33.4 )	348
10th	24.3	( 21.1 - 27.9 )	635	23.4	( 18.0 - 29.8 )	258	25.0	( 20.5 - 30.1 )	373
11th	23.6	( 20.0 - 27.6 )	540	23.5	( 18.2 - 29.8 )	216	23.1	( 18.1 - 29.1 )	319
12th	16.4	( 13.1 - 20.4 )	507	12.9	( 8.9 - 18.3 )	213	19.6	( 14.7 - 25.7 )	292
<b>Race/Ethnicity</b>									
Black*	23.8	( 21.4 - 26.5 )	1,686	24.2	( 20.4 - 28.5 )	678	23.6	( 20.7 - 26.8 )	1,005
Hispanic/Latino	31.5	( 24.2 - 39.9 )	154	-	-	63	-	-	90
White*	26.8	( 17.8 - 38.2 )	126	-	-	60	-	-	66
All other races*	-	-	81	-	-	34	-	-	45
Multiple races*	23.0	( 16.1 - 31.7 )	141	-	-	47	-	-	94

Note: 399 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	61.8	( 58.8 - 64.7 )	2,250	59.2	( 55.1 - 63.2 )	903	64.1	( 60.4 - 67.6 )	1,328
<b>Age</b>									
15 or younger	59.7	( 55.5 - 63.8 )	1,042	57.6	( 51.0 - 63.9 )	392	61.2	( 55.8 - 66.4 )	641
16 or 17	64.5	( 60.5 - 68.4 )	1,067	60.8	( 55.5 - 65.9 )	441	68.1	( 63.9 - 72.1 )	617
18 or older	57.2	( 48.1 - 65.8 )	141	-	-	70	-	-	70
<b>Grade</b>									
9th	57.7	( 52.1 - 63.1 )	558	55.9	( 48.3 - 63.2 )	213	59.3	( 51.8 - 66.3 )	344
10th	59.8	( 54.5 - 65.0 )	618	59.3	( 50.7 - 67.4 )	252	60.3	( 53.4 - 66.7 )	363
11th	65.4	( 60.5 - 69.9 )	535	61.9	( 55.8 - 67.7 )	213	68.4	( 62.3 - 73.9 )	317
12th	66.9	( 60.3 - 72.9 )	504	63.4	( 54.2 - 71.7 )	209	70.0	( 62.9 - 76.2 )	294
<b>Race/Ethnicity</b>									
Black*	61.5	( 58.5 - 64.4 )	1,668	58.8	( 54.5 - 62.9 )	668	64.1	( 60.2 - 67.8 )	997
Hispanic/Latino	62.8	( 54.5 - 70.4 )	155	-	-	66	-	-	88
White*	66.7	( 53.5 - 77.7 )	122	-	-	58	-	-	64
All other races*	-	-	78	-	-	33	-	-	44
Multiple races*	65.3	( 55.7 - 73.8 )	136	-	-	44	-	-	92

Note: 432 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	46.7	( 44.1 - 49.3 )	2,632	50.3	( 47.5 - 53.0 )	1,104	43.4	( 39.7 - 47.1 )	1,511
<b>Age</b>									
15 or younger	47.3	( 43.2 - 51.4 )	1,272	52.7	( 47.9 - 57.4 )	515	42.2	( 36.8 - 47.8 )	748
16 or 17	45.6	( 42.1 - 49.1 )	1,208	48.0	( 43.6 - 52.5 )	514	43.4	( 38.7 - 48.2 )	687
18 or older	50.8	( 42.1 - 59.4 )	152	-	-	75	-	-	76
<b>Grade</b>									
9th	44.0	( 38.6 - 49.5 )	672	48.2	( 41.7 - 54.7 )	275	39.6	( 32.8 - 46.8 )	396
10th	50.3	( 46.5 - 54.2 )	787	56.5	( 51.7 - 61.1 )	343	43.9	( 38.2 - 49.8 )	438
11th	45.4	( 41.1 - 49.8 )	583	49.9	( 43.5 - 56.4 )	234	41.5	( 35.3 - 47.9 )	344
12th	48.8	( 43.8 - 53.7 )	558	47.5	( 40.9 - 54.1 )	233	50.3	( 43.5 - 57.2 )	323
<b>Race/Ethnicity</b>									
Black*	44.9	( 42.3 - 47.6 )	1,957	49.1	( 46.1 - 52.2 )	816	41.0	( 37.4 - 44.7 )	1,138
Hispanic/Latino	45.6	( 38.8 - 52.7 )	185	-	-	80	48.9	( 39.5 - 58.3 )	105
White*	69.6	( 58.6 - 78.7 )	132	-	-	62	-	-	70
All other races*	-	-	91	-	-	42	-	-	47
Multiple races*	52.2	( 43.9 - 60.4 )	160	-	-	56	49.4	( 40.2 - 58.6 )	104

Note: 50 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN91: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.9	( 5.1 - 6.9 )	2,612	5.6	( 4.3 - 7.2 )	1,090	6.2	( 5.1 - 7.5 )	1,509
<b>Age</b>									
15 or younger	5.3	( 4.2 - 6.7 )	1,261	5.3	( 3.6 - 7.7 )	504	5.4	( 3.9 - 7.3 )	750
16 or 17	5.9	( 4.7 - 7.4 )	1,203	5.0	( 3.5 - 7.1 )	512	6.8	( 5.3 - 8.8 )	686
18 or older	11.3	( 6.6 - 18.4 )	148	-	-	74	-	-	73
<b>Grade</b>									
9th	5.2	( 3.6 - 7.3 )	673	5.0	( 2.7 - 9.1 )	271	5.2	( 3.4 - 8.0 )	401
10th	6.2	( 4.6 - 8.3 )	776	6.9	( 4.8 - 9.8 )	337	5.7	( 3.4 - 9.4 )	433
11th	6.4	( 4.5 - 8.9 )	580	4.4	( 2.3 - 8.2 )	233	8.2	( 5.9 - 11.2 )	345
12th	6.0	( 4.2 - 8.6 )	553	5.8	( 3.2 - 10.4 )	231	6.3	( 4.1 - 9.5 )	320
<b>Race/Ethnicity</b>									
Black*	5.1	( 4.2 - 6.3 )	1,946	4.9	( 3.6 - 6.8 )	807	5.3	( 4.1 - 6.9 )	1,136
Hispanic/Latino	14.1	( 9.3 - 20.7 )	185	-	-	80	15.2	( 8.7 - 25.2 )	105
White*	1.9	( 0.6 - 5.7 )	132	-	-	62	-	-	70
All other races*	-	-	88	-	-	41	-	-	45
Multiple races*	11.5	( 7.3 - 17.6 )	160	-	-	55	10.7	( 6.2 - 17.9 )	105

Note: 70 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN92: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	2.9	( 2.3 - 3.7 )	2,645	1.9	( 1.3 - 2.9 )	1,108	3.8	( 2.7 - 5.2 )	1,513
<b>Age</b>									
15 or younger	2.4	( 1.8 - 3.3 )	1,284	1.9	( 1.0 - 3.7 )	516	2.8	( 2.0 - 4.0 )	754
16 or 17	3.3	( 2.4 - 4.6 )	1,206	1.8	( 0.9 - 3.8 )	515	4.7	( 3.0 - 7.1 )	683
18 or older	4.0	( 1.9 - 8.6 )	155	-	-	77	-	-	76
<b>Grade</b>									
9th	1.9	( 1.2 - 3.1 )	678	1.2	( 0.4 - 3.5 )	276	2.4	( 1.4 - 4.3 )	400
10th	2.8	( 1.9 - 4.0 )	788	2.5	( 1.3 - 4.7 )	342	3.1	( 2.0 - 4.8 )	439
11th	3.6	( 2.2 - 5.7 )	585	2.6	( 1.4 - 5.0 )	236	4.5	( 2.4 - 8.4 )	344
12th	3.4	( 2.1 - 5.6 )	556	1.1	( 0.3 - 4.0 )	233	5.2	( 3.1 - 8.7 )	320
<b>Race/Ethnicity</b>									
Black*	2.5	( 1.9 - 3.3 )	1,958	1.6	( 0.9 - 2.6 )	817	3.4	( 2.5 - 4.7 )	1,138
Hispanic/Latino	6.1	( 3.4 - 10.5 )	186	-	-	79	7.5	( 3.7 - 14.9 )	106
White*	1.9	( 0.6 - 5.6 )	130	-	-	61	-	-	69
All other races*	-	-	93	-	-	42	-	-	48
Multiple races*	6.6	( 3.6 - 11.7 )	162	-	-	56	6.2	( 2.8 - 12.9 )	106

Note: 37 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN93: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	10.2	( 8.7 - 11.9 )	2,467	9.6	( 7.3 - 12.4 )	1,033	10.5	( 8.9 - 12.4 )	1,419
<b>Age</b>									
15 or younger	11.0	( 9.1 - 13.3 )	1,201	9.7	( 6.8 - 13.7 )	475	11.6	( 9.0 - 14.8 )	717
16 or 17	9.2	( 7.4 - 11.4 )	1,126	8.9	( 6.1 - 12.8 )	488	9.5	( 7.5 - 12.0 )	633
18 or older	11.1	( 6.9 - 17.4 )	140	-	-	70	-	-	69
<b>Grade</b>									
9th	11.6	( 9.1 - 14.7 )	632	11.6	( 7.5 - 17.4 )	251	11.7	( 8.4 - 16.0 )	381
10th	8.9	( 6.7 - 11.8 )	734	7.0	( 4.1 - 11.6 )	320	10.6	( 7.7 - 14.3 )	408
11th	9.5	( 7.6 - 11.8 )	555	10.2	( 6.7 - 15.3 )	223	8.3	( 6.0 - 11.6 )	327
12th	10.2	( 7.7 - 13.4 )	517	8.5	( 5.6 - 12.7 )	223	11.0	( 7.9 - 15.1 )	293
<b>Race/Ethnicity</b>									
Black*	9.8	( 8.2 - 11.6 )	1,845	9.4	( 7.2 - 12.2 )	766	10.1	( 8.3 - 12.3 )	1,076
Hispanic/Latino	9.1	( 5.0 - 15.9 )	165	-	-	76	-	-	89
White*	13.3	( 8.7 - 20.0 )	129	-	-	61	-	-	68
All other races*	-	-	86	-	-	38	-	-	45
Multiple races*	14.0	( 8.8 - 21.6 )	151	-	-	51	14.1	( 7.7 - 24.6 )	100

Note: 215 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN94: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	47.0	( 42.6 - 51.5 )	520	46.2	( 40.1 - 52.5 )	252	48.1	( 42.7 - 53.6 )	256
15 or younger	53.2	( 45.7 - 60.6 )	225	50.5	( 40.0 - 60.9 )	104	56.6	( 47.2 - 65.5 )	111
16 or 17	43.3	( 36.9 - 50.0 )	252	46.8	( 38.3 - 55.5 )	126	39.5	( 31.3 - 48.4 )	125
18 or older	-	-	43	-	-	22	-	-	20
<b>Grade</b>									
9th	49.7	( 39.4 - 60.0 )	109	-	-	54	-	-	54
10th	47.5	( 38.7 - 56.5 )	144	-	-	76	-	-	65
11th	48.2	( 40.8 - 55.7 )	125	-	-	59	-	-	63
12th	41.3	( 32.7 - 50.5 )	129	-	-	57	-	-	71
<b>Race/Ethnicity</b>									
Black*	47.0	( 41.9 - 52.0 )	352	47.0	( 40.3 - 53.9 )	168	47.2	( 40.7 - 53.8 )	181
Hispanic/Latino	-	-	38	-	-	19	-	-	19
White*	-	-	36	-	-	19	-	-	17
All other races*	-	-	21	-	-	14	-	-	5
Multiple races*	-	-	36	-	-	12	-	-	24

Note: 2,162 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN95: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, little cigars, or flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	11.4	( 9.9 - 13.0 )	2,535	12.4	( 10.2 - 15.1 )	1,052	9.9	( 8.4 - 11.6 )	1,460
15 or younger	9.5	( 7.6 - 11.7 )	1,231	10.2	( 7.5 - 13.8 )	485	7.9	( 6.2 - 10.0 )	732
16 or 17	12.5	( 10.4 - 15.0 )	1,153	13.8	( 10.3 - 18.2 )	493	11.2	( 9.0 - 13.8 )	652
18 or older	19.1	( 13.4 - 26.3 )	151	-	-	74	-	-	76
<b>Grade</b>									
9th	9.1	( 7.0 - 11.9 )	655	10.3	( 7.0 - 14.8 )	263	8.0	( 5.8 - 11.1 )	391
10th	9.7	( 7.2 - 12.9 )	752	11.1	( 7.4 - 16.4 )	322	7.6	( 5.5 - 10.5 )	423
11th	12.0	( 9.5 - 14.9 )	562	13.3	( 9.5 - 18.5 )	228	10.1	( 7.3 - 13.8 )	330
12th	16.1	( 12.9 - 19.8 )	531	16.4	( 11.9 - 22.1 )	221	15.3	( 11.3 - 20.2 )	306
<b>Race/Ethnicity</b>									
Black*	10.3	( 8.9 - 11.9 )	1,879	11.8	( 9.6 - 14.5 )	775	8.8	( 7.2 - 10.7 )	1,100
Hispanic/Latino	11.8	( 7.6 - 17.9 )	175	-	-	77	-	-	97
White*	14.4	( 9.4 - 21.4 )	130	-	-	62	-	-	68
All other races*	-	-	92	-	-	42	-	-	47
Multiple races*	14.6	( 9.2 - 22.6 )	158	-	-	54	13.9	( 6.9 - 26.0 )	104

Note: 147 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN96: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	1.1	(0.7 - 1.8)	2,626	1.5	(0.9 - 2.6)	1,094	0.8	(0.4 - 1.4)	1,504
<b>Age</b>									
15 or younger	0.6	(0.3 - 1.2)	1,269	0.2	(0.0 - 1.1)	508	1.0	(0.4 - 2.3)	745
16 or 17	1.6	(0.9 - 2.7)	1,201	2.6	(1.4 - 4.7)	509	0.6	(0.2 - 1.5)	682
18 or older	2.5	(0.7 - 8.3)	156	-	-	77	-	-	77
<b>Grade</b>									
9th	0.3	(0.1 - 1.1)	668	0.1	(0.0 - 0.3)	268	0.6	(0.1 - 2.3)	398
10th	1.0	(0.5 - 2.2)	781	0.6	(0.1 - 2.2)	342	1.5	(0.5 - 3.9)	432
11th	2.3	(1.2 - 4.3)	581	3.9	(1.8 - 8.1)	232	0.9	(0.3 - 2.8)	344
12th	1.1	(0.4 - 2.6)	556	1.9	(0.7 - 5.2)	233	0.0	-	319
<b>Race/Ethnicity</b>									
Black*	0.8	(0.5 - 1.2)	1,942	1.2	(0.6 - 2.4)	805	0.4	(0.1 - 0.9)	1,133
Hispanic/Latino	2.5	(0.9 - 6.8)	184	-	-	79	2.7	(0.6 - 11.1)	104
White*	4.6	(2.3 - 9.3)	130	-	-	61	-	-	69
All other races*	-	-	91	-	-	41	-	-	47
Multiple races*	0.5	(0.1 - 3.1)	160	-	-	56	0.8	(0.1 - 5.3)	104

Note: 56 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN97: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	42.8	( 34.8 - 51.1 )	149	-	-	84	-	-	61
<b>Age</b>									
15 or younger	-	-	55	-	-	34	-	-	18
16 or 17	-	-	71	-	-	37	-	-	33
18 or older	-	-	23	-	-	13	-	-	10
<b>Grade</b>									
9th	-	-	24	-	-	16	-	-	7
10th	-	-	36	-	-	21	-	-	14
11th	-	-	40	-	-	25	-	-	14
12th	-	-	44	-	-	20	-	-	24
<b>Race/Ethnicity</b>									
Black*	-	-	91	-	-	55	-	-	36
Hispanic/Latino	-	-	13	-	-	7	-	-	6
White*	-	-	14	-	-	6	-	-	8
All other races*	-	-	7	-	-	5	-	-	1
Multiple races*	-	-	5	-	-	1	-	-	4

Note: 2,533 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN98: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	40.6	( 34.6 - 46.8 )	296	42.2	( 34.1 - 50.6 )	155	38.4	( 30.4 - 47.1 )	132
<b>Age</b>									
15 or younger	39.5	( 30.1 - 49.7 )	120	-	-	63	-	-	51
16 or 17	45.2	( 36.5 - 54.3 )	137	-	-	73	-	-	61
18 or older	-	-	39	-	-	19	-	-	20
<b>Grade</b>									
9th	-	-	63	-	-	37	-	-	26
10th	-	-	78	-	-	37	-	-	38
11th	-	-	72	-	-	44	-	-	25
12th	-	-	75	-	-	32	-	-	41
<b>Race/Ethnicity</b>									
Black*	42.0	( 35.4 - 48.9 )	191	45.6	( 37.2 - 54.3 )	105	-	-	86
Hispanic/Latino	-	-	25	-	-	10	-	-	14
White*	-	-	18	-	-	8	-	-	10
All other races*	-	-	17	-	-	11	-	-	4
Multiple races*	-	-	12	-	-	3	-	-	9

Note: 2,386 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN99: Percentage of students who live with someone who now smokes cigarettes or cigars

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	45.7	( 43.5 - 47.8 )	2,514	46.4	( 42.7 - 50.1 )	1,035	44.8	( 42.6 - 47.1 )	1,466
<b>Age</b>									
15 or younger	46.3	( 43.5 - 49.1 )	1,212	46.0	( 40.9 - 51.3 )	475	46.2	( 42.5 - 50.0 )	729
16 or 17	44.9	( 41.5 - 48.3 )	1,154	47.2	( 41.7 - 52.8 )	488	42.8	( 39.7 - 46.0 )	661
18 or older	46.1	( 37.1 - 55.4 )	148	-	-	72	-	-	76
<b>Grade</b>									
9th	45.4	( 41.4 - 49.5 )	645	45.6	( 38.8 - 52.6 )	254	45.2	( 40.1 - 50.5 )	390
10th	46.4	( 42.9 - 50.0 )	743	46.8	( 41.0 - 52.6 )	321	46.5	( 42.1 - 50.9 )	419
11th	46.3	( 41.5 - 51.1 )	566	50.7	( 43.4 - 58.1 )	226	42.3	( 37.6 - 47.1 )	338
12th	42.7	( 38.2 - 47.2 )	531	40.2	( 35.1 - 45.5 )	220	44.4	( 38.4 - 50.6 )	310
<b>Race/Ethnicity</b>									
Black*	44.6	( 42.2 - 47.1 )	1,873	44.9	( 40.9 - 49.0 )	766	44.4	( 41.7 - 47.0 )	1,103
Hispanic/Latino	52.3	( 44.9 - 59.6 )	181	-	-	78	48.9	( 38.1 - 59.9 )	103
White*	48.3	( 36.4 - 60.3 )	129	-	-	60	-	-	69
All other races*	-	-	90	-	-	41	-	-	47
Multiple races*	49.6	( 41.2 - 58.1 )	151	-	-	49	50.4	( 40.6 - 60.1 )	102

Note: 168 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN100: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	70.8	( 68.5 - 73.0 )	2,529	70.9	( 67.6 - 74.0 )	1,044	70.8	( 68.0 - 73.4 )	1,469
<b>Age</b>									
15 or younger	69.4	( 66.4 - 72.2 )	1,223	69.7	( 65.2 - 73.9 )	483	69.1	( 65.0 - 73.0 )	734
16 or 17	73.1	( 69.5 - 76.4 )	1,154	73.7	( 68.6 - 78.2 )	487	72.6	( 68.8 - 76.2 )	659
18 or older	66.1	( 56.3 - 74.7 )	152	-	-	74	-	-	76
<b>Grade</b>									
9th	69.6	( 65.7 - 73.2 )	649	69.9	( 64.3 - 75.0 )	259	69.3	( 64.0 - 74.2 )	390
10th	70.7	( 66.3 - 74.8 )	749	72.9	( 66.5 - 78.5 )	320	68.1	( 63.0 - 72.8 )	423
11th	71.6	( 66.0 - 76.7 )	567	68.5	( 61.5 - 74.7 )	226	74.9	( 68.2 - 80.6 )	336
12th	74.0	( 70.2 - 77.5 )	531	75.1	( 70.4 - 79.4 )	220	73.1	( 67.6 - 78.0 )	310
<b>Race/Ethnicity</b>									
Black*	70.9	( 68.5 - 73.2 )	1,881	71.0	( 67.6 - 74.2 )	768	70.9	( 67.9 - 73.8 )	1,110
Hispanic/Latino	73.4	( 65.5 - 80.0 )	182	-	-	80	71.9	( 61.8 - 80.1 )	102
White*	75.7	( 65.7 - 83.6 )	127	-	-	60	-	-	67
All other races*	-	-	88	-	-	40	-	-	46
Multiple races*	71.5	( 65.6 - 76.6 )	153	-	-	51	69.3	( 60.9 - 76.6 )	102

Note: 153 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN101: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	35.0	( 32.6 - 37.5 )	2,589	33.1	( 29.2 - 37.1 )	1,071	36.3	( 33.5 - 39.1 )	1,492
<b>Age</b>									
15 or younger	34.7	( 31.5 - 37.9 )	1,247	31.9	( 26.5 - 37.8 )	493	36.4	( 32.9 - 40.0 )	738
16 or 17	35.1	( 31.7 - 38.7 )	1,185	33.6	( 28.2 - 39.4 )	500	36.2	( 31.8 - 40.9 )	676
18 or older	37.4	( 29.6 - 45.9 )	157	-	-	78	-	-	78
<b>Grade</b>									
9th	35.1	( 30.9 - 39.5 )	657	33.1	( 26.0 - 41.1 )	261	36.8	( 32.1 - 41.7 )	394
10th	35.4	( 31.2 - 39.9 )	758	30.4	( 23.8 - 37.9 )	325	39.8	( 35.5 - 44.4 )	427
11th	32.0	( 27.3 - 37.2 )	585	32.9	( 26.6 - 39.9 )	235	30.6	( 25.2 - 36.5 )	344
12th	36.7	( 32.4 - 41.2 )	549	34.6	( 28.7 - 40.9 )	230	37.9	( 31.9 - 44.4 )	316
<b>Race/Ethnicity</b>									
Black*	33.6	( 31.1 - 36.3 )	1,910	31.4	( 27.1 - 36.1 )	785	35.7	( 32.6 - 38.9 )	1,121
Hispanic/Latino	28.9	( 21.9 - 37.2 )	185	-	-	79	31.2	( 22.8 - 41.1 )	105
White*	46.6	( 39.2 - 54.1 )	128	-	-	60	-	-	68
All other races*	-	-	93	-	-	42	-	-	48
Multiple races*	38.2	( 32.6 - 44.1 )	158	-	-	54	40.6	( 31.9 - 50.0 )	104

Note: 93 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN102: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	89.3	( 85.8 - 92.0 )	763	86.9	( 81.8 - 90.8 )	319	92.1	( 87.4 - 95.1 )	430
<b>Age</b>									
15 or younger	88.7	( 82.4 - 92.9 )	330	85.5	( 75.4 - 91.9 )	137	93.0	( 85.6 - 96.8 )	181
16 or 17	90.1	( 85.9 - 93.2 )	388	89.4	( 84.1 - 93.1 )	163	90.8	( 84.6 - 94.7 )	223
18 or older	-	-	45	-	-	19	-	-	26
<b>Grade</b>									
9th	90.5	( 83.3 - 94.8 )	164	-	-	78	-	-	84
10th	89.7	( 82.5 - 94.1 )	197	-	-	83	95.1	( 83.6 - 98.6 )	113
11th	88.2	( 81.0 - 93.0 )	189	-	-	75	88.0	( 75.3 - 94.6 )	109
12th	90.9	( 85.1 - 94.6 )	200	-	-	77	93.5	( 88.5 - 96.4 )	121
<b>Race/Ethnicity</b>									
Black*	90.5	( 87.2 - 93.0 )	519	87.4	( 82.2 - 91.2 )	216	93.4	( 88.4 - 96.3 )	301
Hispanic/Latino	-	-	64	-	-	25	-	-	39
White*	-	-	53	-	-	28	-	-	25
All other races*	-	-	27	-	-	9	-	-	18
Multiple races*	-	-	50	-	-	19	-	-	31

Note: 1,919 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN103: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	9.6	( 8.0 - 11.4 )	2,446	10.4	( 8.5 - 12.5 )	994	8.0	( 6.4 - 10.1 )	1,429
15 or younger	9.1	( 6.8 - 12.1 )	1,163	9.3	( 6.6 - 13.0 )	443	7.7	( 5.3 - 11.0 )	707
16 or 17	10.0	( 8.2 - 12.1 )	1,135	11.7	( 9.0 - 15.1 )	477	8.0	( 5.8 - 10.9 )	649
18 or older	10.3	( 6.4 - 16.3 )	148	-	-	74	-	-	73
<b>Grade</b>									
9th	8.8	( 6.3 - 12.1 )	615	9.7	( 6.6 - 14.0 )	234	7.5	( 4.8 - 11.6 )	379
10th	8.8	( 6.3 - 12.3 )	708	8.6	( 5.5 - 13.4 )	299	8.3	( 5.1 - 13.1 )	403
11th	9.8	( 7.2 - 13.2 )	563	12.1	( 8.6 - 16.8 )	222	6.8	( 4.0 - 11.2 )	335
12th	10.0	( 7.4 - 13.3 )	527	9.6	( 5.9 - 15.5 )	222	9.3	( 5.7 - 14.9 )	302
<b>Race/Ethnicity</b>									
Black*	8.6	( 7.2 - 10.4 )	1,817	9.6	( 7.7 - 11.9 )	736	7.8	( 6.1 - 10.0 )	1,078
Hispanic/Latino	10.6	( 6.9 - 15.8 )	171	-	-	72	-	-	98
White*	7.9	( 4.2 - 14.4 )	126	-	-	59	-	-	67
All other races*	-	-	87	-	-	38	-	-	46
Multiple races*	9.9	( 6.1 - 15.6 )	150	-	-	51	-	-	99

Note: 236 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN104: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	56.3	( 53.4 - 59.1 )	2,207	59.5	( 55.0 - 63.8 )	876	53.5	( 49.7 - 57.2 )	1,317
<b>Age</b>									
15 or younger	54.9	( 50.9 - 58.8 )	1,032	57.8	( 51.5 - 63.9 )	386	52.1	( 47.8 - 56.4 )	640
16 or 17	58.1	( 54.1 - 62.0 )	1,036	61.5	( 56.8 - 65.9 )	422	55.4	( 49.5 - 61.2 )	607
18 or older	53.7	( 43.5 - 63.5 )	139	-	-	68	-	-	70
<b>Grade</b>									
9th	52.7	( 47.7 - 57.6 )	557	56.5	( 49.4 - 63.3 )	211	49.2	( 43.3 - 55.2 )	346
10th	58.8	( 54.2 - 63.2 )	611	66.1	( 58.8 - 72.6 )	246	53.3	( 47.2 - 59.4 )	362
11th	57.8	( 50.8 - 64.4 )	521	55.4	( 47.7 - 62.9 )	204	59.3	( 49.6 - 68.4 )	313
12th	56.9	( 52.1 - 61.5 )	492	61.1	( 53.2 - 68.5 )	204	52.8	( 46.5 - 59.1 )	286
<b>Race/Ethnicity</b>									
Black*	56.3	( 53.1 - 59.4 )	1,633	60.0	( 55.0 - 64.8 )	643	53.2	( 48.9 - 57.3 )	987
Hispanic/Latino	55.8	( 47.4 - 63.9 )	151	-	-	63	-	-	87
White*	56.6	( 47.1 - 65.6 )	125	-	-	60	-	-	65
All other races*	-	-	80	-	-	34	-	-	45
Multiple races*	61.6	( 52.0 - 70.3 )	140	-	-	46	-	-	94

Note: 475 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN105: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	52.3	( 49.2 - 55.4 )	2,237	55.5	( 51.9 - 59.1 )	896	49.7	( 45.6 - 53.7 )	1,328
<b>Age</b>									
15 or younger	60.1	( 55.6 - 64.4 )	1,045	60.1	( 54.3 - 65.7 )	394	60.3	( 54.1 - 66.2 )	645
16 or 17	45.0	( 40.8 - 49.2 )	1,055	51.8	( 46.7 - 56.9 )	433	39.1	( 32.9 - 45.7 )	616
18 or older	46.5	( 37.5 - 55.7 )	137	-	-	69	-	-	67
<b>Grade</b>									
9th	60.3	( 55.1 - 65.3 )	561	59.8	( 52.3 - 66.8 )	213	60.9	( 53.8 - 67.6 )	347
10th	58.6	( 52.6 - 64.4 )	621	59.2	( 50.7 - 67.2 )	252	57.8	( 50.2 - 65.0 )	367
11th	46.5	( 40.8 - 52.2 )	534	49.2	( 42.4 - 56.1 )	213	44.2	( 34.6 - 54.3 )	318
12th	39.4	( 33.3 - 45.9 )	491	50.8	( 41.9 - 59.6 )	203	30.2	( 24.0 - 37.2 )	286
<b>Race/Ethnicity</b>									
Black*	52.4	( 49.0 - 55.9 )	1,659	56.0	( 51.8 - 60.2 )	661	49.4	( 45.2 - 53.6 )	996
Hispanic/Latino	56.5	( 46.3 - 66.2 )	154	-	-	64	-	-	89
White*	50.7	( 41.2 - 60.1 )	126	-	-	61	-	-	65
All other races*	-	-	77	-	-	33	-	-	43
Multiple races*	54.7	( 46.0 - 63.2 )	141	-	-	46	-	-	95

Note: 445 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.



2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	58.3	( 55.7 - 60.9 )	2,220	61.9	( 58.1 - 65.5 )	885	55.0	( 51.7 - 58.2 )	1,320
<b>Age</b>									
15 or younger	59.5	( 55.5 - 63.4 )	1,040	61.2	( 55.8 - 66.4 )	391	57.7	( 51.9 - 63.3 )	641
16 or 17	57.6	( 53.6 - 61.5 )	1,039	63.2	( 57.9 - 68.1 )	425	52.7	( 48.4 - 56.9 )	608
18 or older	54.7	( 42.4 - 66.4 )	141	-	-	69	-	-	71
<b>Grade</b>									
9th	61.2	( 54.2 - 67.7 )	559	61.7	( 53.4 - 69.4 )	214	60.5	( 51.4 - 69.0 )	343
10th	58.3	( 54.0 - 62.6 )	620	62.3	( 55.8 - 68.4 )	251	54.9	( 49.8 - 59.9 )	366
11th	59.3	( 53.7 - 64.7 )	521	64.0	( 56.1 - 71.2 )	203	55.4	( 49.3 - 61.3 )	315
12th	52.2	( 46.8 - 57.6 )	490	58.8	( 51.3 - 66.0 )	203	46.3	( 39.9 - 52.9 )	286
<b>Race/Ethnicity</b>									
Black*	60.3	( 57.4 - 63.1 )	1,652	63.9	( 59.9 - 67.8 )	656	57.1	( 53.6 - 60.5 )	993
Hispanic/Latino	58.5	( 50.3 - 66.2 )	154	-	-	63	-	-	91
White*	38.6	( 29.3 - 48.9 )	119	-	-	56	-	-	63
All other races*	-	-	77	-	-	33	-	-	43
Multiple races*	53.0	( 44.2 - 61.6 )	135	-	-	44	-	-	91

Note: 462 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	31.4	( 28.8 - 34.1 )	2,234	35.3	( 31.4 - 39.4 )	894	27.3	( 24.6 - 30.2 )	1,323
<b>Age</b>									
15 or younger	33.2	( 29.7 - 36.8 )	1,048	37.0	( 32.0 - 42.3 )	393	29.3	( 25.5 - 33.3 )	647
16 or 17	29.4	( 25.8 - 33.4 )	1,049	33.4	( 27.6 - 39.7 )	434	25.4	( 22.0 - 29.2 )	607
18 or older	31.8	( 21.5 - 44.2 )	137	-	-	67	-	-	69
<b>Grade</b>									
9th	33.5	( 28.7 - 38.7 )	565	37.6	( 30.3 - 45.5 )	214	29.5	( 24.6 - 34.9 )	349
10th	32.5	( 26.7 - 38.8 )	619	36.0	( 27.8 - 45.2 )	250	29.2	( 24.0 - 35.0 )	366
11th	28.9	( 24.1 - 34.2 )	527	32.4	( 24.2 - 41.9 )	212	25.5	( 20.6 - 31.1 )	312
12th	27.7	( 23.1 - 32.7 )	491	33.4	( 26.2 - 41.4 )	204	22.9	( 18.0 - 28.6 )	286
<b>Race/Ethnicity</b>									
Black*	30.7	( 28.0 - 33.5 )	1,661	34.4	( 30.1 - 38.9 )	664	27.2	( 24.5 - 30.1 )	994
Hispanic/Latino	39.9	( 31.4 - 49.1 )	152	-	-	63	-	-	88
White*	26.8	( 19.2 - 35.9 )	121	-	-	57	-	-	64
All other races*	-	-	77	-	-	32	-	-	43
Multiple races*	28.3	( 21.7 - 36.0 )	137	-	-	44	-	-	93

Note: 448 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN108: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	55.2	( 51.5 - 58.7 )	2,260	48.4	( 42.9 - 53.9 )	903	61.1	( 57.6 - 64.5 )	1,338
<b>Age</b>									
15 or younger	58.7	( 53.7 - 63.5 )	1,054	53.1	( 44.8 - 61.3 )	393	63.4	( 58.4 - 68.1 )	650
16 or 17	53.1	( 48.9 - 57.2 )	1,064	45.2	( 39.7 - 50.8 )	439	59.8	( 55.1 - 64.4 )	618
18 or older	43.2	( 36.0 - 50.8 )	142	-	-	71	-	-	70
<b>Grade</b>									
9th	60.0	( 53.8 - 66.0 )	559	56.1	( 45.8 - 66.0 )	209	63.5	( 55.6 - 70.8 )	348
10th	51.9	( 46.1 - 57.7 )	625	43.1	( 35.9 - 50.7 )	255	59.3	( 52.4 - 65.9 )	367
11th	56.2	( 49.2 - 63.0 )	539	47.7	( 38.9 - 56.6 )	215	63.3	( 55.4 - 70.5 )	319
12th	51.8	( 46.3 - 57.2 )	505	43.6	( 36.3 - 51.1 )	210	58.4	( 51.6 - 65.0 )	294
<b>Race/Ethnicity</b>									
Black*	55.4	( 51.9 - 59.0 )	1,674	48.7	( 43.3 - 54.1 )	667	61.2	( 57.6 - 64.7 )	1,004
Hispanic/Latino	50.2	( 42.1 - 58.2 )	154	-	-	64	-	-	90
White*	61.2	( 52.0 - 69.6 )	122	-	-	59	-	-	63
All other races*	-	-	78	-	-	33	-	-	44
Multiple races*	57.6	( 47.8 - 66.8 )	140	-	-	46	-	-	94

Note: 422 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN109: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	70.0	( 66.3 - 73.4 )	2,199	65.2	( 60.3 - 69.7 )	879	74.6	( 71.0 - 77.9 )	1,303
15 or younger	71.5	( 66.4 - 76.2 )	1,024	67.6	( 60.8 - 73.7 )	382	75.2	( 69.3 - 80.3 )	634
16 or 17	69.3	( 64.9 - 73.4 )	1,036	63.5	( 57.0 - 69.5 )	428	74.9	( 70.7 - 78.7 )	600
18 or older	62.5	( 54.9 - 69.6 )	139	-	-	69	-	-	69
<b>Grade</b>									
9th	70.4	( 62.3 - 77.4 )	541	68.9	( 58.6 - 77.7 )	204	71.7	( 61.5 - 80.1 )	336
10th	70.4	( 63.4 - 76.6 )	609	62.7	( 54.6 - 70.1 )	245	77.0	( 69.2 - 83.2 )	361
11th	70.0	( 63.5 - 75.8 )	522	64.8	( 55.1 - 73.5 )	207	75.1	( 68.8 - 80.4 )	311
12th	70.7	( 66.1 - 74.9 )	496	65.1	( 59.0 - 70.6 )	209	76.1	( 69.6 - 81.6 )	286
<b>Race/Ethnicity</b>									
Black*	70.9	( 67.7 - 73.9 )	1,629	66.3	( 61.2 - 71.0 )	646	74.8	( 71.6 - 77.8 )	981
Hispanic/Latino	65.1	( 54.4 - 74.5 )	150	-	-	63	-	-	87
White*	72.8	( 63.7 - 80.3 )	121	-	-	59	-	-	62
All other races*	-	-	78	-	-	33	-	-	44
Multiple races*	75.9	( 66.6 - 83.2 )	134	-	-	45	-	-	89

Note: 483 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Baltimore City

Summary Tables - Weighted Data

QN110: Percentage of students who have an adult outside of school they can talk to about things that are important to them

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	82.2	( 79.7 - 84.5 )	2,208	81.6	( 78.2 - 84.6 )	884	82.9	( 80.1 - 85.4 )	1,309
<b>Age</b>									
15 or younger	81.6	( 78.0 - 84.8 )	1,029	81.3	( 75.4 - 86.0 )	382	82.2	( 78.1 - 85.6 )	639
16 or 17	82.7	( 79.7 - 85.4 )	1,042	81.5	( 77.7 - 84.7 )	434	83.9	( 79.8 - 87.2 )	602
18 or older	83.0	( 73.1 - 89.7 )	137	-	-	68	-	-	68
<b>Grade</b>									
9th	80.0	( 75.1 - 84.1 )	547	78.4	( 70.8 - 84.4 )	203	81.4	( 75.9 - 85.9 )	344
10th	83.5	( 79.7 - 86.7 )	614	83.7	( 79.5 - 87.3 )	251	83.2	( 77.8 - 87.5 )	361
11th	84.9	( 81.0 - 88.2 )	515	83.6	( 78.1 - 87.9 )	206	86.0	( 81.3 - 89.6 )	307
12th	82.3	( 78.6 - 85.5 )	499	83.9	( 77.5 - 88.7 )	208	80.8	( 75.2 - 85.4 )	289
<b>Race/Ethnicity</b>									
Black*	82.5	( 79.7 - 85.0 )	1,653	81.8	( 78.2 - 84.9 )	658	83.1	( 80.0 - 85.8 )	992
Hispanic/Latino	79.9	( 70.3 - 87.0 )	146	-	-	63	-	-	82
White*	87.9	( 79.9 - 93.0 )	121	-	-	58	-	-	63
All other races*	-	-	77	-	-	32	-	-	43
Multiple races*	82.1	( 73.7 - 88.2 )	134	-	-	42	-	-	92

Note: 474 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN111: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	79.8	( 77.7 - 81.6 )	2,273	78.2	( 74.8 - 81.2 )	914	80.9	( 78.1 - 83.3 )	1,338
<b>Age</b>									
15 or younger	81.0	( 78.1 - 83.6 )	1,061	80.1	( 75.4 - 84.0 )	400	81.3	( 77.0 - 85.1 )	649
16 or 17	78.5	( 75.4 - 81.2 )	1,068	76.6	( 71.4 - 81.1 )	444	80.0	( 76.1 - 83.4 )	616
18 or older	79.8	( 72.6 - 85.5 )	144	-	-	70	-	-	73
<b>Grade</b>									
9th	80.2	( 76.4 - 83.5 )	566	78.9	( 73.6 - 83.4 )	217	81.3	( 75.0 - 86.4 )	347
10th	79.4	( 73.9 - 84.0 )	628	77.0	( 68.3 - 83.9 )	257	81.2	( 74.3 - 86.5 )	368
11th	80.6	( 77.0 - 83.7 )	532	82.6	( 78.1 - 86.3 )	211	78.5	( 72.5 - 83.5 )	316
12th	78.8	( 75.3 - 81.9 )	512	74.2	( 66.9 - 80.4 )	213	82.6	( 76.3 - 87.4 )	297
<b>Race/Ethnicity</b>									
Black*	80.1	( 77.6 - 82.4 )	1,684	79.1	( 75.1 - 82.7 )	673	80.9	( 77.8 - 83.7 )	1,008
Hispanic/Latino	75.6	( 67.2 - 82.5 )	156	-	-	66	-	-	89
White*	84.0	( 76.4 - 89.5 )	121	-	-	58	-	-	63
All other races*	-	-	79	-	-	34	-	-	44
Multiple races*	78.8	( 71.1 - 84.8 )	139	-	-	45	-	-	94

Note: 409 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	38.2	( 35.5 - 40.9 )	2,162	38.0	( 33.7 - 42.5 )	860	38.2	( 34.7 - 41.8 )	1,289
<b>Age</b>									
15 or younger	36.0	( 32.6 - 39.6 )	1,006	36.2	( 31.0 - 41.7 )	371	35.4	( 31.2 - 39.9 )	629
16 or 17	39.3	( 34.8 - 44.0 )	1,023	38.4	( 32.1 - 45.1 )	424	40.1	( 34.4 - 46.2 )	593
18 or older	46.7	( 37.3 - 56.3 )	133	-	-	65	-	-	67
<b>Grade</b>									
9th	34.0	( 29.7 - 38.7 )	535	33.4	( 26.2 - 41.5 )	200	34.6	( 29.1 - 40.5 )	335
10th	38.9	( 34.1 - 43.9 )	600	41.4	( 34.5 - 48.7 )	243	37.2	( 31.1 - 43.6 )	355
11th	39.2	( 32.9 - 45.9 )	513	35.3	( 28.5 - 42.8 )	203	42.2	( 33.3 - 51.6 )	307
12th	41.0	( 35.5 - 46.7 )	488	43.1	( 33.4 - 53.3 )	202	39.6	( 34.0 - 45.4 )	285
<b>Race/Ethnicity</b>									
Black*	36.9	( 33.9 - 40.0 )	1,614	36.5	( 31.8 - 41.5 )	634	37.2	( 33.5 - 41.0 )	977
Hispanic/Latino	44.7	( 36.5 - 53.2 )	149	-	-	63	-	-	86
White*	43.6	( 33.1 - 54.6 )	117	-	-	57	-	-	60
All other races*	-	-	75	-	-	32	-	-	42
Multiple races*	43.4	( 35.1 - 52.1 )	135	-	-	44	-	-	91

Note: 520 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

## 2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Maryland High School Survey

#### Baltimore City

#### Summary Tables - Weighted Data

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Total</b>	58.9	( 56.4 - 61.3 )	2,262	62.8	( 59.1 - 66.4 )	910	55.8	( 52.5 - 59.1 )	1,332
<b>Age</b>									
15 or younger	59.1	( 56.0 - 62.2 )	1,053	63.8	( 58.6 - 68.7 )	396	56.0	( 52.0 - 60.0 )	647
16 or 17	58.0	( 54.8 - 61.1 )	1,068	61.6	( 56.5 - 66.5 )	444	54.8	( 49.6 - 60.0 )	615
18 or older	63.9	( 55.8 - 71.4 )	141	-	-	70	-	-	70
<b>Grade</b>									
9th	60.6	( 56.7 - 64.4 )	563	66.1	( 60.3 - 71.4 )	216	55.7	( 50.4 - 60.9 )	346
10th	58.6	( 54.3 - 62.9 )	627	60.3	( 52.8 - 67.3 )	257	57.0	( 51.7 - 62.2 )	367
11th	59.9	( 55.5 - 64.2 )	530	62.5	( 55.4 - 69.1 )	212	58.3	( 51.7 - 64.6 )	314
12th	55.4	( 51.1 - 59.6 )	506	60.8	( 53.6 - 67.5 )	209	51.5	( 45.9 - 57.0 )	295
<b>Race/Ethnicity</b>									
Black*	58.4	( 55.8 - 60.9 )	1,679	61.5	( 57.6 - 65.2 )	673	55.8	( 52.1 - 59.5 )	1,003
Hispanic/Latino	55.4	( 46.8 - 63.7 )	155	-	-	65	-	-	89
White*	66.3	( 57.8 - 73.9 )	122	-	-	58	-	-	64
All other races*	-	-	78	-	-	34	-	-	43
Multiple races*	54.8	( 46.0 - 63.3 )	137	-	-	45	-	-	92

Note: 420 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.