

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	11.4 (9.4-13.8)	892	12.6 (8.8-17.7)	201	17.6 (11.1-26.8)	105	No	No	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.4 (2.4-8.1)	377	3.1 (0.9-9.7)	67	2.7 (0.4-17.8)	31	No	No	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	28.3 (22.6-34.8)	380	19.0 (10.8-31.4)	68	19.1 (9.3-35.1)	33	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN12: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	3.6 (2.5-5.3)	894	3.7 (1.9-7.2)	203	5.1 (2.3-10.9)	109	No	No	No
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	5.1 (3.7-6.9)	893	2.5 (1.1-5.4)	203	7.1 (3.4-14.1)	109	Yes	No	No
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	10.2 (8.0-13.0)	878	15.9 (11.1-22.3)	197	22.9 (15.3-32.8)	107	No	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI†	N	% 95% CI	N	% 95% CI	N			
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	6.3 (4.8-8.1)	894	6.5 (3.9-10.8)	203	8.9 (5.1-15.1)	109	No	No	No
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	7.7 (6.0-9.9)	890	6.7 (4.1-10.6)	200	8.5 (4.5-15.7)	108	No	No	No
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.2 (5.1-10.1)	486	10.6 (6.6-16.6)	128	26.4 (16.7-39.0)	56	No	Yes	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

†Confidence interval.

§Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Allegany County
Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	15.5 (13.2-18.0)	890	27.4 (21.3-34.6)	202	29.4 (20.8-39.8)	107	Yes	Yes	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	14.0 (11.9-16.4)	893	29.6 (23.6-36.4)	202	21.5 (14.5-30.6)	106	Yes	No	No
QN25: Percentage of students who felt sad or hopeless (almost every day for ≥2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	31.3 (28.0-34.9)	883	73.0 (65.2-79.6)	200	66.8 (55.2-76.7)	103	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Allegany County
Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	15.6 (13.3-18.2)	890	42.2 (33.9-50.9)	198	45.6 (36.6-54.9)	103	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	11.8 (9.7-14.1)	886	33.4 (26.3-41.3)	195	27.4 (19.8-36.6)	102	Yes	Yes	No
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	12.6 (10.2-15.4)	889	27.2 (21.5-33.8)	200	22.2 (15.5-30.6)	108	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	8.8 (6.7-11.5)	885	15.5 (11.1-21.3)	200	14.2 (8.2-23.3)	107	Yes	No	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.9 (2.7-5.8)	885	7.2 (4.4-11.6)	202	7.5 (3.4-15.9)	106	No	No	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	1.0 (0.5-2.2)	885	0.7 (0.2-3.2)	202	1.2 (0.2-7.8)	106	No	No	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	1.0 (0.4-2.1)	885	0.7 (0.2-3.2)	202	1.2 (0.2-7.8)	106	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	41.2 (36.9-45.5)	877	57.6 (48.6-66.0)	199	43.6 (33.7-53.9)	102	Yes	No	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	23.0 (19.5-27.0)	856	33.8 (26.8-41.7)	193	22.5 (14.5-33.2)	103	Yes	No	No
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	12.1 (9.4-15.4)	856	16.8 (10.9-25.1)	193	6.5 (3.1-13.2)	103	No	Yes	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	9.7 (7.3-12.7)	856	10.9 (6.6-17.5)	193	4.1 (1.5-10.9)	103	No	Yes	Yes
QN36: Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)	2.4 (0.7-7.4)	185	2.0 (0.3-12.6)	66	-	23	No	N/A	N/A
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	5.4 (3.6-7.9)	883	2.3 (1.0-5.0)	201	4.5 (2.0-9.8)	107	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	1.3 (0.7-2.7)	883	0.5 (0.1-3.5)	201	2.4 (0.8-7.2)	107	No	No	No
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	1.3 (0.7-2.7)	883	0.5 (0.1-3.5)	201	0.8 (0.1-6.0)	107	No	No	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.4 (2.2-5.1)	890	3.2 (1.5-6.7)	203	4.2 (1.5-11.3)	107	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.4 (0.1-1.1)	890	0.4 (0.0-2.6)	203	0.0	107	No	No	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.2 (0.1-1.0)	890	0.4 (0.0-2.6)	203	0.0	107	No	No	No
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	5.3 (3.8-7.4)	881	8.6 (5.5-13.3)	202	7.6 (3.4-16.1)	105	No	No	No
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	7.7 (5.8-10.2)	873	9.7 (6.4-14.4)	200	9.2 (4.6-17.7)	105	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	24.3 (20.6-28.4)	839	33.0 (26.3-40.6)	191	24.5 (16.3-35.1)	102	Yes	No	No
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	23.0 (19.4-27.1)	849	33.8 (26.8-41.7)	193	24.2 (16.1-34.7)	103	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	13.5 (11.1-16.5)	851	22.8 (16.8-30.2)	197	18.8 (12.5-27.3)	103	Yes	No	No
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	21.5 (18.5-24.9)	859	26.6 (20.0-34.3)	193	21.3 (13.6-31.8)	102	No	No	No
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)	11.8 (9.5-14.6)	865	11.6 (7.4-17.7)	198	14.3 (8.6-22.9)	105	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN46: Percentage of students who tried marijuana for the first time before age 13 years	7.0 (5.2-9.4)	878	11.6 (8.0-16.6)	199	5.9 (2.9-11.9)	106	No	No	No
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	13.2 (10.6-16.4)	884	25.0 (19.1-31.9)	201	22.4 (14.6-32.7)	107	Yes	No	No
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	9.1 (7.2-11.5)	877	24.4 (18.5-31.3)	200	13.3 (7.9-21.5)	104	Yes	No	Yes
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	2.0 (1.1-3.5)	886	2.9 (1.4-6.0)	202	5.8 (2.8-11.9)	107	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	1.3 (0.7-2.6)	881	2.1 (0.9-4.7)	202	2.1 (0.7-6.4)	106	No	No	No
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	1.6 (0.9-3.0)	880	0.6 (0.2-2.6)	202	2.1 (0.7-6.3)	107	No	No	No
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)	1.9 (1.1-3.4)	883	3.8 (1.9-7.3)	203	4.3 (1.9-9.5)	107	No	No	No
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	1.7 (0.9-3.2)	880	2.6 (1.1-6.5)	201	3.1 (1.1-8.1)	105	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Allegany County
 Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	13.5 (11.0-16.4)	873	21.5 (16.2-27.9)	199	21.2 (13.3-32.1)	105	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN57: Percentage of students who ever had sexual intercourse	36.1 (31.0-41.6)	806	42.1 (34.8-49.8)	183	24.3 (16.0-35.1)	98	No	Yes	Yes
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	3.3 (2.1-5.2)	796	3.8 (1.9-7.5)	180	1.0 (0.1-6.8)	98	No	No	No
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	5.9 (4.2-8.3)	796	8.2 (4.7-13.8)	179	4.4 (1.6-11.2)	98	No	No	No
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	25.3 (20.7-30.4)	805	31.1 (24.2-38.9)	181	17.8 (10.6-28.3)	98	No	No	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN61: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	17.4 (11.8-24.9)	185	15.2 (7.9-27.4)	50	-	17	No	N/A	N/A
QN62: Percentage of students who did not use a condom during last sexual intercourse (among students who were currently sexually active)	47.2 (39.5-55.0)	184	69.0 (54.0-80.9)	48	-	16	Yes	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Birth Control

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN63: Did not use birth control pills before last sexual intercourse with opposite-sex partner	74.1 (66.8-80.3)	168	74.6 (58.6-85.8)	39	-	15	No	N/A	N/A
QNIUDIMP: Percentage of students who did not use an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner	92.3 (87.9-95.2)	168	95.2 (82.8-98.8)	39	-	15	No	N/A	N/A
QNOTHHPL: Percentage of students who did not use birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner	61.8 (53.6-69.5)	168	65.8 (50.0-78.7)	39	-	15	No	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Birth Control

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNDUALBC: Percentage of students who did not use both a condom during last sexual intercourse and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner	88.1 (81.7-92.4)	173	98.4 (89.2-99.8)	46	-	15	Yes	N/A	N/A
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	13.0 (8.8-18.9)	168	21.9 (11.4-38.0)	39	-	15	No	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	19.3 (16.3-22.6)	842	21.8 (16.4-28.3)	180	26.1 (17.3-37.3)	91	No	No	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	17.7 (15.1-20.5)	842	21.2 (16.1-27.4)	180	11.2 (6.0-19.9)	91	No	No	Yes
QN66: Percentage of students who described themselves as slightly or very overweight	32.3 (28.1-36.7)	873	44.8 (39.4-50.4)	195	34.3 (26.4-43.1)	104	Yes	No	Yes
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	41.3 (37.6-45.1)	874	44.2 (36.1-52.5)	199	51.7 (41.3-62.0)	103	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

[‡]Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	18.9 (15.8-22.5)	881	17.1 (12.2-23.5)	200	20.5 (12.9-30.8)	105	No	No	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	13.0 (10.6-16.0)	872	10.1 (6.7-15.0)	199	14.6 (8.7-23.4)	103	No	No	No
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	50.0 (47.0-53.0)	880	48.9 (41.7-56.1)	199	59.4 (48.0-69.9)	104	No	No	No
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	38.5 (35.2-42.0)	876	34.7 (28.2-41.9)	198	46.0 (35.6-56.8)	106	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	60.6 (57.1-63.9)	880	63.5 (55.7-70.8)	200	64.6 (55.8-72.5)	105	No	No	No
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	25.8 (22.7-29.1)	879	18.1 (13.3-24.0)	200	17.4 (11.1-26.1)	105	Yes	Yes	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	12.4 (10.1-15.2)	870	10.5 (6.9-15.8)	197	9.7 (5.2-17.3)	104	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	21.5 (18.4-25.0)	875	19.3 (13.9-26.1)	200	20.1 (13.1-29.7)	104	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Allegany County
Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	13.5 (11.1-16.5)	875	14.8 (10.2-21.0)	200	13.1 (7.6-21.5)	104	No	No	No
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	30.2 (26.5-34.1)	881	39.9 (32.8-47.4)	199	36.7 (27.5-47.0)	106	Yes	No	No
QNBK7DAY: Percentage of students who did not eat breakfast on all 7 days (during the 7 days before the survey)	76.4 (73.2-79.3)	881	89.7 (83.7-93.6)	199	75.2 (65.9-82.7)	106	Yes	No	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN77: Percentage of students who were not physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	51.6 (47.6-55.5)	871	75.3 (68.8-80.8)	199	66.3 (55.9-75.4)	105	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	12.9 (10.8-15.3)	871	26.9 (19.4-36.1)	199	19.6 (11.6-31.2)	105	Yes	No	No
QNPA7DAY: Percentage of students who were not physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	73.4 (70.1-76.5)	871	90.0 (84.3-93.8)	199	83.7 (75.9-89.4)	105	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	70.4 (66.7-73.9)	870	82.9 (76.2-88.0)	198	82.9 (71.4-90.3)	103	Yes	Yes	No
QN79: Percentage of students who did not attend physical education (PE) classes on 1 or more days (in an average week when they were in school)	65.0 (57.4-71.8)	873	70.6 (60.1-79.4)	197	63.3 (50.7-74.3)	104	No	No	No
QNDLYPE: Percentage of students who did not attend physical education classes on all 5 days (in an average week when they were in school)	68.7 (61.3-75.3)	873	74.7 (64.6-82.7)	197	64.9 (51.9-76.0)	104	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	15.3 (12.8-18.3)	876	8.1 (4.9-13.1)	200	9.2 (4.6-17.5)	105	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Other

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN82: Were not tested or were not sure whether they had been tested for human immunodeficiency virus (HIV)	90.3 (87.9-92.2)	866	87.6 (81.1-92.1)	199	91.4 (79.9-96.6)	104	No	No	No
QN84: Percentage of students who did not see a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	21.0 (18.3-24.0)	878	27.7 (22.6-33.4)	201	27.7 (19.0-38.5)	106	Yes	No	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.8 (1.1-3.0)	878	0.3 (0.0-2.0)	201	0.5 (0.1-3.7)	106	Yes	Yes	No
QN87: Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)	2.9 (1.9-4.4)	876	1.9 (0.7-4.9)	201	4.2 (1.7-9.9)	104	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN88: Percentage of students who are transgender	0.2 (0.0-0.6)	893	9.4 (6.4-13.8)	202	10.2 (5.6-17.9)	107	Yes	Yes	No
QN89: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)	29.7 (23.6-36.6)	412	27.1 (17.2-40.1)	76	20.8 (10.6-37.0)	36	No	No	No
QN90: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)	-	28	-	13	-	4	N/A	N/A	N/A
QN91: Percentage of students who were not asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)	-	16	-	4	-	2	N/A	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN92: Percentage of students who did not have someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)	70.9 (54.8-83.1)	50	-	9	-	6	N/A	N/A	N/A
QN93: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)	95.3 (91.9-97.3)	237	94.5 (85.6-98.0)	90	97.5 (84.6-99.6)	38	No	No	No
QN94: Percentage of students who used electronic-vapor products mainly because a friend or family member used them	9.8 (8.0-12.0)	806	12.7 (8.0-19.8)	189	21.9 (13.5-33.4)	92	No	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI†	N	% 95% CI	N	% 95% CI	N			
QN95: Percentage of students who have ever used an electronic vapor product to smoke marijuana, THC or hash oil, or THC wax	15.2 (11.6-19.7)	788	27.0 (20.0-35.3)	184	22.1 (13.7-33.6)	92	Yes	No	No
QN96: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)	3.5 (2.3-5.4)	880	2.6 (1.1-6.3)	198	2.3 (0.6-8.2)	103	No	No	No
QN97: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)	1.2 (0.6-2.2)	880	2.0 (0.7-5.6)	199	1.8 (0.4-7.1)	102	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

†Confidence interval.

§Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN98: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)	2.1 (1.3-3.4)	830	5.5 (2.6-11.2)	183	1.2 (0.2-8.5)	94	No	No	No
QN99: Percentage of students who did not completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)	81.3 (74.0-86.9)	155	78.2 (64.6-87.6)	53	-	12	No	N/A	N/A
QN100: Percentage of students who live with someone who now smokes cigarettes or cigars	36.9 (33.5-40.4)	876	52.1 (43.9-60.3)	200	46.5 (36.0-57.3)	101	Yes	No	No
QN101: Percentage of students who report that the rule about smoking inside their home is that there are no rules about smoking, that smoking is allowed in some places or at sometimes, or that smoking is allowed anywhere, inside their home (not counting decks, garages, or porches)	23.6 (20.5-27.1)	882	44.8 (36.1-53.9)	203	37.9 (28.0-48.8)	104	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN102: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)	33.4 (30.2-36.8)	881	52.1 (44.8-59.2)	203	40.3 (30.2-51.2)	107	Yes	No	Yes
QN103: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)	61.5 (52.3-70.0)	118	62.8 (48.8-74.9)	53	-	24	No	N/A	N/A
QN104: Percentage of students who reported that they or someone in their home tested positive for COVID-19	47.3 (44.1-50.5)	869	43.0 (35.9-50.3)	198	41.3 (31.8-51.4)	106	No	No	No
QN105: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of their state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)	12.5 (9.9-15.7)	862	7.9 (4.8-12.9)	197	9.1 (4.8-16.5)	106	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN106: Percentage of students who have ever lied to people important to them about how much they gambled	5.6 (4.1-7.7)	854	4.7 (2.6-8.4)	194	3.8 (1.6-9.0)	104	No	No	No
QN107: Percentage of students who have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing schoolwork, playing sports, or being with friends)	8.6 (6.9-10.8)	865	15.5 (10.6-22.1)	198	15.2 (8.0-27.1)	107	Yes	No	No
QN108: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)	12.8 (10.4-15.8)	866	28.9 (22.2-36.6)	199	22.0 (15.1-31.0)	105	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN109: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)	9.9 (8.0-12.1)	860	18.4 (13.0-25.3)	198	14.8 (9.2-22.9)	102	Yes	No	No
QN110: Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down (during their life)	8.3 (6.3-10.9)	867	29.2 (21.2-38.7)	201	27.6 (19.9-36.8)	107	Yes	Yes	No
QN111: Percentage of students who ever lived with someone who was having a problem with alcohol or drug use	28.8 (25.4-32.5)	854	47.4 (39.2-55.7)	196	52.5 (42.4-62.4)	102	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN112: Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal	32.2 (28.5-36.1)	860	66.5 (59.6-72.8)	197	62.7 (51.0-73.1)	103	Yes	Yes	No
QN113: Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center	17.1 (14.5-20.1)	853	25.7 (20.4-31.8)	197	18.0 (10.2-29.8)	104	Yes	No	No
QN114: Percentage of students who reported that their parents or other adults in their home most of the time or always slapped, hit, kicked, punched, or beat each other up (during their life)	1.9 (1.1-3.1)	861	3.3 (1.4-7.6)	198	1.6 (0.4-6.2)	105	No	No	No
QN115: Percentage of students who did not participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)	43.6 (38.9-48.4)	856	53.2 (44.8-61.3)	197	46.2 (36.9-55.7)	105	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN116: Percentage of students who were not taught or who were not sure if they were taught in any of their classes about the dangers of tobacco use (during the last school year)	50.4 (46.4-54.4)	865	52.8 (46.2-59.2)	199	47.4 (38.6-56.3)	103	No	No	No
QN117: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends	38.4 (34.8-42.0)	864	35.2 (27.8-43.3)	198	37.4 (27.3-48.8)	106	No	No	No
QN118: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in	17.9 (15.5-20.5)	865	23.4 (16.8-31.7)	195	22.6 (14.4-33.6)	106	No	No	No
QN119: Percentage of students who sometimes, rarely, or never feel that they are able to talk to an adult in their family or another caring adult about their feelings (during their life)	51.8 (47.5-56.1)	866	73.1 (66.3-79.0)	200	78.0 (69.1-84.9)	105	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Allegany County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN120: Percentage of students who would not feel comfortable seeking help from adults besides their parents if they had an important question affecting their life	22.4 (19.1-26.0)	865	21.6 (16.1-28.4)	199	37.2 (28.6-46.6)	106	No	Yes	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Allegany County
 Risk Behaviors and Sexual Identity Report

Mental Health

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN85: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)	24.1 (21.0-27.5)	875	66.8 (59.6-73.4)	201	58.8 (47.1-69.7)	107	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.