

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	12.9 (11.0-15.2)	1,235	16.6 (12.4-22.0)	256	16.4 (11.0-23.7)	143	No	No	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.0 (2.5-6.3)	507	4.3 (1.7-10.2)	88	11.5 (4.7-25.4)	45	No	No	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	27.1 (21.7-33.2)	517	24.3 (15.9-35.3)	88	18.5 (8.9-34.4)	47	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN12: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	4.3 (3.0-6.1)	1,243	5.3 (3.2-8.8)	256	7.2 (3.8-13.3)	146	No	No	No
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	4.0 (3.0-5.3)	1,241	6.6 (4.3-10.1)	257	7.4 (4.1-13.0)	147	No	No	No
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	4.7 (3.5-6.3)	1,226	11.7 (8.2-16.5)	251	19.4 (12.8-28.2)	143	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI†	N	% 95% CI	N	% 95% CI	N			
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	4.7 (3.7-6.0)	1,243	12.4 (8.6-17.4)	258	10.5 (6.3-17.1)	147	Yes	Yes	No
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.7 (5.5-8.2)	1,242	9.3 (6.4-13.5)	258	10.6 (6.3-17.2)	147	No	No	No
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	9.1 (7.1-11.5)	609	22.2 (16.8-28.6)	154	24.7 (15.7-36.7)	79	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

†Confidence interval.

§Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	15.6 (13.5-18.0)	1,239	32.9 (27.6-38.8)	257	36.2 (28.3-44.9)	145	Yes	Yes	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	13.8 (11.8-16.0)	1,241	29.2 (23.9-35.0)	254	25.9 (19.0-34.4)	143	Yes	Yes	No
QN25: Percentage of students who felt sad or hopeless (almost every day for ≥2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	32.9 (29.7-36.4)	1,230	70.2 (63.8-75.9)	253	69.9 (61.9-76.8)	143	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	13.8 (11.7-16.1)	1,236	50.2 (44.1-56.3)	255	47.9 (40.6-55.4)	144	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	9.5 (7.9-11.4)	1,239	36.3 (30.1-43.0)	252	35.8 (28.6-43.7)	142	Yes	Yes	No
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	11.5 (9.7-13.5)	1,238	26.1 (21.3-31.6)	252	21.0 (14.9-28.8)	144	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	8.3 (6.7-10.2)	1,238	10.9 (7.9-15.1)	256	11.1 (6.5-18.3)	145	No	No	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	4.1 (3.0-5.6)	1,241	7.0 (4.4-11.2)	256	6.9 (3.8-12.4)	144	No	No	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	1.1 (0.6-2.0)	1,241	0.7 (0.2-2.6)	256	2.9 (1.0-7.7)	144	No	No	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.8 (0.4-1.6)	1,241	0.7 (0.2-2.6)	256	2.0 (0.6-6.1)	144	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	41.2 (37.3-45.2)	1,209	57.8 (51.8-63.7)	249	38.7 (31.6-46.3)	140	Yes	No	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	20.8 (18.3-23.5)	1,180	34.3 (28.6-40.6)	239	26.7 (20.2-34.5)	141	Yes	No	No
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	7.7 (6.1-9.6)	1,180	9.4 (6.2-13.8)	239	8.3 (4.7-14.5)	141	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	6.1 (4.6-8.1)	1,180	8.1 (5.2-12.3)	239	6.6 (3.4-12.2)	141	No	No	No
QN36: Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)	4.1 (2.1-7.7)	233	9.3 (4.3-19.0)	81	8.2 (2.5-23.7)	37	No	No	No
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	3.7 (2.4-5.5)	1,224	2.6 (1.1-5.8)	253	3.6 (1.5-8.5)	144	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNFERSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	1.0 (0.5-2.2)	1,224	0.4 (0.1-3.1)	253	2.6 (0.9-7.6)	144	No	No	No
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.8 (0.3-2.0)	1,224	0.4 (0.1-3.1)	253	1.4 (0.5-4.5)	144	No	No	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	4.3 (3.2-5.8)	1,234	6.6 (3.8-11.3)	256	4.0 (1.9-8.4)	145	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.6 (0.3-1.4)	1,234	0.6 (0.2-2.5)	256	1.8 (0.6-5.4)	145	No	No	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.5 (0.2-1.3)	1,234	0.3 (0.0-2.1)	256	1.1 (0.3-4.3)	145	No	No	No
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	6.2 (4.9-7.9)	1,231	9.2 (6.1-13.7)	253	7.3 (4.1-12.6)	143	No	No	No
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	7.6 (6.0-9.6)	1,221	9.0 (5.9-13.6)	250	7.7 (4.3-13.5)	140	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	22.0 (19.4-24.8)	1,159	36.1 (30.2-42.3)	234	26.4 (19.6-34.4)	137	Yes	No	No
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	21.5 (19.0-24.4)	1,176	35.0 (29.1-41.4)	238	27.2 (20.4-35.2)	140	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	12.8 (10.8-15.1)	1,181	19.2 (14.8-24.4)	251	23.8 (17.4-31.7)	142	Yes	Yes	No
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	24.1 (21.2-27.4)	1,195	32.9 (27.2-39.2)	251	20.3 (14.7-27.5)	144	Yes	No	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)	13.3 (11.1-15.9)	1,211	19.6 (15.0-25.3)	253	8.3 (4.7-14.1)	143	Yes	Yes	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN46: Percentage of students who tried marijuana for the first time before age 13 years	7.2 (5.6-9.2)	1,211	13.5 (9.8-18.3)	251	6.8 (3.5-12.8)	142	Yes	No	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	17.1 (14.4-20.0)	1,216	30.3 (24.8-36.5)	254	15.4 (10.3-22.2)	145	Yes	No	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	11.0 (9.3-13.0)	1,218	17.1 (13.1-22.1)	253	18.5 (12.9-25.9)	143	Yes	Yes	No
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	2.3 (1.5-3.4)	1,229	4.1 (2.2-7.5)	253	6.2 (3.1-12.0)	147	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	2.0 (1.2-3.3)	1,229	1.5 (0.6-3.5)	254	5.6 (2.7-11.2)	145	No	No	No
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	1.9 (1.2-2.8)	1,220	1.7 (0.7-3.8)	252	4.6 (2.0-10.2)	141	No	No	No
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)	3.0 (2.1-4.3)	1,229	2.5 (1.2-5.2)	253	3.9 (1.5-9.7)	144	No	No	No
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	1.9 (1.3-2.8)	1,222	1.4 (0.5-3.8)	252	5.4 (2.4-12.0)	143	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	19.2 (17.1-21.5)	1,216	23.5 (18.6-29.4)	250	21.2 (14.7-29.5)	138	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN57: Percentage of students who ever had sexual intercourse	31.5 (27.4-35.9)	1,133	42.1 (35.4-49.0)	233	21.2 (15.0-29.0)	133	Yes	Yes	Yes
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	3.9 (2.8-5.4)	1,132	7.5 (4.3-12.6)	232	5.8 (3.0-10.9)	135	No	No	No
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	5.7 (4.2-7.6)	1,129	11.5 (7.9-16.4)	230	3.7 (1.5-8.6)	133	Yes	No	Yes
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	22.8 (19.1-26.9)	1,135	28.5 (21.8-36.2)	231	12.7 (7.7-20.0)	134	No	Yes	Yes

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN61: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	19.7 (15.1-25.3)	227	22.5 (12.3-37.7)	58	-	15	No	N/A	N/A
QN62: Percentage of students who did not use a condom during last sexual intercourse (among students who were currently sexually active)	46.2 (39.0-53.6)	229	60.6 (47.0-72.8)	60	-	15	No	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Birth Control

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN63: Did not use birth control pills before last sexual intercourse with opposite-sex partner	80.6 (73.4-86.1)	217	79.0 (65.9-87.9)	51	-	15	No	N/A	N/A
QNIUDIMP: Percentage of students who did not use an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner	96.1 (92.1-98.1)	217	92.7 (81.8-97.3)	51	-	15	No	N/A	N/A
QNOTHHPL: Percentage of students who did not use birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner	70.2 (62.5-76.9)	217	64.5 (50.1-76.7)	51	-	15	No	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Birth Control

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNDUALBC: Percentage of students who did not use both a condom during last sexual intercourse and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner	91.2 (86.4-94.5)	220	90.6 (76.4-96.6)	58	-	15	No	N/A	N/A
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	14.3 (10.1-20.0)	217	25.7 (15.5-39.7)	51	-	15	No	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	17.0 (14.6-19.6)	1,142	19.8 (14.7-26.2)	229	25.5 (17.9-35.1)	117	No	No	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	15.0 (13.0-17.3)	1,142	17.6 (13.2-23.1)	229	15.4 (10.0-23.0)	117	No	No	No
QN66: Percentage of students who described themselves as slightly or very overweight	30.3 (27.6-33.1)	1,213	41.5 (35.1-48.1)	247	40.6 (32.1-49.8)	140	Yes	Yes	No
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	34.0 (31.2-36.9)	1,219	42.0 (35.4-48.8)	250	35.0 (27.9-42.8)	144	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

[‡]Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	14.6 (12.4-17.1)	1,223	17.4 (12.8-23.1)	250	26.0 (19.0-34.4)	144	No	Yes	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	8.1 (6.5-10.0)	1,214	10.3 (6.9-15.2)	248	11.2 (6.7-18.1)	143	No	No	No
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	50.2 (47.1-53.4)	1,220	48.7 (42.0-55.4)	248	56.8 (47.8-65.5)	144	No	No	No
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	39.8 (37.0-42.8)	1,217	40.4 (34.4-46.7)	249	50.2 (40.8-59.6)	144	No	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	58.2 (54.9-61.4)	1,226	64.2 (57.0-70.9)	249	62.0 (53.6-69.7)	145	No	No	No
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	19.1 (16.8-21.7)	1,223	21.4 (16.3-27.6)	247	25.3 (18.7-33.3)	145	No	No	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	9.3 (7.7-11.3)	1,208	8.5 (5.5-12.9)	244	14.5 (9.6-21.4)	143	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	17.3 (15.0-19.9)	1,215	17.6 (13.4-22.8)	249	17.8 (12.4-25.0)	145	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	9.9 (8.1-12.1)	1,215	11.8 (8.1-16.9)	249	12.6 (8.1-19.0)	145	No	No	No
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	26.0 (23.2-29.1)	1,225	34.6 (27.6-42.4)	250	28.2 (21.4-36.2)	145	Yes	No	No
QNBK7DAY: Percentage of students who did not eat breakfast on all 7 days (during the 7 days before the survey)	77.9 (75.0-80.5)	1,225	88.7 (84.2-92.0)	250	81.5 (73.4-87.6)	145	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN77: Percentage of students who were not physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	55.3 (52.0-58.5)	1,219	76.5 (70.1-81.8)	245	74.4 (66.2-81.1)	143	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	14.0 (11.7-16.6)	1,219	25.6 (20.7-31.2)	245	23.1 (16.9-30.7)	143	Yes	Yes	No
QNPA7DAY: Percentage of students who were not physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	75.9 (72.9-78.6)	1,219	89.9 (85.6-93.0)	245	88.4 (81.8-92.9)	143	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	72.3 (69.5-74.9)	1,208	81.5 (77.1-85.3)	246	88.2 (81.3-92.8)	143	Yes	Yes	No
QN79: Percentage of students who did not attend physical education (PE) classes on 1 or more days (in an average week when they were in school)	57.1 (52.6-61.5)	1,204	64.7 (56.7-71.9)	248	64.3 (55.5-72.2)	139	Yes	No	No
QNDLYPE: Percentage of students who did not attend physical education classes on all 5 days (in an average week when they were in school)	95.8 (94.2-96.9)	1,204	95.7 (91.7-97.8)	248	97.5 (93.9-99.0)	139	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	12.5 (10.7-14.6)	1,212	10.2 (6.9-14.8)	246	12.0 (7.2-19.3)	143	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Other

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN82: Were not tested or were not sure whether they had been tested for human immunodeficiency virus (HIV)	93.3 (91.3-94.9)	1,206	86.0 (81.3-89.7)	244	88.7 (81.8-93.3)	142	Yes	No	No
QN84: Percentage of students who did not see a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	22.1 (19.4-25.0)	1,224	31.0 (25.1-37.5)	248	35.6 (28.1-43.9)	144	Yes	Yes	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.2 (0.6-2.1)	1,224	2.6 (1.0-6.5)	248	1.2 (0.3-5.5)	144	No	No	No
QN87: Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)	2.9 (2.0-4.1)	1,222	3.5 (1.8-6.5)	246	6.1 (2.7-13.1)	144	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN88: Percentage of students who are transgender	0.4 (0.2-1.0)	1,239	11.7 (8.3-16.3)	257	11.7 (7.3-18.3)	143	Yes	Yes	No
QN89: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)	31.2 (26.5-36.4)	564	27.3 (17.9-39.2)	101	24.2 (13.7-39.2)	46	No	No	No
QN90: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)	12.5 (4.5-30.5)	36	-	18	-	9	N/A	N/A	N/A
QN91: Percentage of students who were not asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)	-	25	-	7	-	5	N/A	N/A	N/A

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN92: Percentage of students who did not have someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)	63.7 (50.2-75.3)	62	-	20	-	8	N/A	N/A	N/A
QN93: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)	97.0 (95.0-98.2)	349	90.9 (83.7-95.1)	109	92.1 (79.5-97.2)	47	Yes	No	No
QN94: Percentage of students who used electronic-vapor products mainly because a friend or family member used them	13.1 (11.0-15.4)	1,117	19.2 (14.2-25.3)	233	13.0 (7.9-20.7)	137	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN95: Percentage of students who have ever used an electronic vapor product to smoke marijuana, THC or hash oil, or THC wax	18.2 (15.5-21.4)	1,108	32.5 (25.6-40.3)	227	16.2 (10.9-23.5)	136	Yes	No	Yes
QN96: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)	3.4 (2.4-4.7)	1,217	2.6 (1.3-5.2)	248	2.4 (0.9-6.4)	145	No	No	No
QN97: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)	1.9 (1.2-3.0)	1,221	4.1 (2.2-7.6)	251	5.3 (2.4-10.9)	144	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN98: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)	3.5 (2.5-4.7)	1,143	9.2 (5.9-14.0)	222	4.6 (2.1-9.8)	133	Yes	No	No
QN99: Percentage of students who did not completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)	74.2 (67.3-80.0)	198	84.9 (74.2-91.6)	70	-	24	No	N/A	N/A
QN100: Percentage of students who live with someone who now smokes cigarettes or cigars	33.7 (30.6-37.0)	1,222	48.6 (41.5-55.9)	250	47.1 (38.4-56.0)	143	Yes	Yes	No
QN101: Percentage of students who report that the rule about smoking inside their home is that there are no rules about smoking, that smoking is allowed in some places or at sometimes, or that smoking is allowed anywhere, inside their home (not counting decks, garages, or porches)	17.6 (15.2-20.3)	1,226	34.1 (27.5-41.3)	253	31.6 (23.5-41.0)	140	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN102: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)	31.6 (28.8-34.5)	1,225	47.4 (41.5-53.4)	256	44.9 (36.4-53.7)	147	Yes	Yes	No
QN103: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)	63.1 (55.9-69.7)	206	66.7 (55.3-76.4)	81	-	22	No	N/A	N/A
QN104: Percentage of students who reported that they or someone in their home tested positive for COVID-19	44.1 (41.1-47.1)	1,203	37.6 (31.4-44.3)	247	34.6 (26.8-43.4)	146	No	Yes	No
QN105: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of their state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)	17.4 (14.9-20.1)	1,194	10.0 (6.5-15.3)	243	13.5 (9.0-19.9)	144	Yes	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN106: Percentage of students who have ever lied to people important to them about how much they gambled	5.1 (4.0-6.5)	1,181	4.1 (2.3-7.4)	243	5.1 (2.6-9.8)	142	No	No	No
QN107: Percentage of students who have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing schoolwork, playing sports, or being with friends)	7.4 (5.9-9.2)	1,210	15.0 (10.7-20.5)	245	20.7 (14.6-28.4)	142	Yes	Yes	No
QN108: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)	12.5 (10.9-14.3)	1,206	29.0 (23.6-35.0)	244	31.6 (24.2-40.1)	141	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN109: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)	10.1 (8.6-11.9)	1,204	19.4 (15.1-24.5)	243	19.7 (14.3-26.6)	143	Yes	Yes	No
QN110: Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down (during their life)	11.4 (9.5-13.6)	1,218	36.7 (30.7-43.1)	245	31.8 (24.2-40.5)	142	Yes	Yes	No
QN111: Percentage of students who ever lived with someone who was having a problem with alcohol or drug use	32.3 (28.6-36.1)	1,205	50.0 (44.4-55.7)	240	50.9 (41.6-60.1)	141	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN112: Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal	35.9 (33.0-38.8)	1,205	67.4 (60.8-73.4)	240	63.8 (54.9-71.9)	140	Yes	Yes	No
QN113: Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center	18.6 (16.1-21.4)	1,205	26.8 (21.9-32.3)	241	23.4 (16.9-31.5)	138	Yes	No	No
QN114: Percentage of students who reported that their parents or other adults in their home most of the time or always slapped, hit, kicked, punched, or beat each other up (during their life)	1.9 (1.2-3.0)	1,215	7.3 (4.5-11.5)	245	4.9 (2.3-10.1)	142	Yes	No	No
QN115: Percentage of students who did not participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)	44.7 (40.7-48.7)	1,193	50.3 (43.2-57.5)	241	43.4 (34.8-52.5)	141	No	No	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/Questioning? [§]
	% 95% CI [†]	N	% 95% CI	N	% 95% CI	N			
QN116: Percentage of students who were not taught or who were not sure if they were taught in any of their classes about the dangers of tobacco use (during the last school year)	39.3 (35.1-43.6)	1,211	47.0 (40.0-54.1)	245	40.2 (31.8-49.2)	142	Yes	No	No
QN117: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends	37.4 (34.1-40.9)	1,208	39.4 (33.6-45.4)	244	36.6 (27.9-46.3)	140	No	No	No
QN118: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in	16.9 (14.4-19.7)	1,205	16.8 (12.3-22.5)	245	16.8 (11.1-24.5)	140	No	No	No
QN119: Percentage of students who sometimes, rarely, or never feel that they are able to talk to an adult in their family or another caring adult about their feelings (during their life)	54.4 (50.9-57.8)	1,215	77.1 (71.4-82.0)	247	77.6 (69.1-84.3)	145	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

[†]Confidence interval.

[§]Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Cecil County
Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI†	N	% 95% CI	N	% 95% CI	N			
QN120: Percentage of students who would not feel comfortable seeking help from adults besides their parents if they had an important question affecting their life	20.4 (18.0-23.1)	1,204	35.9 (30.1-42.2)	247	32.3 (25.3-40.1)	145	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

†Confidence interval.

§Based on t-test analyses, p<0.05.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey Cecil County Risk Behaviors and Sexual Identity Report

Mental Health

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*		Difference Between Heterosexual and Gay, Lesbian, or Bisexual? [§]	Difference Between Heterosexual and Other/ Questioning? [§]	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? [§]
	% 95% CI†	N	% 95% CI	N	% 95% CI	N			
QN85: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)	25.7 (23.0-28.7)	1,212	65.5 (59.3-71.3)	248	60.0 (51.4-68.1)	143	Yes	Yes	No

*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'.

†Confidence interval.

§Based on t-test analyses, p<0.05.