

### Maryland Department of Health and Mental Hygiene Center for Maternal and Child Health Vital Statistics Administration

Martin O'Malley, Governor; Anthony G. Brown, Lieutenant Governor; John M. Colmers, Secretary

"Thank you for giving me the opportunity to answer these questions for you. I hope they can be of some help to other pregnant women."

PRAMS mother

# Maryland PRAMS Report

# 2008 Births

### **Family Health Administration**

Center for Maternal and Child Health Bonnie Birkel, CRNP, MPH, Director S. Lee Woods, MD, PhD, Medical Director

**Vital Statistics Administration** 

Isabelle Horon, DrPH, Director

### **PRAMS** Team

Sara Barra, MS, Data Analyst Diana Cheng, MD, PRAMS Project Director, Center for Maternal and Child Health (CMCH) Bob Hayman, PhD, Vital Statistics Administration (VSA) Isabelle Horon, DrPH, VSA Lee Hurt, MS, MPH, Epidemiologist, CMCH Laurie Kettinger, MS, PRAMS Project Coordinator, CMCH Debbie Krome, Administrative Assistant, CMCH Salyna Riggs, PRAMS Data Manager, CMCH



December 2009

The Maryland PRAMS Report is also available at www.marylandprams.org

For further information, please contact:

Diana Cheng, MD PRAMS Project Director Medical Director, Women's Health Center for Maternal and Child Health Maryland Department of Health and Mental Hygiene 201 W. Preston Street, Room 309 Baltimore, MD 21201 Phone: 410-767-6713

### TABLE OF CONTENTS

Introduction	v
Methodology	v
Sampling and Data Collection	v
Survey Response and Data Analysis	vi
Acknowledgments	vi
Maryland PRAMS Steering Committee	1
Maryland PRAMS Highlights 2008	2
Maryland PRAMS 2004 - 2008 Surveillance and	
Selected Healthy People 2010 Objectives	3
Preconception Factors	5
Comments from PRAMS Mothers	6
Intendedness of Pregnancy	7
Physical Activity before Pregnancy	8
Health Problems 3 Months before Pregnancy	9
Multivitamin Use in Month before Pregnancy	10
Use of Infertility Treatment	11
Type of Infertility Treatment	12
Prior Pregnancy Loss	13
Prenatal Factors	15
Comments from PRAMS Mothers	16
Trimester of Pregnancy Confirmation	17
Trimester Prenatal Care Began	18
Satisfaction with Time of Initiation of Prenatal Care	19
Reasons for Late Prenatal Care	20
Topics Discussed during Prenatal Care Visits	21
Stress during the 12 Months before Delivery	22
Complications during Pregnancy	23
HIV Testing during Pregnancy	24
Dental Care during Pregnancy	25

Health Care Coverage and WIC Participation	27
Comments from PRAMS Mothers	28
Health Insurance Just Before Pregnancy	29
Medicaid Coverage Just Before Pregnancy	30
Source of Payment for Prenatal Care	31
WIC Participation during Pregnancy	32
Source of Payment for Delivery	33
Selected Risk Factors	35
Comments from PRAMS Mothers	36
Smoking during the Three Months before Pregnancy	37
Smoking during the Last Three Months of Pregnancy	38
Smoking After Pregnancy	39
Alcohol Use during the Three Months before Pregnancy	40
Alcohol Use during the Last Three Months of Pregnancy	41
Alcohol Binges during the Three Months before Pregnancy	42
Alcohol Binges during the Last Three Months of Pregnancy	43
Physical Abuse by Husband or Partner during the 12 Months before Pregnancy	44
Physical Abuse by Ex-husband or Ex-partner during the 12 Months before Pregnancy	
Physical Abuse by Husband or Partner during Pregnancy	46
Physical Abuse by Ex-husband or Ex-partner during Pregnancy	47
Postpartum Factors: Maternal and Infant Health	49
Comments from PRAMS Mothers	50
Use of Birth Control	51
Reasons for Not Using Postpartum Birth Control	52
Postpartum Depression Discussed	53
Neonatal Intensive Care Unit Admission	54
Length of Hospital Stay for Newborn	55
Breastfeeding Initiation	56
Breastfeeding Length of Time	57
Infant Sleep Position	58
Well-Baby Check Up	59
Maryland PRAMS Phase 5 Questionnaire	61
Comments from PRAMS Mothers	62
Survey	63

### **INTRODUCTION**

This report highlights data from births occurring to Maryland residents in 2008 collected through the Pregnancy Risk Assessment Monitoring System (PRAMS). PRAMS is a surveillance system established by the Centers for Disease Control and Prevention (CDC) in 1987 to obtain information about maternal behaviors and experiences that may be associated with adverse pregnancy outcomes. Data are collected by surveying women who have recently delivered live born infants.

PRAMS projects are conducted through cooperative agreements between the CDC and state health departments. PRAMS projects are currently underway in 37 states, New York City and South Dakota (Yankton Sioux Tribe). All surveys include a core set of standardized questions, which allows for multi-state analyses. In addition, each state can add questions tailored to meet its needs. The core section of the survey includes questions relating to prenatal care, obstetric history, smoking, alcohol use, physical abuse, contraception, economic status, maternal stress, and infant health. The Maryland-specific section of the survey includes questions on assisted reproduction, contraceptive use, depression, oral health, chronic disease, physical activity, and infections.

The PRAMS project in Maryland is a collaborative effort of the Center for Maternal and Child Health (CMCH), the Vital Statistics Administration (VSA) of the Maryland Department of Health and Mental Hygiene, and the CDC. Maryland began collecting PRAMS data from mothers who delivered in 2000.

### **METHODOLOGY**

### **Sampling and Data Collection**

Women eligible to participate in PRAMS are selected from Maryland's live birth certificate files. Each month, a stratified, random sample of approximately 200 live births is selected. The sample is stratified by maternal age (<35 years,  $\geq$ 35 years) and infant birth weight (<2500 grams,  $\geq$ 2500 grams). This sampling frame over-samples mothers who have delivered a low birth weight infant (<2500 grams) as well as mothers who are 35 years of age or older.

PRAMS combines two modes of data collection, a survey conducted by mailed questionnaire with multiple follow-up attempts, and if mail is not successful, a survey conducted by telephone interview. Survey questionnaires and other materials are available in both English and Spanish.

The first mailing, which is done two to four months after delivery, is a letter that introduces PRAMS to the mother and informs her that a questionnaire will soon arrive. Within seven days of this letter, the questionnaire packet is mailed. This packet includes the 76-item survey, informed consent page, calendar, and resource brochure. The mothers also receive either a 30-minute pre-paid phone card or \$5 Target gift card incentive in their Mail 1 packets. As an added attempt to increase response rates, entry into a random monthly drawing for a \$100 Target

gift card reward is available to those mothers who complete the survey by mail. Seven to 10 days after the initial packet is mailed, a tickler that serves as a thank you and reminder note is sent. Mothers who do not respond to the tickler within seven to 14 days are mailed a second questionnaire packet. A third questionnaire packet is mailed to all remaining nonrespondents seven to 14 days later. Telephone follow-up is initiated for all nonrespondents.

Data collected through PRAMS are linked to birth certificate data, which allows for the survey data to be weighted to reflect the total birth population. Sampling, nonresponse and noncoverage adjustment factors are applied to the data in order to make the results generalizable to the state's population of women delivering live born infants during the study period. Further information on PRAMS methodology, including weighting procedures, may be found on the CDC website at *http://www.cdc.gov/PRAMS/methodology.htm*.

### **Survey Response and Data Analysis**

CDC recommends that states obtain a response rate of at least 70% for analysis of PRAMS. The weighted response rate among women delivering in Maryland between January 1, 2008 and December 31, 2008 was 73.4%. During this period, 1,713 mothers completed the PRAMS questionnaire with a weighted response reflecting 69,471 mothers. The weighted figure included 32,326 births to White Non-Hispanic women and 22,810 births to Black Non-Hispanic, women. Survey findings in this report are shown by race/Hispanic origin (White Non-Hispanic, Black Non-Hispanic), maternal age and maternal years of education.

### ACKNOWLEDGMENTS

The Maryland PRAMS Project would like to acknowledge the CDC PRAMS Team for their technical assistance and support, especially Denise D'Angelo, MPH, our project manager who has expertly guided and assisted our program. Additionally, our thanks go to the Maryland PRAMS Steering Committee for their invaluable input to many aspects of our project.

Most importantly, we very much appreciate all the 1,713 mothers who took the time to complete the questionnaires that are represented in this report. Their answers will contribute greatly towards our continuing efforts to improve the health of Maryland mothers and babies.

### Maryland PRAMS Steering Committee

(November 2009)

Meena Abraham, MPH, DrPH MedChi, Maryland State Medical Society

**Carla Bailey, RN, PhD** Maryland Institute for Emergency Medical Services Systems

**Bonnie S. Birkel, CRNP, MPH** *Center for Maternal and Child Health DHMH*\*

Anne Eder Program Services March of Dimes, Maryland Chapter

Jenifer O. Fahey, MPH, CNM Perinatal Outreach University of Maryland Medical System

Michelle Fox, MD Obstetrics and Gynecology Johns Hopkins School of Medicine

Lauren Gordon, MD Family Practice Franklin Square Hospital

**Pamela Griffin** *Frederick, MD Mother* 

Sue Jenkins Alcohol and Drug Abuse Administration DHMH\*

**Betsy Lehmann** Maryland Health Care Coalition Against Domestic Violence

PRAMS Staff: Sara Barra, Data Analyst Diana Cheng, MD, Project Director Isabelle Horon, DrPH, Vital Statistics Administration Lee Hurt, MS, MPH, Data Analyst Laurie Kettinger, MS, Project Coordinator Helio Lopez, MPH, Spanish translator Salyna Riggs, Data Manager

\*Maryland Department of Health and Mental Hygiene (DHMH)

Jade Leung Center for Health Promotion, Education and Tobacco Use Prevention DHMH\*

Jenna McCall, MPH Center for HIV Prevention Infectious Disease & Environmental Health Administration

**Yvette McEachern, MA** *Center for Maternal and Child Health DHMH*\*

**Christine McKee, MA** *Mental Health Association of Maryland* 

Maria Prince, MD, MPH Office of Chronic Disease Prevention DHMH

Jodi Shaefer, RN, PhD Johns Hopkins University School of Nursing

Nadine Smith, RN Division of Outreach and Care Coordination Health Choice: Acute Care Administration DHMH\*

**Donna Strobino, PhD** *Population, Family and Reproductive Health Johns Hopkins Bloomberg School of Public Health* 

**Connie Webster, MPH, RD, LDN** Office of Maryland WIC Program DHMH\*

## **Maryland PRAMS Highlights--2008**

### **Preconception factors**

- Forty-two percent of all pregnancies were **unintended**.
- Fourteen percent of mothers reported a **pregnancy loss** in the twelve months preceding the current pregnancy.
- Sixty-six percent of women reported having health insurance just before pregnancy, and 7% reported they were covered by Medicaid or Health Choice.
- Thirty percent of women reported taking a **multivitamin daily** in the month before conception.
- Ten percent of mothers who were attempting to become pregnant used fertility treatments; 41% reported using fertility drugs, 7% used artificial insemination, and 31% used assisted reproductive technology.

### **Prenatal factors**

- Seventy-eight percent of mothers began **prenatal care** during the first trimester of pregnancy, and 1% received no care.
- Sixty-six percent of women reported that health insurance or an HMO paid for their prenatal care; 29% reported that Medicaid or Health Choice paid for their care.
- Forty-two percent of women participated in the **WIC** program during pregnancy.
- Sixty-six percent of mothers reported one or more medical complications during pregnancy; severe nausea, preterm labor, and kidney or bladder infections were the most common complications.
- Eighty-one percent of mothers reported that **HIV testing** was discussed during prenatal care visits; 73% reported getting an HIV test.
- Eleven percent of women **smoked** during the

last three months of pregnancy. Nine percent of women reported using **alcohol** and 1% of women reported a **binge-drinking** episode during the last three months of pregnancy.

- Two percent of mothers reported being **physically abused** by an ex-husband or expartner during pregnancy, and 3% reported being abused by a husband or partner.
- Thirty-nine percent of mothers had a **dental** visit during pregnancy, and 22% needed to be seen for a dental problem.

### Infant health and related factors

- Twelve percent of newborns were admitted to a **neonatal intensive care** unit.
- Fifty-two percent of newborns were **discharged from the hospital** within two days of delivery, and 7% remained in the hospital for 6 or more days.
- Eighty-one percent of infants were **breastfed** after delivery, and 68% were breastfed four weeks or longer.
- In terms of sleeping position, 69% of infants were usually placed on their backs to sleep, and 12% on their stomachs.
- Ninety-eight percent of infants had a well-baby checkup.

### Maternal postpartum factors

- Sixteen percent of mothers reported they were not using **postpartum contraception**.
- Fourteen percent of mothers **smoked postpartum**.
- Thirty-two percent of mothers reported that they had not discussed **postpartum depression** with their health care providers during prenatal or postpartum visits.

### MARYLAND PRAMS 2004-2008 SURVEILLANCE AND SELECTED HEALTHY PEOPLE 2010 OBJECTIVES

Healthy People 2010 Objective	Maryland PRAMS 2004 Births	Maryland PRAMS 2005 Births	Maryland PRAMS 2006 Births	Maryland PRAMS 2007 Births	Maryland PRAMS 2008 Births	Healthy People 2010 Target
<b>Preconception Factors</b>						
Increase the proportion of pregnancies that are intended.*	62.1%	57.0%	59.7%	56.6%	57.6%	70%
Increase the proportion of pregnancies begun with the consumption of at least 400 <i>ug</i> of folic acid each day from fortified foods or dietary supplements by nonpregnant women aged 15-44 years.	33.4%	29.1%	31.9%	30.3%	29.8%	80%
Prenatal Health						
Increase the proportion of all pregnant women who receive prenatal care in the first trimester of pregnancy.**	78.8%	75.8%	74.3%	76.2%	78.4%	90%
Reduce cigarette smoking among pregnant women.	10.3%	10.0%	7.8%	9.3%	10.9%	2%
Increase abstinence from alcohol by pregnant women.	92.8%	93.5%	92.8%	92.6%	91.2%	94%
Increase abstinence from binge drinking by pregnant women.	99.7%	99.5%	99.7%	99.5%	99.0%	100%
Postpartum Maternal and Infant Health						
Increase the percentage of healthy full- term infants who are put down to sleep on their backs.	64.2%	65.0%	68.8%	70.7%	69.2%	70%
Increase the proportion of mothers who breastfeed their babies in the early postpartum period.	76.2%	75.4%	81.1%	79.0%	81.2%	75%

\*PRAMS data includes only information on pregnancies that end in live birth \*\*First trimester defined by PRAMS as <13weeks





"I kept on procrastinating on getting my birth control. Next thing you know, I'm pregnant."

"Women and families need time prior to birth to ensure the calmest, healthiest, organized experience for the family."

PRAMS mothers

# **INTENDEDNESS OF PREGNANCY**

Question 13: Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

### Distribution of Mothers by Intendedness of Pregnancy



Percentage of Mothers With Unintended Pregnancies



# PHYSICAL ACTIVITY BEFORE PREGNANC

Question 67: During the 3 months before you got pregnant with your new baby, how often did you participate in any physical activities or exercise for 30 minutes or more?

## **Distribution of Mothers by Physical Activity During** the Three Month Period Before Pregnancy Began



### Percentage of Mothers Who Reported They Participated in Physical Activity Less Than Five **Times Per Week**



# **PRECONCEPTION HEALTH PROBLEMS**

Question 7: During the *3 months before* you got pregnant with your new baby, did you have any of the following health problems?

## Mothers Reporting Health Problems During the Three Months Prior to Conception



# **MULTIVITAMIN USE**

Question 3: During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin or a prenatal vitamin? These are pills that contain many different vitamins and minerals.

## Distribution of Mothers by Frequency of Multivitamin Use in the Month Before Pregnancy



### Percentage of Mothers Who Reported Less Than Daily Multivitamin Use in the Month Before Pregnancy



# **INFERTILITY TREATMENT**

Question 17: Did you receive treatment from a doctor, nurse, or other health care worker to help you get pregnant with your new baby? (This may include infertility treatments such as fertility-enhancing drugs or assisted reproductive technology.)

# Distribution of Mothers Who Were Attempting to Become Pregnant by Use of Infertility Treatment



Percentage of Mothers Attempting to Become Pregnant Who Reported Using Infertility Treatment



\*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

# **TYPE OF INFERTILITY TREATMENT**

Question 18: Did you use any of the following [infertility] treatments *during the month you got pregnant* with your new baby? Check <u>all</u> that apply.

## Mothers Reporting Use of Infertility Treatment by Type of Treatment



### Percentage of Mothers Attempting to Become Pregnant Who Reported Using Assisted Reproductive Technology (ART)



12

\*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

education\*

# **PRIOR PREGNANCY LOSS**

Question 65: During the *12 months before* you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?

## Distribution of Mothers by Pregnancy Loss in the 12 Months Preceding Current Pregnancy



Percentage of Mothers Reporting a Pregnancy Loss in the 12 Months Preceding the Current Pregnancy







"My doctor does not know why I went into preterm labor. I think women need more education about early labor. I didn't realize what was happening to me and I almost lost my baby because everyone kept saying my baby still needed to "cook".

"Please stress the importance of prenatal care. The state should offer assistance to parents/households of multiples...regardless of income."

"Improved communication between doctors in group practices regarding patient cases, especially high risk pregnancies, is needed."

PRAMS mothers

### **TRIMESTER OF PREGNANCY CONFIRMATION** Question 19: How many weeks or months pregnant were you when you were *sure* you were pregnant?

## Distribution of Mothers by Time at Which Pregnancy Was Confirmed



Percentage of Mothers Who Reported Confirming Pregnancy After the First Trimester



# **TRIMESTER PRENATAL CARE BEGAN**

Question 20: How many weeks or months pregnant were you when you had your first visit for prenatal care?

### Distribution of Mothers by Trimester Prenatal Care Began



Percentage of Mothers Who Did Not Begin Prenatal Care During the First Trimester of Pregnancy





## Distribution of Mothers Who Did Not Begin Prenatal Care in the First Trimester by Satisfaction With Time During Pregnancy That Prenatal Care Began



### Percentage of Mothers Who Did Not Begin Prenatal Care in the First Trimester and Reported that Prenatal Care Did Not Begin Early Enough in Pregnancy



# **REASONS FOR LATE PRENATAL CARE**

Question 22: Here is a list of problems some women can have getting prenatal care. For each item circle YES if it was a problem for you during your most recent pregnancy or circle NO if it was not a problem or did not apply to you.

## Reasons Given for Not Beginning Prenatal Care As Early in Pregnancy As Desired Among Women Who Did Not Receive Prenatal Care as Early as Wanted



# TOPICS DISCUSSED DURING PRENATAL CARE VISITS

Question 24: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos.

## Mothers Reporting That Selected Topics Were Discussed During Prenatal Care Visits



# **STRESS**

Question 37: This question is about things that may have happened during the *12 months before* your new baby was born. For each item, circle YES if it happened to you or NO if it did not.

## **Mothers Reporting Stress by Type of Event**



# **COMPLICATIONS DURING PREGNANCY**

Question 28: Did you have any of these problems during your most recent pregnancy? For each item, circle YES if you had the problem or circle NO if you did not.

## Mothers Reporting Pregnancy Complications by Type of Complication



## **HIV TESTING**

Question 25: At any time during your most recent pregnancy or delivery, did you have a test for HIV (The virus that causes AIDS)?

## **Distribution of Mothers by HIV Testing Status**



Percentage of Mothers Who Reported They Did Not Have an HIV Test During Pregnancy or Delivery



# **DENTAL CARE DURING PREGNANCY**

Question 74: This question is about the care of your teeth during your most recent pregnancy. For each item, circle YES if it is true or circle NO if it is not true.



### Percentage of Mothers Who Did Not Report Going to a Dentist or Dental Clinic During Pregnancy







"I think health coverage for new moms should last for 6 months to a year after a baby's birth. To have healthy children you need healthy moms."

"If I had had insurance, I would have gone for prenatal care even in my first month, but because I had just got my job and my insurance was not yet effective and I didn't have any other insurance I started prenatal care late."

PRAMS mothers
### HEALTH INSURANCE BEFORE PREGNANCY

Question 1: Just before you got pregnant, did you have health insurance? Do not count Medicaid.

#### Distribution of Mothers by Health Insurance Status Just Before Pregnancy



Percentage of Mothers Who Reported Having No Health Insurance Just Before Pregnancy



### **MEDICAID BEFORE PREGNANCY**

Question 2: Just before you got pregnant, were you on Medicaid?

#### Distribution of Mothers by Medicaid Coverage Just Before Pregnancy



Percentage of Mothers Who Reported Having Medicaid Coverage Just Before Pregnancy



30 \*Includes only mothers ages 20 and above.
 Note: Percentages are not reported if the number of respondents was less than five.

### **SOURCE OF PAYMENT FOR PRENATAL CARE**

Question 23: How was your prenatal care paid for? Check all that apply.



\*\*Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

#### Percentage of Mothers Who Identified Insurance/HMO or Medicaid as a Source of Payment for Prenatal Care



### **WIC PARTICIPATION**

Question 27: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?

# Distribution of Mothers by Participation in the WIC Program During Pregnancy



Percentage of Mothers Who Participated in the WIC Program During Pregnancy



### **SOURCE OF PAYMENT FOR DELIVERY**

Question 47: How was your delivery paid for? Check all that apply.

#### Source(s) of Payment for Delivery\*\*



\*\*Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

#### Percentage of Mothers Who Identified Insurance/HMO or Medicaid as a Source of Payment for Delivery







"I am a good person. It's just that I can't stop smoking cigarettes."

"Maryland should offer support groups for women who are abandoned by their husbands during pregnancy."

PRAMS mothers

### **SMOKING BEFORE PREGNANCY**

Question 31: In the *three months before* you got pregnant, how many cigarettes or packs of cigarettes did you smoke on an average day? A pack has 20 cigarettes.

#### Distribution of Mothers by Smoking Status During the Three Month Period Before Pregnancy Began



Percentage of Mothers Who Reported They Smoked During the Three Month Period Before Pregnancy



### **SMOKING DURING PREGNANCY**

Question 32: In the *last three months* of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day? A pack has 20 cigarettes.

#### Distribution of Mothers by Smoking Status During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported They Smoked During the Last Three Months of Pregnancy



\*Includes only mothers ages 20 and above.

### **SMOKING AFTER PREGNANCY**

Question 33: How many cigarettes or packs of cigarettes do you smoke on an average day *now*? A pack has 20 cigarettes.

#### Distribution of Mothers by Smoking Status in the Postpartum Period



Percentage of Mothers Who Reported They Smoked in the Postpartum Period



\*Includes only mothers ages 20 and above.

**ALCOHOL USE BEFORE PREGNANCY** 

Question 35a: During the *3 months before* you got pregnant, how many alcoholic drinks did you have in an average week?

#### Distribution of Mothers by the Number of Alcoholic Drinks During the Three Month Period Preceding Pregnancy



#### Percentage of Mothers Who Reported Any Alcohol Use in the Three Months Preceding Pregnancy



### **ALCOHOL USE DURING PREGNANCY**

Question 36a: During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

#### Distribution of Mothers by the Number of Alcoholic Drinks During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Last Three Months of Pregnancy



\*Includes only mothers ages 20 and above.

### **ALCOHOL BINGES BEFORE PREGNANCY**

Question 35b: During the *3 months before* your got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?

#### Distribution of Mothers by the Number of Alcohol Binges (5+ Drinks in One Sitting) During the Three Month Period Preceding Pregnancy



Percentage of Mothers Who Reported Any Binge Drinking in the Three Months Preceding Pregnancy



### **ALCOHOL BINGES DURING PREGNANCY**

Question 36b: During the *last 3 months of* your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?

#### Distribution of Mothers by the Number of Alcohol Binges (5+ Drinks in One Sitting) During the Last Three Months of Pregnancy



#### Percentage of Mothers Who Reported Any Binge Drinking in the Last Three Months of Pregnancy



\*Includes only mothers ages 20 and above.

### **PHYSICAL ABUSE BEFORE PREGNANCY**

Question 40b: During the *12 months* before you got pregnant, were you physically hurt in any way by your husband or partner?

#### Distribution of Mothers by Abuse Before Pregnancy by Husband or Partner



Percentage of Mothers Who Reported Being Physically Abused Before Pregnancy by a Husband or Partner



44

\*Includes only mothers ages 20 and above.

### **PHYSICAL ABUSE BEFORE PREGNANCY**

Question 40a: During the *12 months before* you got pregnant, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

#### Distribution of Mothers by Abuse Before Pregnancy by Ex-Husband or Ex-Partner



Percentage of Mothers Who Reported Being Physically Abused Before Pregnancy by an Ex-Husband or Ex-Partner



\*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

education\*

### **PHYSICAL ABUSE DURING PREGNANCY**

Question 41b: During your most recent pregnancy, were you physically hurt in any way by your husband or partner?

#### **Distribution of Mothers by Abuse During** Pregnancy by Husband or Partner



Percentage of Mothers Who Reported Being Physically Abused During Pregnancy by a Husband or Partner



46

\*Includes only mothers ages 20 and above.

### **PHYSICAL ABUSE DURING PREGNANCY**

Question 41a: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

#### Distribution of Mothers by Abuse During Pregnancy by Ex-Husband or Ex-Partner



Percentage of Mothers Who Reported Being Physically Abused During Pregnancy by an Ex-Husband or Ex-Partner



\*Includes only mothers ages 20 and above.





"I don't think there is enough understanding or info on postpartum depression. There should be a list of doctors who specialize in this area given to new mothers."

"The four visits from the in-home nurse were extremely beneficial in relieving many of our anxieties about parenthood and a great help in breastfeeding."

"I had a very easy pregnancy, but after delivering by C-section had a very hard time recovering and had a lot of complications."

PRAMS mothers

### **POSTPARTUM BIRTH CONTROL**

Question 60: Are you or your husband or partner doing anything now to keep from getting pregnant?

#### Distribution of Mothers by Use of Postpartum Birth Control



Percentage of Mothers Who Reported No Use of Postpartum Birth Control



**REASONS FOR NO POSTPARTUM BIRTH CONTROL** 

Question 61: What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check <u>all</u> that apply.

#### Reasons Reported for Not Using Postpartum Birth Control



### **POSTPARTUM DEPRESSION DISCUSSED**

Question 70: At any time during your most recent pregnancy or after delivery, did a doctor, nurse, or other health care worker talk with you about "baby blues" or postpartum depression?

#### Distribution of Mothers by Discussion of Postpartum Depression



Percentage of Mothers Who Reported that Postpartum Depression was Not Discussed with Health Care Provider



### **NEONATAL INTENSIVE CARE**

Question 48: After your baby was born, was he or she put in an intensive care unit?

#### Distribution of Infants by Admission to a Neonatal Intensive Care Unit



Percentage of Mothers Who Reported Their Newborn was Admitted to the Neonatal Intensive Care Unit 22.8



## LENGTH OF HOSPITAL STAY--NEWBORN

Question 49: After your baby was born, how long did he or she stay in the hospital?

#### **Distribution of Infants by Length of Hospital Stay**



#### Percentage of Mothers Who Reported Their Newborn Stayed in the Hospital for Six or More Days



### **BREASTFEEDING INITIATION**

Question 52: Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

#### **Distribution of Mothers by Breastfeeding Status**







Question 54: How many weeks or months did you breastfeed or pump milk to feed your baby?

#### Distribution of Mothers by Length of Time Infant Was Breastfed



#### Percentage of Mothers Who Reported Breastfeeding for Four or More Weeks



### **SLEEP POSITION**

Question 57: How do you most often lay your baby down to sleep now?

### **Distribution of Infants by Sleep Position**



Percentage of Infants Usually Placed on Stomach to Sleep



\*Includes only mothers ages 20 and above.

#### **WELL-BABY CHECKUP**

Question 59: Has your baby had a well-baby checkup?

#### **Distribution of Births by Well-Baby Checkup**



#### Percentage of Mothers Who Reported Their Baby Did Not Have a Well-Baby Checkup



\*Includes only mothers ages 20 and above.





"I think this survey is a wonderful idea and good way to reach out to new mothers."

PRAMS mother

First, we would like to ask a few questions about you and the time before you got pregnant with your new baby. Please check the box next to your answer.

- Just before you got pregnant, did you have health insurance? Do not count Medicaid.
  - 🛛 No
  - Yes

2. Just before you got pregnant, were you on Medicaid?

- Yes
- 3. During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin or a prenatal vitamin? These are pills that contain many different vitamins and minerals.
  - I didn't take a multivitamin or a prenatal vitamin at all
  - □ 1 to 3 times a week
  - 4 to 6 times a week
  - Every day of the week

#### 4. What is your date of birth?

Month

19 Day Year

5. Just before you got pregnant with your new baby, how much did you weigh?

Pounds OR \_\_\_\_\_ Kilos

6.	How tall are you without shoes?		
	Feet Inches		
	OR Centimeters		
7.	During the 3 months before you got pregnant with your new baby, did you have any of the following health problems? For each one, circle Y (Yes) if you had the problem or circle N (No) if you did not.		
c.	High blood pressure (hypertension) N Y High blood sugar (diabetes) N Y Anemia (poor blood, low iron) N Y		
8.	<i>Before</i> you got pregnant with your new baby, did you ever have any other babies who were born alive?		
	<ul> <li>□ No → Go to Page 2, Question 11</li> <li>□ Yes</li> </ul>		
9.	Did the baby born <i>just before</i> your new one weigh 5 pounds, 8 ounces (2.5 kilos) <i>or less</i> at birth?		
	<ul><li>No</li><li>Yes</li></ul>		

- 10. Was the baby *just before* your new one born *more* than 3 weeks before its due date?
  - No
  - Yes

11. How old were you when you had your first menstrual period?	15. When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (Some things people do to keep from getting pregnant include not having sex at certain times [rhythm] or	
Years old		
12. How old were you when you got pregnant with your first baby?	withdrawal, and using birth control methods such as the pill, condoms,	
Years old	cervical ring, IUD, having their tubes tied, or their partner having a vasectomy.)	
The next questions are about the time when you got pregnant with your <i>new</i>	<ul> <li>❑ No</li> <li>❑ Yes → Go to Question 19</li> </ul>	
baby.	16. What were your or your husband's or partner's reasons for not doing anything to keep from getting pregnant?	
<ol> <li>Thinking back to <i>just before</i> you got pregnant with your <i>new</i> baby, how did</li> </ol>	Check <u>all</u> that apply	
you feel about becoming pregnant? Check <u>one</u> answer	<ul> <li>I didn't mind if I got pregnant</li> <li>I thought I could not get pregnant at</li> </ul>	
<ul> <li>I wanted to be pregnant sooner</li> <li>I wanted to be pregnant later</li> </ul>	<ul> <li>I had side effects from the birth control method I was using</li> </ul>	
<ul> <li>I wanted to be pregnant inter</li> <li>I wanted to be pregnant then</li> <li>I didn't want to be pregnant then</li> </ul>	<ul> <li>I had problems getting birth control when I needed it</li> </ul>	
or at any time in the future	I thought my husband or partner or I was sterile (could not get pregnant at	
14. When you got pregnant with your new baby, were you trying to get pregnant?	all) <ul> <li>My husband or partner didn't want to</li> </ul>	
<ul> <li>□ No</li> <li>□ Yes → Go to Question 17</li> </ul>	use anything Other	
17. Did you receive treatment from a doctor, The next questions are about the nurse, or other health care worker to help prenatal care you received during your you get pregnant with your new baby? most recent pregnancy. Prenatal care (This may include infertility treatments includes visits to a doctor, nurse, or such as fertility-enhancing drugs or other health care worker before your assisted reproductive technology.) baby was born to get checkups and 🗋 No-Go to Question 19 advice about pregnancy. (It may help to Yes look at the calendar when you answer these questions.) 18. Did you use any of the following treatments during the month you got 19. How many weeks or months pregnant pregnant with your new baby? were you when you were sure you were Check all that apply pregnant? (For example, you had a pregnancy test or a doctor or nurse said Fertility-enhancing drugs prescribed you were pregnant.) by a doctor (fertility drugs include Clomid<sup>®</sup>, Serophene<sup>®</sup>, Pergonal<sup>®</sup>, or other drugs that stimulate ovulation) Weeks OR \_\_\_\_\_ Months Artificial insemination or intrauterine I don't remember insemination (treatments in which sperm, but NOT eggs, were collected 20. How many weeks or months pregnant and medically placed into a woman's were you when you had your first visit body) for prenatal care? Do not count a visit Assisted reproductive technology that was only for a pregnancy test or only (treatments in which BOTH a for WIC (the Special Supplemental woman's eggs and a man's sperm Nutrition Program for Women, Infants, were handled in the laboratory, such and Children). as in vitro fertilization [IVF], gamete intrafallopian transfer [GIFT], zygote intrafallopian transfer [ZIFT], Weeks OR \_\_\_\_\_ Months intracytoplasmic sperm injection I didn't go for prenatal care [ICSI], frozen embryo transfer, or donor embryo transfer) Other medical treatment 21. Did you get prenatal care as early in your ➤ Please tell us: pregnancy as you wanted? No Yes I didn't want prenatal Go to Page 4, Question 23 care 🔶

22. Here is a list of problems some women can have getting prenatal care. For each item, circle Y (Yes) if it was a problem for you during your most recent pregnancy or circle N (No) if it was not a problem or did not apply to you.

		No	Yes
a.	I couldn't get an appointment		
	when I wanted one	. N	Υ
b.	I didn't have enough money or		
	insurance to pay for my visits	. N	Υ
c.	I had no way to get to the clinic		
	or doctor's office	. N	Υ
d.	I couldn't take time off from		
	work	. N	Υ
e.	The doctor or my health plan		
	would not start care as early as		
	I wanted	. N	Υ
f.	I didn't have my Medicaid		
	card	. N	Υ
g.	I had no one to take care of my		
	children	. N	Υ
h.	I had too many other things		
	going on.	. N	Υ
i.	I didn't want anyone to know		
	I was pregnant		Y
j.	Other	. N	Υ
	Please tell us:		

If you did not go for prenatal care, go to Question 25.

## 23. How was your prenatal care paid for?

Check <u>all</u> that apply

- Medicaid
- Personal income (cash, check, or credit card)
- Health insurance or HMO (including insurance from your work or your husband's work)
- □ Other → Please tell us:

24. During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos. For each item, circle Y (Yes) if someone talked with you about it or circle N (No) if no one talked with you about it.

	No	Yes
a.	How smoking during	
	pregnancy could affect	
	my babyN	Y
b.	Breastfeeding my babyN	Y
c.	How drinking alcohol	
	during pregnancy could affect	
	my baby N	Y
d.	Using a seat belt during my	
	pregnancy N	Y
e.	Birth control methods to use	
	after my pregnancy N	Y
f.	Medicines that are safe to take	
	during my pregnancy N	Y
g.	How using illegal drugs could	
	affect my babyN	Y
h.	Doing tests to screen for birth	
	defects or diseases that run in	
	my familyN	Y
i.	What to do if my labor starts	
	earlyN	Y
j.	Getting tested for HIV	
-	(the virus that causes AIDS)N	Y
k.	Physical abuse to women by	
	their husbands or partners N	Y

- 25. At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?
  - □ No
     □ Yes → Go to Question 27
     □ I don't know
- 26. Had you been tested for HIV *before* this pregnancy?
  - 🛛 No
  - □ Yes
  - I don't know

The next questions are about your most recent pregnancy and things that might have happened during your pregnancy.

- 27. During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?
  - No
  - Yes

28.	Did you have any of these problems during your most recent pregnancy? each item, circle Y (Yes) if you had the problem or circle N (No) if you did no		29.	Di be ite or
	No	Yes		
a.	High blood sugar (diabetes) that started <i>before</i> this pregnancy N	Y	a.	I v en
b.	High blood sugar (diabetes) that			les
	started <i>during</i> this pregnancyN	Υ	b.	Ιv
c.	Vaginal bleedingN	Υ		sta
d.	Kidney or bladder (urinary		c.	Ιv
	tract) infectionN	Υ		sta
e.	Severe nausea, vomiting, or		d.	Is
	dehydrationN	Υ		th
f.	Cervix had to be sewn shut			do
	(incompetent cervix) N	Y		
g.	High blood pressure, hypertension		Th	ie n
	(including pregnancy-induced		cig	gare
	hypertension [PIH]), preeclampsia,	N		
1	or toxemiaN	Y	20	H
h.	Problems with the placenta		30.	in
	(such as abruptio placentae or	Y		
i.	placenta previa)N Labor pains more than 3 weeks	1		cią
1.	before my baby was due			
	(preterm or early labor)N	Y		
j.	Water broke more than 3 weeks	1		
J.	before my baby was due		31.	In
	(premature rupture of			ho
	membranes [PROM])N	Υ		av
k.	I had to have a blood			_
	transfusionN	Y		
1.	I was hurt in a car accidentN	Ŷ		

If you did not have any of these problems, go to Question 30.

id you do any of the following things ecause of these problems? For each em, circle Y (Yes) if you did that thing r circle N (No) if you did not. No Yes went to the hospital or mergency room and stayed ess than 1 day .....N Υ went to the hospital and tayed 1 to 7 days. . . . . . . . . . . . . N Υ went to the hospital and ayed more than 7 days .....N Υ stayed in bed at home more nan 2 days because of my octor's or nurse's advice.....N Y next questions are about smoking ettes and drinking alcohol. ave you smoked at least 100 cigarettes the past 2 years? (A pack has 20 garettes.)

□ No>	Go to Question 34
Yes	

n the 3 months before you got pregnant, ow many cigarettes did you smoke on an verage day? (A pack has 20 cigarettes.)

- 41 cigarettes or more
- 21 to 40 cigarettes
- 11 to 20 cigarettes
- 6 to 10 cigarettes
  1 to 5 cigarettes 6 to 10 cigarettes
- Less than 1 cigarette
- None (0 cigarettes)

32. In the <i>last 3 months</i> of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.)	35b. During the <i>3 months before</i> you got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?
<ul> <li>41 cigarettes or more</li> <li>21 to 40 cigarettes</li> <li>11 to 20 cigarettes</li> <li>6 to 10 cigarettes</li> <li>1 to 5 cigarettes</li> <li>Less than 1 cigarette</li> <li>None (0 cigarettes)</li> </ul>	<ul> <li>6 or more times</li> <li>4 to 5 times</li> <li>2 to 3 times</li> <li>1 time</li> <li>I didn't have 5 drinks or more in 1 sitting</li> <li>I didn't drink then</li> </ul>
33. How many cigarettes do you smoke on an average day now? (A pack has 20 cigarettes.)	36a. During the <i>last 3 months</i> of your pregnancy, how many alcoholic drinks did you have in an average week?
<ul> <li>41 cigarettes or more</li> <li>21 to 40 cigarettes</li> <li>11 to 20 cigarettes</li> <li>6 to 10 cigarettes</li> <li>1 to 5 cigarettes</li> <li>Less than 1 cigarette</li> <li>None (0 cigarettes)</li> </ul>	<ul> <li>14 drinks or more a week</li> <li>7 to 13 drinks a week</li> <li>4 to 6 drinks a week</li> <li>1 to 3 drinks a week</li> <li>Less than 1 drink a week</li> <li>I didn't drink then</li> </ul>
<b>34.</b> Have you had any alcoholic drinks in the <i>past 2 years?</i> (A drink is 1 glass of wine, wine cooler, can or bottle of beer, shot of	36b. During the <i>last 3 months</i> of your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?
<ul> <li>liquor, or mixed drink.)</li> <li>No → Go to Page 8, Question 37</li> <li>Yes</li> <li>35a. During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?</li> </ul>	<ul> <li>6 or more times</li> <li>4 to 5 times</li> <li>2 to 3 times</li> <li>1 time</li> <li>I didn't have 5 drinks or more in 1 sitting</li> <li>I didn't drink then</li> </ul>
<ul> <li>14 drinks or more a week</li> <li>7 to 13 drinks a week</li> <li>4 to 6 drinks a week</li> <li>1 to 3 drinks a week</li> <li>Less than 1 drink a week</li> <li>I didn't drink then</li> </ul>	

Pregnancy can be a difficult time for some women. These next questions are about things that may have happened before and during your most recent pregnancy.

37. This question is about things that may have happened during the 12 months before your new baby was born. For each item, circle Y (Yes) if it happened to you or circle N (No) if it did not. (It may help to use the calendar.)

		No	Yes
a.	A close family member was		
	very sick and had to go into		
	the hospital	. N	Υ
b.	I got separated or divorced		
	from my husband or partner	. N	Υ
c.	I moved to a new address	. N	Υ
d.	I was homeless	. N	Υ
e.	My husband or partner lost		
	his job	. N	Υ
f.	I lost my job even though I		
	wanted to go on working	. N	Υ
g.	I argued with my husband		
-	or partner more than usual	. N	Υ
h.	My husband or partner said		
	he didn't want me to be		
	pregnant	. N	Υ
i.	I had a lot of bills I couldn't		
	pay	. N	Υ
j.	I was in a physical fight	. N	Υ
k.	My husband or partner or I		
	went to jail	. N	Υ
1.	Someone very close to me had		
	a bad problem with drinking		
	or drugs	. N	Υ
m.	Someone very close to		
	me died	. N	Υ

38. During the 12 months before your new baby was born, how often did you feel unsafe in the neighborhood where you lived?



39. During the 12 months before your new baby was born, did you do any of the following things because you felt it was unsafe to leave or return to the neighborhood where you lived? For each item, circle Y (Yes) if you did it or circle N (No) if you did not.

No Yes

a.	I missed doctor or other	
	appointments N	Υ
b.	I limited grocery or other	
	shopping N	Υ
c.	I stayed with other family	
	members or friends N	Υ

The next questions are about the time during the 12 *months before* you got pregnant with your new baby.

- 40a. During the 12 months before you got pregnant, did an ex-husband or expartner push, hit, slap, kick, choke, or physically hurt you in any other way?
  - No
  - Yes

40b. During the 12 months before you got pregnant, were you physically hurt in any way by your husband or partner?	43. When did you go into the hospital to have your baby?
□ No □ Yes	Month Day Year I didn't have
The next questions are about the time during your most recent pregnancy.	my baby in a hospital
41a. During your most recent pregnancy, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?	44. After you were <i>admitted</i> to the hospital to deliver your new baby, were you transferred to another hospital <i>before</i> your baby was born?
<ul><li>No</li><li>Yes</li></ul>	☐ No □ Yes
41b. During your most recent pregnancy, were you physically hurt in any way by your husband or partner?	45. When was your baby born?
<ul><li>No</li><li>Yes</li></ul>	Month Day Year
The next questions are about your labor and delivery. (It may help to look at the calendar when you answer these questions.)	46. When were you discharged from the hospital after your baby was born? (It may help to use the calendar.)
42. When was your baby due?	Month Day Year
Month Day Year	I didn't have my baby in a hospital

47. How was your delivery paid for?	51. Is your baby living with you now?
Check <u>all</u> that apply	Go to Question 60
<ul> <li>Medicaid</li> <li>Personal income (cash, check, or credit card)</li> <li>Health insurance or HMO (including insurance from your work or your husband's work)</li> <li>Other — Please tell us:</li> </ul>	<ul> <li>Yes</li> <li>52. Did you ever breastfeed or pump breast milk to feed your new baby after delivery?</li> <li>No&gt; Go to Question 56</li> <li>Yes</li> </ul>
	53. Are you still breastfeeding or feeding pumped milk to your new baby?
The next questions are about the time since your new baby was born.	<ul> <li>□ No</li> <li>□ Yes → Go to Question 55</li> </ul>
48. After your baby was born, was he or she put in an intensive care unit?	54. How many weeks or months did you breastfeed or pump milk to feed your baby?
<ul> <li>No</li> <li>Yes</li> <li>I don't know</li> </ul>	Weeks <b>OR</b> Months
<ul> <li>49. After your baby was born, how long did he or she stay in the hospital?</li> <li>□ Less than 24 hours (less than 1 day)</li> <li>□ 24 to 48 hours (1 to 2 days)</li> <li>□ 3 days</li> <li>□ 4 days</li> <li>□ 5 days</li> <li>□ 6 days or more</li> <li>□ My baby was not born in a hospital</li> <li>□ My baby is still in the hospital → Go to Question 52</li> </ul>	<ul> <li>55. How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar water, or anything else you fed your baby.</li> <li>Weeks OR Months</li> <li>My baby was less than 1 week old</li> <li>I have not fed my baby anything besides breast milk</li> </ul>
<ul> <li>50. Is your baby alive now?</li> <li>□ No → Go to Question 60</li> <li>□ Yes</li> </ul>	If your baby is still in the hospital, go to Question 60.

56.	About how many hours a day, on average, is your new baby in the same room with someone who is smoking? Hours Less than 1 hour a day My baby is never in the same room with someone who is smoking	60	D. Are you or your husband or partner doing anything now to keep from getting pregnant? (Some things people do to keep from getting pregnant include not having sex at certain times [rhythm] or withdrawal, and using birth control methods such as the pill, condoms, cervical ring, IUD, having their tubes tied, or their partner having a vasectomy.)
57.	How do you <i>most often</i> lay your baby down to sleep now? Check <u>one</u> answer	61	<ul> <li>No</li> <li>Yes → Go to Page 12, Question 62</li> <li>What are your or your husband's or</li> </ul>
	<ul> <li>On his or her side</li> <li>On his or her back</li> <li>On his or her stomach</li> </ul>		partner's reasons for not doing anything to keep from getting pregnant <i>now?</i> Check <u>all</u> that apply
58.	Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital?		<ul> <li>I am not having sex</li> <li>I want to get pregnant</li> <li>I don't want to use birth control</li> <li>My husband or partner doesn't want to use anything</li> </ul>
	<ul><li>No</li><li>Yes</li></ul>		<ul> <li>I don't think I can get pregnant (sterile)</li> <li>I can't pay for birth control</li> </ul>
59.	Has your new baby had a well-baby checkup? (A well-baby checkup is a regular health visit for your baby usually at 2, 4, or 6 months of age.)		<ul> <li>I am pregnant now</li> <li>Other - Please tell us:</li> </ul>
	□ No □ Yes		

The next few questions are about the time during the *12 months before* your new baby was born.

62. During the 12 months before your new baby was born, what were the sources of your household's income?

Check all that apply

- Paycheck or money from a job
- Money from family or friends
- Money from a business, fees, dividends, or rental income

Aid such as Temporary Assistance for Needy Families (TANF), welfare, WIC, public assistance, general assistance, food stamps, or Supplemental Security Income

- Unemployment benefits
- Child support or alimony
   Social security, workers' compensation, disability, veteran
- benefits, or pensions
- ❑ Other → Please tell us:

63. During the 12 months before your new baby was born, what was your total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have used. (All information will be kept private and will not affect any services you are now getting.)

Check one answer

- □ Less than \$10,000
- □ \$10,000 to \$14,999
- □ \$15,000 to \$19,999
- □ \$20,000 to \$24,999
- □ \$25,000 to \$34,999
- □ \$35,000 to \$49,999
- □ \$50,000 or more
- 64. During the 12 months before your new baby was born, how many people, including yourself, depended on this income?

\_\_\_ People

65. During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?

```
□ No ____ Go to Question 67
□ Yes
```

If you had more than one miscarriage, fetal death, or stillbirth during the 12 months before you got pregnant with your new baby, please answer the next question for the most recent one.

## 66. How long did that pregnancy last?

- Less than 20 weeks (less than 4 months)
- 20 to 28 weeks (4 to 6 months)
- More than 28 weeks (more than 6 months)

On the last few pages, there are questions on a variety of topics. Your answers should be for your most recent birth and the pregnancy leading up to that birth.

- 67. During the 3 months before you got pregnant with your new baby, how often did you participate in any physical activities or exercise for 30 minutes or more? (For example, walking for exercise, swimming, cycling, dancing, or gardening.) Do not count exercise you may have done as part of your regular job.
  - Less than 1 day per week
  - □ 1 to 4 days per week
  - 5 or more days per week
- 68. During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI), a sexually transmitted disease (STD), or any vaginal infection, including bacterial vaginosis or Group B Strep (Beta Strep)?
  - NoYes

- 69. At any time during your most recent pregnancy, did you seek help for depression from a doctor, nurse, or other health care worker?
  - No
  - Yes
- 70. At any time during your most recent pregnancy or after delivery, did a doctor, nurse, or other health care worker talk with you about "baby blues" or postpartum depression?
  - No
  - Yes
- 71a. Since your new baby was born, how often have you felt down, depressed, or hopeless?
  - Always
  - Often
  - Sometimes
  - Rarely
  - Never

71b. Since your new baby was born, how often have you had little interest or little pleasure in doing things?

- □ Always
- Often
- Sometimes
- Rarely
- Never
- 72. Since your new baby was born, did you seek help for depression from a doctor, nurse, or other health care worker?
  - No
  - Yes

73.	This question is about things that may have happened during your most recent pregnancy. For each thing, circle Y (Yes) i it happened to you or circle N (No) if it did not.	75. When did you have your teeth cleaned by a dentist or dental hygienist? For each of the three time periods, circle Y (Yes) if you had your teeth cleaned then or circle N (No) if you did not have your teeth cleaned then.
	During your most recent pregnancy—	No Yes
a. b.	NoYesYour husband or partnerthreatened you or made youfeel unsafe in some wayNYYou were frightened for thesafety of yourself or your familybecause of the anger or threatsof your husband or partnerNY	pregnancy N Y b. During my most recent pregnancy N Y c. After my most recent pregnancy N Y
c. d.	Your husband or partner tried to control your daily activities, for example, controlling who you could talk to or where you could goN Y Your husband or partner forced you to take part in any sexual activity when you did not want to (including touch that made you uncomfortable)N Y	76. What is today's date? Month Day Year
74.	This question is about the care of your teeth during your most recent pregnancy For each item, circle Y (Yes) if it is true or circle N (No) if it is not true.	
а. b. c.	NoYesI needed to see a dentist for a problemNYI went to a dentist or dental clinicNYA dental or other health care worker talked with me about how to care for my teeth and gumsNY	

Please use this space for any additional comments you would like to make about the health of mothers and babies in Maryland.

Thanks for answering our questions!

Your answers will help us work to make Maryland mothers and babies healthier.

76



The services and facilities of the Maryland Department of Health and Mental Hygiene (DHMH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges, and accommodations.

The Department, in compliance with the Americans With Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from DHMH services, programs, benefits, and employment opportunities.

Funding for this publication was provided by the Maryland Department of Health and Mental Hygiene and by a cooperative agreement # UR6/DP-000542 with the Centers for Disease Control and Prevention (CDC) for the Maryland Pregnancy Risk Assessment Monitoring Systems (PRAMS). The contents do not necessarily represent the official views of the CDC.

December 2009