

TABLE 1. LIVE BIRTHS BY MATERNAL RACE AND HISPANIC ORIGIN, INFANT SEX AND MONTH OF BIRTH, 2020.

CHARLES COUNTY

| RACE AND SEX | ALL BIRTHS | MONTH OF BIRTH | | | | | | | | | | | |
|--|------------|----------------|------|------|------|-----|------|------|------|------|------|------|------|
| | | JAN. | FEB. | MAR. | APR. | MAY | JUNE | JULY | AUG. | SEP. | OCT. | NOV. | DEC. |
| ALL BIRTHS* | | | | | | | | | | | | | |
| ALL BIRTHS | 1,789 | 157 | 129 | 143 | 152 | 140 | 142 | 153 | 180 | 135 | 156 | 151 | 151 |
| MALE | 904 | 70 | 62 | 80 | 76 | 68 | 69 | 78 | 90 | 84 | 76 | 75 | 76 |
| FEMALE | 885 | 87 | 67 | 63 | 76 | 72 | 73 | 75 | 90 | 51 | 80 | 76 | 75 |
| TOTAL WHITE | | | | | | | | | | | | | |
| ALL BIRTHS | 753 | 63 | 48 | 67 | 65 | 69 | 60 | 80 | 73 | 54 | 60 | 51 | 63 |
| MALE | 374 | 28 | 27 | 35 | 29 | 32 | 31 | 37 | 35 | 30 | 29 | 25 | 36 |
| FEMALE | 379 | 35 | 21 | 32 | 36 | 37 | 29 | 43 | 38 | 24 | 31 | 26 | 27 |
| NON-HISPANIC WHITE | | | | | | | | | | | | | |
| ALL BIRTHS | 576 | 47 | 36 | 53 | 46 | 49 | 49 | 61 | 64 | 39 | 44 | 42 | 46 |
| MALE | 279 | 22 | 20 | 27 | 21 | 22 | 28 | 29 | 29 | 20 | 18 | 17 | 26 |
| FEMALE | 297 | 25 | 16 | 26 | 25 | 27 | 21 | 32 | 35 | 19 | 26 | 25 | 20 |
| TOTAL BLACK | | | | | | | | | | | | | |
| ALL BIRTHS | 931 | 86 | 78 | 71 | 79 | 57 | 75 | 65 | 94 | 71 | 87 | 90 | 78 |
| MALE | 489 | 42 | 34 | 42 | 43 | 30 | 34 | 37 | 51 | 51 | 43 | 46 | 36 |
| FEMALE | 442 | 44 | 44 | 29 | 36 | 27 | 41 | 28 | 43 | 20 | 44 | 44 | 42 |
| NON-HISPANIC BLACK | | | | | | | | | | | | | |
| ALL BIRTHS | 905 | 83 | 75 | 70 | 79 | 54 | 71 | 62 | 91 | 69 | 85 | 89 | 77 |
| MALE | 476 | 40 | 32 | 41 | 43 | 29 | 33 | 35 | 49 | 50 | 43 | 46 | 35 |
| FEMALE | 429 | 43 | 43 | 29 | 36 | 25 | 38 | 27 | 42 | 19 | 42 | 43 | 42 |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | | |
| ALL BIRTHS | 10 | 2 | 0 | 3 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALE | 3 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 7 | 2 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | | |
| ALL BIRTHS | 9 | 2 | 0 | 2 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| MALE | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| FEMALE | 7 | 2 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | | |
| ALL BIRTHS | 89 | 4 | 2 | 2 | 5 | 13 | 5 | 8 | 13 | 8 | 9 | 10 | 10 |
| MALE | 35 | 0 | 1 | 1 | 3 | 6 | 2 | 4 | 4 | 2 | 4 | 4 | 4 |
| FEMALE | 54 | 4 | 1 | 1 | 2 | 7 | 3 | 4 | 9 | 6 | 5 | 6 | 6 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | | |
| ALL BIRTHS | 83 | 4 | 2 | 2 | 5 | 12 | 5 | 8 | 12 | 7 | 8 | 9 | 9 |
| MALE | 33 | 0 | 1 | 1 | 3 | 5 | 2 | 4 | 4 | 2 | 4 | 3 | 4 |

See footnotes at end of table.

TABLE 1. LIVE BIRTHS BY MATERNAL RACE AND HISPANIC ORIGIN, INFANT SEX AND MONTH OF BIRTH, 2020. — Continued

CHARLES COUNTY

| RACE AND SEX | ALL BIRTHS | MONTH OF BIRTH | | | | | | | | | | | |
|---|------------|----------------|------|------|------|-----|------|------|------|------|------|------|------|
| | | JAN. | FEB. | MAR. | APR. | MAY | JUNE | JULY | AUG. | SEP. | OCT. | NOV. | DEC. |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER FEMALE | 50 | 4 | 1 | 1 | 2 | 7 | 3 | 4 | 8 | 5 | 4 | 6 | 5 |
| HISPANIC** | | | | | | | | | | | | | |
| ALL BIRTHS | 210 | 19 | 15 | 16 | 19 | 24 | 15 | 22 | 13 | 18 | 19 | 11 | 19 |
| MALE | 111 | 8 | 9 | 10 | 8 | 12 | 4 | 10 | 8 | 11 | 11 | 9 | 11 |
| FEMALE | 99 | 11 | 6 | 6 | 11 | 12 | 11 | 12 | 5 | 7 | 8 | 2 | 8 |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE AND HISPANIC ORIGIN AND MATERNAL AGE, 2020.

CHARLES COUNTY

| RACE AND BIRTH ORDER | ALL AGES | AGE OF MOTHER | | | | | | | | | | PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE | |
|---------------------------|----------|---------------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|---|--|
| | | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | | | | | | |
| TOTAL | 1,789 | 0 | 11 | 51 | 267 | 544 | 554 | 293 | 67 | 2 | 0 | 0.6 | |
| FIRST CHILD | 679 | 0 | 10 | 46 | 172 | 217 | 159 | 61 | 13 | 1 | 0 | 1.5 | |
| SECOND | 553 | 0 | 1 | 3 | 74 | 201 | 173 | 86 | 15 | 0 | 0 | *** | |
| THIRD | 330 | 0 | 0 | 2 | 17 | 84 | 133 | 80 | 13 | 1 | 0 | *** | |
| FOURTH & FIFTH | 196 | 0 | 0 | 0 | 4 | 40 | 80 | 53 | 19 | 0 | 0 | *** | |
| SIXTH OR ABOVE ... | 31 | 0 | 0 | 0 | 0 | 2 | 9 | 13 | 7 | 0 | 0 | *** | |
| TOTAL WHITE | | | | | | | | | | | | | |
| TOTAL | 753 | 0 | 3 | 25 | 106 | 237 | 246 | 113 | 23 | 0 | 0 | *** | |
| FIRST CHILD | 276 | 0 | 3 | 22 | 64 | 87 | 75 | 23 | 2 | 0 | 0 | *** | |
| SECOND | 251 | 0 | 0 | 2 | 32 | 98 | 76 | 33 | 10 | 0 | 0 | *** | |
| THIRD | 142 | 0 | 0 | 1 | 9 | 34 | 63 | 32 | 3 | 0 | 0 | *** | |
| FOURTH & FIFTH | 67 | 0 | 0 | 0 | 1 | 16 | 27 | 18 | 5 | 0 | 0 | *** | |
| SIXTH OR ABOVE ... | 17 | 0 | 0 | 0 | 0 | 2 | 5 | 7 | 3 | 0 | 0 | *** | |
| NON-HISPANIC WHITE | | | | | | | | | | | | | |
| TOTAL | 576 | 0 | 0 | 13 | 80 | 185 | 204 | 78 | 16 | 0 | 0 | *** | |
| FIRST CHILD | 222 | 0 | 0 | 12 | 46 | 75 | 70 | 18 | 1 | 0 | 0 | *** | |
| SECOND | 197 | 0 | 0 | 1 | 25 | 76 | 62 | 26 | 7 | 0 | 0 | *** | |
| THIRD | 99 | 0 | 0 | 0 | 8 | 19 | 49 | 21 | 2 | 0 | 0 | *** | |
| FOURTH & FIFTH | 45 | 0 | 0 | 0 | 1 | 13 | 19 | 9 | 3 | 0 | 0 | *** | |
| SIXTH OR ABOVE ... | 13 | 0 | 0 | 0 | 0 | 2 | 4 | 4 | 3 | 0 | 0 | *** | |
| TOTAL BLACK | | | | | | | | | | | | | |
| TOTAL | 931 | 0 | 8 | 25 | 147 | 283 | 272 | 155 | 39 | 2 | 0 | 0.9 | |
| FIRST CHILD | 359 | 0 | 7 | 23 | 99 | 118 | 69 | 33 | 9 | 1 | 0 | 1.9 | |
| SECOND | 264 | 0 | 1 | 1 | 37 | 94 | 84 | 42 | 5 | 0 | 0 | *** | |
| THIRD | 173 | 0 | 0 | 1 | 8 | 48 | 63 | 43 | 9 | 1 | 0 | *** | |
| FOURTH & FIFTH | 123 | 0 | 0 | 0 | 3 | 23 | 53 | 32 | 12 | 0 | 0 | *** | |
| SIXTH OR ABOVE ... | 12 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 4 | 0 | 0 | *** | |
| NON-HISPANIC BLACK | | | | | | | | | | | | | |
| TOTAL | 905 | 0 | 8 | 23 | 145 | 272 | 264 | 153 | 38 | 2 | 0 | 0.9 | |
| FIRST CHILD | 348 | 0 | 7 | 21 | 97 | 112 | 69 | 33 | 8 | 1 | 0 | 2.0 | |
| SECOND | 258 | 0 | 1 | 1 | 37 | 91 | 81 | 42 | 5 | 0 | 0 | *** | |
| THIRD | 167 | 0 | 0 | 1 | 8 | 47 | 60 | 41 | 9 | 1 | 0 | *** | |
| FOURTH & FIFTH | 121 | 0 | 0 | 0 | 3 | 22 | 52 | 32 | 12 | 0 | 0 | *** | |
| SIXTH OR ABOVE ... | 11 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 4 | 0 | 0 | *** | |

See footnotes at end of table.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE AND HISPANIC ORIGIN AND MATERNAL AGE, 2020. — Continued

CHARLES COUNTY

| RACE AND BIRTH ORDER | ALL AGES | AGE OF MOTHER | | | | | | | | | | PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE |
|---|----------|---------------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|---|
| | | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED | |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | |
| TOTAL | 10 | 0 | 0 | 0 | 4 | 2 | 1 | 3 | 0 | 0 | 0 | *** |
| FIRST CHILD | 4 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | *** |
| SECOND | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | *** |
| THIRD | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | *** |
| SIXTH OR ABOVE ... | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | |
| TOTAL | 9 | 0 | 0 | 0 | 4 | 2 | 1 | 2 | 0 | 0 | 0 | *** |
| FIRST CHILD | 4 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | *** |
| SECOND | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | *** |
| THIRD | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | *** |
| SIXTH OR ABOVE ... | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| TOTAL | 89 | 0 | 0 | 1 | 10 | 20 | 32 | 21 | 5 | 0 | 0 | *** |
| FIRST CHILD | 37 | 0 | 0 | 1 | 6 | 10 | 14 | 4 | 2 | 0 | 0 | *** |
| SECOND | 32 | 0 | 0 | 0 | 4 | 8 | 11 | 9 | 0 | 0 | 0 | *** |
| THIRD | 13 | 0 | 0 | 0 | 0 | 1 | 7 | 4 | 1 | 0 | 0 | *** |
| FOURTH & FIFTH | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 0 | 0 | *** |
| SIXTH OR ABOVE ... | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| TOTAL | 83 | 0 | 0 | 1 | 10 | 16 | 31 | 20 | 5 | 0 | 0 | *** |
| FIRST CHILD | 35 | 0 | 0 | 1 | 6 | 9 | 14 | 3 | 2 | 0 | 0 | *** |
| SECOND | 29 | 0 | 0 | 0 | 4 | 6 | 10 | 9 | 0 | 0 | 0 | *** |
| THIRD | 13 | 0 | 0 | 0 | 0 | 1 | 7 | 4 | 1 | 0 | 0 | *** |
| FOURTH & FIFTH | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 | *** |
| SIXTH OR ABOVE ... | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| HISPANIC** | | | | | | | | | | | | |
| TOTAL | 210 | 0 | 3 | 14 | 28 | 67 | 51 | 39 | 8 | 0 | 0 | *** |

See footnotes at end of table.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE AND HISPANIC ORIGIN AND MATERNAL AGE, 2020. — Continued

CHARLES COUNTY

| RACE AND BIRTH ORDER | ALL AGES | AGE OF MOTHER | | | | | | | | | | PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE | |
|----------------------|----------|---------------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|---|-----|
| | | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED | | |
| HISPANIC** | | | | | | | | | | | | | |
| FIRST CHILD | 67 | 0 | 3 | 12 | 20 | 19 | 5 | 6 | 2 | 0 | 0 | 0 | *** |
| SECOND | 63 | 0 | 0 | 1 | 7 | 27 | 18 | 7 | 3 | 0 | 0 | 0 | *** |
| THIRD | 50 | 0 | 0 | 1 | 1 | 16 | 17 | 14 | 1 | 0 | 0 | 0 | *** |
| FOURTH & FIFTH | 25 | 0 | 0 | 0 | 0 | 5 | 9 | 9 | 2 | 0 | 0 | 0 | *** |
| SIXTH OR ABOVE ... | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND MARITAL STATUS, 2020.

CHARLES COUNTY

| MATERNAL AGE AND RACE | MARITAL STATUS | | | | PERCENT OF BIRTHS TO UNMARRIED WOMEN |
|---------------------------|----------------|---------|-----------|------------|--------------------------------------|
| | ALL BIRTHS | MARRIED | UNMARRIED | NOT STATED | |
| ALL BIRTHS* | | | | | |
| ALL AGES | 1,789 | 1,014 | 774 | 1 | 43.3 |
| UNDER 18 | 11 | 0 | 11 | 0 | 100.0 |
| 18-19 | 51 | 6 | 45 | 0 | 88.2 |
| 20-24 | 267 | 77 | 190 | 0 | 71.2 |
| 25-29 | 544 | 286 | 257 | 1 | 47.2 |
| 30-34 | 554 | 375 | 179 | 0 | 32.3 |
| 35-39 | 293 | 218 | 75 | 0 | 25.6 |
| 40 & OVER | 69 | 52 | 17 | 0 | 24.6 |
| TOTAL WHITE | | | | | |
| ALL AGES | 753 | 505 | 247 | 1 | 32.8 |
| UNDER 18 | 3 | 0 | 3 | 0 | *** |
| 18-19 | 25 | 5 | 20 | 0 | 80.0 |
| 20-24 | 106 | 50 | 56 | 0 | 52.8 |
| 25-29 | 237 | 168 | 68 | 1 | 28.7 |
| 30-34 | 246 | 183 | 63 | 0 | 25.6 |
| 35-39 | 113 | 83 | 30 | 0 | 26.5 |
| 40 & OVER | 23 | 16 | 7 | 0 | 30.4 |
| NON-HISPANIC WHITE | | | | | |
| ALL AGES | 576 | 419 | 156 | 1 | 27.1 |
| 18-19 | 13 | 5 | 8 | 0 | 61.5 |
| 20-24 | 80 | 40 | 40 | 0 | 50.0 |
| 25-29 | 185 | 140 | 44 | 1 | 23.8 |
| 30-34 | 204 | 159 | 45 | 0 | 22.1 |
| 35-39 | 78 | 63 | 15 | 0 | 19.2 |
| 40 & OVER | 16 | 12 | 4 | 0 | *** |
| TOTAL BLACK | | | | | |
| ALL AGES | 931 | 427 | 504 | 0 | 54.1 |
| UNDER 18 | 8 | 0 | 8 | 0 | 100.0 |
| 18-19 | 25 | 1 | 24 | 0 | 96.0 |
| 20-24 | 147 | 20 | 127 | 0 | 86.4 |
| 25-29 | 283 | 100 | 183 | 0 | 64.7 |
| 30-34 | 272 | 158 | 114 | 0 | 41.9 |

See footnotes at end of table.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND MARITAL STATUS, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | MARITAL STATUS | | | | PERCENT OF BIRTHS TO UNMARRIED WOMEN |
|---------------------------------|----------------|---------|-----------|------------|--------------------------------------|
| | ALL BIRTHS | MARRIED | UNMARRIED | NOT STATED | |
| TOTAL BLACK | | | | | |
| 35-39 | 155 | 116 | 39 | 0 | 25.2 |
| 40 & OVER | 41 | 32 | 9 | 0 | 22.0 |
| NON-HISPANIC BLACK | | | | | |
| ALL AGES | 905 | 418 | 487 | 0 | 53.8 |
| UNDER 18 | 8 | 0 | 8 | 0 | 100.0 |
| 18-19 | 23 | 1 | 22 | 0 | 95.7 |
| 20-24 | 145 | 19 | 126 | 0 | 86.9 |
| 25-29 | 272 | 96 | 176 | 0 | 64.7 |
| 30-34 | 264 | 156 | 108 | 0 | 40.9 |
| 35-39 | 153 | 115 | 38 | 0 | 24.8 |
| 40 & OVER | 40 | 31 | 9 | 0 | 22.5 |
| TOTAL AMERICAN INDIAN | | | | | |
| ALL AGES | 10 | 4 | 6 | 0 | 60.0 |
| 20-24 | 4 | 0 | 4 | 0 | *** |
| 25-29 | 2 | 1 | 1 | 0 | *** |
| 30-34 | 1 | 1 | 0 | 0 | *** |
| 35-39 | 3 | 2 | 1 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | |
| ALL AGES | 9 | 4 | 5 | 0 | 55.6 |
| 20-24 | 4 | 0 | 4 | 0 | *** |
| 25-29 | 2 | 1 | 1 | 0 | *** |
| 30-34 | 1 | 1 | 0 | 0 | *** |
| 35-39 | 2 | 2 | 0 | 0 | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | |
| ALL AGES | 89 | 73 | 16 | 0 | 18.0 |
| 18-19 | 1 | 0 | 1 | 0 | *** |

See footnotes at end of table.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND MARITAL STATUS, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | MARITAL STATUS | | | | PERCENT OF BIRTHS TO UNMARRIED WOMEN |
|--|----------------|---------|-----------|------------|--------------------------------------|
| | ALL BIRTHS | MARRIED | UNMARRIED | NOT STATED | |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | |
| 20-24 | 10 | 7 | 3 | 0 | *** |
| 25-29 | 20 | 16 | 4 | 0 | *** |
| 30-34 | 32 | 30 | 2 | 0 | *** |
| 35-39 | 21 | 16 | 5 | 0 | 23.8 |
| 40 & OVER | 5 | 4 | 1 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | |
| ALL AGES | 83 | 68 | 15 | 0 | 18.1 |
| 18-19 | 1 | 0 | 1 | 0 | *** |
| 20-24 | 10 | 7 | 3 | 0 | *** |
| 25-29 | 16 | 13 | 3 | 0 | *** |
| 30-34 | 31 | 29 | 2 | 0 | *** |
| 35-39 | 20 | 15 | 5 | 0 | 25.0 |
| 40 & OVER | 5 | 4 | 1 | 0 | *** |
| HISPANIC** | | | | | |
| ALL AGES | 210 | 100 | 110 | 0 | 52.4 |
| UNDER 18 | 3 | 0 | 3 | 0 | *** |
| 18-19 | 14 | 0 | 14 | 0 | 100.0 |
| 20-24 | 28 | 11 | 17 | 0 | 60.7 |
| 25-29 | 67 | 35 | 32 | 0 | 47.8 |
| 30-34 | 51 | 27 | 24 | 0 | 47.1 |
| 35-39 | 39 | 22 | 17 | 0 | 43.6 |
| 40 & OVER | 8 | 5 | 3 | 0 | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2020.

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | PERCENT OF PLURAL BIRTHS |
|-----------------------|------------|---------------|---------------|--------------------------|
| ALL BIRTHS* | | | | |
| ALL AGES | 1,789 | 1,747 | 42 | 2.3 |
| UNDER 18 | 11 | 9 | 2 | *** |
| 18-19 | 51 | 51 | 0 | *** |
| 20-24 | 267 | 267 | 0 | *** |
| 25-29 | 544 | 528 | 16 | 2.9 |
| 30-34 | 554 | 538 | 16 | 2.9 |
| 35-39 | 293 | 285 | 8 | 2.7 |
| 40 & OVER | 69 | 69 | 0 | *** |
| TOTAL WHITE | | | | |
| ALL AGES | 753 | 742 | 11 | 1.5 |
| UNDER 18 | 3 | 3 | 0 | *** |
| 18-19 | 25 | 25 | 0 | *** |
| 20-24 | 106 | 106 | 0 | *** |
| 25-29 | 237 | 230 | 7 | 3.0 |
| 30-34 | 246 | 242 | 4 | *** |
| 35-39 | 113 | 113 | 0 | *** |
| 40 & OVER | 23 | 23 | 0 | *** |
| NON-HISPANIC WHITE | | | | |
| ALL AGES | 576 | 565 | 11 | 1.9 |
| 18-19 | 13 | 13 | 0 | *** |
| 20-24 | 80 | 80 | 0 | *** |
| 25-29 | 185 | 178 | 7 | 3.8 |
| 30-34 | 204 | 200 | 4 | *** |
| 35-39 | 78 | 78 | 0 | *** |
| 40 & OVER | 16 | 16 | 0 | *** |
| TOTAL BLACK | | | | |
| ALL AGES | 931 | 904 | 27 | 2.9 |
| UNDER 18 | 8 | 6 | 2 | *** |
| 18-19 | 25 | 25 | 0 | *** |
| 20-24 | 147 | 147 | 0 | *** |
| 25-29 | 283 | 274 | 9 | 3.2 |
| 30-34 | 272 | 262 | 10 | 3.7 |
| 35-39 | 155 | 149 | 6 | 3.9 |
| 40 & OVER | 41 | 41 | 0 | *** |
| NON-HISPANIC BLACK | | | | |
| ALL AGES | 905 | 878 | 27 | 3.0 |
| UNDER 18 | 8 | 6 | 2 | *** |
| 18-19 | 23 | 23 | 0 | *** |
| 20-24 | 145 | 145 | 0 | *** |
| 25-29 | 272 | 263 | 9 | 3.3 |
| 30-34 | 264 | 254 | 10 | 3.8 |

See footnotes at end of table.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | PERCENT OF PLURAL BIRTHS |
|--|------------|---------------|---------------|--------------------------|
| NON-HISPANIC BLACK | | | | |
| 35-39 | 153 | 147 | 6 | 3.9 |
| 40 & OVER | 40 | 40 | 0 | *** |
| TOTAL AMERICAN INDIAN | | | | |
| ALL AGES | 10 | 10 | 0 | *** |
| 20-24 | 4 | 4 | 0 | *** |
| 25-29 | 2 | 2 | 0 | *** |
| 30-34 | 1 | 1 | 0 | *** |
| 35-39 | 3 | 3 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | |
| ALL AGES | 9 | 9 | 0 | *** |
| 20-24 | 4 | 4 | 0 | *** |
| 25-29 | 2 | 2 | 0 | *** |
| 30-34 | 1 | 1 | 0 | *** |
| 35-39 | 2 | 2 | 0 | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | |
| ALL AGES | 89 | 85 | 4 | *** |
| 18-19 | 1 | 1 | 0 | *** |
| 20-24 | 10 | 10 | 0 | *** |
| 25-29 | 20 | 20 | 0 | *** |
| 30-34 | 32 | 30 | 2 | *** |
| 35-39 | 21 | 19 | 2 | *** |
| 40 & OVER | 5 | 5 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | |
| ALL AGES | 83 | 79 | 4 | *** |
| 18-19 | 1 | 1 | 0 | *** |
| 20-24 | 10 | 10 | 0 | *** |
| 25-29 | 16 | 16 | 0 | *** |
| 30-34 | 31 | 29 | 2 | *** |
| 35-39 | 20 | 18 | 2 | *** |
| 40 & OVER | 5 | 5 | 0 | *** |
| HISPANIC** | | | | |
| ALL AGES | 210 | 210 | 0 | *** |
| UNDER 18 | 3 | 3 | 0 | *** |

See footnotes at end of table.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | PERCENT OF PLURAL BIRTHS |
|-----------------------|------------|---------------|---------------|--------------------------|
| HISPANIC** | | | | |
| 18-19 | 14 | 14 | 0 | *** |
| 20-24 | 28 | 28 | 0 | *** |
| 25-29 | 67 | 67 | 0 | *** |
| 30-34 | 51 | 51 | 0 | *** |
| 35-39 | 39 | 39 | 0 | *** |
| 40 & OVER | 8 | 8 | 0 | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND YEARS OF EDUCATION, 2020

CHARLES COUNTY

| MATERNAL AGE AND RACE | YEARS OF EDUCATION | | | | | | | PERCENT WITH <12 YEARS EDUCATION |
|---------------------------|--------------------|-----------|------------|----------|-------------|-----------|------------|----------------------------------|
| | ALL BIRTHS | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16+ YEARS | NOT STATED | |
| ALL BIRTHS* | | | | | | | | |
| ALL AGES | 1,789 | 56 | 67 | 389 | 650 | 620 | 7 | 6.9 |
| UNDER 18 | 11 | 0 | 10 | 1 | 0 | 0 | 0 | 90.9 |
| 18-19 | 51 | 2 | 11 | 33 | 5 | 0 | 0 | 25.5 |
| 20-24 | 267 | 10 | 15 | 105 | 121 | 16 | 0 | 9.4 |
| 25-29 | 544 | 15 | 16 | 130 | 216 | 164 | 3 | 5.7 |
| 30-34 | 554 | 14 | 11 | 82 | 197 | 247 | 3 | 4.5 |
| 35-39 | 293 | 14 | 3 | 35 | 90 | 150 | 1 | 5.8 |
| 40 & OVER | 69 | 1 | 1 | 3 | 21 | 43 | 0 | *** |
| TOTAL WHITE | | | | | | | | |
| ALL AGES | 753 | 52 | 32 | 149 | 266 | 251 | 3 | 11.2 |
| UNDER 18 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | *** |
| 18-19 | 25 | 2 | 6 | 14 | 3 | 0 | 0 | 32.0 |
| 20-24 | 106 | 10 | 6 | 32 | 53 | 5 | 0 | 15.1 |
| 25-29 | 237 | 14 | 7 | 49 | 86 | 80 | 1 | 8.9 |
| 30-34 | 246 | 13 | 8 | 33 | 86 | 104 | 2 | 8.5 |
| 35-39 | 113 | 12 | 1 | 19 | 29 | 52 | 0 | 11.5 |
| 40 & OVER | 23 | 1 | 1 | 2 | 9 | 10 | 0 | *** |
| NON-HISPANIC WHITE | | | | | | | | |
| ALL AGES | 576 | 24 | 9 | 107 | 216 | 217 | 3 | 5.7 |
| 18-19 | 13 | 0 | 1 | 10 | 2 | 0 | 0 | *** |
| 20-24 | 80 | 8 | 2 | 23 | 42 | 5 | 0 | 12.5 |
| 25-29 | 185 | 8 | 1 | 29 | 75 | 71 | 1 | 4.9 |
| 30-34 | 204 | 6 | 4 | 29 | 69 | 94 | 2 | 4.9 |
| 35-39 | 78 | 2 | 0 | 14 | 21 | 41 | 0 | *** |
| 40 & OVER | 16 | 0 | 1 | 2 | 7 | 6 | 0 | *** |
| TOTAL BLACK | | | | | | | | |
| ALL AGES | 931 | 2 | 28 | 222 | 354 | 322 | 3 | 3.2 |
| UNDER 18 | 8 | 0 | 7 | 1 | 0 | 0 | 0 | 87.5 |
| 18-19 | 25 | 0 | 5 | 18 | 2 | 0 | 0 | 20.0 |
| 20-24 | 147 | 0 | 8 | 68 | 63 | 8 | 0 | 5.4 |
| 25-29 | 283 | 0 | 6 | 77 | 119 | 80 | 1 | 2.1 |
| 30-34 | 272 | 0 | 2 | 46 | 103 | 120 | 1 | *** |

See footnotes at end of table.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND YEARS OF EDUCATION, 2020 — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | YEARS OF EDUCATION | | | | | | | PERCENT WITH <12 YEARS EDUCATION |
|---------------------------------|--------------------|-----------|------------|----------|-------------|-----------|------------|----------------------------------|
| | ALL BIRTHS | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16+ YEARS | NOT STATED | |
| TOTAL BLACK | | | | | | | | |
| 35-39 | 155 | 2 | 0 | 12 | 55 | 85 | 1 | *** |
| 40 & OVER | 41 | 0 | 0 | 0 | 12 | 29 | 0 | *** |
| NON-HISPANIC BLACK | | | | | | | | |
| ALL AGES | 905 | 2 | 27 | 215 | 343 | 315 | 3 | 3.2 |
| UNDER 18 | 8 | 0 | 7 | 1 | 0 | 0 | 0 | 87.5 |
| 18-19 | 23 | 0 | 4 | 17 | 2 | 0 | 0 | *** |
| 20-24 | 145 | 0 | 8 | 66 | 63 | 8 | 0 | 5.5 |
| 25-29 | 272 | 0 | 6 | 75 | 112 | 78 | 1 | 2.2 |
| 30-34 | 264 | 0 | 2 | 44 | 101 | 116 | 1 | *** |
| 35-39 | 153 | 2 | 0 | 12 | 54 | 84 | 1 | *** |
| 40 & OVER | 40 | 0 | 0 | 0 | 11 | 29 | 0 | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | |
| ALL AGES | 10 | 0 | 1 | 3 | 5 | 1 | 0 | *** |
| 20-24 | 4 | 0 | 1 | 0 | 2 | 1 | 0 | *** |
| 25-29 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | *** |
| 30-34 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | *** |
| 35-39 | 3 | 0 | 0 | 2 | 1 | 0 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | |
| ALL AGES | 9 | 0 | 1 | 2 | 5 | 1 | 0 | *** |
| 20-24 | 4 | 0 | 1 | 0 | 2 | 1 | 0 | *** |
| 25-29 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | *** |
| 30-34 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | *** |
| 35-39 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| ALL AGES | 89 | 2 | 5 | 13 | 23 | 45 | 1 | 7.9 |
| 18-19 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | *** |

See footnotes at end of table.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND YEARS OF EDUCATION, 2020 — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | YEARS OF EDUCATION | | | | | | | PERCENT WITH <12 YEARS EDUCATION |
|---|--------------------|-----------|------------|----------|-------------|-----------|------------|----------------------------------|
| | ALL BIRTHS | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16+ YEARS | NOT STATED | |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| 20-24 | 10 | 0 | 0 | 5 | 3 | 2 | 0 | *** |
| 25-29 | 20 | 1 | 3 | 2 | 9 | 4 | 1 | *** |
| 30-34 | 32 | 1 | 0 | 2 | 7 | 22 | 0 | *** |
| 35-39 | 21 | 0 | 2 | 2 | 4 | 13 | 0 | *** |
| 40 & OVER | 5 | 0 | 0 | 1 | 0 | 4 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| ALL AGES | 83 | 2 | 3 | 13 | 20 | 44 | 1 | 6.0 |
| 18-19 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| 20-24 | 10 | 0 | 0 | 5 | 3 | 2 | 0 | *** |
| 25-29 | 16 | 1 | 1 | 2 | 7 | 4 | 1 | *** |
| 30-34 | 31 | 1 | 0 | 2 | 7 | 21 | 0 | *** |
| 35-39 | 20 | 0 | 2 | 2 | 3 | 13 | 0 | *** |
| 40 & OVER | 5 | 0 | 0 | 1 | 0 | 4 | 0 | *** |
| HISPANIC** | | | | | | | | |
| ALL AGES | 210 | 28 | 26 | 50 | 64 | 42 | 0 | 25.7 |
| UNDER 18 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | *** |
| 18-19 | 14 | 2 | 6 | 5 | 1 | 0 | 0 | 57.1 |
| 20-24 | 28 | 2 | 4 | 11 | 11 | 0 | 0 | 21.4 |
| 25-29 | 67 | 6 | 8 | 22 | 20 | 11 | 0 | 20.9 |
| 30-34 | 51 | 7 | 4 | 6 | 19 | 15 | 0 | 21.6 |
| 35-39 | 39 | 10 | 1 | 6 | 10 | 12 | 0 | 28.2 |
| 40 & OVER | 8 | 1 | 0 | 0 | 3 | 4 | 0 | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2020.

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | TRIMESTER OF FIRST PRENATAL VISIT***** | | | | | PERCENT FIRST TRIMESTER CARE**** | PERCENT LATE OR NO CARE**** |
|-----------------------|------------|--|--------|-------|---------|------------|----------------------------------|-----------------------------|
| | | FIRST | SECOND | THIRD | NO CARE | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | |
| ALL AGES | 1,789 | 1,145 | 440 | 118 | 13 | 73 | 66.7 | 7.6 |
| UNDER 18 | 11 | 3 | 5 | 2 | 0 | 1 | *** | *** |
| 18-19 | 51 | 19 | 23 | 5 | 0 | 4 | 40.4 | 10.6 |
| 20-24 | 267 | 162 | 62 | 20 | 5 | 18 | 65.1 | 10.0 |
| 25-29 | 544 | 343 | 140 | 39 | 2 | 20 | 65.5 | 7.8 |
| 30-34 | 554 | 372 | 131 | 34 | 3 | 14 | 68.9 | 6.9 |
| 35-39 | 293 | 199 | 66 | 11 | 3 | 14 | 71.3 | 5.0 |
| 40 & OVER | 69 | 47 | 13 | 7 | 0 | 2 | 70.1 | 10.4 |
| TOTAL WHITE | | | | | | | | |
| ALL AGES | 753 | 465 | 197 | 57 | 5 | 29 | 64.2 | 8.6 |
| UNDER 18 | 3 | 0 | 2 | 1 | 0 | 0 | *** | *** |
| 18-19 | 25 | 8 | 13 | 1 | 0 | 3 | 36.4 | *** |
| 20-24 | 106 | 61 | 25 | 11 | 2 | 7 | 61.6 | 13.1 |
| 25-29 | 237 | 141 | 66 | 19 | 1 | 10 | 62.1 | 8.8 |
| 30-34 | 246 | 164 | 59 | 16 | 2 | 5 | 68.0 | 7.5 |
| 35-39 | 113 | 77 | 27 | 6 | 0 | 3 | 70.0 | 5.5 |
| 40 & OVER | 23 | 14 | 5 | 3 | 0 | 1 | 63.6 | *** |
| NON-HISPANIC WHITE | | | | | | | | |
| ALL AGES | 576 | 387 | 121 | 43 | 3 | 22 | 69.9 | 8.3 |
| 18-19 | 13 | 6 | 6 | 0 | 0 | 1 | 50.0 | *** |
| 20-24 | 80 | 48 | 16 | 8 | 2 | 6 | 64.9 | 13.5 |
| 25-29 | 185 | 117 | 43 | 16 | 0 | 9 | 66.5 | 9.1 |
| 30-34 | 204 | 145 | 41 | 12 | 1 | 5 | 72.9 | 6.5 |
| 35-39 | 78 | 60 | 12 | 5 | 0 | 1 | 77.9 | 6.5 |
| 40 & OVER | 16 | 11 | 3 | 2 | 0 | 0 | 68.8 | *** |
| TOTAL BLACK | | | | | | | | |
| ALL AGES | 931 | 611 | 219 | 57 | 7 | 37 | 68.3 | 7.2 |
| UNDER 18 | 8 | 3 | 3 | 1 | 0 | 1 | *** | *** |
| 18-19 | 25 | 11 | 10 | 3 | 0 | 1 | 45.8 | *** |
| 20-24 | 147 | 92 | 33 | 9 | 3 | 10 | 67.2 | 8.8 |
| 25-29 | 283 | 188 | 67 | 19 | 1 | 8 | 68.4 | 7.3 |
| 30-34 | 272 | 182 | 64 | 17 | 1 | 8 | 68.9 | 6.8 |

See footnotes at end of table.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | TRIMESTER OF FIRST PRENATAL VISIT***** | | | | | PERCENT FIRST TRIMESTER CARE**** | PERCENT LATE OR NO CARE**** |
|---------------------------------|------------|--|--------|-------|---------|------------|----------------------------------|-----------------------------|
| | | FIRST | SECOND | THIRD | NO CARE | NOT STATED | | |
| TOTAL BLACK | | | | | | | | |
| 35-39 | 155 | 106 | 35 | 4 | 2 | 8 | 72.1 | 4.1 |
| 40 & OVER | 41 | 29 | 7 | 4 | 0 | 1 | 72.5 | *** |
| NON-HISPANIC BLACK | | | | | | | | |
| ALL AGES | 905 | 595 | 213 | 54 | 7 | 36 | 68.5 | 7.0 |
| UNDER 18 | 8 | 3 | 3 | 1 | 0 | 1 | *** | *** |
| 18-19 | 23 | 10 | 9 | 3 | 0 | 1 | 45.5 | *** |
| 20-24 | 145 | 91 | 33 | 9 | 3 | 9 | 66.9 | 8.8 |
| 25-29 | 272 | 181 | 64 | 18 | 1 | 8 | 68.6 | 7.2 |
| 30-34 | 264 | 175 | 64 | 16 | 1 | 8 | 68.4 | 6.6 |
| 35-39 | 153 | 106 | 33 | 4 | 2 | 8 | 73.1 | 4.1 |
| 40 & OVER | 40 | 29 | 7 | 3 | 0 | 1 | 74.4 | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | |
| ALL AGES | 10 | 6 | 4 | 0 | 0 | 0 | 60.0 | *** |
| 20-24 | 4 | 3 | 1 | 0 | 0 | 0 | *** | *** |
| 25-29 | 2 | 1 | 1 | 0 | 0 | 0 | *** | *** |
| 30-34 | 1 | 0 | 1 | 0 | 0 | 0 | *** | *** |
| 35-39 | 3 | 2 | 1 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | |
| ALL AGES | 9 | 5 | 4 | 0 | 0 | 0 | 55.6 | *** |
| 20-24 | 4 | 3 | 1 | 0 | 0 | 0 | *** | *** |
| 25-29 | 2 | 1 | 1 | 0 | 0 | 0 | *** | *** |
| 30-34 | 1 | 0 | 1 | 0 | 0 | 0 | *** | *** |
| 35-39 | 2 | 1 | 1 | 0 | 0 | 0 | *** | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| ALL AGES | 89 | 57 | 20 | 4 | 1 | 7 | 69.5 | 6.1 |
| 18-19 | 1 | 0 | 0 | 1 | 0 | 0 | *** | *** |

See footnotes at end of table.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | TRIMESTER OF FIRST PRENATAL VISIT***** | | | | | PERCENT FIRST TRIMESTER CARE**** | PERCENT LATE OR NO CARE**** |
|--|------------|--|--------|-------|---------|------------|----------------------------------|-----------------------------|
| | | FIRST | SECOND | THIRD | NO CARE | NOT STATED | | |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| 20-24 | 10 | 6 | 3 | 0 | 0 | 1 | 66.7 | *** |
| 25-29 | 20 | 11 | 6 | 1 | 0 | 2 | 61.1 | *** |
| 30-34 | 32 | 23 | 7 | 1 | 0 | 1 | 74.2 | *** |
| 35-39 | 21 | 13 | 3 | 1 | 1 | 3 | 72.2 | *** |
| 40 & OVER | 5 | 4 | 1 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | |
| ALL AGES | 83 | 51 | 20 | 4 | 1 | 7 | 67.1 | 6.6 |
| 18-19 | 1 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| 20-24 | 10 | 6 | 3 | 0 | 0 | 1 | 66.7 | *** |
| 25-29 | 16 | 7 | 6 | 1 | 0 | 2 | 50.0 | *** |
| 30-34 | 31 | 22 | 7 | 1 | 0 | 1 | 73.3 | *** |
| 35-39 | 20 | 12 | 3 | 1 | 1 | 3 | 70.6 | *** |
| 40 & OVER | 5 | 4 | 1 | 0 | 0 | 0 | *** | *** |
| HISPANIC** | | | | | | | | |
| ALL AGES | 210 | 101 | 82 | 17 | 2 | 8 | 50.0 | 9.4 |
| UNDER 18 | 3 | 0 | 2 | 1 | 0 | 0 | *** | *** |
| 18-19 | 14 | 3 | 8 | 1 | 0 | 2 | *** | *** |
| 20-24 | 28 | 14 | 9 | 3 | 0 | 2 | 53.8 | *** |
| 25-29 | 67 | 35 | 26 | 4 | 1 | 1 | 53.0 | 7.6 |
| 30-34 | 51 | 27 | 18 | 5 | 1 | 0 | 52.9 | 11.8 |
| 35-39 | 39 | 19 | 17 | 1 | 0 | 2 | 51.4 | *** |
| 40 & OVER | 8 | 3 | 2 | 2 | 0 | 1 | *** | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

****Percentages exclude births for which information pertaining to this variable is unknown.

*****Birth certificate questions pertaining to the initiation of prenatal care were revised in 2010. As a result, 2016 prenatal care rates should not be compared with rates calculated using data collected prior to 2010.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND LENGTH OF GESTATION, 2020.

CHARLES COUNTY

| MATERNAL AGE AND RACE | LENGTH OF GESTATION (WEEKS) | | | | | | | | | PERCENT OF INFANTS BORN <37 WEEKS GESTATION |
|-----------------------|-----------------------------|----------|-------|-------|-------|-------|-------|------------|------------|---|
| | ALL BIRTHS | UNDER 20 | 20-27 | 28-31 | 32-36 | 37-39 | 40-41 | 42 OR MORE | NOT STATED | |
| ALL BIRTHS* | | | | | | | | | | |
| ALL AGES | 1,789 | 5 | 12 | 19 | 127 | 1,138 | 484 | 2 | 2 | 9.1 |
| UNDER 18 | 11 | 0 | 0 | 0 | 2 | 3 | 6 | 0 | 0 | *** |
| 18-19 | 51 | 0 | 0 | 1 | 3 | 21 | 26 | 0 | 0 | *** |
| 20-24 | 267 | 1 | 2 | 2 | 19 | 160 | 82 | 0 | 1 | 9.0 |
| 25-29 | 544 | 0 | 3 | 8 | 29 | 341 | 162 | 1 | 0 | 7.4 |
| 30-34 | 554 | 1 | 4 | 3 | 41 | 353 | 152 | 0 | 0 | 8.8 |
| 35-39 | 293 | 3 | 3 | 4 | 27 | 204 | 50 | 1 | 1 | 12.6 |
| 40 & OVER | 69 | 0 | 0 | 1 | 6 | 56 | 6 | 0 | 0 | 10.1 |
| TOTAL WHITE | | | | | | | | | | |
| ALL AGES | 753 | 0 | 2 | 9 | 39 | 470 | 233 | 0 | 0 | 6.6 |
| UNDER 18 | 3 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | *** |
| 18-19 | 25 | 0 | 0 | 1 | 1 | 11 | 12 | 0 | 0 | *** |
| 20-24 | 106 | 0 | 0 | 2 | 8 | 65 | 31 | 0 | 0 | 9.4 |
| 25-29 | 237 | 0 | 0 | 4 | 9 | 145 | 79 | 0 | 0 | 5.5 |
| 30-34 | 246 | 0 | 0 | 0 | 13 | 150 | 83 | 0 | 0 | 5.3 |
| 35-39 | 113 | 0 | 2 | 2 | 5 | 80 | 24 | 0 | 0 | 8.0 |
| 40 & OVER | 23 | 0 | 0 | 0 | 3 | 18 | 2 | 0 | 0 | *** |
| NON-HISPANIC WHITE | | | | | | | | | | |
| ALL AGES | 576 | 0 | 2 | 7 | 30 | 351 | 186 | 0 | 0 | 6.8 |
| 18-19 | 13 | 0 | 0 | 1 | 0 | 7 | 5 | 0 | 0 | *** |
| 20-24 | 80 | 0 | 0 | 1 | 7 | 45 | 27 | 0 | 0 | 10.0 |
| 25-29 | 185 | 0 | 0 | 4 | 9 | 108 | 64 | 0 | 0 | 7.0 |
| 30-34 | 204 | 0 | 0 | 0 | 9 | 124 | 71 | 0 | 0 | 4.4 |
| 35-39 | 78 | 0 | 2 | 1 | 3 | 55 | 17 | 0 | 0 | 7.7 |
| 40 & OVER | 16 | 0 | 0 | 0 | 2 | 12 | 2 | 0 | 0 | *** |
| TOTAL BLACK | | | | | | | | | | |
| ALL AGES | 931 | 5 | 9 | 9 | 81 | 594 | 229 | 2 | 2 | 11.2 |
| UNDER 18 | 8 | 0 | 0 | 0 | 2 | 2 | 4 | 0 | 0 | *** |
| 18-19 | 25 | 0 | 0 | 0 | 2 | 9 | 14 | 0 | 0 | *** |
| 20-24 | 147 | 1 | 2 | 0 | 11 | 87 | 45 | 0 | 1 | 9.5 |
| 25-29 | 283 | 0 | 2 | 4 | 19 | 182 | 75 | 1 | 0 | 8.8 |
| 30-34 | 272 | 1 | 4 | 3 | 24 | 175 | 65 | 0 | 0 | 11.8 |
| 35-39 | 155 | 3 | 1 | 1 | 20 | 106 | 22 | 1 | 1 | 16.1 |
| 40 & OVER | 41 | 0 | 0 | 1 | 3 | 33 | 4 | 0 | 0 | *** |

See footnotes at end of table.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND LENGTH OF GESTATION, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | LENGTH OF GESTATION (WEEKS) | | | | | | | | | PERCENT OF INFANTS BORN <37 WEEKS GESTATION |
|--|-----------------------------|----------|-------|-------|-------|-------|-------|------------|------------|---|
| | ALL BIRTHS | UNDER 20 | 20-27 | 28-31 | 32-36 | 37-39 | 40-41 | 42 OR MORE | NOT STATED | |
| NON-HISPANIC BLACK | | | | | | | | | | |
| ALL AGES | 905 | 5 | 9 | 9 | 79 | 578 | 221 | 2 | 2 | 11.3 |
| UNDER 18 | 8 | 0 | 0 | 0 | 2 | 2 | 4 | 0 | 0 | *** |
| 18-19 | 23 | 0 | 0 | 0 | 1 | 9 | 13 | 0 | 0 | *** |
| 20-24 | 145 | 1 | 2 | 0 | 11 | 86 | 44 | 0 | 1 | 9.7 |
| 25-29 | 272 | 0 | 2 | 4 | 19 | 174 | 72 | 1 | 0 | 9.2 |
| 30-34 | 264 | 1 | 4 | 3 | 23 | 170 | 63 | 0 | 0 | 11.7 |
| 35-39 | 153 | 3 | 1 | 1 | 20 | 105 | 21 | 1 | 1 | 16.3 |
| 40 & OVER | 40 | 0 | 0 | 1 | 3 | 32 | 4 | 0 | 0 | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | | | |
| ALL AGES | 10 | 0 | 0 | 1 | 0 | 5 | 4 | 0 | 0 | *** |
| 20-24 | 4 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | *** |
| 25-29 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | *** |
| 30-34 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| 35-39 | 3 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | |
| ALL AGES | 9 | 0 | 0 | 1 | 0 | 4 | 4 | 0 | 0 | *** |
| 20-24 | 4 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | *** |
| 25-29 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | *** |
| 30-34 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| 35-39 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | |
| ALL AGES | 89 | 0 | 0 | 0 | 7 | 66 | 16 | 0 | 0 | 7.9 |
| 18-19 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** |
| 20-24 | 10 | 0 | 0 | 0 | 0 | 7 | 3 | 0 | 0 | *** |
| 25-29 | 20 | 0 | 0 | 0 | 1 | 12 | 7 | 0 | 0 | *** |
| 30-34 | 32 | 0 | 0 | 0 | 4 | 26 | 2 | 0 | 0 | *** |
| 35-39 | 21 | 0 | 0 | 0 | 2 | 15 | 4 | 0 | 0 | *** |
| 40 & OVER | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | *** |

See footnotes at end of table.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND LENGTH OF GESTATION, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | LENGTH OF GESTATION (WEEKS) | | | | | | | | | PERCENT OF INFANTS BORN <37 WEEKS GESTATION | |
|--|-----------------------------|----------|-------|-------|-------|-------|-------|------------|------------|---|-----|
| | ALL BIRTHS | UNDER 20 | 20-27 | 28-31 | 32-36 | 37-39 | 40-41 | 42 OR MORE | NOT STATED | | |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | |
| ALL AGES | 83 | 0 | 0 | 0 | 7 | 62 | 14 | 0 | 0 | 0 | 8.4 |
| 18-19 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** |
| 20-24 | 10 | 0 | 0 | 0 | 0 | 7 | 3 | 0 | 0 | 0 | *** |
| 25-29 | 16 | 0 | 0 | 0 | 1 | 10 | 5 | 0 | 0 | 0 | *** |
| 30-34 | 31 | 0 | 0 | 0 | 4 | 25 | 2 | 0 | 0 | 0 | *** |
| 35-39 | 20 | 0 | 0 | 0 | 2 | 14 | 4 | 0 | 0 | 0 | *** |
| 40 & OVER | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | *** |
| HISPANIC** | | | | | | | | | | | |
| ALL AGES | 210 | 0 | 0 | 2 | 11 | 140 | 57 | 0 | 0 | 0 | 6.2 |
| UNDER 18 | 3 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | *** |
| 18-19 | 14 | 0 | 0 | 0 | 2 | 4 | 8 | 0 | 0 | 0 | *** |
| 20-24 | 28 | 0 | 0 | 1 | 1 | 21 | 5 | 0 | 0 | 0 | *** |
| 25-29 | 67 | 0 | 0 | 0 | 0 | 47 | 20 | 0 | 0 | 0 | *** |
| 30-34 | 51 | 0 | 0 | 0 | 5 | 32 | 14 | 0 | 0 | 0 | 9.8 |
| 35-39 | 39 | 0 | 0 | 1 | 2 | 28 | 8 | 0 | 0 | 0 | *** |
| 40 & OVER | 8 | 0 | 0 | 0 | 1 | 7 | 0 | 0 | 0 | 0 | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020.

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|---------------------------|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | | | | | |
| ALL AGES | 1,789 | 19 | 8 | 24 | 98 | 356 | 674 | 493 | 117 | 0 | 8.3 | 1.5 |
| UNDER 18 | 11 | 0 | 0 | 0 | 0 | 3 | 6 | 2 | 0 | 0 | *** | *** |
| 18-19 | 51 | 1 | 0 | 0 | 3 | 14 | 21 | 9 | 3 | 0 | *** | *** |
| 20-24 | 267 | 3 | 1 | 2 | 13 | 62 | 96 | 71 | 19 | 0 | 7.1 | *** |
| 25-29 | 544 | 3 | 4 | 12 | 28 | 115 | 189 | 161 | 32 | 0 | 8.6 | 1.3 |
| 30-34 | 554 | 6 | 1 | 4 | 32 | 99 | 212 | 160 | 40 | 0 | 7.8 | 1.3 |
| 35-39 | 293 | 6 | 1 | 6 | 17 | 47 | 129 | 71 | 16 | 0 | 10.2 | 2.4 |
| 40 & OVER | 69 | 0 | 1 | 0 | 5 | 16 | 21 | 19 | 7 | 0 | 8.7 | *** |
| TOTAL WHITE | | | | | | | | | | | | |
| ALL AGES | 753 | 4 | 2 | 9 | 24 | 109 | 283 | 247 | 75 | 0 | 5.2 | 0.8 |
| UNDER 18 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | *** | *** |
| 18-19 | 25 | 1 | 0 | 0 | 0 | 6 | 10 | 5 | 3 | 0 | *** | *** |
| 20-24 | 106 | 1 | 0 | 1 | 3 | 18 | 38 | 34 | 11 | 0 | 4.7 | *** |
| 25-29 | 237 | 0 | 1 | 3 | 8 | 44 | 86 | 71 | 24 | 0 | 5.1 | *** |
| 30-34 | 246 | 0 | 0 | 1 | 8 | 25 | 99 | 89 | 24 | 0 | 3.7 | *** |
| 35-39 | 113 | 2 | 1 | 4 | 4 | 9 | 41 | 43 | 9 | 0 | 9.7 | *** |
| 40 & OVER | 23 | 0 | 0 | 0 | 1 | 7 | 6 | 5 | 4 | 0 | *** | *** |
| NON-HISPANIC WHITE | | | | | | | | | | | | |
| ALL AGES | 576 | 3 | 2 | 8 | 20 | 87 | 204 | 192 | 60 | 0 | 5.7 | 0.9 |
| 18-19 | 13 | 1 | 0 | 0 | 0 | 4 | 3 | 3 | 2 | 0 | *** | *** |
| 20-24 | 80 | 0 | 0 | 1 | 3 | 17 | 26 | 25 | 8 | 0 | *** | *** |
| 25-29 | 185 | 0 | 1 | 3 | 7 | 36 | 60 | 56 | 22 | 0 | 5.9 | *** |
| 30-34 | 204 | 0 | 0 | 1 | 6 | 18 | 83 | 75 | 21 | 0 | 3.4 | *** |
| 35-39 | 78 | 2 | 1 | 3 | 3 | 6 | 27 | 31 | 5 | 0 | 11.5 | *** |
| 40 & OVER | 16 | 0 | 0 | 0 | 1 | 6 | 5 | 2 | 2 | 0 | *** | *** |
| TOTAL BLACK | | | | | | | | | | | | |
| ALL AGES | 931 | 14 | 6 | 14 | 67 | 221 | 353 | 216 | 40 | 0 | 10.8 | 2.1 |
| UNDER 18 | 8 | 0 | 0 | 0 | 0 | 3 | 3 | 2 | 0 | 0 | *** | *** |
| 18-19 | 25 | 0 | 0 | 0 | 3 | 7 | 11 | 4 | 0 | 0 | *** | *** |
| 20-24 | 147 | 2 | 1 | 1 | 10 | 40 | 52 | 34 | 7 | 0 | 9.5 | *** |
| 25-29 | 283 | 2 | 3 | 9 | 19 | 66 | 95 | 81 | 8 | 0 | 11.7 | 1.8 |
| 30-34 | 272 | 6 | 1 | 2 | 19 | 65 | 103 | 60 | 16 | 0 | 10.3 | 2.6 |
| 35-39 | 155 | 4 | 0 | 2 | 12 | 32 | 75 | 24 | 6 | 0 | 11.6 | *** |
| 40 & OVER | 41 | 0 | 1 | 0 | 4 | 8 | 14 | 11 | 3 | 0 | 12.2 | *** |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| ALL AGES | 905 | 14 | 6 | 14 | 65 | 212 | 345 | 209 | 40 | 0 | 10.9 | 2.2 |
| UNDER 18 | 8 | 0 | 0 | 0 | 0 | 3 | 3 | 2 | 0 | 0 | *** | *** |
| 18-19 | 23 | 0 | 0 | 0 | 2 | 7 | 10 | 4 | 0 | 0 | *** | *** |
| 20-24 | 145 | 2 | 1 | 1 | 10 | 40 | 51 | 33 | 7 | 0 | 9.7 | *** |
| 25-29 | 272 | 2 | 3 | 9 | 19 | 61 | 94 | 76 | 8 | 0 | 12.1 | 1.8 |

See footnotes at end of table.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|---|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| 30-34 | 264 | 6 | 1 | 2 | 19 | 62 | 99 | 59 | 16 | 0 | 10.6 | 2.7 |
| 35-39 | 153 | 4 | 0 | 2 | 12 | 31 | 74 | 24 | 6 | 0 | 11.8 | *** |
| 40 & OVER | 40 | 0 | 1 | 0 | 3 | 8 | 14 | 11 | 3 | 0 | *** | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | |
| ALL AGES | 10 | 0 | 0 | 0 | 0 | 3 | 4 | 3 | 0 | 0 | *** | *** |
| 20-24 | 4 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | *** | *** |
| 25-29 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | *** | *** |
| 30-34 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| 35-39 | 3 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | |
| ALL AGES | 9 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | 0 | 0 | *** | *** |
| 20-24 | 4 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | *** | *** |
| 25-29 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | *** | *** |
| 30-34 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| 35-39 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | *** | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL AGES | 89 | 0 | 0 | 1 | 7 | 23 | 33 | 24 | 1 | 0 | 9.0 | *** |
| 18-19 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| 20-24 | 10 | 0 | 0 | 0 | 0 | 2 | 4 | 3 | 1 | 0 | *** | *** |
| 25-29 | 20 | 0 | 0 | 0 | 1 | 5 | 8 | 6 | 0 | 0 | *** | *** |
| 30-34 | 32 | 0 | 0 | 1 | 5 | 9 | 9 | 8 | 0 | 0 | 18.8 | *** |
| 35-39 | 21 | 0 | 0 | 0 | 1 | 5 | 11 | 4 | 0 | 0 | *** | *** |
| 40 & OVER | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | *** | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL AGES | 83 | 0 | 0 | 1 | 7 | 22 | 30 | 22 | 1 | 0 | 9.6 | *** |
| 18-19 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| 20-24 | 10 | 0 | 0 | 0 | 0 | 2 | 4 | 3 | 1 | 0 | *** | *** |
| 25-29 | 16 | 0 | 0 | 0 | 1 | 5 | 6 | 4 | 0 | 0 | *** | *** |
| 30-34 | 31 | 0 | 0 | 1 | 5 | 8 | 9 | 8 | 0 | 0 | 19.4 | *** |
| 35-39 | 20 | 0 | 0 | 0 | 1 | 5 | 10 | 4 | 0 | 0 | *** | *** |
| 40 & OVER | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | *** | *** |

See footnotes at end of table.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020. — Continued

CHARLES COUNTY

| MATERNAL AGE AND RACE | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|--------------------------|---------------|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------------------|---------------------------|
| | | UNDER 1000 | 1000- 1499 | 1500- 1999 | 2000- 2499 | 2500- 2999 | 3000- 3499 | 3500- 3999 | 4000 & OVER | NOT STATED | | |
| HISPANIC** | | | | | | | | | | | | |
| ALL AGES | 210 | 1 | 0 | 1 | 6 | 32 | 91 | 64 | 15 | 0 | 3.8 | *** |
| UNDER 18 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | *** | *** |
| 18-19 | 14 | 0 | 0 | 0 | 1 | 2 | 8 | 2 | 1 | 0 | *** | *** |
| 20-24 | 28 | 1 | 0 | 0 | 0 | 1 | 13 | 10 | 3 | 0 | *** | *** |
| 25-29 | 67 | 0 | 0 | 0 | 1 | 13 | 29 | 22 | 2 | 0 | *** | *** |
| 30-34 | 51 | 0 | 0 | 0 | 2 | 11 | 20 | 15 | 3 | 0 | *** | *** |
| 35-39 | 39 | 0 | 0 | 1 | 1 | 4 | 17 | 12 | 4 | 0 | *** | *** |
| 40 & OVER | 8 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 2 | 0 | *** | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 9. LIVE BIRTHS BY MATERNAL MARITAL STATUS, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020.

CHARLES COUNTY

| MATERNAL RACE AND MARITAL STATUS | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|----------------------------------|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | | | | | |
| ALL BIRTHS | 1,789 | 19 | 8 | 24 | 98 | 356 | 674 | 493 | 117 | 0 | 8.3 | 1.5 |
| MARRIED | 1,014 | 6 | 3 | 11 | 53 | 180 | 384 | 302 | 75 | 0 | 7.2 | 0.9 |
| UNMARRIED | 774 | 13 | 5 | 13 | 45 | 176 | 289 | 191 | 42 | 0 | 9.8 | 2.3 |
| NOT STATED | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** | *** |
| TOTAL WHITE | | | | | | | | | | | | |
| ALL BIRTHS | 753 | 4 | 2 | 9 | 24 | 109 | 283 | 247 | 75 | 0 | 5.2 | 0.8 |
| MARRIED | 505 | 2 | 2 | 6 | 16 | 65 | 185 | 179 | 50 | 0 | 5.1 | *** |
| UNMARRIED | 247 | 2 | 0 | 3 | 8 | 44 | 97 | 68 | 25 | 0 | 5.3 | *** |
| NOT STATED | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC WHITE | | | | | | | | | | | | |
| ALL BIRTHS | 576 | 3 | 2 | 8 | 20 | 87 | 204 | 192 | 60 | 0 | 5.7 | 0.9 |
| MARRIED | 419 | 1 | 2 | 6 | 14 | 54 | 150 | 149 | 43 | 0 | 5.5 | *** |
| UNMARRIED | 156 | 2 | 0 | 2 | 6 | 33 | 53 | 43 | 17 | 0 | 6.4 | *** |
| NOT STATED | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | *** | *** |
| TOTAL BLACK | | | | | | | | | | | | |
| ALL BIRTHS | 931 | 14 | 6 | 14 | 67 | 221 | 353 | 216 | 40 | 0 | 10.8 | 2.1 |
| MARRIED | 427 | 4 | 1 | 4 | 32 | 96 | 171 | 96 | 23 | 0 | 9.6 | 1.2 |
| UNMARRIED | 504 | 10 | 5 | 10 | 35 | 125 | 182 | 120 | 17 | 0 | 11.9 | 3.0 |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| ALL BIRTHS | 905 | 14 | 6 | 14 | 65 | 212 | 345 | 209 | 40 | 0 | 10.9 | 2.2 |
| MARRIED | 418 | 4 | 1 | 4 | 31 | 92 | 170 | 93 | 23 | 0 | 9.6 | 1.2 |
| UNMARRIED | 487 | 10 | 5 | 10 | 34 | 120 | 175 | 116 | 17 | 0 | 12.1 | 3.1 |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | |
| ALL BIRTHS | 10 | 0 | 0 | 0 | 0 | 3 | 4 | 3 | 0 | 0 | *** | *** |
| MARRIED | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | *** | *** |
| UNMARRIED | 6 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 0 | 0 | *** | *** |

See footnotes at end of table.

TABLE 9. LIVE BIRTHS BY MATERNAL MARITAL STATUS, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020. — Continued

CHARLES COUNTY

| MATERNAL RACE AND MARITAL STATUS | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|--|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | |
| ALL BIRTHS | 9 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | 0 | 0 | *** | *** |
| MARRIED | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | *** | *** |
| UNMARRIED | 5 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | *** | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL BIRTHS | 89 | 0 | 0 | 1 | 7 | 23 | 33 | 24 | 1 | 0 | 9.0 | *** |
| MARRIED | 73 | 0 | 0 | 1 | 5 | 18 | 26 | 22 | 1 | 0 | 8.2 | *** |
| UNMARRIED | 16 | 0 | 0 | 0 | 2 | 5 | 7 | 2 | 0 | 0 | *** | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL BIRTHS | 83 | 0 | 0 | 1 | 7 | 22 | 30 | 22 | 1 | 0 | 9.6 | *** |
| MARRIED | 68 | 0 | 0 | 1 | 5 | 17 | 24 | 20 | 1 | 0 | 8.8 | *** |
| UNMARRIED | 15 | 0 | 0 | 0 | 2 | 5 | 6 | 2 | 0 | 0 | *** | *** |
| HISPANIC** | | | | | | | | | | | | |
| ALL BIRTHS | 210 | 1 | 0 | 1 | 6 | 32 | 91 | 64 | 15 | 0 | 3.8 | *** |
| MARRIED | 100 | 1 | 0 | 0 | 3 | 16 | 38 | 35 | 7 | 0 | *** | *** |
| UNMARRIED | 110 | 0 | 0 | 1 | 3 | 16 | 53 | 29 | 8 | 0 | *** | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020.

CHARLES COUNTY

| MATERNAL RACE AND YEARS OF EDUCATION | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|--------------------------------------|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | | | | | |
| ALL BIRTHS | 1,789 | 19 | 8 | 24 | 98 | 356 | 674 | 493 | 117 | 0 | 8.3 | 1.5 |
| 0-8 YEARS | 56 | 0 | 0 | 0 | 3 | 5 | 18 | 18 | 12 | 0 | *** | *** |
| 9-11 YEARS | 67 | 0 | 0 | 0 | 2 | 18 | 29 | 16 | 2 | 0 | *** | *** |
| 12 YEARS | 389 | 6 | 1 | 6 | 30 | 84 | 146 | 99 | 17 | 0 | 11.1 | 1.8 |
| 13-15 YEARS | 650 | 6 | 3 | 8 | 32 | 128 | 244 | 178 | 51 | 0 | 7.5 | 1.4 |
| 16+ YEARS | 620 | 7 | 4 | 10 | 31 | 118 | 235 | 181 | 34 | 0 | 8.4 | 1.8 |
| NOT STATED | 7 | 0 | 0 | 0 | 0 | 3 | 2 | 1 | 1 | 0 | *** | *** |
| TOTAL WHITE | | | | | | | | | | | | |
| ALL BIRTHS | 753 | 4 | 2 | 9 | 24 | 109 | 283 | 247 | 75 | 0 | 5.2 | 0.8 |
| 0-8 YEARS | 52 | 0 | 0 | 0 | 2 | 5 | 17 | 16 | 12 | 0 | *** | *** |
| 9-11 YEARS | 32 | 0 | 0 | 0 | 1 | 4 | 20 | 5 | 2 | 0 | *** | *** |
| 12 YEARS | 149 | 2 | 0 | 2 | 7 | 26 | 59 | 42 | 11 | 0 | 7.4 | *** |
| 13-15 YEARS | 266 | 2 | 0 | 2 | 10 | 40 | 92 | 88 | 32 | 0 | 5.3 | *** |
| 16+ YEARS | 251 | 0 | 2 | 5 | 4 | 32 | 94 | 96 | 18 | 0 | 4.4 | *** |
| NOT STATED | 3 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC WHITE | | | | | | | | | | | | |
| ALL BIRTHS | 576 | 3 | 2 | 8 | 20 | 87 | 204 | 192 | 60 | 0 | 5.7 | 0.9 |
| 0-8 YEARS | 24 | 0 | 0 | 0 | 2 | 1 | 5 | 9 | 7 | 0 | *** | *** |
| 9-11 YEARS | 9 | 0 | 0 | 0 | 0 | 2 | 3 | 3 | 1 | 0 | *** | *** |
| 12 YEARS | 107 | 2 | 0 | 2 | 6 | 21 | 39 | 29 | 8 | 0 | 9.3 | *** |
| 13-15 YEARS | 216 | 1 | 0 | 2 | 10 | 33 | 72 | 71 | 27 | 0 | 6.0 | *** |
| 16+ YEARS | 217 | 0 | 2 | 4 | 2 | 28 | 84 | 80 | 17 | 0 | 3.7 | *** |
| NOT STATED | 3 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | *** | *** |
| TOTAL BLACK | | | | | | | | | | | | |
| ALL BIRTHS | 931 | 14 | 6 | 14 | 67 | 221 | 353 | 216 | 40 | 0 | 10.8 | 2.1 |
| 0-8 YEARS | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | *** | *** |
| 9-11 YEARS | 28 | 0 | 0 | 0 | 1 | 12 | 8 | 7 | 0 | 0 | *** | *** |
| 12 YEARS | 222 | 4 | 1 | 3 | 22 | 55 | 79 | 52 | 6 | 0 | 13.5 | 2.3 |
| 13-15 YEARS | 354 | 3 | 3 | 6 | 21 | 80 | 139 | 84 | 18 | 0 | 9.3 | 1.7 |
| 16+ YEARS | 322 | 7 | 2 | 5 | 23 | 74 | 125 | 71 | 15 | 0 | 11.5 | 2.8 |
| NOT STATED | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | *** | *** |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| ALL BIRTHS | 905 | 14 | 6 | 14 | 65 | 212 | 345 | 209 | 40 | 0 | 10.9 | 2.2 |
| 0-8 YEARS | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | *** | *** |
| 9-11 YEARS | 27 | 0 | 0 | 0 | 1 | 12 | 7 | 7 | 0 | 0 | *** | *** |

See footnotes at end of table.

**TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020. —
Continued**

| CHARLES COUNTY | | | | | | | | | | | | |
|---|---------------|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------------------|---------------------------|
| MATERNAL RACE AND YEARS OF EDUCATION | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
| | | UNDER 1000 | 1000- 1499 | 1500- 1999 | 2000- 2499 | 2500- 2999 | 3000- 3499 | 3500- 3999 | 4000 & OVER | NOT STATED | | |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| 12 YEARS | 215 | 4 | 1 | 3 | 21 | 52 | 77 | 51 | 6 | 0 | 13.5 | 2.3 |
| 13-15 YEARS | 343 | 3 | 3 | 6 | 20 | 77 | 135 | 81 | 18 | 0 | 9.3 | 1.7 |
| 16+ YEARS | 315 | 7 | 2 | 5 | 23 | 71 | 124 | 68 | 15 | 0 | 11.7 | 2.9 |
| NOT STATED | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | *** | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | |
| ALL BIRTHS | 10 | 0 | 0 | 0 | 0 | 3 | 4 | 3 | 0 | 0 | *** | *** |
| 9-11 YEARS | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| 12 YEARS | 3 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | *** | *** |
| 13-15 YEARS | 5 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 | *** | *** |
| 16+ YEARS | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | |
| ALL BIRTHS | 9 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | 0 | 0 | *** | *** |
| 9-11 YEARS | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| 12 YEARS | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | *** | *** |
| 13-15 YEARS | 5 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 | *** | *** |
| 16+ YEARS | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL BIRTHS | 89 | 0 | 0 | 1 | 7 | 23 | 33 | 24 | 1 | 0 | 9.0 | *** |
| 0-8 YEARS | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| 9-11 YEARS | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | *** | *** |
| 12 YEARS | 13 | 0 | 0 | 1 | 1 | 2 | 7 | 2 | 0 | 0 | *** | *** |
| 13-15 YEARS | 23 | 0 | 0 | 0 | 1 | 8 | 10 | 4 | 0 | 0 | *** | *** |
| 16+ YEARS | 45 | 0 | 0 | 0 | 4 | 11 | 15 | 14 | 1 | 0 | *** | *** |
| NOT STATED | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| ALL BIRTHS | 83 | 0 | 0 | 1 | 7 | 22 | 30 | 22 | 1 | 0 | 9.6 | *** |
| 0-8 YEARS | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| 9-11 YEARS | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | *** | *** |

See footnotes at end of table.

**TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE AND HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2020. —
Continued**

CHARLES COUNTY

| MATERNAL RACE AND YEARS OF EDUCATION | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|---|---------------|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------------------|---------------------------|
| | | UNDER 1000 | 1000- 1499 | 1500- 1999 | 2000- 2499 | 2500- 2999 | 3000- 3499 | 3500- 3999 | 4000 & OVER | NOT STATED | | |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| 12 YEARS | 13 | 0 | 0 | 1 | 1 | 2 | 7 | 2 | 0 | 0 | *** | *** |
| 13-15 YEARS | 20 | 0 | 0 | 0 | 1 | 8 | 8 | 3 | 0 | 0 | *** | *** |
| 16+ YEARS | 44 | 0 | 0 | 0 | 4 | 10 | 15 | 14 | 1 | 0 | *** | *** |
| NOT STATED | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | *** | *** |
| HISPANIC** | | | | | | | | | | | | |
| ALL BIRTHS | 210 | 1 | 0 | 1 | 6 | 32 | 91 | 64 | 15 | 0 | 3.8 | *** |
| 0-8 YEARS | 28 | 0 | 0 | 0 | 0 | 4 | 12 | 7 | 5 | 0 | *** | *** |
| 9-11 YEARS | 26 | 0 | 0 | 0 | 1 | 2 | 19 | 3 | 1 | 0 | *** | *** |
| 12 YEARS | 50 | 0 | 0 | 0 | 2 | 8 | 23 | 14 | 3 | 0 | *** | *** |
| 13-15 YEARS | 64 | 1 | 0 | 0 | 1 | 10 | 26 | 21 | 5 | 0 | *** | *** |
| 16+ YEARS | 42 | 0 | 0 | 1 | 2 | 8 | 11 | 19 | 1 | 0 | *** | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2020.

CHARLES COUNTY

| TRIMESTER OF FIRST PRENATAL VISIT | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|-----------------------------------|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| ALL BIRTHS* | | | | | | | | | | | | |
| FIRST | 1,145 | 8 | 6 | 19 | 68 | 227 | 440 | 308 | 69 | 0 | 8.8 | 1.2 |
| SECOND | 440 | 6 | 1 | 3 | 19 | 87 | 166 | 131 | 27 | 0 | 6.6 | 1.6 |
| THIRD | 118 | 0 | 0 | 1 | 6 | 19 | 45 | 33 | 14 | 0 | 5.9 | *** |
| NO CARE | 13 | 2 | 0 | 0 | 1 | 2 | 5 | 2 | 1 | 0 | *** | *** |
| NOT STATED | 73 | 3 | 1 | 1 | 4 | 21 | 18 | 19 | 6 | 0 | 12.3 | *** |
| TOTAL WHITE | | | | | | | | | | | | |
| FIRST | 465 | 3 | 2 | 8 | 16 | 64 | 176 | 157 | 39 | 0 | 6.2 | 1.1 |
| SECOND | 197 | 1 | 0 | 0 | 6 | 32 | 73 | 65 | 20 | 0 | 3.6 | *** |
| THIRD | 57 | 0 | 0 | 0 | 1 | 8 | 21 | 16 | 11 | 0 | *** | *** |
| NO CARE | 5 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 1 | 0 | *** | *** |
| NOT STATED | 29 | 0 | 0 | 1 | 0 | 5 | 10 | 9 | 4 | 0 | *** | *** |
| NON-HISPANIC WHITE | | | | | | | | | | | | |
| FIRST | 387 | 2 | 2 | 7 | 15 | 57 | 143 | 128 | 33 | 0 | 6.7 | *** |
| SECOND | 121 | 1 | 0 | 0 | 4 | 19 | 42 | 40 | 15 | 0 | 4.1 | *** |
| THIRD | 43 | 0 | 0 | 0 | 0 | 6 | 11 | 15 | 11 | 0 | *** | *** |
| NO CARE | 3 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | *** | *** |
| NOT STATED | 22 | 0 | 0 | 1 | 0 | 5 | 6 | 9 | 1 | 0 | *** | *** |
| TOTAL BLACK | | | | | | | | | | | | |
| FIRST | 611 | 4 | 4 | 11 | 46 | 147 | 237 | 133 | 29 | 0 | 10.6 | 1.3 |
| SECOND | 219 | 5 | 1 | 2 | 13 | 51 | 83 | 58 | 6 | 0 | 9.6 | 2.7 |
| THIRD | 57 | 0 | 0 | 1 | 5 | 9 | 24 | 15 | 3 | 0 | 10.5 | *** |
| NO CARE | 7 | 2 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | *** | *** |
| NOT STATED | 37 | 3 | 1 | 0 | 3 | 12 | 7 | 9 | 2 | 0 | 18.9 | *** |
| NON-HISPANIC BLACK | | | | | | | | | | | | |
| FIRST | 595 | 4 | 4 | 11 | 45 | 141 | 231 | 130 | 29 | 0 | 10.8 | 1.3 |
| SECOND | 213 | 5 | 1 | 2 | 13 | 49 | 81 | 56 | 6 | 0 | 9.9 | 2.8 |
| THIRD | 54 | 0 | 0 | 1 | 4 | 8 | 24 | 14 | 3 | 0 | 9.3 | *** |
| NO CARE | 7 | 2 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | *** | *** |
| NOT STATED | 36 | 3 | 1 | 0 | 3 | 12 | 7 | 8 | 2 | 0 | 19.4 | *** |
| TOTAL AMERICAN INDIAN | | | | | | | | | | | | |
| FIRST | 6 | 0 | 0 | 0 | 0 | 2 | 3 | 1 | 0 | 0 | *** | *** |
| SECOND | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | *** | *** |

See footnotes at end of table.

**TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2020. —
Continued**

CHARLES COUNTY

| TRIMESTER OF FIRST PRENATAL VISIT | ALL BIRTHS | BIRTH WEIGHT (IN GRAMS) | | | | | | | | | PERCENT <2500 GRAMS | PERCENT <1500 GRAMS |
|--|------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|---------------------|---------------------|
| | | UNDER 1000 | 1000-1499 | 1500-1999 | 2000-2499 | 2500-2999 | 3000-3499 | 3500-3999 | 4000 & OVER | NOT STATED | | |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | |
| FIRST | 5 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | *** | *** |
| SECOND | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | *** | *** |
| TOTAL ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| FIRST | 57 | 0 | 0 | 0 | 6 | 14 | 23 | 14 | 0 | 0 | 10.5 | *** |
| SECOND | 20 | 0 | 0 | 1 | 0 | 3 | 9 | 6 | 1 | 0 | *** | *** |
| THIRD | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | *** | *** |
| NO CARE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| NOT STATED | 7 | 0 | 0 | 0 | 1 | 4 | 1 | 1 | 0 | 0 | *** | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | |
| FIRST | 51 | 0 | 0 | 0 | 6 | 13 | 20 | 12 | 0 | 0 | 11.8 | *** |
| SECOND | 20 | 0 | 0 | 1 | 0 | 3 | 9 | 6 | 1 | 0 | *** | *** |
| THIRD | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | *** | *** |
| NO CARE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | *** | *** |
| NOT STATED | 7 | 0 | 0 | 0 | 1 | 4 | 1 | 1 | 0 | 0 | *** | *** |
| HISPANIC** | | | | | | | | | | | | |
| FIRST | 101 | 1 | 0 | 1 | 2 | 14 | 43 | 34 | 6 | 0 | *** | *** |
| SECOND | 82 | 0 | 0 | 0 | 2 | 15 | 33 | 27 | 5 | 0 | *** | *** |
| THIRD | 17 | 0 | 0 | 0 | 2 | 3 | 10 | 2 | 0 | 0 | *** | *** |
| NO CARE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | *** | *** |
| NOT STATED | 8 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 3 | 0 | *** | *** |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 12. LIVE BIRTHS BY MATERNAL RACE AND HISPANIC ORIGIN AND PLACE OF OCCURRENCE, 2020.

CHARLES COUNTY

| | TOTAL BIRTHS | PLACE OF OCCURRENCE | | | PERCENT OF BIRTHS OCCURRING IN MARYLAND | PERCENT OF BIRTHS OCCURRING IN THE DISTRICT OF COLUMBIA | PERCENT OF BIRTHS OCCURRING IN OTHER STATES |
|--|--------------|---------------------|----------------------|--------------|---|---|---|
| | | MARYLAND | DISTRICT OF COLUMBIA | OTHER STATES | | | |
| ALL BIRTHS* | 1,789 | 1,386 | 150 | 253 | 77.5 | 8.4 | 14.1 |
| TOTAL WHITE | 753 | 627 | 32 | 94 | 83.3 | 4.2 | 12.5 |
| NON-HISPANIC WHITE | 576 | 484 | 24 | 68 | 84.0 | 4.2 | 11.8 |
| TOTAL BLACK | 931 | 680 | 111 | 140 | 73.0 | 11.9 | 15.0 |
| NON-HISPANIC BLACK | 905 | 658 | 108 | 139 | 72.7 | 11.9 | 15.4 |
| TOTAL AMERICAN INDIAN | 10 | 10 | 0 | 0 | 100.0 | 0.0 | 0.0 |
| NON-HISPANIC AMERICAN INDIAN | 9 | 9 | 0 | 0 | 100.0 | 0.0 | 0.0 |
| TOTAL ASIAN OR PACIFIC ISLANDER | 89 | 68 | 5 | 16 | 76.4 | 5.6 | 18.0 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | 83 | 63 | 5 | 15 | 75.9 | 6.0 | 18.1 |
| HISPANIC** | 210 | 171 | 11 | 28 | 81.4 | 5.2 | 13.3 |

*Includes races reported as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.