



MARYLAND VITAL STATISTICS PROFILE 2005

**Robert L. Ehrlich, Jr., Governor
Michael S. Steele, Lt. Governor**

**S. Anthony McCann, Secretary
Dept. of Health and Mental Hygiene**

TABLE OF CONTENTS

List of 113 Selected Causes of Death, Injury by Firearms, Drug-induced Deaths, and Alcohol-induced Deaths	iv
---	----

MAPS

Comparison of County Birth Rates with the Maryland State Average, 2005	1
Comparison of Percentages of Births to Adolescents (under 18) with the Maryland State Average, 2005	2
Comparison of Percentages of Births to Unmarried Women with the Maryland State Average, 2005	3
Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester with the Maryland State Average, 2005	4
Comparison of Percentages of Births to Women with Late or No Prenatal Care with the Maryland State Average, 2005	5
Comparison of Percentages of Low Birth Weight Birth with the Maryland State Average, 2005	6
Comparison of Percentages of Very Low Birth Weight Birth with the Maryland State Average, 2005	7
Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation with the Maryland State Average, 2005	8
Comparison of Percentages of Births by Cesarean Section with the Maryland State Average, 2005	9
Comparison of Percentages of Births to Infants with Five-Minute Apgar Scores under 7 with the Maryland State Average, 2005	10
Comparison of County Infant Mortality Rates with the Maryland State Average, 2005	11
Comparison of County Neonatal Mortality Rates with the Maryland State Average, 2005	12
Comparison of County Postneonatal Mortality Rates with the Maryland State Average, 2005	13
Comparison of County Age-adjusted Death Rates for All Causes with the Maryland State Average, 2003-2005	14
Comparison of County Age-adjusted Death Rates for Heart Disease with the Maryland State Average, 2003-2005	15
Comparison of County Age-adjusted Death Rates for Malignant Neoplasms with the Maryland State Average, 2003-2005	16
Comparison of County Age-adjusted Death Rates for Cerebrovascular Diseases with the Maryland State Average, 2003-2005	17

Comparison of County Age-adjusted Death Rates for Chronic Lower Respiratory Diseases with the Maryland State Average, 2003-2005	18
Comparison of County Age-adjusted Death Rates for Diabetes Mellitus with the Maryland State Average, 2003-2005	19
Comparison of County Age-adjusted Death Rates for Accidents with the Maryland State Average, 2003-2005.....	20
Comparison of County Age-adjusted Death Rates for Influenza and Pneumonia with the Maryland State Average, 2003-2005.....	21
Comparison of County Age-adjusted Death Rates for Septicemia with the Maryland State Average, 2003-2005.....	22
Comparison of County Age-adjusted Death Rates for Alzheimer's Disease with the Maryland State Average, 2003-2005	23
Comparison of County Age-adjusted Death Rates for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2003-2005	24
Comparison of County Age-adjusted Death Rates for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2003-2005	25
Comparison of County Age-adjusted Death Rates for Assault (Homicide) with the Maryland State Average, 2003-2005	26
Comparison of County Age-adjusted Death Rates for Intentional Self-Harm (Suicide) with the Maryland State Average, 2003-2005	27

TABLES

Table 1. Live Births by Maternal Race, Hispanic Origin, Infant Sex and Month of Birth, Maryland, 2005	28
Table 2. Live Births by Birth Order, Maternal Race, Hispanic Origin and Maternal Age, Maryland , 2005.....	29
Table 3. Live Births by Maternal Age, Race, Hispanic Origin and Marital Status, Maryland, 2005	31
Table 4. Live Births by Plurality, Maternal Age, Race, and Hispanic Origin Maryland, 2005	33
Table 5. Live Births by Maternal Age, Race, Hispanic Origin and Years of Education, Maryland, 2005	35
Table 6. Live Births by Maternal Age, Race, Hispanic Origin and Trimester of First Prenatal Visit, Maryland, 2005	37
Table 7. Live Births by Maternal Age, Race, Hispanic Origin and Length of Gestation, Maryland, 2005	39
Table 8. Live Births by Maternal Age, Race, Hispanic Origin and Infant Birth Weight, Maryland, 2005.....	41

Table 9. Live Births by Maternal Marital Status, Race, Hispanic Origin and Infant Birth Weight, Maryland, 2005	43
Table 10. Live Births by Maternal Education, Race, Hispanic Origin and Infant Birth Weight, Maryland, 2005	44
Table 11. Live Births by Trimester of First Prenatal Visit, Maternal Race, Hispanic Origin and Infant Birth Weight, Maryland, 2005.....	46
Table 12. Live Births by Maternal Race, Hispanic Origin and Place of Occurrence, Maryland, 2005.....	48
Table 12a. Selected Natality Characteristics by Political Subdivision, Maryland, 2005	49
Table 13. Deaths by Race, Sex and Month of Death, Maryland, 2005	50
Table 14. Deaths by Race, Sex and Age, Maryland, 2005	51
Table 15. Leading Causes of Death by Race and Sex, Maryland, 2005	52
Table 16. Leading Causes of Death by Age Group, Maryland, 2005	53
Table 16A. Leading Causes of Death Among Whites by Sex and Age Group, Maryland, 2005.....	54
Table 16B. Leading Causes of Death Among Blacks by Sex and Age Group, Maryland, 2005	56
Table 16C. Leading Causes of Death Among Asians or Pacific Islanders by Sex and Age Group, Maryland, 2005	58
Table 16D. Leading Causes of Death Among Hispanics by Sex and Age Group, Maryland, 2005	60
Table 17. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Age Group, Maryland, 2005.....	62
Table 18. Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Race, Hispanic Origin and Sex, Maryland, 2005	69
Table 19. Accidental Deaths by Type of Accident, Sex and Age, Maryland, 2005	76
Table 20. Infant, Neonatal and Postneonatal Deaths and Mortality Rates by Maternal Race and Hispanic Origin, Maryland, 2005	81
Table 21. Deaths by Area of Occurrence by Race and Hispanic Origin, Maryland, 2005	82
Table 22. Age-adjusted Death Rates for Leading Causes by Political Subdivision, Maryland, 2003-2005	83

LIST OF 113 SELECTED CAUSES OF DEATH, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, AND ALCOHOL-INDUCED DEATHS

**Cause of Death (Based on the Tenth Revision,
International Classification of Diseases, 1992)**

**Category Codes according to
the Tenth Revision (ICD-10)**

Certain Infectious and Parasitic Diseases (A00-B99)

Salmonella infections.....	A01-A02
Shigellosis and amebiasis.....	A03, A06
Certain other intestinal infections.....	A04, A07-A09
Tuberculosis.....	A16-A19
Respiratory tuberculosis.....	A16
Other tuberculosis.....	A17-A19
Whooping cough.....	A37
Scarlet fever and erysipelas.....	A38, A46
Meningococcal infection.....	A39
Septicemia.....	A40-A41
Syphilis.....	A50-A53
Acute poliomyelitis.....	A80
Arthropod-borne viral encephalitis.....	A83-A84, A85.2
Measles.....	B05
Viral hepatitis.....	B15-B19
Human immunodeficiency virus (HIV) disease.....	B20-B24
Malaria.....	B50-B54
Other and unspecified infectious and parasitic diseases and their sequelae.....	A00, A05 A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99

Neoplasms (C00-D48)

Malignant neoplasms.....	C00-C97
Malignant neoplasms of lip, oral cavity and pharynx.....	C00-C14
Malignant neoplasm of esophagus.....	C15
Malignant neoplasm of stomach.....	C16
Malignant neoplasms of colon, rectum and anus.....	C18-C21
Malignant neoplasms of liver and intrahepatic bile ducts.....	C22
Malignant neoplasm of pancreas.....	C25
Malignant neoplasm of larynx.....	C32

Malignant neoplasms of trachea, bronchus and lung.....	C33-C34
Malignant melanoma of skin.....	C43
Malignant neoplasm of breast.....	C50
Malignant neoplasm of cervix uteri.....	C53
Malignant neoplasms of corpus uteri and uterus, part unspecified.....	C54-C55
Malignant neoplasm of ovary.....	C56
Malignant neoplasm of prostate.....	C61
Malignant neoplasms of kidney and renal pelvis.....	C64-C65
Malignant neoplasm of bladder.....	C67
Malignant neoplasms of meninges, brain and other parts of central nervous system.....	C70-C72
Malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C81-C96
Hodgkin's disease.....	C81
Non-Hodgkin's lymphoma.....	C82-C85
Leukemia.....	C91-C95
Multiple myeloma and immunoproliferative neoplasms.....	C88, C90
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue.....	C96
All other and unspecified malignant neoplasms.....	C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.....	D00-D48

Diseases of Blood and Blood-Forming Organs and Certain Disorders involving the Immune Mechanisms (D50-D89)

Anemias.....	D50-D64
--------------	---------

Endocrine, nutritional and metabolic diseases (E00-E90)

Diabetes mellitus.....	E10-E14
Nutritional deficiencies.....	E40-E64
Malnutrition.....	E40-E46
Other nutritional deficiencies.....	E50-E64

Diseases of the Nervous System (G00-G99)

Meningitis.....	G00, G03
Parkinson's disease.....	G20-G21
Alzheimer's disease.....	G30

Diseases of the Circulatory System (I00-I99)

Major cardiovascular diseases.....	I00-I78
Diseases of heart.....	I00-I09, I11, I13, I20-I51

Acute rheumatic fever and chronic rheumatic heart diseases.....	I00-I09
Hypertensive heart disease.....	I11
Hypertensive heart and renal disease.....	I13
Ischemic heart diseases.....	I20-I25
Acute myocardial infarction.....	I21-I22
Other acute ischemic heart diseases.....	I24
Other forms of chronic ischemic heart disease.....	I20, I25
Atherosclerotic cardiovascular disease, so described.....	I25.0
All other forms of chronic ischemic heart disease.....	I20, I25.1-I25.9
Other heart diseases.....	I26-I51
Acute and subacute endocarditis	I33
Diseases of pericardium and acute myocarditis.....	I30-I31, I40
Heart failure.....	I50
All other forms of heart disease.....	I26-I28, I34-I38, I42-I49, I51
Essential (primary) hypertension and hypertensive renal disease.....	I10, I12
Cerebrovascular diseases.....	I60-I69
Atherosclerosis.....	I70
Other diseases of circulatory system.....	I71-I78
Aortic aneurysm and dissection.....	I71
Other diseases of arteries, arterioles and capillaries.....	I72-I78
Other disorders of circulatory system.....	I80-I99

Diseases of the Respiratory System (J00-J99)

Influenza and pneumonia.....	J10-J18
Influenza.....	J10-J11
Pneumonia.....	J12-J18
Other acute lower respiratory infections.....	J20-J22
Acute bronchitis and bronchiolitis.....	J20-J21
Unspecified acute lower respiratory infection.....	J22
Chronic lower respiratory diseases.....	J40-J47
Bronchitis, chronic and unspecified.....	J40-J42
Emphysema.....	J43
Asthma.....	J45-J46
Other chronic lower respiratory diseases.....	J44, J47
Pneumoconioses and chemical effects.....	J60-J66, J68
Pneumonitis due to solids and liquids.....	J69
Other diseases of respiratory system.....	J00-J06, J30-J39, J67, J70-J98

Diseases of the Digestive System (K00-K93)

Peptic ulcer.....	K25-K28
-------------------	---------

Diseases of appendix.....	K35-K38
Hernia.....	K40-K46
Chronic liver disease and cirrhosis.....	K70, K73-K74
Alcoholic liver disease.....	K70
Other chronic liver disease and cirrhosis.....	K73-K74
Cholelithiasis and other disorders of gallbladder.....	K80-K82

Diseases of the Genitourinary System (N00-N99)

Nephritis, nephrotic syndrome and nephrosis.....	N00-N07, N17-N19, N25-N27
Acute and rapidly progressive nephritic and nephrotic syndrome.....	N00-N01, N04
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified.....	N02-N03, N05-N07, N26
Renal failure.....	N17-N19
Other disorders of kidney.....	N25, N27
Infections of kidney.....	N10-N12, N13.6, N15.1
Hyperplasia of prostate.....	N40
Inflammatory diseases of female pelvic organs.....	N70-N76

Pregnancy, Childbirth and the Puerperium (000-008)

Pregnancy, childbirth and the puerperium.....	000-099
Pregnancy with abortive outcome.....	000-007
Other complications of pregnancy, childbirth and the puerperium.....	010-099

Certain Conditions Originating in the Perinatal Period (P00-P96)

Certain conditions originating in the perinatal period.....	P00-P96
---	---------

Congenital Malformations, deformations and Chromosomal Abnormalities (Q00-Q99)

Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99
---	---------

Symptoms, Signs and Abnormal Clinical and Laboratory Findings, not Elsewhere Classified (R00-R99)

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.....	R00-R99
All other diseases (Residual).....	D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98

External Causes of Morbidity and Mortality (V01-V99)

Accidents (unintentional injuries).....V01-X59, Y85-Y-86
Transport accidents.....V01-V99, Y85
Motor vehicle accidents.... V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79,
V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Other land transport accidents.....V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3,
V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9
Water, air and space, and other and unspecified transport accidents and their sequelae.....V90-V99, Y85

Other External Causes of Accidental Injury (W00-X59)

Nontransport accidents.....W00-X59, Y86
Falls.....W00-W19
Accidental discharge of firearms.....W32-W34
Accidental drowning and submersion.....W65-W74
Accidental exposure to smoke, fire and flames.....X00-X09
Accidental poisoning and exposure to noxious substances.....X40-X49
Other and unspecified nontransport accidents and their sequelae
.....W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86

Intentional Self-Harm (X60-X84, U03)

Intentional self-harm (suicide).....*U03, X60-X84, Y87.0
Intentional self-harm (suicide) by discharge of firearms.....X72-X74
Intentional self-harm (suicide) by other and unspecified means and their sequelae
.....*U03, X60-X71, X75-X84, Y87.0

Assault (X85-Y09, U01-U02)

Assault (homicide).....*U01-*U02, X85-Y09, Y87.1
Assault (homicide) by discharge of firearms.....*U01.4, X93-X95
Assault (homicide) by other and unspecified means and their sequelae
.....*U01.0-*U01.3, *U01.5-*U01.9, *U02, X85-X92, X96-Y09, Y87.1

Legal Intervention and Operations of War (Y35-Y36)

Legal intervention.....Y35, Y89.0
Operations of war and their sequelae.....Y36, Y89.1

Event of Undertermined Intent (Y10-Y34)

Events of undetermined intent.....Y10-Y34, Y87.2, Y89.9

Discharge of firearms, undetermined intent.....Y22-Y24
 Other and unspecified events of undetermined intent and their sequelae
Y10-Y21, Y25-Y34, Y87.2, Y89.9

Complications of Medical and Surgical Care (Y40-Y84)


Complications of medical and surgical care.....Y40-Y84, Y88

Injury by Firearms.....W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0

Drug-Induced Deaths.....F11.0-F11.5, F11.7-F11.9, F12.0-F12.5,
 F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5,
 F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-
 F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-
 F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5,
 F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14


Alcohol-Induced Deaths.....F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45,
 X65, Y15

Comparison of County Birth Rates* with the Maryland State Average, 2005.




*Rates are shown on Table 12a.

Comparison of Percentages of Births to Adolescents (under 18)* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Unmarried Women* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Prenatal Care in the First Trimester* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births to Women with Late or No Prenatal Care* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Low Birth Weight Birth* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Very Low Birth Weight Birth* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Infants Born at Less than 37 Weeks Gestation* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births by Cesarean Section* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of Percentages of Births of Infants with Five-Minute Apgar Scores Under 7* with the Maryland State Average, 2005.




*Percentages are shown on Table 12a.

Comparison of County Infant Mortality Rates* with the Maryland State Average, 2005.




*Rates are shown on Table 20.

Comparison of County Neonatal Mortality Rates* with the Maryland State Average, 2005.




*Rates are shown on Table 20.

Comparison of County Postneonatal Mortality Rates* with the Maryland State Average, 2005.




*Rates are shown on Table 20.

Comparison of County Age-adjusted Death Rates* for All Causes with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Heart Disease with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Malignant Neoplasms with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Cerebrovascular Diseases with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Chronic Lower Respiratory Diseases with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Diabetes Mellitus with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Accidents with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Influenza and Pneumonia with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Septicemia with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Alzheimer's Disease with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Nephritis, Nephrosis and Nephrotic Syndrome with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Human Immunodeficiency Virus (HIV) with the Maryland State Average, 2003-2005.




*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Assault (Homicide) with the Maryland State Average, 2003-2005.



*Rates are shown on Table 22.

Comparison of County Age-adjusted Death Rates* for Intentional Self-Harm (Suicide) with the Maryland State Average, 2003-2005.



*Rates are shown on Table 22.

TABLE 1. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN, INFANT SEX AND MONTH OF BIRTH, 2005.

MARYLAND

RACE, HISPANIC ORIGIN, AND SEX	ALL BIRTHS	MONTH OF BIRTH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
ALL RACES ¹													
ALL BIRTHS	74,880	6,092	5,692	6,299	6,057	6,327	6,424	6,440	6,518	6,477	6,276	6,011	6,267
MALE	38,119	3,059	2,849	3,286	3,082	3,191	3,346	3,238	3,307	3,313	3,236	3,045	3,167
FEMALE	36,761	3,033	2,843	3,013	2,975	3,136	3,078	3,202	3,211	3,164	3,040	2,966	3,100
WHITE ²													
ALL BIRTHS	45,347	3,542	3,485	3,861	3,733	3,864	4,046	3,875	3,955	3,962	3,817	3,552	3,655
MALE	23,050	1,765	1,717	2,005	1,882	1,950	2,093	1,953	2,002	2,040	1,948	1,814	1,881
FEMALE	22,297	1,777	1,768	1,856	1,851	1,914	1,953	1,922	1,953	1,922	1,869	1,738	1,774
WHITE, NON-HISPANIC ²													
ALL BIRTHS	36,903	2,893	2,883	3,182	3,107	3,192	3,261	3,125	3,211	3,203	3,105	2,818	2,923
MALE	18,817	1,468	1,426	1,653	1,572	1,605	1,685	1,551	1,656	1,643	1,595	1,454	1,509
FEMALE	18,086	1,425	1,457	1,529	1,535	1,587	1,576	1,574	1,555	1,560	1,510	1,364	1,414
BLACK ²													
ALL BIRTHS	24,425	2,150	1,814	2,013	1,873	2,026	1,961	2,149	2,126	2,081	2,031	2,016	2,185
MALE	12,399	1,099	938	1,055	975	1,003	1,036	1,064	1,070	1,048	1,045	1,010	1,056
FEMALE	12,026	1,051	876	958	898	1,023	925	1,085	1,056	1,033	986	1,006	1,129
ASIAN OR PACIFIC ISLANDER ²													
ALL BIRTHS	4,573	374	360	387	388	384	360	362	408	389	385	378	398
MALE	2,399	185	176	202	201	206	188	193	218	203	219	193	215
FEMALE	2,174	189	184	185	187	178	172	169	190	186	166	185	183
HISPANIC ³													
ALL BIRTHS	8,690	668	618	698	648	687	799	769	770	780	735	760	758
MALE	4,353	305	298	365	321	353	414	412	355	409	366	371	384
FEMALE	4,337	363	320	333	327	334	385	357	415	371	369	389	374

¹ Includes race reported as 'other'.² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.³ Includes all births to mothers of Hispanic origin of any race.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2005.

MARYLAND

RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ALL RACES ¹												
TOTAL	74,880	121	2,047	4,226	15,320	19,095	19,591	11,606	2,695	171	8	2.9
FIRST CHILD	31,241	118	1,848	3,346	7,902	7,883	6,501	2,936	653	52	2	6.3
SECOND	24,096	3	181	728	4,952	6,118	7,262	4,004	799	47	2	0.8
THIRD	11,792	0	15	122	1,753	3,154	3,516	2,640	563	28	1	0.1
FOURTH & FIFTH	6,340	0	0	20	652	1,671	1,907	1,570	495	25	0	*
SIXTH OR ABOVE	1,294	0	0	1	36	240	388	431	179	19	0	*
NOT STATED	117	0	3	9	25	29	17	25	6	0	3	*
WHITE ²												
TOTAL	45,347	37	844	2,063	8,524	11,640	12,777	7,606	1,734	115	7	1.9
FIRST CHILD	18,771	34	768	1,672	4,589	4,988	4,311	1,946	425	36	2	4.3
SECOND	15,060	3	68	335	2,733	3,764	4,889	2,709	528	30	1	0.5
THIRD	7,285	0	7	46	912	1,900	2,256	1,774	368	21	1	0.1
FOURTH & FIFTH	3,502	0	0	5	263	877	1,119	934	291	13	0	*
SIXTH OR ABOVE	660	0	0	1	14	93	191	228	118	15	0	*
NOT STATED	69	0	1	4	13	18	11	15	4	0	3	*
WHITE, NON-HISPANIC ²												
TOTAL	36,903	16	535	1,462	6,191	9,209	11,058	6,807	1,515	104	6	1.5
FIRST CHILD	15,488	13	499	1,220	3,420	4,231	3,881	1,796	394	33	1	3.3
SECOND	12,474	3	33	211	1,934	2,938	4,336	2,522	467	29	1	0.3
THIRD	5,712	0	2	23	624	1,355	1,839	1,540	312	16	1	*
FOURTH & FIFTH	2,650	0	0	4	196	598	850	754	237	11	0	*
SIXTH OR ABOVE	531	0	0	1	11	74	144	185	101	15	0	*
NOT STATED	48	0	1	3	6	13	8	10	4	0	3	*
BLACK ²												
TOTAL	24,425	82	1,179	2,080	6,289	6,029	4,910	3,075	742	39	0	5.2
FIRST CHILD	9,972	82	1,057	1,602	2,973	2,017	1,349	712	169	11	0	11.4
SECOND	7,248	0	112	383	2,087	1,967	1,603	905	182	9	0	1.5
THIRD	3,929	0	8	76	811	1,135	1,049	688	156	6	0	0.2
FOURTH & FIFTH	2,619	0	0	14	384	757	710	565	178	11	0	*
SIXTH OR ABOVE	613	0	0	0	22	144	193	196	56	2	0	*
NOT STATED	44	0	2	5	12	9	6	9	1	0	0	*

See footnotes at end of table.

TABLE 2. LIVE BIRTHS BY BIRTH ORDER, MATERNAL RACE, HISPANIC ORIGIN AND MATERNAL AGE, 2005. — Continued

MARYLAND

RACE, HISPANIC ORIGIN, AND BIRTH ORDER	ALL AGES	AGE OF MOTHER										PERCENT OF BIRTHS TO MOTHERS <18 YEARS OF AGE
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	NOT STATED	
ASIAN OR PACIFIC ISLANDER ²												
TOTAL	4,573	0	12	43	379	1,283	1,785	856	200	14	1	0.3
FIRST CHILD	2,236	0	11	38	267	812	792	258	54	4	0	0.5
SECOND	1,640	0	1	5	89	355	733	365	84	7	1	*
THIRD	495	0	0	0	20	86	190	162	36	1	0	*
FOURTH & FIFTH	183	0	0	0	3	27	67	64	22	0	0	*
SIXTH OR ABOVE	16	0	0	0	0	1	3	7	3	2	0	*
NOT STATED	3	0	0	0	0	2	0	0	1	0	0	*
HISPANIC ³												
TOTAL	8,690	22	320	633	2,397	2,489	1,761	831	225	11	1	3.9
FIRST CHILD	3,398	22	280	479	1,203	782	441	154	33	3	1	8.9
SECOND	2,655	0	35	128	817	845	570	197	62	1	0	1.3
THIRD	1,610	0	5	24	297	553	424	245	57	5	0	0.3
FOURTH & FIFTH	875	0	0	1	70	285	276	185	56	2	0	*
SIXTH OR ABOVE	131	0	0	0	3	19	47	45	17	0	0	*
NOT STATED	21	0	0	1	7	5	3	5	0	0	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2005.

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
ALL RACES ¹					
ALL AGES	74,880	47,099	27,781	0	37.1
UNDER 18	2,168	94	2,074	0	95.7
18-19	4,226	458	3,768	0	89.2
20-24	15,320	5,128	10,192	0	66.5
25-29	19,095	12,866	6,229	0	32.6
30-34	19,591	16,302	3,289	0	16.8
35-39	11,606	9,852	1,754	0	15.1
40 & OVER	2,866	2,395	471	0	16.4
NOT STATED	8	4	4	0	*
WHITE ²					
ALL AGES	45,347	32,760	12,587	0	27.8
UNDER 18	881	77	804	0	91.3
18-19	2,063	350	1,713	0	83.0
20-24	8,524	3,705	4,819	0	56.5
25-29	11,640	8,799	2,841	0	24.4
30-34	12,777	11,326	1,451	0	11.4
35-39	7,606	6,888	718	0	9.4
40 & OVER	1,849	1,612	237	0	12.8
NOT STATED	7	3	4	0	*
WHITE, NON-HISPANIC ²					
ALL AGES	36,903	28,650	8,253	0	22.4
UNDER 18	551	35	516	0	93.6
18-19	1,462	251	1,211	0	82.8
20-24	6,191	2,882	3,309	0	53.4
25-29	9,209	7,496	1,713	0	18.6
30-34	11,058	10,207	851	0	7.7
35-39	6,807	6,333	474	0	7.0
40 & OVER	1,619	1,443	176	0	10.9
NOT STATED	6	3	3	0	*
BLACK ²					
ALL AGES	24,425	9,789	14,636	0	59.9
UNDER 18	1,261	15	1,246	0	98.8
18-19	2,080	88	1,992	0	95.8
20-24	6,289	1,081	5,208	0	82.8
25-29	6,029	2,792	3,237	0	53.7
30-34	4,910	3,167	1,743	0	35.5
35-39	3,075	2,088	987	0	32.1
40 & OVER	781	558	223	0	28.6

See footnotes at end of table.

TABLE 3. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND MARITAL STATUS, 2005. — Continued

MARYLAND					
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	MARITAL STATUS				PERCENT OF BIRTHS TO UNMARRIED WOMEN
	ALL BIRTHS	MARRIED	UNMARRIED	NOT STATED	
ASIAN OR PACIFIC ISLANDER ²					
ALL AGES	4,573	4,222	351	0	7.7
UNDER 18	12	2	10	0	83.3
18-19	43	14	29	0	67.4
20-24	379	290	89	0	23.5
25-29	1,283	1,182	101	0	7.9
30-34	1,785	1,711	74	0	4.1
35-39	856	816	40	0	4.7
40 & OVER	214	206	8	0	3.7
NOT STATED	1	1	0	0	*
HISPANIC ³					
ALL AGES	8,690	4,230	4,460	0	51.3
UNDER 18	342	42	300	0	87.7
18-19	633	103	530	0	83.7
20-24	2,397	846	1,551	0	64.7
25-29	2,489	1,336	1,153	0	46.3
30-34	1,761	1,153	608	0	34.5
35-39	831	577	254	0	30.6
40 & OVER	236	173	63	0	26.7
NOT STATED	1	0	1	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN, 2005.

MARYLAND				
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
ALL RACES ¹				
ALL AGES	74,880	72,020	2,860	3.8
UNDER 18	2,168	2,129	39	1.8
18-19	4,226	4,146	80	1.9
20-24	15,320	14,941	379	2.5
25-29	19,095	18,455	640	3.4
30-34	19,591	18,662	929	4.7
35-39	11,606	11,019	587	5.1
40 & OVER	2,866	2,660	206	7.2
NOT STATED	8	8	0	*
WHITE ²				
ALL AGES	45,347	43,577	1,770	3.9
UNDER 18	881	863	18	2.0
18-19	2,063	2,029	34	1.6
20-24	8,524	8,341	183	2.1
25-29	11,640	11,265	375	3.2
30-34	12,777	12,153	624	4.9
35-39	7,606	7,214	392	5.2
40 & OVER	1,849	1,705	144	7.8
NOT STATED	7	7	0	*
WHITE, NON-HISPANIC ²				
ALL AGES	36,903	35,315	1,588	4.3
UNDER 18	551	537	14	2.5
18-19	1,462	1,438	24	1.6
20-24	6,191	6,043	148	2.4
25-29	9,209	8,888	321	3.5
30-34	11,058	10,492	566	5.1
35-39	6,807	6,424	383	5.6
40 & OVER	1,619	1,487	132	8.2
NOT STATED	6	6	0	*
BLACK ²				
ALL AGES	24,425	23,505	920	3.8
UNDER 18	1,261	1,240	21	1.7
18-19	2,080	2,038	42	2.0
20-24	6,289	6,095	194	3.1
25-29	6,029	5,802	227	3.8
30-34	4,910	4,674	236	4.8
35-39	3,075	2,919	156	5.1
40 & OVER	781	737	44	5.6

See footnotes at end of table.

**TABLE 4. LIVE BIRTHS BY PLURALITY, MATERNAL AGE, RACE AND HISPANIC ORIGIN,
2005. — Continued**

MARYLAND				
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	SINGLE BIRTHS	PLURAL BIRTHS	PERCENT OF PLURAL BIRTHS
ASIAN OR PACIFIC ISLANDER ²				
ALL AGES	4,573	4,427	146	3.2
UNDER 18	12	12	0	*
18-19	43	41	2	*
20-24	379	379	0	*
25-29	1,283	1,253	30	2.3
30-34	1,785	1,720	65	3.6
35-39	856	821	35	4.1
40 & OVER	214	200	14	6.5
NOT STATED	1	1	0	*
HISPANIC ³				
ALL AGES	8,690	8,499	191	2.2
UNDER 18	342	338	4	*
18-19	633	623	10	1.6
20-24	2,397	2,360	37	1.5
25-29	2,489	2,435	54	2.2
30-34	1,761	1,699	62	3.5
35-39	831	819	12	1.4
40 & OVER	236	224	12	5.1
NOT STATED	1	1	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2005

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
ALL RACES¹								
ALL AGES	74,880	3,465	7,182	20,337	14,522	28,275	1,099	14.2
UNDER 18	2,168	299	1,432	382	7	0	48	79.8
18-19	4,226	253	1,153	2,205	540	1	74	33.3
20-24	15,320	962	2,333	6,561	3,690	1,535	239	21.5
25-29	19,095	911	1,237	5,194	4,324	7,175	254	11.2
30-34	19,591	659	626	3,358	3,525	11,179	244	6.6
35-39	11,606	299	340	2,096	1,902	6,800	169	5.5
40 & OVER	2,866	82	61	541	534	1,585	63	5.0
NOT STATED	8	0	0	0	0	0	8	*
WHITE²								
ALL AGES	45,347	2,932	3,795	10,912	8,184	18,993	531	14.8
UNDER 18	881	137	555	160	4	0	25	78.5
18-19	2,063	214	603	970	230	1	45	39.6
20-24	8,524	857	1,337	3,535	1,882	800	113	25.7
25-29	11,640	834	725	2,925	2,499	4,531	126	13.4
30-34	12,777	576	364	1,859	2,120	7,752	106	7.4
35-39	7,606	245	181	1,148	1,116	4,844	72	5.6
40 & OVER	1,849	69	30	315	333	1,065	37	5.4
NOT STATED	7	0	0	0	0	0	7	*
WHITE, NON-HISPANIC²								
ALL AGES	36,903	636	2,394	8,463	7,209	18,025	176	8.2
UNDER 18	551	54	373	117	4	0	3	77.5
18-19	1,462	55	419	782	197	0	9	32.4
20-24	6,191	157	907	2,730	1,635	731	31	17.2
25-29	9,209	158	400	2,213	2,156	4,253	29	6.1
30-34	11,058	130	178	1,452	1,897	7,360	41	2.8
35-39	6,807	63	97	919	1,020	4,669	39	2.4
40 & OVER	1,619	19	20	250	300	1,012	18	2.4
NOT STATED	6	0	0	0	0	0	6	*
BLACK²								
ALL AGES	24,425	439	3,201	8,522	5,511	6,268	484	14.9
UNDER 18	1,261	159	858	218	3	0	23	80.7
18-19	2,080	36	528	1,193	295	0	28	27.1
20-24	6,289	88	951	2,853	1,658	625	114	16.5
25-29	6,029	53	473	2,007	1,556	1,834	106	8.7
30-34	4,910	55	227	1,256	1,152	2,110	110	5.7
35-39	3,075	39	139	805	680	1,328	84	5.8
40 & OVER	781	9	25	190	167	371	19	4.4

See footnotes at end of table.

TABLE 5. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND YEARS OF EDUCATION, 2005 — Continued

MARYLAND								
MATERNAL AGE, RACE, AND HISPANIC ORIGIN	YEARS OF EDUCATION							PERCENT WITH <12 YEARS EDUCATION
	ALL BIRTHS	0-8 YEARS	9-11 YEARS	12 YEARS	13-15 YEARS	16+ YEARS	NOT STATED	
ASIAN OR PACIFIC ISLANDER ²								
ALL AGES	4,573	62	131	743	707	2,851	79	4.2
UNDER 18	12	1	9	2	0	0	0	83.3
18-19	43	1	10	21	10	0	1	25.6
20-24	379	7	25	123	112	100	12	8.4
25-29	1,283	16	30	217	233	767	20	3.6
30-34	1,785	23	33	220	223	1,260	26	3.1
35-39	856	11	19	127	101	586	12	3.5
40 & OVER	214	3	5	33	28	138	7	3.7
NOT STATED	1	0	0	0	0	0	1	*
HISPANIC ³								
ALL AGES	8,690	2,306	1,428	2,538	1,034	1,022	362	43.0
UNDER 18	342	86	190	44	0	0	22	80.7
18-19	633	161	195	203	37	1	36	56.2
20-24	2,397	702	432	841	267	72	83	47.3
25-29	2,489	679	327	729	358	298	98	40.4
30-34	1,761	446	189	420	233	407	66	36.1
35-39	831	182	85	235	104	189	36	32.1
40 & OVER	236	50	10	66	35	55	20	25.4
NOT STATED	1	0	0	0	0	0	1	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2005.

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
ALL RACES¹								
ALL AGES	74,880	59,896	10,597	2,326	859	1,202	80.0	4.3
UNDER 18	2,168	1,268	655	149	51	45	58.5	9.2
18-19	4,226	2,832	1,003	232	72	87	67.0	7.2
20-24	15,320	11,181	3,011	618	252	258	73.0	5.7
25-29	19,095	15,535	2,550	542	195	273	81.4	3.9
30-34	19,591	16,787	1,881	490	149	284	85.7	3.3
35-39	11,606	9,903	1,166	224	116	197	85.3	2.9
40 & OVER	2,866	2,386	331	70	24	55	83.3	3.3
NOT STATED	8	4	0	1	0	3	*	*
WHITE²								
ALL AGES	45,347	37,772	5,566	1,176	308	525	83.3	3.3
UNDER 18	881	564	228	60	16	13	64.0	8.6
18-19	2,063	1,411	466	116	33	37	68.4	7.2
20-24	8,524	6,400	1,575	332	95	122	75.1	5.0
25-29	11,640	9,779	1,386	276	69	130	84.0	3.0
30-34	12,777	11,309	1,066	241	47	114	88.5	2.3
35-39	7,606	6,712	662	112	40	80	88.2	2.0
40 & OVER	1,849	1,593	183	38	8	27	86.2	2.5
NOT STATED	7	4	0	1	0	2	*	*
WHITE, NON-HISPANIC²								
ALL AGES	36,903	32,621	3,175	627	181	299	88.4	2.2
UNDER 18	551	407	114	20	8	2	73.9	5.1
18-19	1,462	1,116	263	53	19	11	76.3	4.9
20-24	6,191	5,110	815	159	49	58	82.5	3.4
25-29	9,209	8,250	708	141	41	69	89.6	2.0
30-34	11,058	10,133	667	149	31	78	91.6	1.6
35-39	6,807	6,173	475	75	26	58	90.7	1.5
40 & OVER	1,619	1,429	133	29	7	21	88.3	2.2
NOT STATED	6	3	0	1	0	2	*	*
BLACK²								
ALL AGES	24,425	17,900	4,408	993	523	601	73.3	6.2
UNDER 18	1,261	692	414	89	35	31	54.9	9.8
18-19	2,080	1,368	515	112	37	48	65.8	7.2
20-24	6,289	4,415	1,334	261	148	131	70.2	6.5
25-29	6,029	4,588	971	218	119	133	76.1	5.6
30-34	4,910	3,842	640	200	95	133	78.2	6.0
35-39	3,075	2,395	416	89	73	102	77.9	5.3
40 & OVER	781	600	118	24	16	23	76.8	5.1

See footnotes at end of table.

TABLE 6. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND TRIMESTER OF FIRST PRENATAL VISIT, 2005. — Continued

MARYLAND

MATERNAL AGE, RACE AND HISPANIC ORIGIN	ALL BIRTHS	TRIMESTER OF FIRST PRENATAL VISIT					PERCENT FIRST TRIMESTER CARE	PERCENT LATE OR NO CARE
		FIRST	SECOND	THIRD	NO CARE	NOT STATED		
ASIAN OR PACIFIC ISLANDER ²								
ALL AGES	4,573	3,800	539	140	25	69	83.1	3.6
UNDER 18	12	7	4	0	0	1	58.3	*
18-19	43	25	12	3	2	1	58.1	11.6
20-24	379	275	70	22	7	5	72.6	7.7
25-29	1,283	1,049	174	45	6	9	81.8	4.0
30-34	1,785	1,532	169	43	7	34	85.8	2.8
35-39	856	738	81	21	3	13	86.2	2.8
40 & OVER	214	174	29	6	0	5	81.3	2.8
NOT STATED	1	0	0	0	0	1	*	*
HISPANIC ³								
ALL AGES	8,690	5,336	2,433	558	134	229	61.4	8.0
UNDER 18	342	166	116	40	9	11	48.5	14.3
18-19	633	314	212	66	15	26	49.6	12.8
20-24	2,397	1,337	770	176	49	65	55.8	9.4
25-29	2,489	1,576	684	137	30	62	63.3	6.7
30-34	1,761	1,213	403	92	16	37	68.9	6.1
35-39	831	560	197	38	14	22	67.4	6.3
40 & OVER	236	169	51	9	1	6	71.6	4.2
NOT STATED	1	1	0	0	0	0	*	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2005.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
ALL RACES¹										
ALL AGES	74,880	52	642	886	6,844	42,601	23,359	351	145	11.2
UNDER 18	2,168	0	29	36	235	1,031	815	13	9	13.8
18-19	4,226	4	34	68	341	2,193	1,547	31	8	10.6
20-24	15,320	11	156	173	1,339	8,242	5,271	90	38	11.0
25-29	19,095	12	135	171	1,676	10,656	6,319	93	33	10.4
30-34	19,591	14	155	225	1,699	11,599	5,803	74	22	10.7
35-39	11,606	9	112	160	1,187	7,137	2,939	36	26	12.6
40 & OVER	2,866	2	21	53	366	1,739	664	14	7	15.4
NOT STATED	8	0	0	0	1	4	1	0	2	*
WHITE²										
ALL AGES	45,347	15	247	383	3,839	25,883	14,693	200	87	9.9
UNDER 18	881	0	8	16	83	439	329	4	2	12.1
18-19	2,063	1	16	24	169	1,055	779	11	8	10.2
20-24	8,524	1	64	56	668	4,557	3,106	47	25	9.3
25-29	11,640	5	51	61	981	6,417	4,054	53	18	9.4
30-34	12,777	4	62	113	1,032	7,563	3,939	50	14	9.5
35-39	7,606	2	38	83	684	4,736	2,024	25	14	10.6
40 & OVER	1,849	2	8	30	221	1,113	461	10	4	14.1
NOT STATED	7	0	0	0	1	3	1	0	2	*
WHITE, NON-HISPANIC²										
ALL AGES	36,903	12	208	318	3,137	21,095	11,905	153	75	10.0
UNDER 18	551	0	6	8	47	266	221	2	1	11.1
18-19	1,462	1	11	15	120	731	570	7	7	10.1
20-24	6,191	1	54	49	500	3,254	2,284	29	20	9.8
25-29	9,209	3	43	52	787	5,069	3,193	45	17	9.6
30-34	11,058	4	52	94	866	6,571	3,421	38	12	9.2
35-39	6,807	1	36	74	624	4,228	1,809	22	13	10.8
40 & OVER	1,619	2	6	26	192	974	406	10	3	14.0
NOT STATED	6	0	0	0	1	2	1	0	2	*
BLACK²										
ALL AGES	24,425	32	380	467	2,600	13,523	7,239	133	51	14.2
UNDER 18	1,261	0	20	20	149	577	479	9	7	15.0
18-19	2,080	3	18	44	168	1,091	738	18	0	11.2
20-24	6,289	10	91	116	643	3,380	1,997	39	13	13.7
25-29	6,029	6	82	102	593	3,364	1,832	35	15	13.0
30-34	4,910	7	86	93	514	2,854	1,330	21	5	14.3
35-39	3,075	6	72	71	409	1,789	709	10	9	18.1
40 & OVER	781	0	11	21	124	468	154	1	2	20.0

See footnotes at end of table.

TABLE 7. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND LENGTH OF GESTATION, 2005. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	LENGTH OF GESTATION (WEEKS)									PERCENT OF INFANTS BORN <37 WEEKS GESTATION
	ALL BIRTHS	UNDER 20	20-27	28-31	32-36	37-39	40-41	42 OR MORE	NOT STATED	
ASIAN OR PACIFIC ISLANDER ²										
ALL AGES	4,573	4	13	30	356	2,900	1,250	14	6	8.8
UNDER 18	12	0	1	0	0	7	4	0	0	*
18-19	43	0	0	0	2	28	12	1	0	*
20-24	379	0	1	1	18	231	125	3	0	5.3
25-29	1,283	0	2	7	86	803	381	4	0	7.4
30-34	1,785	3	6	14	141	1,119	497	3	2	9.2
35-39	856	1	1	6	90	564	190	1	3	11.4
40 & OVER	214	0	2	2	19	147	41	2	1	10.7
NOT STATED	1	0	0	0	0	1	0	0	0	*
HISPANIC ³										
ALL AGES	8,690	3	40	73	728	4,930	2,856	48	12	9.7
UNDER 18	342	0	2	8	38	178	113	2	1	14.0
18-19	633	0	5	9	51	339	223	5	1	10.3
20-24	2,397	0	10	9	172	1,343	840	18	5	8.0
25-29	2,489	2	8	10	202	1,379	879	8	1	8.9
30-34	1,761	0	10	21	170	1,021	525	12	2	11.4
35-39	831	1	3	12	62	528	221	3	1	9.4
40 & OVER	236	0	2	4	33	141	55	0	1	16.5
NOT STATED	1	0	0	0	0	1	0	0	0	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2005.

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000- 1499	1500- 1999	2000- 2499	2500- 2999	3000- 3499	3500- 3999	4000 & OVER	NOT STATED		
ALL RACES ¹												
ALL AGES	74,880	723	692	1,308	4,146	13,855	28,518	19,607	6,009	22	9.2	1.9
UNDER 18	2,168	25	32	47	171	544	877	401	70	1	12.7	2.6
18-19	4,226	34	46	96	266	1,033	1,672	877	201	1	10.5	1.9
20-24	15,320	179	145	247	862	3,172	6,176	3,614	921	4	9.4	2.1
25-29	19,095	160	135	296	974	3,493	7,401	5,073	1,556	7	8.2	1.5
30-34	19,591	168	159	331	977	3,224	7,255	5,619	1,853	5	8.3	1.7
35-39	11,606	127	131	217	657	1,894	4,160	3,277	1,139	4	9.8	2.2
40 & OVER	2,866	30	44	74	239	493	974	743	269	0	13.5	2.6
NOT STATED	8	0	0	0	0	2	3	3	0	0	*	*
WHITE ²												
ALL AGES	45,347	265	297	639	2,018	7,201	17,011	13,428	4,470	18	7.1	1.2
UNDER 18	881	5	13	14	57	191	373	191	37	0	10.1	2.0
18-19	2,063	15	18	48	100	442	812	502	125	1	8.8	1.6
20-24	8,524	67	53	102	387	1,543	3,385	2,331	652	4	7.1	1.4
25-29	11,640	57	54	144	463	1,859	4,464	3,465	1,129	5	6.2	1.0
30-34	12,777	63	76	179	518	1,800	4,665	4,020	1,451	5	6.5	1.1
35-39	7,606	44	59	112	358	1,066	2,710	2,386	868	3	7.5	1.4
40 & OVER	1,849	14	24	40	135	298	600	530	208	0	11.5	2.1
NOT STATED	7	0	0	0	0	2	2	3	0	0	*	*
WHITE, NON-HISPANIC ²												
ALL AGES	36,903	224	242	521	1,637	5,664	13,484	11,230	3,883	18	7.1	1.3
UNDER 18	551	3	9	8	34	99	240	130	28	0	9.8	2.2
18-19	1,462	10	12	32	68	293	560	380	106	1	8.3	1.5
20-24	6,191	57	50	70	285	1,079	2,370	1,747	529	4	7.5	1.7
25-29	9,209	48	42	118	375	1,449	3,410	2,808	954	5	6.3	1.0
30-34	11,058	56	54	152	438	1,530	3,977	3,555	1,291	5	6.3	1.0
35-39	6,807	38	56	105	320	957	2,396	2,142	790	3	7.6	1.4
40 & OVER	1,619	12	19	36	117	255	530	465	185	0	11.4	1.9
NOT STATED	6	0	0	0	0	2	1	3	0	0	*	*
BLACK ²												
ALL AGES	24,425	441	369	583	1,840	5,567	9,293	5,034	1,294	4	13.2	3.3
UNDER 18	1,261	19	19	32	113	344	496	206	31	1	14.5	3.0
18-19	2,080	19	28	47	159	576	824	353	74	0	12.2	2.3
20-24	6,289	111	91	141	449	1,517	2,551	1,181	248	0	12.6	3.2
25-29	6,029	102	76	131	434	1,312	2,300	1,302	370	2	12.3	3.0
30-34	4,910	95	73	117	350	1,029	1,766	1,173	307	0	12.9	3.4
35-39	3,075	81	64	87	244	636	1,074	666	222	1	15.5	4.7
40 & OVER	781	14	18	28	91	153	282	153	42	0	19.3	4.1

See footnotes at end of table.

TABLE 8. LIVE BIRTHS BY MATERNAL AGE, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2005. — Continued

MARYLAND

MATERNAL AGE, RACE, AND HISPANIC ORIGIN	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000- 1499	1500- 1999	2000- 2499	2500- 2999	3000- 3499	3500- 3999	4000 & OVER	NOT STATED		
ASIAN OR PACIFIC ISLANDER ²												
ALL AGES	4,573	15	26	75	256	975	2,014	1,005	207	0	8.1	0.9
UNDER 18	12	1	0	0	0	4	4	1	2	0	*	*
18-19	43	0	0	0	5	6	23	9	0	0	11.6	*
20-24	379	1	1	4	17	86	190	69	11	0	6.1	*
25-29	1,283	0	5	18	67	296	581	269	47	0	7.0	0.4
30-34	1,785	10	10	29	102	370	774	400	90	0	8.5	1.1
35-39	856	1	8	18	52	180	354	200	43	0	9.2	1.1
40 & OVER	214	2	2	6	13	33	87	57	14	0	10.7	*
NOT STATED	1	0	0	0	0	0	1	0	0	0	*	*
HISPANIC ³												
ALL AGES	8,690	43	59	126	399	1,600	3,607	2,255	601	0	7.2	1.2
UNDER 18	342	2	4	6	25	94	139	62	10	0	10.8	1.8
18-19	633	5	6	16	34	156	266	131	19	0	9.6	1.7
20-24	2,397	11	4	32	106	485	1,032	598	129	0	6.4	0.6
25-29	2,489	9	12	29	91	421	1,078	672	177	0	5.7	0.8
30-34	1,761	7	23	28	83	282	697	477	164	0	8.0	1.7
35-39	831	7	4	10	40	118	323	250	79	0	7.3	1.3
40 & OVER	236	2	6	5	20	44	71	65	23	0	14.0	3.4
NOT STATED	1	0	0	0	0	0	1	0	0	0	*	*

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 9. LIVE BIRTHS BY MATERNAL MARITAL STATUS, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2005.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND MARITAL STATUS	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES ¹												
ALL BIRTHS	74,880	723	692	1,308	4,146	13,855	28,518	19,607	6,009	22	9.2	1.9
MARRIED	47,099	341	347	715	2,238	7,731	17,651	13,622	4,449	5	7.7	1.5
UNMARRIED	27,781	382	345	593	1,908	6,124	10,867	5,985	1,560	17	11.6	2.6
WHITE ²												
ALL BIRTHS	45,347	265	297	639	2,018	7,201	17,011	13,428	4,470	18	7.1	1.2
MARRIED	32,760	157	200	441	1,336	4,797	11,962	10,293	3,570	4	6.5	1.1
UNMARRIED	12,587	108	97	198	682	2,404	5,049	3,135	900	14	8.6	1.6
WHITE, NON-HISPANIC ²												
ALL BIRTHS	36,903	224	242	521	1,637	5,664	13,484	11,230	3,883	18	7.1	1.3
MARRIED	28,650	137	172	387	1,156	4,113	10,305	9,134	3,242	4	6.5	1.1
UNMARRIED	8,253	87	70	134	481	1,551	3,179	2,096	641	14	9.4	1.9
BLACK ²												
ALL BIRTHS	24,425	441	369	583	1,840	5,567	9,293	5,034	1,294	4	13.2	3.3
MARRIED	9,789	168	123	195	648	1,973	3,706	2,306	669	1	11.6	3.0
UNMARRIED	14,636	273	246	388	1,192	3,594	5,587	2,728	625	3	14.3	3.5
ASIAN OR PACIFIC ISLANDER ²												
ALL BIRTHS	4,573	15	26	75	256	975	2,014	1,005	207	0	8.1	0.9
MARRIED	4,222	14	24	73	235	900	1,862	931	183	0	8.2	0.9
UNMARRIED	351	1	2	2	21	75	152	74	24	0	7.4	*
HISPANIC ³												
ALL BIRTHS	8,690	43	59	126	399	1,600	3,607	2,255	601	0	7.2	1.2
MARRIED	4,230	21	31	60	190	716	1,691	1,187	334	0	7.1	1.2
UNMARRIED	4,460	22	28	66	209	884	1,916	1,068	267	0	7.3	1.1

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2005.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES¹												
ALL BIRTHS	74,880	723	692	1,308	4,146	13,855	28,518	19,607	6,009	22	9.2	1.9
0-8 YEARS	3,465	26	26	54	186	725	1,378	828	240	2	8.4	1.5
9-11 YEARS	7,182	78	83	161	534	1,709	2,822	1,446	349	0	11.9	2.2
12 YEARS	20,337	245	228	404	1,220	4,074	7,855	4,907	1,401	3	10.3	2.3
13-15 YEARS	14,522	159	137	227	794	2,661	5,458	3,870	1,216	0	9.1	2.0
16+ YEARS	28,275	196	200	436	1,336	4,478	10,584	8,299	2,746	0	7.7	1.4
NOT STATED	1,099	19	18	26	76	208	421	257	57	17	12.6	3.4
WHITE²												
ALL BIRTHS	45,347	265	297	639	2,018	7,201	17,011	13,428	4,470	18	7.1	1.2
0-8 YEARS	2,932	15	21	45	142	571	1,184	735	217	2	7.6	1.2
9-11 YEARS	3,795	30	27	60	214	813	1,547	888	216	0	8.7	1.5
12 YEARS	10,912	83	90	175	532	1,857	4,185	3,037	951	2	8.1	1.6
13-15 YEARS	8,184	54	50	93	339	1,292	2,999	2,471	886	0	6.5	1.3
16+ YEARS	18,993	79	101	253	755	2,582	6,889	6,165	2,169	0	6.3	0.9
NOT STATED	531	4	8	13	36	86	207	132	31	14	11.5	2.3
WHITE, NON-HISPANIC²												
ALL BIRTHS	36,903	224	242	521	1,637	5,664	13,484	11,230	3,883	18	7.1	1.3
0-8 YEARS	636	6	9	13	37	120	213	168	68	2	10.2	2.4
9-11 YEARS	2,394	23	18	41	166	523	941	547	135	0	10.4	1.7
12 YEARS	8,463	70	76	142	425	1,424	3,161	2,384	779	2	8.4	1.7
13-15 YEARS	7,209	49	42	82	293	1,131	2,605	2,191	816	0	6.5	1.3
16+ YEARS	18,025	73	95	240	705	2,444	6,508	5,889	2,071	0	6.2	0.9
NOT STATED	176	3	2	3	11	22	56	51	14	14	10.8	2.8
BLACK²												
ALL BIRTHS	24,425	441	369	583	1,840	5,567	9,293	5,034	1,294	4	13.2	3.3
0-8 YEARS	439	9	5	9	38	138	148	72	20	0	13.9	3.2
9-11 YEARS	3,201	48	55	99	309	855	1,201	512	122	0	16.0	3.2
12 YEARS	8,522	157	134	207	638	2,029	3,260	1,681	415	1	13.3	3.4
13-15 YEARS	5,511	105	80	125	396	1,183	2,126	1,204	292	0	12.8	3.4
16+ YEARS	6,268	107	85	131	422	1,261	2,374	1,463	425	0	11.9	3.1
NOT STATED	484	15	10	12	37	101	184	102	20	3	15.3	5.2
ASIAN OR PACIFIC ISLANDER²												
ALL BIRTHS	4,573	15	26	75	256	975	2,014	1,005	207	0	8.1	0.9
0-8 YEARS	62	1	0	0	2	8	35	13	3	0	*	*
9-11 YEARS	131	0	1	1	7	27	53	34	8	0	6.9	*
12 YEARS	743	5	4	14	44	159	341	151	25	0	9.0	1.2
13-15 YEARS	707	0	7	9	50	158	295	160	28	0	9.3	1.0
16+ YEARS	2,851	9	14	50	150	604	1,261	626	137	0	7.8	0.8
NOT STATED	79	0	0	1	3	19	29	21	6	0	*	*

See footnotes at end of table.

TABLE 10. LIVE BIRTHS BY MATERNAL EDUCATION, RACE, HISPANIC ORIGIN AND INFANT BIRTH WEIGHT, 2005. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND YEARS OF EDUCATION	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
ALL BIRTHS	8,690	43	59	126	399	1,600	3,607	2,255	601	0	7.2	1.2
0-8 YEARS	2,306	9	12	33	106	451	977	569	149	0	6.9	0.9
9-11 YEARS	1,428	7	9	19	51	297	614	347	84	0	6.0	1.1
12 YEARS	2,538	14	15	34	112	461	1,052	674	176	0	6.9	1.1
13-15 YEARS	1,034	5	9	13	51	176	414	292	74	0	7.5	1.4
16+ YEARS	1,022	7	8	17	53	150	397	289	101	0	8.3	1.5
NOT STATED	362	1	6	10	26	65	153	84	17	0	11.9	1.9

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2005.

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
ALL RACES ¹												
FIRST	59,896	554	530	1,020	3,177	10,660	22,627	16,250	5,077	1	8.8	1.8
SECOND	10,597	72	93	170	624	2,217	4,251	2,467	703	0	9.0	1.6
THIRD	2,326	10	15	47	163	508	938	499	146	0	10.1	1.1
NO CARE	859	51	30	36	80	220	272	136	33	1	22.9	9.4
NOT STATED	1,202	36	24	35	102	250	430	255	50	20	16.4	5.0
WHITE ²												
FIRST	37,772	210	241	519	1,599	5,771	14,029	11,516	3,886	1	6.8	1.2
SECOND	5,566	26	35	73	278	1,012	2,219	1,470	453	0	7.4	1.1
THIRD	1,176	3	6	16	68	237	488	270	88	0	7.9	0.8
NO CARE	308	16	6	13	30	75	89	61	18	0	21.1	7.1
NOT STATED	525	10	9	18	43	106	186	111	25	17	15.2	3.6
WHITE, NON-HISPANIC ²												
FIRST	32,621	184	205	454	1,374	4,862	11,908	10,126	3,507	1	6.8	1.2
SECOND	3,175	21	24	43	176	579	1,202	839	291	0	8.3	1.4
THIRD	627	1	4	6	38	118	235	166	59	0	7.8	0.8
NO CARE	181	12	4	8	21	51	42	30	13	0	24.9	8.8
NOT STATED	299	6	5	10	28	54	97	69	13	17	16.4	3.7
BLACK ²												
FIRST	17,900	331	264	431	1,337	3,996	6,784	3,773	984	0	13.2	3.3
SECOND	4,408	44	58	88	311	1,067	1,748	870	222	0	11.4	2.3
THIRD	993	6	9	28	87	234	380	197	52	0	13.1	1.5
NO CARE	523	35	24	22	49	141	168	68	15	1	24.9	11.3
NOT STATED	601	25	14	14	56	129	213	126	21	3	18.1	6.5
ASIAN OR PACIFIC ISLANDER ²												
FIRST	3,800	12	25	62	214	814	1,650	849	174	0	8.2	1.0
SECOND	539	2	0	7	30	115	258	103	24	0	7.2	*
THIRD	140	0	0	2	8	32	63	30	5	0	7.1	*
NO CARE	25	0	0	1	1	3	13	7	0	0	*	*
NOT STATED	69	1	1	3	3	11	30	16	4	0	11.6	*

See footnotes at end of table.

TABLE 11. LIVE BIRTHS BY TRIMESTER OF FIRST PRENATAL VISIT, MATERNAL RACE AND INFANT BIRTH WEIGHT, 2005. — Continued

MARYLAND

MATERNAL RACE, HISPANIC ORIGIN, AND TRIMESTER OF FIRST PRENATAL VISIT	ALL BIRTHS	BIRTH WEIGHT (IN GRAMS)									PERCENT <2500 GRAMS	PERCENT <1500 GRAMS
		UNDER 1000	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000 & OVER	NOT STATED		
HISPANIC ³												
FIRST	5,336	28	40	70	236	958	2,181	1,432	391	0	7.0	1.3
SECOND	2,433	5	11	31	107	442	1,032	642	163	0	6.3	0.7
THIRD	558	2	2	11	31	121	256	105	30	0	8.2	*
NO CARE	134	4	2	5	9	27	49	33	5	0	14.9	4.5
NOT STATED	229	4	4	9	16	52	89	43	12	0	14.4	3.5

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

* Percentages based on <5 events in the numerator are not presented since percentages based on small numbers are unstable.

TABLE 12. LIVE BIRTHS BY MATERNAL RACE, HISPANIC ORIGIN AND PLACE OF OCCURRENCE, 2005.

MARYLAND

RACE AND HISPANIC ORIGIN	TOTAL BIRTHS	PLACE OF OCCURRENCE			PERCENT OF BIRTHS OCCURRING IN MARYLAND	PERCENT OF BIRTHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF BIRTHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
ALL RACES ¹	74,880	67,767	5,501	1,612	90.5	7.3	2.2
WHITE ²	45,347	41,601	2,663	1,083	91.7	5.9	2.4
WHITE, NON-HISPANIC ²	36,903	34,180	1,717	1,006	92.6	4.7	2.7
BLACK ²	24,425	21,419	2,610	396	87.7	10.7	1.6
ASIAN OR PACIFIC ISLANDER ²	4,573	4,329	132	112	94.7	2.9	2.4
HISPANIC ³	8,690	7,645	965	80	88.0	11.1	0.9

¹ Includes race reported as 'other'.

² Race and Hispanic origin are reported separately on the birth certificate. Data for persons of Hispanic origin are included in the data for each race group according to the mother's reported race.

³ Includes all births to mothers of Hispanic origin of any race.

TABLE 12a. SELECTED NATALITY CHARACTERISTICS BY POLITICAL SUBDIVISION, MARYLAND, 2005.

REGION AND POLITICAL SUBDIVISION	BIRTH RATES*	PERCENT								
		ADOLESCENT BIRTHS (UNDER 18)	UNMARRIED WOMEN	FIRST TRIMESTER PRENATAL CARE*	LATE/NO PRENATAL CARE*	LOW BIRTH WEIGHT BIRTHS	VERY LOW BIRTH WEIGHT BIRTHS	PRETERM BIRTHS (UNDER 37 WEEKS)*	CESAREAN SECTION DELIVERIES	INFANTS 5-MINUTE APGAR UNDER 7
MARYLAND.....	13.4	2.9	37.1	81.3	4.3	9.2	1.9	11.3	31.6	1.3
NORTHWEST AREA										
GARRETT.....	10.5	2.2	28.3	87.7	**	6.1	**	9.9	28.7	**
ALLEGANY.....	8.8	4.3	44.6	81.1	2.3	11.6	2.3	13.3	34.7	1.1
WASHINGTON.....	12.4	4.5	38.2	81.0	4.2	6.9	1.8	8.9	28.1	1.1
FREDERICK.....	13.7	2.1	24.8	79.2	3.9	6.9	1.1	9.2	30.7	1.1
BALTIMORE METRO AREA										
BALTIMORE CITY.....	14.4	7.2	69.4	75.2	6.0	13.2	3.1	14.3	28.8	2.0
BALTIMORE COUNTY.....	12.4	2.1	34.0	85.4	3.0	9.3	2.0	11.6	32.1	1.4
ANNE ARUNDEL.....	13.2	2.3	27.1	90.4	2.2	8.3	1.7	10.5	34.3	0.8
CARROLL.....	11.4	0.8	21.1	93.3	1.3	7.6	1.5	10.2	34.6	0.5
HOWARD.....	12.3	1.2	18.3	95.2	1.4	7.3	1.4	9.3	29.1	0.5
HARFORD.....	12.3	1.5	28.0	87.9	2.2	7.6	1.5	10.9	28.2	1.5
NATIONAL CAPITAL AREA										
MONTGOMERY.....	14.6	1.4	24.3	79.2	4.8	8.3	1.5	10.5	32.7	0.8
PRINCE GEORGE'S.....	14.8	3.3	46.5	71.1	7.4	10.5	2.4	11.9	33.3	1.5
SOUTHERN AREA										
CALVERT.....	11.4	2.7	31.7	88.2	2.6	5.8	0.9	9.1	32.1	1.1
CHARLES.....	13.4	1.9	33.5	77.6	4.7	9.5	1.9	11.6	32.0	1.4
SAINT MARY'S.....	14.4	2.4	30.8	83.2	3.3	6.6	0.9	8.5	29.4	1.2
EASTERN SHORE AREA										
CECIL.....	12.4	2.2	34.9	88.5	3.1	5.9	1.2	10.0	26.5	1.3
KENT.....	9.1	2.8	48.6	83.4	**	10.5	**	9.9	29.3	2.8
QUEEN ANNE'S.....	11.4	1.0	25.8	90.6	1.5	8.1	1.3	9.4	34.0	**
CAROLINE.....	13.4	3.7	47.9	80.0	5.6	7.2	1.2	9.1	20.6	2.3
TALBOT.....	10.2	3.9	39.7	85.6	3.9	7.2	1.4	9.4	22.0	1.9
DORCHESTER.....	10.3	7.1	60.0	81.8	4.6	12.0	**	13.8	23.1	1.5
WICOMICO.....	13.4	5.1	49.7	82.5	4.0	9.4	1.2	13.4	35.3	1.4
SOMERSET.....	10.3	4.2	52.8	83.7	4.2	8.3	**	14.0	33.6	1.9
WORCESTER.....	10.2	2.6	44.8	83.5	3.0	6.7	2.0	12.1	33.7	2.2

*Percentages exclude births for which information pertaining to this variable is unknown.

**Rates and percentages based on fewer than five events in the numerator are not presented since rates based on small numbers are unstable.

TABLE 13. DEATHS BY RACE, SEX, AND MONTH OF DEATH, 2005.

MARYLAND

RACE AND SEX	ALL MONTHS	MONTH OF DEATH											
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALL RACES ¹													
BOTH SEXES	43,778	4,267	3,980	4,114	3,608	3,533	3,241	3,444	3,457	3,301	3,531	3,521	3,781
MALE	21,495	2,049	1,862	1,987	1,852	1,765	1,551	1,774	1,662	1,651	1,706	1,722	1,914
FEMALE	22,283	2,218	2,118	2,127	1,756	1,768	1,690	1,670	1,795	1,650	1,825	1,799	1,867
WHITE													
BOTH SEXES	31,249	3,014	2,875	2,996	2,606	2,529	2,284	2,427	2,443	2,328	2,523	2,493	2,731
MALE	15,001	1,411	1,340	1,406	1,302	1,217	1,069	1,215	1,173	1,137	1,187	1,191	1,353
FEMALE	16,248	1,603	1,535	1,590	1,304	1,312	1,215	1,212	1,270	1,191	1,336	1,302	1,378
BLACK													
BOTH SEXES	11,773	1,162	1,026	1,062	941	940	909	957	950	925	951	967	983
MALE	6,087	596	482	549	516	516	456	521	452	491	484	503	521
FEMALE	5,686	566	544	513	425	424	453	436	498	434	467	464	462
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	684	77	70	50	57	59	46	55	59	44	54	54	59
MALE	368	37	38	27	31	29	24	34	35	20	34	24	35
FEMALE	316	40	32	23	26	30	22	21	24	24	20	30	24

¹ Includes races categorized as 'other'.

TABLE 14. DEATHS BY RACE, SEX, AND AGE, 2005.

MARYLAND

RACE AND SEX	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STATED
ALL RACES ¹													
BOTH SEXES	43,778	545	65	112	662	844	1,785	3,678	5,304	7,036	12,135	11,605	7
MALE	21,495	309	37	63	532	609	1,078	2,296	3,167	3,887	5,722	3,790	5
FEMALE	22,283	236	28	49	130	235	707	1,382	2,137	3,149	6,413	7,815	2
WHITE													
BOTH SEXES	31,249	215	31	60	320	423	895	2,007	3,326	4,763	9,563	9,643	3
MALE	15,001	128	24	37	248	304	568	1,309	1,999	2,629	4,567	3,186	2
FEMALE	16,248	87	7	23	72	119	327	698	1,327	2,134	4,996	6,457	1
BLACK													
BOTH SEXES	11,773	309	30	51	324	400	853	1,593	1,870	2,109	2,403	1,827	4
MALE	6,087	167	11	25	274	294	490	940	1,101	1,161	1,074	547	3
FEMALE	5,686	142	19	26	50	106	363	653	769	948	1,329	1,280	1
ASIAN OR PACIFIC ISLANDER													
BOTH SEXES	684	18	4	1	16	19	30	66	96	154	156	124	0
MALE	368	13	2	1	9	9	17	40	57	91	76	53	0
FEMALE	316	5	2	0	7	10	13	26	39	63	80	71	0

¹ Includes races categorized as 'other'.

TABLE 15. LEADING CAUSES OF DEATH BY RACE AND SEX, 2005.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992)	ALL RACES ¹			WHITE		BLACK		ASIAN OR PACIFIC ISLANDER	
	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
ALL CAUSES	43,778	21,495	22,283	15,001	16,248	6,087	5,686	368	316
DISEASES OF THE HEART	11,564	5,643	5,921	4,126	4,360	1,426	1,478	81	73
MALIGNANT NEOPLASMS	10,349	5,280	5,069	3,847	3,723	1,315	1,241	110	97
CEREBROVASCULAR DISEASES	2,465	971	1,494	681	1,122	268	343	21	28
CHRONIC LOWER RESPIRATORY DISEASE	1,889	778	1,111	634	954	136	151	7	6
DIABETES MELLITUS	1,385	704	681	434	431	253	244	14	6
ACCIDENTS	1,363	942	421	657	291	255	118	26	12
INFLUENZA AND PNEUMONIA	1,215	540	675	412	521	115	147	12	7
SEPTICEMIA	1,080	481	599	292	372	176	214	13	11
ALZHEIMER'S DISEASE	954	246	708	202	599	41	102	*	6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	739	372	367	239	206	123	152	9	8
ASSAULT (HOMICIDE)	574	499	75	96	30	396	41	6	*
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	526	348	178	63	18	283	159	*	*
CHRONIC LIVER DISEASE AND CIRRHOSIS	466	297	169	209	132	84	32	*	*
INTENTIONAL SELF-HARM (SUICIDE)	465	375	90	301	73	63	13	10	*
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	453	184	269	101	172	80	95	*	*
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	375	188	187	135	134	51	52	*	*
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ..	334	188	146	74	48	104	95	9	*
AORTIC ANEURYSM AND DISSECTION	244	125	119	102	99	19	19	*	*

¹ Includes races categorized as 'other'.
 * Deaths under 5 not reported.

TABLE 16. LEADING CAUSES OF DEATH BY AGE GROUP, 2005.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,778	545	65	112	662	844	1,785	3,678	5,304	7,036	12,135	11,605	7
DISEASES OF THE HEART	11,564	8	8	4	25	82	282	799	1,272	1,745	3,377	3,958	4
MALIGNANT NEOPLASMS	10,349	1	8	27	30	67	295	1,038	1,933	2,540	3,012	1,398	0
CEREBROVASCULAR DISEASES	2,465	5	2	0	3	7	49	111	212	286	812	978	0
CHRONIC LOWER RESPIRATORY DISEASE	1,889	1	0	3	5	5	14	57	176	373	721	534	0
DIABETES MELLITUS	1,385	0	0	1	4	12	29	97	197	338	436	271	0
ACCIDENTS	1,363	8	19	36	181	162	152	185	146	128	193	153	0
INFLUENZA AND PNEUMONIA	1,215	5	0	1	3	6	28	50	87	139	359	537	0
SEPTICEMIA	1,080	4	3	4	4	7	23	73	148	176	368	269	1
ALZHEIMER'S DISEASE	954	0	0	0	0	0	0	2	7	46	311	588	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	739	3	1	0	1	5	18	45	90	139	229	208	0
ASSAULT (HOMICIDE)	574	4	1	3	221	166	93	45	22	10	6	3	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	526	0	0	1	6	45	170	206	76	13	8	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	466	0	0	0	0	4	43	121	132	87	70	8	1
INTENTIONAL SELF-HARM (SUICIDE)	465	0	1	4	63	73	100	90	42	38	38	16	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	453	0	0	1	0	1	8	24	36	55	130	198	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	375	0	0	2	2	1	6	8	20	47	122	167	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	334	332	1	0	1	0	0	0	0	0	0	0	0
AORTIC ANEURYSM AND DISSECTION	244	0	0	0	0	1	9	16	18	56	80	64	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2005.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	15,001	128	24	37	248	304	568	1,309	1,999	2,629	4,567	3,186	2
DISEASES OF THE HEART	4,126	2	2	1	11	26	107	328	561	672	1,298	1,117	1
MALIGNANT NEOPLASMS	3,847	0	4	7	9	25	75	333	706	979	1,196	513	0
CEREBROVASCULAR DISEASES	681	1	0	0	0	0	9	25	60	88	279	219	0
ACCIDENTS	657	0	9	21	103	95	53	94	73	55	89	65	0
CHRONIC LOWER RESPIRATORY DISEASE	634	1	0	1	0	0	2	14	63	156	256	141	0
DIABETES MELLITUS	434	0	0	0	1	2	7	32	67	96	158	71	0
INFLUENZA AND PNEUMONIA	412	2	0	1	2	4	9	16	28	47	142	161	0
INTENTIONAL SELF-HARM (SUICIDE)	301	0	0	1	30	46	61	66	27	27	34	9	0
SEPTICEMIA	292	1	0	0	0	0	2	19	41	56	114	59	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	239	0	0	0	0	3	2	10	28	48	88	60	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	209	0	0	0	0	1	19	55	55	45	32	2	0
ALZHEIMER'S DISEASE	202	0	0	0	0	0	0	0	0	14	86	102	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	135	0	0	0	0	1	3	3	7	18	44	59	0
AORTIC ANEURYSM AND DISSECTION	102	0	0	0	0	1	5	5	13	29	27	22	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	101	0	0	0	0	0	3	3	3	20	33	39	0
ASSAULT (HOMICIDE)	96	1	0	2	34	21	19	6	5	5	2	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	74	72	1	0	1	0	0	0	0	0	0	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	63	0	0	0	1	3	15	32	8	2	2	0	0
FEMALES													
ALL CAUSES	16,248	87	7	23	72	119	327	698	1,327	2,134	4,996	6,457	1
DISEASES OF THE HEART	4,360	1	0	1	4	12	43	109	236	468	1,313	2,172	1
MALIGNANT NEOPLASMS	3,723	0	2	10	7	16	95	305	604	836	1,216	632	0
CEREBROVASCULAR DISEASES	1,122	2	1	0	1	2	5	21	35	83	370	602	0
CHRONIC LOWER RESPIRATORY DISEASE	954	0	0	0	0	2	2	24	64	146	376	340	0
ALZHEIMER'S DISEASE	599	0	0	0	0	0	0	1	7	19	176	396	0
INFLUENZA AND PNEUMONIA	521	1	0	0	1	1	8	7	29	42	141	291	0
DIABETES MELLITUS	431	0	0	0	0	2	3	21	40	89	147	129	0
SEPTICEMIA	372	0	0	1	0	1	3	13	21	51	144	138	0
ACCIDENTS	291	1	2	2	26	11	25	20	30	32	73	69	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	206	0	0	0	1	0	0	3	18	20	69	95	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	172	0	0	1	0	0	0	2	3	5	43	118	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	134	0	0	0	1	0	2	2	5	11	49	64	0

See footnotes at end of table.

TABLE 16A. LEADING CAUSES OF DEATH AMONG WHITES BY SEX AND AGE GROUP, 2005. — Continued

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
CHRONIC LIVER DISEASE AND CIRRHOSIS	132	0	0	0	0	2	14	22	32	30	28	4	0
AORTIC ANEURYSM AND DISSECTION	99	0	0	0	0	0	0	3	3	10	44	39	0
INTENTIONAL SELF-HARM (SUICIDE)	73	0	0	0	5	9	21	15	10	4	2	7	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	48	48	0	0	0	0	0	0	0	0	0	0	0
ASSAULT (HOMICIDE)	30	1	0	0	4	6	7	6	3	1	1	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	18	0	0	0	0	5	6	4	1	0	1	1	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2005.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	6,087	167	11	25	274	294	490	940	1101	1,161	1,074	547	3
DISEASES OF THE HEART	1,426	1	1	1	8	30	79	229	277	322	311	166	1
MALIGNANT NEOPLASMS	1,315	1	1	5	6	9	40	164	317	377	296	99	0
ASSAULT (HOMICIDE)	396	1	0	0	170	126	57	25	11	3	2	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	283	0	0	0	4	16	89	111	52	8	3	0	0
CEREBROVASCULAR DISEASES	268	1	0	0	2	3	15	29	62	58	60	38	0
ACCIDENTS	255	4	1	6	33	43	51	50	26	20	15	6	0
DIABETES MELLITUS	253	0	0	0	2	3	12	26	50	82	60	18	0
SEPTICEMIA	176	1	1	3	1	3	5	18	38	36	38	31	1
CHRONIC LOWER RESPIRATORY DISEASE	136	0	0	1	4	2	6	9	25	35	33	21	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	123	2	0	0	0	1	7	19	28	28	22	16	0
INFLUENZA AND PNEUMONIA	115	1	0	0	0	0	6	15	20	22	31	20	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	104	104	0	0	0	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	84	0	0	0	0	0	3	32	34	9	4	1	1
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	80	0	0	0	0	1	4	14	21	13	16	11	0
INTENTIONAL SELF-HARM (SUICIDE)	63	0	1	1	25	12	10	6	3	5	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	51	0	0	1	1	0	1	3	5	12	15	13	0
ALZHEIMER'S DISEASE	41	0	0	0	0	0	0	1	0	6	15	19	0
AORTIC ANEURYSM AND DISSECTION	19	0	0	0	0	0	4	5	2	3	4	1	0
FEMALES													
ALL CAUSES	5,686	142	19	26	50	106	363	653	769	948	1,329	1280	1
DISEASES OF THE HEART	1,478	3	4	1	1	13	47	121	172	240	417	458	1
MALIGNANT NEOPLASMS	1,241	0	1	5	5	13	75	204	264	289	253	132	0
CEREBROVASCULAR DISEASES	343	0	1	0	0	2	17	34	46	54	84	105	0
DIABETES MELLITUS	244	0	0	1	1	5	7	15	34	63	68	50	0
SEPTICEMIA	214	2	1	0	3	3	12	21	47	27	62	36	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	159	0	0	1	1	21	59	57	15	3	2	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	152	1	0	0	0	1	8	10	16	42	43	31	0
CHRONIC LOWER RESPIRATORY DISEASE	151	0	0	1	1	1	4	10	22	35	49	28	0
INFLUENZA AND PNEUMONIA	147	1	0	0	0	1	5	12	9	19	40	60	0
ACCIDENTS	118	3	6	7	13	7	16	18	12	10	14	12	0
ALZHEIMER'S DISEASE	102	0	0	0	0	0	0	0	0	4	32	66	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	95	0	0	0	0	0	1	4	8	17	38	27	0

See footnotes at end of table.

TABLE 16B. LEADING CAUSES OF DEATH AMONG BLACKS BY SEX AND AGE GROUP, 2005. — Continued

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
CERTAIN CONDITIONS ORIGINATING IN THE													
PERINATAL PERIOD	95	95	0	0	0	0	0	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	52	0	0	1	0	0	0	0	3	6	14	28	0
ASSAULT (HOMICIDE)	41	1	1	1	10	10	9	5	2	1	1	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	32	0	0	0	0	1	5	10	9	3	4	0	0
AORTIC ANEURYSM AND DISSECTION	19	0	0	0	0	0	0	3	0	12	2	2	0
INTENTIONAL SELF-HARM (SUICIDE)	13	0	0	1	1	3	4	1	1	1	1	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2005.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	368	13	2	1	9	9	17	40	57	91	76	53	0
MALIGNANT NEOPLASMS	110	0	0	0	1	1	2	16	24	35	17	14	0
DISEASES OF THE HEART	81	1	1	0	0	0	4	7	13	26	18	11	0
ACCIDENTS	26	0	0	0	4	5	5	1	4	5	1	1	0
CEREBROVASCULAR DISEASES	21	0	0	0	0	0	1	1	3	1	10	5	0
DIABETES MELLITUS	14	0	0	0	0	0	0	2	4	4	2	2	0
SEPTICEMIA	13	0	0	0	0	0	0	1	1	3	4	4	0
INFLUENZA AND PNEUMONIA	12	0	0	0	0	0	0	0	1	6	4	1	0
INTENTIONAL SELF-HARM (SUICIDE)	10	0	0	1	2	2	2	1	0	1	1	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	9	9	0	0	0	0	0	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	9	0	1	0	0	0	1	0	0	0	4	3	0
CHRONIC LOWER RESPIRATORY DISEASE	7	0	0	0	0	0	0	0	2	0	4	1	0
ASSAULT (HOMICIDE)	6	0	0	0	1	1	0	3	1	0	0	0	0
AORTIC ANEURYSM AND DISSECTION	4	0	0	0	0	0	0	0	0	1	3	0	0
ALZHEIMER'S DISEASE	3	0	0	0	0	0	0	0	0	2	0	1	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	0	0	0	0	1	0	1	0	0	1	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	2	0	0	0	0	0	0	0	0	0	0	2	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	2	0	0	0	0	0	0	1	0	0	0	1	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	1	0	0	0	0	0	0	1	0	0	0	0	0
FEMALES													
ALL CAUSES	316	5	2	0	7	10	13	26	39	63	80	71	0
MALIGNANT NEOPLASMS	97	0	0	0	1	3	8	15	12	22	30	6	0
DISEASES OF THE HEART	73	0	0	0	1	1	0	3	11	13	14	30	0
CEREBROVASCULAR DISEASES	28	1	0	0	0	0	2	1	6	1	9	8	0
ACCIDENTS	12	0	1	0	1	1	1	0	1	6	1	0	0
SEPTICEMIA	11	0	1	0	0	0	0	1	0	3	5	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	8	0	0	0	0	0	0	2	0	1	2	3	0
INFLUENZA AND PNEUMONIA	7	0	0	0	0	0	0	0	0	2	1	4	0
DIABETES MELLITUS	6	0	0	0	0	0	0	0	1	3	1	1	0
CHRONIC LOWER RESPIRATORY DISEASE	6	0	0	0	0	0	0	0	0	0	3	3	0
ALZHEIMER'S DISEASE	6	0	0	0	0	0	0	0	0	1	1	4	0
ASSAULT (HOMICIDE)	4	0	0	0	2	1	1	0	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	4	0	0	0	0	1	1	1	1	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	0	0	0	0	0	0	1	0	2	0	0

See footnotes at end of table.

TABLE 16C. LEADING CAUSES OF DEATH AMONG ASIANS OR PACIFIC ISLANDERS BY SEX AND AGE GROUP, 2005. — Continued

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	2	0	0	0	0	0	0	0	1	0	0	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	2	2	0	0	0	0	0	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	1	0	0	0	0	0	0	0	0	0	0	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	0	0	0	0	0	0	0	1	0	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	0	0	0	0	0	0	0	0	0	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2005.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALES													
ALL CAUSES	323	20	6	3	41	39	35	33	33	38	46	28	1
MALIGNANT NEOPLASMS	60	0	0	2	1	5	3	10	7	15	12	5	0
ACCIDENTS	50	0	2	1	15	14	7	5	3	2	1	0	0
DISEASES OF THE HEART	46	0	2	0	0	1	6	5	6	8	14	4	0
ASSAULT (HOMICIDE)	31	0	0	0	18	9	3	1	0	0	0	0	0
CEREBROVASCULAR DISEASES	13	1	0	0	0	0	0	1	0	2	4	5	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	10	10	0	0	0	0	0	0	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	10	0	0	0	2	4	3	0	1	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	0	0	0	0	0	2	2	2	2	0	0	0
INFLUENZA AND PNEUMONIA	6	0	0	0	0	1	0	0	1	0	2	2	0
DIABETES MELLITUS	6	0	0	0	0	0	0	0	2	2	1	1	0
CHRONIC LOWER RESPIRATORY DISEASE	5	1	0	0	0	0	0	0	0	2	2	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	4	0	0	0	0	0	1	2	1	0	0	0	0
SEPTICEMIA	4	0	0	0	0	0	0	0	1	0	0	3	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	3	0	0	0	0	0	1	0	1	1	0	0	0
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	3	0	0	0	0	0	1	1	0	1	0	0	0
AORTIC ANEURYSM AND DISSECTION	1	0	0	0	0	0	0	0	1	0	0	0	0
ALZHEIMER'S DISEASE	1	0	0	0	0	0	0	0	0	0	1	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	1	0	0	0	0	0	0	0	0	0	0	1	0
FEMALES													
ALL CAUSES	228	20	0	4	4	8	10	15	22	31	47	67	0
DISEASES OF THE HEART	53	1	0	0	0	0	1	1	7	13	10	20	0
MALIGNANT NEOPLASMS	52	0	0	1	2	1	3	9	6	8	12	10	0
CEREBROVASCULAR DISEASES	15	0	0	0	0	0	1	0	1	3	5	5	0
ACCIDENTS	10	0	0	1	0	2	3	2	0	0	1	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	10	10	0	0	0	0	0	0	0	0	0	0	0
ALZHEIMER'S DISEASE	9	0	0	0	0	0	0	0	1	1	4	3	0
DIABETES MELLITUS	6	0	0	0	0	0	0	0	2	1	1	2	0
INFLUENZA AND PNEUMONIA	5	1	0	0	0	0	0	0	1	0	0	3	0
ASSAULT (HOMICIDE)	4	0	0	0	1	2	0	0	1	0	0	0	0
SEPTICEMIA	4	0	0	0	0	0	0	1	0	0	1	2	0
CHRONIC LOWER RESPIRATORY DISEASE	3	0	0	0	0	0	0	0	0	0	3	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	0	0	0	0	0	0	1	0	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	0	0	0	0	2	0	0	0	0	0	0	0

See footnotes at end of table.

TABLE 16D. LEADING CAUSES OF DEATH AMONG HISPANICS BY SEX AND AGE GROUP, 2005. — Continued

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
FEMALES													
ESSENTIAL (PRIMARY) HYPERTENSION AND													
HYPERTENSIVE RENAL DISEASE	1	0	0	0	0	0	0	0	0	0	0	1	0
AORTIC ANEURYSM AND DISSECTION	1	0	0	0	0	0	0	0	0	0	1	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND													
NEPHROSIS	1	0	0	0	0	0	0	0	0	1	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	0	0	0	0	0	0	0	0	0	0	0	0	0
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE ..	0	0	0	0	0	0	0	0	0	0	0	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL CAUSES	43,778	545	65	112	662	844	1,785	3,678	5,304	7,036	12,135	11,605	7
SALMONELLA INFECTIONS	0	0	0	0	0	0	0	0	0	0	0	0	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	128	1	0	0	0	1	0	2	8	16	52	48	0
TUBERCULOSIS, ALL FORMS	12	0	0	1	0	0	0	2	1	2	4	2	0
RESPIRATORY TUBERCULOSIS	9	0	0	0	0	0	0	2	0	1	4	2	0
OTHER TUBERCULOSIS	3	0	0	1	0	0	0	0	1	1	0	0	0
WHOOPING COUGH	1	1	0	0	0	0	0	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	1,080	4	3	4	4	7	23	73	148	176	368	269	1
SYPHILIS	3	0	0	0	0	0	0	0	0	1	1	1	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	97	0	0	0	0	3	11	37	25	9	11	1	0
HUMAN IMMUNODEFICIENCY VIRUS	526	0	0	1	6	45	170	206	76	13	8	1	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	151	2	1	0	4	1	8	35	25	17	33	25	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
MALIGNANT NEOPLASMS	10,349	1	8	27	30	67	295	1,038	1,933	2,540	3,012	1,398	0
LIP, ORAL CAVITY AND PHARYNX	153	0	0	0	1	1	3	21	40	36	35	16	0
ESOPHAGUS	258	0	0	0	0	0	3	35	57	85	64	14	0
STOMACH	194	0	0	0	0	0	7	24	29	47	53	34	0
COLON, RECTUM, AND ANUS	1,025	0	0	0	0	6	31	111	166	233	303	175	0
LIVER AND INTRAHEPATIC BILE DUCTS	274	0	0	1	0	4	9	46	63	69	60	22	0
PANCREAS	638	0	0	0	0	0	10	59	123	165	182	99	0
LARYNX	70	0	0	0	0	0	3	9	22	17	14	5	0
TRACHEA, BRONCHUS AND LUNG	2,988	0	0	0	0	1	46	257	618	849	947	270	0
MELANOMA OF SKIN	152	0	0	0	0	6	6	25	23	26	46	20	0
BREAST	821	0	0	0	1	6	61	139	180	151	165	118	0
CERVIX UTERI	61	0	0	0	0	3	6	20	12	9	6	5	0
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	109	0	0	0	1	0	1	9	27	33	26	12	0
OVARY	264	0	0	0	0	3	7	29	64	59	73	29	0
PROSTATE	516	0	0	0	0	0	1	15	51	110	197	142	0
KIDNEY AND RENAL PELVIS	219	0	0	2	1	2	6	22	50	56	52	28	0
BLADDER	244	0	0	0	0	0	4	9	19	54	105	53	0
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	197	1	2	6	5	5	23	25	37	45	39	9	0
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	984	0	5	7	13	17	29	74	142	236	312	149	0
HODGKIN'S DISEASE	22	0	0	0	3	3	4	4	3	3	1	1	0
NON-HODGKIN'S LYMPHOMA	364	0	0	1	1	4	8	26	58	95	115	56	0
LEUKEMIA	363	0	5	6	9	9	16	31	43	73	112	59	0
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	235	0	0	0	0	1	1	13	38	65	84	33	0
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	1,182	0	1	11	8	13	39	109	210	260	333	198	0
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	273	2	0	2	0	5	6	20	21	46	91	80	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ANEMIAS	89	0	0	1	2	1	5	8	10	12	19	31	0
DIABETES MELLITUS	1,385	0	0	1	4	12	29	97	197	338	436	271	0
NUTRITIONAL DEFICIENCIES	36	0	1	0	0	0	0	0	2	5	10	18	0
MALNUTRITION	33	0	0	0	0	0	0	0	2	4	10	17	0
OTHER NUTRITIONAL DEFICIENCIES	3	0	1	0	0	0	0	0	0	1	0	1	0
MENINGITIS	15	1	1	0	1	3	2	3	2	0	1	1	0
PARKINSON'S DISEASE	301	0	0	0	0	0	0	0	7	30	162	102	0
ALZHEIMER'S DISEASE	954	0	0	0	0	0	0	2	7	46	311	588	0
MAJOR CARDIOVASCULAR DISEASES	15,048	13	10	5	30	93	350	961	1,555	2,185	4,504	5,338	4
DISEASES OF HEART	11,564	8	8	4	25	82	282	799	1,272	1,745	3,377	3,958	4
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	33	0	0	0	1	1	1	2	5	7	11	5	0
HYPERTENSIVE HEART DISEASE	791	0	0	0	0	9	67	137	118	101	150	209	0
HYPERTENSIVE HEART & RENAL DISEASE	63	0	0	0	0	3	5	7	6	10	17	15	0
ISCHEMIC HEART DISEASE	8,116	1	0	0	1	15	116	468	916	1,299	2,472	2,824	4
ACUTE MYOCARDIAL INFARCTION	2,689	1	0	0	0	3	53	155	289	467	890	831	0
OTHER ACUTE ISCHEMIC HEART DISEASE	25	0	0	0	0	0	0	1	1	7	7	9	0
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,401	0	0	0	1	12	63	312	626	825	1,574	1,984	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,434	0	0	0	1	10	54	229	360	368	597	811	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,967	0	0	0	0	2	9	83	266	457	977	1,173	0
OTHER HEART DISEASES	2,561	7	8	4	23	54	93	185	227	328	727	905	0
ACUTE AND SUBACUTE ENDOCARDITIS	22	0	1	0	0	0	1	7	1	1	9	2	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	16	0	2	0	1	0	0	4	3	2	4	0	0
HEART FAILURE	738	0	0	0	0	1	6	18	40	75	239	359	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
ALL OTHER FORMS OF HEART DISEASE	1,785	7	5	4	22	53	86	156	183	250	475	544	0
ESSENTIAL (PRIMARY) HYPERTENSION AND													
HYPERTENSIVE RENAL DISEASE	453	0	0	1	0	1	8	24	36	55	130	198	0
CEREBROVASCULAR DISEASES	2,465	5	2	0	3	7	49	111	212	286	812	978	0
ATHEROSCLEROSIS	155	0	0	0	0	0	1	7	3	17	39	88	0
OTHER DISEASES OF CIRCULATORY SYSTEM	411	0	0	0	2	3	10	20	32	82	146	116	0
AORTIC ANEURYSM AND DISSECTION	244	0	0	0	0	1	9	16	18	56	80	64	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	167	0	0	0	2	2	1	4	14	26	66	52	0
OTHER DISORDERS OF CIRCULATORY SYSTEM	93	0	0	0	2	6	8	19	10	7	15	26	0
INFLUENZA AND PNEUMONIA	1,215	5	0	1	3	6	28	50	87	139	359	537	0
INFLUENZA	34	0	0	0	0	1	2	1	1	3	6	20	0
PNEUMONIA	1,181	5	0	1	3	5	26	49	86	136	353	517	0
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	9	2	0	0	0	0	1	0	0	0	0	6	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	8	2	0	0	0	0	1	0	0	0	0	5	0
UNSPECIFIED ACUTE LOWER REPIRATORY INFECTION	1	0	0	0	0	0	0	0	0	0	0	1	0
CHRONIC LOWER RESPIRATORY DISEASES	1,889	1	0	3	5	5	14	57	176	373	721	534	0
BRONCHITIS, CHRONIC AND UNSPECIFIED	15	1	0	0	0	0	0	2	1	3	3	5	0
EMPHYSEMA	226	0	0	0	0	0	1	3	20	48	99	55	0
ASTHMA	77	0	0	3	5	5	8	14	14	8	6	14	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,571	0	0	0	0	0	5	38	141	314	613	460	0
PNEUMOCONIOSES AND CHEMICAL EFFECTS	13	0	0	0	0	0	0	0	1	2	5	5	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	375	0	0	2	2	1	6	8	20	47	122	167	0
OTHER DISEASES OF RESPIRATORY SYSTEM	472	6	1	2	5	5	14	20	61	94	160	104	0
PEPTIC ULCER	44	0	0	0	0	0	4	3	7	2	16	12	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
DISEASES OF APPENDIX	5	0	0	0	0	1	0	0	1	0	1	2	0
HERNIA	29	0	0	1	0	0	1	1	2	2	9	13	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	466	0	0	0	0	4	43	121	132	87	70	8	1
ALCOHOLIC LIVER DISEASE	164	0	0	0	0	2	27	52	49	25	8	1	0
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS	302	0	0	0	0	2	16	69	83	62	62	7	1
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	41	0	0	0	1	0	2	1	4	7	12	14	0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	739	3	1	0	1	5	18	45	90	139	229	208	0
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTICSYNDROME	1	0	0	0	0	0	0	0	0	0	1	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOTSPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	9	0	0	0	0	1	1	1	0	0	2	4	0
RENAL FAILURES	729	3	1	0	1	4	17	44	90	139	226	204	0
OTHER DISORDERS OF KIDNEY	0	0	0	0	0	0	0	0	0	0	0	0	0
INFECTIONS OF KIDNEY	11	0	0	0	0	1	1	0	1	2	3	3	0
HYPERPLASIA OF PROSTATE	10	0	0	0	0	0	0	0	0	0	2	8	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	5	0	0	0	0	0	0	1	0	0	1	3	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	16	0	0	0	3	5	8	0	0	0	0	0	0
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THEPUERPERIUM	16	0	0	0	3	5	8	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	334	332	1	0	1	0	0	0	0	0	0	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMALABNORMALITIES	146	80	5	3	9	5	4	9	18	5	5	3	0
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS,NOT ELSEWHERE CLASSIFIED	209	65	4	3	7	13	18	29	12	13	17	28	0
ALL OTHER DISEASES (RESIDUAL)	4,135	13	7	11	24	46	145	309	408	489	1,111	1,571	1
ACCIDENTS	1,363	8	19	36	181	162	152	185	146	128	193	153	0
TRANSPORT ACCIDENTS	696	3	5	22	157	118	110	100	64	48	45	24	0
MOTOR VEHICLE ACCIDENTS	635	3	5	20	149	106	103	86	60	42	39	22	0
OTHER LAND TRANSPORT ACCIDENTS	43	0	0	2	7	9	4	9	2	6	3	1	0
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	18	0	0	0	1	3	3	5	2	0	3	1	0
NONTRANSPORT ACCIDENTS	667	5	14	14	24	44	42	85	82	80	148	129	0
FALLS	334	0	2	0	2	7	12	23	44	43	109	92	0
DISCHARGE OF FIREARMS	1	0	0	0	0	1	0	0	0	0	0	0	0
DROWNING AND SUBMERSION	51	0	4	3	10	6	5	7	7	7	0	2	0
EXPOSURE TO SMOKE, FIRE AND FLAMES	59	0	2	6	4	4	3	9	7	4	14	6	0
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	50	0	0	1	2	11	11	15	3	1	3	3	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	172	5	6	4	6	15	11	31	21	25	22	26	0
INTENTIONAL SELF-HARM (SUICIDE)	465	0	1	4	63	73	100	90	42	38	38	16	0
BY DISCHARGE OF FIREARMS	220	0	0	1	25	31	41	47	20	23	26	6	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	245	0	1	3	38	42	59	43	22	15	12	10	0
ASSAULT (HOMICIDE)	574	4	1	3	221	166	93	45	22	10	6	3	0
BY DISCHARGE OF FIREARMS	421	0	0	1	184	141	62	22	10	0	1	0	0

See footnotes at end of table.

TABLE 17. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE GROUP, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	DEATHS BY AGE												
	ALL AGES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & OVER	NOT STAT-ED
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	153	4	1	2	37	25	31	23	12	10	5	3	0
LEGAL INTERVENTION	11	0	0	0	3	2	1	4	0	1	0	0	0
EVENTS OF UNDETERMINED INTENT	608	1	1	1	49	98	220	190	36	6	4	2	0
DISCHARGE OF FIREARMS	3	0	0	0	0	2	0	0	1	0	0	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	605	1	1	1	49	96	220	190	35	6	4	2	0
OPERATIONS OF WAR AND THEIR SEQUELAE	1	0	0	0	0	0	1	0	0	0	0	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	52	0	0	0	1	2	4	7	11	9	13	5	0
INJURY BY FIREARMS	654	0	0	2	212	177	104	71	31	24	27	6	0
DRUG-INDUCED DEATHS	694	1	1	1	50	106	241	219	47	12	8	8	0
ALCOHOL-INDUCED DEATHS	270	0	0	1	1	9	48	88	76	33	12	1	1
INJURY AT WORK	80	0	0	1	8	13	14	22	14	4	4	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ALL CAUSES	43,778	15,001	6,087	368	323	16,248	5686	316	228
SALMONELLA INFECTIONS	0	0	0	0	0	0	0	0	0
SHIGELLOSIS AND AMEBIASIS	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS	128	44	9	1	0	60	14	0	1
TUBERCULOSIS, ALL FORMS	12	3	2	1	0	3	2	1	1
RESPIRATORY TUBERCULOSIS	9	3	1	0	0	2	2	1	0
OTHER TUBERCULOSIS	3	0	1	1	0	1	0	0	1
WHOOPING COUGH	1	0	1	0	0	0	0	0	0
SCARLET FEVER AND ERYSIPELAS	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION	0	0	0	0	0	0	0	0	0
SEPTICEMIA	1,080	292	176	13	4	372	214	11	4
SYPHILIS	3	1	2	0	0	0	0	0	0
ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0
VIRAL HEPATITIS	97	37	20	2	1	19	17	2	1
HUMAN IMMUNODEFICIENCY VIRUS	526	63	283	1	4	18	159	0	0
MALARIA	0	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES	151	52	24	2	3	51	20	2	1
MALIGNANT NEOPLASMS	10,349	3,847	1,315	110	60	3,723	1241	97	52
LIP, ORAL CAVITY AND PHARYNX	153	75	42	2	0	29	5	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ESOPHAGUS	258	148	41	3	2	47	18	1	0
STOMACH	194	59	32	8	2	59	29	6	2
COLON, RECTUM, AND ANUS	1,025	378	148	10	8	339	145	4	6
LIVER AND INTRAHEPATIC BILE DUCTS	274	117	56	5	4	57	33	6	0
PANCREAS	638	216	76	4	2	228	105	9	6
LARYNX	70	36	16	0	0	9	9	0	0
TRACHEA, BRONCHUS AND LUNG	2,988	1,204	403	32	12	1,050	278	15	6
MELANOMA OF SKIN	152	96	1	0	0	54	0	1	0
BREAST	821	5	1	0	0	568	228	19	7
CERVIX UTERI	61	0	0	0	0	33	27	1	1
CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED	109	0	0	0	0	68	40	1	1
OVARY	264	0	0	0	0	206	54	4	3
PROSTATE	516	327	176	12	7	0	0	0	0
KIDNEY AND RENAL PELVIS	219	95	33	3	1	77	10	0	1
BLADDER	244	136	25	0	2	69	13	1	2
MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	197	81	19	3	2	83	9	2	1
LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	984	413	106	15	6	348	89	10	7
HODGKIN'S DISEASE	22	5	4	1	0	7	3	2	0
NON-HODGKIN'S LYMPHOMA	364	157	31	4	0	139	26	5	2
LEUKEMIA	363	160	34	5	5	137	23	3	4
MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS	235	91	37	5	1	65	37	0	1
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOIDHEMATOPOIETIC AND RELATED TISSUE	0	0	0	0	0	0	0	0	0
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS	1,182	461	140	13	12	399	149	17	9
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR	273	109	25	4	2	109	23	3	3
ANEMIAS	89	17	15	1	0	30	24	1	0
DIABETES MELLITUS	1,385	434	253	14	6	431	244	6	6
NUTRITIONAL DEFICIENCIES	36	6	3	0	0	21	6	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
MALNUTRITION	33	5	2	0	0	21	5	0	0
OTHER NUTRITIONAL DEFICIENCIES	3	1	1	0	0	0	1	0	0
MENINGITIS	15	5	7	0	1	1	2	0	0
PARKINSON'S DISEASE	301	160	19	2	3	101	18	1	2
ALZHEIMER'S DISEASE	954	202	41	3	1	599	102	6	9
MAJOR CARDIOVASCULAR DISEASES	15,048	5,108	1,823	110	64	5,905	1,975	104	70
DISEASES OF HEART	11,564	4,126	1,426	81	46	4,360	1,478	73	53
ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES	33	7	1	0	0	16	9	0	0
HYPERTENSIVE HEART DISEASE	791	219	171	3	2	243	149	4	1
HYPERTENSIVE HEART & RENAL DISEASE	63	14	20	0	1	15	14	0	0
ISCHEMIC HEART DISEASE	8,116	3,053	930	59	29	3,041	967	52	37
ACUTE MYOCARDIAL INFARCTION	2,689	990	302	22	10	1,035	322	15	7
OTHER ACUTE ISCHEMIC HEART DISEASE	25	7	5	1	0	9	3	0	0
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	5,401	2,056	623	36	19	1,996	642	37	30
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE	2,434	844	337	13	8	861	351	21	19
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	2,967	1,212	286	23	11	1,135	291	16	11
OTHER HEART DISEASES	2,561	833	304	19	14	1,045	339	17	15
ACUTE AND SUBACUTE ENDOCARDITIS	22	8	4	0	1	4	6	0	0
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS	16	3	3	1	0	6	3	0	0
HEART FAILURE	738	236	61	2	0	356	80	3	4
ALL OTHER FORMS OF HEART DISEASE	1,785	586	236	16	13	679	250	14	11
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE	453	101	80	2	3	172	95	2	1
CEREBROVASCULAR DISEASES	2,465	681	268	21	13	1,122	343	28	15
ATHEROSCLEROSIS	155	55	7	1	0	77	15	0	0
OTHER DISEASES OF CIRCULATORY SYSTEM	411	145	42	5	2	174	44	1	1
AORTIC ANEURYSM AND DISSECTION	244	102	19	4	1	99	19	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	167	43	23	1	1	75	25	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
OTHER DISORDERS OF CIRCULATORY SYSTEM	93	18	10	0	2	35	30	0	1
INFLUENZA AND PNEUMONIA	1,215	412	115	12	6	521	147	7	5
INFLUENZA	34	6	2	0	0	24	2	0	0
PNEUMONIA	1,181	406	113	12	6	497	145	7	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS	9	4	1	0	0	4	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS	8	3	1	0	0	4	0	0	0
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION	1	1	0	0	0	0	0	0	0
CHRONIC LOWER RESPIRATORY DISEASES	1,889	634	136	7	5	954	151	6	3
BRONCHITIS, CHRONIC AND UNSPECIFIED	15	5	4	0	1	6	0	0	0
EMPHYSEMA	226	79	18	1	0	114	13	0	0
ASTHMA	77	9	17	0	0	28	23	0	0
OTHER CHRONIC LOWER RESPIRATORY DISEASES	1,571	541	97	6	4	806	115	6	3
PNEUMOCONIOSES AND CHEMICAL EFFECTS	13	10	3	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	375	135	51	2	3	134	52	1	0
OTHER DISEASES OF RESPIRATORY SYSTEM	472	187	49	1	4	186	43	6	3
PEPTIC ULCER	44	19	7	0	0	17	1	0	0
DISEASES OF APPENDIX	5	2	1	0	0	2	0	0	0
HERNIA	29	9	2	0	0	13	5	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS	466	209	84	3	8	132	32	3	3
ALCOHOLIC LIVER DISEASE	164	79	26	1	5	42	15	0	1
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS ...	302	130	58	2	3	90	17	3	2
CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER	41	16	7	0	0	13	4	1	2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS ...	739	239	123	9	1	206	152	8	1

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME	1	0	0	0	0	0	1	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED	9	3	0	0	0	2	4	0	0
RENAL FAILURES	729	236	123	9	1	204	147	8	1
OTHER DISORDERS OF KIDNEY	0	0	0	0	0	0	0	0	0
INFECTIONS OF KIDNEY	11	2	1	0	0	6	2	0	1
HYPERPLASIA OF PROSTATE	10	9	1	0	0	0	0	0	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS	5	1	0	0	0	0	4	0	0
PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	16	0	0	0	0	4	11	1	0
PREGNANCY WITH ABORTIVE OUTCOME	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	16	0	0	0	0	4	11	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	334	74	104	9	10	48	95	2	10
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	146	48	33	1	8	41	20	3	5
SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED	209	57	60	1	7	49	40	1	3
ALL OTHER DISEASES (RESIDUAL)	4,135	1,182	409	16	22	1,921	578	22	24
ACCIDENTS	1,363	657	255	26	50	291	118	12	10
TRANSPORT ACCIDENTS	696	347	151	16	33	115	57	8	7
MOTOR VEHICLE ACCIDENTS	635	317	135	16	32	106	51	8	7
OTHER LAND TRANSPORT ACCIDENTS	43	19	11	0	1	7	6	0	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	18	11	5	0	0	2	0	0	0
NONTRANSPORT ACCIDENTS	667	310	104	10	17	176	61	4	3
FALLS	334	153	29	6	4	120	22	3	2
DISCHARGE OF FIREARMS	1	1	0	0	0	0	0	0	0
DROWNING AND SUBMERSION	51	27	11	2	4	7	4	0	0
EXPOSURE TO SMOKE, FIRE AND FLAMES	59	24	11	0	0	14	10	0	1
POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	50	25	11	0	3	5	9	0	0
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE	172	80	42	2	6	30	16	1	0
INTENTIONAL SELF-HARM (SUICIDE)	465	301	63	10	10	73	13	4	2
BY DISCHARGE OF FIREARMS	220	167	35	3	2	13	2	0	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	245	134	28	7	8	60	11	4	2
ASSAULT (HOMICIDE)	574	96	396	6	31	30	41	4	4
BY DISCHARGE OF FIREARMS	421	49	328	5	16	15	22	1	0
BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE	153	47	68	1	15	15	19	3	4
LEGAL INTERVENTION	11	4	7	0	1	0	0	0	0
EVENTS OF UNDETERMINED INTENT	608	279	139	1	5	110	77	1	0
DISCHARGE OF FIREARMS	3	2	1	0	0	0	0	0	0
OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE	605	277	138	1	5	110	77	1	0
OPERATIONS OF WAR AND THEIR SEQUELAE	1	0	1	0	0	0	0	0	0
TERRORIST ATTACK	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF MEDICAL/SURGICAL CARE	52	17	11	0	1	15	9	0	1
INJURY BY FIREARMS	654	223	369	8	19	28	24	1	0

See footnotes at end of table.

TABLE 18. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY RACE, HISPANIC ORIGIN AND SEX, 2005. — Continued

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	ALL DEATHS ²	WHITE MALE	BLACK MALE	ASIAN MALE	HISPANIC MALE	WHITE FEMALE	BLACK FEMALE	ASIAN FEMALE	HISPANIC FEMALE
DRUG-INDUCED DEATHS	694	316	145	2	6	137	90	2	1
ALCOHOL-INDUCED DEATHS	270	138	48	1	13	59	23	0	1
INJURY AT WORK	80	51	13	10	9	2	2	0	0

¹ ICD-10 codes appear after the Table of Contents .

² Includes races categorized as 'other'.

TABLE 19. ACCIDENTAL DEATHS BY TYPE OF ACCIDENT, SEX, AND AGE, 2005.

MARYLAND

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	1,363	942	421	8	55	181	314	331	474	0
TRANSPORT ACCIDENTS	696	516	180	3	27	157	228	164	117	0
MOTOR VEHICLE ACCIDENTS	635	470	165	3	25	149	209	146	103	0
OTHER LAND TRANSPORT ACCIDENTS	43	30	13	0	2	7	13	11	10	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	18	16	2	0	0	1	6	7	4	0
NONTRANSPORT ACCIDENTS	667	426	241	5	28	24	86	167	357	0
FALLS	334	189	145	0	2	2	19	67	244	0
ACCIDENT DISCHARGE OF FIREARMS	1	1	0	0	0	0	1	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	51	40	11	0	7	10	11	14	9	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	59	35	24	0	8	4	7	16	24	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	50	36	14	0	1	2	22	18	7	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	172	125	47	5	10	6	26	52	73	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19A. ACCIDENTAL DEATHS AMONG WHITES BY TYPE OF ACCIDENT, SEX, AND AGE, 2005.

MARYLAND, WHITE

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	948	657	291	1	34	129	184	217	383	0
TRANSPORT ACCIDENTS	462	347	115	0	17	113	126	110	96	0
MOTOR VEHICLE ACCIDENTS	423	317	106	0	16	108	113	100	86	0
OTHER LAND TRANSPORT ACCIDENTS	26	19	7	0	1	4	8	7	6	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	13	11	2	0	0	1	5	3	4	0
NONTRANSPORT ACCIDENTS	486	310	176	1	17	16	58	107	287	0
FALLS	273	153	120	0	0	2	12	50	209	0
ACCIDENT DISCHARGE OF FIREARMS	1	1	0	0	0	0	1	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	34	27	7	0	3	5	8	11	7	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	38	24	14	0	7	4	6	10	11	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	30	25	5	0	0	1	16	7	6	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	110	80	30	1	7	4	15	29	54	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19B. ACCIDENTAL DEATHS AMONG BLACKS BY TYPE OF ACCIDENT, SEX, AND AGE, 2005.

MARYLAND, BLACK

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	373	255	118	7	20	46	117	106	77	0
TRANSPORT ACCIDENTS	208	151	57	3	10	41	91	50	13	0
MOTOR VEHICLE ACCIDENTS	186	135	51	3	9	38	85	42	9	0
OTHER LAND TRANSPORT ACCIDENTS	17	11	6	0	1	3	5	4	4	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	5	5	0	0	0	0	1	4	0	0
NONTRANSPORT ACCIDENTS	165	104	61	4	10	5	26	56	64	0
FALLS	51	29	22	0	1	0	5	16	29	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	15	11	4	0	4	3	3	3	2	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	21	11	10	0	1	0	1	6	13	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	20	11	9	0	1	1	6	11	1	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	58	42	16	4	3	1	11	20	19	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19C. ACCIDENTAL DEATHS AMONG ASIANS OR PACIFIC ISLANDERS BY TYPE OF ACCIDENT, SEX, AND AGE, 2005.

MARYLAND, ASIAN OR PACIFIC ISLANDER

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	38	26	12	0	1	5	12	6	14	0
TRANSPORT ACCIDENTS	24	16	8	0	0	2	11	3	8	0
MOTOR VEHICLE ACCIDENTS	24	16	8	0	0	2	11	3	8	0
OTHER LAND TRANSPORT ACCIDENTS	0	0	0	0	0	0	0	0	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	14	10	4	0	1	3	1	3	6	0
FALLS	9	6	3	0	1	0	1	1	6	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	2	2	0	0	0	2	0	0	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	0	0	0	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	3	2	1	0	0	1	0	2	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 19D. ACCIDENTAL DEATHS AMONG HISPANICS BY TYPE OF ACCIDENT, SEX, AND AGE, MARYLAND, 2005.

MARYLAND, HISPANIC

CAUSE OF DEATH (TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) ¹	TOTAL	MALE	FEMALE	AGE						
				<1	1-14	15-24	25-44	45-64	65 & OVER	NOT STATED
ALL ACCIDENTS	60	50	10	0	4	15	26	10	5	0
TRANSPORT ACCIDENTS	40	33	7	0	3	11	17	7	2	0
MOTOR VEHICLE ACCIDENTS	39	32	7	0	3	11	17	6	2	0
OTHER LAND TRANSPORT ACCIDENTS	1	1	0	0	0	0	0	1	0	0
WATER, AIR AND SPACE, AND OTHER UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE	0	0	0	0	0	0	0	0	0	0
NONTRANSPORT ACCIDENTS	20	17	3	0	1	4	9	3	3	0
FALLS	6	4	2	0	0	1	2	0	3	0
ACCIDENT DISCHARGE OF FIREARMS	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION	4	4	0	0	0	1	2	1	0	0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES	1	0	1	0	0	0	0	1	0	0
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES	3	3	0	0	0	1	2	0	0	0
OTHER AND UNSPECIFIED NONTRANSPORT AND THEIR SEQUELAE	6	6	0	0	1	1	3	1	0	0

¹ ICD-10 codes appear after the Table of Contents .

TABLE 20. INFANT, NEONATAL AND POSTNEONATAL DEATHS AND MORTALITY RATES BY MATERNAL RACE AND HISPANIC ORIGIN, MARYLAND, 2005.

	NUMBER OF DEATHS	MORTALITY RATES
INFANT DEATHS*		
ALL RACES.....	545	7.3
WHITE.....	215	4.7
BLACK.....	309	12.7
ASIAN/PACIFIC ISLANDER.....	18	3.9
HISPANIC**.....	40	4.6
NEONATAL DEATHS*		
ALL RACES.....	394	5.3
WHITE.....	15	3.3
BLACK.....	228	9.3
ASIAN/PACIFIC ISLANDER.....	14	3.1
HISPANIC**.....	23	2.7
POSTNEONATAL DEATHS*		
ALL RACES.....	151	2.0
WHITE.....	65	1.4
BLACK.....	81	3.3
ASIAN/PACIFIC ISLANDER.....	4	***
HISPANIC**.....	17	2.0

*Mortality rates are per 1,000 live births.

**Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

***Rates based on fewer than five events in the numerator are not presented since rates based on small numbers are likely to be unstable.

TABLE 21. DEATHS BY AREA OF OCCURRENCE BY RACE AND HISPANIC ORIGIN, 2005.

MARYLAND

RACE	TOTAL DEATHS	PLACE OF OCCURRENCE			PERCENT OF DEATHS OCCURRING IN MARYLAND	PERCENT OF DEATHS OCCURRING IN THE DISTRICT OF COLUMBIA	PERCENT OF DEATHS OCCURRING IN OTHER STATES
		MARYLAND	DISTRICT OF COLUMBIA	OTHER STATES			
TOTAL ¹	43,778	41,229	1,464	1,085	94.2	3.3	2.5
WHITE	31,249	29,709	668	872	95.1	2.1	2.8
BLACK	11,773	10,835	753	185	92.0	6.4	1.6
ASIAN OR PACIFIC ISLANDER	684	627	35	22	91.7	5.1	3.2
HISPANIC ²	551	489	49	13	88.7	8.9	2.4

¹ Includes races categorized as 'other'.

² Race and Hispanic origin are reported separately on the death certificate. Data for persons of Hispanic origin are included in the data for each race group according to the reported race of the decedent.

TABLE 22. AGE-ADJUSTED* DEATH** RATES*** FOR LEADING CAUSES BY POLITICAL SUBDIVISION, MARYLAND, 2003-2005.

REGION AND POLITICAL SUBDIVISION	ALL CAUSES OF DEATH	DISEASES OF THE HEART	MALIGNANT NEOPLASMS	CEREBRO- VASCULAR DISEASE	CHRONIC LOWER RESPIRATORY DISEASES	DIABETES MELLITUS	ACCIDENTS	INFLUENZA AND PNEUMONIA	SEPTICEMIA	ALZHEIMER'S DISEASE	NEPHRITIS, NEPHROSIS AND NEPROTIC SYNDROME	ASSAULT (HOMICIDE)	HIV	INTENTIONAL SELF-HARM (SUICIDE)
MARYLAND.....	816.0	218.0	190.0	49.8	36.7	26.5	25.5	22.2	20.2	17.4	12.6	10.1	9.9	8.6
NORTHWEST AREA														
GARRETT.....	821.8	263.8	175.3	****	51.2	****	****	****	****	****	****	****	****	****
ALLEGANY.....	860.9	257.0	194.5	54.6	55.5	22.9	24.3	17.9	21.8	16.6	****	****	****	****
WASHINGTON.....	858.3	223.0	201.5	66.6	53.6	40.5	30.7	22.5	****	15.6	17.0	****	****	****
FREDERICK.....	780.3	227.1	183.5	55.7	42.6	19.3	27.0	21.3	14.1	28.9	****	****	****	9.1
BALTIMORE METRO AREA														
BALTIMORE CITY.....	1,136.2	291.7	234.0	57.6	40.1	38.2	29.2	27.3	41.8	10.3	21.3	38.3	52.6	6.1
BALTIMORE COUNTY.....	817.4	210.4	194.0	54.1	38.1	21.7	22.2	23.6	21.0	17.5	11.9	6.7	6.5	9.6
ANNE ARUNDEL.....	826.6	211.9	197.4	57.1	44.8	29.8	23.7	24.0	16.6	20.6	12.3	4.6	****	9.4
CARROLL.....	821.4	227.3	191.2	55.0	50.5	18.4	27.1	19.1	18.0	31.5	****	****	****	12.0
HOWARD.....	695.2	190.2	153.8	54.6	30.3	21.6	17.6	21.1	16.0	20.6	****	****	****	8.8
HARFORD.....	823.0	230.0	195.6	57.7	39.6	22.6	25.6	21.5	16.7	19.8	11.8	****	****	11.1
NATIONAL CAPITAL AREA														
MONTGOMERY.....	590.4	152.7	145.1	36.9	22.9	16.5	17.4	21.2	14.6	13.3	9.0	3.4	2.7	5.9
PRINCE GEORGE'S.....	849.8	244.2	188.9	46.1	26.6	34.7	31.1	22.2	21.9	16.5	14.9	18.3	10.8	6.6
SOUTHERN AREA														
CALVERT.....	828.6	230.6	214.1	48.7	54.5	****	36.7	****	****	****	****	****	****	****
CHARLES.....	899.4	224.2	230.8	52.6	49.2	33.2	31.6	24.9	22.4	****	****	****	****	****
SAINT MARY'S.....	851.6	236.3	218.6	46.3	42.9	30.5	31.4	****	****	****	****	****	****	****
EASTERN SHORE AREA														
CECIL.....	853.8	230.7	211.9	33.7	63.5	28.3	42.4	****	****	****	****	****	****	****
KENT.....	772.4	194.2	193.6	****	****	****	****	****	****	****	****	****	****	****
QUEEN ANNE'S.....	797.8	199.4	183.5	50.6	44.2	****	****	****	****	****	****	****	****	****
CAROLINE.....	911.3	221.5	222.7	****	****	****	****	****	****	****	****	****	****	****
TALBOT.....	732.4	168.7	194.0	64.6	****	****	****	****	****	****	****	****	****	****
DORCHESTER.....	906.6	292.0	201.5	****	****	****	****	****	****	****	****	****	****	****
WICOMICO.....	896.7	275.0	211.3	40.7	44.2	38.2	30.0	23.2	****	25.5	****	****	****	****
SOMERSET.....	966.4	351.4	254.6	****	****	****	****	****	****	****	****	****	****	****
WORCESTER.....	747.2	199.2	206.8	34.4	25.3	34.8	****	****	****	****	****	****	****	****

*Adjusted to the standard U.S. 2000 population by the direct method. These rates should only be compared with other rates age-adjusted to the same population.

**ICD-10 codes appear on page xiv.

***Per 100,000 population.

****Age-adjusted death rates not calculated for jurisdictions with an annual average of fewer than 20 deaths.