

# DHMH POLICY

<http://www.dhmh.state.md.us/policies/inpolm.htm>

OFFICE OF INFECTIOUS DISEASE EPIDEMIOLOGY & OUTBREAK RESPONSE --DHMH Policy 03.02.02  
(OIDEOR) / Prevention and Health Promotion Administration (PHPA) / DSPHS and DSO

Effective Date: October 20, 2016

## POLICY ON INFLUENZA VACCINATION FOR DHMH EMPLOYEES WORKING IN STATE FACILITIES, LOCAL HEALTH DEPARTMENT CLINICAL BUILDINGS, FORENSIC RESIDENTIAL CENTERS, STATE RESIDENTIAL CENTERS, AND CHRONIC DISEASE CENTERS

### I. EXECUTIVE SUMMARY

This policy requires DHMH employees and local health department employees working in certain clinical settings, including all State facilities, as defined under Health-General Article, §§10-101 and 10-406, Annotated Code of Maryland, forensic residential centers (SETTs), DHMH-operated state residential centers (Holly Center and Potomac Center) and chronic disease centers (Deer's Head and Western Maryland) to be vaccinated annually for influenza and to provide documentation to their DHMH employer of the vaccination. This policy sets forth the background for the policy; the definitions related to the policy; the authority for the policy; and certain exceptions to the requirement it otherwise imposes.

### II. BACKGROUND

Influenza ("Flu") seasons are unpredictable and can be severe. Over a period of 30 years, between 1976 and 2006, estimates of flu-associated deaths in the United States range from a low of about 3,000 to a high of about 49,000 people. In Maryland, each year about 4,000 Maryland residents are hospitalized and around a thousand die from flu.

Flu season severity can vary widely from one season to the next depending on many things, including:

1. What flu viruses are spreading;
2. How much flu vaccine is available;
3. When vaccine is available;
4. How many people get vaccinated; and
5. How well the flu vaccine is matched to flu viruses that are causing illness.

### Department of Health & Mental Hygiene

OFFICE OF REGULATION AND POLICY COORDINATION (ORPC)

201 West Preston Street - Room 512 - Baltimore Maryland 21201-2301

Phone 410 767-6499 FAX 410 767-6483

Since 1981, the federal Centers for Disease Control and Prevention ("CDC") have recommended that healthcare workers receive annual influenza vaccinations to protect staff and patients. Numerous studies in the medical literature reveal the risk of person-to-person transmission of influenza illness in the healthcare setting (VII. References: 1-7), and that annual influenza vaccination of healthcare facility staff is a tool to reduce illnesses that occur in patients in both acute and long term care (VII. References: 8-13) settings. Other data show that up to 75% of healthcare workers continue to work with influenza (VII. References: 14-17), increasing the risk of influenza transmission, and that influenza illness is associated with an excess of absenteeism among healthcare workers (VII. References: 18-22). Research has shown that hospitalized patients exposed to healthcare workers with influenza like illness (ILI) were at a greater than 5 times risk of developing healthcare-associated ILI than if not exposed, and that a 2-fold greater risk of ILI exists in the hospital compared to within the community (VII. Reference: 8).

The Infectious Diseases Society of America, the Society for Healthcare Epidemiology of America, and the Pediatric Infectious Diseases Society support universal immunization of healthcare workers by healthcare employers, without an opt-out for discretionary refusal. Although some voluntary programs, when combined with strong institutional leadership and robust educational campaigns, have been effective in encouraging healthcare workers to become vaccinated, mandatory programs are the most effective way to increase vaccination rates. The infectious disease and epidemiological societies have recommended that, when less than 90% of an institution's work force has not been vaccinated, the facility should mandate vaccination as a condition of employment, unpaid service, or receipt of professional privileges. In Maryland's private hospitals, voluntary and opt-out vaccination strategies have not been effective in markedly increasing vaccination rates. Therefore, in 2010, the Maryland Hospital Association released a policy statement recommending mandatory vaccination policies. Today, almost all hospitals in Maryland, including the Johns Hopkins Health System and the University of Maryland Medical System, have mandated that their healthcare workers become vaccinated for influenza, allowing workers to refuse only for documented medical and religious reasons.

Under this policy, DMMH employees at Local Health Departments, state facilities, chronic disease centers and state residential centers may decline to be vaccinated for documented medical or religious reasons only. Many of the patients at these facilities have chronic conditions that increase their risk for influenza-associated morbidity and mortality. For example, individuals at Holly Center and Potomac Center can have impaired lung function as a result of developmental delays, difficulties with immobility, and orthopedic conditions. This would make them more vulnerable to death from influenza. The DMMH influenza vaccination policy reinforces the importance of patient safety standards and employee wellness protections.

The flu vaccination is covered for all State employees enrolled in the State employee health plan with no co-payment if the vaccination is provided by the in-network provider during a routine office visit and is also covered at many pharmacies with which a carrier in the State health plan has made a special arrangement. Local Health Departments and State Facilities are encouraged to provide on-site vaccination clinics for all covered employees as part of this policy, subject to financial appropriations.

This version, dated October 20, 2016 recodifies the policy number from DMMH Policy 03.02.04 to DMMH Policy 03.02.02, changes the date by which all covered employees shall be

vaccinated against influenza from December 15 to November 15th of each year, and makes other minor, editorial changes.

### **III. LEGAL AUTHORITY**

Under Health-General Article, §2-102(b)(2), Annotated Code of Maryland, the Secretary is responsible for the operation of the Department, including the forensic residential centers operated under the Developmental Disabilities Administration. Health-General Article, §10-401 places all State psychiatric facilities under the general supervision of the Director of the Behavioral Health Administration, Health-General Article, §19-502 charges the Secretary with operating chronic disease centers in the State, and Health-General Article, §7-501 establishes State residential centers for individuals with an intellectual disability in the Department's Developmental Disabilities Administration, each of which is operated under the direction of an administrative head appointed by the Director of DDA. In addition, Health-General Article, §§18-102 and 18-103 authorize the Secretary to adopt rules and regulations necessary to prevent the spread of infectious diseases and to devise means to control those diseases. The regulations adopted by the Secretary pursuant to that authority require the Secretary to take actions to prevent the spread of communicable diseases and authorize the Secretary to issue special instructions for control of a disease.

### **IV. POLICY STATEMENTS**

#### **A. Definitions**

1. "Clinical building" means any building in which persons receive healthcare.
2. "Covered employees" means full-time, part-time, permanent, temporary, and contractual workers, and independent licensed consultants of DMMH and local health departments who regularly work in clinical buildings operated by a local health department, at a State facility, as that term is defined under Health-General Article, §§10-101 and 10-406, at a forensic residential center operated by the Department, at State residential centers (Holly Center and Potomac Center), or at a chronic disease center (Deer's Head Hospital Center and Western Maryland Hospital Center).
3. "Covered facility" means clinical buildings operated by a local health department, State facilities, as that term is defined under Health-General Article, §§10-101 and 10-406, forensic residential centers, Holly Center, Potomac Center, Deer's Head Hospital Center and Western Maryland Hospital Center.
4. "Declination form" means a form developed by the Department to document an employee or licensed independent consultant declination of influenza vaccine.
5. "Documentation of required vaccinations" means a printed receipt, card or statement from the vaccinator clearly indicating that an influenza vaccination was provided to the individual, by whom, and on what date.

6. "Independent licensed consultants" means persons licensed by a health occupations licensing board who provide patient care in DHHM facilities and local health departments.
7. "Influenza season" is defined by the Centers for Disease Control and Prevention each season.
  - a. CDC or DHHM may modify the dates of the season if epidemiological information indicates the necessity for a modification.
  - b. Covered employees, employed or hired during the influenza season, shall be subject to this policy.

## B. Policy

1. To protect patients, all covered employees shall be vaccinated against influenza by November 15 of each year.
2. Each covered facility's governing unit shall designate an influenza control coordinator by November 1 of each year to ensure procedures are followed, proper documentation collected, and required reporting is completed and submitted in the manner and time required.
3. Each covered facility shall have an influenza infection control plan in place by November 1 of each year. It shall be approved by the Prevention and Health Promotion Administration prior to that date. By regulation, all facilities operated by the Department are required to have infection control programs. See COMAR 10.07.01.34; 10.07.02.21; 10.07.13.04D; 10.07.20.05C.
4. Each covered employee shall by November 15 of each year:
  - a. Receive a vaccination;
  - b. Provide documentation of required vaccination if the vaccination was received elsewhere; or
  - c. Sign a declination form.
5. The declination form shall provide for two exemptions:
  - a. The vaccine (intramuscular or intradermal) is medically contraindicated (including a severe egg allergy, severe allergy to any vaccine component, severe reaction after a previous dose of influenza vaccine, a history of Guillain-Barre Syndrome, or other vaccine-specific medical contraindication) for the employee; or
  - b. Vaccination (intramuscular or intradermal) is against the employee's bona fide religious beliefs.

6. After being fully informed of the health risks to patients/clients and other staff associated with transmission from an unvaccinated person and the educational requirements, if the employee refuses the vaccine and does not meet at least one of the two exemptions (medical contraindication or bona fide religious beliefs) the employee shall be subject to disciplinary action, pursuant to Annotated Code of Maryland, State Personnel and Pensions, Title 11-104 and 11-106. See Disciplinary Measures, section V, of this policy.

7. All employees who are not vaccinated by November 15 of each year shall receive educational information by December 1 of that year. The education information will include information about: vaccine and vaccine recommendations; vaccine safety; patient/client safety including the consequences/complications of flu among highest risk individuals; employee's safety and protection of family and friends; decreased absenteeism resulting from influenza vaccination coverage. CDC responses to common excuses for declining flu vaccine can be found at: <http://www.cdc.gov/flu/pdf/freeresources/general/no-excuses-flu-vaccine.pdf>

## V. DISCIPLINARY MEASURES

A. Appointing authority shall consider disciplinary action for the following related to this policy:

1. Employee refuses to sign the declination form;
2. Employee who was vaccinated elsewhere does not comply with documentation requirements; and
3. Employee declines the vaccination outside of the acceptable declination reasons.

B. In accordance with the State Personnel and Pensions Article, §11-106, Annotated Code of Maryland, and prior to taking any disciplinary action related to any violation of this policy, the appointing authority shall:

1. Investigate the alleged vaccination policy violation;
2. Meet with the employee;
3. Consider any mitigating circumstances;
4. Determine the appropriate disciplinary action, if any, to be imposed; and,
5. Give the employee a written notice of the disciplinary action to be taken and the employee's appeal rights.

C. Any disciplinary action must be imposed within the time limits prescribed by law and regulation.

**VI. OTHER PROCEDURES**

- A. Influenza Coordinators for each covered facility shall report to the Deputy Secretary for Public Health Services on employee vaccination rates. Standard declination forms and reporting survey forms shall be provided by DHMH.
- B. Annual immunization rates for all covered facilities shall be gathered on a schedule established by the Deputy Secretary for Public Health Services.

**VII. REFERENCES**


1. LaForce FM, Nichol KL, Cox NJ. Influenza: virology, epidemiology, disease, and prevention. *Am J Prev Med* 1994; 10:31-44
2. Aschan J, Ringde'n O, Ljungman P, Andersson J, Lewensohn-Fuchs I, Forsgren M. Influenza B in transplant patients. *Scand J Infect Dis.* 1989; 21(3):349-350
3. Weinstock DM, Eagan J, Malak SA, et al. Control of influenza A on a bone marrow transplant unit. *Infect Control Hosp Epidemiol.* 2000;21(11):730-732.
4. Centers for Disease Control and Prevention (CDC). Novel influenza A (H1N1) virus infections among health-care personnel—United States, April-May 2009. *MMWR Morb Mortal Wkly Rep.* 2009; 58(23):641-645.
5. ECDC Technical Emergency Team. Initial epidemiological findings in the European Union following the declaration of pandemic alert level 5 due to influenza A (H1N1). *Euro Surveill.* 2009; 14(18):pii-19204.
6. Voirin N, Barret B, Metzger MH, Vanhems P. Hospital-acquired influenza: a synthesis using the Outbreak Reports and Intervention Studies of Nosocomial Infection (ORION) statement. *J Hosp Infect.* 2009; 71(1):1-14.
7. Cunney RJ, Bialachowski A, Thornley D, Smaill FM, Pennie RA. An outbreak of influenza A in a neonatal intensive care unit. *Infect Control Hosp Epidemiol* 2000; 21:449-54
8. Vanhems P, et al, *Arch Intern Med*, vol 171, No 2, Jan 24, 2011, pp. 151-157. Risk of Influenza-Like Illness in an Acute Health Care Setting During Community Influenza Epidemics in 2001-2005, 2005-2006, and 2006-2007.
9. Kapila R, Lintz DI, Tecson FT, Ziskin L, Louria DB. A nosocomial outbreak of influenza A. *Chest.* 1977; 71(5):576-579.
10. Andrieu AG, Paute J, Glomot L, Jarlier V, Belmin J. Nosocomial influenza outbreak in a geriatrics department: effectiveness of preventive measures [in French]. *Presse Med.* 2006;35(10, pt 1):1419-1426.

11. Barlow G, Nathwani D. Nosocomial influenza infection. *Lancet*. 2000; 355(9210):1187.
12. Carman WF, Elder AG, Wallace LA, McAulay K, Walker A, Murray GD, et al. Effects of influenza vaccination of health-care workers on mortality of elderly people in long-term care: a randomized controlled trial. *Lancet* 2000; 355:93–7.
13. G A. Poland, P Tosha, RM. Jacobson, Mayo Vaccine Research Group, Requiring influenza vaccination for health care workers: seven truths we must accept, *Vaccine* 23 (2005) 2251–2255
14. Salgado CD, Farr BM, Hall KK, Hayden FG. Influenza in the acute hospital setting. *Lancet Infect Dis*. 2002; 2(3):145-155
15. Wilde JA, McMillan JA, Serwint J, Butta J, O’Riordan MA, Steinhoff MC. Effectiveness of influenza vaccine in health
16. Lester RT, McGeer A, Tomlinson G, Detsky AS. Use of, effectiveness of, and attitudes regarding influenza vaccine among house staff. *Infect Control Hosp Epidemiol* 2003; 24:839–44.
17. Weingarten S, Riedinger M, Bolton LB, Miles P, Ault M. Barriers to influenza vaccine acceptance. A survey of physicians and nurses.
18. Fralick RA. Absenteeism among hospital staff during influenza epidemic. *CMAJ*. 1985; 133(7):641-642.
19. Hammond GW, Cheang M. Absenteeism among hospital staff during an influenza epidemic: implications for immunoprophylaxis. *Can Med Assoc J*. 1984; 131(5):449-452.
20. Sartor C, Zandotti C, Romain F, et al. Disruption of services in an internal medicine unit due to a nosocomial influenza outbreak. *Infect Control Hosp Epidemiol*. 2002; 23(10):615-619.
21. Wilde JA, McMillan JA, Serwint J, Butta J, O’Riordan MA, Steinhoff MC. Effectiveness of influenza vaccine in health care professionals: a randomized trial. *JAMA*. 1999; 281(10):908-913.
22. Salgado CD, Farr BM, Hall KK, Hayden FG. Influenza in the acute hospital setting. *Lancet Infect Dis*. 2002; 2(3):145-155.

## VII. APPENDIX

1. Influenza Vaccination Policy Declination of Influenza Vaccination
2. DHHM Policy and Influenza Vaccination Frequently Asked Questions

APPROVED:

  
\_\_\_\_\_  
Van T. Mitchell, Secretary, DHMH

October 20, 2016  
Effective Date





## Maryland Department of Health and Mental Hygiene Influenza Vaccination Policy for DHMH Employees Working in State Facilities, Local Health Department Clinical Buildings, Forensic Residential Centers, State Residential Centers and Chronic Disease

### Declination of Influenza Vaccination

My employer, \_\_\_\_\_, requires that I receive influenza vaccination to protect patients and staff in my work location.

I have read the DHMH Policy on Influenza Vaccination for DHMH Employees Working in State Facilities, Local Health Department Clinical Buildings, Forensic Residential Centers, State Residential Centers, and Chronic Disease Centers.

I acknowledge that I have been advised of the following facts:

- Influenza is a serious respiratory disease that kills an average of 36,000 persons and hospitalizes more than 200,000 persons in the United States each year.
- Influenza vaccination is required to protect patients and staff from influenza disease, its complications, and death.
- If I contract influenza, I will shed the virus for 24–48 hours before influenza symptoms appear. My shedding the virus can spread influenza disease to patients in this facility.
- If I become infected with influenza, even when my symptoms are mild or non-existent, I can spread severe illness to others.
- The strains of virus that cause influenza infection change almost every year, which is why a different influenza vaccine is recommended each year.
- I cannot get influenza from the influenza vaccine.
- My refusal to be vaccinated could have life-threatening consequences to my health and the health of those with whom I have contact, including patients, coworkers, family and community.

Despite these facts, I am choosing to decline influenza vaccination right now for the following reasons:

- Medical contraindication
- Religious objection

I understand that:

- Refusing influenza vaccination for other reasons besides those above shall lead to disciplinary action.

I have read and fully understand the information on this declination form.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name (print): \_\_\_\_\_

Department: \_\_\_\_\_

Reference: CDC Prevention and Control of Influenza with Vaccines Recommendation of ACIP at <http://www.cdc.gov/flu/professionals/acip/index.htm>

## **DHMH Policy and Influenza Vaccination** **Frequently Asked Questions**

- Q. What is influenza (the flu)?**  
**A.** The flu is a contagious respiratory illness caused by viruses that infect the nose, throat, and lungs.
- Q. How is the flu spread?**  
**A.** Flu viruses are spread mainly by droplets made when people who have the flu cough, sneeze, or talk. These droplets can land in the mouths or noses of people who are nearby.
- Q. What symptoms are associated with the flu?**  
**A.** Symptoms of influenza can include fever, cough, sore throat, runny or stuffy nose, body aches, head ache, chills and fatigue. Some people may also have vomiting and diarrhea. People may be infected with the flu and have no symptoms at all, or only respiratory symptoms without a fever.
- Q. I never get sick. Why should I get a flu shot?**  
**A.** Anyone can catch the flu, even healthy individuals. If you catch the flu, you may be able to pass the flu on to someone else before you know you are sick, even if you have no symptoms. Most healthy adults may be able to infect others beginning one day before symptoms develop and up to five to seven days after becoming sick.
- Q. Will my annual flu shot be covered by insurance?**  
**A.** Effective July 1, 2011, flu vaccination is covered for all State employees enrolled in a state health plan with no-copayment if the vaccination is provided by the in-patient provider during a routine office visit. Many other insurance plans also cover influenza vaccination. If you do not have insurance through a state health plan, check with your plan for more information. You may also be able to get a free flu vaccination at work or at your local health department.
- Q. Why is influenza vaccination required, with just exemptions for medical and religious reasons, for my facility this year?**  
**A.** Individuals who work in health care settings are frequently in contact with others, which increases their chance of being exposed to someone with the flu, and therefore, getting sick with the flu. It also increases the risk that they may expose others, including patients, for whom illness can have serious consequences. Individuals who are at higher risk include older people, young children, pregnant women, and people with certain health conditions (such as asthma, diabetes, or heart disease), and persons who live in facilities like nursing homes. Because health care workers are in regular contact with these populations, the flu shot will protect both the workers themselves and the patients, from the spread of flu. The role that you and other health care workers play in helping to prevent influenza-related illness and death – especially in high-risk patients – is invaluable. Research has shown that hospitalized patients who are exposed to health care workers who have influenza or flu-like illnesses were five times more likely to get a

healthcare-associated flu-like illness than if they were not exposed by the health care worker. The patients at your facility are at risk for serious illness and death from influenza this year.

**Q. Are workers in other health care settings required to get vaccinated against flu?**

A. The Maryland Hospital Association endorses patient safety policies that require mandatory influenza vaccination for all health care workers. Many hospitals in Maryland and other parts of the country require annual flu vaccination as a condition of employment.

**Q. What if I refuse the flu vaccine for medical reasons or religious belief?**

A. A DHMH employee or licensed independent consultant may refuse to receive a vaccine if they have a medical contraindication, including a severe egg allergy, severe allergy to any vaccine component, severe reaction after a previous dose of influenza vaccine, or a history of Guillain-Barre Syndrome. They may also refuse the vaccine if they have a bona fide religious objection. The employee is not required to provide documentation from their healthcare provider or religious affiliation to certify their exemption.

**Q. When should I get a flu shot?**

A. People can get sick with the flu as early as October. You should get a flu shot as soon as vaccine becomes available in your community. It takes about two weeks after you have received your flu shot before it will protect you against the flu.

**Q. If I receive the flu vaccine from my primary care physician, can I use documentation from that office as proof that I have been vaccinated?**

A. Yes. A DHMH employee can present a printed receipt, card or statement from the vaccinator clearly indicating that an influenza vaccination was provided to the individual, by whom, and on what date.