STATE OF MARYLAND

HMH



Maryland Department of Health and Mental Hygiene

Martin O'Malley, Governor - Anthony G. Brown, Lt. Governor - John M. Colmers, Secretary

## Infectious Disease & Environmental Health Administration

Heather L. Hauck, LICSW, MSW, Director

Angela M. Wakhweya, MD, MSc, Deputy DirectorClifford S. Mitchell, MS, MD, MPH, Acting Assistant DirectorRichard W. Stringer, Chief Financial OfficerDavid Blythe, MD, MPH, Acting Assistant Director/ State Epidemiologist

## **MEMORANDUM**

| DATE:    | December 21, 2010                                                                                    | HO Memo #10-047                    |
|----------|------------------------------------------------------------------------------------------------------|------------------------------------|
| ΤΟ:      | Health Officers<br>Communicable Disease Directors<br>Communicable Disease Staff<br>Nursing Directors |                                    |
| FROM:    | Alvina Chu, MHS, Chief<br>Division of Outbreak Investigation                                         |                                    |
| THROUGH: | Lucy Wilson, ScM, MD, Chief<br>Center for Infectious Disease Surveil<br>Outbreak Response            | lance Infection Prevention and     |
| RE:      | Interim Guidance for Laboratory Test<br>2011 Influenza Season                                        | ting and Outbreak Response for 201 |

The Office of Infectious Disease Epidemiology and Outbreak Response (IDEOR), in conjunction with the Laboratories Administration have revised recommendations for testing for influenza surveillance this season. As the season evolves, guidance will be updated, if necessary. Testing will focus on identifying those with the clinical features of: T>100°F AND cough or sore throat OR sepsis-like syndrome and most severely affected (hospitalized), working with most vulnerable (healthcare workers), or associated with outbreaks in defined settings.

Identification of outbreaks may be guided by the attached table of definitions. These definitions are for general use. There may be situations where an outbreak may be identified given information not listed in these definitions. Please do not hesitate to contact our offices, at 410-767-6677, with any further questions or suggestions.

201 W. Preston Street, Baltimore, Maryland 21201 410-767-6700 Fax 410-669-4215 Toll Free 1-877-4MD-DHMH TYY for Disabled Maryland Relay Service 1-800-735-2258 500 N. Calvert Street, 5<sup>th</sup> Fl. Baltimore. Maryland 21202 410-767-5227 Fax 410-333-6333 TDD for Disabled 410-333-4800 Toll Free 1-800-358-9001 TTY for Disabled Maryland Relay Service 1-800-735-2258 10-

Web Site: http://eh.dhmh.md.gov/ideha/

| cc: | K. Black | D. Blythe  | R. Scurry   | J. Colmers  | H. Hauck |
|-----|----------|------------|-------------|-------------|----------|
|     | R. Myers | D. Paulson | F. Phillips | A. Wakhweya | l        |

Attachments:

- (1) Guidance for Specimen Collection for Influenza Testing at State Laboratory
- (2) Interim guidance for influenza/ILI outbreaks

201 W. Preston Street, Baltimore, Maryland 21201 410-767-6700 Fax 410-669-4215 Toll Free 1-877-4MD-DHMH TYY for Disabled Maryland Relay Service 1-800-735-2258 500 N. Calvert Street, 5<sup>th</sup> Fl, Baltimore, Maryland 21202 410-767-5227 Fax 410-333-6333 TDD for Disabled 410-333-4800 Toll Free 1-800-358-9001 TTY for Disabled Maryland Relay Service 1-800-735-2258

Web Site: http://eh.dhmh.md.gov/ideha/

## General Definitions for Influenza/ILI Outbreaks DHMH, Division of Outbreak Investigation December 2010

| Illness                        | Outbreak Definition                                                                                              |
|--------------------------------|------------------------------------------------------------------------------------------------------------------|
| Acute febrile respiratory      | 3 or more persons with cough & fever in a facility within a                                                      |
| disease (AFRD)                 | 7 day period from June 1 to September 31 (outside of                                                             |
| at a nursing home (NH) or      | influenza season) OR during influenza season if DHMH                                                             |
| assisted living (AL) facility  | has conducted testing and has ruled out influenza as the                                                         |
|                                | causative agent                                                                                                  |
| Influenza                      | 1 or more cases of laboratory-confirmed influenza (note:                                                         |
| at a NH or AL                  | lab confirmatory tests include PCR or culture by DHMH                                                            |
|                                | OR a positive rapid antigen test conducted by either                                                             |
|                                | DHMH or a health care facility after DHMH has                                                                    |
|                                | conclusively confirmed Maryland's 1 <sup>st</sup> flu case during the                                            |
| Influenza-like illness (ILI)   | influenza season each year) <sup>1</sup><br>3 or more persons with cough and fever in a facility within          |
| at a NH or AL                  | a 7 day period from October 1 to June 30 (during influenza                                                       |
|                                | season)                                                                                                          |
| Influenza-like illness (ILI)   | A. 10% absentee rate AND 3 or more attendees sent home                                                           |
| at a child care center         | with ILI (temperature of $\geq 100^{\circ}$ F [37.8°C] plus cough                                                |
|                                | or sore throat) or influenza at the facility within 48                                                           |
|                                | hours;                                                                                                           |
|                                | OR                                                                                                               |
|                                | B. A substantial ILI/influenza cluster (generally defined as                                                     |
|                                | >25% of a specific group) in a single child care center                                                          |
|                                | associated group (such as classroom); however                                                                    |
|                                | judgment must be used in special settings <sup>2</sup>                                                           |
| Influenza-like illness (ILI)   | 3 or more cases of IL1 (temperature of $\geq 100^{\circ}$ F [37.8°C]                                             |
| at a child care home           | plus cough or sore throat) or influenza at the facility within                                                   |
|                                | a 7 day period <sup>2</sup>                                                                                      |
| Influenza-like illness (ILI)   | When the proportion of ILI visits to student health center $\geq$                                                |
| at a colleges and universities | 10% of all visits to student health center or recognized                                                         |
|                                | cluster in a defined population, such as dorm, team, sorority/fraternity houses ( $\geq 25\%$ ILI in the defined |
|                                | population) <sup>3</sup>                                                                                         |
| Influenza-like illness (ILI)   | A. a doubling of the baseline absenteeism rate on one day                                                        |
| at a K-12 school               | AND 5 cases of ILI (Fever $\geq 100^{\circ}$ F plus cough or sore                                                |
|                                | throat) or influenza seen in the school health room on                                                           |
|                                | that same day; OR                                                                                                |
|                                | B. 3 cases of ILI or influenza from the same single                                                              |
|                                | classroom seen in the school health room on the same                                                             |
|                                | day; OR                                                                                                          |
|                                | C. An unusual occurrence or important situation reported                                                         |
|                                | by the school to the LHD, including:                                                                             |

General Definitions for Influenza/ILI Outbreaks DHMH, Division of Outbreak Investigation Page 1 of 2 October 2010

|  | <ul> <li>ILI in special situations/groupings of students<br/>(such as special needs, high risk or<br/>immunocompromised;</li> <li>Other signs of ILI as assessed by school health<br/>professional<sup>4</sup></li> </ul> |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

References

<sup>1</sup> DHMH, Guidelines for the Prevention and Control of Upper and Lower Acute Respiratory Illnesses (including Influenza and Pneumonia) in Long Term Care Facilities, 2000, <u>http://www.edcp.org/guidelines/resp97.cfm</u>


<sup>2</sup> DHMH HO Memo #09-080 Interim Definition for an Outbreak of Influenza-like Illness (ILI) or Influenza Associated with a Day Care Facility and Guidance for Local Health Department Response, October 23, 2009

<sup>3</sup> DHMH HO Memo #09-072 Interim Guidance for Reporting Outbreaks of Influenza-like Illness (ILI) or Influenza Associated with Institutions of Higher Education to Public Health During 2009-2010 Flu Season, September 24, 2009

<sup>4</sup> DHMH HO Memo #09-070 Interim Definition for an Outbreak of Influenza-like Illness (ILI) or Influenza Associated with a K-12 School and Guidance for Local Health Department Response, September 16, 2009

General Definitions for Influenza/ILI Outbreaks DHMH, Division of Outbreak Investigation Page 2 of 2 October 2010

## Guidance for specimen collection for influenza testing at State Laboratory 2010-11 Influenza Season



<sup>1</sup>"Sentinel Providers" and "Sentinel Laboratories" are healthcare providers and clinical laboratories, respectively, who participate in the influenza surveillance program run by DHMH. Any providers interesting in participating may contact Rene Najera at 410-767-6235.