

ParityManager[™] Report

Maryland Department of Health

Medicaid - Merged Optum FFS Medstar 09132020

September 30, 2020



Executive Summary

The table below displays a count of parity flags for each Standard.

| | Parity Flag |
|-------------|-------------|
| Standard 4 | 0 |
| Standard 5 | 0 |
| Standard 6 | 0 |
| Standard 7 | 0 |
| Standard 8 | 6 |
| Standard 9 | 0 |
| Standard 10 | 0 |

The table below displays a count of Standards missing information and need additional input.

| | Missing Information |
|-------------|---------------------|
| Standard 4 | Yes |
| Standard 5 | - |
| Standard 6 | Yes |
| Standard 7 | Yes |
| Standard 8 | - |
| Standard 9 | - |
| Standard 10 | - |

The URAC ParityManager[™] facilitates the processes that a modern parity compliance program needs to have but, as a document management and communications software solution, ParityManager[™] does not in and of itself automatically result in parity compliant operations.

Any parity flags are reported in the table below.

| | Parity Flag |
|------------------------|-------------|
| Lifetime Dollar Limits | 0 |
| Annual Dollar Limits | 0 |

If either section is considered incomplete, it is reported in the table below.

| | Missing Information |
|------------------------|---------------------|
| Lifetime Dollar Limits | Y |
| Annual Dollar Limits | Y |

Any parity flags are reported in the table below.

| | Parity | / Flag | |
|---------------------------|---------------|------------------------|------------------|
| | Mental Health | Substance Use Disorder | Medical/Surgical |
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

Any classification/category combination considered incomplete is reported in the table below.

| Missing Information | | | |
|---------------------------|---------------|------------------------|------------------|
| | Mental Health | Substance Use Disorder | Medical/Surgical |
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

Which of the following benefits does this plan cover?

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------|---|--|--|
| Inpatient | Acute Care Services | Inpatient Detoxification hospital | Nursing Facility: Nursing services |
| | Ancillary Services | Inpatient Detoxification- IMD (Licensed Intermediate Care Facilities for Addictions in Maryland) | Nursing Facility: Dietary services |
| | AnesthesiaInpatient | Residential SUD TreatmentASAM 3.1 | Nursing Facility: Physician services |
| | Electroconvulsive therapy (ECT) inpatient | Residential SUD TreatmentASAM 3.3 | Nursing Facility: Specialized rehabilitation |
| | Patient Consultation | Residential SUD TreatmentASAM 3.5 | Nursing Facility: Social work |
| | Psychological or neuropsychological testing and evaluationinpatient | Residential SUD TreatmentASAM 3.7 | Nursing Facility: Activities |
| | Individual therapyinpatient | Residential SUD TreatmentASAM 3.7WM (Licensed ASAM 3.7D in Maryland) | Nursing Facility: Pharmaceutical service: |
| | Group therapyinpatient | Inpatient ASAM 4.0 | Nursing Facility: Behavioral health services |
| | Family therapyinpatient | Does not apply | Nursing Facility: Laboratory, radiology and other diagnostic testing |
| | Special Psychiatric Hospital | Nursing Facility: SUD services | Nursing Facility: Dental services |
| | Residential Treatment Centers | Individual therapy—SUD inpatient | Hospice: Short-term inpatient care |
| | Does not apply | group therapy SUD inpatient | Acute Care Services (Births/Deliveries) |
| | nursing facility: mental health services | family therapy - SUD inpatient | Acute Care Services (Medical/Surgical) |
| | | discharge day | Amputationsinpatient |
| | | ancillary services SUD | Ancillary Services |
| | | | AnesthesiaInpatient |
| | | | Bariatric Surgery |
| | | | Bypass surgeryinpatient |
| | | | Cardiac Procedures (non-emergent) inpatient |
| | | | Chemotherapyinpatient |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|--|
| | | Corrective Surgeryinpatient |
| | | Cosmetic ProceduresInpatient |
| | | Diagnostic and X-ray services: CT inpatient |
| | | Diagnostic and X-ray services: MRI inpatient |
| | | Diagnostic and X-ray services: PET inpatient |
| | | Diagnostic and X-ray services: Radiographyinpatient |
| | | DialysisInpatient |
| | | Erectile Dysfunction Procedures |
| | | Eye ProceduresInpatient |
| | | Gender affirmation surgery |
| | | Grafts/Implants |
| | | Occupational Therapyinpatient |
| | | Physical Therapyinpatient |
| | | Speech Therapyinpatient |
| | | Hospice CareInpatient |
| | | Hospital Careinpatient |
| | | Hysterectomy |
| | | Institutional Long Term Care/Skilled Nursing Facility (first 90 days) |
| | | Investigational Surgeries/Clinical Trials inpatient |
| | | Neurostimulators |
| | | Neurosurgical proceduresinpatient |
| | | NICU/Sick baby/Detained baby |
| | | Oncology Servicesinpatient |
| | | Plastic and Restorative Surgery inpatient |
| | | Post-Stabilization Services-inpatient |
| | | Rehabilitation Services (Acute) |
| | | Room and Board |
| | | Spinal Cord Stimulator |
| | | Surgery (nonurgent)inpatient |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------------------|--|------------------------|---|
| | | | Surgery (urgent)inpatient |
| | | | Transplants |
| | | | Transplants Pre and Post Transplant Services |
| | | | Transportation between hospitals |
| | | | Sterlization servicesinpatient |
| Outpatient - Other | Laboratory Services | Drug Testing | Applied Behavior Analysis (autism services)primarily in-home |
| | Mobile treatment-Assertive community treatment (ACT) | Laboratory Services | HIV/AIDS laboratory services |
| | Mobile treatment-non-ACT | Does not apply | Augmentive communication devices |
| | Targeted Case Management | | Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS) |
| | Respite Care (1915i) | | Oxygen |
| | Does not apply | | HH: registered Nurse |
| | | | HH: Home Health Aide |
| | | | HH: physical therapy |
| | | | HH: Occupational therapy |
| | | | HH: Speech therapy |
| | | | Hospice: nursing services |
| | | | Hospice: Medical social services |
| | | | Hospice: Medical appliances and supplies |
| | | | Hospice: home health and aide services |
| | | | PACE: Day health care |
| | | | PACE: In-home care |
| | | | PACE: Nursing care |
| | | | PACE: Personal care |
| | | | PACE: Meals |
| | | | PACE: Recreation |
| | | | PACE: Social work |
| | | | PACE: Transportation |
| | | | CPAS and CFC: Nurse monitoring |
| | | | CPAS and CFC: Personal assistance |
| | | | services |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|--|
| | | CFC: Personal emergency response system |
| | | CFC: Transition services |
| | | CFC: Consumer training |
| | | CFC: home delivered meals |
| | | CFC: assistive technology |
| | | CFC: Accessibility adaptations |
| | | CFC: environmental assessments |
| | | ICS: case management |
| | | ICS: Medical Day Care |
| | | ICS: Nutritionist/Dietician |
| | | ICS: Family training |
| | | ICS: behavioral consultation |
| | | ICS: Assisted living |
| | | ICS: senior Center Plus |
| | | 1915c: case management |
| | | 1915c: certified Nursing Assistant/Home Health Aide |
| | | 1915c: nursing (private duty) (21+ years of age) |
| | | 1915c: medical Day Care |
| | | Autism: Family leave (retainer day) |
| | | Autism: Residential habilitation (regular and intensive) |
| | | Autism: Intensive individual support services |
| | | Autism: Therapeutic integration (regular and intensive) |
| | | Autism: adult life planning |
| | | Autism: Respite care |
| | | Autism: family training |
| | | Autism: Environmental accessibility adaption |
| | | Brain Injury: Residential habilitation |
| | | Brain Injury: Day habilitation |
| | | Brain injury: Supported employment |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|--|
| | | Brain injury: Individual support services |
| | | Brain injury: medical Day Care |
| | | HCBS: case management |
| | | HCBS: Medical Day Care |
| | | HCBS: Nutritionist/Dietician |
| | | HCBS: family training |
| | | HCBS: Behavioral consultation |
| | | HCBS: Assisted living |
| | | HCBS: senior Center Plus |
| | | Medical Day Care Waiver with associated services |
| | | Community Pathways and Community Supports waivers: Assistive technology and services |
| | | Community Pathways and Community Supports waivers: Behavioral support services |
| | | Community Pathways and Community Supports waivers: Career exploration |
| | | Community Pathways and Community Supports waivers: Community development |
| | | Community Pathways and Community Supports waivers: Day habilitation |
| | | Community Pathways and Community Supports waivers: Employment discovery and customization |
| | | Community Pathways and Community Supports waivers: Employment services |
| | | Community Pathways and Community Supports waivers: Environmental assessment |
| | | Community Pathways and Community Supports waivers: Environmental modification |
| | | Community Pathways and Community Supports waivers: Family and peer mentoring supports |
| | | Community Pathways and Community Supports waivers: Family caregiver training and empowerment |
| | | Community Pathways and Community Supports waivers: Housing support services |

| Community Pathways and Community Supports waivers: Individual and family directed goods and services |
|--|
| Community Pathways and Community Supports waivers: Medical Day Care |
| Community Pathways and Community Supports waivers: Nurse case management and delegation |
| Community Pathways and Community Supports waivers: Nurse consultation |
| Community Pathways and Community Supports waivers: Nurse health case management |
| Community Pathways and Community Supports waivers: Participant education, training and advocacy |
| Community Pathways and Community Supports waivers: Personal supports |
| Community Pathways and Community Supports waivers: Respite care services |
| Community Pathways and Community Supports waivers: Support broker services |
| Community Pathways and Community Supports waivers: Supported employment |
| Community Pathways and Community Supports waivers: Transportation |
| Community Pathways and Community Supports waivers: Vehicle modification |
| Community Pathways only: community living |
| Community Pathways only: live-in caregiver supports |
| Community Pathways only: Remote support services |
| Community Pathways only: Shared living |
| Community Pathways only: Support living |
| Community Pathways only: transition services |
| Family Supports: Assistive technology and services |
| Family Supports: Behavioral support services |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|---|
| | | Family Supports: Environmental assessment |
| | | Family Supports: Environmental modification |
| | | Family Supports: Family and peer mentoring supports |
| | | Family Supports: Family caregiver training and empowerment |
| | | Family Supports: Housing support services |
| | | Family Supports: Individual and family directed goods and services |
| | | Family Supports: Nurse case management and delegation |
| | | Family Supports: Nurse consultation |
| | | Family Supports: Participant education, training and advocacy |
| | | Family Supports: Personal supports |
| | | Family Supports: Respite care services |
| | | Family Supports: Support broker services |
| | | Family Supports: Transportation |
| | | Family Supports: Vehicle modification |
| | | HH: Registered Nurse |
| | | Health-related services and targeted case management services provided to children when the services are specified in the child's Individualized Education Plan or Individualized Family Service Plan |
| | | EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician) |
| | | Medical Day Care waiver with associated services(16+ years of age): |
| | | (2) Preventive services (semiannual cleanings, fluoride, etc.) - OP OR/ASC; |
| | | (4) Diagnostic services (oral exams, x- rays, sealants, etc.) - OP OR/ASC; |
| | | (6) Restorative services (filings, crowns, etc) - OP OR/ASC; |
| | | (8) Endodontic services (root canals, etc.) - OP OR/ASC; |
| | | (10) Periodontal services (scaling, full mouth debridement, etc.) - OP OR/ASC; |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|------------------|-----------------------------------|--|
| | | | (12)Prosthodontics (dentures, etc.) - OP OR/ASC; |
| | | | (14) Oral and Maxillofacial surgery services (extractions, etc.) - OP OR/ASC; |
| | | | (17) Anesthesia - OP OR/ASC. |
| | | | Care Management |
| | | | Targeted Case Management |
| | | | Diabetic Education |
| | | | National Diabetes Prevention Program |
| | | | DME/DMS Alternative ApproachFull category; need to identify any NQTLs that apply to any DME/DMS under the broad category. Description of NQTL factors should be more detailed. |
| | | | Genetic Testing |
| | | | Hepatitis C Virus Genotyping |
| | | | Home Health Services: medical supplies used for home heath visit |
| | | | Home Health Services: occupational therapy |
| | | | Home Health Services: physical therapy |
| | | | Home Health Services: skilled nursing services |
| | | | Home Health Services: speech pathology services |
| | | | Hospice CareOutpatient |
| | | | Laboratory Services |
| | | | Molecular Pathology Labs |
| | | | Neuro-Psychological Testing/Developmental Delay Programs |
| | | | Personal Care Services |
| | | | Private Duty Nursing |
| | | | Remote Patient Monitoring |
| | | | Applied Behavior Analysis (autism services)primarily in-home |
| Outpatient - Office Based | Activity Therapy | Alcohol and/or drug assessment | HH: Physical therapy |
| | Biofeedback | Ambulatory detoxification | HH: Occupational therapy |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|--|---|
| Electroconvulsive therapy (ECT) outpatient | Group therapyoutpatient | HH: Speech therapy |
| Family Psycho-Educational Therapy | Individual therapy outpatient | Hospice: Physician services |
| Family Therapyoutpatient | Intensive Outpatient (IOP)- -ASAM 2.1 | Hospice: Counseling services (including dietary, spiritual and bereavement) |
| Group therapyoutpatient | MAT Initial Induction: Alcohol/Drug Services; Medical/Somatic (Medical Intervention in Ambulatory Setting) | Hospice: Physical therapy |
| Health Behavior Assessment | MAT Initial Intake (Evaluation and Management, Including Rx) | Hospice: Occupational therapy |
| Health Behavior Reassessment | MAT Ongoing (Evaluation and Management, including Rx) | Hospice: Speech therapy |
| Individual Psycho-Educational Therapy | Partial Hospitalization (PHP)ASAM 2.5 | PACE: Medical specialty services (podiatry, psychiatry, dentistry, optometry and audiology) |
| Individual therapyoutpatient | Opioid Treatment Program (OTP) services - including med management | PACE: Rehabilitation |
| Intensive outpatient (IOP) | Buprenorphine guest dosing | ICS: Nutritionist/Dietician |
| Mental health assessment | Methadone guest dosing | ICS: Behavioral consultation |
| Mental health reassessment | Methadone Maintenance | 1915c: Physician participation in plan care meeting |
| Multiple family group therapy | Ongoing services (Buprenorphine/Naloxone): Alcohol/Other Drug Abuse Services, Not Otherwise Specified | Home and Community Based Options waiver: |
| Partial hospitalization (PHP) | Does not apply | HCBS: nutritionist/Dietician |
| Psychiatric Rehabilitation Services | SBIRT | HCBS: behavioral consultation |
| Psychological or neuropsychological testing and evaluation | primary SUD Services (assessment, clinical evaluation, referral to ASO) | HH: physical therapy |
| Therapeutic Behavioral Services | health home services for SUD (opioid addiction) - opioid treatment program | 1915c: physician participation in plan care meeting |
| Transcranial Magnetic Stimulation (TMS) | | (1) Preventive services (semiannual cleanings, fluoride, etc.) - Clinic; |
| Traumatic Brain Injury (TBI) Day Habilitation | | (3) Diagnostic services (oral exams, x- rays, sealants, etc.) - Clinic; |
| Evaulation and Management- Outpatient | | (5) Restorative services (filings, crowns etc) - Clinic; |
| | | |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|------------------------|---|
| Anesthesia - Outpatient | | (7) Endodontic services (root canals, etc.) - Clinic; |
| Does not apply | | (9) Periodontal services (scaling, full mouth debridement, etc.) - Clinic; |
| health home services for MH reasons (serious and persistent mental illness (SPMI) - services by mobile treatment services (MTS) or psychological rehabilitation programs | | (11) Prosthodontics (dentures, etc.) - Clinic; |
| primary mental health services (assessment, clinical evaluation, referral to ASO) | | (13) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; |
| | | (15) Orthodontic services - Clinic; |
| | | (16) Anesthesia - Clinic; and |
| | | (1) Preventive services (cleanings, fluoride, etc.) - Clinic; |
| | | (2) Diagnostic services (oral exams, x- rays, etc.) - Clinic; |
| | | (3) Restorative services (filings, crowns, etc) - Clinic; |
| | | (4) Endodontic services (root canals, etc.) - Clinic; |
| | | (5) Periodontal services (scaling, full mouth debridement, etc.) - Clinic; |
| | | (6) Prosthodontics (adjustment of dentures, etc.) - Clinic; |
| | | (7) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; and |
| | | (8) Anesthesia - Clinic. |
| | | Acne Services |
| | | Acupunture |
| | | Amputationsoutpatient |
| | | Audiology Services (hearing loss assessment and treatment) |
| | | Blood/Blood Products |
| | | Bypass surgeryoutpatient |
| | | Capsule Endoscopy |
| | | Cardiac Procedures (non-emergent) outpatient |
| | | Cardiac Rehabilitation |
| | | Chemotherapyoutpatient |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|---|
| | | Chiropractic Services |
| | | Circumcision |
| | | Clinic ServicesFQHC |
| | | Clinic ServicesCoumadin Clinic |
| | | Clinic ServicesSBHC |
| | | Clinic ServicesOther |
| | | Clinic ServicesHeart Failure Clinic |
| | | Clinic ServicesWound Clinic |
| | | Corrective Surgeryoutpatient |
| | | Cosmetic Procedures/Surgeries outpatient |
| | | Dermatology Procedures |
| | | Diagnostic and X-ray services: CT outpatient |
| | | Diagnostic and X-ray services: MRI outpatient |
| | | Diagnostic and X-ray services: PET outpatient |
| | | Diagnostic and X-ray services: Radiographyoutpatient |
| | | Dialysisoutpatient |
| | | Foster Care Evaluation/Check-up for children entering State custody |
| | | Genetic Counseling |
| | | Grafts/Implantsoutpatient |
| | | Hyperbaric Oxygen Therapy |
| | | Infusion/Maintenance Drug Infusion |
| | | Investigational Surgeries/Clinical Trials outpatient |
| | | National Diabetes Prevention Program Services |
| | | Nerve Stimulatoroutpatient |
| | | Neuro-Psychological Testing/Developmental Delay Programs |
| | | Neurosurgical proceduresoutpatient |
| | | Newborn Office Services |
| | | Nutritional Counseling |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------|------------------------|---|
| | | OB Ultrasound |
| | | Occupational Therapy |
| | | Oncology Treatment |
| | | Oral Surgery Adult |
| | | Oral Surgery Child |
| | | Outpatient hospital care (emergent) |
| | | Outpatient hospital care (non-emergent) |
| | | Outpatient Rehabilitative services |
| | | Outpatient Surgery (Ambulatory Surgery Center) |
| | | Pain Management Procedures |
| | | Pain Management Visits |
| | | Physical Therapy |
| | | Plastic and Restorative Surgery outpatient |
| | | Podiatry Services |
| | | Post-Stabilization Services |
| | | Pregnancy-related Services (OB Care) |
| | | Primary Care |
| | | Proton Therapy Treatment |
| | | Pulmonary Rehab |
| | | Sleep Studies /Sleep Apnea Studies |
| | | Somatic services related to gender dysphoria |
| | | Specialty Care |
| | | Speech Therapyoutpatient |
| | | Sterlization Servicesoutpatient |
| | | Transplants Pre and Post Transplant Servicesoutpatient |
| | | Urgent Care |
| | | Vision Services |
| | | Wound Vacuum-assisted closure (VAC) |
| | | Post-Stabilization Services-outpatient |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------------------|---|--|---|
| Emergency Benefits | Emergency Room- All inclusive ancillary services | Emergency Room- All inclusive ancillary services | Emergency Services billed with CDT codes |
| | Emergency Room- Medications | Emergency Room- Medications | Emergency Transportation (Ambulance) |
| | Emergency RoomBeyond EMTALA Screening | Emergency RoomBeyond EMTALA Screening | Observation Stay up to 24 h |
| | Emergency RoomEMTALA Screening | Emergency RoomEMTALA Screening | Air Ambulance |
| | Emergency RoomPost Stabilization Services | Emergency RoomPost Stabilization Services | Emergency TransportBasic Life Support |
| | Emergency RoomStabilization Services | Emergency Room Stabilization Services | Emergency TransportAdvanced Life Support (ALS) |
| | Emergency Room-Clinical Laboratory | Emergency Room-Clinical Laboratory | Emergency RoomEMTALA Screening |
| | Emergency Room-General Services | Emergency Room-General Services | Emergency RoomBeyond EMTALA Screening |
| | Observation Stay24 h | Observation Stay24 h | Emergency Room- All inclusive ancillary services |
| | Does not apply | Does not apply | Emergency Room-General Services |
| | emergency transportation ambulance | emergency transportation (ambulance) | Emergency Room-Clinical Laboratory |
| | | | Emergency Room- Medications |
| | | | Emergency Room-Radiology |
| | | | Emergency Room- Dental Services |
| | | | Emergency Room-Post-Stabilization Services |
| | | | Emergency RoomStabilization Services |
| Prescription Drugs | Abilify Maintena | ZUBSOLV | cinryze |
| | Abilify MyCite | SUBOXONE | spinraza |
| | Adasuve | BUNAVAIL | zolgensma |
| | Adhansia XR | SUBUTEX | MCO administered prescription drug |
| | Adzenys XR ODT | SUBLOCADE | |
| | amphetamine ER suspension (Adzenys ER) | VIVITROL | |
| | amphetamine sulfate (Evekeo) | Not Applicable | |
| | Aplenzin | acamprosate (Campral) | |
| | Aptensio XR | buprenorphine | |
| | Aptiom | buprenorphine/naloxone film | |
| | | | |

| aripiprazole (Abilify)buprenorphine/naloxone tabletsaripiprazole ODT (Abilify Discmelt)CampralAristadaLucemyraAristada Initionaltrexonearmodafinil (Nuvigil)Nicotrol® nasal spray, inhaleratomoxetine (Strattera)SublocadeBanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse)bupropion XL (Forfivo XL)nicotine gum |
|---|
| AristadaLucemyraAristada Initionaltrexonearmodafinil (Nuvigil)Nicotrol® nasal spray, inhaleratomoxetine (Strattera)SublocadeBanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| Aristada Initionaltrexonearmodafinil (Nuvigil)Nicotrol® nasal spray, inhaleratomoxetine (Strattera)SublocadeBanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| armodafinil (Nuvigil)Nicotrol® nasal spray, inhaleratomoxetine (Strattera)SublocadeBanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| inhaleratomoxetine (Strattera)SublocadeBanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| BanzelVivitrolBelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| BelsomrachantixBriviact (multiple formulations)disulfiram (Antabuse) |
| Briviact (multiple formulations) disulfiram (Antabuse) |
| |
| bupropion XL (Forfivo XL) nicotine gum |
| |
| buspirone nicotine lozenge |
| carbamazepine suspension (Tegretol) nicotine patches (generic only) |
| carbamazepine XR (Tegretol XR) suboxone film |
| Celontin |
| chloral hydrate |
| chlordiazepoxide |
| chlorpromazine (Thorazine) |
| citalopram tablets, solution (Celexa) |
| clobazam suspension (Onfi) |
| clobazam tablets (Onfi) |
| clomipramine |
| clonazepam (Klonapin) |
| clonazepam ODT (Klonapin ODT) |
| clonidine ER tablets (Kapvay) |
| clorazepate |
| clozapine (Clorazil) |
| clozapine ODT (Fazaclo) |
| Clozaril |
| Contempla |
| Cotempla XR ODT |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|------------------------|------------------|
| Daytrana | | |
| desvenlafaxine ER (Khedezla, Pristiq) | | |
| desvenlafaxine fumarate ER | | |
| dexmethylphenidate tablets (Focalin) | | |
| dexmethylphenidate XR (Focalin XR) (generic only) | | |
| dextroamphetamine capsules (Dexedrine ER) | | |
| dextroamphetamine solution (Procentra) | | |
| dextroamphetamine tablets | | |
| Diacomit capsules, powder pack | | |
| diazepam | | |
| diazepam rectal (Diastat, Acudial) | | |
| divalproex (Depakote) | | |
| divalproex ER (Depakote ER) | | |
| divalproex sprinkles (Depakote sprinkles) | | |
| doxepin (Silenor) | | |
| droperidol | | |
| duloxetine (Cymbalta) | | |
| Dyanavel XR | | |
| Edluar | | |
| Emsam | | |
| Epidiolex | | |
| Equetro | | |
| escitalopram solution (Lexapro) | | |
| estazolam (ProSom) | | |
| eszopiclone (Lunesta) | | |
| ethosuximide (Zarontin) | | |
| Evekeo | | |
| Evekeo ODT | | |
| Fanapt | | |
| felbamate (Felbatol) | | |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|------------------------|------------------|
| Fetzima | | |
| fluoxetine capsules 60mg | | |
| fluoxetine tablets (Sarafem) | | |
| fluoxetine weekly (Prozac weekly) | | |
| fluphenazine (Prolixin) | | |
| fluphenazine decanoate inj (Prolixin inj) | | |
| flurazepam (Dalmane) | | |
| fluvoxamine ER (Luvox CR) | | |
| Fycompa | | |
| gabapentin solution (Neurontin) | | |
| guanfacine ER (Intuniv) | | |
| haloperidol (Haldol) | | |
| haloperidol decanoate inj (Haldol IM) | | |
| Hetlioz | | |
| hydroxyzine (multiple formulations) | | |
| Ingrezza | | |
| Intuniv ER | | |
| Invega Sustenna | | |
| Invega Trinza | | |
| Jornay PM | | |
| Kapvay 0.1-0.2mg dose pack | | |
| Kapvay ER 0.1mg | | |
| Lamictal XR dose pack | | |
| lamotrigine XR, ODT (Lamictal XR, Lamictal ODT) | | |
| Latuda | | |
| levetiracetam ER (Keppra XR) | | |
| lithium (multiple formulations) | | |
| lorazepam (multiple formulations) | | |
| loxapine capsules (Loxitane) | | |
| Marplan | | |
| | | |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|------------------------|------------------|
| methamphetamine (Desoxyn) | | |
| methylphenidate CD capsules (Metadate CD) | | |
| methylphenidate chewable (Methylin chewable) | | |
| methylphenidate CR tablets (except 72mg) (Concerta) | | |
| methylphenidate CR tablets 72mg | | |
| methylphenidate ER capsules (Ritalin LA) | | |
| methylphenidate ER tablets (Ritalin SR) | | |
| methylphenidate oral solution (Methylin) | | |
| methylphenidate tablets (Ritalin) | | |
| midazolam | | |
| modafinil (Provigil) | | |
| molindone | | |
| Mydayis ER | | |
| Nayzilam | | |
| nefazodone (Serzone) | | |
| Nuplazid | | |
| olanzapine IM (Zyprexa IM) | | |
| olanzapine ODT (Zyprexa Zydis) | | |
| olanzapine tablets (Zyprexa) | | |
| olanzapine/fluoxetine (Symbyax) | | |
| oxazepam | | |
| Oxtellar XR | | |
| paliperidone (Invega) | | |
| paroxetine 7.5mg capsules (Bridelle) | | |
| paroxetine CR (Paxil CR) | | |
| Paxil suspension | | |
| Peganone | | |
| perphenazine (Trilafon) | | |
| perphenazine/amitriptyline (Triavil) | | |
| | | |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|--|------------------------|------------------|
| Perseris | | |
| Pexeva | | |
| phenelzine (Nardil) | | |
| pimozide (Orap) | | |
| pregabalin capsules | | |
| pregabalin solution | | |
| quetiapine (Seroquel) | | |
| quetiapine ER (Seroquel XR) | | |
| Quillichew ER | | |
| Quillivant XR | | |
| ramelteon (Rozerem) | | |
| Rexulti | | |
| Risperdal Consta | | |
| risperidone, risperidone ODT (Risperdal) | | |
| Rozerem | | |
| Sabril powder pack, tablets (Brand only) | | |
| Saphris | | |
| Secuado | | |
| sertraline tablets, concentrated solution (Zoloft) | | |
| Silenor | | |
| Spravato | | |
| Spritam | | |
| Strattera | | |
| Sunosi | | |
| Sympazan | | |
| temazepam 15mg, 30mg (Restoril) | | |
| temazepam 7.5mg, 22.5mg | | |
| thioridazine (Mellaril) | | |
| thiothixene (Navane) | | |
| tiagabine (Gabitril) (generic only) | | |

| Mental Health | Substance Use Disorder | Medical/Surgical |
|---|------------------------|------------------|
| topiramate ER (Qudexy XR) | | |
| trazodone (Desyrel) | | |
| triazolam (Halcion) | | |
| Trintellix | | |
| Trokendi XR | | |
| venlafexine ER tablets | | |
| Versacloz | | |
| vigabatrin (multiple formulations) | | |
| Viibryd | | |
| Vimpat | | |
| Vraylar | | |
| Wakix | | |
| zaleplon (Sonata) | | |
| Zenzedi | | |
| ziprasidone (Geodon) | | |
| ziprasidone IM (Geodon IM) | | |
| zolpidem (Ambien) | | |
| zolpidem ER (Ambien CR) | | |
| zolpidem SL (Intermezzo) | | |
| Zolpimist | | |
| Zubsolv | | |
| Zulresso | | |
| Zyprexa Relprevv | | |
| Aristada ER | | |
| clonidine (Catapres) | | |
| Depo-Provera (mulitple formulations) | | |
| Eligard (multiple formulations) (leuprolide acetate) | | |
| guanfacine (Tenex) | | |
| leuprolide acetate | | |
| liothyronine (Triostat) | | |
| Lupron 3.75mg (leuprolide acetate) | | |

Mental Health

Lupron Depot (multiple formuations) (leuprolide acetate)

Any parity flags found in Standard 6 are reported below. The number of flags per classification and limit type combination is shown.

| Parity Flag | | | | |
|---------------------------|------------|-------|-------------|-----------------------|
| | Deductible | Сорау | Coinsurance | Out-of-pocket maximum |
| Inpatient | - | - | - | - |
| Outpatient - Other | - | - | - | - |
| Outpatient - Office Based | - | - | - | - |
| Emergency Benefits | - | - | - | - |
| Prescription Drugs | - | - | - | - |

Any classification/limit type combination considered incomplete is reported in the table below.

| Missing Information | | | | |
|---------------------------|------------|-------|-------------|-----------------------|
| | Deductible | Сорау | Coinsurance | Out-of-pocket maximum |
| Inpatient | Y | Y | Y | Y |
| Outpatient - Other | Y | Y | Y | Y |
| Outpatient - Office Based | Y | Y | Y | Y |
| Emergency Benefits | Y | Y | Y | Y |
| Prescription Drugs | Y | Y | Y | Y |

Any parity flags found in Standard 7 are reported below. The number of flags per classification and limit type combination is shown.

| | Parity Flag | | |
|---------------------------|-------------|-------------|--------------|
| | Day limits | Hour limits | Visit limits |
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

Any classification/limit type combination considered incomplete is reported in the table below.

| Missing Information | | | |
|---------------------------|------------|-------------|--------------|
| | Day limits | Hour limits | Visit limits |
| Inpatient | Y | Y | Y |
| Outpatient - Other | Y | Y | Y |
| Outpatient - Office Based | Y | Y | Y |
| Emergency Benefits | Y | Y | Y |
| Prescription Drugs | Y | Y | Y |

Any parity flags found in Standard 8 are reported below. The number of flags per classification and limit type combination is shown.

| Parity Flag | | | | |
|---------------------------|---------------|------------------------|------------------|--|
| | Mental Health | Substance Use Disorder | Medical/Surgical | |
| Inpatient | 1 | 1 | - | |
| Outpatient - Other | 1 | 1 | - | |
| Outpatient - Office Based | 1 | 1 | - | |
| Emergency Benefits | - | - | - | |
| Prescription Drugs | - | - | - | |

Any classification/category/NQTL combination considered incomplete is reported in the table below.

| Missing Information | | | |
|---------------------------|---------------|------------------------|------------------|
| | Mental Health | Substance Use Disorder | Medical/Surgical |
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

Which of the following NQTL types are currently in use? Red NQTLs should be considered a parity flag.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Emergency Benefits | medical necessity | Outlier Management | Outlier Management |
| | | medical necessity | medical necessity |
| Inpatient | Outlier Management | Outlier Management | Outlier Management |
| | concurrent review | Service Limitations | Service Limitations |
| | medical necessity | concurrent review | concurrent review |
| | prior authorization/pre authorization | fail first requirements/step therapy | fail first requirements/step therapy |
| | data collection | medical necessity | medical necessity |
| | | prior authorization/pre authorization | prior authorization/pre authorization |
| | | data collection | |
| Outpatient - Other | Outlier Management | Outlier Management | Outlier Management |
| | Service Limitations | Service Limitations | Service Limitations |
| | concurrent review | concurrent review | concurrent review |
| | medical necessity | fail first requirements/step therapy | fail first requirements/step therapy |
| | prior authorization/pre authorization | medical necessity | medical necessity |
| | data collection | prior authorization/pre authorization | prior authorization/pre authorization |
| | | data collection | |
| Outpatient - Office Based | Outlier Management | Outlier Management | Outlier Management |
| | Service Limitations | Service Limitations | Service Limitations |
| | concurrent review | concurrent review | concurrent review |
| | fail first requirements/step therapy | medical necessity | fail first requirements/step therapy |
| | medical necessity | prior authorization/pre authorization | medical necessity |
| | prior authorization/pre authorization | data collection | prior authorization/pre authorization |
| | data collection | | |
| Prescription Drugs | fail first requirements/step therapy | Outlier Management | Outlier Management |
| | medical necessity | fail first requirements/step therapy | fail first requirements/step therapy |
| | prior authorization/pre authorization | medical necessity | medical necessity |
| | tiered drug formulary | prior authorization/pre authorization | prior authorization/pre authorization |
| | | tiered drug formulary | tiered drug formulary |
| | | | dosage limits |

dosage limits

Classification: Emergency Benefits Category: Medical/Surgical

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

Classification: Emergency Benefits Category: Mental Health

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

medical necessity

Classification: Emergency Benefits Category: Substance Use Disorder

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

Classification: Inpatient Category: Medical/Surgical

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Service Limitations

Medicaid_Parity Analysis

Definitions_9.10.20.pdf

• 1.Maryland

 Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

medical necessity

Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

concurrent review

 1.Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

fail first requirements/step therapy • Maryland

Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

Classification: Inpatient Category: Mental Health

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

concurrent review

Medicaid_Parity Analysis

Definitions_7.16.20.pdf

Maryland

medical necessity

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

finitions_7.16.20.pdf

data collection

- Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf
- Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

Classification: Inpatient

Category: Substance Use Disorder

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

- Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf
- 1.Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

medical necessity

• Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

- Service Limitations
 - Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

concurrent review

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

fail first requirements/step therapy • Maryland

Medicaid_Parity Analysis Definitions_9.10.20.pdf

data collection

- Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf
- prior authorization/pre authorization
 Maryland Medicaid Parity Analysis
 - Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

URAC ParityManager[™] Report

Classification: Outpatient - Other Category: Medical/Surgical

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Service Limitations

Medicaid_Parity Analysis

Definitions_7.16.20.pdf

Maryland

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

concurrent review

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

fail first requirements/step therapy • Maryland

Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

Standard 8 Classification: Outpatient - Other

Category: Mental Health

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Service Limitations

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

concurrent review

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

 Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

data collection

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

Classification: Outpatient - Other Category: Substance Use Disorder

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

- Maryland Medicaid_Parity Analysis Definitions 7.16.20.pdf
- **Service Limitations** Maryland
 - Medicaid_Parity Analysis Definitions_7.16.20.pdf
- concurrent review
 - Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

fail first requirements/step therapy Maryland

- Medicaid_Parity Analysis Definitions_7.16.20.pdf
- prior authorization/pre authorization • Maryland Medicaid_Parity Analysis

Definitions 7.16.20.pdf

- data collection
 - Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

URAC ParityManager[™] Report

Classification: Outpatient - Office Based Category: Medical/Surgical

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Service Limitations

Medicaid_Parity Analysis

Definitions_7.16.20.pdf

Maryland

 Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

medical necessity

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

concurrent review

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

fail first requirements/step therapy • Maryland

Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

Classification: Outpatient - Office Based Category: Mental Health

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

- Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf
- Service Limitations
 - Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf
- concurrent review
 - Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

fail first requirements/step therapy • Maryland

- Medicaid_Parity Analysis Definitions_7.16.20.pdf
- prior authorization/pre authorizationdata collection• Maryland Medicaid_Parity Analysis• Maryland Medicaid Medicaid
 - Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf
- . -

Definitions 7.16.20.pdf

Classification: Outpatient - Office Based Category: Substance Use Disorder

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

Service Limitations

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

concurrent review

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

medical necessity

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

data collection

• Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

Classification: Prescription Drugs Category: Medical/Surgical

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Outlier Management

fail first

Maryland

requirements/step therapy

Medicaid_Parity Analysis

Definitions_7.16.20.pdf

 Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

tiered drug formulary

• Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

medical necessity

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

dosage limits

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre

Medicaid_Parity Analysis

Definitions_7.16.20.pdf

authorization

• Maryland

Classification: Prescription Drugs Category: Mental Health

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

fail first

medical necessity requirements/step therapy

Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

Maryland

prior authorization/pre authorization

 Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

tiered drug formulary

 Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

Medicaid_Parity Analysis Definitions_9.10.20.pdf

Classification: Prescription Drugs Category: Substance Use Disorder

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

medical necessity

Definitions_7.16.20.pdf

Maryland

Outlier Management

fail first

requirements/step therapy

- Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf
- Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

prior authorization/pre authorization Medicaid_Parity Analysis

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

tiered drug formulary

• Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

NQTL Type: Outlier Management Classification: Emergency Benefits

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder • Does not apply

- Emergency Room--Beyond EMTALA
 Screening
- Emergency Room- All inclusive ancillary services
- Emergency Room-General Services
- Emergency Room-Clinical Laboratory
- Emergency Room- Medications
- Emergency Room-Radiology
- Emergency Room- Dental Services
- Emergency Room-Post-Stabilization Services
- Emergency Room--Stabilization Services

Standard 8 NQTL Type: Outlier Management Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Acute Care Services
- Special Psychiatric Hospital
- Residential Treatment Centers
- nursing facility: mental health services

Substance Use Disorder

- Inpatient Detoxification--hospital
- Inpatient Detoxification-IMD (Licensed Intermediate Care Facilities for Addictions in Maryland)
- Residential SUD Treatment--ASAM 3.1
- Residential SUD Treatment--ASAM 3.3
- Residential SUD Treatment--ASAM 3.5
- Residential SUD Treatment--ASAM 3.7
- Residential SUD Treatment--ASAM 3.7WM (Licensed ASAM 3.7D in Maryland)
- Inpatient ASAM 4.0
- Nursing Facility: SUD services
- Individual therapy—SUD inpatient
- group therapy SUD inpatient
- family therapy SUD inpatient
- discharge day
- ancillary services SUD

- Nursing Facility: Nursing services
- Nursing Facility: Dietary services
- Nursing Facility: Physician services
- Nursing Facility: Specialized rehabilitation
- Nursing Facility: Social work
- Nursing Facility: Activities
- Nursing Facility: Pharmaceutical services
- Nursing Facility: Behavioral health services
- Nursing Facility: Laboratory, radiology and other diagnostic testing
- Nursing Facility: Dental services
- Acute Care Services (Births/Deliveries)
- Acute Care Services (Medical/Surgical)
- Amputations--inpatient
- Bariatric Surgery
- Bypass surgery--inpatient
- Cardiac Procedures (non-emergent)--inpatient
- Chemotherapy--inpatient
- Corrective Surgery--inpatient
- Cosmetic Procedures--Inpatient
- Dialysis--Inpatient
- Erectile Dysfunction Procedures
- Eye Procedures--Inpatient
- Gender affirmation surgery
- Grafts/Implants
- Hospice Care--Inpatient
- Hospital Care--inpatient
- Hysterectomy
- Institutional Long Term Care/Skilled Nursing Facility (first 90 days)
- Investigational Surgeries/Clinical Trials--inpatient
- Neurostimulators
- Neurosurgical procedures--inpatient
- NICU/Sick baby/Detained baby
- Oncology Services--inpatient
- Rehabilitation Services (Acute)
- Surgery (nonurgent)--inpatient
- Surgery (urgent)--inpatient
- Transplants
- Transplants Pre and Post Transplant Services

• Sterlization services--inpatient

NQTL Type: Outlier Management Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Laboratory Services
- Mobile treatment-Assertive community treatment (ACT)
- Mobile treatment-non-ACT
- Targeted Case Management

Substance Use Disorder

- Drug Testing
- Laboratory Services

- Applied Behavior Analysis (autism services)--primarily in-home
- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- Oxygen
- HH: registered Nurse
- HH: Home Health Aide
- HH: physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- PACE: Day health care
- PACE: In-home care
- PACE: Nursing care
- PACE: Personal care
- PACE: Meals
- PACE: Recreation
- PACE: Social work
- PACE: Transportation
- CPAS and CFC: Personal assistance services
- CFC: home delivered meals
- ICS: case management
- Autism: Family leave (retainer day)
- Autism: Residential habilitation (regular and intensive)
- Autism: Intensive individual support services
- Autism: Therapeutic integration (regular and intensive)
- Autism: adult life planning
- Autism: Respite care
- Autism: family training
- Autism: Environmental accessibility adaption
- Brain Injury: Residential habilitation
- Brain Injury: Day habilitation
- Brain injury: Supported employment
- Brain injury: Individual support services
- Brain injury: medical Day Care
- HCBS: case management
- Community Pathways and Community Supports waivers: Assistive technology and services
- Community Pathways and Community Supports waivers: Behavioral support services

- Community Pathways and Community Supports waivers: Career exploration
- Community Pathways and Community Supports waivers: Community development
- Community Pathways and Community Supports waivers: Day habilitation
- Community Pathways and Community Supports waivers: Employment discovery and customization
- Community Pathways and Community Supports waivers: Employment services
- Community Pathways and Community Supports waivers: Environmental assessment
- Community Pathways and Community Supports waivers: Environmental modification
- Community Pathways and Community Supports waivers: Family and peer mentoring supports
- Community Pathways and Community Supports waivers: Family caregiver training and empowerment
- Community Pathways and Community Supports waivers: Housing support services
- Community Pathways and Community Supports waivers: Individual and family directed goods and services
- Community Pathways and Community Supports waivers: Medical Day Care
- Community Pathways and Community Supports waivers: Nurse case management and delegation
- Community Pathways and Community Supports waivers: Nurse consultation
- Community Pathways and Community Supports waivers: Nurse health case management
- Community Pathways and Community Supports waivers: Participant education, training and advocacy
- Community Pathways and Community Supports waivers: Personal supports
- Community Pathways and Community Supports waivers: Respite care services
- Community Pathways and Community Supports waivers:

Support broker services

- Community Pathways and Community Supports waivers: Supported employment
- Community Pathways and Community Supports waivers: Transportation
- Community Pathways and Community Supports waivers: Vehicle modification
- Community Pathways only: community living
- Community Pathways only: live-in caregiver supports
- Community Pathways only: Remote support services
- Community Pathways only: Shared living
- Community Pathways only: Support living
- Community Pathways only: transition services
- Family Supports: Assistive technology and services
- Family Supports: Behavioral support services
- Family Supports: Environmental assessment
- Family Supports: Environmental modification
- Family Supports: Family and peer mentoring supports
- Family Supports: Family caregiver training and empowerment
- Family Supports: Housing support services
- Family Supports: Individual and family directed goods and services
- Family Supports: Nurse case management and delegation
- Family Supports: Nurse consultation
- Family Supports: Participant education, training and advocacy
- Family Supports: Personal supports
- Family Supports: Respite care services
- Family Supports: Support broker services
- Family Supports: Transportation
- Family Supports: Vehicle
 modification
- HH: Registered Nurse
- EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician)
- Medical Day Care waiver with associated services(16+ years of age):

- (2) Preventive services (semiannual cleanings, fluoride, etc.) - OP OR/ASC;
- (4) Diagnostic services (oral exams, x-rays, sealants, etc.) - OP OR/ASC;
- (6) Restorative services (filings, crowns, etc) OP OR/ASC;
- (8) Endodontic services (root canals, etc.) OP OR/ASC;
- (10) Periodontal services (scaling, full mouth debridement, etc.) - OP OR/ASC;
- (12)Prosthodontics (dentures, etc.) OP OR/ASC;
- (14) Oral and Maxillofacial surgery services (extractions, etc.) - OP OR/ASC;
- (17) Anesthesia OP OR/ASC.
- Diabetic Education
- DME/DMS Alternative Approach--Full category; need to identify any NQTLs that apply to any DME/DMS under the broad category.
 Description of NQTL factors should be more detailed.
- Genetic Testing
- Home Health Services: medical supplies used for home heath visit
- Home Health Services: occupational therapy
- Home Health Services: physical therapy
- Home Health Services: skilled
 nursing services
- Home Health Services: speech
 pathology services
- Hospice Care--Outpatient
- Laboratory Services
- Molecular Pathology Labs
 Neuro-Psychological Testing/Developmental Delay Programs
- Private Duty Nursing
- Remote Patient Monitoring

NQTL Type: Outlier Management Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Biofeedback
- Electroconvulsive therapy (ECT)-outpatient
- Family Psycho-Educational Therapy
- Family Therapy--outpatient
- Group therapy--outpatient
- Health Behavior Assessment
- Health Behavior Reassessment
- Individual Psycho-Educational Therapy
- Individual therapy--outpatient
- Intensive outpatient (IOP)
- Mental health assessment
- Mental health reassessment
- Multiple family group therapy
- Partial hospitalization (PHP)
- Psychiatric Rehabilitation Services
- Psychological or neuropsychological testing and evaluation
- Therapeutic Behavioral Services
- Transcranial Magnetic Stimulation (TMS)
- Traumatic Brain Injury (TBI) Day Habilitation
- Evaulation and Management-Outpatient

Substance Use Disorder

- Alcohol and/or drug assessment
- Ambulatory detoxification
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive Outpatient (IOP)--ASAM 2.1
- MAT Initial Induction: Alcohol/Drug Services; Medical/Somatic (Medical Intervention in Ambulatory Setting)
- MAT Initial Intake (Evaluation and Management, Including Rx)
- MAT Ongoing (Evaluation and Management, including Rx)
- Partial Hospitalization (PHP)--ASAM 2.5
- Opioid Treatment Program (OTP) services - including med management

- HH: Physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- HH: physical therapy
- (1) Preventive services (semiannual cleanings, fluoride, etc.) Clinic;
- (3) Diagnostic services (oral exams, x-rays, sealants, etc.) Clinic;
- (5) Restorative services (filings, crowns, etc) Clinic;
- (7) Endodontic services (root canals, etc.) Clinic;
- (9) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (11) Prosthodontics (dentures, etc.)
 Clinic;
- (13) Oral and Maxillofacial surgery services (extractions, etc.) Clinic;
- (15) Orthodontic services Clinic;
- (16) Anesthesia Clinic; and
- (1) Preventive services (cleanings, fluoride, etc.) Clinic;
- (2) Diagnostic services (oral exams, x-rays, etc.) Clinic;
- (3) Restorative services (filings, crowns, etc) Clinic;
- (4) Endodontic services (root canals, etc.) Clinic;
- (5) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (6) Prosthodontics (adjustment of dentures, etc.) Clinic;
- (7) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; and
- (8) Anesthesia Clinic.
- Acupunture
- Audiology Services (hearing loss assessment and treatment)
- Cardiac Procedures (non-emergent) -outpatient
- Chiropractic Services
- Cosmetic Procedures/Surgeries-outpatient
- Occupational Therapy
- Pain Management Procedures
- Pain Management Visits
- Primary Care
- Sleep Studies /Sleep Apnea Studies

- Specialty Care
- Speech Therapy--outpatient
- Vision Services

NQTL Type: Outlier Management Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder

Not Applicable

Medical/Surgical

• MCO administered prescription drug

NQTL Type: medical necessity Classification: Emergency Benefits

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Emergency Room- All inclusive ancillary services
- Emergency Room- Medications
- Emergency Room--Beyond EMTALA Screening
- Emergency Room--EMTALA Screening
- Emergency Room--Post Stabilization Services
- Emergency Room--Stabilization Services
- Emergency Room-Clinical Laboratory
- Emergency Room-General Services
- Observation Stay--24 h
- emergency transportation ambulance

Substance Use Disorder

- Emergency Room- All inclusive ancillary services
- Emergency Room- Medications
- Emergency Room--Beyond EMTALA Screening
- Emergency Room--EMTALA Screening
- Emergency Room--Post Stabilization Services
- Emergency Room--Stabilization Services
- Emergency Room-Clinical Laboratory
- Emergency Room-General Services
- Observation Stay--24 h
- Does not apply
- emergency transportation (ambulance)

- Emergency Services billed with CDT codes
- Emergency Transportation (Ambulance)
- Observation Stay up to 24 h
- Air Ambulance
- Emergency Transport--Basic Life Support
- Emergency Transport--Advanced Life Support (ALS)
- Emergency Room--EMTALA Screening
- Emergency Room--Beyond EMTALA Screening
- Emergency Room- All inclusive ancillary services
- Emergency Room-General Services
- Emergency Room-Clinical Laboratory
- Emergency Room- Medications
- Emergency Room-Radiology
- Emergency Room- Dental Services
 - Emergency Room-Post-Stabilization Services
 - Emergency Room--Stabilization Services

Standard 8 NQTL Type: medical necessity Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Acute Care Services
- Ancillary Services
- Anesthesia--Inpatient
- Electroconvulsive therapy (ECT)-inpatient
- Patient Consultation
- Psychological or neuropsychological testing and evaluation--inpatient
- Individual therapy--inpatient
- Group therapy--inpatient
- Family therapy--inpatient
- Special Psychiatric Hospital
- Residential Treatment Centers
- nursing facility: mental health
 services

Substance Use Disorder

- Inpatient Detoxification--hospital
- Inpatient Detoxification-IMD (Licensed Intermediate Care Facilities for Addictions in Maryland)
- Residential SUD Treatment--ASAM
 3.1
- Residential SUD Treatment--ASAM 3.3
- Residential SUD Treatment--ASAM 3.5
- Residential SUD Treatment--ASAM 3.7
- Residential SUD Treatment--ASAM 3.7WM (Licensed ASAM 3.7D in Maryland)
- Inpatient ASAM 4.0
- Nursing Facility: SUD services
- Individual therapy—SUD inpatient
- group therapy SUD inpatient
- family therapy SUD inpatient
- discharge day
- ancillary services SUD

- Nursing Facility: Nursing services
- Nursing Facility: Dietary services
- Nursing Facility: Physician services
- Nursing Facility: Specialized rehabilitation
- Nursing Facility: Social work
- Nursing Facility: Activities
- Nursing Facility: Pharmaceutical services
- Nursing Facility: Behavioral health services
- Nursing Facility: Laboratory, radiology and other diagnostic testing
- Nursing Facility: Dental services
- Hospice: Short-term inpatient care
- Acute Care Services (Medical/Surgical)
- Amputations--inpatient
- Bariatric Surgery
- Bypass surgery--inpatient
- Cardiac Procedures (non-emergent)--inpatient
- Chemotherapy--inpatient
- Corrective Surgery--inpatient
- Cosmetic Procedures--Inpatient
- Dialysis--Inpatient
- Erectile Dysfunction Procedures
- Eye Procedures--Inpatient
- Gender affirmation surgery
- Grafts/Implants
- Hospice Care--Inpatient
- Hospital Care--inpatient
- Hysterectomy
- Institutional Long Term Care/Skilled Nursing Facility (first 90 days)
- Investigational Surgeries/Clinical Trials--inpatient
- Neurostimulators
- Neurosurgical procedures--inpatient
- NICU/Sick baby/Detained baby
- Oncology Services--inpatient
- Plastic and Restorative Surgery-inpatient
- Post-Stabilization Services-inpatient
- Rehabilitation Services (Acute)
- Spinal Cord Stimulator
- Surgery (nonurgent)--inpatient
- Surgery (urgent)--inpatient

- Transplants
- Transplants Pre and Post Transplant Services
- Sterlization services--inpatient

NQTL Type: medical necessity Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Laboratory Services
- Mobile treatment-Assertive community treatment (ACT)
- Mobile treatment-non-ACT
- Targeted Case Management
- Respite Care (1915i)

Substance Use Disorder

- Drug Testing
- Laboratory Services

- Applied Behavior Analysis (autism services)--primarily in-home
- HIV/AIDS laboratory services
- Augmentive communication devices
- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- Oxygen
- HH: registered Nurse
- HH: Home Health Aide
- HH: physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- Hospice: nursing services
- Hospice: Medical social services
- Hospice: Medical appliances and supplies
- Hospice: home health and aide services
- PACE: Day health care
- PACE: In-home care
- PACE: Nursing care
- PACE: Personal care
- PACE: Meals
- PACE: Recreation
- PACE: Social work
- PACE: Transportation
- CPAS and CFC: Nurse monitoring
- CPAS and CFC: Personal assistance services
- CFC: Personal emergency response system
- CFC: Transition services
- CFC: Consumer training
- CFC: home delivered meals
- CFC: assistive technology
- CFC: Accessibility adaptations
- CFC: environmental assessments
- ICS: case management
- ICS: Medical Day Care
- ICS: Nutritionist/Dietician
- ICS: Family training
- ICS: behavioral consultation
- ICS: Assisted living
- ICS: senior Center Plus
- 1915c: case management
- 1915c: certified Nursing Assistant/Home Health Aide

- 1915c: nursing (private duty) (21+ years of age)
- 1915c: medical Day Care
- Autism: Family leave (retainer day)
- Autism: Residential habilitation (regular and intensive)
- Autism: Intensive individual support services
- Autism: Therapeutic integration (regular and intensive)
- Autism: adult life planning
- Autism: Respite care
- Autism: family training
- Autism: Environmental accessibility adaption
- Brain Injury: Residential habilitation
- Brain Injury: Day habilitation
- Brain injury: Supported employment
- Brain injury: Individual support services
- Brain injury: medical Day Care
- HCBS: case management
- HCBS: Medical Day Care
- HCBS: Nutritionist/Dietician
- HCBS: family training
- HCBS: Behavioral consultation
- HCBS: Assisted living
- HCBS: senior Center Plus
- Medical Day Care Waiver with associated services
- Community Pathways and Community Supports waivers: Assistive technology and services
- Community Pathways and Community Supports waivers: Behavioral support services
- Community Pathways and Community Supports waivers: Career exploration
- Community Pathways and Community Supports waivers: Community development
- Community Pathways and Community Supports waivers: Day habilitation
- Community Pathways and Community Supports waivers: Employment discovery and customization
- Community Pathways and Community Supports waivers: Employment services
- Community Pathways and Community Supports waivers: Environmental assessment
- Community Pathways and Community Supports waivers: Environmental modification
- Community Pathways and Community Supports waivers:

Family and peer mentoring supports

- Community Pathways and Community Supports waivers: Family caregiver training and empowerment
- Community Pathways and Community Supports waivers: Housing support services
- Community Pathways and Community Supports waivers: Individual and family directed goods and services
- Community Pathways and Community Supports waivers: Medical Day Care
- Community Pathways and Community Supports waivers: Nurse case management and delegation
- Community Pathways and Community Supports waivers: Nurse consultation
- Community Pathways and Community Supports waivers: Nurse health case management
- Community Pathways and Community Supports waivers: Participant education, training and advocacy
- Community Pathways and Community Supports waivers: Personal supports
- Community Pathways and Community Supports waivers: Respite care services
- Community Pathways and Community Supports waivers: Support broker services
- Community Pathways and Community Supports waivers: Supported employment
- Community Pathways and Community Supports waivers: Transportation
- Community Pathways and Community Supports waivers: Vehicle modification
- Community Pathways only: community living
- Community Pathways only: live-in caregiver supports
- Community Pathways only: Remote support services
- Community Pathways only: Shared living
- Community Pathways only: Support living
- Community Pathways only: transition services
- Family Supports: Assistive technology and services

- Family Supports: Behavioral support services
- Family Supports: Environmental assessment
- Family Supports: Environmental modification
- Family Supports: Family and peer mentoring supports
- Family Supports: Family caregiver training and empowerment
- Family Supports: Housing support services
- Family Supports: Individual and family directed goods and services
- Family Supports: Nurse case management and delegation
- Family Supports: Nurse consultation
- Family Supports: Participant education, training and advocacy
- Family Supports: Personal supports
- Family Supports: Respite care services
- Family Supports: Support broker services
- Family Supports: Transportation
- Family Supports: Vehicle
 modification
- HH: Registered Nurse
- Health-related services and targeted case management services provided to children when the services are specified in the child's Individualized Education Plan or Individualized Family Service Plan
- EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician)
- Medical Day Care waiver with associated services(16+ years of age):
- (2) Preventive services (semiannual cleanings, fluoride, etc.) - OP OR/ASC;
- (4) Diagnostic services (oral exams, x-rays, sealants, etc.) - OP OR/ASC;
- (6) Restorative services (filings, crowns, etc) OP OR/ASC;
- (8) Endodontic services (root canals, etc.) OP OR/ASC;
- (10) Periodontal services (scaling, full mouth debridement, etc.) - OP OR/ASC;
- (12)Prosthodontics (dentures, etc.) OP OR/ASC;
- (14) Oral and Maxillofacial surgery services (extractions, etc.) - OP OR/ASC;
- (17) Anesthesia OP OR/ASC.
- Care Management

- Targeted Case Management
- Diabetic Education
- National Diabetes Prevention
 Program
- DME/DMS Alternative Approach--Full category; need to identify any NQTLs that apply to any DME/DMS under the broad category.
 Description of NQTL factors should be more detailed.
- Genetic Testing
- Hepatitis C Virus Genotyping
- Home Health Services: medical supplies used for home heath visit
- Home Health Services: occupational therapy
- Home Health Services: physical therapy
- Home Health Services: skilled
 nursing services
- Home Health Services: speech
 pathology services
- Hospice Care--Outpatient
- Laboratory Services
- Molecular Pathology Labs
 Neuro-Psychological Testing/Developmental Delay Programs
- Personal Care Services
- Private Duty Nursing
- Remote Patient Monitoring
- Applied Behavior Analysis (autism services)--primarily in-home

NQTL Type: medical necessity Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Activity Therapy
- Biofeedback
- Electroconvulsive therapy (ECT)-outpatient
- Family Psycho-Educational Therapy
- Family Therapy--outpatient
- Group therapy--outpatient
- Health Behavior Assessment
- Health Behavior Reassessment
- Individual Psycho-Educational Therapy
- Individual therapy--outpatient
- Intensive outpatient (IOP)
- Mental health assessment
- Mental health reassessment
- Multiple family group therapy
- Partial hospitalization (PHP)
- Psychiatric Rehabilitation Services
- Psychological or neuropsychological testing and evaluation
- Therapeutic Behavioral Services
- Transcranial Magnetic Stimulation (TMS)
- Traumatic Brain Injury (TBI) Day Habilitation
- Evaulation and Management-Outpatient
- Anesthesia Outpatient
- health home services for MH reasons (serious and persistent mental illness (SPMI) - services by mobile treatment services (MTS) or psychological rehabilitation programs
- primary mental health services (assessment, clinical evaluation, referral to ASO)

Substance Use Disorder

- Alcohol and/or drug assessment
- Ambulatory detoxification
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive Outpatient (IOP)--ASAM 2.1
- MAT Initial Induction: Alcohol/Drug Services; Medical/Somatic (Medical Intervention in Ambulatory Setting)
- MAT Initial Intake (Evaluation and Management, Including Rx)
- MAT Ongoing (Evaluation and Management, including Rx)
- Partial Hospitalization (PHP)--ASAM 2.5
- Opioid Treatment Program (OTP) services - including med management
- Buprenorphine guest dosing
- Methadone guest dosing
- Methadone Maintenance
- Ongoing services (Buprenorphine/Naloxone): Alcohol/Other Drug Abuse Services, Not Otherwise Specified
- SBIRT
- primary SUD Services (assessment, clinical evaluation, referral to ASO)
- health home services for SUD (opioid addiction) - opioid treatment program

- HH: Physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- Hospice: Physician services
- Hospice: Counseling services (including dietary, spiritual and bereavement)
- Hospice: Physical therapy
- Hospice: Occupational therapy
- Hospice: Speech therapy
- PACE: Medical specialty services (podiatry, psychiatry, dentistry, optometry and audiology)
- PACE: Rehabilitation
- ICS: Nutritionist/Dietician
- ICS: Behavioral consultation
- 1915c: Physician participation in plan of care meeting
- Home and Community Based Options waiver:
- HCBS: nutritionist/Dietician
- HCBS: behavioral consultation
- HH: physical therapy
- 1915c: physician participation in plan of care meeting
- (1) Preventive services (semiannual cleanings, fluoride, etc.) Clinic;
- (3) Diagnostic services (oral exams, x-rays, sealants, etc.) Clinic;
- (5) Restorative services (filings, crowns, etc) Clinic;
- (7) Endodontic services (root canals, etc.) Clinic;
- (9) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (11) Prosthodontics (dentures, etc.) - Clinic;
- (13) Oral and Maxillofacial surgery services (extractions, etc.) Clinic;
- (15) Orthodontic services Clinic;
- (16) Anesthesia Clinic; and
- (1) Preventive services (cleanings, fluoride, etc.) Clinic;
- (2) Diagnostic services (oral exams, x-rays, etc.) Clinic;
- (3) Restorative services (filings, crowns, etc) Clinic;
- (4) Endodontic services (root canals, etc.) Clinic;

- (5) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (6) Prosthodontics (adjustment of dentures, etc.) Clinic;
- (7) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; and
- (8) Anesthesia Clinic.
- Acne Services
- Acupunture
- Amputations--outpatient
- Audiology Services (hearing loss assessment and treatment)
- Blood/Blood Products
- Bypass surgery--outpatient
- Capsule Endoscopy
- Cardiac Procedures (non-emergent) -outpatient
- Cardiac Rehabilitation
- Chemotherapy--outpatient
- Chiropractic Services
- Circumcision
- Clinic Services--FQHC
- Clinic Services--Coumadin Clinic
- Clinic Services--SBHC
- Clinic Services--Other
- Clinic Services--Heart Failure Clinic
- Clinic Services--Wound Clinic
- Corrective Surgery--outpatient
- Cosmetic Procedures/Surgeries-outpatient
- Dermatology Procedures
- Diagnostic and X-ray services: CT-outpatient
- Diagnostic and X-ray services: MRI-outpatient
- Diagnostic and X-ray services: PET-outpatient
- Diagnostic and X-ray services: Radiography--outpatient
- Dialysis--outpatient
- Foster Care Evaluation/Check-up for children entering State custody
- Genetic Counseling
- Grafts/Implants--outpatient
- Hyperbaric Oxygen Therapy
- Infusion/Maintenance Drug Infusion
- Investigational Surgeries/Clinical Trials--outpatient
- National Diabetes Prevention
 Program Services
- Nerve Stimulator--outpatient
- Neuro-Psychological Testing/Developmental Delay Programs
- Neurosurgical procedures-outpatient
- Newborn Office Services
- Nutritional Counseling
- OB Ultrasound

- Occupational Therapy
- Oncology Treatment
- Oral Surgery Adult
- Oral Surgery Child
- Outpatient hospital care (emergent)
- Outpatient hospital care (nonemergent)
- Outpatient Rehabilitative services
- Outpatient Surgery (Ambulatory Surgery Center)
- Pain Management Procedures
- Pain Management Visits
- Physical Therapy
- Plastic and Restorative Surgery-outpatient
- Podiatry Services
- Post-Stabilization Services
- Pregnancy-related Services (OB Care)
- Primary Care
- Proton Therapy Treatment
- Pulmonary Rehab
- Sleep Studies /Sleep Apnea Studies
- Somatic services related to gender dysphoria
- Specialty Care
- Speech Therapy--outpatient
- Sterlization Services--outpatient
- Transplants Pre and Post Transplant Services--outpatient
- Urgent Care
- Vision Services
- Wound Vacuum-assisted closure (VAC)
- Post-Stabilization Servicesoutpatient

NQTL Type: medical necessity Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Abilify Maintena
- Abilify MyCite
- Adasuve
- Adhansia XR
- Adzenys XR ODT
- amphetamine ER suspension (Adzenys ER)
- amphetamine sulfate (Evekeo)
- Aplenzin
- Aptensio XR
- Aptiom
- aripiprazole (Abilify)
- aripiprazole ODT (Abilify Discmelt)
- Aristada
- Aristada Initio
- armodafinil (Nuvigil)
- atomoxetine (Strattera)
- Banzel
- Belsomra
- Briviact (multiple formulations)
- bupropion XL (Forfivo XL)
- buspirone
- carbamazepine suspension (Tegretol) (generic only)
- carbamazepine XR (Tegretol XR)
- Celontin
- chloral hydrate
- chlordiazepoxide
- chlorpromazine (Thorazine)
- citalopram tablets, solution (Celexa)
- clobazam suspension (Onfi)
- clobazam tablets (Onfi)
- clomipramine
- clonazepam (Klonapin)
- clonazepam ODT (Klonapin ODT)
- clonidine ER tablets (Kapvay)
- clorazepate
- clozapine (Clorazil)
- clozapine ODT (Fazaclo)
- Clozaril
- Contempla
- Cotempla XR ODT
- Daytrana
- desvenlafaxine ER (Khedezla, Pristiq)
- desvenlafaxine fumarate ER
- dexmethylphenidate tablets (Focalin)

Substance Use Disorder

- ZUBSOLV
- SUBOXONE
- BUNAVAIL
- SUBUTEX
- SUBLOCADE
- VIVITROL
- acamprosate (Campral)
- buprenorphine
- buprenorphine/naloxone film
- buprenorphine/naloxone tablets
- Campral
- Lucemyra
- naltrexone
- Nicotrol® nasal spray, inhaler
- Sublocade
- Vivitrol
- chantix
- disulfiram (Antabuse)
- nicotine gum
- nicotine lozenge
- nicotine patches
- suboxone film

- cinryze
- spinraza
- zolgensma
- MCO administered prescription drug

- dexmethylphenidate XR (Focalin XR) (generic only)
- dextroamphetamine capsules (Dexedrine ER)
- dextroamphetamine solution (Procentra)
- dextroamphetamine tablets
- Diacomit capsules, powder pack
- diazepam
- diazepam rectal (Diastat, Acudial)
- divalproex (Depakote)
- divalproex ER (Depakote ER)
- divalproex sprinkles (Depakote sprinkles)
- doxepin (Silenor)
- droperidol
- duloxetine (Cymbalta)
- Dyanavel XR
- Edluar
- Emsam
- Epidiolex
- Equetro
- escitalopram solution (Lexapro)
- estazolam (ProSom)
- eszopiclone (Lunesta)
- ethosuximide (Zarontin)
- Evekeo
- Evekeo ODT
- Fanapt
- felbamate (Felbatol)
- Fetzima
- fluoxetine capsules 60mg
- fluoxetine tablets (Sarafem)
- fluoxetine weekly (Prozac weekly)
- fluphenazine (Prolixin)
- fluphenazine decanoate inj (Prolixin inj)
- flurazepam (Dalmane)
- fluvoxamine ER (Luvox CR)
- Fycompa
- gabapentin solution (Neurontin)
- guanfacine ER (Intuniv)
- haloperidol (Haldol)
- haloperidol decanoate inj (Haldol IM)
- Hetlioz
- hydroxyzine (multiple formulations)
- Ingrezza
- Intuniv ER
- Invega Sustenna
- Invega Trinza
- Jornay PM
- Kapvay 0.1-0.2mg dose pack
- Kapvay ER 0.1mg
- Lamictal XR dose pack
- lamotrigine XR, ODT (Lamictal XR, Lamictal ODT)
- Latuda
- levetiracetam ER (Keppra XR)
- lithium (multiple formulations)

- lorazepam (multiple formulations)
- loxapine capsules (Loxitane)
- Marplan
- meprobamate
- methamphetamine (Desoxyn)
- methylphenidate CD capsules (Metadate CD)
- methylphenidate chewable (Methylin chewable)
- methylphenidate CR tablets (except 72mg) (Concerta)
- methylphenidate CR tablets 72mg
- methylphenidate ER capsules (Ritalin LA)
- methylphenidate ER tablets (Ritalin SR)
- methylphenidate oral solution (Methylin)
- methylphenidate tablets (Ritalin)
- midazolam
- modafinil (Provigil)
- molindone
- Mydayis ER
- Nayzilam
- nefazodone (Serzone)
- Nuplazid
- olanzapine IM (Zyprexa IM)
- olanzapine ODT (Zyprexa Zydis)
- olanzapine tablets (Zyprexa)
- olanzapine/fluoxetine (Symbyax)
- oxazepam
- Oxtellar XR
- paliperidone (Invega)
- paroxetine 7.5mg capsules (Bridelle)
- paroxetine CR (Paxil CR)
- Paxil suspension
- Peganone
- perphenazine (Trilafon)
- perphenazine/amitriptyline (Triavil)
- Perseris
- Pexeva
- phenelzine (Nardil)
- pimozide (Orap)
- pregabalin capsules
- pregabalin solution
- quetiapine (Seroquel)
- quetiapine ER (Seroquel XR)
- Quillichew ER
- Quillivant XR
- ramelteon (Rozerem)
- Rexulti
- Risperdal Consta
- risperidone, risperidone ODT (Risperdal)
- Rozerem
- Sabril powder pack, tablets (Brand only)
- Saphris
- Secuado

- sertraline tablets, concentrated solution (Zoloft)
- Silenor
- Spravato
- Spritam
- Strattera
- Sunosi
- Sympazan
- temazepam 15mg, 30mg (Restoril)
- temazepam 7.5mg, 22.5mg
- thioridazine (Mellaril)
- thiothixene (Navane)
- tiagabine (Gabitril) (generic only)
- topiramate ER (Qudexy XR)
- trazodone (Desyrel)
- triazolam (Halcion)
- Trintellix
- Trokendi XR
- venlafexine ER tablets
- Versacloz
- vigabatrin (multiple formulations)
- Viibryd
- Vimpat
- Vraylar
- Wakix
- zaleplon (Sonata)
- Zenzedi
- ziprasidone (Geodon)
- ziprasidone IM (Geodon IM)
- zolpidem (Ambien)
- zolpidem ER (Ambien CR)
- zolpidem SL (Intermezzo)
- Zolpimist
- Zubsolv
- Zulresso
- Zyprexa Relprevv
- Aristada ER
- clonidine (Catapres)
- Depo-Provera (mulitple formulations)
- Eligard (multiple formulations) (leuprolide acetate)
- guanfacine (Tenex)
- leuprolide acetate
- liothyronine (Triostat)
- Lupron 3.75mg (leuprolide acetate)
- Lupron Depot (multiple formuations) (leuprolide acetate)

NQTL Type: concurrent review Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Acute Care Services
- Special Psychiatric Hospital
- Residential Treatment Centers
- nursing facility: mental health services

Substance Use Disorder

- Inpatient Detoxification--hospital
- Inpatient Detoxification-IMD (Licensed Intermediate Care Facilities for Addictions in Maryland)
- Residential SUD Treatment--ASAM 3.1
- Residential SUD Treatment--ASAM 3.3
- Residential SUD Treatment--ASAM 3.5
- Residential SUD Treatment--ASAM 3.7
- Residential SUD Treatment--ASAM 3.7WM (Licensed ASAM 3.7D in Maryland)
- Inpatient ASAM 4.0
- Nursing Facility: SUD services
- Individual therapy—SUD inpatient
- group therapy SUD inpatient
- family therapy SUD inpatient
- discharge day
- ancillary services SUD

- Nursing Facility: Nursing services
- Nursing Facility: Dietary services
- Nursing Facility: Physician services
- Nursing Facility: Specialized rehabilitation
- Nursing Facility: Social work
- Nursing Facility: Activities
- Nursing Facility: Pharmaceutical services
- Nursing Facility: Behavioral health services
- Nursing Facility: Laboratory, radiology and other diagnostic testing
- Nursing Facility: Dental services
- Hospice: Short-term inpatient care
- Acute Care Services (Medical/Surgical)
- Amputations--inpatient
- Bariatric Surgery
- Bypass surgery--inpatient
- Cardiac Procedures (non-emergent)--inpatient
- Chemotherapy--inpatient
- Corrective Surgery--inpatient
- Cosmetic Procedures--Inpatient
- Erectile Dysfunction Procedures
- Eye Procedures--Inpatient
- Gender affirmation surgery
- Grafts/Implants
- Hospice Care--Inpatient
- Hospital Care--inpatient
- Hysterectomy
- Institutional Long Term Care/Skilled Nursing Facility (first 90 days)
- Investigational Surgeries/Clinical Trials--inpatient
- Neurostimulators
- Neurosurgical procedures--inpatient
- NICU/Sick baby/Detained baby
- Oncology Services--inpatient
- Plastic and Restorative Surgery-inpatient
- Post-Stabilization Services-inpatient
- Rehabilitation Services (Acute)
- Spinal Cord Stimulator
- Surgery (nonurgent)--inpatient
- Surgery (urgent)--inpatient
- Transplants

- Transplants Pre and Post Transplant Services
- Sterlization services--inpatient

NQTL Type: concurrent review Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Mobile treatment-Assertive community treatment (ACT)
- Mobile treatment-non-ACT
- Targeted Case Management
- Respite Care (1915i)

Substance Use Disorder • Does not apply

- Applied Behavior Analysis (autism services)--primarily in-home
- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- HH: Home Health Aide
- HH: physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- Hospice: nursing services
- Hospice: Medical social services
- Hospice: Medical appliances and supplies
- Hospice: home health and aide services
- PACE: Day health care
- PACE: In-home care
- PACE: Nursing care
- PACE: Personal care
- PACE: Meals
- PACE: Recreation
- PACE: Social work
- PACE: Transportation
- CPAS and CFC: Nurse monitoring
- CPAS and CFC: Personal assistance services
- CFC: Personal emergency response system
- CFC: Transition services
- CFC: Consumer training
- CFC: home delivered meals
- CFC: assistive technology
- CFC: Accessibility adaptations
- CFC: environmental assessments
- ICS: case management
- ICS: Medical Day Care
- ICS: Nutritionist/Dietician
- ICS: Family training
- ICS: behavioral consultation
- ICS: Assisted living
- ICS: senior Center Plus
- Autism: Family leave (retainer day)
- Autism: Residential habilitation (regular and intensive)
- Autism: Intensive individual support services
- Autism: Therapeutic integration (regular and intensive)
- Autism: adult life planning

- Autism: Respite care
- Autism: family training
- Autism: Environmental accessibility
 adaption
- Brain Injury: Residential habilitation
- Brain Injury: Day habilitation
- Brain injury: Supported employmentBrain injury: Individual support
- services
- Brain injury: medical Day Care
- HCBS: case management
- HCBS: Medical Day Care
- HCBS: Nutritionist/Dietician
- HCBS: family training
- HCBS: Behavioral consultation
- HCBS: Assisted living
- HCBS: senior Center Plus
- Community Pathways and Community Supports waivers: Assistive technology and services
- Community Pathways and Community Supports waivers: Behavioral support services
- Community Pathways and Community Supports waivers: Career exploration
- Community Pathways and Community Supports waivers: Community development
- Community Pathways and Community Supports waivers: Day habilitation
- Community Pathways and Community Supports waivers: Employment discovery and customization
- Community Pathways and Community Supports waivers: Employment services
- Community Pathways and Community Supports waivers: Environmental assessment
- Community Pathways and Community Supports waivers: Environmental modification
- Community Pathways and Community Supports waivers: Family and peer mentoring supports
- Community Pathways and Community Supports waivers: Family caregiver training and empowerment
- Community Pathways and Community Supports waivers: Housing support services
- Community Pathways and Community Supports waivers: Individual and family directed goods and services

- Community Pathways and Community Supports waivers: Medical Day Care
- Community Pathways and Community Supports waivers: Nurse case management and delegation
- Community Pathways and Community Supports waivers: Nurse consultation
- Community Pathways and Community Supports waivers: Nurse health case management
- Community Pathways and Community Supports waivers: Participant education, training and advocacy
- Community Pathways and Community Supports waivers: Personal supports
- Community Pathways and Community Supports waivers: Respite care services
- Community Pathways and Community Supports waivers: Support broker services
- Community Pathways and Community Supports waivers: Supported employment
- Community Pathways and Community Supports waivers: Transportation
- Community Pathways and Community Supports waivers: Vehicle modification
- Community Pathways only: community living
- Community Pathways only: live-in caregiver supports
- Community Pathways only: Remote support services
- Community Pathways only: Shared living
- Community Pathways only: Support living
- Community Pathways only: transition services
- Family Supports: Assistive technology and services
- Family Supports: Behavioral support
 services
- Family Supports: Environmental assessment
- Family Supports: Environmental modification
- Family Supports: Family and peer mentoring supports
- Family Supports: Family caregiver training and empowerment
- Family Supports: Housing support
 services

- Family Supports: Individual and family directed goods and services
- Family Supports: Nurse case management and delegation
- Family Supports: Nurse consultation
- Family Supports: Participant education, training and advocacy
- Family Supports: Personal supports
- Family Supports: Respite care services
- Family Supports: Support broker services
- Family Supports: Transportation
- Family Supports: Vehicle modification
- HH: Registered Nurse
- EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician)
- Medical Day Care waiver with associated services(16+ years of age):
- Diabetic Education
- Home Health Services: medical supplies used for home heath visit
- Home Health Services: occupational therapy
- Home Health Services: physical therapy
- Home Health Services: skilled
 nursing services
- Home Health Services: speech
 pathology services

NQTL Type: concurrent review Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Biofeedback
- Electroconvulsive therapy (ECT)-outpatient
- Family Therapy--outpatient
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive outpatient (IOP)
- Multiple family group therapy
- Partial hospitalization (PHP)
- Psychiatric Rehabilitation Services
- Psychological or neuropsychological testing and evaluation
- Therapeutic Behavioral Services
- Transcranial Magnetic Stimulation (TMS)
- Traumatic Brain Injury (TBI) Day Habilitation
- Evaulation and Management-Outpatient

Substance Use Disorder

- Ambulatory detoxification
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive Outpatient (IOP)--ASAM 2.1
- MAT Ongoing (Evaluation and Management, including Rx)
- Partial Hospitalization (PHP)--ASAM 2.5
- Opioid Treatment Program (OTP) services - including med management
- Methadone Maintenance
- Ongoing services (Buprenorphine/Naloxone): Alcohol/Other Drug Abuse Services, Not Otherwise Specified

- Acupunture
- Audiology Services (hearing loss assessment and treatment)
- Nutritional Counseling
- Occupational Therapy
- Physical Therapy
- Speech Therapy--outpatient

NQTL Type: Service Limitations Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder • Does not apply

- Nursing Facility: Nursing services
- Nursing Facility: Dietary services
- Nursing Facility: Physician services
- Nursing Facility: Specialized rehabilitation
- Nursing Facility: Social work
- Nursing Facility: Activities
- Nursing Facility: Pharmaceutical services
- Nursing Facility: Behavioral health services
- Nursing Facility: Laboratory, radiology and other diagnostic testing
- Nursing Facility: Dental services
- Hospice: Short-term inpatient care

NQTL Type: Service Limitations Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Mobile treatment-Assertive community treatment (ACT)
- Mobile treatment-non-ACT
- Targeted Case Management

Substance Use Disorder • Does not apply

- Applied Behavior Analysis (autism services)--primarily in-home
- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- Oxygen
- HH: Home Health Aide
- HH: physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- Hospice: nursing services
- Hospice: Medical social servicesHospice: Medical appliances and
- suppliesHospice: home health and aide services
- PACE: Day health care
- PACE: In-home care
- PACE: Nursing care
- PACE: Personal care
- PACE: Meals
- PACE: Recreation
- PACE: Social work
- PACE: Transportation
- CPAS and CFC: Personal assistance services
- CFC: Transition services
- CFC: home delivered meals
- ICS: case management
- ICS: Nutritionist/Dietician
- ICS: Family training
- ICS: Assisted living
- Autism: Family leave (retainer day)
- Autism: Residential habilitation (regular and intensive)
- Autism: Intensive individual support services
- Autism: Therapeutic integration (regular and intensive)
- Autism: adult life planning
- Autism: Respite care
- HCBS: case management
- HCBS: Nutritionist/Dietician
- HCBS: family training
- HCBS: Assisted living
- EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician)

- (2) Preventive services (semiannual cleanings, fluoride, etc.) - OP OR/ASC;
- (4) Diagnostic services (oral exams, x-rays, sealants, etc.) OP OR/ASC;
- (6) Restorative services (filings, crowns, etc) - OP OR/ASC;
- (8) Endodontic services (root canals, etc.) OP OR/ASC;
- (10) Periodontal services (scaling, full mouth debridement, etc.) - OP OR/ASC;
- (12)Prosthodontics (dentures, etc.) -OP OR/ASC;
- (14) Oral and Maxillofacial surgery services (extractions, etc.) - OP OR/ASC;
- (17) Anesthesia OP OR/ASC.
- Home Health Services: occupational therapy
- Home Health Services: physical therapy
- Remote Patient Monitoring

NQTL Type: Service Limitations Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Biofeedback
- Family Psycho-Educational Therapy
- Family Therapy--outpatient
- Group therapy--outpatient
- Health Behavior Assessment
- Health Behavior Reassessment
- Individual therapy--outpatient
- Intensive outpatient (IOP)
- Mental health assessment
- Mental health reassessment
- Multiple family group therapy
- Partial hospitalization (PHP)
- Psychiatric Rehabilitation Services
- Psychological or neuropsychological testing and evaluation
- Therapeutic Behavioral Services
- Evaulation and Management-Outpatient

Substance Use Disorder

- Alcohol and/or drug assessment
- Ambulatory detoxification
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive Outpatient (IOP)--ASAM 2.1
- MAT Initial Induction: Alcohol/Drug Services; Medical/Somatic (Medical Intervention in Ambulatory Setting)
- MAT Initial Intake (Evaluation and Management, Including Rx)
- MAT Ongoing (Evaluation and Management, including Rx)
- Partial Hospitalization (PHP)--ASAM 2.5
- Opioid Treatment Program (OTP) services - including med management
- Methadone Maintenance
- Ongoing services (Buprenorphine/Naloxone): Alcohol/Other Drug Abuse Services, Not Otherwise Specified

- (1) Preventive services (semiannual cleanings, fluoride, etc.) Clinic;
- (3) Diagnostic services (oral exams, x-rays, sealants, etc.) Clinic;
- (5) Restorative services (filings, crowns, etc) Clinic;
- (7) Endodontic services (root canals, etc.) Clinic;
- (9) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (11) Prosthodontics (dentures, etc.)
 Clinic;
- (13) Oral and Maxillofacial surgery services (extractions, etc.) Clinic;
- (15) Orthodontic services Clinic;
- (16) Anesthesia Clinic; and
- (1) Preventive services (cleanings, fluoride, etc.) Clinic;
- (2) Diagnostic services (oral exams, x-rays, etc.) Clinic;
- (3) Restorative services (filings, crowns, etc) Clinic;
- (4) Endodontic services (root canals, etc.) Clinic;
- (5) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (6) Prosthodontics (adjustment of dentures, etc.) Clinic;
- (7) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; and
- (8) Anesthesia Clinic.
- Pregnancy-related Services (OB Care)
- Primary Care

Standard 8 NQTL Type: prior authorization/pre authorization Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Acute Care Services
- Special Psychiatric Hospital
- Residential Treatment Centers
- nursing facility: mental health services

Substance Use Disorder

- Inpatient Detoxification--hospital
- Inpatient Detoxification-IMD (Licensed Intermediate Care Facilities for Addictions in Maryland)
- Residential SUD Treatment--ASAM 3.1
- Residential SUD Treatment--ASAM 3.3
- Residential SUD Treatment--ASAM 3.5
- Residential SUD Treatment--ASAM 3.7
- Residential SUD Treatment--ASAM 3.7WM (Licensed ASAM 3.7D in Maryland)
- Inpatient ASAM 4.0
- Nursing Facility: SUD services
- Individual therapy—SUD inpatient
- group therapy SUD inpatient
- family therapy SUD inpatient
- discharge day
- ancillary services SUD

- Nursing Facility: Nursing services
- Nursing Facility: Dietary services
- Nursing Facility: Physician services
- Nursing Facility: Specialized rehabilitation
- Nursing Facility: Social work
- Nursing Facility: Activities
- Nursing Facility: Pharmaceutical services
- Nursing Facility: Behavioral health services
- Nursing Facility: Laboratory, radiology and other diagnostic testing
- Nursing Facility: Dental services
- Acute Care Services (Medical/Surgical)
- Bariatric Surgery
- Bypass surgery--inpatient
- Cardiac Procedures (non-emergent)--inpatient
- Chemotherapy--inpatient
- Corrective Surgery--inpatient
- Cosmetic Procedures--Inpatient
- Dialysis--Inpatient
- Erectile Dysfunction Procedures
- Eye Procedures--Inpatient
- Gender affirmation surgery
- Grafts/Implants
- Hospice Care--Inpatient
- Hospital Care--inpatient
- Hysterectomy
- Institutional Long Term Care/Skilled Nursing Facility (first 90 days)
- Investigational Surgeries/Clinical Trials--inpatient
- Neurostimulators
- Neurosurgical procedures--inpatient
- NICU/Sick baby/Detained baby
 - Oncology Services--inpatient
 - Plastic and Restorative Surgery-inpatient
 - Post-Stabilization Services-inpatient
 - Rehabilitation Services (Acute)
 - Spinal Cord Stimulator
 - Surgery (nonurgent)--inpatient
 - Transplants
 - Transplants Pre and Post Transplant Services

• Sterlization services--inpatient

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Mobile treatment-Assertive community treatment (ACT)
- Mobile treatment-non-ACT
- Targeted Case Management
- Respite Care (1915i)

Substance Use Disorder • Does not apply

- Applied Behavior Analysis (autism services)--primarily in-home
- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- HH: registered Nurse
- HH: Home Health Aide
- HH: physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- PACE: Day health care
- PACE: In-home care
- PACE: Nursing care
- PACE: Personal care
- PACE: Meals
- PACE: Recreation
- PACE: Social work
- PACE: Transportation
- CPAS and CFC: Nurse monitoring
- CPAS and CFC: Personal assistance services
- CFC: Personal emergency response system
- CFC: Transition services
- CFC: Consumer training
- CFC: home delivered meals
- CFC: assistive technology
- CFC: Accessibility adaptations
 - CFC: environmental assessments
 - ICS: Medical Day Care
- ICS: Nutritionist/Dietician
- ICS: Family training
- ICS: behavioral consultation
- ICS: Assisted living
- ICS: senior Center Plus
- Autism: Family leave (retainer day)
- Autism: Residential habilitation (regular and intensive)
- Autism: Intensive individual support services
- Autism: Therapeutic integration (regular and intensive)
- Autism: adult life planning
- Autism: Respite care
- Autism: family training
- Autism: Environmental accessibility adaption
- Brain Injury: Residential habilitation
- Brain Injury: Day habilitation

- Brain injury: Supported employment
- Brain injury: Individual support services
- Brain injury: medical Day Care
- HCBS: Medical Day Care
- HCBS: Nutritionist/Dietician
- HCBS: family training
- HCBS: Behavioral consultation
- HCBS: Assisted living
- HCBS: senior Center Plus
- EPSDT: Nursing services (Registered Nurse, Licensed Practical Nurse, Certified Nursing Assistant-Certified Medication Technician)
- (2) Preventive services (semiannual cleanings, fluoride, etc.) - OP OR/ASC;
- (4) Diagnostic services (oral exams, x-rays, sealants, etc.) OP OR/ASC;
- (6) Restorative services (filings, crowns, etc) OP OR/ASC;
- (8) Endodontic services (root canals, etc.) OP OR/ASC;
- (10) Periodontal services (scaling, full mouth debridement, etc.) - OP OR/ASC;
- (12)Prosthodontics (dentures, etc.) -OP OR/ASC;
- (14) Oral and Maxillofacial surgery services (extractions, etc.) - OP OR/ASC;
- (17) Anesthesia OP OR/ASC.
- Care Management
- Targeted Case Management
- Diabetic Education
- National Diabetes Prevention
 Program
- DME/DMS Alternative Approach--Full category; need to identify any NQTLs that apply to any DME/DMS under the broad category.
 Description of NQTL factors should be more detailed.
- Genetic Testing
- Home Health Services: medical supplies used for home heath visit
- Home Health Services: occupational therapy
- Home Health Services: physical therapy
- Home Health Services: skilled
 nursing services
- Home Health Services: speech pathology services
- Hospice Care--Outpatient
- Laboratory Services
- Molecular Pathology Labs
- Neuro-Psychological Testing/Developmental Delay Programs

- Personal Care Services
- Private Duty Nursing
- Remote Patient Monitoring

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Biofeedback
- Electroconvulsive therapy (ECT)-outpatient
- Family Therapy--outpatient
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive outpatient (IOP)
- Multiple family group therapy
- Partial hospitalization (PHP)
- Psychiatric Rehabilitation Services
- Psychological or neuropsychological testing and evaluation
- Therapeutic Behavioral Services
- Transcranial Magnetic Stimulation (TMS)
- Traumatic Brain Injury (TBI) Day Habilitation
- Evaulation and Management-Outpatient

Substance Use Disorder

- Ambulatory detoxification
- Group therapy--outpatient
- Individual therapy--outpatient
- Intensive Outpatient (IOP)--ASAM 2.1
- MAT Initial Induction: Alcohol/Drug Services; Medical/Somatic (Medical Intervention in Ambulatory Setting)
- MAT Initial Intake (Evaluation and Management, Including Rx)
- MAT Ongoing (Evaluation and Management, including Rx)
- Partial Hospitalization (PHP)--ASAM 2.5
- Opioid Treatment Program (OTP) services - including med management
- Methadone Maintenance
- Ongoing services (Buprenorphine/Naloxone): Alcohol/Other Drug Abuse Services, Not Otherwise Specified

- HH: Physical therapy
- HH: Occupational therapy
- HH: Speech therapy
- PACE: Medical specialty services (podiatry, psychiatry, dentistry, optometry and audiology)
- PACE: Rehabilitation
- ICS: Nutritionist/Dietician
- ICS: Behavioral consultation
- 1915c: Physician participation in plan of care meeting
- HCBS: nutritionist/Dietician
- HCBS: behavioral consultation
- (3) Diagnostic services (oral exams, x-rays, sealants, etc.) Clinic;
- (5) Restorative services (filings, crowns, etc) Clinic;
- (7) Endodontic services (root canals, etc.) Clinic;
- (9) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (11) Prosthodontics (dentures, etc.) - Clinic;
- (13) Oral and Maxillofacial surgery services (extractions, etc.) Clinic;
- (15) Orthodontic services Clinic;
- (2) Diagnostic services (oral exams, x-rays, etc.) Clinic;
- (3) Restorative services (filings, crowns, etc) Clinic;
- (4) Endodontic services (root canals, etc.) Clinic;
- (5) Periodontal services (scaling, full mouth debridement, etc.) Clinic;
- (6) Prosthodontics (adjustment of dentures, etc.) Clinic;
- (7) Oral and Maxillofacial surgery services (extractions, etc.) - Clinic; and
- Acupunture
- Amputations--outpatient
- Audiology Services (hearing loss assessment and treatment)
- Bypass surgery--outpatient
- Capsule Endoscopy
- Cardiac Procedures (non-emergent) -outpatient
- Cardiac Rehabilitation
- Chiropractic Services

- Clinic Services--Coumadin Clinic
- Clinic Services--Other
- Clinic Services--Heart Failure Clinic
- Corrective Surgery--outpatient
- Cosmetic Procedures/Surgeries-outpatient
- Genetic Counseling
- Hyperbaric Oxygen Therapy
- Investigational Surgeries/Clinical Trials--outpatient
- National Diabetes Prevention
 Program Services
- Nerve Stimulator--outpatient
- Neuro-Psychological Testing/Developmental Delay Programs
- Neurosurgical procedures-outpatient
- Nutritional Counseling
- Occupational Therapy
- Oral Surgery Adult
- Oral Surgery Child
- Outpatient hospital care (nonemergent)
- Outpatient Rehabilitative services
- Outpatient Surgery (Ambulatory Surgery Center)
- Pain Management Procedures
- Physical Therapy
- Plastic and Restorative Surgery-outpatient
- Pulmonary Rehab
- Somatic services related to gender dysphoria
- Speech Therapy--outpatient
- Transplants Pre and Post Transplant Services--outpatient

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Substance Use Disorder

• acamprosate (Campral)

Mental Health

- Abilify Maintena
- Abilify MyCite
- Adasuve
- Adhansia XR
- Adzenys XR ODT
- amphetamine ER suspension (Adzenys ER)
- amphetamine sulfate (Evekeo)
- Aplenzin
- Aptensio XR
- Aptiom
- aripiprazole (Abilify)
- aripiprazole ODT (Abilify Discmelt)
- Aristada
- Aristada Initio
- armodafinil (Nuvigil)
- atomoxetine (Strattera)
- Banzel
- Belsomra
- Briviact (multiple formulations)
- bupropion XL (Forfivo XL)
- buspirone
- carbamazepine suspension (Tegretol) (generic only)
- carbamazepine XR (Tegretol XR)
- Celontin
- chloral hydrate
- chlordiazepoxide
- chlorpromazine (Thorazine)
- citalopram tablets, solution (Celexa)
- clobazam suspension (Onfi)
- clobazam tablets (Onfi)
- clomipramine
- clonazepam (Klonapin)
- clonazepam ODT (Klonapin ODT)
- clonidine ER tablets (Kapvay)
- clorazepate
- clozapine (Clorazil)
- clozapine ODT (Fazaclo)
- Clozaril
- Contempla
- Cotempla XR ODT
- Daytrana
- desvenlafaxine ER (Khedezla, Pristiq)
- desvenlafaxine fumarate ER
- dexmethylphenidate tablets (Focalin)

- cinryze
- MCO administered prescription drug

- dexmethylphenidate XR (Focalin XR) (generic only)
- dextroamphetamine capsules (Dexedrine ER)
- dextroamphetamine solution (Procentra)
- dextroamphetamine tablets
- Diacomit capsules, powder pack
- diazepam
- diazepam rectal (Diastat, Acudial)
- divalproex (Depakote)
- divalproex ER (Depakote ER)
- divalproex sprinkles (Depakote sprinkles)
- doxepin (Silenor)
- droperidol
- duloxetine (Cymbalta)
- Dyanavel XR
- Edluar
- Emsam
- Epidiolex
- Equetro
- escitalopram solution (Lexapro)
- estazolam (ProSom)
- eszopiclone (Lunesta)
- ethosuximide (Zarontin)
- Evekeo
- Evekeo ODT
- Fanapt
- felbamate (Felbatol)
- Fetzima
- fluoxetine capsules 60mg
- fluoxetine tablets (Sarafem)
- fluoxetine weekly (Prozac weekly)
- fluphenazine (Prolixin)
- fluphenazine decanoate inj (Prolixin inj)
- flurazepam (Dalmane)
- fluvoxamine ER (Luvox CR)
- Fycompa
- gabapentin solution (Neurontin)
- guanfacine ER (Intuniv)
- haloperidol (Haldol)
- haloperidol decanoate inj (Haldol IM)
- Hetlioz
- hydroxyzine (multiple formulations)
- Ingrezza
- Intuniv ER
- Invega Sustenna
- Invega Trinza
- Jornay PM
- Kapvay 0.1-0.2mg dose pack
- Kapvay ER 0.1mg
- Lamictal XR dose pack
- lamotrigine XR, ODT (Lamictal XR, Lamictal ODT)
- Latuda
- levetiracetam ER (Keppra XR)
- lithium (multiple formulations)

- lorazepam (multiple formulations)
- loxapine capsules (Loxitane)
- Marplan
- meprobamate
- methamphetamine (Desoxyn)
- methylphenidate CD capsules (Metadate CD)
- methylphenidate chewable (Methylin chewable)
- methylphenidate CR tablets (except 72mg) (Concerta)
- methylphenidate CR tablets 72mg
- methylphenidate ER capsules (Ritalin LA)
- methylphenidate ER tablets (Ritalin SR)
- methylphenidate oral solution (Methylin)
- methylphenidate tablets (Ritalin)
- midazolam
- modafinil (Provigil)
- molindone
- Mydayis ER
- Nayzilam
- nefazodone (Serzone)
- Nuplazid
- olanzapine IM (Zyprexa IM)
- olanzapine ODT (Zyprexa Zydis)
- olanzapine tablets (Zyprexa)
- olanzapine/fluoxetine (Symbyax)
- oxazepam
- Oxtellar XR
- paliperidone (Invega)
- paroxetine 7.5mg capsules (Bridelle)
- paroxetine CR (Paxil CR)
- Paxil suspension
- Peganone
- perphenazine (Trilafon)
- perphenazine/amitriptyline (Triavil)
- Perseris
- Pexeva
- phenelzine (Nardil)
- pimozide (Orap)
- pregabalin capsules
- pregabalin solution
- quetiapine (Seroquel)
- quetiapine ER (Seroquel XR)
- Quillichew ER
- Quillivant XR
- ramelteon (Rozerem)
- Rexulti
- Risperdal Consta
- risperidone, risperidone ODT (Risperdal)
- Rozerem
- Sabril powder pack, tablets (Brand only)
- Saphris
- Secuado

- sertraline tablets, concentrated solution (Zoloft)
- Silenor
- Spravato
- Spritam
- Strattera
- Sunosi
- Sympazan
- temazepam 15mg, 30mg (Restoril)
- temazepam 7.5mg, 22.5mg
- thioridazine (Mellaril)
- thiothixene (Navane)
- tiagabine (Gabitril) (generic only)
- topiramate ER (Qudexy XR)
- trazodone (Desyrel)
- triazolam (Halcion)
- Trintellix
- Trokendi XR
- venlafexine ER tablets
- Versacloz
- vigabatrin (multiple formulations)
- Viibryd
- Vimpat
- Vraylar
- Wakix
- zaleplon (Sonata)
- Zenzedi
- ziprasidone (Geodon)
- ziprasidone IM (Geodon IM)
- zolpidem (Ambien)
- zolpidem ER (Ambien CR)
- zolpidem SL (Intermezzo)
- Zolpimist
- Zubsolv
- Zulresso
- Zyprexa Relprevv

NQTL Type: fail first requirements/step therapy Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder • Does not apply

- Acute Care Services (Medical/Surgical)
- Amputations--inpatient
- Bariatric Surgery
- Bypass surgery--inpatient
- Cardiac Procedures (non-emergent)--inpatient
- Chemotherapy--inpatient
- Corrective Surgery--inpatient
- Cosmetic Procedures--Inpatient
- Erectile Dysfunction Procedures
- Eye Procedures--Inpatient
- Gender affirmation surgery
- Grafts/Implants
- Hospice Care--Inpatient
- Hospital Care--inpatient
- Hysterectomy
- Institutional Long Term Care/Skilled Nursing Facility (first 90 days)
- Investigational Surgeries/Clinical Trials--inpatient
- Neurostimulators
- Neurosurgical procedures--inpatient
- NICU/Sick baby/Detained baby
- Oncology Services--inpatient
- Plastic and Restorative Surgery-inpatient
- Post-Stabilization Services-inpatient
- Rehabilitation Services (Acute)
- Spinal Cord Stimulator
- Surgery (nonurgent)--inpatient
- Surgery (urgent)--inpatient
- Transplants
- Transplants Pre and Post Transplant Services
- Sterlization services--inpatient

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder

Does not apply

- Durable Medical Equipment (DME)/Disposable Medical Supplies (DMS)
- Oxygen

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

 Transcranial Magnetic Stimulation (TMS) Substance Use Disorder

- Clinic Services--Coumadin Clinic
- Pain Management Procedures

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Banzel
- Belsomra
- clobazam suspension (Onfi)
- clobazam tablets (Onfi)
- duloxetine (Cymbalta)
- Epidiolex
- eszopiclone (Lunesta)
- Invega Trinza
- Nuplazid
- Rexulti
- Silenor
- Spravato
- Strattera
- Sympazan
- topiramate ER (Qudexy XR)

Substance Use Disorder

- acamprosate (Campral)
- buprenorphine
- buprenorphine/naloxone film

- spinraza
- MCO administered prescription drug

NQTL Type: data collection Classification: Inpatient

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Does not apply

Substance Use Disorder

Does not apply

NQTL Type: data collection Classification: Outpatient - Other

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Does not apply

Substance Use Disorder

Does not apply

NQTL Type: data collection Classification: Outpatient - Office Based

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Does not apply

Substance Use Disorder

Does not apply

NQTL Type: dosage limits Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

Substance Use Disorder

Medical/Surgical

• MCO administered prescription drug

NQTL Type: tiered drug formulary Classification: Prescription Drugs

Select an NQTL type and then check off all benefits that are subject to that NQTL type within each classification.

Mental Health

- Abilify Maintena
- Abilify MyCite
- Adasuve
- Adhansia XR
- Adzenys XR ODT
- amphetamine ER suspension (Adzenys ER)
- amphetamine sulfate (Evekeo)
- Aplenzin
- Aptensio XR
- Aptiom
- aripiprazole (Abilify)
- aripiprazole ODT (Abilify Discmelt)
- Aristada
- Aristada Initio
- armodafinil (Nuvigil)
- atomoxetine (Strattera)
- Banzel
- Belsomra
- Briviact (multiple formulations)
- bupropion XL (Forfivo XL)
- buspirone
- carbamazepine suspension (Tegretol) (generic only)
- carbamazepine XR (Tegretol XR)
- Celontin
- chloral hydrate
- chlordiazepoxide
- chlorpromazine (Thorazine)
- citalopram tablets, solution (Celexa)
- clobazam suspension (Onfi)
- clobazam tablets (Onfi)
- clomipramine
- clonazepam (Klonapin)
- clonazepam ODT (Klonapin ODT)
- clonidine ER tablets (Kapvay)
- clorazepate
- clozapine (Clorazil)
- clozapine ODT (Fazaclo)
- Clozaril
- Contempla
- Cotempla XR ODT
- Daytrana
- desvenlafaxine ER (Khedezla, Pristiq)
- desvenlafaxine fumarate ER
- dexmethylphenidate tablets (Focalin)

Substance Use Disorder

- ZUBSOLV
- SUBOXONE
- BUNAVAIL
- SUBUTEX
- SUBLOCADE
- VIVITROL
- Not Applicable
- acamprosate (Campral)
- buprenorphine
- buprenorphine/naloxone film
- buprenorphine/naloxone tablets
- Campral
- Lucemyra
- naltrexone
- Nicotrol® nasal spray, inhaler
- Sublocade
- Vivitrol
- chantix
- disulfiram (Antabuse)
- nicotine gum
- nicotine lozenge
- nicotine patches
- suboxone film

- cinryze
- spinraza
- zolgensma
- MCO administered prescription drug

- dexmethylphenidate XR (Focalin XR) (generic only)
- dextroamphetamine capsules (Dexedrine ER)
- dextroamphetamine solution (Procentra)
- dextroamphetamine tablets
- Diacomit capsules, powder pack
- diazepam
- diazepam rectal (Diastat, Acudial)
- divalproex (Depakote)
- divalproex ER (Depakote ER)
- divalproex sprinkles (Depakote sprinkles)
- doxepin (Silenor)
- droperidol
- duloxetine (Cymbalta)
- Dyanavel XR
- Edluar
- Emsam
- Epidiolex
- Equetro
- escitalopram solution (Lexapro)
- estazolam (ProSom)
- eszopiclone (Lunesta)
- ethosuximide (Zarontin)
- Evekeo
- Evekeo ODT
- Fanapt
- felbamate (Felbatol)
- Fetzima
- fluoxetine capsules 60mg
- fluoxetine tablets (Sarafem)
- fluoxetine weekly (Prozac weekly)
- fluphenazine (Prolixin)
- fluphenazine decanoate inj (Prolixin inj)
- flurazepam (Dalmane)
- fluvoxamine ER (Luvox CR)
- Fycompa
- gabapentin solution (Neurontin)
- guanfacine ER (Intuniv)
- haloperidol (Haldol)
- haloperidol decanoate inj (Haldol IM)
- Hetlioz
- hydroxyzine (multiple formulations)
- Ingrezza
- Intuniv ER
- Invega Sustenna
- Invega Trinza
- Jornay PM
- Kapvay 0.1-0.2mg dose pack
- Kapvay ER 0.1mg
- Lamictal XR dose pack
- lamotrigine XR, ODT (Lamictal XR, Lamictal ODT)
- Latuda
- levetiracetam ER (Keppra XR)
- lithium (multiple formulations)

- lorazepam (multiple formulations)
- loxapine capsules (Loxitane)
- Marplan
- meprobamate
- methamphetamine (Desoxyn)
- methylphenidate CD capsules (Metadate CD)
- methylphenidate chewable (Methylin chewable)
- methylphenidate CR tablets (except 72mg) (Concerta)
- methylphenidate CR tablets 72mg
- methylphenidate ER capsules (Ritalin LA)
- methylphenidate ER tablets (Ritalin SR)
- methylphenidate oral solution (Methylin)
- methylphenidate tablets (Ritalin)
- midazolam
- modafinil (Provigil)
- molindone
- Mydayis ER
- Nayzilam
- nefazodone (Serzone)
- Nuplazid
- olanzapine IM (Zyprexa IM)
- olanzapine ODT (Zyprexa Zydis)
- olanzapine tablets (Zyprexa)
- olanzapine/fluoxetine (Symbyax)
- oxazepam
- Oxtellar XR
- paliperidone (Invega)
- paroxetine 7.5mg capsules (Bridelle)
- paroxetine CR (Paxil CR)
- Paxil suspension
- Peganone
- perphenazine (Trilafon)
- perphenazine/amitriptyline (Triavil)
- Perseris
- Pexeva
- phenelzine (Nardil)
- pimozide (Orap)
- pregabalin capsules
- pregabalin solution
- quetiapine (Seroquel)
- quetiapine ER (Seroquel XR)
- Quillichew ER
- Quillivant XR
- ramelteon (Rozerem)
- Rexulti
- Risperdal Consta
- risperidone, risperidone ODT (Risperdal)
- Rozerem
- Sabril powder pack, tablets (Brand only)
- Saphris
- Secuado

- sertraline tablets, concentrated solution (Zoloft)
- Silenor
- Spravato
- Spritam
- Strattera
- Sunosi
- Sympazan
- temazepam 15mg, 30mg (Restoril)
- temazepam 7.5mg, 22.5mg
- thioridazine (Mellaril)
- thiothixene (Navane)
- tiagabine (Gabitril) (generic only)
- topiramate ER (Qudexy XR)
- trazodone (Desyrel)
- triazolam (Halcion)
- Trintellix
- Trokendi XR
- venlafexine ER tablets
- Versacloz
- vigabatrin (multiple formulations)
- Viibryd
- Vimpat
- Vraylar
- Wakix
- zaleplon (Sonata)
- Zenzedi
- ziprasidone (Geodon)
- ziprasidone IM (Geodon IM)
- zolpidem (Ambien)
- zolpidem ER (Ambien CR)
- zolpidem SL (Intermezzo)
- Zolpimist
- Zubsolv
- Zulresso
- Zyprexa Relprevv

Any parity flags found in Standard 9 are reported below. The number of flags per classification and category combination is shown.

| Parity Flag | | | | |
|---------------------------|---------------|------------------------|------------------|--|
| | Mental Health | Substance Use Disorder | Medical/Surgical | |
| Inpatient | - | - | - | |
| Outpatient - Other | - | - | - | |
| Outpatient - Office Based | - | - | - | |
| Emergency Benefits | - | - | - | |
| Prescription Drugs | - | - | - | |

Any classification/category/NQTL combination considered incomplete is reported in the table below.

| Missing Information | | | | |
|---------------------------|---------------|------------------------|------------------|--|
| | Mental Health | Substance Use Disorder | Medical/Surgical | |
| Inpatient | - | - | - | |
| Outpatient - Other | - | - | - | |
| Outpatient - Office Based | - | - | - | |
| Emergency Benefits | - | - | - | |
| Prescription Drugs | - | - | - | |

NQTL Type: Outlier Management Classification: Emergency Benefits Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: Outlier Management Classification: Emergency Benefits Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Recent medical cost escalation
- High variability in cost per episode of care
- Claim types with high percentage of fraud

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Recent medical cost escalation
- High variability in cost per episode of care
- Claim types with high percentage of fraud

NQTL Type: Outlier Management Classification: Emergency Benefits Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable Medical/Surgical

Mental Health

Substance Use Disorder • Not Applicable

Medical/Surgical

Explain

Evidentiary Standards

Substance Use Disorder:

NQTL Type: Outlier Management Classification: Emergency Benefits Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: Outlier Management Classification: Emergency Benefits

Factor: Recent medical cost escalation

Definitions

Mental Health: significantly higher use of a service than average by a participantSubstance Use Disorder:Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical *Question Skipped*

NQTL Type: Outlier Management Classification: Emergency Benefits Factor: High variability in cost per episode of care

Definitions

Mental Health: pre auth requirements may be adjusted based on escalating costs of services Substance Use Disorder: Medical/Surgical: Not Applicable. Did not select in Q P1Q2 and Q3.

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• Internal claims analysis

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Emergency Benefits Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Not Applicable. Did not select in Q P1Q2 and Q3. Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Recent medical cost escalation
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Recent medical cost escalation
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Excessive utilization

Definitions

Mental Health: significantly higher use of a service than average by a participantSubstance Use Disorder: significantly higher use of a service than average by a participantMedical/Surgical: significantly higher use of a service than average by a participant

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Evidentiary Standards

Substance Use Disorder

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical Question Skipped

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Substance Use Disorder: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Medical/Surgical:

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical:

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder

Evidentiary standards, including any

Sources

published standards as well as

internal plan or issuer standards,

relied upon to define the factors

triggering the application of an

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

NQTL to benefits

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical

Mental Health

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder:

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time.Substance Use Disorder: Level of current symptoms and presence of symptoms over time.Medical/Surgical: Level of current symptoms and presence of symptoms over time.

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- Substance Use Disorder
 Compliance with professionally recognized treatment guideline
 - recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical Question Skipped

Medical/Surgical

Medical expert reviews

NQTL to benefits

 Evidentiary standards, including any published standards as well as

internal plan or issuer standards, relied upon to define the factors

triggering the application of an

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration;
 Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration;
 Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- Substance Use Disorder
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM

criteria or APA treatment guidelines.

Medical/Surgical Question Skipped

Medical/Surgical

Medical expert reviews

NQTL to benefits

Evidentiary standards, including any

published standards as well as

triggering the application of an

internal plan or issuer standards, relied upon to define the factors

Explain

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. **Substance Use Disorder:** Lowest level of care the individual can be safely and effectively treated. **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Recent medical cost escalation

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical *Question Skipped*

Medical/Surgical:

URAC ParityManager[™] Report

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: High variability in cost per episode of care

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: Not Applicable. Did not select in Q P1Q2 and Q3.

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Outpatient - Office Based Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Variability in quality

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Variability in quality

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Recent medical cost escalation
- Claim types with high percentage of fraud
- Variability in quality

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: Excessive utilization

Definitions

Mental Health: significantly higher use of a service than average by a participant Substance Use Disorder: significantly higher use of a service than average by a participant Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Utilization is two standard deviations above average utilization per episode of care.
- · Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical Question Skipped

- · Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: High variability in cost per episode of care

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: Not Applicable. Did not select in Q P1Q2 and Q3.

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

deviations above average utilization

Utilization is two standard

Compliance with professionally

recognized treatment guidelines used to define clinically appropriate

standards of care such as ASAM

criteria or APA treatment guidelines.

per episode of care.

Mental Health

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Medical/Surgical

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical Question Skipped

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria Substance Use Disorder:

Medical/Surgical:

Sources

Substance Use Disorder

Substance Use Disorder

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical

NQTL Type: Outlier Management

Classification: Outpatient - Other

Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health | Substance Use Disorder | Medical/Surgical |

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|--|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | |
| | Evidentiary Standards | |

Substance Use Disorder

Medical/Surgical

Medical/Surgical

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: Outlier Management

Classification: Outpatient - Other

Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally | Substance Use Disorder | Medical/Surgical |

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: Outlier Management Classification: Outpatient - Other Factor: Recent medical cost escalation

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical *Question Skipped*

Standard 9 NQTL Type: Outlier Management Classification: Inpatient Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Variability in quality

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Variability in quality

NQTL Type: Outlier Management Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Variability in quality

Standard 9 NQTL Type: Outlier Management Classification: Inpatient Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Recent medical cost escalation
- Claim types with high percentage of fraud

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Recent medical cost escalation
- Claim types with high percentage of fraud

NQTL Type: Outlier Management Classification: Inpatient Factor: Excessive utilization

Definitions

Mental Health: significantly higher use of a service than average by a participantSubstance Use Disorder: significantly higher use of a service than average by a participantMedical/Surgical: significantly higher use of a service than average by a participant

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Evidentiary Standards

Substance Use Disorder

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Medical/Surgical Question Skipped

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: Outlier Management Classification: Inpatient Factor: Recent medical cost escalation

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Inpatient Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Inpatient Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical:

Mental Health

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Utilization is two standard deviations above average utilization per episode of care.
- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder:

Utilization is two standard

· Compliance with professionally

recognized treatment guidelines

standards of care such as ASAM

used to define clinically appropriate

criteria or APA treatment guidelines.

per episode of care.

deviations above average utilization

NQTL Type: Outlier Management Classification: Prescription Drugs Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: Outlier Management Classification: Prescription Drugs Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Claim types with high percentage of fraud

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Claim types with high percentage of fraud

NQTL Type: Outlier Management Classification: Prescription Drugs Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable Medical/Surgical

Mental Health

Evidentiary Standards Substance Use Disorder

• Not Applicable

Medical/Surgical

Explain

Substance Use Disorder:

NQTL Type: Outlier Management Classification: Prescription Drugs Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: Outlier Management Classification: Prescription Drugs Factor: Claim types with high percentage of fraud

Definitions

Mental Health: significantly higher use of a service than average by a participant Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Sources

Substance Use Disorder

Medical/Surgical

Internal claims analysis

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

Medical/Surgical:

Mental Health

Mental Health

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Severity or chronicity of an illness
- Service type

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Recent medical cost escalation
- Provider discretion in determining diagnosis
- Lack of clinical efficiency of treatment or service
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type
- Quality and performance measures (including customer feedback)

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Recent medical cost escalation
- Provider discretion in determining diagnosis
- Lack of clinical efficiency of treatment or service
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type
- Quality and performance measures (including customer feedback)

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Recent medical cost escalation

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical Question Skipped

Medical/Surgical:

URAC ParityManager[™] Report

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Provider discretion in determining diagnosis

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: to ensure providers use the most efficient/least costly means of safely making a diagnosis. services to those needed to make the diagnosis would not be considered medically necessary for the specific population

| Mental | Health |
|--------|--------|
| Mental | neaith |

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: High variability in cost per episode of care

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: Not Applicable. Did not select in Q P1Q2 and Q3.

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical *Question Skipped*

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical *Question Skipped*

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other

Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Medical/Surgical: Level of current symptoms and presence of symptoms over time

Medical/Surgical: Level of current symptoms and presence of symptoms over time.

Sources

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

Substance Use Disorder

Question Skipped

Medical/Surgical

Mental Health: Substance Use Disorder: Medical/Surgical: Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Service type

Definitions

Sources

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder:

Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Substance Use Disorder

Mental Health

Mental Health:

Medical/Surgical:

Substance Use Disorder:

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Quality and performance measures (including customer feedback)

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: measures intended to evaluate and improve the quality of services including but not limited to performance measures associated with waiver assurances, state regulations, national quality standards and pay for performance efforts

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Internal claims analysis
- Internal market and competitive analysis

Evidentiary Standards

Substance Use Disorder

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable

Substance Use Disorder

Question Skipped

Medical/Surgical

Mental Health

Evidentiary Standards

Medical/Surgical

Explain

Substance Use Disorder:

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

URAC ParityManager[™] Report

Standard 9 NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Severity or chronicity of an illness
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Severity or chronicity of an illness
- Least restrictive appropriate level of care

NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Severity or chronicity of an illness
- Least restrictive appropriate level of care

Standard 9 NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

nationally recognized guidelines

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• nationally recognized guidelines

NQTL Type: prior authorization/pre authorization Classification: Inpatient Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder:

NQTL Type: prior authorization/pre authorization Classification: Inpatient Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. **Substance Use Disorder:** Lowest level of care the individual can be safely and effectively treated. **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder:

NQTL Type: prior authorization/pre authorization Classification: Inpatient Factor: nationally recognized guidelines

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: medical necessity is determined based on the following: InterQual, COMAR and Medicaid requirements

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs

Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Licensure, certification, accreditation and/or experience requirements for providers to join provider network
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Licensure, certification, accreditation and/or experience requirements for providers to join provider network
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug
- clinical appropriateness/medical necessity

Considered

- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Licensure, certification, accreditation and/or experience requirements for providers to join provider network
- Safety risks
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- fiscal responsibility/cost effectiveness

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug
- clinical appropriateness/medical necessity

- Lack of clinical efficiency of treatment or service
- Licensure, certification, accreditation and/or experience requirements for providers to join provider network
- Safety risks
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- fiscal responsibility/cost effectiveness

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs

Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Recent medical cost escalation
- Lack of clinical efficiency of treatment or service
- Lack of adherence to quality standards
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Quality and performance measures (including customer feedback)
- Safety risks

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilizationRecent medical cost escalation
- Lack of clinical efficiency of treatment or service
- Lack of adherence to quality standards
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Quality and performance measures (including customer feedback)
- Safety risks

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: PAs used to approve drugs for participants after failing trials of other drugs or services **Substance Use Disorder:** PAs used to approve drugs for participants after failing trials of other drugs or services **Medical/Surgical:** PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Severity or chronicity of an illness

Definitions

Sources

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

Substance Use Disorder

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical

NQTL Type: prior authorization/pre authorization

Classification: Prescription Drugs

Factor: Licensure, certification, accreditation and/or experience requirements for providers to join provider network

Definitions

Mental Health: providers must have a current, valid, unrestricted license to practice in all states where care is provided. **Substance Use Disorder:** providers must have a current, valid, unrestricted license to practice in all states where care is provided.

Medical/Surgical:

Mental Health

- State and Federal requirements
- National accreditation standards
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- State and Federal requirements
- National accreditation standards
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

Explain

Medical/Surgical

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

NQTL Type: prior authorization/pre authorization

Classification: Prescription Drugs

Factor: medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

Definitions

Mental Health: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Substance Use Disorder: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Medical/Surgical:

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Medical/Surgical

Medical/Surgical

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Safety risks

Definitions

Mental Health:

Substance Use Disorder: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational.

Medical/Surgical: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational

Mental Health

Mental Health

Sources

Substance Use Disorder

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

- Substance Use Disorder
 - Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
 - A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
 - FDA Prescribing information and official compendium

Explain

Medical/Surgical Question Skipped

Medical/Surgical

• Internal claims analysis

Medical expert reviews

NQTL to benefits

· Evidentiary standards, including any

internal plan or issuer standards,

relied upon to define the factors

triggering the application of an

published standards as well as

NQTL Type: prior authorization/pre authorization

Classification: Prescription Drugs

Factor: fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

Definitions

Mental Health: Substance Use Disorder: fail first protocol Medical/Surgical:

Mental Health

Sources

Substance Use Disorder Medical/Surgical • Internal claims analysis • State and Federal requirements Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits **Evidentiary Standards** Mental Health Substance Use Disorder Medical/Surgical • Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. • A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies. FDA Prescribing information and official compendium process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: clinical appropriateness/medical necessity

Definitions

Mental Health:

Substance Use Disorder: identified measures in place to determine the most appropriate treatment option for participants based on the participants medical status, placement of the treatment option on the PDL and the treatment options clinical criteria **Medical/Surgical:**

| | Sources | |
|---------------|---|------------------|
| Mental Health | Substance Use Disorder Internal claims analysis State and Federal requirements Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health | Substance Use Disorder Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies. FDA Prescribing information and official compendium process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization | Medical/Surgical |
| | Explain | |

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: fiscal responsibility/cost effectiveness

Definitions

Mental Health:

Substance Use Disorder: examination of a drug's actual cost and rebateable status for the State with an emphasis on cost conservation and reduction of waste for the Dept while still maintaining the accessibility of care to participants Medical/Surgical:

| Mental Health | Sources Substance Use Disorder • Internal claims analysis • State and Federal requirements • Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Medical/Surgical |
|---------------|---|------------------|
| | Evidentiary Standards | |
| Mental Health | Substance Use Disorder Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies. FDA Prescribing information and official compendium process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization | Medical/Surgical |
| | Explain | |

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Recent medical cost escalation

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: pre auth requirements may be adjusted based on escalating costs of services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical *Question Skipped*

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Lack of adherence to quality standards

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: over-utilization of services or overprescribing could lead to quality/safety concerns for member (e.g., iatrogenic addiction)

| Sources | | | | |
|---------------|------------------------|--|--|--|
| Mental Health | Substance Use Disorder | Medical/Surgical Medical expert reviews State and Federal requirements Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | | |
| | Evidentiary Standards | | | |
| Mental Health | Substance Use Disorder | Medical/Surgical | | |

Explain

Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical *Question Skipped*

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Factor: Quality and performance measures (including customer feedback)

Definitions

Mental Health:

Substance Use Disorder:

Medical/Surgical: measures intended to evaluate and improve the quality of services including but not limited to performance measures associated with waiver assurances, state regulations, national quality standards and pay for performance efforts

| Mental | Health |
|--------|--------|

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical
Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Lack of clinical efficiency of treatment or service
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Provider discretion in determining diagnosis
- Lack of clinical efficiency of treatment or service
- High variability in cost per episode of care
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria Substance Use Disorder:

Medical/Surgical:

Sources

Substance Use Disorder

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Medical/Surgical

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health:

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment. Substance Use Disorder: Medical/Surgical:

Sources

Substance Use Disorder

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Medical/Surgical

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health:

NQTL Type: prior authorization/pre authorization

Classification: Outpatient - Office Based

Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder:

Medical/Surgical: Level of current symptoms and presence of symptoms over time.

Sources

Substance Use Disorder

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

Medical/Surgical Question Skipped

Mental Health: Medical/Surgical:

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration;
 Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration;
 Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Medical/Surgical Question Skipped

Medical/Surgical

Medical expert reviews

NQTL to benefits

Evidentiary standards, including any

internal plan or issuer standards, relied upon to define the factors

triggering the application of an

published standards as well as

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Mental Health: Substance Use Disorder: Medical/Surgical:

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Least restrictive appropriate level of care

Definitions

Mental Health: lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM | Substance Use Disorder | Medical/Surgical |

Explain

Mental Health:

criteria or APA treatment guidelines.

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

URAC ParityManager[™] Report

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: High variability in cost per episode of care

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: Not Applicable. Did not select in Q P1Q2 and Q3.

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Explain

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

URAC ParityManager[™] Report

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Factor: Provider discretion in determining diagnosis

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: to ensure providers use the most efficient/least costly means of safely making a diagnosis. services to those needed to make the diagnosis would not be considered medically necessary for the specific population

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: data collection Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: data collection Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

NQTL Type: data collection Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: NQTL does not apply for this classification Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical: NQTL does not apply for this classification

Sources

Mental Health *Question Skipped*

Substance Use Disorder • Not Applicable Medical/Surgical

Evidentiary Standards

Mental Health *Question Skipped*

Substance Use Disorder

Not Applicable

Medical/Surgical

Explain

Mental Health:

NQTL Type: data collection Classification: Inpatient Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: data collection Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

NQTL Type: data collection Classification: Inpatient Factor: Not Applicable

Definitions

Mental Health: NQTL does not apply for this classification Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical: NQTL does not apply for this classification

Sources

Mental Health *Question Skipped*

Substance Use Disorder • Not Applicable Medical/Surgical

Evidentiary Standards

Mental Health Question Skipped Substance Use Disorder • Not Applicable Medical/Surgical

Explain

Mental Health: Substance Use Disorder:

NQTL Type: data collection Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

NQTL Type: data collection Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: data collection Classification: Outpatient - Office Based Factor: Not Applicable

Definitions

Mental Health: NQTL does not apply for this classification Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical: NQTL does not apply for this classification

Sources

Mental Health *Question Skipped*

Substance Use Disorder *Question Skipped* Medical/Surgical

Evidentiary Standards

Mental Health Question Skipped Substance Use Disorder *Question Skipped* Medical/Surgical

Explain

Mental Health: Substance Use Disorder:

NQTL Type: medical necessity Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: medical necessity Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: medical necessity Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Provider discretion in determining diagnosis
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Provider discretion in determining diagnosis
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable Medical/Surgical

Mental Health

Evidentiary Standards Substance Use Disorder

Question Skipped

Medical/Surgical

Explain

Substance Use Disorder:

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Provider discretion in determining diagnosis

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: to ensure providers use the most efficient/least costly means of safely making a diagnosis. services to those needed to make the diagnosis would not be considered medically necessary for the specific population

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

| Mental | Health |
|--------|--------|

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Substance Use Disorder

Medical/Surgical *Question Skipped*

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical *Question Skipped*

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Internal claims analysis
- Medical expert reviews
- Internal market and competitive analysis

Evidentiary Standards

Substance Use Disorder

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Medical/Surgical: Level of current symptoms and presence of symptoms over time

Medical/Surgical: Level of current symptoms and presence of symptoms over time.

Sources

Substance Use Disorder

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Service type

Definitions

Sources

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder:

Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Substance Use Disorder

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: medical necessity Classification: Outpatient - Other Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria Substance Use Disorder:

Medical/Surgical:

Sources

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Substance Use Disorder

Medical/Surgical

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment. Substance Use Disorder: Medical/Surgical:

Sources

Substance Use Disorder

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

Medical/Surgical

 Mental Health
 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

NQTL Type: medical necessity Classification: Outpatient - Other Factor: Least restrictive appropriate level of care

Definitions

Mental Health: lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM | Substance Use Disorder | Medical/Surgical |

Explain

Mental Health:

criteria or APA treatment guidelines.

NQTL Type: medical necessity Classification: Inpatient Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: medical necessity Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: medical necessity Classification: Inpatient Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- High levels of variation in length of stay

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- High levels of variation in length of stay

NQTL Type: medical necessity Classification: Inpatient Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Internal market and competitive analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Inpatient Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Substance Use Disorder: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Medical/Surgical: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Evidentiary Standards

Question Skipped

Medical/Surgical

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: medical necessity Classification: Inpatient Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

Mental Health

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

· Compliance with professionally

recognized treatment guidelines

standards of care such as ASAM

used to define clinically appropriate

criteria or APA treatment guidelines.

Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

NQTL Type: medical necessity Classification: Inpatient Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: medical necessity Classification: Inpatient Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical:

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: medical necessity

Classification: Inpatient

Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. **Substance Use Disorder:** Lowest level of care the individual can be safely and effectively treated. **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: medical necessity Classification: Prescription Drugs Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

clinical appropriateness/medical necessity

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- clinical appropriateness/medical necessity
- fiscal responsibility/cost effectiveness

- Excessive utilization
- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Service type
- Safety risks

NQTL Type: medical necessity Classification: Prescription Drugs Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- clinical appropriateness/medical necessity
- fiscal responsibility/cost effectiveness

- Excessive utilization
- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Safety risks

NQTL Type: medical necessity Classification: Prescription Drugs Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Safety risks
- waste of Medicaid funds

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Safety risks
- waste of Medicaid funds

NQTL Type: medical necessity Classification: Prescription Drugs Factor: clinical appropriateness/medical necessity

Definitions

Mental Health: identified measures in place to determine the most appropriate treatment option for participants based on the participants medical status, placement of the treatment option on the PDL and the treatment options clinical criteria **Substance Use Disorder:** identified measures in place to determine the most appropriate treatment option for participants based on the participants medical status, placement of the treatment option on the PDL and the treatment options clinical criteria **Medical/Surgical:**

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM

Evidentiary Standards

- criteria or APA treatment guidelines.
 A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health:

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Excessive utilization

Definitions

Sources

Mental Health: significantly higher use of a service than average by a participant **Substance Use Disorder:** significantly higher use of a service than average by a participant **Medical/Surgical:** significantly higher use of a service than average by a participant

Mental Health

• Internal claims analysis

Substance Use Disorder

Internal claims analysis

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical:

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Safety risks

Definitions

Mental Health: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational

Substance Use Disorder: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational.

Medical/Surgical: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational.

Mental Health

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NOTL to benefits

Sources

Substance Use Disorder

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Evidentiary Standards

- Substance Use Disorder
 - Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
 - A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
 - FDA Prescribing information and official compendium

Medical/Surgical Question Skipped

Explain

NQTL Type: medical necessity Classification: Prescription Drugs Factor: waste of Medicaid funds

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: prescriptions filled beyond quantity limits are at risk for loss, waste or change in treatment before quantity is fully used by the member

| Sources | | | | |
|-----------------------|------------------------|--|--|--|
| Mental Health | Substance Use Disorder | Medical/Surgical Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | | |
| Evidentiary Standards | | | | |
| Mental Health | Substance Use Disorder | Medical/Surgical Question Skipped | | |
| Explain | | | | |

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: PAs used to approve drugs for participants after failing trials of other drugs or services **Substance Use Disorder:** PAs used to approve drugs for participants after failing trials of other drugs or services **Medical/Surgical:**

Mental Health

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Sources

Substance Use Disorder

 Internal claims analysis
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. **Substance Use Disorder:** Level of current symptoms and presence of symptoms over time. **Medical/Surgical:**

Mental Health

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Sources

Substance Use Disorder

 Internal claims analysis
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NOTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical

NQTL Type: medical necessity Classification: Prescription Drugs Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Medical/Surgical:

Sources

Substance Use Disorder

Medical/Surgical

- Mental Health

 State and Federal requirements
 - Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

• FDA Prescribing information and official compendium

Substance Use Disorder

Medical/Surgical

Explain

NQTL Type: medical necessity

Classification: Prescription Drugs

Factor: medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

Definitions

Mental Health: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Substance Use Disorder: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Medical/Surgical:

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Medical/Surgical

NQTL Type: medical necessity **Classification: Prescription Drugs** Factor: fiscal responsibility/cost effectiveness

Definitions

Mental Health: examination of a drug's actual cost and rebateable status for the State with an emphasis on cost conservation and reduction of waste for the Dept while still maintaining the accessibility of care to participants Substance Use Disorder: examination of a drug's actual cost and rebateable status for the State with an emphasis on cost conservation and reduction of waste for the Dept while still maintaining the accessibility of care to participants Medical/Surgical:

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

- Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
 - A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
 - FDA Prescribing information and official compendium
 - process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements · Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Excessive utilization
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Excessive utilization
- Claim types with high percentage of fraud
- Current and projected demand for services
- Elasticity of demand
- Provider discretion in determining type or length of treatment
- Severity or chronicity of an illness
- Service type

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Substance Use Disorder: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Medical/Surgical:

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical:

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time.Substance Use Disorder: Level of current symptoms and presence of symptoms over time.Medical/Surgical: Level of current symptoms and presence of symptoms over time.

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical Question Skipped

Medical/Surgical

Medical expert reviews

NQTL to benefits

Evidentiary standards, including any

internal plan or issuer standards, relied upon to define the factors

triggering the application of an

published standards as well as

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration;
 Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration;
 Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical Question Skipped

Medical/Surgical

Medical expert reviews

NQTL to benefits

Evidentiary standards, including any

published standards as well as

triggering the application of an

internal plan or issuer standards, relied upon to define the factors

Mental Health • Complian

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. **Substance Use Disorder:** Lowest level of care the individual can be safely and effectively treated. **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Claim types with high percentage of fraud

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: possibility for overutilization on non-medically necessary services. this is defined through the use of FWA software

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- State and Federal requirements

Evidentiary Standards

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Current and projected demand for services

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: current service utilization and anticipated utilization based on prior trends in utilization and population growth

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Internal claims analysis
- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Elasticity of demand

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: request for new technology or treatment may exceed medically necessary benefit

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: medical necessity Classification: Outpatient - Office Based Factor: Provider discretion in determining type or length of treatment

Definitions

Mental Health: Substance Use Disorder:

Medical/Surgical: authorization may be required to ensure appropriate level of care/level of medication and length of treatment. Authorizations are based on the following criteria: a. MFC Protocols b. MFC Pharmacy Policies and Procedures c. InterQual d. Medicare and Medicaid Guidelines e. Code of Maryland Regulations (COMAR) f. MFC MCO benefit coverage g. MFC Provider Manual h. MFC Member Handbook i. Food and Drug Administration (FDA) Approval j. Maryland Medicaid DMS/DME Program Approved List of Items k. Availability of services within the MFC network I. MFC Continuity of Care Policy m. Pain Management Contracts n. UM Criteria Policy o. Maryland Medicaid Medical Laboratory and Professional Services Program Approved List of Items p. National and International Professional Medical Society Guidelines, including but not limited to: i. National Comprehensive Cancer Network (NCCN) ii. NCCN Biomarkers Compendium iii. National Institutes of Health iv. National Cancer Institute q. U.S. Preventive Services Task Force (USPSTF) r. In the absence of guidelines, use prevailing medical literature from studies and journals. s. Maryland Medicaid Audiology Services Fee Schedule t. HealthChoice Diabetes Prevention Program Manual When provider discretion is indicated to determine medically necessity, the following individualized circumstances will be considered: a. age b. comorbidities c. complications d. progress of treatment e. psychosocial circumstances f. home environment The coverage group also determines how the benefits define medical necessity. (ie EPSDT for children and habilitative services for adults)

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: medical necessity Classification: Emergency Benefits Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Lack of clinical efficiency of treatment or service

NQTL Type: medical necessity Classification: Emergency Benefits Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Lack of clinical efficiency of treatment or service

NQTL Type: medical necessity Classification: Emergency Benefits Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Maryland Medicaid_Parity Analysis Definitions_7.16.20.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Lack of clinical efficiency of treatment or service

NQTL Type: medical necessity Classification: Emergency Benefits Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: PAs used to approve drugs for participants after failing trials of other drugs or services **Substance Use Disorder:** PAs used to approve drugs for participants after failing trials of other drugs or services **Medical/Surgical:** PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical Question Skipped

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: concurrent review Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care
- Clinical indications and/or evidence

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: concurrent review Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

NQTL Type: concurrent review Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

NQTL Type: concurrent review Classification: Outpatient - Other Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Mental Health

Sources

Substance Use Disorder

Medical/Surgical Question Skipped

Evidentiary Standards

Substance Use Disorder

Medical/Surgical *Question Skipped*

Explain

NQTL Type: concurrent review Classification: Outpatient - Other Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria Substance Use Disorder:

Medical/Surgical:

Sources

Substance Use Disorder

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health Substance Use Disorder

Compliance with professionally
recognized treatment guidelines
used to define clinically appropriate
standards of care such as ASAM
criteria or APA treatment guidelines.

Medical/Surgical

Explain

NQTL Type: concurrent review Classification: Outpatient - Other

Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

NQTL Type: concurrent review Classification: Outpatient - Other Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

NQTL Type: concurrent review

Classification: Outpatient - Other

Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

Mental Health: Substance Use Disorder:

NQTL Type: concurrent review Classification: Outpatient - Other Factor: Clinical indications and/or evidence

Definitions

Mental Health: Professional standards and protocols - defined as comparative effectiveness studies and clinical trials Substance Use Disorder:

Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

NQTL Type: concurrent review Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder *Question Skipped*

Medical/Surgical

Evidentiary Standards

Mental Health

Substance Use Disorder *Question Skipped*

Medical/Surgical

Explain

Substance Use Disorder:

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care
- Clinical indications and/or evidence

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care
- Clinical indications and/or evidence

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Clinical indications and/or evidence

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- High levels of variation in length of stay
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care
- Clinical indications and/or evidence

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Substance Use Disorder: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Medical/Surgical:

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Clinical indications and/or evidence

Definitions

Mental Health: Professional standards and protocols - defined as comparative effectiveness studies and clinical trials **Substance Use Disorder:** Professional standards and protocols - defined as comparative effectiveness studies and clinical trials **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment. Substance Use Disorder: Medical/Surgical:

Sources

Substance Use Disorder

Substance Use Disorder

Medical/Surgical

Medical/Surgical

Mental Health
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health:

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

Compliance with professionally

recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. **Substance Use Disorder:** Lowest level of care the individual can be safely and effectively treated. **Medical/Surgical:**

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

NQTL Type: concurrent review Classification: Outpatient - Office Based Factor: Least restrictive appropriate level of care

Definitions

Mental Health: lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM | Substance Use Disorder | Medical/Surgical |

Explain

Mental Health:

criteria or APA treatment guidelines.

NQTL Type: concurrent review Classification: Inpatient Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Severity or chronicity of an illness
- Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: concurrent review Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- High levels of variation in length of stay
- Variability in quality
- Severity or chronicity of an illness
- Service type
- Least restrictive appropriate level of care

NQTL Type: concurrent review Classification: Inpatient Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Lack of clinical efficiency of treatment or service
- High levels of variation in length of stay

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

- Lack of clinical efficiency of treatment or service
- High levels of variation in length of stay

NQTL Type: concurrent review Classification: Inpatient Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

NQTL Type: concurrent review

Classification: Inpatient

Factor: High levels of variation in length of stay

Definitions

Mental Health: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Substance Use Disorder: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Medical/Surgical: differences in treatment patterns can create lengths of stay which exceed nationally recognized medical necessity criteria

Sources

Substance Use Disorder

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Evidentiary Standards

Medical/Surgical Question Skipped

Explain

Mental Health: Substance Use Disorder: Medical/Surgical:

NQTL Type: concurrent review Classification: Inpatient Factor: Severity or chronicity of an illness

Definitions

Mental Health: Level of current symptoms and presence of symptoms over time. Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Substance Use Disorder:

URAC ParityManager^m Report

NQTL Type: concurrent review Classification: Inpatient Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: concurrent review Classification: Inpatient Factor: Variability in quality

Definitions

Mental Health: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Substance Use Disorder: is individual improving, or is there a need for a change in the treatment plan, monitoring appropriateness and efficacy of treatment.

Medical/Surgical:

Mental Health

• Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Medical/Surgical

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

NQTL Type: concurrent review

Classification: Inpatient

Factor: Least restrictive appropriate level of care

Definitions

Mental Health: Lowest level of care the individual can be safely and effectively treated. Substance Use Disorder: Lowest level of care the individual can be safely and effectively treated. Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Optum Benefits Mapping_MDH Revisions_7.17.20.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: Service Limitations Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable Medical/Surgical

Mental Health

Substance Use Disorder • Not Applicable

Medical/Surgical

Explain

Evidentiary Standards

Substance Use Disorder:

NQTL Type: Service Limitations Classification: Outpatient - Other Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder:

Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Substance Use Disorder

Mental Health

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

• Compliance with professionally

recognized treatment guidelines

standards of care such as ASAM

used to define clinically appropriate

criteria or APA treatment guidelines.

Evidentiary Standards

Substance Use Disorder

Mental Health

• Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

Mental Health: Medical/Surgical:

NQTL Type: Service Limitations Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

Standard 9 NQTL Type: Service Limitations Classification: Inpatient

Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• LTSS_NQTL_All Programs_Benefits by Classification.xlsx

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: Service Limitations Classification: Inpatient Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder • Not Applicable Medical/Surgical

Mental Health

Substance Use Disorder • Not Applicable

Medical/Surgical

Explain

Evidentiary Standards

Substance Use Disorder:

NQTL Type: Service Limitations Classification: Inpatient Factor: Service type

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: Services with various levels of intensity, including frequency and expected duration;

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• State and Federal requirements

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

Medical/Surgical:

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Service type

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• regulator imposed limitations

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• regulator imposed limitations

NQTL Type: Service Limitations Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits
- Substance Use Disorder
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Mental Health

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. Substance Use Disorder

 Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.

Explain

NQTL Type: Service Limitations Classification: Outpatient - Office Based Factor: regulator imposed limitations

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: number of services reimbursed per visit or timeframe may be restricted due to regulatory requirements imposed by the state of Maryland

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

State and Federal requirements

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

Explain

Medical/Surgical:

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Excessive utilization

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Factor: Excessive utilization

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: significantly higher use of a service than average by a participant

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

• Internal claims analysis

Evidentiary Standards

Mental Health

Substance Use Disorder

Medical/Surgical

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

Explain

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Factor: Not Applicable

Definitions

Mental Health: significantly higher use of a service than average by a participant Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Sources

Mental Health

Substance Use Disorder • Not Applicable Medical/Surgical

Evidentiary Standards

Mental Health

Substance Use Disorder *Question Skipped* Medical/Surgical

Explain

Substance Use Disorder:

Standard 9 NQTL Type: fail first requirements/step therapy Classification: Inpatient Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Not Applicable

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Not Applicable

Standard 9 NQTL Type: fail first requirements/step therapy Classification: Inpatient Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Lack of clinical efficiency of treatment or service

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Lack of clinical efficiency of treatment or service

NQTL Type: fail first requirements/step therapy Classification: Inpatient Factor: Not Applicable

Definitions

Mental Health: Substance Use Disorder: NQTL does not apply for this classification Medical/Surgical:

Mental Health

Sources

Substance Use Disorder
• Not Applicable

Medical/Surgical

Mental Health

Substance Use Disorder • Not Applicable

Medical/Surgical

Explain

Evidentiary Standards

Substance Use Disorder:

NQTL Type: fail first requirements/step therapy Classification: Inpatient Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Considered

Service type

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Service type

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Lack of clinical efficiency of treatment or service

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Lack of clinical efficiency of treatment or service

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

| | Sources | |
|---|------------------------|------------------|
| Mental Health Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits | Substance Use Disorder | Medical/Surgical |
| | Evidentiary Standards | |
| Mental Health Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. | Substance Use Disorder | Medical/Surgical |

Explain

Mental Health:

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: Substance Use Disorder: Medical/Surgical: PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

Medical/Surgical Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

Explain

Medical/Surgical:

URAC ParityManager[™] Report

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs

Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

 fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

 fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

 fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

Considered

- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Site visit requirements
- Service type
- Safety risks
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

• fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

- Lack of clinical efficiency of treatment or service
- Severity or chronicity of an illness
- Site visit requirements
- Service type
- Safety risks
- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: N

No Documents Attached

P1Q2: Identify all of the factors considered in the decision of whether or not to apply this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

Lack of clinical efficiency of treatment or service

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

Considered

• Lack of clinical efficiency of treatment or service

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health:

Substance Use Disorder: PAs used to approve drugs for participants after failing trials of other drugs or services **Medical/Surgical:** PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Question Skipped

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health: Medical/Surgical:

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Factor: Severity or chronicity of an illness

Definitions

Mental Health: Substance Use Disorder: Level of current symptoms and presence of symptoms over time. Medical/Surgical:

Mental Health

Mental Health

Sources

Substance Use Disorder
Internal claims analysis
Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health:

Medical/Surgical

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Factor: Site visit requirements

Definitions

Mental Health:

Substance Use Disorder: PAs used to determine compliance with site visit requirements associated with the clinical criteria of certain drugs

Medical/Surgical:

Sources

Mental Health Substance Use Disorder Medical/Surgical • State and Federal requirements • Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits **Evidentiary Standards** Mental Health Substance Use Disorder Medical/Surgical Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines. • A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies. • FDA Prescribing information and official compendium Explain

Mental Health:

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Factor: Service type

Definitions

Mental Health:

Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

Sources

Medical/Surgical

Medical/Surgical

Substance Use Disorder
State and Federal requirements
Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Mental Health:

Evidentiary 5

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Factor: Safety risks

Definitions

Mental Health:

Substance Use Disorder: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational **Medical/Surgical:**

Sources

Mental Health

- Substance Use Disorder
 - State and Federal requirements
 - Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Mental Health:

Medical/Surgical

NQTL Type: fail first requirements/step therapy

Classification: Prescription Drugs

Factor: fail first protocol or requirement to try a generic, less expensive, or lower efficacy drug for a certain trial period before receiving approval for a new drug

Definitions

Mental Health: fail first protocol Substance Use Disorder: fail first protocol Medical/Surgical:

Mental Health

- · Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements

Sources

 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NOTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Medical/Surgical

NQTL Type: fail first requirements/step therapy

Classification: Prescription Drugs

Factor: medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

Definitions

Mental Health:

Substance Use Disorder: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Medical/Surgical:

Mental Health

Sources

- Substance Use Disorder
 - Internal claims analysis
 - State and Federal requirements
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Mental Health

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Medical/Surgical

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Mental Health

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- clinical appropriateness/medical necessity
- fiscal responsibility/cost effectiveness

- Excessive utilization
- Lack of clinical efficiency of treatment or service
- Service type
- Safety risks

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Substance Use Disorder

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee
- clinical appropriateness/medical necessity
- fiscal responsibility/cost effectiveness

- Excessive utilization
- Lack of clinical efficiency of treatment or service
- Service type
- Safety risks

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Medical/Surgical

P1Q1: Is this NQTL type applied to 100% of benefits in this classification? If yes, the Parity Manager[™] will not require the maintenance of information about the factors considered in whether or not to apply this NQTL type to a particular benefit. Please note that the Parity Manager[™] will require the maintenance of information about the factors considered in the design of how this NQTL type applies.

Answer: Y

Please upload documentation demonstrating that the NQTL type is applied to 100% of benefits in this classification. Supporting Documents

• Maryland Medicaid_Parity Analysis Definitions_9.10.20.pdf

P1Q3: Identify all of the factors considered in the design of how this NQTL type to a particular benefit. Identify all the factors, including if different factors are used for different benefits within the same classification.

Relied Upon

- Lack of clinical efficiency of treatment or service
- Safety risks
- absence of formulary alternative or failure to respond to formulary medication

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: Lack of clinical efficiency of treatment or service

Definitions

Mental Health: PAs used to approve drugs for participants after failing trials of other drugs or services **Substance Use Disorder:** PAs used to approve drugs for participants after failing trials of other drugs or services **Medical/Surgical:** PAs used to approve drugs for participants after failing trials of other drugs or services

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Medical/Surgical Question Skipped

Explain

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: Safety risks

Definitions

Mental Health: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational

Substance Use Disorder: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational.

Medical/Surgical: member safety may be at risk if performed on an outpatient basis, therefore inpatient stay is authorized. In the case of medication, authorization review for medical necessity is required to enforce safety standards and ensure FDA requirements are met. National and international professional medical society guidelines are used to determine whether a procedure or service is experimental or investigational. In the absence of guidelines, we use the prevailing medical literature and journals to determine whether the procedure or service is experimental or investigational.

Mental Health

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NOTL to benefits

Sources

Substance Use Disorder

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Medical/Surgical Question Skipped Explain

NQTL Type: tiered drug formulary

Classification: Prescription Drugs

Factor: absence of formulary alternative or failure to respond to formulary medication

Definitions

Mental Health:

Substance Use Disorder:

Medical/Surgical: non formulary meds are approved when there is no acceptable formulary medication available for the patient's therapeutic need. Additionally, non formulary meds are approved when they have tried and failed formulary offerings

Mental Health

Sources

Substance Use Disorder

Medical/Surgical

- Medical expert reviews
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Explain

Mental Health

Substance Use Disorder

Medical/Surgical Question Skipped

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: Excessive utilization

Definitions

Mental Health: significantly higher use of a service than average by a participant **Substance Use Disorder:** significantly higher use of a service than average by a participant **Medical/Surgical:**

Mental Health

• Internal claims analysis

Sources

Substance Use Disorder

Internal claims analysis

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: Service type

Definitions

Mental Health: Services with various levels of intensity, including frequency and expected duration; Substance Use Disorder: Services with various levels of intensity, including frequency and expected duration; Medical/Surgical:

Mental Health

- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Substance Use Disorder

State and Federal requirements
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Medical/Surgical

NQTL Type: tiered drug formulary

Classification: Prescription Drugs

Factor: medication status of preferred drug list (PDL) as determined by the preferred drug program via recommendations by the P&T committee

Definitions

Mental Health: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Substance Use Disorder: a drug's classification within the PDL which is a list of the department's preferred and non-preferred drugs developed by the department's preferred drug program via recommendation made by the P&T cmte Medical/Surgical:

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Explain

Medical/Surgical

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: clinical appropriateness/medical necessity

Definitions

Mental Health: identified measures in place to determine the most appropriate treatment option for participants based on the participants medical status, placement of the treatment option on the PDL and the treatment options clinical criteria **Substance Use Disorder:** identified measures in place to determine the most appropriate treatment option for participants based on the participants medical status, placement of the treatment option on the PDL and the treatment options clinical criteria **Medical/Surgical:**

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

Substance Use Disorder

- Internal claims analysis
- State and Federal requirements
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

NQTL Type: tiered drug formulary Classification: Prescription Drugs Factor: fiscal responsibility/cost effectiveness

Definitions

Mental Health: examination of a drug's actual cost and rebateable status for the State with an emphasis on cost conservation and reduction of waste for the Dept while still maintaining the accessibility of care to participants Substance Use Disorder: examination of a drug's actual cost and rebateable status for the State with an emphasis on cost conservation and reduction of waste for the Dept while still maintaining the accessibility of care to participants Medical/Surgical:

Mental Health

- Internal claims analysis
- State and Federal requirements
- Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Sources

- Substance Use Disorder
 - Internal claims analysis
 - State and Federal requirements
 Evidentiary standards, including any published standards as well as internal plan or issuer standards, relied upon to define the factors triggering the application of an NQTL to benefits

Medical/Surgical

Medical/Surgical

Evidentiary Standards

Substance Use Disorder

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium
- process review(s) for auditing claims data to ensure compliance of a participant's treatment and service plan in conjunction with their prior authorization

Explain

Mental Health

- Compliance with professionally recognized treatment guidelines used to define clinically appropriate standards of care such as ASAM criteria or APA treatment guidelines.
- A certain number/type of recognized medical literature and professional standards (including comparative effectiveness studies and clinical trials), and published research studies.
- FDA Prescribing information and official compendium

Any parity flags found in Standard 10 are reported below. The number of flags per classification and limit type combination is shown.

| Parity Flag | | | |
|---------------------------|---------------|------------------------|------------------|
| | Mental Health | Substance Use Disorder | Medical/Surgical |
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

Any classification/category/NQTL combination considered incomplete is reported in the table below.

| Missing Information | | | | | |
|---|---|---|---|--|--|
| Mental Health Substance Use Disorder Medical/Surgio | | | | | |
| Inpatient | - | - | - | | |
| Outpatient - Other | - | - | - | | |
| Outpatient - Office Based | - | - | - | | |
| Emergency Benefits | - | - | - | | |
| Prescription Drugs | - | - | - | | |

NQTL: Outlier Management

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|--|---|---|
| Inpatient | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD Outlier Management Data | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Outlier Management Data | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Utilization trends Dollar spend trends Average denial rates for medica necessity for mental health and substance use disorder benefits and medical/surgical benefits. |
| Outpatient - Other | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Outlier Management Data | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Outlier Management Data | Utilization trends Dollar spend trends |
| Outpatient - Office Based | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Outlier Management Data | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Outlier Management Data | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Utilization trends Dollar spend trends Average denial rates for medica necessity for mental health and substance use disorder benefits and medical/surgical benefits. |
| Emergency Benefits | - | NQTL does not apply to any services in this classification | Utilization trendsDollar spend trends |
| Prescription Drugs | - | • NQTL does not apply to any services in this classification | Utilization trendsDollar spend trends |

NQTL: medical necessity

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|---|---|--|
| Inpatient | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits. number of days or visits denied per review days per 1000 and LOS per facility per month |
| Outpatient - Other | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits. Quality Metrics/HEDIS |
| Outpatient - Office Based | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits. Quality Metrics/HEDIS |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------------------|--|--|--|
| Emergency Benefits | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers |
| Prescription Drugs | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Utilization trends clinical criteria applied based on FDA labeling and requirements and official compendium internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Utilization trends clinical criteria applied based on FDA labeling and requirements and official compendium internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits. |

NQTL: Service Limitations

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| Mental Health | Substance Use Disorder | Medical/Surgica |
|---|---|---|
| - | NQTL does not apply to any services in this classification | Utilization trends |
| Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | • Authorization Denial Rates for MH/SUD |
| Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | EPSDT Payment Policy |
| | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria | NQTL does not apply to any services in this classification Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria |

-

Prescription Drugs

-

_

NQTL: concurrent review

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------------------|---|---|--|
| Inpatient | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Frequency with which reviews are conducted Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Degree of discretion exercised by utilization review staff Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Number of days or visits authorized per review Utilization trends The expertise of the persons who make denial determinations and whether such decision-makers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medical necessity for mental health and substance use disorder benefits. |
| Outpatient - Other | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Frequency with which reviews are conducted Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Degree of discretion exercised by utilization review staff Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Number of days or visits authorized per review The expertise of the persons who make denial determinations and whether such decision-makers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medical necessity for mental health and substance use disorder benefits. |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|---|---|---|
| Outpatient - Office Based | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Frequency with which reviews are conducted Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Degree of discretion exercised by utilization review staff Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Number of days or visits authorized per review The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medical necessity for mental health and substance use disorder benefits. |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

NQTL: fail first requirements/step therapy

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|--|--|--|
| npatient | - | NQTL does not apply to any services in this classification | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Availability of less intensive level of care when fail-first NQTL is imposed |
| Outpatient - Other | - | NQTL does not apply to any services in this classification | Degree of discretion exercised by utilizatio review staff |
| Outpatient - Office Based | NQTL does not apply to any services in this classification | - | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Availability of less intensive level of care when fail-first NQTL is imposed |

Prescription Drugs

- Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews
- Utilization trends
- clinical criteria applied based on FDA labeling and requirements and official compendium
- internal monitoring of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage, and drug utilization

Substance Use Disorder

- Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews
- Utilization trends
- clinical criteria applied based on FDA labeling and requirements and official compendium
- internal monitoring of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage, and drug utilization

- Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews
- Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers
- Dollar spend trends
- Availability of less intensive level of care when fail-first NQTL is imposed

NQTL: prior authorization/pre authorization

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|-----------|---|---|---|
| Inpatient | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Requirements for the qualifications of provider staff involved in reviews Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Whether and how discretion is allowed in applying each NQTL The expertise of the persons who make denial determination and whether such decision- makers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medica necessity for mental health and substance use disorder benefits and medical/surgical benefits. Addressing workforce shortage issues |

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|---|---|---|
| Dutpatient Other | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Type and level of documentatio (e.g., chart notes, lab results, treatment plans, etc.) the healt plan requires from providers during reviews Requirements for the qualifications of provider staff involved in reviews Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Frequency that authorization requirements are waived Utilization trends Dollar spend trends Exception processes available for each NQTL requirement and when they may be applied. Whether and how discretion is allowed in applying each NQTL The expertise of the persons who make denial determination and whether such decision- makers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medica necessity for mental health and substance use disorder benefits and medical/surgical benefits. Complaint tracking (enrollees and providers) |
| Outpatient - Office Based | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria Authorization Denial Rates for MH/SUD | Type and level of documentatio (e.g., chart notes, lab results, treatment plans, etc.) the healt plan requires from providers during reviews Requirements for the qualifications of provider staff involved in reviews Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers Frequency that authorization requirements are waived Utilization trends Exception processes available for each NQTL requirement and when they may be applied. Whether and how discretion is allowed in applying each NQTL The expertise of the persons who make denial determination and whether such decision- makers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise. Average denial rates for medical substance use disorder benefits and medical/surgical benefits. |

Emergency Benefits

-

-

-

Mental Health

documentation (e.g., chart

plans, etc.) the health plan

• clinical criteria applied based

authorizations to determine

treatment/service plans for

requirements and official

• internal auditing of prior

drug efficacy based on

treatment plans, service

usage and drug utilization

concurrent review of

requires from providers

notes, lab results, treatment

• Type and level of

during reviews

Utilization trends

compendium

compliance of

on FDA labeling and

- Substance Use Disorder
- Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews
- Utilization trends
- clinical criteria applied based on FDA labeling and requirements and official compendium
- internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Medical/Surgical

- Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews
- Utilization trends
- Dollar spend trends
- Whether and how discretion is allowed in applying each NQTL
- Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.
- Frequency potential treatments are reviewed to determined whether they are experimental and investigational
- Complaint tracking (enrollees and providers)

Drugs

Prescription

NQTL: data collection

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|------------------------------|--|--|------------------|
| Inpatient | NQTL does not apply to any services in this classification | NQTL does not apply to any services in this classification | - |
| Outpatient - Other | NQTL does not apply to any services in this classification | NQTL does not apply to any services in this classification | - |
| Outpatient - Office Based | NQTL does not apply to any services in this classification | NQTL does not apply to any services in this classification | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | - | - | - |

NQTL: tiered drug formulary

P1Q1: Identify all of the Operations Measures the Organization regularly collects and analyzes for the purposes of ensuring that this NQTL is applied in compliance with MHPAEA.

| | Mental Health | Substance Use Disorder | Medical/Surgical |
|---------------------------------|--|--|---|
| Inpatient | - | - | - |
| Outpatient - Other | - | - | - |
| Outpatient - Office Based | - | - | - |
| Emergency Benefits | - | - | - |
| Prescription Drugs | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Utilization trends clinical criteria applied based on FDA labeling and requirements and official compendium internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Utilization trends clinical criteria applied based on FDA labeling and requirements and official compendium internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization | Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews Exception processes available for each NQTL requirement and when they may be applied. |

NQTL Type: Outlier Management Classification: Emergency Benefits Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

- PEER COMPARISON_FACILITY_20191120 ER.pdf
- 452-99285 ER Outlier.pdf

Dollar spend trends

Supporting Documents

• Costs by Provider ER.pdf

NQTL Type: Outlier Management Classification: Emergency Benefits Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• We DO NOT apply any NQTLs to the Emergency and Pharmacy Benefits.docx

Standard 10 NQTL Type: Outlier Management Classification: Inpatient Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

Retrospective Review ER review monitoring.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Utilization trends

Supporting Documents

• 1.PEER COMPARISON_FACILITY_20191120 ER.pdf

Dollar spend trends

Supporting Documents

• MD FAC High Dollar Report Check Run 08142020.xlsx

Standard 10 NQTL Type: Outlier Management Classification: Inpatient Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• Sample monthly FWA report - Standard Template - MD.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• 1.IRR Analysis.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• IRR Report.pdf

Authorization Denial Rates for MH/SUD

Supporting Documents

• 1.Auth Stats for June 2020.xlsx

NQTL Type: Outlier Management Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• 1.Sample monthly FWA report - Standard Template - MD.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Dollar spend trends

Supporting Documents

• 1.PEER COMPARISON_FACILITY_20191120 ER.pdf

Utilization trends

Supporting Documents

• Provider Cost Per Visit Outpatient.pdf

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• 1.Sample monthly FWA report - Standard Template - MD.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: Outlier Management Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• 1.Sample monthly FWA report - Standard Template - MD.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

• Urgent Care examples outliers.xlsx

Dollar spend trends

Supporting Documents

- Costs by Provider Office.pdf
- MD Professional High Dollar 08.07.20.xlsx

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

Retrospective Review ER review monitoring.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• 1.Sample monthly FWA report - Standard Template - MD.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: Outlier Management Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Outlier Management Data

Supporting Documents

• 1.Sample monthly FWA report - Standard Template - MD.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: Outlier Management Classification: Prescription Drugs Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Dollar spend trends

Supporting Documents

- Top Pharmacy cost by member.xlsx
- Plan Performance MSFC MD 2005_2020.xls

Utilization trends

Supporting Documents

- COTVITI PHARMACY RULES.pdf
- RX CSII without medical service_20200301-20200531.pdf

NQTL Type: Outlier Management Classification: Prescription Drugs Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• We DO NOT apply any NQTLs to the Emergency and Pharmacy Benefits.docx

NQTL Type: medical necessity Classification: Emergency Benefits Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

Medstar IRR Report.pdf

NQTL Type: medical necessity Classification: Emergency Benefits Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• IRR Report.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• IRR Report.pdf

NQTL Type: medical necessity Classification: Emergency Benefits Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• IRR Report.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• 1.IRR Analysis.pdf

Standard 10 NQTL Type: medical necessity Classification: Inpatient

Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

days per 1000 and LOS per facility per month

Supporting Documents

• 1.Evolent MNRR-13a_BY FACILITY Days per 1000 without SNF and Rehab.xlsx

number of days or visits denied per review

Supporting Documents

• Evolent MNRR-46_Inpatient Denial Tracking Log by Facility Report_NEW.xlsx

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• 1.Average denial rates for medical necessity S10Q2.pdf

Standard 10 NQTL Type: medical necessity Classification: Inpatient Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

NQTL Type: medical necessity Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: medical necessity Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• 1.Average denial rates for medical necessity S10Q2.pdf

Quality Metrics/HEDIS

Supporting Documents

• HEDIS 2019 Comprehensive Report.xlsx

NQTL Type: medical necessity Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: medical necessity Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

Quality Metrics/HEDIS

Supporting Documents

• HEDIS 2019 Comprehensive Report.xlsx

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: medical necessity Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: medical necessity Classification: Prescription Drugs Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- 1.IRR Analysis.pdf
- Evolent MNRR-32_A-DETAILED_Referral Event Management Report.xlsx

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

- Evolent MNRR-32_A-DETAILED_Referral Event Management Report.xlsx
- Average denial rates for medical necessity S10Q2.pdf

NQTL Type: medical necessity Classification: Prescription Drugs Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

- November_2019_Minutes.pdf
- P & T SOP Revised 02.10.2020 FINAL.docx

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

NQTL Type: medical necessity Classification: Prescription Drugs Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

• Maryland_PDL_7.1.20.pdf

Standard 10 NQTL Type: Service Limitations Classification: Inpatient Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

- 10.09.10.02 License Req.pdf
- 10.09.10.03 Cond of Participation.pdf
- 10.09.10.05 Limitations.pdf
- 10.09.36.03 Cond of Participation.pdf

NQTL Type: Service Limitations Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• DO NOT APPLY NQTLs to Inpatient-SUD.docx

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: Service Limitations Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

EPSDT Payment Policy

Supporting Documents

• EPSDT Payment Policy 4.23.2020.pdf

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: Service Limitations Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: concurrent review Classification: Inpatient Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

• Evolent MNRR-13a_BY FACILITY Days per 1000 without SNF and Rehab.xlsx

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1.Type and Level of Documentation- S10Q2.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• 1.Evolent MNRR-13a_BY FACILITY Days per 1000 without SNF and Rehab.xlsx

Number of days or visits authorized per review

Supporting Documents

• Policy 115; DRAFT; Utilization Management Criteria; July 2020.pdf

Frequency with which reviews are conducted

Supporting Documents

• Policy 115; DRAFT; Utilization Management Criteria; July 2020.pdf

Degree of discretion exercised by utilization review staff

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf
- Frequency of Reviews DIscretion of Reviewers.pdf

NQTL Type: concurrent review Classification: Inpatient Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• IRR Report.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• 1.IRR Analysis.pdf

NQTL Type: concurrent review Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: concurrent review Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

Degree of discretion exercised by utilization review staff

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf
- Frequency of Reviews DIscretion of Reviewers.pdf

Frequency with which reviews are conducted

Supporting Documents

• Frequency of Reviews DIscretion of Reviewers.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Number of days or visits authorized per review

Supporting Documents

• Policy 115; DRAFT; Utilization Management Criteria; July 2020.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1.Type and Level of Documentation- S10Q2.pdf

NQTL Type: concurrent review Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: concurrent review Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• 1.Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

Degree of discretion exercised by utilization review staff

Supporting Documents

• Medstar IRR Analysis.pdf

Frequency with which reviews are conducted

Supporting Documents

• Frequency of Reviews DIscretion of Reviewers.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

Medstar IRR Report.pdf

Number of days or visits authorized per review

Supporting Documents

• Policy 115; DRAFT; Utilization Management Criteria; July 2020.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Type and Level of Documentation- S10Q2.pdf

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: concurrent review Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

Standard 10 NQTL Type: fail first requirements/step therapy Classification: Inpatient Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1. Type and Level of Documentation- S10Q2.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Availability of less intensive level of care when fail-first NQTL is imposed

Supporting Documents

- Availability of Less Intensive level of care.pdf
- 1.Average denial rates for medical necessity S10Q2.pdf

Standard 10 NQTL Type: fail first requirements/step therapy Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• DO NOT APPLY NQTLs to Inpatient-SUD.docx

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Degree of discretion exercised by utilization review staff

Supporting Documents

DME - DMS Audiology Review Procedures (8.04.2020).docx

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Type and Level of Documentation- S10Q2.pdf

Availability of less intensive level of care when fail-first NQTL is imposed

Supporting Documents

Coumadin Clinic and Step Therapy.pdf

NQTL Type: fail first requirements/step therapy Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• 1.DO NOT APPLY NQTLs to OP-Office MH v2.0.docx

NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs

Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Type and Level of Documentation- S10Q2.pdf

Dollar spend trends

Supporting Documents

• Top Drugs May 2020.xlsx

Availability of less intensive level of care when fail-first NQTL is imposed

Supporting Documents

- Policy 210; DRAFT; Step Therapy Policy; July 2020.pdf
- Redirected Medications.xlsx

Standard 10 NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• MDH MMPP Brand Preferred Over Generics List.pdf

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

internal monitoring of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage, and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

Standard 10 NQTL Type: fail first requirements/step therapy Classification: Prescription Drugs Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Maryland_PDL_7.1.20.pdf

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

internal monitoring of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage, and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

• Maryland_PDL_7.1.20.pdf

Standard 10 NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• 1.Average denial rates for medical necessity S10Q2.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

- Medstar IRR Report.pdf
- Medstar IRR Analysis.pdf

Requirements for the qualifications of provider staff involved in reviews

Supporting Documents

• 1.Policy 301; Member Appeals; July 2020.pdf

Addressing workforce shortage issues

Supporting Documents

• COVID UM Updates.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• 1.Policy 301; Member Appeals; July 2020.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1.Type and Level of Documentation- S10Q2.pdf

Whether and how discretion is allowed in applying each NQTL

Supporting Documents

• 1.Discretion in NQTL application.pdf

Standard 10 NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: prior authorization/pre authorization Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Whether and how discretion is allowed in applying each NQTL

Supporting Documents

• Discretion in NQTL application.pdf

Utilization trends

Supporting Documents

• 1.Utilization Trends.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1.Type and Level of Documentation- S10Q2.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Requirements for the qualifications of provider staff involved in reviews

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

Frequency that authorization requirements are waived

Supporting Documents

• MFC Authorization Grid.xlsx

Exception processes available for each NQTL requirement and when they may be applied.

Supporting Documents

• MFC Authorization Grid.xlsx

Dollar spend trends

Supporting Documents

• Dollar Spend trends.pdf

Complaint tracking (enrollees and providers)

Supporting Documents

Complaints and Grievances REPORT 06 2020.xlsx

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• Medstar IRR Report.pdf

Whether and how discretion is allowed in applying each NQTL

Supporting Documents

• Discretion in NQTL application.pdf

Utilization trends

Supporting Documents

• Utilization Trends.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Type and Level of Documentation- S10Q2.pdf

The expertise of the persons who make denial determinations and whether such decisionmakers with respect to mental health, substance use disorder and medical/surgical benefits have comparable expertise.

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Requirements for the qualifications of provider staff involved in reviews

Supporting Documents

• Policy 301; Member Appeals; July 2020.pdf

Frequency that authorization requirements are waived

Supporting Documents

• MFC Authorization Grid.xlsx

Exception processes available for each NQTL requirement and when they may be applied.

Supporting Documents

• MFC Authorization Grid.xlsx

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

• IRR Report.pdf

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• 1.IRR Analysis.pdf

NQTL Type: prior authorization/pre authorization Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Authorization Denial Rates for MH/SUD

Supporting Documents

• Auth Stats for June 2020.xlsx

Internal audit findings related to coverage determination consistency with the plan's medical necessity criteria

Supporting Documents

• #8- 2019 IRR Reports and Analysis 20.01.02.pdf

Inter-rater reliability surveys for medical/surgical, mental health and substance use disorder reviewers

Supporting Documents

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Average denial rates for medical necessity for mental health and substance use disorder benefits, and medical/surgical benefits.

Supporting Documents

• Average denial rates for medical necessity S10Q2.pdf

Whether and how discretion is allowed in applying each NQTL

Supporting Documents

• Discretion in NQTL application.pdf

Utilization trends

Supporting Documents

• Utilization Trends.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• Type and Level of Documentation- S10Q2.pdf

Frequency potential treatments are reviewed to determined whether they are experimental and investigational

Supporting Documents

• Frequency review Experiemental and Investgational.pdf

Dollar spend trends

Supporting Documents

Dollar Spend trends.pdf

Complaint tracking (enrollees and providers)

Supporting Documents

Complaints and Grievances REPORT 06 2020.xlsx

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs

Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

NQTL Type: prior authorization/pre authorization Classification: Prescription Drugs Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

NQTL Type: data collection Classification: Inpatient Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• DO NOT APPLY NQTLs to Inpatient-MH.docx

NQTL Type: data collection Classification: Inpatient Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• DO NOT APPLY NQTLs to Inpatient-SUD.docx

NQTL Type: data collection Classification: Outpatient - Other Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

• DO NOT APPLY NQTLs to OP-Other-MH.docx

NQTL Type: data collection Classification: Outpatient - Other Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

NQTL Type: data collection Classification: Outpatient - Office Based Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

NQTL Type: data collection Classification: Outpatient - Office Based Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

NQTL does not apply to any services in this classification

Supporting Documents

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Medical/Surgical

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

• 1.Type and Level of Documentation- S10Q2.pdf

Exception processes available for each NQTL requirement and when they may be applied.

Supporting Documents

• Policy 205; Non-Formulary Policy; July 2020.pdf

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Mental Health

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- November_2019_Minutes.pdf
- Tier 2 and NPD Clinical Criteria.pdf

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- PA Review Process 7 27 20 DB.docx
- Tier 2 and NPD Clinical Criteria.pdf

Utilization trends

Supporting Documents

- November_2019_Minutes.pdf
- P & T SOP Revised 02.10.2020 FINAL.docx

NQTL Type: tiered drug formulary Classification: Prescription Drugs Category: Substance Use Disorder

Upload data or other documents defining or illustrating the Operations Measures. For Accreditation Applicants, upload documents defining the Operations Measures and the most recent minutes from a compliance or operations meeting in which the listed Operations Measure was reviewed and discussed.

Type and level of documentation (e.g., chart notes, lab results, treatment plans, etc.) the health plan requires from providers during reviews

Supporting Documents

- MDH MMPP Brand Preferred Over Generics List.pdf
- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

Utilization trends

Supporting Documents

• November_2019_Minutes.pdf

clinical criteria applied based on FDA labeling and requirements and official compendium

Supporting Documents

- Maryland_PDL_7.1.20.pdf
- Tier 2 and NPD Clinical Criteria.pdf

internal auditing of prior authorizations to determine compliance of treatment/service plans for drug efficacy based on concurrent review of treatment plans, service usage and drug utilization

Supporting Documents

• PA Review Process 7 27 20 DB.docx