COMAR 10.17.01 PUBLIC SWIMMING POOL OR SPA COMPLIANCE SCHEDULE APPLICATION

Maryland Department of Health and Mental Hygiene (DHMH) Division of Community Services (DCS) 6 St. Paul Street, Suite 1301, Baltimore, Maryland 21202-1608 Phone 410-767-8417 Fax 410-333-8926 Toll Free 1-877-4MD-DHMH ext. 8417

An owner of a public pool or spa that is not in compliance with the Maryland Public Pools and Spas Regulations may request approval from the DHMH to meet a regulation requirement at a future date provided that: 1. Operation of the pool or spa during the time allowed to bring the pool or spa into compliance does not adversely affect public health and safety; and 2. The pool or spa is otherwise in compliance with the regulations (COMAR 10.17.01.54).

1.	Owner									
	Mailing Addre	SS				City		State	Zip	
	Phone #Fax #				•					
2.	Facility Location									
	Physical Address					City		State	Zip	
	Phone # Fax #								·P	
	Specify which facility at the location is non compliant and for which you are requesting a compliance schedule.									
ı						<u> </u>				_
	Facility	Indoor	Outdoor	Comment	Facility	Indoor	Outdoor		Comment	_
	Main Pool				Spa					_
	Wading Pool				Swim Spa					4
	Therapy Pool				Water Attraction	+				-
2	Spray Pool		7 01 regulation th	at requires a compliance	Other:					J
0.	Specify the COMAR 10.17.01 regulation that requires a compliance schedule:									
	COMAR 10.17.01.37									
4.	Specify why the requirement cannot be correctly immediately:									
	-									
	-									
5.	Explain interim measures in place that protect public health and safety:									
6.	Describe the corrective action:									
	Plans will be submitted to the Division of Community Services by September 15, 2012, to install (specify lift, sloped entry, etc.):									
							Date of	of Compliance: March 15, 2013		
7.	The information	n provided	is current and acc	curate:						
X (Owner's Signatu	ıre			Date	Print Name				
_										
DH	IMH:	Approved	d 🗌							
		Denied	Specify rea	ason						
			_ , , -							
X Sanitarian's Signature					Date		Print Na	ame		