

# Publications

## National HIV Behavioral Surveillance

- Li X, Sullivan P, Broz D, Handanagic S; NHBS Study Group. [Association Between Dual Partnership and Sexual and Injecting Behaviors Among Persons Who Inject Drugs in 23 US Cities, 2018](#). Arch Sex Behav. 2022. Epub.
- Rushmore J, Buchacz K, Broz D, Agnew-Brune CB, Jones MLJ, Cha S; NHBS Study Group. [Factors Associated with Exchange Sex Among Cisgender Persons Who Inject Drugs: Women and MSM-23 U.S. Cities, 2018](#). AIDS Behav. 2022. Epub.
- Lee K, Trujillo L, Olansky E, Robbins T, Brune CA, Morris E, Finlayson T, Kanny D, Wejnert C; National HIV Behavioral Surveillance among Transgender Women Study Group; National HIV Behavioral Surveillance among Transgender Women Study Group. [Factors Associated with Use of HIV Prevention and Health Care Among Transgender Women - Seven Urban Areas, 2019-2020](#). MMWR Morb Mortal Wkly Rep. 2022;71(20):673-679.
- Cha S, Adams M, Wejnert C; NHBS Study Group. [Intimate partner violence, HIV-risk behaviors, and HIV screening among heterosexually active persons at increased risk for infection](#). AIDS Care. 2022. Epub.
- Handanagic S, Finlayson T, Burnett JC, Broz D, Wejnert C; National HIV Behavioral Surveillance Study Group. HIV Infection and HIV-Associated Behaviors Among Persons Who Inject Drugs - 23 Metropolitan Statistical Areas, United States, 2018. MMWR Morb Mortal Wkly Rep. 2021 Oct 22;70(42):1459-1465. [PMID: 34673746](#)
- Baugher AR, Trujillo L, Kanny D, Freeman JQ, Hickey T, Sionean C, Respress E, Bardales JC, Marcus R, Finlayson T, Wejnert C; National HIV Behavioral Surveillance Study Group. [Racial, Ethnic, and Gender Disparities in Awareness of Preexposure Prophylaxis Among HIV-Negative Heterosexually Active Adults at Increased Risk for HIV Infection - 23 Urban Areas, United States, 2019](#). MMWR Morb Mortal Wkly Rep. 2021 Nov 26;70(47):1635-1639.
- Freeman JQ, Trujillo L, Baugher AR; for the NHBS Study Group. [Prevalence of and racial/ethnic differences in sexuality disclosure among men who have sex with men in 23 U.S. cities—National HIV Behavioral Surveillance, 2017](#). Journal of HIV/AIDS & Social Services. 2021. Epub.
- Baugher, AR; Whiteman, A; Jeffries, William L. IV; Finlayson, Teresa; Lewis, Rashunda; Wejnert, Cyprian; for the NHBS Study Group. Black men who have sex with men living in states with HIV criminalization laws report high stigma, 23 U.S. cities, 2017. AIDS. 2021;35(10):1637-1645. [PMID: 34270489](#)
- Elmes J, Silhol R, Hess KL, Gedge LM, Nordsletten A, Staunton R, Anton P, Shacklett B, McGowan I, Dang Q, Adimora AA, Dimitrov DT, Aral S, Handanagic S, Paz-Bailey G, Boily M, NHBS Study Group. Receptive anal sex contributes substantially to heterosexually-acquired HIV infections among at-risk women in Twenty US Cities: results from a modelling analysis. American Journal of Reproductive Immunology. 2020. Epub. [PMCID: PMC7485995](#)
- Wilson EC, Turner CM, Arayasirikul S, et al. Disparities in the PrEP continuum for trans women compared to MSM in San Francisco, California: results from population-based cross-sectional behavioural surveillance studies. J Int AIDS Soc. 2020;23(Suppl 3):e25539. [PMID: 32602642](#)
- Whitby S, Smith A, Rossetti R, et al. Evaluation of Rapid Testing Algorithms for Venue-based Anonymous HIV Testing among Non-HIV-Positive Men Who Have Sex with Men, National HIV Behavioral Surveillance (NHBS), 2017. J Community Health. 2020. Epub. [PMID: 32651767](#)
- Owens L, Micks E, Moreno C, Glick S. Reproductive Health Care Utilization by Women Who Inject Drugs and Exchange Sex in the Seattle Area. Subst Use Misuse. 2020;55(12):2020-2024. [PMID: 32657202](#)
- Adams M, Sionean C, Broz D, Lewis R, Wejnert C; NHBS Study Group. [Serious Mental Illness Among Young People Who Inject Drugs: An Assessment of Injection Risks and Healthcare Use](#). J Infect Dis. 2020;222(Supplement\_5):S401-S409.

- Lewis R, Baugher AR, Finlayson T, Wejnert C, Sionean C; National HIV Behavioral Surveillance (NHBS) Study Group. [Healthcare Access and Utilization Among Persons Who Inject Drugs in Medicaid Expansion and Nonexpansion States: 22 United States Cities, 2018](#). J Infect Dis. 2020;222(Supplement\_5):S420-S428.
- Whiteman A, Burnett J, Handanagic S, Wejnert C, Broz D; NHBS Study Group. [Distance matters: The association of proximity to syringe services programs with sharing of syringes and injecting equipment - 17 U.S. cities, 2015](#). Int J Drug Policy. 2020;85:102923. Epub.
- Whiteman A, Baugher A, Sionean C; NHBS Study Group. [Assessing self-reported discrimination among men who have sex with men](#). AIDS. 2020. Epub.
- Chapin-Bardales J, Johnson Jones ML, Kirkcaldy RD, Bernstein KT, Paz-Bailey G, Phillips C, Papp JR, Raymond HF, Opoku J, Braunstein SL, Spencer EC, Khuwaja S, Wejnert C; NHBS STI Study Group. [Pre-exposure Prophylaxis Use and Detected Sexually Transmitted Infections Among Men Who Have Sex With Men in the United States-National HIV Behavioral Surveillance, 5 US Cities, 2017](#). J Acquir Immune Defic Syndr. 2020;85(4):430-435.
- McClung N, Burnett J, Wejnert C, Markowitz LE, Meites E, NHBS Study Group. [Human Papillomavirus Vaccination Coverage among Men Who Have Sex with Men—National HIV Behavioral Surveillance, United States, 2017](#). Vaccine. 2020;38(47):7417-7421.
- Baugher AR, Finlayson T, Lewis R, Sionean C, Whiteman A, Wejnert C; NHBS Study Group. [Health Care Coverage and Preexposure Prophylaxis \(PrEP\) Use Among Men Who Have Sex With Men Living in 22 US Cities With Medicaid Expansion, 2017](#). Am J Public Health. 2021;111(4):743-751.
- Jones JT, Smith DK, Wiener J, August EM, Finlayson T, Wejnert C; National HIV Behavioral Surveillance Study Group. [Assessment of PrEP Awareness, PrEP Discussion with a Provider, and PrEP Use by Transmission Risk Group with an Emphasis on the Southern United States](#). AIDS and Behavior. 2021. Epub.
- Marcus R, Cha S, Sionean C, Kanny D, for the National HIV Behavioral Surveillance Study Group. [HIV Injection Risk Behaviors among HIV-Negative People Who Inject Drugs Experiencing Homelessness, 23 U.S. Cities](#). Journal of Social Distress and Homelessness. 2021. Epub.
- Adams M, An Q, Broz D, Burnett J, Wejnert C, Paz-Bailey G; NHBS Study Group. Distributive Syringe Sharing and Use of Syringe Services Programs (SSPs) Among Persons Who Inject Drugs. AIDS Behav. 2019. Epub. [PMID: 31512066](#)
- Kanny D, Jeffries IV WL, Chapin-Bardales J, Denning P, Cha S, Finlayson T, Wejnert C, for the National HIV Behavioral Surveillance Study Group. [Racial/ethnic disparities in HIV pre-exposure prophylaxis \(PrEP\) among men who have sex with men \(MSM\), 2017, 23 Urban Areas](#). MMWR Morb Mortal Wkly Rep 2019;68:801-806.
- Stein R, Xu S, Williams W, Marano M, Eke A, Finlayson T, Paz-Bailey G, Wejnert C; for the NHBS study group. Factors Associated with HIV Antiretroviral Therapy among Men who Have Sex with Men in 20 US Cities, 2014. J Urban Health. Epub. [PMID: 31512032](#)
- Trujillo L, Chapin-Bardales J, German EJ, Kanny D, Wejnert C; National HIV Behavioral Surveillance Study Group. [Trends in sexual risk behaviors among Hispanic/Latino men who have sex with men—19 urban areas, 2011–2017](#). MMWR Morb Mortal WklyRep 2019;68:873–9.
- Doyle KE, Sionean C, Paz-Bailey G, Hollis ND, Kanny D, Wejnert C; NHBS Study Group. High prevalence of disability and HIV risk among low socioeconomic status urban adults, 17 U.S. cities. Disabil Health J. 2019:100834. Epub. [PMID: 31427202](#)
- Finlayson T, Cha S, Xia M, Trujillo L, Denson D, Prejean J, Kanny D, Wejnert C; for the National HIV Behavioral Surveillance Study Group. [Changes in HIV Preexposure Prophylaxis Awareness and Use Among Men Who Have Sex with Men — 20 Urban Areas, 2014 and 2017](#). MMWR 2019;68:597–603.
- Johnson Jones ML, Kirkcaldy RD, An Q, Gorwitz R, Bernstein K, Paz-Bailey G for the NHBS Study Group. [Self-Reported History of Chlamydia or Gonorrhea Testing among Heterosexual Women at High Risk for HIV Infection, National HIV Behavioral Surveillance \(NHBS\), 2013](#). Sexually Transmitted Diseases. 2019, June 5. Published Ahead-of-Print.

- An Q, Song R, Finlayson TJ, Sionean C, Wejnert C; NHBS Study Group. (2018). An innovative approach to assess similarity between sex partners. *AIDS Beh*, 2018 Oct 12. doi: 10.1007/s10461-018-2285-0. [Epub ahead of print] PMID: 30315430
- Burnett JC, Broz D, Spiller MW, Wejnert C, Paz-Bailey G (2018). HIV infection and HIV-associated behaviors among persons who inject drugs - 20 cities, United States, 2015. *MMWR Morb Mortal Wkly Rep*, 67(1):23-28. [PMID: 29324726](#).
- Hoots B, Torrone EA, Bernstein KT, Paz-Bailey G, NHBS Study Group. (2018). Self-reported chlamydia and gonorrhea testing and diagnosis among men who have sex with men in 20 U.S. cities, 2011 and 2014. *Sexually Transmitted Diseases*, 45(7): 469-475. [PMID: 29465659](#)
- Mackesy-Amiti ME, Boodram B, Handanagic S, Paz-Bailey G, Prachand NG, Broz D; NHBS Study Group. (2018). Latent Classes of Sexual Risk Behavior and Engagement in Outreach, Intervention and Prevention Services Among Women who Inject Drugs Across 20 U.S. Cities. *J Acquir Immune Defic Syndr*. 2018 Jul 20. [Epub ahead of print] [PMID: 30044301](#)
- Tempalski B, Cooper HLF, Kelley ME, Linton SL, Wolfe ME, Chen YT, Ross Z, Des Jarlais DC, Friedman SR, Williams LD, Semaan S, DiNenno E, Wejnert C, Broz D, Paz-Bailey G; National HIV Behavioral Surveillance Study Group. (2018). Identifying Which Place Characteristics are Associated with the Odds of Recent HIV Testing in a Large Sample of People Who Inject Drugs in 19 US Metropolitan Areas. *AIDS Behav*. 2018 Jul 3. [Epub ahead of print] [PMID: 29971735](#)
- Wejnert C, Prejean J, Hoots B, Hall HI, McCray E, Mermin J; NHBS Study Group. (2018). Prevalence of Missed Opportunities for HIV Testing Among Persons Unaware of Their Infection. *JAMA*. Jun 26;319(24):2555-2557. Erratum in: *JAMA*. 2018 Aug 7;320(5):510. [PMID: 29946714](#)
- Whitham HK, Sansom SL, Wejnert C, Finlayson T, Huang YA, An Q, Paz-Bailey G; NHBS Study Group. (2018). Sex practices by HIV awareness and engagement in the continuum of care among MSM. *AIDS and Behavior*, 22(3): 840-847. [PMID: 29170945](#)
- Zlotorzynska M, Weidle PJ, Paz-Bailey G, Broz D; NHBS Study Group. (2018). Factors associated with obtaining sterile syringes at pharmacies among persons who inject drugs in 20 US cities. *Int J Drug Policy*, 62:51-58. [PMID: 30359873](#)
- An Q, Song R, Finlayson TJ, Wejnert C, Paz-Bailey G; NHBS Study Group. (2017). Estimated HIV inter-test interval among people at high risk for HIV infection in the U.S. *Am J Prev Med*. 2017 Mar 20 [Epub ahead of print]. [PMID: 28336355](#).
- An Q, Wejnert C, Bernstein K, Paz-Bailey G; NHBS Study Group. (2017). Syphilis Screening and Diagnosis Among Men Who Have Sex With Men, 2008-2014, 20 U.S. Cities. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S363-S369. doi: 10.1097/ QAI.0000000000001412. PubMed [PMID: 28604440](#).
- Balaji AB, Bowles KE, Hess KL, Smith JC, & Paz-Bailey G (2017). Association between enacted stigma and HIV-related risk behavior among MSM, National HIV Behavioral Surveillance System, 2011. *AIDS and Behavior*, 21(1), 227-237. [PMID: 27830344](#).
- Dailey AF, Hoots BE, Hall HI, Song R, Hayes D, Fulton P Jr, Prejean J, Hernandez AL, Koenig LJ, Valleroy LA (2017). Vital Signs: Human immunodeficiency virus testing and diagnosis delays - United States. *Morb Mortal Wkly Rep*, 66(47):1300-1306. [PMID: 29190267](#).
- Hoots BE, Finlayson TJ, Wejnert C, Paz-Bailey G; NHBS Study Group. (2017). Updated data on linkage to Human Immunodeficiency Virus care and antiretroviral treatment among men who have sex with men – 20 cities, United States. *J Infect Dis*, 2017 Mar 29 [Epub ahead of print]. [PMID: 28368493](#).
- Hoots BE, Finlayson TJ, Broz D, Paz-Bailey G; NHBS Study Group. (2017). Antiretroviral Therapy Use Among HIV-Infected People Who Inject Drugs-20 Cities, United States, 2009-2015. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3: S392-S396. doi:10.1097/QAI.0000000000001416. PubMed [PMID: 28604444](#).
- Ivy W 3rd, Nwangwu-Ike N, Paz-Bailey G; NHBS Study Group. (2017). Reductions in HIV Diagnoses Among African American Women: A Search for Explanations. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S253-S260. doi: 10.1097/QAI.0000000000001400. PubMed [PMID: 28604425](#).

- Mackesy-Amiti ME, Boodram B, Spiller MW, Paz-Bailey G, Prachand N, Broz D; NHBS Study Group. (2017). Injection-Related Risk Behavior and Engagement in Outreach, Intervention and Prevention Services Across 20 US Cities. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S316-S324. doi: 10.1097/QAI.0000000000001406. PubMed [PMID: 28604433](#).
- Nerlander LM, Hess KL, Rose CE, Sionean C, Thorson A, Broz D, Paz-Bailey G; NHBS Study Group. (2017). Exchange Sex and HIV Infection Among Women Who Inject Drugs-20 US Cities, 2009. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S333-S340. doi: 10.1097/QAI.0000000000001408. PubMed [PMID: 28604435](#).
- Oliver SE, Hoots BE, Paz-Bailey G, Markowitz LE, Meites E; NHBS Study Group. (2017). Increasing Human Papillomavirus Vaccine Coverage Among Men Who Have Sex With Men-National HIV Behavioral Surveillance, United States, 2014. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S370-S374. doi: 10.1097/QAI.0000000000001413. PubMed [PMID: 28604441](#).
- Paz-Bailey G, Hoots BE, Xia M, Finlayson T, Prejean J, Purcell DW; NHBS Study Group. (2017). Trends in Internet Use Among Men Who Have Sex With Men in the United States. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S288-S295. doi: 10.1097/QAI.0000000000001404. PubMed [PMID: 28604430](#).
- Shadaker S, Magee M, Paz-Bailey G, Hoots BE; NHBS Study Group. (2017). Characteristics and Risk Behaviors of Men Who Have Sex With Men and Women Compared With Men Who Have Sex With Men-20 US Cities, 2011 and 2014. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S281-S287. doi: 10.1097/QAI.0000000000001403. PubMed [PMID: 28604429](#).
- Wejnert C, Raymond HF, Robbins T, Prejean J, Hall HI, McCray E, Paz-Bailey G; NHBS study group. (2017). Achieving Greater HIV Prevention Impact Through CDC's National HIV Behavioral Surveillance System. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S249-S252. doi: 10.1097/QAI.0000000000001430. PubMed [PMID: 28604424](#).
- Wise A, Finlayson T, Nerlander L, Sionean C, Paz-Bailey G; NHBS Study Group. (2017). Incarceration, Sexual Risk-Related Behaviors, and HIV Infection Among Women at Increased Risk of HIV Infection, 20 United States Cities. *J Acquir Immune Defic Syndr*. 2017 Jul 1;75 Suppl 3:S261-S267. doi: 10.1097/QAI.0000000000001401. PubMed [PMID: 28604426](#).
- Centers for Disease Control and Prevention (2016). HIV infection risk, prevention, and testing behaviors among men who have sex with men—National HIV Behavioral Surveillance, 20 U.S. cities, 2014. *HIV Special Surveillance Report 15*. <https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-special-report-number-15.pdf>.
- Centers for Disease Control and Prevention (2016). HIV infection and risk, prevention, and testing behaviors among injecting drug users — National HIV Behavioral Surveillance System, 20 U.S. cities, 2009. *HIV Special Surveillance Report 11*, revised edition. [https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-HSSR\\_NHBS\\_PWID\\_2012.pdf](https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-HSSR_NHBS_PWID_2012.pdf).
- Cooley LA, Hoots B, Wejnert C, Lewis R, Paz-Bailey G, NHBS Study Group (2016). Policy changes and improvements in health insurance coverage among MSM, 20 U.S. Cities, 2008-2014. *AIDS and Behavior*, 21 (3):615-618. [PMID: 27771817](#).
- Cooley LA, Wejnert C, Spiller MW, Broz D, Paz-Bailey G, for the NHBS Study Group (2016). Low HIV testing among persons who inject drugs-National HIV Behavioral Surveillance, 20 U.S. cities, 2012. *Drug Alcohol Depen*, 165:270-4. [PMID: 27323649](#).
- Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais D, Semaan S, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G; National HIV Behavioral Surveillance Study Group (2016). Racialized risk environments in a large sample of people who inject drugs in the United States. *Int J Drug Policy*, 27:43-55. [PMID: 26342272](#).
- Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais DC, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G; National HIV Behavioral Surveillance Study Group (2016). Risk environments, race/ethnicity, and HIV status in a large sample of people who inject drugs in the United States. *PLoS One*, 11(3):e0150410. [PMID: 26974165](#).
- Hess KL, DiNenno E, Sionean C, Ivy W, Paz-Bailey G, NHBS Study Group (2016). Prevalence and correlates of heterosexual anal intercourse among men and women, 20 U.S. cities. *AIDS and Behavior*, 20(12):2966-2975. [PMID: 26781872](#).

- Hoots BE, Finlayson T, Nerlander L, & Paz-Bailey G (2016). Willingness to take, use of, and indications for pre-exposure prophylaxis among men who have sex with men—20 US cities, 2014. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 63(5), 672-677. [PMID: 27282710](#).
- Linton S, Cooper HL, Kelley ME, Kames CC, Ross Z, Wolfe ME, Chen YT, Friedman ST, Des Jarlais D, Semaan S, Tempalski B, Sionean C, DiNenno E, Wejnert C, Paz-Bailey G, National HIV Behavioral Surveillance Study Group (2016). Associations of place characteristics with HIV and HCV risk behaviors among racial/ethnic groups of people who inject drugs in the United States. *Ann Epidemiology*, 26(9): 619-630. [PMID: 27576908](#).
- Mitchell KM, Hoots B, Dimitrov D, German D, Flynn C, Farley JE, Gelman M, Hughes JP, Donnell D, Adeyeye A, Remien RH, Beyrer C, Paz-Bailey G, Boily MC. Improvements in the HIV care cascade needed to meaningfully reduce HIV incidence among men who have sex with men in Baltimore, US: a modeling study. *Journal of the International AIDS Society (JIAS)*. In press.
- Nerlander LM, Hess KL, Sionean C, Rose CE, Thorson A, Broz D, Paz-Bailey G (2016). Exchange sex and HIV infection among men who have sex with men: US cities, 2011. *AIDS and Behavior*, 21(8):2283-2294. [PMID: 27307181](#).
- Paz-Bailey G, Mendoza M, Finlayson T, Wejnert C, Le B, Rose C, Raymond HF, Prejean J, for the NHBS Study Group (2016). Trends in condom use among men who have sex with men in the United States: The role of antiretroviral therapy and sero-adaptive strategies. *AIDS and Behavior*, 30(12), 1985-90. [PMID: 27149088](#).
- Wejnert C, Hess KL, Rose CE, Balaji A, Smith JC, Paz-Bailey G, & Group NS (2016). Age-specific race and ethnicity disparities in HIV infection and awareness among men who have sex with men--20 US cities, 2008-2014. *Journal of Infectious Diseases*, 213(5), 776-783. [PMID: 26486637](#).
- Centers for Disease Control and Prevention (2015). HIV infection, risk, prevention, and testing behaviors among heterosexuals at increased risk of HIV infection-National HIV Behavioral Surveillance, 20 U.S. cities, 2013. *HIV Surveillance Special Report 13: 1-28*. [https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-hssr\\_nhbs\\_het\\_2013.pdf](https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-hssr_nhbs_het_2013.pdf).
- Centers for Disease Control and Prevention (2015). HIV infection, risk, prevention, and testing behaviors among persons who inject drugs—National HIV Behavioral Surveillance: Injection Drug Use, 20 U.S. cities, 2012. *HIV Surveillance Special Report 11: 1-42*. [https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-HSSR\\_NHBS\\_PWID\\_2012.pdf](https://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-HSSR_NHBS_PWID_2012.pdf).
- Cooley LA, Wejnert C, Rose CE & Paz-Bailey G, for the NHBS Study Group (2015). Increases in recent HIV testing among men who have sex with men coincide with the Centers for Disease Control and Prevention’s Expanded Testing Initiative. *Clinical Infectious Diseases*, 60(3), 483-485. [PMID: 25352589](#).
- Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais D, Semaan S, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G, National HIV Behavioral Surveillance Study Group (2015). Racialized risk environments in a large sample of people who inject drugs in the United States. *Int J Drug Policy*, 27:43-55. [PMID: 26342272](#).
- Hess KL, Chavez PR, Kanny D, DiNenno E, Lansky A, Paz-Bailey G; NHBS Study Group (2015). Binge drinking and risky sexual behavior among HIV-negative and unknown HIV status men who have sex with men, 20 US cities. *Drug Alcohol Depend*, 147:46-52. [PMID: 25555622](#).
- Hoots BE, Finlayson TJ, Wejnert C, Paz-Bailey G; NHBS Study Group (2015). Early linkage to HIV care and antiretroviral treatment among men who have sex with men--20 cities, United States, 2008 and 2011. *PLoS One*, 10(7):e0132962. [PMID: 26176856](#).
- Linton S, Cooper H, Kelley ME, Karnes CC, Ross Z, Wolfe ME, Des Jarlais D, Semaan S, Tempalski B, DiNenno E, Finlayson T, Sionean C, Wejnert C, Paz-Bailey, NHBS Study Group (2015). HIV infection among people who inject drugs in the United States: Geographically explained variance across racial and ethnic groups. *AJPH*, 105(12): 2457-2465.
- Skarbinski J, Rosenberg E, Paz-Bailey G, et al. (2015). Human immunodeficiency virus transmission at each step of the care continuum in the United States. *JAMA Intern Med*, 175(4):588-596. [PMID: 25706928](#).

- Broz D, Wejnert C, Pham HT, DiNenno E, Heffelfinger JD, Cribbin M, Krishna N, Teshale EH, Paz-Bailey G; National HIV Behavioral Surveillance System Study Group (2014). HIV infection and risk, prevention, and testing behaviors among injecting drug users - National HIV Behavioral Surveillance System, 20 U.S. cities, 2009. *MMWR Surveill Summ*, 63(6):1-51. [http://www.cdc.gov/mmwr/preview/mmwrhtml/ss6306a1.htm?s\\_cid=ss6306a1\\_w](http://www.cdc.gov/mmwr/preview/mmwrhtml/ss6306a1.htm?s_cid=ss6306a1_w).
- Cooley LA, Oster AM, Rose CE, Wejnert C, Le BC, Paz-Bailey C, for the NHBS Study Group (2014). Increases in HIV testing among men who have sex with men – National HIV Behavioral Surveillance System, 20 U.S. Metropolitan Statistical Areas, 2008 and 2001. *Plos One*, 9(9); e104162. [PMID: 25180514](https://pubmed.ncbi.nlm.nih.gov/25180514/).
- Meites E, Markowitz LE, Paz-Bailey G, Oster AM; NHBS Study Group (2014). HPV vaccine coverage among men who have sex with men - National HIV Behavioral Surveillance System, United States, 2011. *Vaccine*. 2014 Nov 12;32(48):6356-9. [PMID: 25258097](https://pubmed.ncbi.nlm.nih.gov/25258097/).
- Paz-Bailey G, Raymond HF, Lansky A, Mermin J (2014). Using the National HIV Behavioral Surveillance System to inform HIV prevention efforts in the United States. *AIDS Behav*, 18 Suppl 3:S233-6. [PMID: 24659359](https://pubmed.ncbi.nlm.nih.gov/24659359/).
- Centers for Disease Control and Prevention (2013). HIV infection among heterosexuals at increased risk - United States, 2010. *Morb Mortal Wkly Rep*, 62(10):183-8. [PMID: 23486383](https://pubmed.ncbi.nlm.nih.gov/23486383/)
- Centers for Disease Control and Prevention (2012). HIV infection and HIV-associated behaviors among injection drug users – 20 cities, United States, 2009. *MMWR Surveill Summ*, 63(6):1-51. [www.cdc.gov/mmwr/preview/mmwrhtml/mm6108a1.htm](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6108a1.htm).
- Centers for Disease Control and Prevention (2011). HIV risk, prevention, and testing behaviors among men who have sex with men. National HIV Behavioral Surveillance System, 21 US Cities, United States, 2008. *MMWR Surveill Summ*, 60(14): 1-40. <http://www.cdc.gov/mmwr/PDF/ss/ss6014.pdf?source=govdelivery>.
- Centers for Disease Control and Prevention (2011). HIV testing among men who have sex with men -- 21 cities, United States, 2008. *Morb Mortal Wkly Rep*, 60(21);694-699. [http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6021a3.htm?s\\_cid=mm6021a3\\_w](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6021a3.htm?s_cid=mm6021a3_w) .
- Centers for Disease Control and Prevention (2011). Characteristics associated with HIV infection among heterosexuals in urban areas with high AIDS prevalence - 24 Cities, United States, 2006-2007. *Morb Mortal Wkly Rep*, 60(31);1045-1049. [http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6031a1.htm?s\\_cid=mm6031a1\\_e&source=govdelivery](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6031a1.htm?s_cid=mm6031a1_e&source=govdelivery).
- Centers for Disease Control and Prevention (2010). Prevalence and awareness of HIV infection among men who have sex with men — 21 cities, United States, 2008. *Morb Mortal Wkly Rep*, 59(37);1201-1207. [http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5937a2.htm?s\\_cid=mm5937a2\\_w](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5937a2.htm?s_cid=mm5937a2_w).
- Centers for Disease Control and Prevention (2009). HIV-associated behaviors among injecting drug users — 23 cities, United States, May 2005–February 2006. *Morb Mortal Wkly Rep*, 58(13);329-332. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5813a1.htm>.
- Lansky A, Sullivan PS, Gallagher KM, Fleming PL (2007). HIV behavioral surveillance in the U.S.: A conceptual framework. *Pub Health Rep*, 122 Suppl 1:16-23. [PMID: 17354523](https://pubmed.ncbi.nlm.nih.gov/17354523/).
- Centers for Disease Control and Prevention (2006). Human Immunodeficiency Virus (HIV) risk, prevention, and testing behaviors — United States, National HIV Behavioral Surveillance System: Men who have sex with men, November 2003–April 2005. *Morb Mortal Wkly Rep*, 55(SS06);1-16. <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5506a1.htm>.
- Centers for Disease Control and Prevention (2005). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men — Five U.S. cities, June 2004-April 2005. *Morb Mortal Wkly Rep*, 54(24);597-601. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5424a2.htm>.