

HIV among Females in Maryland

Center for HIV Surveillance, Epidemiology and Evaluation Prevention and Health Promotion Administration

May 17, 2022 - HIV Planning Group

MISSION AND VISION

MISSION

The mission of the Prevention and Health Promotion Administration is to protect, promote and improve the health and well-being of all Marylanders and their families through provision of public health leadership and through community-based public health efforts in partnership with local health departments, providers, community based organizations, and public and private sector agencies, giving special attention to at-risk and vulnerable populations.


VISION

The Prevention and Health Promotion Administration envisions a future in which all Marylanders and their families enjoy optimal health and well-being.

DEPARTMENT OF HEALTH

HIV Diagnoses by Sex at Birth

Trends in HIV Diagnoses by Sex at Birth




2020 Female HIV diagnoses total: **193**




HIV Diagnoses by Sex at Birth

Trends in Rates of Reported HIV Diagnoses, among Residents at Diagnosis Aged 13+, by Sex at Birth, 2011-2020, Reported through June 30, 2021





HIV Diagnoses among Females



Linkage to HIV care within 30 days of diagnosis was 87% among females.



New diagnoses in females have been decreasing, accounting for 32.1% of total diagnoses in 2010 to 26.7% in 2020.



Data reported through June 30, 2021


As of 2019, it is estimated that an additional 8.0% of females living with HIV in Maryland remain undiagnosed.



Females Living with HIV

Females Living with diagnosed HIV: 10,768

Female Living HIV Rates by Age




Current Age (Years)



Females Living with HIV


- 1 in every 93 NH-Black females in Maryland was reported to be living with HIV.
- Rates among females living with diagnosed HIV were 5 to 19 times higher among NH-Black females (1,074.4 per 100,000) as compared to other races.





HIV Continuum of Care by Sex at Birth

Prevalence-Based Estimated HIV Continuum of Care Among People Aged 13+ by Sex at Birth, 2020



Interruptions in access to services due to the COVID-19 pandemic resulted in a dramatic decline in HIV testing, diagnoses, and routine care in 2020. Caution should be exercised when examining newly reported diagnoses and interpreting trends.



Summary



Females comprise ¼ of new HIV diagnoses and ⅓ of people with HIV in Maryland.



1 in 247 females in Maryland were reported to be living with HIV at the end of 2020.



Of females living with HIV who had a viral load test reported in 2020, 90.2% were virally suppressed.



Additional Data



CHSEE HIV Statistics Webpage



Email: mdh.hivdatarequest @maryland.gov

2020

MARYLAND ANNUAL HIV EPIDEMIOLOGICAL PROFILE

Data reported through June 30. 2021

CENTER FOR HIV SURVEILLANCE, EPIDEMIOLOGY AND EVALUATION

Infectious Disease Prevention and Health Services Bureau Prevention and Health Promotion Administration





Prevention and Health Promotion Administration

https://phpa.health.Maryland.gov

mdh.hivdatarequest@maryland.gov

