



## HIV BEHAVIORAL SURVEILLANCE IN THE BALTIMORE-COLUMBIA-TOWSON METROPOLITAN AREA

#### FIFTH ANNUAL HIV BEHAVIORAL SURVEILLANCE COMMUNITY MEETING JULY 9, 2015

#### Colin Flynn, Chief HIV Surveillance, Epidemiology and Evaluation

Maryland Department of Health and Mental Hygiene Prevention and Health Promotion Administration



## **MISSION AND VISION**



#### **MISSION**

• The mission of the Prevention and Health Promotion Administration is to protect, promote and improve the health and well-being of all Marylanders and their families through provision of public health leadership and through community-based public health efforts in partnership with local health departments, providers, community based organizations, and public and private sector agencies, giving special attention to at-risk and vulnerable populations.

#### **VISION**

• The Prevention and Health Promotion Administration envisions a future in which all Marylanders and their families enjoy optimal health and well-being.



## Definition



 Behavioral surveillance, for public health purposes, is the systematic and ongoing collection of data about risk and healthrelated behaviors with the purpose of correlating trends in behaviors with changes in disease over time.

– Lansky, et al. Public Health Reports, 2007.



National HIV Behavioral Surveillance (NHBS)



- CDC funded project
- Data collection began in 2004
- In up to 25 metropolitan areas (has varied over time)
- Major divisions of metropolitan areas with the greatest numbers of AIDS cases in the U.S.



National HIV Behavioral Surveillance (NHBS)




- Based on methods developed in the Young Men's Survey (YMS)
- Funded under a cooperative agreement between the CDC and DHMH
- 2015 Year 5 of the current 5 year cooperative agreement
  - Application for new 5 year funding cycle due in August








FIGURE 1. Participating metropolitan statistical areas in the National Human Immunodeficiency Virus Behavioral Surveillance System — United States









- DHMH contract with Johns Hopkins Bloomberg School of Public Health for field operations
  - Dept. of Epidemiology: Frank Sifakis, David Celentano
  - Dept. of Health, Behavior and Society: Danielle German, David Holtgrave
- Collaborative project of CDC, DHMH, and JHU





### **NHBS – Baltimore – BESURE**

# The **BEhavioral SUrveillance** REsearch Study



### **BESURE Logistics**











Prevention and Administration July 9, 2015



# **NHBS Objectives**




To assess prevalence of and trends in

- HIV risk behaviors
- HIV testing behaviors
- Exposure to and use of prevention services among persons at high risk for infection
- HIV prevalence and incidence



### HIV Disease Spectrum and Surveillance





# Case vs. Behavioral Surveillance



#### **Case Surveillance**

- Infected population
- HIV positives

Department of Health and Mental Hygiene

- Mandated reporting
- Data abstracted from medical records
- All diagnosed cases (N≅30,000 in Maryland)
- Dozens of demographic and clinical variables

#### **Behavioral Surveillance**

- Population at risk
- HIV negatives and positives
- Research study
- Data from participant interviews and blood tests
- 500 sampled participants per population per year
- Hundreds of behavioral variables




# **NHBS Target Populations**



- Men who have sex with men (MSM)
- Injection drug users (IDU)
- Heterosexuals at risk for HIV (HET)



### Living Adult/Adolescent HIV Cases on 12/31/13, by Exposure Category, Baltimore-Columbia-Towson MSA



Using data as reported through 12/31/2014







# Venue-based sampling (VBS)

### Respondent-driven sampling (RDS)



# **Venue Identification**



 An area, location, or building, within the target geographic area, where men can be approached and recruited to participate in the survey.

 Public or private locations attended by men for any purpose EXCEPT: receiving medical/mental health care, HIV/STD testing/prevention services or social services to HIV+ men



# Venue-Based Sampling (VBS)



- Formative research identifies public/ private venues and days/times of attendance
- <u>Venue-Day-Times (VDT) enumerated</u> for eligibility and viability
- <u>Sampling frame</u> consists of VDTs
- Random selection of VDTs to construct sampling <u>event calendar</u>
- Individuals systematically recruited at sampling events




# Respondent-Driven Sampling (RDS)



- Type of chain referral sampling to reach hidden populations
- Begin with a set of non-randomly selected seeds
- Seeds recruit peers, who recruit peers, etc.
- Each seed is given a set number of recruitment coupons
- Recruits are linked by coupons with unique identifying numbers
- Incentives provided for participation and for each successful recruit

Heckathorn 1997; Heckathorn & Salganik, 2004; Broadhead et al. 1998









	MSM	IDU	HET
Wave 1	VBS 2004-2005	RDS 2006	VBS and RDS 2007
Wave 2	VBS	RDS	RDS
	2008	2009	2010
Wave 3	VBS	RDS	RDS
	2011	2012	2013
Wave 4	VBS	RDS	RDS
	2014	2015	2016

VBS = venue-based sampling RDS = respondent-driven sampling



**NHBS** Data Reports



- MMWR and other CDC publications (11)
- Journal articles (4 national, 13 local)
- Conference presentations
- Planning group presentations
- MSM Response Team presentations
- DHMH website



# **2015 Local Publications**



- Said (2015). Healthcare utilization and missed opportunities for HIV testing among MSM in Baltimore. *AIDS and Behavior.*
- German (2015). Condomless anal sex among heterosexuals at high risk for HIV. Sexually Transmitted Diseases.
- Paz-Bailey (2015). Early HIV infections among men who have sex with men in five cities in the United States. AIDS and Behavior.





### Prevention and Health Promotion Administration

phpa.dhmh.maryland.gov/oideor/chse "Behavioral Surveillance"