## Sexual Health Snapshot HARFORD COUNTY TEENS




**50%** of all new sexually transmitted infections (STIs) in the U.S. each year are in teens and young adults<sup>1</sup>



269 cases of chlamydia26 cases of gonorrheain Harford County teens<sup>2</sup>

Most STIs have no symptoms and without treatment can cause serious health problems


Harford County high school students who reported ever having sex<sup>3</sup>



## **54%**

of Harford County high school students reported using a condom the last time they had sex<sup>3</sup>

## Having an STI increases the risk of getting HIV



Harford County high school students who reported drinking alcohol or using drugs the last time they had sex<sup>3</sup>

Alcohol and drug use may impair decision-making about having sex, condom use and consent

**61** births to Harford County teens<sup>4</sup>

## Talk to your doctor or county health department about STI testing and treatment

Teens: ages 15-19; Young Adults: ages 20-24

Data sources:

- 1. Centers for Disease Control and Prevention (CDC), 2018
- 2. Maryland Department of Health, Center for STI Prevention, 2018
- 3. Maryland Department of Health, Youth Risk Behavior Survey, 2018
- 4. Maryland Department of Health, Vital Statistics Administration, 2018



To learn more, visit: <u>http://bit.ly/STIPrevention</u>

March 2020