Maryland High School Survey

Summary Tables - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	10.0	(9.5 - 10.5)	53,426	11.1	(10.5 - 11.8)	26,112	8.4	(7.9 - 9.0)	26,937	
Age											
	15 or younger	11.1	(10.4 - 11.8)	23,353	11.8	(10.9 - 12.7)	11,046	9.9	(9.2 - 10.7)	12,098	
	16 or 17	8.7	(8.1 - 9.3)	25,628	10.1	(9.3 - 11.0)	12,620	7.1	(6.4 - 7.7)	12,905	
	18 or older	11.5	(10.4 - 12.7)	4,348	13.5	(11.9 - 15.2)	2,413	8.6	(7.1 - 10.4)	1,912	
Grade											
	9th	11.6	(10.6 - 12.6)	14,652	11.6	(10.5 - 12.8)	7,112	11.0	(9.9 - 12.2)	7,475	
	10th	9.8	(9.0 - 10.7)	14,068	11.1	(10.0 - 12.2)	6,907	8.2	(7.3 - 9.2)	7,087	
	11th	8.6	(7.9 - 9.3)	12,888	10.2	(9.2 - 11.3)	6,214	6.8	(6.0-7.7)	6,614	
	12th	8.5	(7.7 - 9.2)	11,062	10.6	(9.5 - 11.7)	5,511	6.2	(5.4 - 7.1)	5,511	
Race/E	thnicity										
	Black*	11.7	(10.9 - 12.6)	11,623	12.9	(11.8 - 14.1)	5,562	10.5	(9.6 - 11.4)	6,028	
	Hispanic/Latino	15.5	(14.2 - 16.9)	5,415	16.1	(14.4 - 18.1)	2,655	14.0	(12.2 - 16.0)	2,661	
	White*	6.5	(6.1-6.9)	28,155	7.8	(7.3 - 8.5)	13,854	5.1	(4.5 - 5.7)	14,267	
	All other races	11.2	(9.9 - 12.7)	3,647	11.3	(9.5 - 13.6)	1,837	10.4	(8.9 - 12.3)	1,775	
	Multiple races	10.2	(8.9 - 11.7)	2,945	12.3	(10.3 - 14.7)	1,342	8.2	(6.7 - 10.0)	1,589	

Note: 359 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	20.7	(20.0 - 21.3)	53,185	21.0	(20.2 - 21.8)	25,981	19.7	(19.0 - 20.5)	26,829
Age										
	15 or younger	19.7	(18.8 - 20.7)	23,237	19.8	(18.5 - 21.2)	10,985	18.8	(17.7 - 19.8)	12,049
	16 or 17	20.5	(19.9 - 21.2)	25,516	20.8	(19.9 - 21.6)	12,556	20.0	(19.1 - 20.8)	12,855
	18 or older	25.3	(23.3 - 27.3)	4,335	26.6	(24.2 - 29.0)	2,408	23.3	(20.7 - 26.1)	1,903
Grade										
	9th	19.7	(18.6 - 20.8)	14,573	19.6	(18.1 - 21.2)	7,071	19.3	(18.0 - 20.6)	7,437
	10th	19.9	(18.8 - 21.0)	14,014	19.7	(18.2 - 21.2)	6,882	19.5	(18.2 - 20.9)	7,062
	11th	20.1	(19.2 - 21.0)	12,830	20.8	(19.7 - 22.0)	6,176	19.1	(17.9 - 20.4)	6,596
	12th	21.7	(20.6 - 22.9)	11,028	22.8	(21.2 - 24.6)	5,498	20.3	(19.0 - 21.6)	5,491
Race/E	thnicity									
	Black*	20.3	(19.3 - 21.3)	11,554	20.8	(19.3 - 22.3)	5,521	19.8	(18.5 - 21.0)	6,001
	Hispanic/Latino	27.2	(25.4 - 29.0)	5,372	28.3	(25.8 - 30.9)	2,634	24.8	(22.7 - 27.1)	2,639
	White*	19.1	(18.5 - 19.7)	28,050	19.0	(18.2 - 19.9)	13,800	19.1	(18.2 - 20.1)	14,219
	All other races	17.5	(15.6 - 19.6)	3,644	18.3	(15.9 - 21.0)	1,835	16.2	(13.9 - 18.7)	1,772
	Multiple races	19.9	(18.5 - 21.4)	2,933	20.4	(18.4 - 22.5)	1,337	19.3	(17.2 - 21.6)	1,582

Note: 600 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	
	Total	8.8	(8.4 - 9.4)	23,744	10.7	(10.0 - 11.4)	11,856	6.4	(5.8 - 7.0)	11,747	
Age											
	15 or younger	9.3	(8.3 - 10.5)	5,447	10.5	(9.2 - 12.0)	2,715	6.7	(5.6-8.0)	2,665	
	16 or 17	7.7	(7.1 - 8.2)	15,444	9.4	(8.6 - 10.3)	7,527	5.8	(5.1-6.5)	7,872	
	18 or older	13.3	(11.9 - 14.9)	2,815	16.1	(14.0 - 18.4)	1,598	9.2	(7.6 - 11.1)	1,202	
Grade											
	9th	7.8	(6.6 - 9.2)	3,081	9.3	(7.7 - 11.2)	1,609	5.7	(4.4 - 7.4)	1,452	
	10th	6.7	(5.8-7.7)	4,909	8.7	(7.4 - 10.2)	2,545	3.8	(3.0-4.9)	2,337	
	11th	7.1	(6.4 - 7.8)	7,825	8.8	(7.8 - 10.0)	3,769	5.1	(4.3 - 6.0)	4,031	
	12th	10.6	(9.8 - 11.5)	7,579	13.1	(11.9 - 14.4)	3,752	7.9	(6.9-9.1)	3,810	
Race/E	Cthnicity										
	Black*	6.2	(5.4 - 7.1)	4,500	7.6	(6.5 - 8.9)	2,216	4.6	(3.7-5.7)	2,275	
	Hispanic/Latino	14.2	(12.3 - 16.4)	2,273	15.3	(12.5 - 18.5)	1,167	11.5	(9.2 - 14.3)	1,063	
	White*	8.8	(8.2 - 9.5)	13,746	11.2	(10.3 - 12.3)	6,826	6.4	(5.7-7.2)	6,908	
	All other races	9.2	(7.4 - 11.3)	1,475	10.9	(8.8 - 13.3)	746	6.9	(4.8 - 9.8)	717	
	Multiple races	7.1	(5.7 - 8.9)	1,105	8.7	(6.5 - 11.6)	538	5.2	(3.5 - 7.7)	563	

Note: 30,041 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	33.1	(32.0 - 34.2)	24,600	35.2	(33.7 - 36.6)	12,433	30.4	(29.1 - 31.7)	11,957
Age										
	15 or younger	19.6	(18.1 - 21.2)	5,757	22.9	(20.8 - 25.1)	2,907	13.8	(12.2 - 15.6)	2,735
	16 or 17	34.4	(33.2-35.6)	15,854	35.8	(34.2 - 37.5)	7,816	32.9	(31.5 - 34.3)	7,977
	18 or older	50.0	(47.5 - 52.5)	2,945	51.7	(48.4 - 55.0)	1,694	47.8	(44.6 - 50.9)	1,236
Grade										
	9th	18.6	(16.7 - 20.7)	3,244	21.8	(19.4 - 24.5)	1,726	13.7	(11.5 - 16.2)	1,490
	10th	16.5	(15.2 - 17.9)	5,089	20.7	(18.6 - 22.9)	2,656	10.8	(9.3 - 12.4)	2,388
	11th	30.1	(28.8 - 31.5)	8,032	33.7	(31.7 - 35.8)	3,921	26.3	(24.7 - 27.8)	4,075
	12th	49.7	(47.9 - 51.4)	7,802	50.1	(47.9 - 52.2)	3,908	49.1	(46.9 - 51.3)	3,864
Race/E	thnicity									
	Black*	24.6	(22.8 - 26.5)	4,740	26.7	(24.2 - 29.3)	2,377	22.1	(20.1 - 24.2)	2,348
	Hispanic/Latino	35.7	(33.2 - 38.3)	2,440	37.3	(33.8 - 41.0)	1,272	33.3	(29.6 - 37.3)	1,111
	White*	38.1	(36.8 - 39.5)	13,954	40.3	(38.5 - 42.1)	6,990	35.9	(34.3 - 37.6)	6,948
	All other races	30.5	(27.3 - 33.8)	1,568	34.7	(31.1 - 38.4)	810	25.8	(21.4 - 30.8)	741
	Multiple races	29.4	(26.4 - 32.5)	1,139	31.7	(27.3 - 36.3)	563	26.9	(22.3 - 32.1)	571

Note: 29,185 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	15.8	(15.3 - 16.3)	52,557	22.7	(21.9 - 23.5)	25,543	8.3	(7.8 - 8.9)	26,679
Age										
	15 or younger	15.5	(14.8 - 16.2)	22,984	22.0	(20.9-23.1)	10,820	8.3	(7.6-9.1)	11,986
	16 or 17	15.5	(14.9 - 16.2)	25,237	22.8	(21.9 - 23.8)	12,346	8.1	(7.5 - 8.7)	12,797
	18 or older	18.2	(16.8 - 19.7)	4,239	25.0	(23.0-27.1)	2,346	10.0	(8.2 - 12.2)	1,874
Grade										
	9th	15.4	(14.5 - 16.2)	14,447	21.5	(20.2 - 22.9)	6,994	8.6	(7.7 - 9.6)	7,400
	10th	15.4	(14.6 - 16.3)	13,875	22.9	(21.6 - 24.4)	6,774	7.2	(6.4 - 8.0)	7,033
	11th	15.3	(14.4 - 16.2)	12,667	22.3	(20.9 - 23.8)	6,056	8.2	(7.3 - 9.2)	6,556
	12th	15.8	(14.9 - 16.8)	10,881	23.2	(21.7 - 24.6)	5,385	8.3	(7.2 - 9.4)	5,459
Race/E	thnicity									
	Black*	13.3	(12.3 - 14.3)	11,384	18.4	(17.1 - 19.8)	5,407	8.2	(7.1 - 9.5)	5,949
	Hispanic/Latino	16.9	(15.8 - 18.1)	5,226	20.8	(19.2 - 22.6)	2,543	11.6	(10.3 - 13.1)	2,599
	White*	17.0	(16.4 - 17.7)	27,904	26.7	(25.6-27.8)	13,679	7.3	(6.7 - 7.9)	14,196
	All other races	12.2	(10.6 - 14.0)	3,556	16.4	(14.0 - 19.1)	1,773	7.1	(5.8-8.7)	1,752
	Multiple races	17.7	(16.3 - 19.3)	2,910	25.5	(22.9 - 28.3)	1,324	10.3	(8.6 - 12.2)	1,572

Note: 1,228 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	
	Total	4.8	(4.6 - 5.1)	52,422	6.4	(6.0 - 6.8)	25,484	2.9	(2.7 - 3.2)	26,609	
Age											
	15 or younger	4.3	(4.0 - 4.7)	22,931	5.4	(4.9 - 6.0)	10,804	2.8	(2.4 - 3.2)	11,958	
	16 or 17	4.7	(4.4 - 5.1)	25,182	6.5	(6.0-7.1)	12,322	2.8	(2.5 - 3.2)	12,765	
	18 or older	7.4	(6.4 - 8.6)	4,211	9.8	(8.3 - 11.6)	2,327	4.4	(3.3 - 5.7)	1,865	
Grade											
	9th	3.6	(3.2 - 4.1)	14,412	4.6	(4.0 - 5.2)	6,974	2.5	(2.0-3.0)	7,383	
	10th	4.4	(3.9-4.9)	13,856	5.8	(5.0-6.7)	6,774	2.6	(2.2-3.2)	7,019	
	11th	4.7	(4.2 - 5.2)	12,629	6.5	(5.8-7.3)	6,041	2.5	(2.1 - 3.1)	6,540	
	12th	5.9	(5.3-6.4)	10,836	8.2	(7.3 - 9.2)	5,361	3.2	(2.7 - 3.8)	5,439	
Race/E	Cthnicity										
	Black*	5.1	(4.6-5.6)	11,299	6.8	(6.0-7.6)	5,372	3.4	(2.9-4.0)	5,897	
	Hispanic/Latino	7.5	(6.7 - 8.3)	5,226	8.6	(7.5 - 9.9)	2,547	5.6	(4.7-6.6)	2,594	
	White*	3.5	(3.2 - 3.8)	27,889	5.2	(4.8 - 5.7)	13,667	1.7	(1.5 - 2.0)	14,196	
	All other races	4.1	(3.3-5.2)	3,543	5.2	(3.9-6.9)	1,767	2.6	(1.9-3.6)	1,749	
	Multiple races	5.3	(4.4 - 6.4)	2,904	7.2	(5.7 - 9.1)	1,316	3.5	(2.6 - 4.7)	1,574	

Note: 1,363 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	8.8	(8.3 - 9.3)	53,465	8.6	(8.0-9.2)	26,121	8.5	(7.9 - 9.0)	26,952	
Age											
	15 or younger	9.0	(8.4 - 9.6)	23,387	8.5	(7.8-9.3)	11,056	8.5	(7.8 - 9.3)	12,117	
	16 or 17	8.0	(7.4 - 8.6)	25,632	7.8	(7.1 - 8.5)	12,618	7.9	(7.3 - 8.7)	12,908	
	18 or older	11.9	(10.7 - 13.2)	4,345	12.5	(11.0 - 14.2)	2,415	10.9	(9.2 - 12.8)	1,906	
Grade											
	9th	8.6	(8.0 - 9.4)	14,671	8.3	(7.4 - 9.2)	7,127	8.7	(7.8 - 9.6)	7,477	
	10th	8.7	(8.0-9.6)	14,094	8.3	(7.3 - 9.4)	6,910	8.6	(7.6 - 9.7)	7,108	
	11th	7.7	(7.0 - 8.5)	12,894	7.8	(7.0 - 8.8)	6,218	7.4	(6.4 - 8.4)	6,614	
	12th	8.8	(8.1 - 9.7)	11,060	9.0	(8.0 - 10.2)	5,510	8.4	(7.4 - 9.4)	5,509	
Race/E	thnicity										
	Black*	10.0	(9.2 - 10.9)	11,638	10.4	(9.5 - 11.5)	5,574	9.5	(8.3 - 10.7)	6,028	
	Hispanic/Latino	12.3	(11.0 - 13.7)	5,394	12.5	(10.6 - 14.8)	2,640	11.2	(9.9 - 12.8)	2,654	
	White*	6.2	(5.8-6.6)	28,165	5.6	(5.2-6.2)	13,855	6.8	(6.3 - 7.4)	14,279	
	All other races	7.0	(6.1 - 8.0)	3,645	7.0	(5.8 - 8.3)	1,833	6.3	(5.2-7.6)	1,777	
	Multiple races	8.5	(7.5 - 9.8)	2,941	7.0	(5.5 - 8.8)	1,341	9.8	(8.2 - 11.7)	1,587	

Note: 320 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	9.4	(9.0-9.9)	53,517	11.3	(10.7 - 11.9)	26,135	6.8	(6.4 - 7.2)	26,959
Age										
	15 or younger	10.8	(10.2 - 11.5)	23,392	12.3	(11.5 - 13.3)	11,049	8.1	(7.4 - 8.8)	12,110
	16 or 17	7.9	(7.4 - 8.4)	25,654	10.0	(9.2 - 10.8)	12,629	5.5	(5.0-6.0)	12,914
	18 or older	10.9	(10.0 - 11.9)	4,363	13.2	(11.7 - 14.9)	2,424	7.8	(6.4 - 9.3)	1,913
Grade										
	9th	10.2	(9.5 - 11.0)	14,654	11.4	(10.5 - 12.5)	7,111	8.4	(7.6-9.4)	7,473
	10th	9.2	(8.5 - 10.0)	14,085	10.9	(9.9 - 12.1)	6,904	6.7	(6.0 - 7.5)	7,103
	11th	8.6	(7.9 - 9.2)	12,909	11.2	(10.1 - 12.3)	6,224	5.6	(4.9 - 6.3)	6,618
	12th	7.8	(7.2 - 8.5)	11,084	10.3	(9.2 - 11.4)	5,528	5.1	(4.4 - 5.9)	5,513
Race/E	thnicity									
	Black*	9.6	(8.8 - 10.4)	11,629	12.4	(11.3 - 13.6)	5,567	6.6	(5.9-7.4)	6,027
	Hispanic/Latino	13.1	(11.8 - 14.4)	5,409	15.6	(13.7 - 17.6)	2,650	9.3	(8.0 - 10.6)	2,653
	White*	7.1	(6.7 - 7.5)	28,165	8.4	(7.9 - 9.1)	13,855	5.7	(5.2-6.2)	14,279
	All other races	8.8	(7.4 - 10.5)	3,652	10.4	(8.5 - 12.6)	1,832	6.4	(4.9 - 8.4)	1,783
	Multiple races	9.9	(8.6 - 11.4)	2,942	10.6	(8.8 - 12.8)	1,341	9.2	(7.6 - 11.3)	1,587

Note: 268 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	14.3	(13.7 - 14.9)	52,791	17.6	(16.8 - 18.3)	25,753	10.2	(9.4 - 11.0)	26,622
Age										
	15 or younger	16.0	(15.1 - 16.8)	23,075	19.8	(18.6 - 21.0)	10,897	11.1	(10.2 - 12.0)	11,947
	16 or 17	12.5	(11.8 - 13.3)	25,318	15.6	(14.7 - 16.6)	12,442	9.1	(8.2 - 10.0)	12,768
	18 or older	15.6	(14.0 - 17.3)	4,293	17.8	(16.0 - 19.7)	2,382	12.2	(9.8 - 15.2)	1,886
Grade										
	9th	16.8	(15.8 - 17.9)	14,436	20.5	(19.1 - 21.9)	7,010	12.4	(11.3 - 13.6)	7,357
	10th	14.2	(13.1 - 15.3)	13,909	17.5	(16.0 - 19.1)	6,804	10.0	(8.9 - 11.2)	7,029
	11th	12.7	(11.8 - 13.6)	12,733	15.9	(14.7 - 17.3)	6,128	9.1	(8.1 - 10.2)	6,541
	12th	11.2	(10.2 - 12.3)	10,945	14.3	(13.0 - 15.7)	5,453	7.7	(6.5 - 9.2)	5,448
Race/E	Cthnicity									
	Black*	20.0	(18.9 - 21.2)	11,363	23.9	(22.4 - 25.4)	5,432	16.0	(14.6 - 17.6)	5,897
	Hispanic/Latino	18.0	(16.4 - 19.7)	5,314	20.8	(18.3 - 23.6)	2,606	13.6	(11.6 - 15.9)	2,602
	White*	8.3	(7.9 - 8.7)	27,914	11.7	(11.0 - 12.5)	13,711	4.7	(4.3 - 5.2)	14,171
	All other races	9.8	(8.2 - 11.8)	3,603	12.7	(10.0 - 16.0)	1,803	6.2	(4.9 - 7.7)	1,763
	Multiple races	15.4	(13.9 - 17.0)	2,905	17.7	(15.6 - 20.2)	1,322	13.0	(10.8 - 15.6)	1,569

Note: 994 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	10.2	(9.8 - 10.7)	52,761	8.6	(8.0-9.2)	25,756	11.5	(10.9 - 12.1)	26,673
Age										
	15 or younger	9.4	(8.7 - 10.1)	23,036	7.8	(7.0 - 8.7)	10,902	10.3	(9.4 - 11.2)	11,968
	16 or 17	10.2	(9.6 - 10.7)	25,344	8.4	(7.7 - 9.1)	12,449	11.7	(10.9 - 12.5)	12,800
	18 or older	14.3	(12.9 - 15.8)	4,281	12.6	(10.9 - 14.6)	2,374	16.1	(14.1 - 18.2)	1,885
Grade										
	9th	8.8	(7.9 - 9.8)	14,486	6.9	(6.0 - 8.0)	7,034	10.5	(9.3 - 11.8)	7,391
	10th	9.1	(8.4 - 9.9)	13,921	7.6	(6.7 - 8.5)	6,840	10.4	(9.5 - 11.4)	7,026
	11th	10.7	(9.9 - 11.5)	12,729	9.4	(8.4 - 10.5)	6,115	11.7	(10.6 - 12.9)	6,566
	12th	11.4	(10.6 - 12.2)	10,912	10.0	(8.8 - 11.2)	5,428	12.7	(11.6 - 13.8)	5,455
Race/E	thnicity									
	Black*	11.5	(10.8 - 12.3)	11,447	10.5	(9.5 - 11.6)	5,468	12.3	(11.3 - 13.4)	5,949
	Hispanic/Latino	14.3	(12.8 - 15.8)	5,283	10.9	(9.3 - 12.6)	2,588	17.2	(15.2 - 19.3)	2,605
	White*	7.6	(7.3 - 8.0)	27,984	5.9	(5.5-6.5)	13,761	9.3	(8.8 - 9.9)	14,196
	All other races	9.5	(8.4 - 10.8)	3,574	8.9	(7.3 - 10.8)	1,796	10.1	(8.6 - 11.8)	1,750
	Multiple races	11.1	(9.8 - 12.7)	2,913	8.8	(7.2 - 10.7)	1,328	13.2	(11.2 - 15.5)	1,571

Note: 1,024 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	11.1	(10.6 - 11.7)	35,545	9.7	(9.1 - 10.4)	17,140	12.0	(11.3 - 12.7)	18,152
Age										
	15 or younger	10.8	(10.1 - 11.7)	14,398	9.2	(8.3 - 10.2)	6,736	11.5	(10.5 - 12.6)	7,529
	16 or 17	10.8	(10.2 - 11.4)	17,944	9.3	(8.5 - 10.2)	8,672	12.0	(11.2 - 12.9)	9,202
	18 or older	13.7	(12.1 - 15.4)	3,137	13.2	(11.1 - 15.6)	1,715	13.9	(11.7 - 16.4)	1,403
Grade										
	9th	10.0	(9.1 - 10.9)	8,952	8.6	(7.5 - 9.9)	4,341	11.2	(9.9 - 12.5)	4,572
	10th	10.6	(9.6 - 11.7)	9,067	8.6	(7.4 - 9.9)	4,411	12.1	(10.8 - 13.6)	4,612
	11th	10.8	(10.0 - 11.7)	9,055	9.5	(8.4 - 10.8)	4,238	11.7	(10.7 - 12.8)	4,773
	12th	11.5	(10.6 - 12.4)	7,929	10.7	(9.6 - 12.0)	3,900	11.9	(10.7 - 13.2)	4,004
Race/E	thnicity									
	Black*	11.0	(10.1 - 12.0)	7,842	10.2	(9.1 - 11.3)	3,751	11.7	(10.4 - 13.1)	4,066
	Hispanic/Latino	14.9	(13.2 - 16.7)	3,610	13.9	(11.7 - 16.4)	1,779	15.6	(13.9 - 17.6)	1,767
	White*	9.3	(8.8 - 9.9)	19,145	7.4	(6.8 - 8.2)	9,194	11.1	(10.3 - 11.9)	9,932
	All other races	11.1	(9.2 - 13.3)	1,884	10.8	(8.2 - 14.0)	971	10.7	(8.6 - 13.3)	889
	Multiple races	12.8	(11.0 - 14.9)	1,972	10.9	(8.3 - 14.2)	883	14.6	(12.5 - 17.0)	1,081

Note: 18,240 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	11.7	(11.1 - 12.2)	35,381	9.0	(8.3 - 9.7)	17,058	13.8	(13.1 - 14.4)	18,077
Age										
	15 or younger	12.6	(11.8 - 13.4)	14,320	8.5	(7.6-9.6)	6,695	15.6	(14.6 - 16.6)	7,493
	16 or 17	10.5	(9.9 - 11.2)	17,871	8.5	(7.6-9.6)	8,636	12.4	(11.6 - 13.2)	9,166
	18 or older	13.3	(11.8 - 15.0)	3,128	12.5	(10.5 - 14.7)	1,710	14.0	(11.9 - 16.4)	1,400
Grade										
	9th	11.3	(10.4 - 12.2)	8,900	7.2	(6.1 - 8.4)	4,314	15.3	(14.1 - 16.7)	4,549
	10th	11.9	(11.0 - 12.9)	9,024	7.9	(6.8-9.1)	4,386	15.6	(14.2 - 17.1)	4,595
	11th	11.4	(10.5 - 12.4)	9,019	9.8	(8.5 - 11.4)	4,221	12.5	(11.3 - 13.8)	4,755
	12th	10.3	(9.4 - 11.3)	7,903	9.5	(8.3 - 10.7)	3,890	10.8	(9.7 - 12.1)	3,987
Race/E	thnicity									
	Black*	10.3	(9.3 - 11.3)	7,786	9.2	(7.8 - 10.7)	3,723	11.2	(10.0 - 12.6)	4,039
	Hispanic/Latino	15.8	(14.3 - 17.4)	3,586	14.2	(12.2 - 16.4)	1,761	17.1	(15.0 - 19.5)	1,761
	White*	10.5	(9.9 - 11.1)	19,116	6.4	(5.8-7.0)	9,190	14.4	(13.5 - 15.4)	9,909
	All other races	14.0	(12.1 - 16.2)	1,872	11.2	(9.1 - 13.6)	963	16.4	(13.5 - 19.8)	885
	Multiple races	13.1	(11.3 - 15.0)	1,954	9.6	(7.2 - 12.5)	873	16.0	(13.7 - 18.6)	1,073

Note: 18,404 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN24: Percentage of students who had ever been bullied on school property during the past 12 months

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	19.6	(19.1 - 20.1)	52,876	18.1	(17.4 - 18.8)	25,781	20.9	(20.3 - 21.5)	26,789	
Age											
	15 or younger	23.1	(22.3 - 23.8)	23,115	21.3	(20.2 - 22.5)	10,921	24.4	(23.5 - 25.4)	12,042	
	16 or 17	17.1	(16.5 - 17.7)	25,389	15.7	(14.9 - 16.5)	12,465	18.4	(17.5 - 19.3)	12,835	
	18 or older	16.7	(15.4 - 18.2)	4,272	15.8	(14.1 - 17.8)	2,363	17.7	(15.5 - 20.1)	1,891	
Grade											
	9th	23.6	(22.6 - 24.7)	14,557	21.6	(20.3 - 23.0)	7,065	25.6	(24.4 - 26.9)	7,438	
	10th	20.3	(19.5 - 21.1)	13,952	18.4	(17.3 - 19.4)	6,835	22.0	(20.9 - 23.1)	7,063	
	11th	17.5	(16.7 - 18.4)	12,722	15.7	(14.5 - 17.0)	6,105	19.1	(18.0 - 20.3)	6,575	
	12th	15.4	(14.4 - 16.4)	10,945	15.0	(13.7 - 16.4)	5,442	15.6	(14.3 - 17.1)	5,473	
Race/E	thnicity										
	Black*	15.3	(14.5 - 16.1)	11,497	14.9	(13.8 - 16.1)	5,476	15.6	(14.5 - 16.7)	5,989	
	Hispanic/Latino	20.5	(19.0 - 22.1)	5,293	18.9	(16.9 - 21.0)	2,593	21.9	(19.8 - 24.1)	2,617	
	White*	22.3	(21.7 - 23.0)	28,019	19.6	(18.7 - 20.5)	13,762	25.0	(24.2 - 25.9)	14,228	
	All other races	18.3	(16.5 - 20.2)	3,593	18.2	(16.2 - 20.5)	1,796	18.0	(15.1 - 21.2)	1,768	
	Multiple races	21.7	(20.1 - 23.4)	2,918	18.3	(16.0 - 20.9)	1,324	24.4	(22.1 - 26.9)	1,580	

Note: 909 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN25: Percentage of students who had ever been electronically bullied during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	14.0	(13.6 - 14.4)	52,790	10.7	(10.1 - 11.2)	25,723	17.2	(16.6 - 17.7)	26,774
Age										
	15 or younger	14.5	(13.9 - 15.2)	23,045	10.6	(9.7 - 11.5)	10,879	18.2	(17.3 - 19.2)	12,033
	16 or 17	13.5	(13.0 - 14.0)	25,377	10.3	(9.7 - 11.0)	12,452	16.4	(15.7 - 17.1)	12,832
	18 or older	14.2	(12.9 - 15.7)	4,268	12.5	(10.9 - 14.3)	2,361	16.2	(14.2 - 18.3)	1,888
Grade										
	9th	14.3	(13.4 - 15.1)	14,504	10.1	(9.0 - 11.3)	7,028	18.6	(17.4 - 19.9)	7,431
	10th	14.0	(13.4 - 14.7)	13,968	10.2	(9.4 - 11.1)	6,840	17.7	(16.7 - 18.7)	7,074
	11th	13.8	(13.1 - 14.5)	12,711	11.2	(10.3 - 12.1)	6,095	16.2	(15.2 - 17.3)	6,572
	12th	13.1	(12.3 - 14.0)	10,922	10.7	(9.7 - 11.8)	5,427	15.5	(14.3 - 16.7)	5,468
Race/E	thnicity									
	Black*	10.1	(9.5 - 10.7)	11,452	8.5	(7.7 - 9.3)	5,449	11.5	(10.6 - 12.5)	5,974
	Hispanic/Latino	14.5	(13.3 - 15.8)	5,269	11.8	(10.1 - 13.7)	2,577	17.3	(15.6 - 19.2)	2,613
	White*	16.6	(16.0 - 17.1)	28,025	11.5	(10.7 - 12.2)	13,755	21.7	(21.0 - 22.5)	14,243
	All other races	13.8	(12.0 - 15.8)	3,583	11.9	(9.8 - 14.3)	1,797	15.4	(13.1 - 18.1)	1,760
	Multiple races	15.3	(13.9 - 16.9)	2,927	11.2	(9.2 - 13.7)	1,332	18.8	(16.7 - 21.1)	1,581

Note: 995 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	27.0	(26.3 - 27.7)	52,106	19.7	(19.1 - 20.4)	25,379	34.2	(33.3 - 35.1)	26,431
Age										
	15 or younger	26.7	(25.8 - 27.7)	22,768	18.1	(17.2 - 19.1)	10,743	35.0	(33.6-36.3)	11,884
	16 or 17	27.0	(26.1 - 27.8)	25,036	20.0	(19.0 - 21.0)	12,275	33.8	(32.6 - 34.9)	12,672
	18 or older	28.8	(27.2 - 30.4)	4,206	25.1	(23.0-27.4)	2,331	33.1	(30.6 - 35.8)	1,855
Grade										
	9th	26.5	(25.3 - 27.6)	14,332	18.1	(17.0 - 19.3)	6,946	35.1	(33.3 - 37.0)	7,336
	10th	27.1	(25.9 - 28.4)	13,772	18.2	(17.0 - 19.5)	6,740	36.1	(34.4 - 37.9)	6,978
	11th	27.7	(26.6 - 28.7)	12,570	20.7	(19.5 - 22.0)	6,019	34.2	(32.7 - 35.7)	6,504
	12th	26.3	(25.2 - 27.5)	10,773	21.7	(20.3 - 23.1)	5,353	30.8	(29.2 - 32.5)	5,390
Race/E	thnicity									
	Black*	27.4	(26.4 - 28.5)	11,236	19.9	(18.7 - 21.1)	5,340	34.6	(33.2-36.0)	5,869
	Hispanic/Latino	32.3	(30.6 - 34.0)	5,175	23.7	(21.8 - 25.8)	2,536	41.7	(38.7 - 44.7)	2,558
	White*	25.2	(24.5 - 25.9)	27,784	17.8	(17.0 - 18.6)	13,640	32.6	(31.5 - 33.7)	14,119
	All other races	24.3	(22.1 - 26.6)	3,529	20.1	(17.0 - 23.6)	1,769	28.2	(25.8 - 30.7)	1,734
	Multiple races	31.1	(29.1 - 33.2)	2,878	23.8	(21.2 - 26.5)	1,311	37.7	(34.9 - 40.6)	1,553

Note: 1,679 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN27: Percentage of students who seriously considered attempting suicide during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	16.0	(15.4 - 16.5)	52,754	11.6	(11.1 - 12.1)	25,733	20.0	(19.3 - 20.8)	26,713
Age										
	15 or younger	16.5	(15.9 - 17.2)	23,024	10.9	(10.1 - 11.8)	10,878	21.5	(20.5 - 22.6)	12,001
	16 or 17	15.5	(14.8 - 16.1)	25,355	11.5	(10.9 - 12.2)	12,463	19.2	(18.2 - 20.2)	12,797
	18 or older	16.0	(14.7 - 17.5)	4,279	14.5	(12.8 - 16.3)	2,362	17.6	(15.6 - 19.9)	1,894
Grade										
	9th	16.4	(15.5 - 17.2)	14,512	10.9	(9.8 - 12.1)	7,032	21.9	(20.7 - 23.3)	7,423
	10th	15.7	(14.9 - 16.5)	13,936	10.3	(9.4 - 11.2)	6,828	20.8	(19.5 - 22.1)	7,045
	11th	15.7	(14.9 - 16.6)	12,701	12.0	(11.0 - 13.0)	6,107	19.2	(17.9 - 20.5)	6,555
	12th	15.0	(14.1 - 16.0)	10,906	12.4	(11.3 - 13.6)	5,426	17.5	(16.1 - 19.0)	5,453
Race/E	thnicity									
	Black*	15.6	(14.7 - 16.5)	11,456	11.0	(10.0 - 12.2)	5,449	19.8	(18.5 - 21.1)	5,977
	Hispanic/Latino	18.9	(17.7 - 20.1)	5,277	13.0	(11.6 - 14.4)	2,588	24.8	(22.7 - 27.1)	2,603
	White*	14.9	(14.4 - 15.5)	27,984	10.9	(10.2 - 11.6)	13,754	19.0	(18.2 - 19.8)	14,201
	All other races	15.2	(13.3 - 17.4)	3,574	12.0	(10.1 - 14.3)	1,794	18.3	(15.8 - 21.1)	1,755
	Multiple races	19.0	(17.4 - 20.8)	2,915	12.5	(10.7 - 14.7)	1,325	24.8	(22.3 - 27.6)	1,577

Note: 1,031 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	12.5	(12.1 - 13.0)	52,681	9.8	(9.3 - 10.3)	25,678	15.0	(14.4 - 15.6)	26,709
Age										
	15 or younger	13.1	(12.5 - 13.7)	22,994	9.5	(8.8 - 10.3)	10,862	16.3	(15.5 - 17.2)	11,995
	16 or 17	12.1	(11.5 - 12.7)	25,324	9.6	(9.0 - 10.2)	12,431	14.4	(13.5 - 15.3)	12,802
	18 or older	12.2	(11.0 - 13.4)	4,266	11.8	(10.3 - 13.6)	2,354	12.4	(10.6 - 14.4)	1,891
Grade										
	9th	13.0	(12.2 - 13.8)	14,483	9.5	(8.5 - 10.6)	7,012	16.5	(15.4 - 17.7)	7,416
	10th	12.4	(11.6 - 13.2)	13,924	8.6	(7.8 - 9.6)	6,821	15.8	(14.8 - 16.9)	7,048
	11th	12.8	(12.0 - 13.5)	12,715	10.4	(9.6 - 11.4)	6,105	14.9	(13.8 - 16.0)	6,565
	12th	11.0	(10.3 - 11.8)	10,876	9.9	(8.9 - 11.0)	5,407	12.1	(11.0 - 13.2)	5,447
Race/E	thnicity									
	Black*	11.8	(11.1 - 12.5)	11,430	9.0	(8.1 - 10.0)	5,432	14.4	(13.4 - 15.4)	5,971
	Hispanic/Latino	15.7	(14.6 - 16.9)	5,252	12.6	(11.3 - 14.1)	2,564	18.9	(17.2 - 20.7)	2,605
	White*	11.6	(11.1 - 12.1)	27,989	9.0	(8.5 - 9.7)	13,756	14.1	(13.4 - 14.8)	14,205
	All other races	13.4	(11.6 - 15.4)	3,569	10.4	(8.9 - 12.1)	1,788	16.1	(13.5 - 19.2)	1,755
	Multiple races	15.9	(14.5 - 17.4)	2,916	10.8	(9.1 - 12.9)	1,326	20.4	(18.2 - 22.8)	1,577

Note: 1,104 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	8.0	(7.6 - 8.4)	53,010	9.8	(9.3 - 10.4)	25,835	5.7	(5.3 - 6.1)	26,778
Age										
	15 or younger	8.3	(7.7 - 8.9)	23,105	9.5	(8.7 - 10.3)	10,888	6.3	(5.7-7.0)	12,007
	16 or 17	7.3	(6.8 - 7.8)	25,470	9.6	(8.9 - 10.3)	12,511	4.9	(4.4 - 5.3)	12,853
	18 or older	10.2	(9.1 - 11.3)	4,327	12.4	(11.0 - 14.0)	2,405	7.0	(5.8 - 8.5)	1,896
Grade										
	9th	8.0	(7.4 - 8.6)	14,490	9.2	(8.3 - 10.1)	7,011	6.6	(5.8 - 7.5)	7,412
	10th	8.0	(7.3 - 8.8)	13,964	10.1	(9.0 - 11.3)	6,824	5.5	(4.8 - 6.2)	7,065
	11th	7.2	(6.6 - 7.9)	12,816	9.6	(8.6 - 10.6)	6,166	4.6	(4.0 - 5.2)	6,590
	12th	7.4	(6.9 - 8.1)	10,992	9.6	(8.7 - 10.7)	5,479	5.0	(4.3 - 5.7)	5,472
Race/E	thnicity									
	Black*	7.3	(6.7 - 7.9)	11,479	9.3	(8.5 - 10.2)	5,473	5.2	(4.4 - 6.0)	5,971
	Hispanic/Latino	13.0	(11.9 - 14.1)	5,337	15.4	(13.7 - 17.2)	2,615	9.7	(8.5 - 11.2)	2,623
	White*	6.9	(6.5 - 7.3)	28,021	8.6	(8.0 - 9.2)	13,757	5.1	(4.7 - 5.6)	14,232
	All other races	6.9	(5.6-8.4)	3,620	8.8	(6.9 - 11.1)	1,816	4.4	(3.4 - 5.8)	1,766
	Multiple races	8.4	(7.4 - 9.5)	2,912	8.4	(7.1 - 10.1)	1,322	8.3	(6.9 - 9.9)	1,576

Note: 775 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	11.9	(11.4 - 12.4)	50,018	13.2	(12.6 - 13.9)	24,196	10.0	(9.4 - 10.6)	25,510
Age										
	15 or younger	8.8	(8.1 - 9.4)	21,926	9.0	(8.2 - 9.9)	10,285	7.6	(7.0 - 8.3)	11,483
	16 or 17	13.0	(12.4 - 13.7)	24,053	14.8	(14.0 - 15.7)	11,714	11.0	(10.2 - 11.8)	12,245
	18 or older	19.9	(18.5 - 21.5)	3,946	22.7	(20.6 - 25.0)	2,170	16.3	(14.4 - 18.3)	1,761
Grade										
	9th	7.5	(6.8 - 8.1)	13,744	7.7	(6.9 - 8.6)	6,618	7.0	(6.2 - 7.9)	7,077
	10th	10.8	(9.9 - 11.8)	13,236	11.8	(10.6 - 13.1)	6,417	9.1	(8.1 - 10.2)	6,759
	11th	13.1	(12.3 - 14.0)	12,080	15.3	(14.2 - 16.5)	5,769	10.7	(9.7 - 11.7)	6,264
	12th	15.6	(14.6 - 16.6)	10,314	18.1	(16.8 - 19.6)	5,084	12.8	(11.7 - 14.0)	5,198
Race/E	thnicity									
	Black*	8.1	(7.4 - 8.8)	10,701	10.2	(9.1 - 11.4)	5,009	6.0	(5.4 - 6.8)	5,663
	Hispanic/Latino	15.4	(14.2 - 16.6)	4,864	16.1	(14.4 - 18.0)	2,386	13.6	(12.0 - 15.3)	2,400
	White*	13.8	(13.2 - 14.6)	26,827	14.7	(13.9 - 15.6)	13,109	12.9	(12.0 - 13.8)	13,693
	All other races	8.7	(7.1 - 10.6)	3,411	10.5	(8.1 - 13.6)	1,689	5.9	(4.6 - 7.5)	1,694
	Multiple races	11.0	(9.7 - 12.4)	2,747	12.1	(10.2 - 14.2)	1,237	10.0	(8.3 - 11.9)	1,497

Note: 3,767 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	3.6	(3.3 - 3.9)	50,018	4.4	(4.0 - 4.7)	24,196	2.7	(2.4 - 3.0)	25,510
Age										
	15 or younger	2.2	(2.0 - 2.5)	21,926	2.6	(2.2 - 3.0)	10,285	1.7	(1.4 - 2.0)	11,483
	16 or 17	4.0	(3.7 - 4.4)	24,053	5.0	(4.5 - 5.5)	11,714	3.1	(2.7 - 3.5)	12,245
	18 or older	7.4	(6.4 - 8.5)	3,946	8.9	(7.5 - 10.4)	2,170	5.7	(4.5 - 7.1)	1,761
Grade										
	9th	1.7	(1.5 - 2.0)	13,744	2.0	(1.6 - 2.4)	6,618	1.4	(1.1 - 1.8)	7,077
	10th	2.8	(2.4 - 3.3)	13,236	3.6	(3.1 - 4.2)	6,417	2.0	(1.6 - 2.6)	6,759
	11th	4.1	(3.6-4.6)	12,080	5.1	(4.4 - 5.8)	5,769	3.1	(2.6 - 3.7)	6,264
	12th	5.3	(4.8 - 5.9)	10,314	6.7	(5.9-7.6)	5,084	3.9	(3.4 - 4.6)	5,198
Race/E	thnicity									
	Black*	1.6	(1.4 - 1.9)	10,701	2.4	(1.9 - 2.9)	5,009	0.9	(0.7 - 1.2)	5,663
	Hispanic/Latino	4.3	(3.7 - 5.0)	4,864	4.8	(4.0 - 5.9)	2,386	3.5	(2.7 - 4.4)	2,400
	White*	5.0	(4.6 - 5.4)	26,827	5.8	(5.2-6.4)	13,109	4.2	(3.7 - 4.7)	13,693
	All other races	2.5	(1.9 - 3.3)	3,411	3.3	(2.5 - 4.4)	1,689	1.8	(1.2 - 2.6)	1,694
	Multiple races	3.3	(2.6 - 4.1)	2,747	4.5	(3.3 - 5.9)	1,237	2.2	(1.5 - 3.0)	1,497

Note: 3,767 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN35: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	20.8	(19.5 - 22.3)	5,869	25.6	(23.6 - 27.7)	3,127	14.3	(12.7 - 16.1)	2,590
Age										
	15 or younger	15.7	(13.7 - 17.8)	2,246	19.7	(16.5 - 23.2)	1,107	8.8	(6.5 - 11.8)	1,029
	16 or 17	23.8	(21.9 - 25.8)	3,623	28.7	(26.0-31.5)	2,020	17.6	(15.4 - 20.1)	1,561
	18 or older	-	-	0	-	-	0	-	-	0
Grade										
	9th	14.6	(11.9 - 17.8)	1,178	19.1	(15.0 - 24.0)	593	9.8	(6.6 - 14.4)	565
	10th	19.8	(17.2 - 22.8)	1,554	25.9	(22.0 - 30.2)	851	11.5	(8.3 - 15.9)	668
	11th	22.3	(19.9 - 25.0)	1,757	25.7	(22.3 - 29.4)	954	16.5	(13.5 - 20.0)	775
	12th	25.4	(22.4 - 28.7)	1,176	30.6	(26.3 - 35.3)	638	18.5	(14.9 - 22.8)	513
Race/E	thnicity									
	Black*	26.5	(23.2 - 30.1)	801	30.7	(26.1 - 35.7)	470	19.9	(15.6 - 25.2)	323
	Hispanic/Latino	20.0	(16.6 - 23.9)	774	22.0	(16.5 - 28.7)	398	15.6	(11.7 - 20.5)	337
	White*	18.6	(17.0 - 20.4)	3,419	24.6	(22.2 - 27.2)	1,795	12.3	(10.3 - 14.7)	1,614
	All other races	19.0	(14.5 - 24.5)	311	22.5	(16.9 - 29.2)	186	11.2	(5.7-20.8)	110
	Multiple races	16.4	(11.8 - 22.2)	290	22.8	(14.6 - 33.8)	136	10.6	(5.9 - 18.2)	152

Note: 47,916 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	7.4	(7.0 - 7.8)	52,952	10.7	(10.1 - 11.3)	25,810	3.3	(3.0 - 3.6)	26,725
Age										
	15 or younger	6.6	(6.0 - 7.2)	23,125	8.5	(7.7 - 9.4)	10,891	3.3	(2.9-3.7)	12,004
	16 or 17	7.2	(6.7 - 7.6)	25,415	11.1	(10.5 - 11.8)	12,499	2.8	(2.5 - 3.2)	12,808
	18 or older	12.3	(11.0 - 13.7)	4,303	17.3	(15.4 - 19.5)	2,389	5.7	(4.4 - 7.4)	1,892
Grade										
	9th	5.5	(4.9 - 6.1)	14,462	7.1	(6.2 - 8.1)	6,995	3.1	(2.6-3.7)	7,398
	10th	6.6	(5.9-7.2)	13,951	9.6	(8.6 - 10.7)	6,826	2.6	(2.2-3.1)	7,047
	11th	7.6	(7.0 - 8.3)	12,791	11.7	(10.7 - 12.8)	6,161	3.1	(2.6-3.7)	6,568
	12th	8.6	(7.9 - 9.4)	10,984	13.8	(12.5 - 15.2)	5,472	3.1	(2.6-3.8)	5,465
Race/E	thnicity									
	Black*	5.6	(5.1-6.3)	11,413	8.2	(7.2 - 9.3)	5,446	2.9	(2.4 - 3.6)	5,935
	Hispanic/Latino	10.1	(9.2 - 11.1)	5,327	12.0	(10.8 - 13.3)	2,608	6.8	(5.7 - 8.0)	2,617
	White*	7.3	(6.9 - 7.8)	28,019	12.1	(11.3 - 12.9)	13,762	2.5	(2.2 - 2.8)	14,223
	All other races	6.3	(5.3 - 7.4)	3,623	8.4	(7.1 - 10.0)	1,818	3.3	(2.4 - 4.5)	1,767
	Multiple races	5.0	(4.2 - 6.0)	2,903	7.9	(6.4 - 9.6)	1,314	2.5	(1.7 - 3.5)	1,575

Note: 833 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	12.5	(11.9 - 13.0)	52,662	15.5	(14.8 - 16.2)	25,632	8.7	(8.2 - 9.3)	26,624
Age										
	15 or younger	9.5	(8.7 - 10.2)	22,996	11.2	(10.2 - 12.2)	10,828	6.6	(5.9 - 7.3)	11,943
	16 or 17	13.2	(12.6 - 13.9)	25,300	16.9	(16.0 - 17.8)	12,413	9.3	(8.6 - 10.1)	12,782
	18 or older	21.9	(20.4 - 23.5)	4,261	26.5	(24.5 - 28.7)	2,360	16.0	(14.0 - 18.2)	1,877
Grade										
	9th	8.4	(7.6 - 9.3)	14,374	10.1	(9.0 - 11.4)	6,946	6.1	(5.4 - 7.0)	7,364
	10th	10.7	(9.9 - 11.6)	13,870	13.5	(12.3 - 14.7)	6,781	7.3	(6.4 - 8.2)	7,012
	11th	13.1	(12.2 - 14.0)	12,745	16.8	(15.5 - 18.1)	6,127	9.0	(8.1 - 10.0)	6,554
	12th	16.9	(15.9 - 17.9)	10,921	21.6	(20.2 - 23.1)	5,426	11.9	(10.7 - 13.2)	5,450
Race/E	thnicity									
	Black*	12.5	(11.7 - 13.4)	11,304	14.8	(13.7 - 16.0)	5,384	10.2	(9.1 - 11.4)	5,886
	Hispanic/Latino	15.5	(14.2 - 17.0)	5,284	17.7	(15.9 - 19.7)	2,584	11.8	(10.3 - 13.5)	2,601
	White*	11.5	(10.9 - 12.0)	27,941	15.7	(14.8 - 16.6)	13,707	7.1	(6.6-7.7)	14,201
	All other races	7.9	(6.5 - 9.5)	3,601	10.1	(8.4 - 12.2)	1,802	4.7	(3.6-6.2)	1,762
	Multiple races	11.9	(10.5 - 13.4)	2,879	14.6	(12.7 - 16.8)	1,301	9.4	(7.8 - 11.3)	1,565

Note: 1,123 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	16.9	(16.3 - 17.5)	49,280	19.7	(18.9 - 20.5)	23,770	13.6	(12.9 - 14.3)	25,228
Age										
	15 or younger	12.3	(11.5 - 13.1)	21,592	13.5	(12.5 - 14.5)	10,103	10.2	(9.4 - 11.0)	11,347
	16 or 17	18.7	(18.0 - 19.5)	23,734	22.3	(21.2 - 23.3)	11,521	15.0	(14.1 - 16.0)	12,125
	18 or older	28.6	(26.8 - 30.5)	3,869	33.4	(31.0-35.8)	2,120	22.7	(20.3 - 25.3)	1,736
Grade										
	9th	10.8	(10.0 - 11.7)	13,524	11.8	(10.7 - 12.9)	6,493	9.6	(8.6 - 10.7)	6,986
	10th	15.2	(14.1 - 16.2)	13,039	17.8	(16.3 - 19.3)	6,304	11.9	(10.8 - 13.2)	6,682
	11th	18.2	(17.2 - 19.2)	11,928	22.0	(20.6 - 23.4)	5,680	14.3	(13.1 - 15.5)	6,204
	12th	23.2	(22.0 - 24.4)	10,179	27.9	(26.3 - 29.6)	4,998	18.3	(16.8 - 19.9)	5,149
Race/E	thnicity									
	Black*	14.1	(13.2 - 15.0)	10,442	16.4	(15.0 - 17.9)	4,873	11.8	(10.8 - 12.9)	5,544
	Hispanic/Latino	18.9	(17.5 - 20.2)	4,758	19.8	(18.0 - 21.7)	2,330	16.7	(14.8 - 18.8)	2,356
	White*	19.0	(18.2 - 19.8)	26,618	22.9	(21.8 - 23.9)	12,972	15.1	(14.3 - 16.1)	13,621
	All other races	10.3	(8.6 - 12.3)	3,363	12.6	(10.1 - 15.7)	1,658	7.2	(5.8 - 8.9)	1,680
	Multiple races	15.9	(14.3 - 17.5)	2,700	17.9	(15.7 - 20.3)	1,209	14.0	(12.1 - 16.1)	1,479

Note: 4,505 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	60.9	(60.0 - 61.8)	50,736	57.7	(56.7 - 58.8)	24,484	63.9	(62.9 - 64.9)	25,939
Age										
	15 or younger	52.4	(51.2 - 53.7)	22,213	48.8	(47.3 - 50.3)	10,376	55.5	(53.9-57.0)	11,672
	16 or 17	66.6	(65.6-67.5)	24,388	63.2	(61.9 - 64.4)	11,865	69.8	(68.7 - 71.0)	12,439
	18 or older	70.0	(68.1 - 71.7)	4,044	68.1	(65.5 - 70.5)	2,219	72.2	(69.7 - 74.6)	1,809
Grade										
	9th	48.8	(47.3 - 50.3)	13,945	45.8	(43.9 - 47.7)	6,698	51.8	(50.0 - 53.6)	7,196
	10th	58.7	(57.4 - 60.0)	13,384	55.1	(53.5 - 56.7)	6,481	62.0	(60.1 - 63.8)	6,849
	11th	66.4	(65.2 - 67.6)	12,277	62.5	(60.9 - 64.1)	5,849	69.9	(68.3 - 71.5)	6,377
	12th	71.6	(70.1 - 73.0)	10,493	69.8	(67.9-71.6)	5,157	73.2	(71.3 - 75.0)	5,305
Race/Et	hnicity									
	Black*	57.1	(55.9 - 58.4)	10,726	51.9	(50.2 - 53.6)	5,026	61.9	(60.3 - 63.5)	5,676
	Hispanic/Latino	61.6	(60.0 - 63.2)	5,008	58.6	(56.1 - 61.2)	2,435	64.6	(62.3 - 66.9)	2,499
	White*	65.8	(64.8 - 66.8)	27,297	63.7	(62.5 - 64.8)	13,312	68.0	(66.7 - 69.2)	13,955
	All other races	45.4	(42.7 - 48.3)	3,420	46.4	(42.6 - 50.3)	1,690	44.0	(41.4 - 46.7)	1,703
	Multiple races	65.9	(63.7 - 68.1)	2,796	61.4	(57.8 - 64.8)	1,258	69.9	(67.3 - 72.3)	1,526

Note: 3,049 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν	
	Total	19.3	(18.6 - 20.0)	51,920	21.1	(20.2 - 22.0)	25,229	17.1	(16.4 - 17.9)	26,319	
Age											
	15 or younger	22.5	(21.5 - 23.5)	22,542	23.6	(22.3 - 24.8)	10,587	20.9	(19.8 - 22.0)	11,765	
	16 or 17	16.8	(16.0 - 17.6)	25,041	19.2	(18.1 - 20.3)	12,260	14.3	(13.5 - 15.2)	12,673	
	18 or older	17.9	(16.5 - 19.4)	4,238	20.1	(18.1 - 22.2)	2,354	14.9	(12.8 - 17.2)	1,860	
Grade											
	9th	23.4	(22.2 - 24.7)	14,122	24.0	(22.4 - 25.7)	6,800	22.7	(21.3 - 24.2)	7,257	
	10th	19.0	(18.0 - 20.0)	13,679	20.6	(19.3 - 22.0)	6,680	16.9	(15.7 - 18.2)	6,936	
	11th	17.2	(16.2 - 18.2)	12,606	19.3	(18.0 - 20.7)	6,041	14.9	(13.9 - 16.1)	6,504	
	12th	15.8	(14.9 - 16.8)	10,800	19.0	(17.7 - 20.5)	5,372	12.4	(11.2 - 13.7)	5,391	
Race/E	thnicity										
	Black*	20.9	(19.8 - 22.1)	11,071	22.0	(20.6 - 23.4)	5,254	19.8	(18.5 - 21.3)	5,788	
	Hispanic/Latino	24.3	(22.5 - 26.2)	5,184	27.1	(24.3 - 30.1)	2,538	20.7	(18.5 - 23.1)	2,554	
	White*	16.5	(15.8 - 17.2)	27,704	18.9	(18.0 - 19.8)	13,564	14.0	(13.3 - 14.8)	14,108	
	All other races	15.7	(14.3 - 17.2)	3,532	17.4	(15.1 - 19.9)	1,760	13.4	(11.7 - 15.3)	1,735	
	Multiple races	23.9	(22.0 - 25.9)	2,864	24.1	(21.4 - 27.1)	1,297	23.5	(21.0 - 26.2)	1,553	

Note: 1,865 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	31.2	(30.4 - 32.1)	49,773	29.3	(28.3 - 30.3)	23,928	33.0	(31.8 - 34.1)	25,587	
Age											
	15 or younger	23.5	(22.5 - 24.6)	21,851	20.7	(19.5 - 22.0)	10,185	25.7	(24.5 - 27.1)	11,541	
	16 or 17	35.8	(34.7 - 36.8)	23,924	33.8	(32.6-35.0)	11,591	37.6	(36.2-39.0)	12,262	
	18 or older	42.9	(41.1 - 44.8)	3,905	43.0	(40.5 - 45.4)	2,129	42.9	(40.2 - 45.7)	1,765	
Grade											
	9th	20.5	(19.4 - 21.6)	13,715	17.7	(16.5 - 19.0)	6,570	23.1	(21.7 - 24.6)	7,103	
	10th	28.9	(27.5 - 30.2)	13,198	26.4	(24.8 - 28.1)	6,381	31.1	(29.2 - 33.0)	6,778	
	11th	34.8	(33.5 - 36.1)	12,038	32.9	(31.3 - 34.5)	5,692	36.4	(34.8 - 38.1)	6,304	
	12th	42.4	(40.8 - 44.0)	10,234	42.4	(40.7 - 44.1)	5,010	42.3	(40.2 - 44.5)	5,205	
Race/E	thnicity										
	Black*	25.2	(24.0 - 26.6)	10,485	22.5	(21.1 - 24.0)	4,903	27.7	(26.0 - 29.4)	5,561	
	Hispanic/Latino	30.4	(28.7 - 32.1)	4,798	27.7	(25.1 - 30.5)	2,308	32.7	(30.5 - 35.0)	2,428	
	White*	37.4	(36.4 - 38.5)	27,013	35.9	(34.7 - 37.1)	13,137	38.9	(37.6 - 40.3)	13,853	
	All other races	20.5	(18.0 - 23.2)	3,339	20.2	(17.1 - 23.8)	1,635	20.3	(17.7 - 23.2)	1,680	
	Multiple races	32.9	(30.7 - 35.2)	2,747	30.2	(27.0 - 33.5)	1,226	35.2	(32.4 - 38.1)	1,509	

Note: 4,012 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	17.0	(16.4 - 17.6)	50,417	17.3	(16.6 - 18.1)	24,301	16.5	(15.7 - 17.3)	25,817
Age										
	15 or younger	11.4	(10.6 - 12.1)	22,072	10.8	(9.9 - 11.7)	10,311	11.3	(10.5 - 12.3)	11,604
	16 or 17	20.2	(19.4 - 21.0)	24,233	20.6	(19.6 - 21.6)	11,761	19.7	(18.7 - 20.8)	12,395
	18 or older	26.1	(24.5 - 27.8)	4,019	28.4	(26.1 - 30.7)	2,207	23.3	(20.9 - 25.8)	1,797
Grade										
	9th	9.3	(8.7 - 10.0)	13,821	8.9	(8.0-9.9)	6,635	9.6	(8.7 - 10.6)	7,139
	10th	14.7	(13.8 - 15.8)	13,319	14.7	(13.5 - 16.0)	6,438	14.5	(13.3 - 15.8)	6,829
	11th	19.1	(18.0 - 20.1)	12,222	19.4	(18.1 - 20.8)	5,797	18.5	(17.2 - 19.9)	6,377
	12th	25.6	(24.3 - 26.9)	10,432	27.7	(26.2 - 29.2)	5,142	23.5	(21.8 - 25.3)	5,261
Race/E	thnicity									
	Black*	11.2	(10.3 - 12.1)	10,623	10.9	(9.8 - 12.0)	4,981	11.5	(10.4 - 12.6)	5,617
	Hispanic/Latino	17.6	(16.3 - 19.0)	4,910	17.1	(15.3 - 19.1)	2,368	17.7	(16.0 - 19.5)	2,468
	White*	22.1	(21.4 - 22.9)	27,237	23.0	(22.0 - 24.1)	13,279	21.2	(20.2 - 22.3)	13,932
	All other races	10.1	(8.6 - 11.9)	3,424	11.4	(9.3 - 13.9)	1,678	8.4	(7.0 - 10.1)	1,719
	Multiple races	16.9	(15.5 - 18.4)	2,775	16.1	(13.7 - 18.8)	1,247	17.6	(15.5 - 19.9)	1,515

Note: 3,368 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN47: Percentage of students who used marijuana one or more times during their life

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	35.9	(35.0 - 36.8)	50,609	37.6	(36.6 - 38.7)	24,340	34.0	(32.9 - 35.2)	25,983
Age										
	15 or younger	26.4	(25.2 - 27.7)	22,150	27.9	(26.5 - 29.4)	10,325	24.5	(23.0 - 26.1)	11,689
	16 or 17	41.9	(40.8 - 43.0)	24,358	43.4	(42.2 - 44.7)	11,800	40.3	(38.9 - 41.8)	12,471
	18 or older	48.0	(45.8 - 50.1)	4,015	49.8	(47.1 - 52.5)	2,193	45.8	(43.0 - 48.7)	1,803
Grade										
	9th	23.6	(22.3 - 25.0)	13,905	25.7	(24.0 - 27.4)	6,649	21.3	(19.8 - 22.9)	7,208
	10th	33.6	(32.2 - 34.9)	13,389	35.4	(33.8 - 37.1)	6,466	31.5	(29.6 - 33.5)	6,874
	11th	41.6	(40.3 - 42.9)	12,229	42.4	(40.8 - 44.0)	5,783	40.8	(39.1 - 42.5)	6,402
	12th	46.5	(44.9 - 48.0)	10,469	49.2	(47.4 - 51.0)	5,139	43.7	(41.6 - 45.9)	5,298
Race/E	thnicity									
	Black*	39.2	(37.6 - 40.8)	10,616	40.8	(38.9 - 42.7)	4,946	37.7	(35.8 - 39.7)	5,643
	Hispanic/Latino	39.1	(37.4 - 40.8)	4,925	40.0	(37.5 - 42.5)	2,373	38.0	(35.7 - 40.3)	2,483
	White*	34.4	(33.3 - 35.5)	27,369	36.4	(35.0-37.8)	13,314	32.5	(31.2 - 33.8)	14,028
	All other races	21.6	(19.4 - 23.9)	3,443	25.4	(22.4 - 28.7)	1,698	17.2	(15.0 - 19.6)	1,719
	Multiple races	39.9	(37.8 - 42.0)	2,787	40.4	(37.3 - 43.6)	1,248	39.5	(36.7 - 42.3)	1,525

Note: 3,176 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN48: Percentage of students who tried marijuana for the first time before age 13 years

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	8.8	(8.3 - 9.3)	50,936	11.3	(10.6 - 12.1)	24,555	5.8	(5.4 - 6.3)	26,076
Age										
	15 or younger	9.4	(8.7 - 10.2)	22,220	11.6	(10.6 - 12.7)	10,379	6.5	(6.0-7.2)	11,696
	16 or 17	7.9	(7.4 - 8.4)	24,556	10.8	(10.0 - 11.7)	11,921	4.9	(4.4 - 5.4)	12,542
	18 or older	10.6	(9.4 - 11.8)	4,068	12.5	(10.9 - 14.3)	2,231	8.0	(6.6-9.6)	1,818
Grade										
	9th	9.9	(9.1 - 10.8)	13,946	12.5	(11.3 - 13.8)	6,686	7.0	(6.2 - 7.8)	7,218
	10th	8.2	(7.5 - 9.0)	13,491	10.4	(9.4 - 11.6)	6,527	5.6	(4.9 - 6.4)	6,908
	11th	8.0	(7.3 - 8.7)	12,327	10.7	(9.6 - 11.9)	5,836	5.1	(4.4 - 5.9)	6,440
	12th	7.6	(7.0 - 8.4)	10,543	10.2	(9.1 - 11.5)	5,198	4.8	(4.1 - 5.5)	5,312
Race/E	thnicity									
	Black*	11.0	(10.2 - 11.9)	10,731	15.1	(13.8 - 16.5)	5,032	7.1	(6.3 - 8.1)	5,674
	Hispanic/Latino	11.4	(10.2 - 12.8)	4,968	13.5	(11.8 - 15.3)	2,406	8.8	(7.2 - 10.7)	2,492
	White*	6.1	(5.7-6.5)	27,488	7.9	(7.3 - 8.6)	13,386	4.3	(3.9 - 4.7)	14,073
	All other races	5.4	(4.5 - 6.5)	3,454	7.2	(5.8 - 8.9)	1,705	3.3	(2.4 - 4.4)	1,721
	Multiple races	9.6	(8.4 - 11.0)	2,810	11.9	(9.8 - 14.4)	1,263	7.5	(6.1 - 9.2)	1,533

Note: 2,849 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN49: Percentage of students who used marijuana one or more times during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	19.8	(19.1 - 20.5)	50,969	21.6	(20.8 - 22.4)	24,598	17.8	(17.0 - 18.7)	26,072
Age										
	15 or younger	14.6	(13.6 - 15.5)	22,261	15.4	(14.4 - 16.5)	10,411	13.3	(12.2 - 14.4)	11,699
	16 or 17	22.9	(22.0 - 23.8)	24,544	25.3	(24.2 - 26.3)	11,924	20.5	(19.4 - 21.6)	12,536
	18 or older	27.7	(25.8 - 29.7)	4,078	29.3	(27.0 - 31.8)	2,239	25.7	(23.1 - 28.5)	1,818
Grade										
	9th	13.2	(12.3 - 14.1)	13,959	14.2	(12.9 - 15.5)	6,694	11.9	(10.9 - 13.0)	7,214
	10th	18.5	(17.2 - 19.8)	13,454	20.2	(18.7 - 21.8)	6,516	16.4	(14.8 - 18.1)	6,886
	11th	22.2	(21.1 - 23.4)	12,338	23.9	(22.5 - 25.3)	5,855	20.6	(19.2 - 22.0)	6,435
	12th	26.0	(24.7 - 27.3)	10,593	29.1	(27.7 - 30.6)	5,223	22.7	(21.0 - 24.5)	5,338
Race/E	thnicity									
	Black*	21.0	(19.7 - 22.2)	10,783	22.4	(21.0 - 24.0)	5,066	19.5	(18.0 - 21.1)	5,690
	Hispanic/Latino	20.7	(19.3 - 22.1)	4,989	21.4	(19.5 - 23.5)	2,418	19.4	(17.5 - 21.4)	2,494
	White*	19.7	(18.9 - 20.5)	27,462	21.8	(20.8 - 22.9)	13,381	17.5	(16.5 - 18.6)	14,054
	All other races	12.1	(10.5 - 13.9)	3,452	15.5	(13.3 - 18.1)	1,705	8.3	(6.9 - 10.0)	1,722
	Multiple races	21.6	(19.9 - 23.3)	2,811	22.6	(20.1 - 25.4)	1,261	20.7	(18.3 - 23.3)	1,536

Note: 2,816 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	6.5	(6.1 - 6.9)	52,365	8.1	(7.6 - 8.6)	25,414	4.2	(3.9 - 4.5)	26,549
Age										
	15 or younger	5.6	(5.1-6.1)	22,852	6.5	(5.8-7.4)	10,715	3.6	(3.2 - 4.1)	11,916
	16 or 17	6.3	(5.9-6.8)	25,177	8.2	(7.6 - 8.9)	12,322	4.1	(3.7-4.6)	12,750
	18 or older	11.0	(9.8 - 12.4)	4,236	13.7	(12.0 - 15.6)	2,349	7.3	(6.0 - 8.9)	1,863
Grade										
	9th	4.9	(4.3 - 5.5)	14,275	6.0	(5.1-6.9)	6,864	3.4	(2.8-4.0)	7,344
	10th	5.2	(4.7 - 5.8)	13,778	6.3	(5.4 - 7.3)	6,714	3.5	(2.9-4.1)	6,990
	11th	6.8	(6.2 - 7.4)	12,686	9.4	(8.5 - 10.3)	6,076	3.8	(3.3-4.5)	6,548
	12th	7.7	(7.0 - 8.4)	10,877	10.1	(9.2 - 11.1)	5,408	5.0	(4.3 - 5.8)	5,424
Race/E	thnicity									
	Black*	5.6	(5.0-6.2)	11,135	7.6	(6.6-8.6)	5,274	3.5	(3.0-4.1)	5,828
	Hispanic/Latino	11.2	(10.1 - 12.3)	5,273	12.9	(11.2 - 14.8)	2,576	8.1	(7.0-9.4)	2,596
	White*	5.1	(4.7 - 5.5)	27,885	6.5	(6.0-7.1)	13,655	3.6	(3.2 - 4.0)	14,197
	All other races	6.3	(5.2 - 7.7)	3,577	7.8	(6.1 - 9.8)	1,778	3.9	(2.9-5.1)	1,761
	Multiple races	5.6	(4.5 - 6.8)	2,864	8.1	(6.4 - 10.2)	1,293	3.3	(2.4 - 4.5)	1,557

Note: 1,420 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	10.4	(9.9 - 10.9)	52,230	10.7	(10.1 - 11.3)	25,337	9.3	(8.7 - 9.9)	26,489
Age										
	15 or younger	11.4	(10.8 - 12.1)	22,790	10.7	(9.9 - 11.6)	10,682	10.9	(10.1 - 11.8)	11,887
	16 or 17	9.0	(8.4 - 9.6)	25,114	9.9	(9.2 - 10.6)	12,285	7.8	(7.1 - 8.5)	12,723
	18 or older	12.7	(11.5 - 14.1)	4,224	14.5	(12.7 - 16.4)	2,342	10.1	(8.4 - 12.0)	1,859
Grade										
	9th	10.9	(10.1 - 11.7)	14,238	10.1	(9.1 - 11.1)	6,847	11.3	(10.2 - 12.4)	7,321
	10th	9.7	(8.9 - 10.6)	13,741	9.2	(8.2 - 10.4)	6,691	9.4	(8.4 - 10.5)	6,979
	11th	9.7	(8.9 - 10.6)	12,649	10.8	(9.8 - 12.0)	6,055	8.1	(7.2 - 9.1)	6,534
	12th	9.4	(8.6 - 10.2)	10,854	11.4	(10.3 - 12.6)	5,394	7.0	(6.1 - 8.0)	5,415
Race/E	thnicity									
	Black*	11.8	(10.9 - 12.8)	11,080	12.3	(11.2 - 13.5)	5,240	11.3	(10.2 - 12.4)	5,810
	Hispanic/Latino	14.0	(12.9 - 15.2)	5,253	13.8	(12.4 - 15.4)	2,570	13.1	(11.7 - 14.6)	2,583
	White*	7.2	(6.8-7.6)	27,850	8.0	(7.4 - 8.5)	13,634	6.4	(5.9-6.9)	14,184
	All other races	10.0	(8.6 - 11.6)	3,566	9.7	(7.9 - 11.9)	1,771	9.2	(7.6 - 11.2)	1,757
	Multiple races	11.2	(9.9 - 12.6)	2,854	10.0	(8.2 - 12.2)	1,290	12.1	(10.4 - 14.1)	1,550

Note: 1,555 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	4.9	(4.6 - 5.3)	51,934	6.3	(5.8-6.8)	25,180	2.8	(2.5 - 3.1)	26,363
Age										
	15 or younger	4.8	(4.4 - 5.4)	22,673	5.7	(5.1-6.4)	10,627	2.7	(2.4 - 3.2)	11,832
	16 or 17	4.4	(4.0-4.8)	24,968	6.1	(5.6-6.7)	12,202	2.4	(2.1 - 2.8)	12,664
	18 or older	7.9	(6.8 - 9.1)	4,197	9.6	(8.2 - 11.3)	2,326	5.2	(4.0 - 6.8)	1,847
Grade										
	9th	3.9	(3.4 - 4.5)	14,150	4.8	(4.1 - 5.6)	6,810	2.4	(1.9 - 3.0)	7,269
	10th	4.3	(3.7 - 4.9)	13,682	5.5	(4.7 - 6.5)	6,658	2.3	(1.8 - 2.8)	6,954
	11th	4.9	(4.3 - 5.5)	12,575	7.1	(6.3 - 8.0)	6,009	2.4	(1.9-3.0)	6,509
	12th	5.2	(4.6 - 5.8)	10,790	6.9	(6.1 - 7.8)	5,358	3.1	(2.5 - 3.8)	5,391
Race/E	Cthnicity									
	Black*	5.1	(4.5 - 5.7)	10,982	7.2	(6.3 - 8.1)	5,197	2.9	(2.4 - 3.6)	5,753
	Hispanic/Latino	8.3	(7.6 - 9.2)	5,229	9.4	(8.2 - 10.8)	2,552	5.9	(4.9 - 7.1)	2,580
	White*	3.1	(2.8-3.4)	27,737	4.2	(3.8-4.7)	13,572	1.8	(1.6 - 2.1)	14,134
	All other races	5.1	(4.1 - 6.5)	3,542	6.3	(4.9 - 8.2)	1,756	3.0	(2.3-4.0)	1,750
	Multiple races	3.9	(3.1 - 4.9)	2,843	5.7	(4.5 - 7.2)	1,281	2.2	(1.4 - 3.3)	1,548

Note: 1,851 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	5.0	(4.7 - 5.4)	52,213	6.4	(5.9-6.9)	25,333	3.0	(2.7 - 3.3)	26,480
Age										
	15 or younger	4.8	(4.4 - 5.4)	22,788	5.8	(5.2-6.6)	10,683	2.7	(2.3 - 3.1)	11,883
	16 or 17	4.6	(4.2 - 5.0)	25,100	6.1	(5.5-6.7)	12,283	2.8	(2.4 - 3.3)	12,718
	18 or older	8.0	(7.1 - 9.1)	4,222	9.7	(8.2 - 11.4)	2,339	5.5	(4.3 - 7.0)	1,859
Grade										
	9th	3.9	(3.3 - 4.5)	14,222	5.0	(4.2 - 6.0)	6,844	2.2	(1.7 - 2.8)	7,310
	10th	4.4	(3.9-4.9)	13,744	5.4	(4.7 - 6.3)	6,694	2.6	(2.2 - 3.1)	6,977
	11th	5.1	(4.6 - 5.7)	12,654	6.9	(6.1 - 7.8)	6,056	3.0	(2.4 - 3.7)	6,540
	12th	5.4	(4.8-6.0)	10,846	7.2	(6.3 - 8.2)	5,389	3.2	(2.6-4.0)	5,414
Race/E	thnicity									
	Black*	4.9	(4.4 - 5.5)	11,058	6.9	(6.1 - 7.8)	5,232	2.8	(2.3 - 3.4)	5,794
	Hispanic/Latino	8.6	(7.8-9.6)	5,258	9.9	(8.5 - 11.5)	2,569	6.2	(5.1-7.4)	2,590
	White*	3.3	(3.0-3.6)	27,842	4.4	(4.0-4.8)	13,627	2.2	(1.9 - 2.5)	14,184
	All other races	5.2	(4.3 - 6.4)	3,573	6.3	(4.9 - 8.1)	1,782	3.4	(2.5 - 4.7)	1,755
	Multiple races	4.1	(3.4 - 5.1)	2,860	5.8	(4.5 - 7.3)	1,291	2.6	(1.8 - 3.8)	1,556

Note: 1,572 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	8.3	(7.9 - 8.8)	52,131	10.3	(9.7 - 11.0)	25,293	5.7	(5.3 - 6.1)	26,447
Age										
	15 or younger	6.9	(6.3 - 7.5)	22,745	8.3	(7.4 - 9.2)	10,670	4.4	(3.9 - 4.9)	11,865
	16 or 17	8.6	(8.1 - 9.2)	25,073	10.9	(10.2 - 11.6)	12,260	6.1	(5.6-6.7)	12,710
	18 or older	13.2	(12.0 - 14.6)	4,212	15.9	(14.0 - 18.1)	2,337	9.5	(8.1 - 11.2)	1,852
Grade										
	9th	5.9	(5.3 - 6.7)	14,190	7.5	(6.6 - 8.4)	6,830	3.8	(3.2 - 4.5)	7,294
	10th	7.0	(6.4 - 7.7)	13,722	8.5	(7.5 - 9.6)	6,679	4.8	(4.1 - 5.6)	6,969
	11th	8.9	(8.2 - 9.7)	12,648	11.3	(10.2 - 12.5)	6,059	6.1	(5.4 - 7.0)	6,534
	12th	10.3	(9.5 - 11.1)	10,828	13.1	(12.0 - 14.3)	5,377	7.1	(6.2 - 8.2)	5,409
Race/E	thnicity									
	Black*	7.6	(6.9 - 8.4)	11,026	10.5	(9.5 - 11.6)	5,214	4.6	(4.0 - 5.4)	5,781
	Hispanic/Latino	12.7	(11.5 - 13.9)	5,237	14.6	(12.7 - 16.7)	2,561	9.6	(8.4 - 11.0)	2,580
	White*	7.1	(6.7 - 7.6)	27,821	8.6	(8.0-9.3)	13,613	5.5	(5.1-6.1)	14,177
	All other races	7.3	(6.2 - 8.6)	3,567	8.9	(7.3 - 10.8)	1,779	4.5	(3.5 - 5.8)	1,751
	Multiple races	7.9	(6.8-9.2)	2,863	11.1	(9.4 - 13.1)	1,294	5.0	(3.8-6.4)	1,555

Note: 1,654 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	5.1	(4.8 - 5.5)	52,144	6.3	(5.8-6.9)	25,323	3.2	(2.9-3.5)	26,432
Age										
	15 or younger	5.2	(4.6 - 5.7)	22,744	5.8	(5.1-6.6)	10,680	3.2	(2.8-3.7)	11,853
	16 or 17	4.5	(4.1 - 4.9)	25,077	6.1	(5.6-6.8)	12,273	2.7	(2.3 - 3.1)	12,703
	18 or older	7.9	(6.9 - 8.9)	4,222	9.3	(8.0 - 10.7)	2,343	5.6	(4.4 - 7.2)	1,856
Grade										
	9th	4.3	(3.8 - 5.0)	14,202	5.2	(4.3 - 6.1)	6,846	2.9	(2.3 - 3.5)	7,287
	10th	4.5	(3.9-5.2)	13,730	5.4	(4.6-6.4)	6,687	2.8	(2.3 - 3.3)	6,970
	11th	5.0	(4.5 - 5.7)	12,635	6.9	(6.0-7.8)	6,049	2.8	(2.3 - 3.4)	6,531
	12th	5.2	(4.6-5.9)	10,837	6.8	(6.1 - 7.7)	5,392	3.2	(2.6-4.0)	5,402
Race/E	thnicity									
	Black*	5.2	(4.6 - 5.9)	11,049	7.1	(6.1 - 8.2)	5,241	3.3	(2.8-3.9)	5,777
	Hispanic/Latino	9.1	(8.3 - 10.1)	5,236	10.1	(8.9 - 11.4)	2,559	6.8	(5.6-8.2)	2,580
	White*	3.1	(2.8-3.4)	27,817	4.3	(3.8-4.7)	13,621	1.9	(1.7 - 2.2)	14,164
	All other races	5.0	(4.1 - 6.0)	3,567	5.1	(4.0-6.6)	1,774	4.0	(3.0-5.2)	1,757
	Multiple races	3.7	(2.9 - 4.7)	2,856	4.9	(3.8-6.3)	1,290	2.5	(1.7 - 3.7)	1,552

Maryland High School Survey

Summary Tables - Weighted Data

QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	15.2	(14.7 - 15.8)	52,300	16.3	(15.5 - 17.1)	25,404	13.6	(13.1 - 14.3)	26,497
Age										
	15 or younger	12.3	(11.6 - 13.0)	22,808	12.6	(11.7 - 13.6)	10,705	11.0	(10.2 - 11.8)	11,884
	16 or 17	16.8	(16.1 - 17.5)	25,142	18.1	(17.1 - 19.2)	12,311	15.3	(14.4 - 16.2)	12,729
	18 or older	20.3	(18.9 - 21.7)	4,248	22.4	(20.4 - 24.5)	2,360	17.5	(15.4 - 19.7)	1,864
Grade										
	9th	10.4	(9.7 - 11.2)	14,238	11.0	(10.0 - 12.1)	6,862	9.4	(8.6 - 10.3)	7,307
	10th	14.1	(13.1 - 15.1)	13,769	14.9	(13.7 - 16.2)	6,710	12.8	(11.7 - 14.0)	6,986
	11th	17.2	(16.3 - 18.1)	12,676	18.7	(17.2 - 20.2)	6,075	15.6	(14.5 - 16.7)	6,542
	12th	18.6	(17.7 - 19.6)	10,867	20.7	(19.4 - 22.0)	5,405	16.2	(14.8 - 17.7)	5,419
Race/E	thnicity									
	Black*	13.3	(12.4 - 14.3)	11,102	15.7	(14.4 - 17.0)	5,267	11.0	(9.9 - 12.1)	5,804
	Hispanic/Latino	17.7	(16.5 - 19.0)	5,256	17.9	(16.3 - 19.7)	2,569	16.8	(15.3 - 18.5)	2,588
	White*	15.7	(15.1 - 16.4)	27,871	16.4	(15.5 - 17.3)	13,653	15.0	(14.2 - 15.9)	14,185
	All other races	12.4	(10.8 - 14.2)	3,579	13.2	(10.7 - 16.3)	1,785	10.8	(9.3 - 12.5)	1,758
	Multiple races	17.2	(15.5 - 19.0)	2,866	17.8	(15.4 - 20.5)	1,292	16.6	(14.5 - 19.0)	1,560

Note: 1,485 students were excluded from this analysis.

*Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	3.9	(3.6 - 4.2)	51,484	5.0	(4.6 - 5.4)	24,920	2.5	(2.2 - 2.9)	26,253
Age										
	15 or younger	3.9	(3.5 - 4.4)	22,442	4.9	(4.2 - 5.6)	10,514	2.4	(2.0 - 2.8)	11,773
	16 or 17	3.5	(3.2-3.9)	24,809	4.7	(4.2 - 5.2)	12,091	2.3	(1.9 - 2.8)	12,632
	18 or older	6.0	(5.1-7.0)	4,135	6.8	(5.7 - 8.1)	2,289	4.6	(3.5-6.0)	1,828
Grade										
	9th	3.6	(3.1 - 4.2)	14,044	4.6	(3.8 - 5.7)	6,746	2.2	(1.8 - 2.8)	7,241
	10th	3.2	(2.8-3.6)	13,584	4.1	(3.4 - 4.8)	6,602	2.1	(1.7 - 2.6)	6,929
	11th	3.9	(3.5 - 4.5)	12,494	5.3	(4.6-6.1)	5,947	2.5	(2.0-3.1)	6,501
	12th	3.9	(3.4 - 4.5)	10,696	5.1	(4.4 - 5.9)	5,300	2.5	(2.0-3.2)	5,363
Race/E	Cthnicity									
	Black*	4.4	(3.8-5.1)	10,919	5.6	(4.8 - 6.6)	5,149	3.1	(2.5 - 3.8)	5,741
	Hispanic/Latino	6.8	(6.0 - 7.8)	5,082	8.2	(6.8 - 9.9)	2,474	4.4	(3.6-5.4)	2,526
	White*	2.4	(2.2 - 2.7)	27,655	3.3	(2.9-3.7)	13,503	1.5	(1.3 - 1.8)	14,122
	All other races	3.9	(3.3 - 4.7)	3,513	4.6	(3.7 - 5.9)	1,749	2.7	(2.0-3.7)	1,736
	Multiple races	3.5	(2.7 - 4.4)	2,822	5.2	(3.9-6.9)	1,263	1.9	(1.2 - 2.8)	1,545

Maryland High School Survey

Summary Tables - Weighted Data

QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	29.1	(28.4 - 29.9)	51,493	33.0	(32.2 - 33.9)	24,932	25.0	(24.1 - 25.9)	26,267
Age										
	15 or younger	28.2	(27.2 - 29.3)	22,458	32.1	(30.7 - 33.4)	10,537	24.2	(22.9 - 25.4)	11,775
	16 or 17	30.0	(29.1 - 30.9)	24,814	33.9	(32.9-34.9)	12,093	26.0	(24.8 - 27.3)	12,636
	18 or older	28.6	(26.8 - 30.6)	4,133	33.1	(30.6-35.7)	2,276	23.2	(21.0 - 25.6)	1,837
Grade										
	9th	26.6	(25.4 - 27.8)	14,057	29.6	(28.0 - 31.2)	6,758	23.3	(21.8 - 24.8)	7,248
	10th	30.1	(28.8 - 31.5)	13,628	35.2	(33.4 - 36.9)	6,632	24.8	(23.2 - 26.5)	6,944
	11th	30.4	(29.1 - 31.6)	12,473	34.3	(33.0-35.7)	5,939	26.4	(24.7 - 28.3)	6,492
	12th	29.1	(27.9 - 30.2)	10,678	33.0	(31.3 - 34.7)	5,284	25.1	(23.6 - 26.6)	5,363
Race/E	thnicity									
	Black*	29.9	(28.7 - 31.2)	10,900	34.9	(33.0-36.8)	5,131	25.2	(23.8 - 26.7)	5,741
	Hispanic/Latino	37.2	(35.1 - 39.3)	5,080	41.0	(38.0 - 44.0)	2,474	32.6	(30.0-35.4)	2,527
	White*	26.4	(25.6 - 27.2)	27,693	29.8	(28.8 - 30.8)	13,524	23.0	(22.0 - 24.0)	14,141
	All other races	27.3	(25.0 - 29.7)	3,510	30.3	(26.9-33.8)	1,750	24.1	(22.0 - 26.3)	1,737
	Multiple races	32.2	(30.2 - 34.3)	2,829	36.3	(33.0-39.8)	1,272	28.2	(25.6 - 30.9)	1,543

Maryland High School Survey

Summary Tables - Weighted Data

QN59: Percentage of students who ever had sexual intercourse

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	39.1	(38.1 - 40.2)	45,171	41.9	(40.7 - 43.2)	21,322	36.4	(35.3 - 37.6)	23,713
Age										
	15 or younger	25.1	(23.8 - 26.4)	19,767	28.2	(26.7 - 29.8)	9,076	22.1	(20.6 - 23.6)	10,637
	16 or 17	47.0	(45.7 - 48.3)	21,910	49.4	(47.7 - 51.1)	10,380	44.8	(43.4 - 46.1)	11,477
	18 or older	61.9	(59.4 - 64.3)	3,440	62.4	(59.3 - 65.4)	1,848	61.4	(58.3 - 64.4)	1,586
Grade										
	9th	22.9	(21.4 - 24.4)	12,348	27.1	(25.2 - 29.1)	5,806	18.7	(17.1 - 20.3)	6,518
	10th	34.1	(32.4 - 35.8)	12,000	37.8	(35.8 - 39.8)	5,698	30.5	(28.4 - 32.6)	6,281
	11th	45.5	(44.0 - 47.0)	11,009	47.3	(45.2 - 49.4)	5,098	43.9	(42.3 - 45.6)	5,894
	12th	56.3	(54.3 - 58.3)	9,375	58.1	(55.6-60.6)	4,499	54.6	(52.3 - 56.8)	4,862
Race/E	thnicity									
	Black*	46.0	(44.3 - 47.7)	9,095	52.4	(50.1 - 54.8)	4,061	40.7	(38.8 - 42.6)	5,022
	Hispanic/Latino	41.6	(38.7 - 44.5)	4,138	45.1	(41.7 - 48.5)	1,978	37.6	(34.0 - 41.3)	2,125
	White*	36.8	(35.7 - 37.9)	25,319	37.4	(36.0-38.8)	12,153	36.2	(34.9 - 37.5)	13,148
	All other races	19.4	(16.9 - 22.1)	3,013	22.5	(18.8 - 26.6)	1,454	16.2	(13.8 - 18.9)	1,550
	Multiple races	40.3	(38.0 - 42.6)	2,490	42.7	(39.6 - 45.9)	1,092	38.2	(35.1 - 41.5)	1,388

Maryland High School Survey

Summary Tables - Weighted Data

QN60: Percentage of students who had sexual intercourse for the first time before age 13 years

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	6.6	(6.3 - 7.0)	45,250	10.2	(9.5 - 10.8)	21,377	3.2	(2.9 - 3.5)	23,709
Age										
	15 or younger	6.5	(6.0 - 7.2)	19,705	9.7	(8.8 - 10.7)	9,053	3.4	(2.9-4.0)	10,586
	16 or 17	6.3	(5.8-6.8)	22,008	10.1	(9.3 - 11.0)	10,431	2.7	(2.4 - 3.1)	11,516
	18 or older	9.0	(7.9 - 10.1)	3,480	12.5	(10.9 - 14.3)	1,876	4.8	(3.7 - 6.3)	1,595
Grade										
	9th	7.1	(6.4 - 8.0)	12,298	10.4	(9.2 - 11.8)	5,782	3.8	(3.1-4.6)	6,491
	10th	6.4	(5.7-7.1)	12,007	10.0	(8.8 - 11.3)	5,706	2.9	(2.4 - 3.4)	6,276
	11th	6.0	(5.3-6.7)	11,050	10.0	(8.8 - 11.4)	5,114	2.3	(1.9 - 2.8)	5,911
	12th	6.2	(5.6-6.8)	9,427	9.4	(8.4 - 10.5)	4,540	3.1	(2.6 - 3.7)	4,870
Race/E	thnicity									
	Black*	10.6	(9.9 - 11.5)	9,104	18.1	(16.6 - 19.7)	4,071	4.4	(3.7 - 5.1)	5,020
	Hispanic/Latino	9.8	(8.7 - 11.0)	4,136	13.2	(11.4 - 15.2)	1,991	6.1	(5.0 - 7.5)	2,104
	White*	3.3	(3.1-3.6)	25,341	4.9	(4.4 - 5.3)	12,155	1.8	(1.6 - 2.1)	13,165
	All other races	3.7	(3.0-4.6)	3,017	5.5	(4.3 - 6.9)	1,459	1.8	(1.2 - 2.7)	1,546
	Multiple races	7.3	(6.2 - 8.4)	2,502	11.0	(9.2 - 13.2)	1,100	4.0	(3.0-5.3)	1,392

Maryland High School Survey

Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse with four or more people during their life

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	12.3	(11.8 - 12.9)	45,230	15.4	(14.6 - 16.2)	21,318	9.3	(8.7 - 9.9)	23,744
Age										
	15 or younger	6.6	(6.0-7.1)	19,768	9.1	(8.2 - 10.1)	9,058	4.0	(3.5 - 4.5)	10,636
	16 or 17	14.8	(14.1 - 15.6)	21,948	18.1	(16.9 - 19.4)	10,386	11.8	(11.1 - 12.6)	11,504
	18 or older	25.3	(23.4 - 27.5)	3,458	28.3	(25.7 - 30.9)	1,857	22.0	(19.6 - 24.5)	1,592
Grade										
	9th	6.2	(5.6 - 7.0)	12,315	9.3	(8.2 - 10.6)	5,775	3.1	(2.5 - 3.8)	6,511
	10th	8.8	(8.1 - 9.5)	11,997	11.7	(10.6 - 12.9)	5,686	6.0	(5.3-6.8)	6,287
	11th	14.4	(13.3 - 15.5)	11,032	18.5	(16.8 - 20.3)	5,091	10.7	(9.7 - 11.8)	5,915
	12th	20.2	(18.9 - 21.4)	9,424	22.8	(21.0 - 24.7)	4,536	17.6	(16.2 - 19.1)	4,869
Race/E	thnicity									
	Black*	17.0	(15.8 - 18.4)	9,083	24.4	(22.6 - 26.3)	4,048	10.9	(9.8 - 12.1)	5,020
	Hispanic/Latino	15.5	(14.4 - 16.7)	4,150	19.7	(17.8 - 21.9)	1,985	10.7	(9.5 - 12.2)	2,122
	White*	9.2	(8.7 - 9.7)	25,326	9.8	(9.1 - 10.5)	12,134	8.6	(7.9 - 9.3)	13,172
	All other races	6.0	(4.9 - 7.3)	3,030	7.5	(5.9-9.5)	1,462	4.5	(3.3 - 5.9)	1,557
	Multiple races	12.7	(11.1 - 14.5)	2,496	17.1	(14.3 - 20.2)	1,095	9.0	(7.3 - 11.0)	1,391

Maryland High School Survey

Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with one or more people during the past three months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	27.2	(26.4 - 28.0)	45,226	27.5	(26.6 - 28.4)	21,321	26.7	(25.8 - 27.7)	23,735
Age										
	15 or younger	16.1	(15.2 - 17.0)	19,749	17.0	(15.8 - 18.2)	9,055	14.9	(13.8 - 16.0)	10,619
	16 or 17	33.2	(32.2 - 34.2)	21,951	32.8	(31.6 - 34.1)	10,387	33.5	(32.3 - 34.7)	11,506
	18 or older	46.5	(44.4 - 48.6)	3,468	45.2	(42.4 - 48.1)	1,862	48.0	(45.2 - 50.9)	1,598
Grade										
	9th	14.4	(13.3 - 15.5)	12,297	16.3	(14.9 - 17.8)	5,766	12.3	(11.1 - 13.6)	6,503
	10th	21.9	(20.8 - 23.1)	11,990	22.8	(21.4 - 24.2)	5,682	21.0	(19.5 - 22.7)	6,284
	11th	32.0	(30.8 - 33.3)	11,036	31.3	(29.6 - 33.1)	5,099	32.6	(31.1 - 34.2)	5,914
	12th	41.9	(40.4 - 43.5)	9,428	41.3	(39.3 - 43.3)	4,537	42.4	(40.4 - 44.3)	4,872
Race/E	thnicity									
	Black*	29.7	(28.3 - 31.1)	9,070	32.3	(30.5 - 34.1)	4,045	27.5	(25.9 - 29.1)	5,011
	Hispanic/Latino	28.7	(26.6 - 30.9)	4,145	29.1	(26.7 - 31.6)	1,986	27.6	(25.1 - 30.4)	2,117
	White*	27.2	(26.3 - 28.1)	25,340	26.0	(25.0 - 27.1)	12,145	28.3	(27.2 - 29.5)	13,175
	All other races	13.2	(11.5 - 15.1)	3,030	14.4	(12.1 - 17.1)	1,458	11.9	(9.9 - 14.2)	1,559
	Multiple races	27.8	(25.7 - 29.9)	2,494	27.1	(24.0 - 30.5)	1,092	28.1	(25.4 - 31.0)	1,392

Maryland High School Survey

Summary Tables - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	24.0	(22.9 - 25.1)	12,519	27.9	(26.3 - 29.5)	5,845	20.1	(18.9 - 21.4)	6,618
Age										
	15 or younger	24.4	(22.4 - 26.6)	3,261	25.8	(23.0 - 28.7)	1,516	22.1	(19.6 - 24.8)	1,718
	16 or 17	23.4	(22.2 - 24.7)	7,596	28.2	(26.2 - 30.3)	3,453	19.1	(17.6 - 20.7)	4,119
	18 or older	25.7	(23.1 - 28.4)	1,652	29.8	(26.4 - 33.6)	874	21.2	(17.8 - 25.0)	776
Grade										
	9th	22.9	(20.4 - 25.7)	1,756	22.9	(19.4 - 26.8)	894	21.8	(18.7 - 25.3)	853
	10th	23.4	(21.4 - 25.5)	2,769	27.0	(23.8 - 30.4)	1,310	19.7	(16.9 - 22.8)	1,450
	11th	23.6	(21.9 - 25.2)	3,732	29.2	(26.6-31.9)	1,636	18.9	(16.9 - 21.0)	2,088
	12th	24.1	(22.5 - 25.7)	4,071	28.7	(26.3 - 31.2)	1,910	19.8	(17.9 - 21.9)	2,150
Race/E	thnicity									
	Black*	20.0	(18.2 - 21.9)	2,682	23.8	(21.3 - 26.5)	1,302	16.2	(14.0 - 18.7)	1,377
	Hispanic/Latino	28.6	(24.3 - 33.3)	1,286	31.3	(25.5 - 37.7)	617	25.5	(21.3 - 30.2)	648
	White*	25.4	(24.1 - 26.6)	7,049	29.3	(27.4 - 31.3)	3,191	21.9	(20.3 - 23.5)	3,850
	All other races	29.1	(23.4 - 35.5)	522	36.8	(29.9 - 44.3)	284	19.8	(13.2 - 28.7)	233
	Multiple races	24.8	(21.4 - 28.6)	713	33.9	(28.0 - 40.4)	302	17.4	(13.6 - 21.9)	406

Maryland High School Survey

Summary Tables - Weighted Data

QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	61.5	(60.4 - 62.7)	12,328	67.2	(65.7 - 68.7)	5,731	56.4	(54.7 - 58.1)	6,541
Age										
	15 or younger	64.7	(62.6-66.8)	3,204	69.9	(66.9 - 72.7)	1,491	60.1	(57.1-63.0)	1,687
	16 or 17	61.0	(59.4 - 62.5)	7,493	67.1	(65.2 - 68.9)	3,388	55.6	(53.4 - 57.7)	4,081
	18 or older	58.6	(55.4 - 61.8)	1,621	63.4	(58.9-67.6)	850	53.8	(49.3 - 58.3)	768
Grade										
	9th	65.4	(62.8 - 68.0)	1,717	70.7	(67.1 - 74.1)	879	59.3	(54.8 - 63.6)	831
	10th	65.4	(63.1 - 67.7)	2,719	69.6	(66.2 - 72.8)	1,273	61.5	(58.1 - 64.8)	1,436
	11th	60.9	(58.7 - 63.0)	3,680	66.8	(64.1 - 69.4)	1,607	55.9	(52.9 - 58.8)	2,065
	12th	58.9	(56.7 - 60.9)	4,022	65.0	(62.3 - 67.5)	1,880	53.5	(50.6-56.4)	2,131
Race/E	thnicity									
	Black*	64.1	(61.8 - 66.3)	2,629	72.4	(69.3 - 75.3)	1,268	56.5	(52.8-60.0)	1,358
	Hispanic/Latino	59.0	(55.1 - 62.8)	1,244	62.3	(57.6-66.9)	598	55.0	(49.3 - 60.6)	624
	White*	60.4	(58.7 - 62.0)	6,976	64.8	(62.9-66.8)	3,143	56.5	(54.4 - 58.6)	3,825
	All other races	61.2	(56.8 - 65.5)	515	66.4	(60.3 - 72.1)	278	55.5	(48.3 - 62.5)	233
	Multiple races	60.3	(56.2 - 64.3)	699	63.8	(57.2 - 69.9)	295	57.4	(52.3 - 62.4)	399

Maryland High School Survey

Summary Tables - Weighted Data

QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.7	(17.7 - 19.8)	12,292	15.5	(14.3 - 16.7)	5,735	21.9	(20.4 - 23.4)	6,475
Age										
	15 or younger	11.6	(10.3 - 13.0)	3,223	10.1	(8.3 - 12.2)	1,499	13.0	(10.9 - 15.4)	1,681
	16 or 17	20.5	(19.1 - 21.9)	7,417	16.3	(14.8 - 17.9)	3,367	24.2	(22.3 - 26.3)	4,022
	18 or older	23.4	(21.0 - 26.0)	1,638	20.9	(17.6 - 24.5)	867	26.2	(22.8 - 29.8)	767
Grade										
	9th	10.0	(8.5 - 11.7)	1,708	10.0	(7.8 - 12.8)	870	9.8	(7.6 - 12.7)	825
	10th	13.2	(11.8 - 14.6)	2,704	10.3	(8.5 - 12.4)	1,275	16.1	(13.9 - 18.6)	1,417
	11th	19.6	(17.9 - 21.4)	3,651	16.5	(14.4 - 18.9)	1,609	22.3	(20.0 - 24.8)	2,031
	12th	24.6	(22.8 - 26.5)	4,016	20.4	(18.2 - 22.8)	1,879	28.5	(25.9-31.3)	2,122
Race/E	thnicity									
	Black*	9.5	(8.4 - 10.8)	2,612	9.4	(7.8 - 11.4)	1,269	9.6	(8.0 - 11.5)	1,339
	Hispanic/Latino	12.1	(9.7 - 15.1)	1,272	11.5	(8.4 - 15.5)	611	12.8	(9.7 - 16.7)	634
	White*	27.6	(26.2 - 29.0)	6,895	21.6	(19.9 - 23.4)	3,115	32.8	(30.9 - 34.8)	3,773
	All other races	15.6	(12.2 - 19.8)	521	13.8	(9.4 - 19.7)	284	17.1	(11.6 - 24.5)	231
	Multiple races	13.0	(10.3 - 16.3)	690	10.9	(7.2 - 16.2)	290	14.9	(11.3 - 19.3)	395

Maryland High School Survey

Summary Tables - Weighted Data

QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	
Total	5.8	(5.3 - 6.4)	12,292	3.8	(3.2 - 4.5)	5,735	7.5	(6.7 - 8.4)	6,475	
Age										
15 or younger	3.8	(3.1 - 4.8)	3,223	2.1	(1.3 - 3.3)	1,499	5.3	(4.1-6.8)	1,681	
16 or 17	6.1	(5.4 - 6.8)	7,417	4.1	(3.4 - 5.1)	3,367	7.6	(6.7 - 8.7)	4,022	
18 or older	7.8	(6.4 - 9.5)	1,638	5.2	(3.7 - 7.2)	867	10.5	(8.1 - 13.6)	767	
Grade										
9th	3.7	(2.7 - 5.1)	1,708	2.3	(1.3 - 4.1)	870	5.6	(3.9 - 8.0)	825	
10th	4.7	(3.8 - 5.9)	2,704	3.4	(2.2 - 5.2)	1,275	6.0	(4.8 - 7.5)	1,417	
11th	5.8	(4.8 - 6.9)	3,651	3.8	(2.9-5.0)	1,609	7.2	(5.8 - 8.9)	2,031	
12th	7.0	(6.1 - 8.1)	4,016	4.5	(3.5 - 5.8)	1,879	9.2	(7.8 - 10.8)	2,122	
Race/Ethnicity										
Black*	6.5	(5.4 - 8.0)	2,612	3.6	(2.5 - 5.0)	1,269	9.4	(7.7 - 11.5)	1,339	
Hispanic/Latino	4.9	(3.6-6.6)	1,272	3.7	(2.3 - 5.9)	611	5.4	(3.8-7.6)	634	
White*	5.4	(4.8 - 6.1)	6,895	3.9	(3.3-4.8)	3,115	6.7	(5.8-7.7)	3,773	
All other races	3.5	(2.3 - 5.4)	521	3.8	(2.1 - 6.7)	284	3.0	(1.5 - 6.0)	231	
Multiple races	5.0	(3.6-7.0)	690	2.1	(0.9-4.6)	290	7.4	(5.2 - 10.5)	395	

Note: 41,493 students were excluded from this analysis.

*Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	24.5	(23.4 - 25.7)	12,292	19.3	(17.9 - 20.7)	5,735	29.4	(27.7 - 31.1)	6,475
Age										
	15 or younger	15.4	(13.9 - 17.0)	3,223	12.2	(10.2 - 14.5)	1,499	18.3	(15.9 - 20.9)	1,681
	16 or 17	26.5	(25.0 - 28.1)	7,417	20.4	(18.7 - 22.3)	3,367	31.9	(29.7 - 34.1)	4,022
	18 or older	31.2	(28.6 - 34.0)	1,638	26.1	(22.3 - 30.3)	867	36.7	(32.7 - 40.9)	767
Grade										
	9th	13.8	(11.9 - 15.8)	1,708	12.3	(9.9 - 15.2)	870	15.5	(12.5 - 19.0)	825
	10th	17.9	(16.3 - 19.6)	2,704	13.7	(11.6 - 16.1)	1,275	22.1	(19.7 - 24.8)	1,417
	11th	25.4	(23.5 - 27.4)	3,651	20.3	(18.0 - 22.8)	1,609	29.5	(26.8 - 32.3)	2,031
	12th	31.7	(29.7 - 33.7)	4,016	24.9	(22.4 - 27.6)	1,879	37.7	(34.7 - 40.8)	2,122
Race/E	thnicity									
	Black*	16.1	(14.5 - 17.7)	2,612	13.0	(11.0 - 15.4)	1,269	19.0	(16.8 - 21.4)	1,339
	Hispanic/Latino	17.0	(14.2 - 20.2)	1,272	15.2	(11.8 - 19.4)	611	18.2	(14.8 - 22.2)	634
	White*	33.0	(31.5 - 34.5)	6,895	25.5	(23.7 - 27.4)	3,115	39.5	(37.5 - 41.6)	3,773
	All other races	19.1	(15.5 - 23.4)	521	17.6	(12.8 - 23.7)	284	20.2	(14.5 - 27.4)	231
	Multiple races	18.1	(15.0 - 21.6)	690	13.0	(9.0 - 18.4)	290	22.3	(18.2 - 27.0)	395

Note: 41,493 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	9.2	(8.5 - 9.9)	12,057	7.4	(6.6 - 8.3)	5,608	10.8	(9.8 - 11.8)	6,394
Age										
	15 or younger	6.6	(5.5 - 7.9)	3,136	5.7	(4.3 - 7.4)	1,459	7.4	(5.8-9.4)	1,651
	16 or 17	9.5	(8.7 - 10.4)	7,318	7.2	(6.3 - 8.3)	3,310	11.5	(10.2 - 12.8)	3,984
	18 or older	11.9	(10.0 - 14.2)	1,594	10.7	(8.5 - 13.4)	837	13.2	(10.4 - 16.7)	754
Grade										
	9th	6.7	(5.4 - 8.3)	1,671	6.5	(4.7 - 8.9)	855	6.6	(4.7 - 9.2)	809
	10th	7.3	(6.1 - 8.6)	2,659	4.5	(3.4 - 5.9)	1,249	10.0	(8.2 - 12.2)	1,400
	11th	9.2	(8.1 - 10.3)	3,595	7.5	(6.1 - 9.1)	1,573	10.5	(9.1 - 12.2)	2,014
	12th	11.0	(9.8 - 12.3)	3,947	9.3	(7.8 - 10.9)	1,840	12.6	(10.9 - 14.4)	2,096
Race/Et	hnicity									
	Black*	6.8	(5.7 - 8.1)	2,567	5.8	(4.4 - 7.5)	1,239	7.7	(6.2 - 9.7)	1,325
	Hispanic/Latino	6.5	(4.7 - 8.8)	1,221	6.7	(4.7 - 9.4)	585	5.4	(3.4 - 8.5)	614
	White*	11.8	(10.9 - 12.7)	6,833	8.9	(7.7 - 10.2)	3,080	14.3	(13.0 - 15.6)	3,746
	All other races	7.4	(5.2 - 10.4)	504	8.5	(5.5 - 12.9)	275	6.2	(3.5 - 10.8)	225
	Multiple races	5.6	(3.9 - 8.0)	678	3.7	(1.8 - 7.5)	285	7.2	(4.9 - 10.6)	388

Note: 41,728 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	14.3	(13.4 - 15.2)	12,292	13.3	(12.0 - 14.6)	5,735	15.2	(14.0 - 16.5)	6,475
Age										
	15 or younger	18.8	(17.1 - 20.7)	3,223	16.8	(14.0 - 20.2)	1,499	20.7	(18.2 - 23.4)	1,681
	16 or 17	12.7	(11.7 - 13.8)	7,417	12.0	(10.7 - 13.6)	3,367	13.1	(11.8 - 14.6)	4,022
	18 or older	13.5	(11.4 - 15.9)	1,638	12.0	(8.9 - 15.9)	867	15.1	(12.3 - 18.5)	767
Grade										
	9th	20.4	(17.9 - 23.2)	1,708	17.6	(13.9 - 22.0)	870	23.4	(19.7 - 27.5)	825
	10th	14.7	(13.0 - 16.6)	2,704	12.9	(10.8 - 15.4)	1,275	16.5	(14.1 - 19.2)	1,417
	11th	13.6	(12.2 - 15.2)	3,651	12.1	(10.3 - 14.1)	1,609	15.0	(12.9 - 17.3)	2,031
	12th	11.6	(10.4 - 13.0)	4,016	11.6	(9.6 - 13.9)	1,879	11.5	(9.9 - 13.3)	2,122
Race/E	thnicity									
	Black*	17.9	(16.2 - 19.6)	2,612	14.1	(12.0 - 16.4)	1,269	21.6	(19.0 - 24.4)	1,339
	Hispanic/Latino	22.8	(19.6 - 26.3)	1,272	23.3	(17.8 - 29.8)	611	22.6	(19.0 - 26.8)	634
	White*	9.3	(8.5 - 10.2)	6,895	9.5	(8.4 - 10.8)	3,115	9.1	(8.1 - 10.3)	3,773
	All other races	16.5	(13.3 - 20.2)	521	17.8	(13.3 - 23.5)	284	15.2	(10.8 - 20.9)	231
	Multiple races	17.8	(14.3 - 21.8)	690	16.3	(11.1 - 23.3)	290	18.2	(14.2 - 23.1)	395

Maryland High School Survey

Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	14.8	(14.4 - 15.2)	49,228	14.8	(14.3 - 15.3)	24,466	14.8	(14.1 - 15.5)	24,762
Age										
	15 or younger	15.8	(15.1 - 16.4)	21,106	15.7	(14.9 - 16.6)	10,183	15.8	(14.7 - 17.0)	10,923
	16 or 17	14.2	(13.6 - 14.8)	24,129	14.3	(13.5 - 15.1)	12,029	14.0	(13.2 - 14.9)	12,100
	18 or older	13.7	(12.3 - 15.2)	3,993	13.2	(11.3 - 15.3)	2,254	14.4	(12.4 - 16.6)	1,739
Grade										
	9th	15.9	(15.1 - 16.6)	13,264	15.8	(14.8 - 16.8)	6,571	16.0	(14.8 - 17.4)	6,693
	10th	14.7	(13.9 - 15.6)	13,029	14.6	(13.6 - 15.7)	6,488	14.8	(13.6 - 16.2)	6,541
	11th	14.7	(13.9 - 15.6)	12,106	14.7	(13.7 - 15.8)	5,894	14.7	(13.6 - 15.8)	6,212
	12th	13.6	(12.8 - 14.5)	10,419	13.7	(12.5 - 15.0)	5,246	13.6	(12.4 - 14.9)	5,173
Race/E	thnicity									
	Black*	17.7	(16.9 - 18.5)	10,727	15.9	(14.8 - 17.1)	5,230	19.4	(18.3 - 20.5)	5,497
	Hispanic/Latino	18.7	(17.1 - 20.4)	4,519	18.4	(16.4 - 20.5)	2,297	19.0	(16.7 - 21.6)	2,222
	White*	12.3	(11.9 - 12.8)	26,703	13.6	(12.9 - 14.3)	13,273	11.1	(10.4 - 11.7)	13,430
	All other races	10.3	(9.0 - 11.7)	3,303	11.8	(9.8 - 14.2)	1,679	8.6	(6.9 - 10.6)	1,624
	Multiple races	14.4	(13.1 - 15.9)	2,740	12.3	(10.3 - 14.5)	1,258	16.4	(14.6 - 18.4)	1,482

Note: 4,557 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup. **Based on reference data from the 2000 CDC Growth Charts.

Maryland High School Survey

Summary Tables - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	11.0	(10.6 - 11.4)	49,228	13.8	(13.3 - 14.3)	24,466	8.1	(7.7 - 8.6)	24,762
Age										
	15 or younger	11.1	(10.5 - 11.7)	21,106	14.0	(13.2 - 14.9)	10,183	8.1	(7.4 - 8.9)	10,923
	16 or 17	10.8	(10.3 - 11.4)	24,129	13.6	(12.9 - 14.4)	12,029	8.0	(7.3 - 8.7)	12,100
	18 or older	11.5	(10.4 - 12.8)	3,993	13.3	(11.5 - 15.3)	2,254	9.2	(7.5 - 11.3)	1,739
Grade										
	9th	11.3	(10.5 - 12.1)	13,264	13.7	(12.7 - 14.8)	6,571	8.5	(7.6-9.6)	6,693
	10th	10.9	(10.3 - 11.7)	13,029	14.0	(12.9 - 15.2)	6,488	7.7	(6.9 - 8.6)	6,541
	11th	10.8	(10.1 - 11.5)	12,106	13.6	(12.6 - 14.7)	5,894	7.9	(7.1 - 8.8)	6,212
	12th	10.9	(10.1 - 11.8)	10,419	13.5	(12.3 - 14.7)	5,246	8.4	(7.4 - 9.4)	5,173
Race/E	thnicity									
	Black*	13.5	(12.7 - 14.3)	10,727	14.8	(13.9 - 15.9)	5,230	12.2	(11.2 - 13.2)	5,497
	Hispanic/Latino	12.7	(11.7 - 13.8)	4,519	16.5	(15.0 - 18.2)	2,297	8.2	(7.0 - 9.5)	2,222
	White*	9.1	(8.6 - 9.6)	26,703	12.7	(11.9 - 13.4)	13,273	5.4	(4.9-6.1)	13,430
	All other races	7.1	(6.0-8.4)	3,303	10.4	(8.8 - 12.2)	1,679	3.6	(2.6-4.8)	1,624
	Multiple races	11.8	(10.5 - 13.3)	2,740	13.4	(11.5 - 15.6)	1,258	10.4	(8.8 - 12.3)	1,482

Note: 4,557 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup. **Based on reference data from the 2000 CDC Growth Charts.

Maryland High School Survey

Summary Tables - Weighted Data

QN66: Percentage of students who described themselves as slightly or very overweight

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.7	(26.2 - 27.3)	51,642	21.7	(21.0 - 22.4)	25,084	31.9	(31.2 - 32.7)	26,188
Age										
	15 or younger	27.0	(26.2 - 27.7)	22,512	22.1	(21.1 - 23.2)	10,575	31.8	(30.7 - 33.0)	11,729
	16 or 17	27.0	(26.3 - 27.7)	24,876	21.6	(20.6 - 22.7)	12,180	32.3	(31.4 - 33.3)	12,598
	18 or older	24.6	(22.9 - 26.4)	4,166	20.3	(18.4 - 22.4)	2,305	29.9	(27.2 - 32.8)	1,842
Grade										
	9th	26.2	(25.2 - 27.2)	14,018	21.6	(20.3 - 22.9)	6,753	31.2	(29.7 - 32.7)	7,199
	10th	26.8	(25.9 - 27.8)	13,598	21.6	(20.4 - 22.9)	6,630	32.1	(30.8 - 33.5)	6,898
	11th	27.5	(26.6 - 28.4)	12,563	22.7	(21.3 - 24.1)	6,032	32.2	(30.8 - 33.5)	6,473
	12th	26.7	(25.6 - 27.9)	10,755	21.0	(19.6 - 22.5)	5,332	32.3	(30.9 - 33.8)	5,385
Race/E	thnicity									
	Black*	25.4	(24.4 - 26.3)	10,867	18.9	(17.7 - 20.1)	5,142	31.5	(30.2 - 32.8)	5,697
	Hispanic/Latino	31.0	(29.6 - 32.4)	5,152	26.2	(23.9-28.6)	2,514	36.7	(34.8 - 38.7)	2,546
	White*	27.0	(26.3 - 27.7)	27,692	22.5	(21.7 - 23.4)	13,574	31.4	(30.4 - 32.4)	14,085
	All other races	25.1	(23.1 - 27.2)	3,536	22.6	(20.1 - 25.2)	1,761	28.0	(25.6-30.6)	1,743
	Multiple races	29.6	(27.8 - 31.5)	2,831	22.2	(19.7 - 24.9)	1,283	36.0	(33.2 - 38.9)	1,534

Maryland High School Survey

Summary Tables - Weighted Data

QN67: Percentage of students who were trying to lose weight

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	44.7	(44.1 - 45.3)	51,448	31.0	(30.2 - 31.8)	24,939	58.5	(57.8 - 59.3)	26,152
Age										
	15 or younger	44.8	(44.0 - 45.7)	22,423	31.3	(30.1 - 32.5)	10,510	58.2	(57.1 - 59.4)	11,719
	16 or 17	45.0	(44.2 - 45.7)	24,796	30.8	(29.7 - 31.9)	12,117	59.0	(58.0-60.1)	12,584
	18 or older	42.7	(41.0 - 44.4)	4,137	31.2	(29.0-33.6)	2,287	57.0	(54.4 - 59.6)	1,831
Grade										
	9th	43.9	(42.8 - 45.0)	13,985	31.4	(29.9 - 33.0)	6,723	57.0	(55.6 - 58.3)	7,200
	10th	45.2	(43.9 - 46.5)	13,565	30.6	(29.1 - 32.1)	6,599	59.9	(58.4 - 61.4)	6,898
	11th	45.1	(44.1 - 46.2)	12,512	31.1	(29.6 - 32.5)	5,993	58.9	(57.4 - 60.3)	6,467
	12th	45.1	(43.9 - 46.3)	10,695	30.8	(29.1 - 32.5)	5,297	59.2	(57.6-60.8)	5,360
Race/E	thnicity									
	Black*	43.1	(42.0 - 44.3)	10,814	30.1	(28.7 - 31.6)	5,099	55.4	(53.9 - 56.8)	5,689
	Hispanic/Latino	51.8	(50.0 - 53.6)	5,110	42.5	(39.9 - 45.1)	2,491	63.0	(60.7 - 65.1)	2,530
	White*	44.5	(43.7 - 45.4)	27,638	28.9	(27.8 - 29.9)	13,524	60.2	(59.2 - 61.3)	14,082
	All other races	43.3	(41.5 - 45.2)	3,524	30.8	(28.1 - 33.5)	1,750	56.6	(53.7-59.6)	1,740
	Multiple races	45.5	(43.5 - 47.6)	2,822	30.6	(27.6 - 33.8)	1,275	58.7	(56.1-61.3)	1,533

Maryland High School Survey

Summary Tables - Weighted Data

QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	76.5	(76.0 - 77.0)	51,104	77.5	(76.8 - 78.2)	24,703	75.6	(75.0 - 76.2)	26,015
Age										
	15 or younger	77.1	(76.3 - 77.8)	22,245	78.0	(76.8 - 79.1)	10,385	76.5	(75.5 - 77.4)	11,649
	16 or 17	76.3	(75.6 - 76.9)	24,645	77.5	(76.4 - 78.4)	12,025	75.1	(74.3 - 75.9)	12,519
	18 or older	75.1	(73.6 - 76.6)	4,119	75.7	(73.7 - 77.5)	2,266	74.5	(71.6-77.1)	1,830
Grade										
	9th	77.3	(76.2 - 78.2)	13,846	77.6	(76.1 - 79.1)	6,637	77.1	(75.8 - 78.3)	7,146
	10th	76.6	(75.7 - 77.4)	13,452	77.8	(76.3 - 79.2)	6,524	75.4	(74.3 - 76.5)	6,857
	11th	76.7	(75.9 - 77.6)	12,434	78.2	(76.8 - 79.5)	5,932	75.4	(74.3 - 76.5)	6,440
	12th	75.6	(74.5 - 76.6)	10,664	76.6	(75.2 - 78.0)	5,277	74.6	(73.2 - 75.9)	5,343
Race/E	thnicity									
	Black*	78.4	(77.5 - 79.3)	10,698	78.1	(76.8 - 79.4)	5,033	78.7	(77.6 - 79.9)	5,638
	Hispanic/Latino	78.6	(77.2 - 79.9)	5,071	80.1	(77.7 - 82.4)	2,465	77.4	(75.4 - 79.3)	2,510
	White*	74.8	(74.2 - 75.5)	27,470	76.5	(75.6 - 77.4)	13,411	73.2	(72.2 - 74.1)	14,025
	All other races	75.1	(73.4 - 76.8)	3,503	78.1	(75.8 - 80.3)	1,732	72.0	(69.7 - 74.3)	1,735
	Multiple races	78.3	(76.5 - 80.0)	2,792	79.2	(76.4 - 81.7)	1,259	77.7	(75.3 - 80.0)	1,519

Maryland High School Survey

Summary Tables - Weighted Data

QN72: Percentage of students who ate fruit one or more times during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	84.3	(83.7 - 84.9)	51,382	81.5	(80.7 - 82.3)	24,868	87.3	(86.7 - 88.0)	26,125
Age										
	15 or younger	83.8	(82.9 - 84.6)	22,382	81.4	(80.2 - 82.4)	10,474	86.5	(85.5 - 87.5)	11,698
	16 or 17	85.0	(84.2 - 85.8)	24,770	81.9	(80.8 - 82.9)	12,089	88.3	(87.3 - 89.2)	12,575
	18 or older	82.9	(81.5 - 84.3)	4,139	80.5	(78.4 - 82.4)	2,280	86.0	(84.1 - 87.8)	1,834
Grade										
	9th	83.2	(82.2 - 84.1)	13,918	81.0	(79.7 - 82.3)	6,681	85.7	(84.4 - 87.0)	7,172
	10th	84.6	(83.5 - 85.6)	13,543	82.0	(80.5 - 83.4)	6,579	87.5	(86.3 - 88.7)	6,889
	11th	85.0	(83.9 - 86.0)	12,496	81.9	(80.5 - 83.3)	5,965	88.0	(86.6 - 89.4)	6,471
	12th	85.3	(84.2 - 86.3)	10,704	82.0	(80.5 - 83.5)	5,305	88.6	(87.4 - 89.7)	5,359
Race/E	thnicity									
	Black*	78.2	(77.1 - 79.3)	10,744	74.7	(73.1 - 76.2)	5,064	81.5	(80.1 - 82.9)	5,651
	Hispanic/Latino	84.2	(82.9 - 85.5)	5,113	82.7	(80.6 - 84.6)	2,492	86.6	(84.8 - 88.3)	2,525
	White*	88.8	(88.1 - 89.3)	27,600	85.9	(85.1 - 86.7)	13,481	91.6	(91.0 - 92.2)	14,087
	All other races	89.4	(87.6 - 91.0)	3,520	87.4	(85.1 - 89.4)	1,744	91.6	(89.2 - 93.5)	1,741
	Multiple races	84.9	(83.4 - 86.3)	2,821	82.0	(79.4 - 84.3)	1,276	87.5	(85.5 - 89.3)	1,531

Maryland High School Survey

Summary Tables - Weighted Data

QN73: Percentage of students who ate green salad one or more times during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	61.9	(61.1 - 62.8)	51,272	57.7	(56.8 - 58.7)	24,801	66.0	(64.9 - 67.0)	26,079
Age										
	15 or younger	60.2	(59.1 - 61.2)	22,329	56.2	(54.9 - 57.5)	10,438	63.7	(62.3 - 65.1)	11,678
	16 or 17	63.0	(61.9 - 64.1)	24,714	58.3	(56.9 - 59.7)	12,060	67.7	(66.3 - 69.0)	12,549
	18 or older	64.0	(62.1 - 66.0)	4,139	61.1	(58.5-63.6)	2,279	67.3	(64.5 - 69.9)	1,835
Grade										
	9th	59.3	(58.0-60.6)	13,882	56.7	(55.1 - 58.4)	6,661	62.1	(60.3 - 63.9)	7,154
	10th	61.6	(60.2 - 63.0)	13,498	57.2	(55.5 - 59.0)	6,544	65.7	(63.8 - 67.5)	6,880
	11th	62.4	(61.0-63.8)	12,482	57.9	(56.0 - 59.7)	5,968	66.7	(64.9 - 68.4)	6,454
	12th	64.6	(63.3 - 66.0)	10,694	59.3	(57.6-61.0)	5,294	69.8	(68.1 - 71.5)	5,357
Race/E	thnicity									
	Black*	52.5	(51.3 - 53.8)	10,694	50.4	(48.8 - 52.0)	5,043	54.5	(52.9 - 56.0)	5,623
	Hispanic/Latino	64.9	(63.2 - 66.7)	5,104	62.6	(60.0 - 65.2)	2,481	67.4	(65.1 - 69.7)	2,525
	White*	67.6	(66.6 - 68.6)	27,574	60.9	(59.7 - 62.1)	13,460	74.2	(73.1 - 75.3)	14,082
	All other races	64.7	(62.5 - 66.7)	3,512	62.4	(59.7-65.0)	1,741	66.8	(63.8 - 69.7)	1,736
	Multiple races	62.5	(60.5 - 64.5)	2,808	58.9	(55.7 - 62.1)	1,269	65.8	(63.0 - 68.4)	1,525

Maryland High School Survey

Summary Tables - Weighted Data

QN74: Percentage of students who ate potatoes one or more times during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	64.1	(63.4 - 64.8)	51,000	65.5	(64.6 - 66.5)	24,616	62.6	(61.8 - 63.4)	26,000
Age										
	15 or younger	61.9	(61.0 - 62.9)	22,211	63.0	(61.7 - 64.3)	10,356	60.7	(59.6 - 61.8)	11,648
	16 or 17	65.6	(64.8 - 66.4)	24,592	67.2	(66.1 - 68.3)	11,980	64.0	(63.0-65.0)	12,505
	18 or older	66.0	(63.9-68.1)	4,107	67.8	(64.9 - 70.6)	2,254	64.1	(61.0-67.1)	1,830
Grade										
	9th	60.9	(59.8 - 62.1)	13,807	62.1	(60.6 - 63.7)	6,606	59.7	(58.3 - 61.2)	7,135
	10th	64.1	(62.9 - 65.2)	13,435	65.8	(64.2 - 67.4)	6,505	62.2	(60.6 - 63.7)	6,857
	11th	65.6	(64.4 - 66.7)	12,417	67.4	(65.7 - 69.1)	5,918	63.9	(62.4 - 65.3)	6,437
	12th	66.1	(64.9-67.4)	10,635	67.4	(65.7-69.1)	5,254	64.9	(63.1-66.7)	5,340
Race/E	thnicity									
	Black*	56.0	(54.9 - 57.1)	10,602	57.3	(55.5 - 58.9)	4,979	54.7	(53.3 - 56.1)	5,596
	Hispanic/Latino	63.5	(61.6 - 65.5)	5,063	64.9	(62.6 - 67.2)	2,457	62.2	(59.6 - 64.7)	2,511
	White*	70.0	(69.4 - 70.7)	27,482	71.3	(70.2 - 72.3)	13,390	68.8	(67.9 - 69.7)	14,061
	All other races	65.6	(63.0-68.0)	3,486	67.9	(64.3 - 71.2)	1,721	62.9	(60.0 - 65.7)	1,730
	Multiple races	62.6	(60.7 - 64.5)	2,800	63.8	(60.8 - 66.7)	1,269	61.5	(58.7 - 64.2)	1,518

Maryland High School Survey

Summary Tables - Weighted Data

QN75: Percentage of students who ate carrots one or more times during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	48.0	(47.0 - 48.9)	51,207	49.4	(48.4 - 50.4)	24,771	46.3	(45.3 - 47.4)	26,040
Age										
	15 or younger	46.4	(45.2 - 47.6)	22,292	48.0	(46.6 - 49.5)	10,421	44.5	(43.1 - 45.9)	11,656
	16 or 17	48.9	(47.8 - 50.1)	24,706	50.1	(48.7 - 51.5)	12,064	47.7	(46.4 - 49.0)	12,535
	18 or older	49.7	(47.7 - 51.6)	4,115	51.7	(49.2 - 54.1)	2,260	47.0	(44.2 - 49.8)	1,831
Grade										
	9th	45.6	(44.3 - 46.9)	13,851	47.6	(45.8 - 49.3)	6,648	43.3	(41.7 - 44.9)	7,136
	10th	47.6	(46.0 - 49.2)	13,498	48.9	(47.1 - 50.7)	6,548	46.2	(44.2 - 48.2)	6,879
	11th	48.6	(47.1 - 50.0)	12,462	50.4	(48.5 - 52.2)	5,952	46.7	(45.0 - 48.5)	6,448
	12th	50.2	(48.6 - 51.7)	10,679	51.1	(49.1 - 53.0)	5,289	49.1	(47.3 - 51.0)	5,348
Race/E	thnicity									
	Black*	34.4	(33.1 - 35.8)	10,657	38.5	(36.8 - 40.2)	5,021	30.5	(29.0 - 32.2)	5,607
	Hispanic/Latino	51.4	(49.1 - 53.7)	5,090	53.1	(50.3 - 55.9)	2,476	49.4	(46.8 - 52.1)	2,516
	White*	55.4	(54.4 - 56.4)	27,576	54.7	(53.5 - 55.9)	13,465	56.1	(54.9 - 57.3)	14,080
	All other races	57.1	(54.6 - 59.5)	3,497	57.7	(54.1 - 61.2)	1,731	56.3	(53.3 - 59.3)	1,732
	Multiple races	47.2	(45.2 - 49.3)	2,806	49.6	(46.6 - 52.7)	1,269	45.1	(41.8 - 48.4)	1,523

Maryland High School Survey

Summary Tables - Weighted Data

QN76: Percentage of students who ate other vegetables one or more times during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	83.0	(82.4 - 83.6)	51,020	80.7	(80.0 - 81.4)	24,659	85.5	(84.7 - 86.2)	25,965
Age										
	15 or younger	82.3	(81.5 - 83.1)	22,210	80.4	(79.4 - 81.4)	10,366	84.2	(83.1 - 85.2)	11,624
	16 or 17	83.9	(83.1 - 84.6)	24,623	81.2	(80.2 - 82.2)	12,023	86.7	(85.6 - 87.7)	12,497
	18 or older	81.9	(80.4 - 83.4)	4,092	79.3	(77.1 - 81.2)	2,244	85.2	(82.9 - 87.1)	1,826
Grade										
	9th	81.2	(80.3 - 82.1)	13,792	79.6	(78.4 - 80.8)	6,613	83.0	(81.6 - 84.4)	7,114
	10th	83.3	(82.3 - 84.2)	13,437	81.0	(79.5 - 82.3)	6,501	85.5	(84.3 - 86.7)	6,861
	11th	84.1	(83.0 - 85.1)	12,434	81.5	(80.2 - 82.8)	5,945	86.6	(85.2 - 87.8)	6,429
	12th	84.3	(83.2 - 85.4)	10,641	81.3	(79.7 - 82.8)	5,266	87.3	(86.0 - 88.5)	5,332
Race/E	thnicity									
	Black*	77.4	(76.4 - 78.4)	10,591	75.0	(73.5 - 76.4)	4,978	79.8	(78.3 - 81.2)	5,582
	Hispanic/Latino	78.5	(76.9 - 80.0)	5,056	77.9	(75.5 - 80.0)	2,460	79.4	(77.0 - 81.5)	2,497
	White*	87.2	(86.6 - 87.8)	27,508	84.3	(83.5 - 85.1)	13,428	90.2	(89.5 - 90.9)	14,048
	All other races	89.7	(88.2 - 91.0)	3,504	88.3	(86.6 - 89.9)	1,729	91.1	(89.1 - 92.7)	1,740
	Multiple races	86.0	(84.4 - 87.5)	2,803	83.5	(81.0 - 85.8)	1,267	88.2	(86.0 - 90.1)	1,523

Maryland High School Survey

Summary Tables - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	20.1	(19.5 - 20.7)	49,599	21.1	(20.4 - 21.8)	23,823	19.0	(18.2 - 19.8)	25,452
Age										
	15 or younger	19.4	(18.6 - 20.2)	21,541	21.0	(19.9 - 22.1)	9,999	17.7	(16.7 - 18.7)	11,368
	16 or 17	20.3	(19.5 - 21.1)	24,015	20.8	(19.9 - 21.8)	11,638	19.7	(18.6 - 20.8)	12,284
	18 or older	22.4	(20.8 - 24.1)	3,965	22.9	(20.8 - 25.3)	2,162	21.5	(19.1 - 24.0)	1,784
Grade										
	9th	19.8	(18.8 - 20.8)	13,393	21.7	(20.4 - 23.0)	6,383	17.9	(16.5 - 19.3)	6,954
	10th	19.7	(18.6 - 20.8)	13,084	20.3	(19.1 - 21.7)	6,299	18.8	(17.4 - 20.2)	6,724
	11th	20.3	(19.2 - 21.4)	12,108	21.3	(19.7 - 22.9)	5,731	19.3	(18.2 - 20.6)	6,323
	12th	20.4	(19.4 - 21.5)	10,379	21.0	(19.6 - 22.4)	5,100	19.8	(18.3 - 21.4)	5,243
Race/E	thnicity									
	Black*	19.6	(18.7 - 20.5)	10,234	21.4	(20.2 - 22.7)	4,761	17.9	(16.6 - 19.3)	5,450
	Hispanic/Latino	22.1	(20.4 - 23.8)	4,847	24.7	(22.5 - 27.0)	2,351	19.0	(17.2 - 20.9)	2,412
	White*	19.0	(18.2 - 19.9)	26,980	19.0	(18.1 - 20.0)	13,093	19.0	(18.0 - 20.0)	13,856
	All other races	24.7	(22.7 - 27.0)	3,389	26.7	(24.7 - 28.8)	1,657	22.9	(19.9 - 26.2)	1,699
	Multiple races	21.5	(19.9 - 23.3)	2,728	21.7	(19.5 - 24.1)	1,228	21.3	(19.0 - 23.8)	1,487

Maryland High School Survey

Summary Tables - Weighted Data

QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	31.9	(31.2 - 32.6)	50,634	32.7	(31.9 - 33.5)	24,433	31.2	(30.3 - 32.0)	25,844
Age										
	15 or younger	31.6	(30.7 - 32.5)	22,025	33.4	(32.1 - 34.6)	10,273	29.9	(28.8 - 31.0)	11,560
	16 or 17	32.1	(31.2 - 33.0)	24,457	32.0	(30.9-33.2)	11,902	32.2	(31.0-33.5)	12,457
	18 or older	32.3	(30.3 - 34.4)	4,066	33.2	(30.7 - 35.8)	2,234	31.1	(28.3 - 34.0)	1,810
Grade										
	9th	31.5	(30.5 - 32.6)	13,703	33.3	(31.7 - 34.9)	6,554	29.8	(28.4 - 31.3)	7,090
	10th	31.4	(30.2 - 32.7)	13,352	32.7	(31.2 - 34.3)	6,469	30.1	(28.6-31.6)	6,816
	11th	32.4	(31.2 - 33.6)	12,331	32.2	(30.6 - 33.9)	5,863	32.7	(31.2 - 34.2)	6,410
	12th	32.3	(30.9-33.7)	10,570	32.4	(30.6 - 34.2)	5,224	32.1	(30.4 - 34.0)	5,306
Race/E	thnicity									
	Black*	30.9	(29.9 - 31.9)	10,553	32.5	(31.1 - 34.0)	4,952	29.4	(27.9 - 30.9)	5,575
	Hispanic/Latino	34.1	(32.1 - 36.2)	4,995	37.1	(34.3 - 40.0)	2,426	30.7	(28.6-33.0)	2,479
	White*	31.6	(30.6 - 32.6)	27,328	31.2	(30.1 - 32.3)	13,319	32.0	(30.9-33.1)	13,977
	All other races	34.4	(31.6 - 37.3)	3,463	35.1	(31.9 - 38.4)	1,707	33.8	(30.2 - 37.6)	1,722
	Multiple races	35.3	(33.1 - 37.5)	2,774	35.2	(32.1 - 38.5)	1,248	35.3	(32.4 - 38.3)	1,512

Maryland High School Survey

Summary Tables - Weighted Data

QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	7.0	(6.6 - 7.3)	50,634	8.5	(8.0 - 9.0)	24,433	5.3	(5.0-5.7)	25,844
Age										
	15 or younger	6.9	(6.4 - 7.5)	22,025	8.2	(7.5 - 9.0)	10,273	5.5	(4.9-6.1)	11,560
	16 or 17	6.8	(6.4 - 7.3)	24,457	8.5	(7.8 - 9.1)	11,902	5.1	(4.6 - 5.7)	12,457
	18 or older	8.0	(7.1 - 9.1)	4,066	10.2	(8.8 - 11.7)	2,234	5.5	(4.3 - 7.0)	1,810
Grade										
	9th	6.9	(6.3 - 7.6)	13,703	8.3	(7.4 - 9.3)	6,554	5.3	(4.6-6.1)	7,090
	10th	6.9	(6.4 - 7.5)	13,352	8.0	(7.1 - 8.9)	6,469	5.9	(5.2-6.6)	6,816
	11th	6.9	(6.3 - 7.6)	12,331	8.6	(7.7 - 9.6)	5,863	5.3	(4.5 - 6.1)	6,410
	12th	6.7	(6.0-7.4)	10,570	8.9	(7.9 - 10.1)	5,224	4.5	(3.9-5.2)	5,306
Race/E	thnicity									
	Black*	8.6	(8.0 - 9.3)	10,553	10.6	(9.7 - 11.6)	4,952	6.8	(6.1 - 7.7)	5,575
	Hispanic/Latino	6.9	(6.0-8.0)	4,995	7.6	(6.1 - 9.5)	2,426	5.9	(4.7 - 7.3)	2,479
	White*	5.7	(5.4 - 6.1)	27,328	7.3	(6.8 - 7.9)	13,319	4.2	(3.8-4.6)	13,977
	All other races	5.2	(4.2 - 6.3)	3,463	6.1	(4.8 - 7.7)	1,707	4.2	(3.1-5.8)	1,722
	Multiple races	6.1	(5.2 - 7.2)	2,774	7.5	(6.0 - 9.3)	1,248	4.8	(3.7 - 6.4)	1,512

Maryland High School Survey

Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	60.4	(59.7 - 61.1)	50,634	60.7	(59.7-61.6)	24,433	60.2	(59.4 - 61.0)	25,844
Age										
	15 or younger	60.1	(59.1 - 61.1)	22,025	61.3	(60.1 - 62.6)	10,273	59.1	(57.9 - 60.3)	11,560
	16 or 17	60.7	(59.7 - 61.7)	24,457	60.2	(58.8-61.5)	11,902	61.3	(60.1 - 62.5)	12,457
	18 or older	59.5	(57.6-61.4)	4,066	60.3	(57.5-63.0)	2,234	58.5	(55.8 - 61.2)	1,810
Grade										
	9th	59.5	(58.3 - 60.7)	13,703	60.6	(59.0 - 62.2)	6,554	58.6	(56.9 - 60.3)	7,090
	10th	60.3	(59.1 - 61.5)	13,352	61.1	(59.4 - 62.7)	6,469	59.5	(57.9-61.0)	6,816
	11th	61.5	(60.1 - 62.9)	12,331	60.8	(58.9-62.7)	5,863	62.2	(60.6 - 63.8)	6,410
	12th	60.4	(59.0 - 61.8)	10,570	60.2	(58.4 - 62.0)	5,224	60.6	(58.8 - 62.4)	5,306
Race/E	thnicity									
	Black*	55.7	(54.6 - 56.8)	10,553	57.2	(55.5 - 58.8)	4,952	54.3	(52.8-55.9)	5,575
	Hispanic/Latino	62.5	(60.7 - 64.2)	4,995	63.2	(60.3 - 65.9)	2,426	61.9	(60.1 - 63.7)	2,479
	White*	62.5	(61.4 - 63.6)	27,328	61.7	(60.5 - 63.0)	13,319	63.3	(62.1 - 64.5)	13,977
	All other races	66.3	(63.7 - 68.9)	3,463	66.8	(63.6-69.9)	1,707	66.2	(63.2 - 69.2)	1,722
	Multiple races	62.3	(60.4 - 64.2)	2,774	62.1	(58.9-65.2)	1,248	62.6	(60.0 - 65.2)	1,512

Maryland High School Survey

Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	20.0	(19.5 - 20.5)	50,634	21.1	(20.4 - 21.8)	24,433	19.0	(18.3 - 19.7)	25,844
Age										
	15 or younger	19.9	(19.1 - 20.6)	22,025	21.4	(20.2 - 22.7)	10,273	18.4	(17.4 - 19.4)	11,560
	16 or 17	19.9	(19.3 - 20.5)	24,457	20.5	(19.6 - 21.5)	11,902	19.3	(18.4 - 20.2)	12,457
	18 or older	21.3	(19.7 - 23.1)	4,066	22.5	(20.3 - 24.8)	2,234	19.9	(17.6 - 22.4)	1,810
Grade										
	9th	20.2	(19.3 - 21.2)	13,703	21.6	(20.2 - 23.1)	6,554	18.8	(17.5 - 20.3)	7,090
	10th	19.5	(18.6 - 20.5)	13,352	20.8	(19.6 - 22.0)	6,469	18.3	(17.1 - 19.5)	6,816
	11th	20.4	(19.5 - 21.3)	12,331	21.2	(19.8 - 22.8)	5,863	19.7	(18.5 - 20.9)	6,410
	12th	19.8	(18.7 - 20.9)	10,570	20.6	(19.2 - 22.2)	5,224	18.9	(17.6 - 20.2)	5,306
Race/E	thnicity									
	Black*	22.3	(21.4 - 23.2)	10,553	23.5	(22.3 - 24.8)	4,952	21.1	(19.8 - 22.5)	5,575
	Hispanic/Latino	23.2	(21.6 - 24.7)	4,995	26.4	(24.1 - 28.7)	2,426	19.7	(17.7 - 21.7)	2,479
	White*	17.4	(16.7 - 18.2)	27,328	17.9	(17.0 - 18.7)	13,319	17.0	(16.1 - 17.9)	13,977
	All other races	19.9	(17.9 - 22.0)	3,463	21.7	(19.2 - 24.3)	1,707	18.2	(16.1 - 20.7)	1,722
	Multiple races	23.1	(21.2 - 25.1)	2,774	22.7	(20.4 - 25.3)	1,248	23.4	(20.7 - 26.4)	1,512

Maryland High School Survey

Summary Tables - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	13.8	(13.3 - 14.4)	50,370	14.4	(13.9 - 15.0)	24,263	13.0	(12.3 - 13.8)	25,752	
Age											
	15 or younger	13.2	(12.6 - 14.0)	21,902	14.1	(13.3 - 15.0)	10,196	12.0	(11.1 - 13.0)	11,513	
	16 or 17	13.9	(13.3 - 14.6)	24,350	14.2	(13.4 - 15.0)	11,837	13.5	(12.6 - 14.5)	12,413	
	18 or older	15.9	(14.5 - 17.4)	4,036	16.7	(14.7 - 18.9)	2,206	14.7	(12.7 - 16.9)	1,809	
Grade											
	9th	13.0	(12.2 - 13.9)	13,611	14.3	(13.2 - 15.4)	6,509	11.7	(10.6 - 12.9)	7,040	
	10th	14.0	(13.1 - 14.9)	13,274	14.3	(13.2 - 15.5)	6,403	13.3	(12.1 - 14.5)	6,804	
	11th	13.6	(12.7 - 14.5)	12,289	14.3	(13.2 - 15.4)	5,844	12.8	(11.7 - 13.9)	6,389	
	12th	14.2	(13.4 - 15.0)	10,526	14.3	(13.2 - 15.5)	5,188	13.9	(12.7 - 15.2)	5,299	
Race/E	thnicity										
	Black*	12.4	(11.6 - 13.4)	10,422	14.1	(12.9 - 15.4)	4,869	10.9	(9.8 - 12.1)	5,529	
	Hispanic/Latino	15.2	(13.9 - 16.6)	4,964	16.2	(14.2 - 18.4)	2,411	13.7	(12.2 - 15.3)	2,464	
	White*	13.1	(12.4 - 13.8)	27,287	12.8	(12.0 - 13.5)	13,276	13.4	(12.5 - 14.3)	13,980	
	All other races	19.9	(17.7 - 22.2)	3,439	21.3	(19.4 - 23.4)	1,691	18.4	(15.0 - 22.3)	1,715	
	Multiple races	15.3	(13.9 - 16.9)	2,775	16.0	(14.0 - 18.3)	1,256	14.7	(12.9 - 16.8)	1,506	

Maryland High School Survey

Summary Tables - Weighted Data

QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	7.1	(6.8 - 7.5)	50,370	8.7	(8.2 - 9.2)	24,263	5.6	(5.2 - 6.1)	25,752
Age										
	15 or younger	7.6	(7.1 - 8.2)	21,902	8.9	(8.3 - 9.7)	10,196	6.4	(5.7-7.1)	11,513
	16 or 17	6.8	(6.3 - 7.3)	24,350	8.5	(7.9 - 9.2)	11,837	5.0	(4.5 - 5.6)	12,413
	18 or older	6.8	(5.9-7.8)	4,036	8.4	(7.1 - 10.0)	2,206	4.9	(3.9-6.2)	1,809
Grade										
	9th	8.3	(7.7 - 9.0)	13,611	9.2	(8.3 - 10.2)	6,509	7.4	(6.4 - 8.4)	7,040
	10th	6.9	(6.3 - 7.6)	13,274	8.5	(7.6 - 9.5)	6,403	5.3	(4.6 - 6.1)	6,804
	11th	6.7	(6.1 - 7.4)	12,289	8.2	(7.3 - 9.1)	5,844	5.3	(4.5 - 6.1)	6,389
	12th	6.1	(5.5-6.8)	10,526	8.3	(7.3 - 9.4)	5,188	4.0	(3.3 - 4.8)	5,299
Race/F	Cthnicity									
	Black*	10.4	(9.6 - 11.2)	10,422	12.1	(11.1 - 13.2)	4,869	8.7	(7.7 - 9.8)	5,529
	Hispanic/Latino	9.5	(8.6 - 10.5)	4,964	10.4	(9.1 - 11.8)	2,411	8.7	(7.4 - 10.2)	2,464
	White*	4.7	(4.3 - 5.0)	27,287	6.3	(5.8-6.9)	13,276	2.9	(2.6-3.3)	13,980
	All other races	4.0	(3.2 - 4.9)	3,439	5.2	(4.0-6.6)	1,691	2.7	(2.0-3.7)	1,715
	Multiple races	6.0	(5.1 - 7.1)	2,775	7.7	(6.1 - 9.6)	1,256	4.5	(3.3 - 6.0)	1,506

Maryland High School Survey

Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	62.2	(61.3 - 63.1)	50,370	62.2	(61.2 - 63.2)	24,263	62.1	(61.1 - 63.2)	25,752
Age										
	15 or younger	60.4	(59.3 - 61.6)	21,902	60.5	(59.3 - 61.8)	10,196	60.1	(58.6-61.6)	11,513
	16 or 17	63.7	(62.7 - 64.7)	24,350	63.3	(62.1 - 64.5)	11,837	64.1	(62.7-65.4)	12,413
	18 or older	62.4	(60.2 - 64.5)	4,036	63.3	(60.6 - 65.8)	2,206	61.1	(58.1-64.1)	1,809
Grade										
	9th	59.3	(57.8 - 60.7)	13,611	59.6	(58.0 - 61.3)	6,509	59.0	(57.0 - 60.9)	7,040
	10th	62.8	(61.4 - 64.1)	13,274	63.1	(61.4 - 64.8)	6,403	62.2	(60.4 - 63.9)	6,804
	11th	63.2	(61.8 - 64.6)	12,289	63.2	(61.4 - 64.9)	5,844	63.3	(61.4 - 65.0)	6,389
	12th	63.8	(62.2 - 65.4)	10,526	63.2	(61.3 - 65.1)	5,188	64.3	(62.3 - 66.2)	5,299
Race/Et	hnicity									
	Black*	51.4	(50.1 - 52.7)	10,422	53.9	(52.0 - 55.7)	4,869	49.1	(47.6 - 50.6)	5,529
	Hispanic/Latino	60.5	(58.2 - 62.7)	4,964	61.7	(58.2 - 65.1)	2,411	58.9	(56.3 - 61.5)	2,464
	White*	68.3	(67.4 - 69.3)	27,287	66.1	(64.9 - 67.2)	13,276	70.6	(69.5 - 71.7)	13,980
	All other races	72.5	(70.1 - 74.8)	3,439	73.1	(70.7 - 75.5)	1,691	71.9	(68.5 - 75.1)	1,715
	Multiple races	66.3	(64.3 - 68.2)	2,775	64.9	(62.0-67.8)	1,256	67.4	(64.5 - 70.1)	1,506

Maryland High School Survey

Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	27.7	(26.9 - 28.4)	50,370	28.2	(27.5 - 28.9)	24,263	26.8	(25.8 - 27.9)	25,752	
Age											
	15 or younger	26.4	(25.4 - 27.4)	21,902	27.1	(26.0 - 28.3)	10,196	25.1	(23.8 - 26.4)	11,513	
	16 or 17	28.2	(27.3 - 29.1)	24,350	28.6	(27.6 - 29.6)	11,837	27.7	(26.3 - 29.1)	12,413	
	18 or older	30.5	(28.6 - 32.4)	4,036	30.7	(28.4 - 33.1)	2,206	30.0	(27.3 - 32.8)	1,809	
Grade											
	9th	26.0	(24.9 - 27.2)	13,611	27.2	(25.8 - 28.7)	6,509	24.6	(23.1 - 26.2)	7,040	
	10th	27.6	(26.4 - 28.8)	13,274	27.9	(26.5 - 29.4)	6,403	26.8	(25.1 - 28.5)	6,804	
	11th	27.8	(26.6 - 29.0)	12,289	28.5	(27.1 - 30.0)	5,844	26.9	(25.5 - 28.4)	6,389	
	12th	28.9	(27.6 - 30.2)	10,526	28.8	(27.4 - 30.3)	5,188	28.7	(26.9-30.6)	5,299	
Race/E	thnicity										
	Black*	22.1	(21.2 - 23.1)	10,422	24.7	(23.3 - 26.2)	4,869	19.7	(18.3 - 21.2)	5,529	
	Hispanic/Latino	28.2	(26.6 - 29.8)	4,964	29.8	(27.2 - 32.6)	2,411	25.9	(24.0 - 27.9)	2,464	
	White*	29.4	(28.4 - 30.5)	27,287	28.2	(27.0 - 29.4)	13,276	30.7	(29.4 - 32.0)	13,980	
	All other races	37.8	(34.6 - 41.1)	3,439	39.5	(36.3 - 42.7)	1,691	36.0	(31.9 - 40.2)	1,715	
	Multiple races	28.7	(26.9 - 30.5)	2,775	29.0	(26.4 - 31.8)	1,256	28.4	(25.7 - 31.2)	1,506	

Maryland High School Survey

Summary Tables - Weighted Data

QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	9.3	(8.9 - 9.7)	49,599	9.6	(9.2 - 10.1)	23,823	8.9	(8.3 - 9.4)	25,452
Age										
	15 or younger	8.9	(8.3 - 9.4)	21,541	9.5	(8.8 - 10.3)	9,999	8.1	(7.5 - 8.8)	11,368
	16 or 17	9.5	(8.9 - 10.0)	24,015	9.5	(8.8 - 10.2)	11,638	9.4	(8.5 - 10.3)	12,284
	18 or older	10.1	(9.2 - 11.2)	3,965	10.7	(9.1 - 12.5)	2,162	9.4	(8.0 - 11.1)	1,784
Grade										
	9th	8.8	(8.2 - 9.5)	13,393	9.5	(8.6 - 10.4)	6,383	8.1	(7.3 - 9.1)	6,954
	10th	9.4	(8.6 - 10.2)	13,084	9.9	(9.1 - 10.9)	6,299	8.7	(7.6-9.8)	6,724
	11th	8.9	(8.2 - 9.7)	12,108	9.2	(8.1 - 10.3)	5,731	8.7	(7.9-9.6)	6,323
	12th	9.8	(9.1 - 10.5)	10,379	9.7	(8.8 - 10.8)	5,100	9.7	(8.7 - 10.8)	5,243
Race/E	Cthnicity									
	Black*	8.3	(7.6-9.0)	10,234	9.5	(8.6 - 10.6)	4,761	7.2	(6.3 - 8.2)	5,450
	Hispanic/Latino	11.0	(10.0 - 12.1)	4,847	11.9	(10.4 - 13.6)	2,351	9.7	(8.4 - 11.2)	2,412
	White*	8.9	(8.4 - 9.4)	26,980	8.5	(7.9 - 9.2)	13,093	9.3	(8.7 - 10.0)	13,856
	All other races	12.4	(10.8 - 14.2)	3,389	12.5	(10.7 - 14.4)	1,657	12.3	(9.6 - 15.7)	1,699
	Multiple races	10.2	(8.9 - 11.6)	2,728	10.7	(9.0 - 12.8)	1,228	9.6	(8.1 - 11.4)	1,487

Maryland High School Survey

Summary Tables - Weighted Data

QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.0	(17.5 - 18.5)	50,060	20.8	(20.1 - 21.5)	24,134	15.0	(14.4 - 15.7)	25,539
Age										
	15 or younger	17.9	(17.1 - 18.8)	21,795	20.4	(19.2 - 21.7)	10,152	15.3	(14.3 - 16.4)	11,426
	16 or 17	17.4	(16.7 - 18.0)	24,174	20.4	(19.5 - 21.3)	11,755	14.3	(13.4 - 15.2)	12,320
	18 or older	21.4	(19.9 - 22.9)	4,000	24.2	(22.3 - 26.1)	2,202	17.8	(15.7 - 20.2)	1,776
Grade										
	9th	18.6	(17.6 - 19.7)	13,515	20.6	(19.2 - 22.1)	6,465	16.6	(15.4 - 18.0)	6,985
	10th	17.5	(16.5 - 18.4)	13,188	20.6	(19.2 - 22.1)	6,371	14.2	(13.2 - 15.3)	6,745
	11th	17.6	(16.7 - 18.5)	12,202	20.8	(19.6 - 22.1)	5,818	14.3	(13.2 - 15.5)	6,327
	12th	17.5	(16.5 - 18.5)	10,462	20.7	(19.4 - 22.1)	5,161	14.2	(13.0 - 15.5)	5,257
Race/E	thnicity									
	Black*	18.9	(17.9 - 19.9)	10,291	19.6	(18.3 - 21.0)	4,819	18.1	(16.8 - 19.5)	5,442
	Hispanic/Latino	17.7	(16.2 - 19.4)	4,921	20.3	(18.0 - 22.8)	2,381	14.6	(12.7 - 16.6)	2,447
	White*	18.0	(17.3 - 18.7)	27,145	22.3	(21.4 - 23.3)	13,215	13.7	(12.9 - 14.6)	13,900
	All other races	12.4	(10.9 - 14.1)	3,426	15.7	(13.6 - 18.0)	1,690	8.7	(7.3 - 10.4)	1,703
	Multiple races	17.4	(15.9 - 19.1)	2,745	20.4	(18.1 - 22.8)	1,243	14.8	(12.8 - 17.1)	1,489

Maryland High School Survey

Summary Tables - Weighted Data

QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	28.4	(27.7 - 29.1)	50,060	25.5	(24.7 - 26.3)	24,134	31.3	(30.5 - 32.2)	25,539
Age										
	15 or younger	27.4	(26.5 - 28.3)	21,795	24.7	(23.6 - 26.0)	10,152	29.9	(28.7 - 31.2)	11,426
	16 or 17	29.5	(28.7 - 30.4)	24,174	26.3	(25.2 - 27.4)	11,755	32.7	(31.7 - 33.8)	12,320
	18 or older	27.1	(25.3 - 28.9)	4,000	24.7	(22.7 - 26.8)	2,202	30.0	(27.3 - 32.8)	1,776
Grade										
	9th	26.3	(25.2 - 27.4)	13,515	24.5	(23.0 - 26.1)	6,465	28.1	(26.5 - 29.6)	6,985
	10th	28.2	(27.2 - 29.4)	13,188	24.6	(23.2 - 26.0)	6,371	31.8	(30.2 - 33.4)	6,745
	11th	29.0	(27.9 - 30.1)	12,202	26.0	(24.5 - 27.6)	5,818	31.9	(30.6 - 33.3)	6,327
	12th	30.5	(29.2 - 31.9)	10,462	26.9	(25.4 - 28.4)	5,161	34.1	(32.2 - 36.0)	5,257
Race/E	thnicity									
	Black*	26.6	(25.7 - 27.6)	10,291	27.5	(26.0-29.1)	4,819	25.8	(24.6 - 27.1)	5,442
	Hispanic/Latino	26.2	(24.4 - 28.1)	4,921	25.2	(22.9 - 27.7)	2,381	27.4	(24.9 - 30.1)	2,447
	White*	29.0	(28.1 - 29.9)	27,145	23.0	(21.9 - 24.2)	13,215	34.9	(33.8-36.1)	13,900
	All other races	34.3	(32.1 - 36.6)	3,426	29.6	(27.3 - 32.0)	1,690	39.6	(36.3-43.1)	1,703
	Multiple races	28.8	(27.0 - 30.6)	2,745	26.7	(23.9 - 29.7)	1,243	30.7	(28.1 - 33.5)	1,489

Note: 3,725 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	12.0	(11.6 - 12.5)	50,060	13.7	(13.1 - 14.3)	24,134	10.3	(9.7 - 10.8)	25,539
Age										
	15 or younger	12.2	(11.5 - 12.9)	21,795	13.6	(12.5 - 14.6)	10,152	10.7	(9.9 - 11.6)	11,426
	16 or 17	11.4	(10.9 - 12.1)	24,174	13.4	(12.6 - 14.2)	11,755	9.5	(8.8 - 10.3)	12,320
	18 or older	14.6	(13.3 - 16.0)	4,000	16.3	(14.5 - 18.2)	2,202	12.5	(10.7 - 14.7)	1,776
Grade										
	9th	12.7	(11.8 - 13.6)	13,515	13.7	(12.5 - 15.0)	6,465	11.6	(10.5 - 12.7)	6,985
	10th	11.4	(10.6 - 12.2)	13,188	13.2	(12.0 - 14.5)	6,371	9.6	(8.8 - 10.5)	6,745
	11th	11.6	(10.9 - 12.4)	12,202	13.7	(12.7 - 14.8)	5,818	9.6	(8.6 - 10.6)	6,327
	12th	11.8	(10.9 - 12.7)	10,462	13.7	(12.5 - 14.9)	5,161	9.8	(8.8 - 10.9)	5,257
Race/E	thnicity									
	Black*	13.6	(12.7 - 14.6)	10,291	13.5	(12.2 - 14.8)	4,819	13.7	(12.5 - 14.9)	5,442
	Hispanic/Latino	12.0	(10.9 - 13.2)	4,921	13.7	(11.9 - 15.6)	2,381	9.9	(8.4 - 11.6)	2,447
	White*	11.4	(10.9 - 12.0)	27,145	14.4	(13.6 - 15.2)	13,215	8.5	(7.9 - 9.2)	13,900
	All other races	7.5	(6.5 - 8.6)	3,426	9.5	(8.0 - 11.2)	1,690	5.2	(4.1-6.6)	1,703
	Multiple races	12.3	(10.9 - 13.8)	2,745	14.7	(12.7 - 16.9)	1,243	10.2	(8.4 - 12.2)	1,489

Note: 3,725 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	
	Total	7.1	(6.7 - 7.5)	50,060	8.1	(7.6 - 8.6)	24,134	6.0	(5.5-6.4)	25,539	
Age											
	15 or younger	7.2	(6.6 - 7.8)	21,795	8.2	(7.3 - 9.2)	10,152	6.2	(5.5-6.8)	11,426	
	16 or 17	6.6	(6.1 - 7.0)	24,174	7.6	(7.0 - 8.2)	11,755	5.5	(5.0-6.1)	12,320	
	18 or older	9.1	(7.9 - 10.3)	4,000	10.1	(8.5 - 11.9)	2,202	7.9	(6.4 - 9.6)	1,776	
Grade											
	9th	7.4	(6.6 - 8.2)	13,515	8.3	(7.2 - 9.5)	6,465	6.5	(5.6-7.4)	6,985	
	10th	6.7	(6.1 - 7.3)	13,188	7.7	(6.8 - 8.7)	6,371	5.7	(5.1-6.4)	6,745	
	11th	6.9	(6.3 - 7.5)	12,202	8.0	(7.3 - 8.9)	5,818	5.7	(5.0-6.5)	6,327	
	12th	6.8	(6.1 - 7.5)	10,462	7.9	(7.0 - 8.9)	5,161	5.7	(4.9-6.6)	5,257	
Race/E	thnicity										
	Black*	8.6	(7.8 - 9.5)	10,291	8.5	(7.6-9.6)	4,819	8.6	(7.6 - 9.7)	5,442	
	Hispanic/Latino	7.3	(6.4 - 8.4)	4,921	8.6	(7.1 - 10.4)	2,381	5.8	(4.8 - 7.0)	2,447	
	White*	6.2	(5.8-6.7)	27,145	8.0	(7.4 - 8.6)	13,215	4.5	(4.1 - 5.0)	13,900	
	All other races	3.8	(3.2 - 4.4)	3,426	4.6	(3.7 - 5.6)	1,690	2.9	(2.1 - 4.0)	1,703	
	Multiple races	7.2	(6.1 - 8.6)	2,745	8.7	(7.0 - 10.6)	1,243	5.9	(4.5 - 7.6)	1,489	

Note: 3,725 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN79: Percentage of students who ate breakfast on all of the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	33.0	(32.1 - 33.9)	50,952	35.2	(34.1 - 36.4)	24,637	31.1	(30.2 - 32.0)	25,913
Age										
	15 or younger	34.2	(33.0 - 35.5)	22,171	38.7	(37.1 - 40.3)	10,347	30.4	(29.0 - 31.8)	11,606
	16 or 17	32.7	(31.6 - 33.9)	24,592	33.5	(32.2 - 34.9)	12,016	32.2	(30.8-33.6)	12,471
	18 or older	28.8	(26.8 - 30.9)	4,089	29.6	(26.9-32.5)	2,247	28.1	(25.5 - 30.8)	1,818
Grade										
	9th	34.1	(32.6 - 35.7)	13,763	38.6	(36.7 - 40.6)	6,598	29.7	(27.8 - 31.6)	7,100
	10th	34.3	(32.8 - 35.9)	13,419	37.4	(35.4 - 39.3)	6,508	31.7	(30.1 - 33.3)	6,836
	11th	33.3	(32.0 - 34.7)	12,415	34.4	(32.5 - 36.3)	5,937	32.6	(30.9-34.4)	6,417
	12th	30.5	(29.0 - 32.1)	10,630	30.5	(28.6-32.5)	5,257	30.7	(29.0-32.6)	5,329
Race/E	thnicity									
	Black*	23.0	(22.1 - 23.9)	10,541	26.0	(24.5 - 27.6)	4,966	20.2	(19.1 - 21.5)	5,543
	Hispanic/Latino	28.4	(26.4 - 30.5)	5,063	31.9	(29.5 - 34.4)	2,461	25.2	(22.2 - 28.4)	2,505
	White*	40.8	(39.8 - 41.8)	27,478	42.0	(40.6 - 43.5)	13,415	39.7	(38.6 - 40.8)	14,032
	All other races	39.7	(36.5 - 43.0)	3,499	41.8	(38.0 - 45.7)	1,727	38.1	(34.8 - 41.5)	1,736
	Multiple races	33.0	(30.9 - 35.2)	2,782	38.4	(35.5 - 41.5)	1,254	28.2	(25.5 - 31.1)	1,514

Note: 2,833 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	15.7	(15.2 - 16.3)	50,952	16.6	(15.9 - 17.4)	24,637	14.7	(14.1 - 15.3)	25,913
Age										
	15 or younger	15.4	(14.6 - 16.2)	22,171	14.9	(13.9 - 15.8)	10,347	15.6	(14.6 - 16.7)	11,606
	16 or 17	15.5	(14.8 - 16.1)	24,592	17.3	(16.3 - 18.3)	12,016	13.6	(12.8 - 14.4)	12,471
	18 or older	18.5	(16.9 - 20.2)	4,089	20.3	(18.0 - 22.7)	2,247	16.5	(14.8 - 18.5)	1,818
Grade										
	9th	15.8	(14.8 - 16.7)	13,763	15.1	(13.9 - 16.4)	6,598	16.1	(14.8 - 17.5)	7,100
	10th	15.6	(14.6 - 16.6)	13,419	16.0	(14.6 - 17.5)	6,508	15.0	(13.9 - 16.2)	6,836
	11th	15.0	(14.1 - 15.9)	12,415	16.2	(14.9 - 17.6)	5,937	13.6	(12.5 - 14.8)	6,417
	12th	16.0	(14.9 - 17.1)	10,630	18.6	(17.1 - 20.3)	5,257	13.4	(12.2 - 14.6)	5,329
Race/E	thnicity									
	Black*	19.1	(18.2 - 20.0)	10,541	20.0	(18.7 - 21.3)	4,966	18.2	(17.1 - 19.3)	5,543
	Hispanic/Latino	19.7	(18.4 - 21.0)	5,063	20.1	(18.0 - 22.4)	2,461	18.9	(16.6 - 21.4)	2,505
	White*	12.2	(11.7 - 12.8)	27,478	13.4	(12.6 - 14.2)	13,415	11.1	(10.4 - 11.8)	14,032
	All other races	13.2	(11.7 - 14.9)	3,499	13.8	(12.0 - 15.9)	1,727	12.6	(10.8 - 14.7)	1,736
	Multiple races	15.2	(13.7 - 16.9)	2,782	15.0	(12.9 - 17.4)	1,254	15.2	(13.2 - 17.4)	1,514

Note: 2,833 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	40.1	(39.2 - 41.0)	50,758	46.8	(45.7 - 47.9)	24,538	33.8	(32.8 - 34.7)	25,820
Age										
	15 or younger	42.4	(41.1 - 43.7)	22,100	48.5	(46.9 - 50.1)	10,312	37.0	(35.4 - 38.6)	11,569
	16 or 17	39.1	(38.1 - 40.1)	24,477	46.5	(45.2 - 47.9)	11,951	32.1	(31.0 - 33.2)	12,423
	18 or older	34.8	(32.7 - 36.9)	4,085	41.5	(38.6-44.4)	2,249	27.2	(24.9 - 29.6)	1,810
Grade										
	9th	43.2	(41.6 - 44.9)	13,700	48.6	(46.4 - 50.7)	6,560	37.9	(36.0 - 39.9)	7,075
	10th	41.2	(39.9 - 42.6)	13,363	47.4	(45.6 - 49.2)	6,480	35.5	(33.7 - 37.4)	6,808
	11th	39.0	(37.8 - 40.2)	12,368	47.0	(45.3 - 48.7)	5,917	31.6	(30.1 - 33.3)	6,391
	12th	37.0	(35.6 - 38.5)	10,601	44.8	(42.5 - 47.0)	5,243	29.6	(28.1 - 31.2)	5,314
Race/E	thnicity									
	Black*	33.3	(32.0 - 34.5)	10,456	41.0	(39.0 - 43.0)	4,926	26.1	(24.8 - 27.6)	5,499
	Hispanic/Latino	34.1	(31.1 - 37.3)	5,053	40.4	(36.3-44.6)	2,459	27.8	(24.9 - 30.8)	2,494
	White*	47.4	(46.6 - 48.3)	27,409	53.6	(52.6-54.6)	13,369	41.4	(40.2 - 42.6)	14,008
	All other races	35.4	(33.3 - 37.6)	3,497	42.3	(39.6 - 45.1)	1,728	28.7	(26.1 - 31.5)	1,732
	Multiple races	42.9	(40.7 - 45.2)	2,770	49.8	(46.3 - 53.3)	1,245	36.9	(34.1 - 39.8)	1,511

Note: 3,027 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.0	(17.4 - 18.6)	50,758	14.9	(14.2 - 15.6)	24,538	21.0	(20.2 - 21.8)	25,820
Age										
	15 or younger	16.0	(15.2 - 16.8)	22,100	13.4	(12.4 - 14.5)	10,312	18.4	(17.4 - 19.5)	11,569
	16 or 17	19.1	(18.4 - 19.9)	24,477	15.5	(14.7 - 16.3)	11,951	22.6	(21.5 - 23.7)	12,423
	18 or older	21.3	(19.6 - 23.0)	4,085	17.9	(16.2 - 19.8)	2,249	24.9	(22.2 - 27.8)	1,810
Grade										
	9th	15.6	(14.6 - 16.6)	13,700	13.5	(12.3 - 14.8)	6,560	17.5	(16.2 - 19.0)	7,075
	10th	17.8	(16.7 - 19.0)	13,363	14.5	(13.1 - 16.0)	6,480	21.0	(19.7 - 22.4)	6,808
	11th	19.0	(18.1 - 20.0)	12,368	15.5	(14.3 - 16.8)	5,917	22.4	(20.9 - 24.0)	6,391
	12th	19.6	(18.5 - 20.8)	10,601	15.9	(14.7 - 17.3)	5,243	23.2	(21.6 - 24.8)	5,314
Race/E	thnicity									
	Black*	23.5	(22.6 - 24.5)	10,456	18.7	(17.4 - 19.9)	4,926	28.1	(26.7 - 29.5)	5,499
	Hispanic/Latino	19.3	(17.5 - 21.3)	5,053	15.3	(13.3 - 17.6)	2,459	23.4	(21.2 - 25.7)	2,494
	White*	13.2	(12.6 - 13.7)	27,409	11.5	(10.9 - 12.2)	13,369	14.7	(14.0 - 15.5)	14,008
	All other races	19.7	(17.7 - 21.8)	3,497	15.3	(13.3 - 17.5)	1,728	24.4	(21.6 - 27.4)	1,732
	Multiple races	16.4	(14.8 - 18.1)	2,770	14.4	(12.0 - 17.3)	1,245	18.0	(15.9 - 20.3)	1,511

Note: 3,027 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	21.6	(21.0 - 22.2)	50,758	27.5	(26.7 - 28.3)	24,538	16.0	(15.3 - 16.6)	25,820
Age										
	15 or younger	22.6	(21.7 - 23.5)	22,100	28.0	(26.8 - 29.2)	10,312	17.8	(16.8 - 18.8)	11,569
	16 or 17	21.1	(20.4 - 21.8)	24,477	27.6	(26.6 - 28.7)	11,951	14.8	(14.0 - 15.6)	12,423
	18 or older	19.8	(18.2 - 21.5)	4,085	25.2	(22.7 - 27.8)	2,249	13.5	(11.9 - 15.3)	1,810
Grade										
	9th	23.1	(22.1 - 24.2)	13,700	28.0	(26.5 - 29.5)	6,560	18.3	(17.1 - 19.4)	7,075
	10th	22.4	(21.5 - 23.4)	13,363	27.8	(26.4 - 29.3)	6,480	17.4	(16.1 - 18.7)	6,808
	11th	20.6	(19.6 - 21.6)	12,368	27.3	(25.8 - 28.9)	5,917	14.4	(13.3 - 15.6)	6,391
	12th	20.2	(19.0 - 21.3)	10,601	27.0	(25.2 - 28.9)	5,243	13.6	(12.4 - 14.9)	5,314
Race/E	Cthnicity									
	Black*	18.2	(17.2 - 19.3)	10,456	24.2	(22.7 - 25.9)	4,926	12.6	(11.5 - 13.9)	5,499
	Hispanic/Latino	18.2	(16.6 - 19.8)	5,053	22.7	(20.3 - 25.3)	2,459	13.5	(12.0 - 15.0)	2,494
	White*	25.3	(24.6 - 26.0)	27,409	31.4	(30.4 - 32.3)	13,369	19.3	(18.4 - 20.2)	14,008
	All other races	18.9	(17.0 - 21.0)	3,497	25.5	(23.0 - 28.1)	1,728	12.6	(10.5 - 15.0)	1,732
	Multiple races	23.1	(21.1 - 25.3)	2,770	28.8	(25.6 - 32.3)	1,245	18.2	(16.0 - 20.6)	1,511

Note: 3,027 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	31.4	(30.7 - 32.2)	50,203	30.8	(29.9 - 31.8)	24,163	32.2	(31.3 - 33.2)	25,653
Age										
	15 or younger	32.7	(31.5 - 34.0)	21,835	31.7	(30.0-33.4)	10,153	34.0	(32.7 - 35.4)	11,470
	16 or 17	30.5	(29.6 - 31.5)	24,246	30.4	(29.3 - 31.5)	11,775	30.7	(29.3 - 32.0)	12,367
	18 or older	30.6	(28.7 - 32.5)	4,030	29.6	(27.0 - 32.3)	2,209	32.1	(29.6 - 34.7)	1,798
Grade										
	9th	33.4	(31.7 - 35.1)	13,527	32.5	(30.4 - 34.6)	6,456	34.4	(32.6 - 36.3)	7,008
	10th	32.8	(31.4 - 34.2)	13,211	32.0	(30.2 - 33.7)	6,373	33.9	(32.2 - 35.6)	6,765
	11th	30.0	(28.9 - 31.1)	12,260	30.0	(28.5 - 31.6)	5,838	30.0	(28.4 - 31.6)	6,362
	12th	29.4	(28.1 - 30.7)	10,498	28.5	(27.0 - 30.0)	5,166	30.3	(28.6 - 32.0)	5,290
Race/E	thnicity									
	Black*	43.6	(42.5 - 44.7)	10,342	41.5	(39.8 - 43.3)	4,845	45.6	(43.9 - 47.2)	5,469
	Hispanic/Latino	32.1	(30.3 - 34.0)	4,964	31.9	(29.3 - 34.6)	2,404	33.0	(30.7 - 35.4)	2,461
	White*	24.3	(23.6 - 25.1)	27,182	24.8	(23.9 - 25.8)	13,217	23.8	(22.9 - 24.7)	13,935
	All other races	18.5	(16.5 - 20.8)	3,441	18.1	(15.7 - 20.7)	1,691	19.0	(16.4 - 21.9)	1,713
	Multiple races	35.4	(33.2 - 37.5)	2,734	33.9	(30.8 - 37.2)	1,217	36.5	(33.9 - 39.3)	1,504

Note: 3,582 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	36.3	(35.7 - 37.0)	50,624	37.8	(36.9 - 38.7)	24,461	35.1	(34.3 - 35.9)	25,777
Age										
	15 or younger	38.4	(37.5 - 39.4)	22,015	39.6	(38.1 - 41.2)	10,273	37.8	(36.4 - 39.1)	11,528
	16 or 17	35.1	(34.3 - 35.9)	24,448	36.7	(35.6-37.8)	11,926	33.6	(32.6 - 34.7)	12,417
	18 or older	33.7	(32.0 - 35.5)	4,069	36.0	(33.7 - 38.3)	2,235	30.7	(28.1 - 33.4)	1,813
Grade										
	9th	39.0	(37.8 - 40.2)	13,657	39.9	(38.1 - 41.7)	6,543	38.3	(36.8 - 39.9)	7,051
	10th	37.1	(35.8 - 38.4)	13,325	38.5	(36.9 - 40.0)	6,455	36.0	(34.1 - 38.0)	6,798
	11th	35.3	(34.1 - 36.5)	12,344	37.1	(35.4 - 38.8)	5,904	33.7	(32.1 - 35.2)	6,381
	12th	34.0	(32.8 - 35.2)	10,588	36.0	(34.4 - 37.6)	5,228	32.0	(30.5 - 33.6)	5,317
Race/E	thnicity									
	Black*	38.9	(37.7 - 40.1)	10,438	38.4	(36.5 - 40.3)	4,916	39.3	(37.7 - 40.9)	5,492
	Hispanic/Latino	36.8	(34.9 - 38.7)	5,014	38.8	(36.4 - 41.3)	2,442	35.1	(32.6-37.7)	2,475
	White*	33.8	(33.1 - 34.5)	27,363	36.7	(35.7 - 37.7)	13,341	31.0	(30.0-32.1)	13,993
	All other races	40.2	(38.4 - 42.0)	3,489	41.0	(38.1-43.9)	1,722	39.7	(37.4 - 42.1)	1,732
	Multiple races	41.5	(39.3 - 43.6)	2,767	41.4	(38.2 - 44.7)	1,242	41.3	(38.4 - 44.3)	1,511

Note: 3,161 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	39.1	(37.8 - 40.4)	50,128	46.7	(45.2 - 48.2)	24,166	31.3	(29.7 - 33.0)	25,583
Age										
	15 or younger	50.5	(48.8 - 52.2)	21,747	55.0	(53.2 - 56.8)	10,128	45.8	(43.6 - 48.0)	11,413
	16 or 17	30.1	(28.8 - 31.5)	24,272	40.0	(38.2 - 41.9)	11,805	20.3	(19.0 - 21.7)	12,365
	18 or older	36.2	(34.0 - 38.3)	4,019	45.9	(43.1 - 48.6)	2,209	24.1	(21.6 - 26.7)	1,786
Grade										
	9th	61.3	(59.1 - 63.5)	13,458	62.4	(60.1 - 64.6)	6,437	60.3	(57.4 - 63.0)	6,961
	10th	33.2	(31.4 - 34.9)	13,194	41.7	(39.5 - 44.0)	6,374	24.2	(22.2 - 26.4)	6,745
	11th	27.9	(26.5 - 29.5)	12,276	37.3	(35.0-39.6)	5,847	18.8	(17.4 - 20.4)	6,372
	12th	31.4	(29.6 - 33.2)	10,498	43.1	(40.8 - 45.4)	5,178	19.8	(18.1 - 21.6)	5,280
Race/E	thnicity									
	Black*	41.5	(39.8 - 43.2)	10,302	49.9	(47.7 - 52.0)	4,841	33.6	(31.2 - 36.1)	5,433
	Hispanic/Latino	44.4	(41.5 - 47.3)	4,922	51.2	(47.7 - 54.6)	2,389	36.4	(32.8 - 40.3)	2,438
	White*	36.1	(34.7 - 37.5)	27,196	44.2	(42.6 - 45.7)	13,230	28.1	(26.6 - 29.7)	13,937
	All other races	36.0	(32.2 - 40.0)	3,456	41.3	(37.8 - 44.9)	1,704	30.0	(25.4 - 35.1)	1,717
	Multiple races	40.1	(37.6 - 42.6)	2,727	46.0	(42.5 - 49.4)	1,220	34.9	(31.9 - 38.1)	1,493

Note: 3,657 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.2	(16.9 - 19.6)	50,128	22.7	(21.0 - 24.4)	24,166	13.9	(12.8 - 15.1)	25,583
Age										
	15 or younger	24.2	(22.2 - 26.4)	21,747	27.1	(24.7 - 29.6)	10,128	21.7	(19.8 - 23.9)	11,413
	16 or 17	13.8	(12.7 - 15.0)	24,272	19.6	(17.9 - 21.4)	11,805	8.2	(7.3 - 9.1)	12,365
	18 or older	14.8	(13.3 - 16.4)	4,019	20.0	(17.8 - 22.3)	2,209	8.6	(7.0 - 10.6)	1,786
Grade										
	9th	30.5	(27.7 - 33.4)	13,458	31.1	(28.2 - 34.1)	6,437	30.0	(26.9 - 33.3)	6,961
	10th	14.9	(13.3 - 16.6)	13,194	20.3	(18.0 - 22.8)	6,374	9.7	(8.5 - 11.1)	6,745
	11th	12.0	(10.8 - 13.3)	12,276	17.3	(15.3 - 19.4)	5,847	7.1	(6.3 - 8.0)	6,372
	12th	14.5	(13.2 - 16.0)	10,498	21.4	(19.5 - 23.4)	5,178	8.0	(6.7 - 9.5)	5,280
Race/E	thnicity									
	Black*	15.4	(14.0 - 17.0)	10,302	19.6	(17.5 - 21.8)	4,841	11.6	(10.3 - 13.1)	5,433
	Hispanic/Latino	17.4	(14.3 - 21.1)	4,922	21.5	(17.2 - 26.5)	2,389	13.2	(10.9 - 15.8)	2,438
	White*	20.1	(18.8 - 21.4)	27,196	25.0	(23.6 - 26.5)	13,230	15.2	(13.9 - 16.6)	13,937
	All other races	21.1	(17.0 - 26.0)	3,456	25.1	(21.2 - 29.4)	1,704	17.1	(12.5 - 23.0)	1,717
	Multiple races	17.7	(15.7 - 20.0)	2,727	22.0	(18.7 - 25.8)	1,220	13.9	(12.0 - 16.0)	1,493

Note: 3,657 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	84.6	(83.9 - 85.2)	49,729	83.5	(82.6 - 84.3)	23,917	86.0	(85.3 - 86.7)	25,506
Age										
	15 or younger	83.5	(82.6 - 84.5)	21,612	83.0	(81.7 - 84.2)	10,069	84.6	(83.5 - 85.6)	11,387
	16 or 17	86.1	(85.3 - 86.8)	24,061	84.7	(83.6 - 85.6)	11,659	87.7	(86.9 - 88.5)	12,315
	18 or older	81.1	(79.1 - 83.0)	3,971	79.8	(77.4 - 82.0)	2,167	83.1	(80.3 - 85.7)	1,785
Grade										
	9th	82.1	(80.8 - 83.3)	13,416	82.1	(80.4 - 83.7)	6,405	82.2	(80.8 - 83.6)	6,960
	10th	85.0	(84.1 - 85.9)	13,127	83.9	(82.5 - 85.2)	6,338	86.5	(85.2 - 87.6)	6,742
	11th	85.9	(84.9 - 86.9)	12,146	84.6	(83.2 - 85.9)	5,758	87.5	(86.2 - 88.6)	6,341
	12th	86.5	(85.3 - 87.7)	10,396	84.6	(82.9 - 86.1)	5,110	88.8	(87.5 - 90.0)	5,249
Race/E	thnicity									
	Black*	81.5	(80.3 - 82.6)	10,204	80.2	(78.5 - 81.8)	4,754	82.9	(81.7 - 84.1)	5,425
	Hispanic/Latino	78.9	(76.6 - 81.0)	4,836	78.0	(75.1 - 80.6)	2,347	80.6	(77.9 - 83.1)	2,415
	White*	88.9	(88.4 - 89.3)	27,125	87.8	(87.0 - 88.4)	13,175	90.0	(89.4 - 90.6)	13,922
	All other races	82.7	(80.7 - 84.4)	3,405	83.0	(80.4 - 85.3)	1,680	82.7	(80.3 - 85.0)	1,697
	Multiple races	86.4	(84.9 - 87.7)	2,724	85.5	(83.2 - 87.5)	1,215	87.4	(85.4 - 89.1)	1,495

Note: 4,056 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.3	(25.8 - 26.8)	49,649	27.2	(26.5 - 27.9)	23,843	25.2	(24.4 - 26.1)	25,489
Age										
	15 or younger	26.4	(25.7 - 27.1)	21,606	27.4	(26.5 - 28.4)	10,052	25.2	(24.1 - 26.3)	11,385
	16 or 17	26.3	(25.4 - 27.1)	24,003	27.2	(26.1 - 28.2)	11,621	25.3	(24.1 - 26.6)	12,296
	18 or older	25.7	(24.0 - 27.4)	3,951	26.2	(24.0 - 28.6)	2,147	25.1	(22.7 - 27.6)	1,789
Grade										
	9th	26.8	(25.9 - 27.7)	13,406	27.4	(26.0 - 28.9)	6,393	25.8	(24.6 - 27.1)	6,957
	10th	26.2	(25.2 - 27.3)	13,102	27.4	(26.0 - 28.8)	6,314	25.0	(23.6 - 26.5)	6,729
	11th	26.3	(25.1 - 27.6)	12,119	27.5	(25.9 - 29.1)	5,735	25.3	(23.7 - 27.0)	6,336
	12th	25.2	(24.3 - 26.2)	10,382	26.1	(24.6 - 27.7)	5,091	24.4	(23.2 - 25.6)	5,253
Race/E	thnicity									
	Black*	30.5	(29.6 - 31.5)	10,154	32.2	(30.7 - 33.8)	4,727	29.0	(27.6 - 30.5)	5,402
	Hispanic/Latino	27.6	(26.1 - 29.2)	4,829	28.0	(25.7 - 30.4)	2,330	26.7	(24.5 - 29.0)	2,417
	White*	22.9	(22.3 - 23.6)	27,101	23.7	(22.9 - 24.5)	13,154	22.2	(21.2 - 23.2)	13,921
	All other races	21.8	(20.1 - 23.6)	3,405	22.8	(20.2 - 25.6)	1,673	20.6	(18.9 - 22.4)	1,702
	Multiple races	31.0	(28.9-33.3)	2,719	30.5	(27.4 - 33.8)	1,211	31.4	(28.6 - 34.3)	1,494

Note: 4,136 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN87: Percentage of students who tried or used tobacco products (for example, cigarettes, cigars, cigarillos, Black and Milds, little cigars, or smokeless tobacco) for the first time during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	17.9	(17.4 - 18.5)	50,337	18.5	(17.8 - 19.2)	24,424	17.2	(16.5 - 17.9)	25,665
Age										
	15 or younger	13.9	(13.2 - 14.7)	22,022	13.7	(12.9 - 14.6)	10,385	13.9	(13.0 - 14.9)	11,521
	16 or 17	20.1	(19.3 - 20.8)	24,198	21.0	(20.1 - 21.9)	11,796	19.1	(18.1 - 20.0)	12,329
	18 or older	25.1	(23.5 - 26.7)	4,027	26.3	(24.1 - 28.6)	2,216	23.5	(21.4 - 25.7)	1,796
Grade										
	9th	13.0	(12.2 - 13.8)	13,864	12.3	(11.4 - 13.3)	6,700	13.4	(12.4 - 14.5)	7,120
	10th	16.9	(15.8 - 18.1)	13,335	17.4	(16.0 - 18.9)	6,519	16.3	(14.9 - 17.7)	6,773
	11th	19.7	(18.8 - 20.7)	12,135	20.9	(19.6 - 22.3)	5,788	18.7	(17.5 - 19.9)	6,316
	12th	22.6	(21.6 - 23.5)	10,399	24.5	(23.1 - 25.9)	5,128	20.6	(19.4 - 21.9)	5,248
Race/E	thnicity									
	Black*	15.9	(15.0 - 16.8)	10,718	15.5	(14.4 - 16.7)	5,050	16.3	(15.1 - 17.5)	5,646
	Hispanic/Latino	20.1	(19.0 - 21.3)	4,907	20.3	(18.5 - 22.3)	2,403	19.7	(18.1 - 21.4)	2,442
	White*	19.9	(19.3 - 20.6)	27,102	21.5	(20.6 - 22.4)	13,275	18.3	(17.5 - 19.1)	13,797
	All other races	11.5	(9.9 - 13.4)	3,425	12.8	(10.9 - 15.0)	1,701	9.8	(8.0 - 11.9)	1,702
	Multiple races	19.5	(17.6 - 21.5)	2,784	17.8	(15.2 - 20.7)	1,251	21.0	(18.5 - 23.7)	1,520

Note: 3,448 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN88: Percentage of students who completely quit using all tobacco products during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	11.6	(11.2 - 12.1)	48,838	12.5	(11.9 - 13.1)	23,578	10.6	(10.1 - 11.2)	25,016
Age										
	15 or younger	10.7	(10.1 - 11.4)	21,429	11.6	(10.7 - 12.5)	10,046	9.7	(9.0 - 10.5)	11,268
	16 or 17	11.9	(11.4 - 12.5)	23,484	12.9	(12.1 - 13.7)	11,403	11.0	(10.3 - 11.6)	12,010
	18 or older	14.1	(12.9 - 15.5)	3,836	14.6	(12.8 - 16.6)	2,102	13.3	(11.6 - 15.2)	1,719
Grade										
	9th	10.5	(9.7 - 11.3)	13,407	11.1	(10.1 - 12.3)	6,451	9.6	(8.7 - 10.6)	6,911
	10th	11.8	(10.9 - 12.8)	12,991	12.7	(11.6 - 13.9)	6,309	10.7	(9.7 - 11.9)	6,640
	11th	11.7	(10.9 - 12.5)	11,816	12.6	(11.6 - 13.6)	5,605	10.8	(9.9 - 11.9)	6,181
	12th	12.4	(11.6 - 13.3)	10,030	13.6	(12.4 - 14.9)	4,925	11.2	(10.2 - 12.3)	5,083
Race/Et	hnicity									
	Black*	12.6	(11.9 - 13.4)	10,231	13.7	(12.5 - 15.0)	4,796	11.7	(10.7 - 12.7)	5,416
	Hispanic/Latino	15.6	(14.1 - 17.2)	4,674	16.8	(14.8 - 18.9)	2,285	14.2	(12.7 - 15.8)	2,323
	White*	10.2	(9.7 - 10.7)	26,577	10.9	(10.2 - 11.6)	12,948	9.5	(8.9 - 10.1)	13,605
	All other races	8.3	(7.2 - 9.5)	3,297	9.8	(8.3 - 11.5)	1,634	6.3	(4.9 - 7.9)	1,640
	Multiple races	11.3	(9.8 - 12.8)	2,712	11.1	(9.0 - 13.6)	1,205	11.5	(9.8 - 13.4)	1,494

Note: 4,947 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN89: Percentage of students who used some flavored tobacco product during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	13.5	(13.0 - 14.1)	49,643	15.9	(15.2 - 16.7)	23,852	10.7	(10.0 - 11.4)	25,476
Age										
	15 or younger	9.9	(9.3 - 10.6)	21,921	11.0	(10.2 - 11.9)	10,243	8.1	(7.3 - 8.9)	11,519
	16 or 17	15.1	(14.4 - 15.9)	23,748	18.3	(17.4 - 19.2)	11,464	11.8	(10.9 - 12.8)	12,193
	18 or older	21.9	(20.4 - 23.5)	3,877	25.6	(23.4 - 27.9)	2,116	17.5	(15.7 - 19.4)	1,745
Grade										
	9th	8.7	(8.0-9.6)	13,779	9.7	(8.6 - 10.8)	6,613	7.5	(6.6 - 8.4)	7,113
	10th	12.2	(11.2 - 13.2)	13,156	14.4	(13.1 - 15.7)	6,355	9.5	(8.4 - 10.7)	6,749
	11th	14.9	(14.1 - 15.8)	11,974	18.1	(16.9 - 19.5)	5,658	11.7	(10.7 - 12.8)	6,269
	12th	18.1	(17.1 - 19.2)	10,110	22.5	(21.1 - 23.9)	4,929	13.8	(12.4 - 15.2)	5,148
Race/E	thnicity									
	Black*	13.1	(12.2 - 14.1)	10,662	14.2	(12.8 - 15.7)	4,983	12.1	(10.8 - 13.4)	5,650
	Hispanic/Latino	15.2	(14.1 - 16.3)	4,845	16.2	(14.5 - 18.1)	2,347	13.5	(12.0 - 15.1)	2,421
	White*	13.6	(13.0 - 14.2)	26,594	17.8	(16.9 - 18.7)	12,893	9.4	(8.7 - 10.1)	13,677
	All other races	8.9	(7.5 - 10.6)	3,388	10.3	(8.5 - 12.6)	1,665	6.6	(5.2 - 8.4)	1,694
	Multiple races	13.2	(11.6 - 15.1)	2,718	14.9	(12.7 - 17.4)	1,220	11.8	(9.9 - 13.9)	1,484

Note: 4,142 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN90: Percentage of students who used only flavored cigars, cigarillos, little cigars, or only flavored smokeless tobacco products, or both flavored cigar products and flavored smokeless tobacco products during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	13.3	(12.7 - 13.8)	49,149	15.8	(15.0 - 16.5)	23,600	10.5	(9.8 - 11.2)	25,292
Age										
	15 or younger	9.6	(8.9 - 10.3)	21,672	10.8	(10.0 - 11.7)	10,123	7.8	(7.0 - 8.6)	11,428
	16 or 17	15.0	(14.3 - 15.7)	23,563	18.2	(17.2 - 19.2)	11,356	11.7	(10.8 - 12.8)	12,129
	18 or older	21.6	(20.1 - 23.1)	3,820	25.2	(23.0-27.5)	2,094	17.2	(15.4 - 19.1)	1,715
Grade										
	9th	8.5	(7.7 - 9.4)	13,647	9.5	(8.5 - 10.6)	6,546	7.2	(6.3 - 8.2)	7,054
	10th	12.0	(11.0 - 13.0)	13,040	14.3	(13.0 - 15.6)	6,298	9.3	(8.2 - 10.5)	6,702
	11th	14.8	(13.9 - 15.6)	11,870	17.9	(16.6 - 19.2)	5,594	11.6	(10.6 - 12.7)	6,237
	12th	18.0	(16.9 - 19.1)	10,015	22.4	(21.0 - 23.9)	4,887	13.7	(12.3 - 15.1)	5,105
Race/E	thnicity									
	Black*	12.9	(12.0 - 13.9)	10,509	13.9	(12.5 - 15.5)	4,906	11.9	(10.7 - 13.2)	5,577
	Hispanic/Latino	14.5	(13.3 - 15.8)	4,745	15.8	(13.8 - 17.9)	2,296	12.7	(11.2 - 14.4)	2,384
	White*	13.6	(13.0 - 14.2)	26,506	17.9	(17.0 - 18.8)	12,844	9.4	(8.7 - 10.1)	13,640
	All other races	8.8	(7.4 - 10.5)	3,350	10.5	(8.6 - 12.8)	1,641	6.3	(4.9 - 8.1)	1,683
	Multiple races	13.5	(11.9 - 15.4)	2,709	14.8	(12.8 - 17.2)	1,215	12.4	(10.3 - 14.7)	1,481

Note: 4,636 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN91: Percentage of students who have smoked a 100 or more cigarettes (5 or more packs) during their life

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	5.1	(4.8 - 5.4)	51,979	6.4	(6.0 - 6.8)	25,261	3.8	(3.4 - 4.1)	26,316
Age										
	15 or younger	2.9	(2.6-3.3)	22,783	3.6	(3.2 - 4.1)	10,712	2.2	(1.9 - 2.6)	11,849
	16 or 17	6.1	(5.7 - 6.5)	24,945	7.5	(7.0 - 8.1)	12,227	4.6	(4.1 - 5.1)	12,613
	18 or older	9.9	(8.9 - 11.1)	4,149	12.2	(10.8 - 13.8)	2,293	7.2	(6.0 - 8.6)	1,833
Grade										
	9th	2.3	(2.0 - 2.6)	14,207	2.8	(2.4 - 3.3)	6,862	1.7	(1.4 - 2.1)	7,281
	10th	4.3	(3.8 - 4.8)	13,702	5.5	(4.8 - 6.3)	6,680	3.0	(2.4 - 3.6)	6,944
	11th	6.0	(5.5-6.6)	12,556	7.6	(6.8 - 8.5)	6,038	4.4	(3.9 - 5.0)	6,457
	12th	7.7	(7.1 - 8.4)	10,772	9.7	(8.8 - 10.6)	5,334	5.8	(5.0-6.7)	5,395
Race/E	thnicity									
	Black*	1.8	(1.5 - 2.1)	11,009	2.9	(2.4 - 3.4)	5,221	0.8	(0.6 - 1.1)	5,754
	Hispanic/Latino	6.5	(5.6-7.4)	5,185	8.1	(6.8 - 9.7)	2,540	4.5	(3.7 - 5.4)	2,545
	White*	7.5	(7.0 - 8.0)	27,750	8.7	(8.0-9.4)	13,586	6.2	(5.6-6.8)	14,133
	All other races	3.9	(3.1 - 4.8)	3,531	5.4	(4.3 - 6.8)	1,769	2.4	(1.7 - 3.4)	1,724
	Multiple races	4.8	(4.0 - 5.6)	2,887	5.9	(4.7 - 7.3)	1,308	3.7	(2.8 - 4.8)	1,565

Note: 1,806 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN92: Among students who bought or tried to buy cigarettes in a store during past 30 days, the percentage who were asked to show proof of age

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	47.7	(45.7 - 49.7)	3,983	50.0	(47.4 - 52.6)	2,570	43.3	(40.0 - 46.7)	1,299
Age										
	15 or younger	37.4	(33.5 - 41.3)	1,062	41.6	(36.3 - 47.1)	620	28.5	(22.8 - 35.0)	360
	16 or 17	41.8	(39.2 - 44.4)	1,908	45.4	(42.0 - 48.7)	1,313	33.0	(28.4 - 37.9)	574
	18 or older	69.5	(65.9 - 72.8)	993	67.1	(61.8 - 72.0)	630	73.5	(67.7 - 78.6)	361
Grade										
	9th	40.1	(34.9 - 45.5)	575	45.9	(39.2 - 52.8)	350	28.6	(21.1 - 37.4)	207
	10th	38.5	(33.9 - 43.3)	719	39.9	(34.1 - 46.0)	492	32.5	(24.1 - 42.2)	198
	11th	45.7	(41.7 - 49.7)	1,018	48.7	(43.9 - 53.6)	679	38.2	(31.3 - 45.5)	321
	12th	58.2	(55.0-61.2)	1,472	58.7	(54.6-62.6)	955	58.1	(53.1-62.9)	504
Race/E	thnicity									
	Black*	46.3	(42.1 - 50.5)	701	47.9	(42.1 - 53.9)	472	43.2	(36.3 - 50.3)	225
	Hispanic/Latino	45.8	(40.6 - 51.2)	636	48.6	(41.7 - 55.6)	365	38.6	(30.2 - 47.7)	233
	White*	49.9	(47.4 - 52.5)	1,983	52.6	(49.5 - 55.7)	1,317	45.0	(40.6 - 49.5)	658
	All other races	47.6	(38.0 - 57.5)	272	49.7	(39.0 - 60.4)	181	-	-	79
	Multiple races	37.7	(30.0 - 46.0)	181	45.0	(35.2 - 55.2)	115	-	-	65

Note: 49,802 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN93: Percentage of students who had someone refuse to sell them cigarettes because of their age during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	3.1	(2.9-3.4)	51,564	4.2	(3.9 - 4.5)	24,952	1.8	(1.5 - 2.1)	26,304
Age										
	15 or younger	2.4	(2.1 - 2.8)	22,541	3.0	(2.5-3.6)	10,562	1.5	(1.2 - 1.8)	11,815
	16 or 17	3.5	(3.2 - 3.9)	24,803	5.0	(4.5 - 5.5)	12,083	2.0	(1.6 - 2.3)	12,637
	18 or older	4.1	(3.5-5.0)	4,123	5.4	(4.4 - 6.7)	2,278	2.4	(1.7 - 3.4)	1,831
Grade										
	9th	2.3	(1.9 - 2.7)	14,159	2.9	(2.3 - 3.6)	6,823	1.5	(1.1 - 2.0)	7,281
	10th	2.9	(2.5 - 3.4)	13,639	3.8	(3.2 - 4.6)	6,626	1.6	(1.2 - 2.1)	6,953
	11th	3.3	(2.9-3.8)	12,457	4.7	(4.0 - 5.4)	5,936	1.9	(1.4 - 2.4)	6,474
	12th	3.8	(3.3-4.3)	10,674	5.5	(4.7 - 6.3)	5,271	2.1	(1.6 - 2.7)	5,374
Race/E	thnicity									
	Black*	3.4	(3.0-3.9)	11,034	4.7	(4.1 - 5.4)	5,187	2.1	(1.6 - 2.7)	5,818
	Hispanic/Latino	4.4	(3.7 - 5.3)	5,086	5.3	(4.2 - 6.8)	2,471	3.0	(2.1 - 4.2)	2,524
	White*	2.4	(2.2 - 2.7)	27,641	3.5	(3.2 - 4.0)	13,512	1.3	(1.1 - 1.6)	14,101
	All other races	2.6	(2.1 - 3.3)	3,509	3.1	(2.3 - 4.3)	1,750	1.1	(0.7 - 1.9)	1,729
	Multiple races	2.1	(1.6 - 2.8)	2,840	3.0	(2.2 - 4.3)	1,275	1.4	(0.8 - 2.3)	1,552

Note: 2,221 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN94: Percentage of students who usually smoked menthol cigarettes during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	5.3	(5.0-5.6)	50,497	5.8	(5.4 - 6.2)	24,434	4.7	(4.3 - 5.0)	25,746
Age										
	15 or younger	3.5	(3.2 - 3.9)	22,106	3.6	(3.2 - 4.1)	10,376	3.1	(2.7-3.6)	11,570
	16 or 17	6.0	(5.6-6.5)	24,333	6.6	(6.1 - 7.1)	11,844	5.4	(4.8-6.0)	12,398
	18 or older	9.7	(8.7 - 10.8)	3,960	10.7	(9.4 - 12.3)	2,185	8.4	(7.2 - 9.8)	1,757
Grade										
	9th	3.0	(2.6-3.4)	13,804	3.3	(2.7 - 3.9)	6,653	2.5	(2.1 - 2.9)	7,096
	10th	4.7	(4.2 - 5.4)	13,373	5.0	(4.3 - 5.8)	6,497	4.3	(3.8-5.0)	6,821
	11th	5.8	(5.3-6.4)	12,229	6.6	(5.9-7.4)	5,817	5.1	(4.5 - 5.7)	6,366
	12th	7.7	(7.0 - 8.4)	10,445	8.5	(7.5 - 9.5)	5,160	6.9	(6.1 - 7.8)	5,254
Race/E	thnicity									
	Black*	2.7	(2.4 - 3.1)	10,635	3.9	(3.3-4.6)	5,011	1.5	(1.2 - 1.9)	5,597
	Hispanic/Latino	6.2	(5.3 - 7.1)	4,914	7.0	(5.8 - 8.3)	2,402	5.0	(4.0-6.2)	2,432
	White*	7.2	(6.7 - 7.7)	27,280	7.0	(6.5-7.6)	13,310	7.3	(6.7 - 7.9)	13,943
	All other races	3.7	(2.8 - 4.7)	3,412	4.6	(3.4 - 6.0)	1,697	2.7	(1.9 - 3.8)	1,682
	Multiple races	5.0	(4.2 - 5.9)	2,805	4.8	(3.7 - 6.2)	1,259	5.0	(3.9-6.4)	1,532

Note: 3,288 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN95: Percentage of students who usually smoked cigarillos or small cigars, blunts, little cigars that look like brown cigarettes, or some other type of cigar during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	10.8	(10.3 - 11.2)	51,365	13.2	(12.7 - 13.8)	24,868	7.9	(7.4 - 8.5)	26,146
Age										
	15 or younger	7.8	(7.2 - 8.4)	22,478	9.1	(8.4 - 9.9)	10,531	5.8	(5.1-6.5)	11,756
	16 or 17	11.8	(11.2 - 12.4)	24,670	14.6	(13.8 - 15.5)	12,031	8.8	(8.1 - 9.5)	12,548
	18 or older	19.4	(17.8 - 21.0)	4,115	23.6	(21.5 - 25.7)	2,274	13.8	(12.0 - 15.9)	1,820
Grade										
	9th	6.6	(6.0 - 7.3)	14,080	7.7	(6.9 - 8.6)	6,767	5.3	(4.6 - 6.1)	7,255
	10th	9.5	(8.7 - 10.3)	13,571	11.8	(10.8 - 12.9)	6,595	6.6	(5.8-7.6)	6,908
	11th	11.6	(10.8 - 12.5)	12,429	14.5	(13.4 - 15.7)	5,939	8.7	(7.8 - 9.7)	6,439
	12th	15.3	(14.4 - 16.2)	10,592	19.5	(18.3 - 20.7)	5,240	10.9	(9.8 - 12.1)	5,319
Race/E	thnicity									
	Black*	11.0	(10.2 - 11.9)	10,962	12.6	(11.6 - 13.6)	5,189	9.5	(8.4 - 10.6)	5,746
	Hispanic/Latino	12.6	(11.6 - 13.7)	5,050	14.1	(12.6 - 15.7)	2,457	10.2	(8.9 - 11.7)	2,507
	White*	10.3	(9.8 - 10.9)	27,490	14.1	(13.3 - 14.9)	13,414	6.6	(6.1 - 7.1)	14,048
	All other races	6.5	(5.4 - 7.7)	3,515	8.0	(6.6-9.6)	1,754	3.8	(2.9 - 5.1)	1,726
	Multiple races	10.6	(9.3 - 12.1)	2,803	12.0	(10.1 - 14.1)	1,252	9.4	(7.7 - 11.4)	1,537

Note: 2,420 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN96: Percentage of students who live with someone who now smokes cigarettes or cigars

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	36.9	(36.1 - 37.6)	51,948	36.5	(35.6 - 37.4)	25,207	37.2	(36.3 - 38.2)	26,465
Age										
	15 or younger	37.0	(36.0 - 38.1)	22,685	36.3	(34.8 - 37.7)	10,673	37.7	(36.6 - 38.9)	11,880
	16 or 17	36.6	(35.6-37.6)	25,000	36.4	(35.2-37.6)	12,215	36.8	(35.4 - 38.1)	12,705
	18 or older	37.5	(35.7 - 39.3)	4,164	37.8	(35.3 - 40.5)	2,289	37.2	(34.8 - 39.6)	1,858
Grade										
	9th	38.1	(36.9 - 39.3)	14,281	37.5	(35.7 - 39.3)	6,875	38.7	(37.3 - 40.1)	7,357
	10th	37.2	(35.8 - 38.6)	13,733	36.4	(34.5 - 38.3)	6,720	38.0	(36.4 - 39.7)	6,968
	11th	36.6	(35.4 - 37.9)	12,541	36.5	(34.9 - 38.0)	5,995	36.8	(35.2 - 38.6)	6,507
	12th	34.9	(33.5 - 36.2)	10,744	34.8	(33.2-36.6)	5,304	34.8	(33.0-36.7)	5,411
Race/E	thnicity									
	Black*	37.5	(36.1 - 38.8)	11,146	36.9	(35.0 - 38.8)	5,266	38.0	(36.5 - 39.6)	5,852
	Hispanic/Latino	33.8	(32.3 - 35.5)	5,124	34.2	(31.8 - 36.6)	2,495	33.4	(31.1 - 35.8)	2,554
	White*	37.5	(36.4 - 38.7)	27,806	37.1	(35.9 - 38.4)	13,610	37.9	(36.5 - 39.3)	14,170
	All other races	31.6	(29.0 - 34.2)	3,525	31.3	(28.3 - 34.4)	1,763	31.5	(28.1 - 35.1)	1,738
	Multiple races	40.7	(38.6 - 42.8)	2,859	39.3	(36.4 - 42.2)	1,283	41.6	(38.6 - 44.7)	1,563

Note: 1,837 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN97: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	81.9	(81.3 - 82.4)	51,988	82.4	(81.7 - 83.1)	25,232	81.6	(80.8 - 82.4)	26,442
Age										
	15 or younger	81.6	(80.8 - 82.3)	22,660	82.5	(81.5 - 83.6)	10,639	81.1	(80.0 - 82.2)	11,858
	16 or 17	82.4	(81.6 - 83.2)	25,047	82.6	(81.7 - 83.5)	12,261	82.3	(81.2 - 83.3)	12,702
	18 or older	80.4	(78.9 - 81.8)	4,185	80.8	(78.6 - 82.8)	2,303	80.1	(77.7 - 82.3)	1,863
Grade										
	9th	81.7	(80.7 - 82.6)	14,229	82.3	(81.0 - 83.5)	6,847	81.2	(79.9 - 82.4)	7,327
	10th	81.4	(80.5 - 82.4)	13,703	82.2	(81.0 - 83.5)	6,682	80.8	(79.6 - 82.0)	6,964
	11th	82.5	(81.6 - 83.4)	12,578	82.7	(81.4 - 84.0)	6,029	82.4	(80.9 - 83.9)	6,505
	12th	82.9	(81.8 - 83.9)	10,797	83.1	(81.9 - 84.2)	5,347	82.9	(81.3 - 84.3)	5,415
Race/E	thnicity									
	Black*	79.9	(78.7 - 81.1)	11,149	81.4	(80.1 - 82.6)	5,275	78.6	(76.7 - 80.4)	5,846
	Hispanic/Latino	85.4	(84.1 - 86.7)	5,166	86.0	(84.3 - 87.6)	2,512	85.5	(83.5 - 87.4)	2,571
	White*	82.7	(81.9 - 83.4)	27,750	82.3	(81.4 - 83.2)	13,577	83.0	(82.1 - 83.9)	14,143
	All other races	85.0	(82.7 - 87.0)	3,538	85.4	(82.5 - 87.9)	1,769	84.9	(82.4 - 87.1)	1,741
	Multiple races	79.7	(77.9 - 81.4)	2,867	82.6	(80.2 - 84.8)	1,297	77.2	(74.8 - 79.5)	1,556

Note: 1,797 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN98: Percentage of students who were in the same room with someone who was smoking cigarettes on one or more of the past 7 days

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	31.7	(30.9 - 32.5)	52,852	29.9	(29.0 - 30.7)	25,713	33.2	(32.3 - 34.2)	26,720	
Age											
	15 or younger	29.8	(28.9 - 30.7)	23,080	26.9	(25.7 - 28.1)	10,862	31.9	(30.7 - 33.2)	11,987	
	16 or 17	32.6	(31.7 - 33.6)	25,370	31.3	(30.3 - 32.4)	12,435	33.8	(32.5 - 35.1)	12,825	
	18 or older	35.7	(33.9 - 37.5)	4,298	34.9	(32.8 - 37.2)	2,387	36.4	(33.8 - 39.0)	1,886	
Grade											
	9th	29.3	(28.1 - 30.5)	14,436	26.6	(25.1 - 28.0)	6,967	32.0	(30.5 - 33.5)	7,398	
	10th	31.3	(30.2 - 32.5)	13,903	29.3	(27.7 - 30.8)	6,791	33.0	(31.4 - 34.5)	7,031	
	11th	32.2	(31.0 - 33.5)	12,788	30.5	(29.1 - 32.0)	6,145	33.6	(31.9-35.4)	6,579	
	12th	33.7	(32.5 - 35.0)	10,959	33.3	(31.9 - 34.8)	5,449	34.0	(32.3 - 35.8)	5,464	
Race/E	thnicity										
	Black*	28.9	(27.7 - 30.2)	11,349	26.7	(25.2 - 28.2)	5,388	30.9	(29.3 - 32.6)	5,927	
	Hispanic/Latino	27.2	(25.5 - 28.9)	5,329	25.2	(23.0 - 27.5)	2,606	28.3	(26.1 - 30.6)	2,621	
	White*	35.9	(34.8 - 37.0)	27,984	34.4	(33.2-35.6)	13,737	37.5	(36.1 - 38.9)	14,214	
	All other races	22.4	(20.4 - 24.6)	3,617	22.9	(20.1 - 25.9)	1,807	21.6	(18.9 - 24.5)	1,770	
	Multiple races	33.7	(31.7 - 35.8)	2,896	29.5	(26.7 - 32.4)	1,311	37.6	(34.9 - 40.3)	1,571	

Note: 933 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN99: Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	51.1	(50.1 - 52.1)	16,759	50.4	(49.0 - 51.9)	7,769	52.4	(51.1 - 53.7)	8,793
Age										
	15 or younger	50.0	(48.3 - 51.6)	5,868	49.4	(46.9 - 51.9)	2,474	51.9	(49.8 - 54.0)	3,264
	16 or 17	52.6	(51.4 - 53.9)	9,077	51.6	(49.7 - 53.4)	4,292	53.7	(52.0-55.5)	4,743
	18 or older	47.3	(44.2 - 50.4)	1,785	48.3	(44.5 - 52.2)	994	46.5	(42.2 - 50.8)	778
Grade										
	9th	48.6	(46.3 - 50.9)	3,254	47.7	(44.2 - 51.3)	1,397	49.8	(46.8 - 52.9)	1,827
	10th	52.6	(50.4 - 54.7)	4,185	53.7	(50.9-56.6)	1,911	52.6	(49.8 - 55.4)	2,230
	11th	53.0	(51.3 - 54.7)	4,484	52.2	(49.8 - 54.6)	2,080	54.1	(51.5 - 56.6)	2,376
	12th	50.6	(48.6 - 52.5)	4,498	48.6	(45.6-51.6)	2,226	52.6	(50.2 - 55.1)	2,247
Race/E	thnicity									
	Black*	51.3	(49.0 - 53.7)	3,103	52.4	(49.3 - 55.5)	1,345	50.8	(47.7 - 53.8)	1,740
	Hispanic/Latino	49.0	(45.7 - 52.4)	1,743	47.4	(42.3 - 52.4)	796	51.2	(46.8 - 55.5)	900
	White*	52.8	(51.5 - 54.0)	9,573	51.0	(48.8 - 53.1)	4,522	54.5	(52.8 - 56.2)	5,035
	All other races	43.7	(40.2 - 47.3)	878	43.4	(37.8 - 49.1)	449	44.4	(38.4 - 50.6)	407
	Multiple races	54.3	(50.7 - 57.9)	911	52.8	(46.9 - 58.7)	381	55.3	(50.4 - 60.1)	527

Note: 37,026 students were excluded from this analysis.

N = Number of students in this subgroup.

^{*}Non-Hispanic.

Maryland High School Survey

Summary Tables - Weighted Data

QN100: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N
	Total	9.6	(9.2 - 10.1)	52,196	10.7	(10.1 - 11.5)	25,327	7.8	(7.3 - 8.3)	26,462
Age										
	15 or younger	8.6	(7.9 - 9.2)	22,755	9.1	(8.2 - 10.1)	10,667	6.8	(6.2 - 7.5)	11,864
	16 or 17	9.8	(9.2 - 10.4)	25,112	11.0	(10.2 - 11.9)	12,284	8.2	(7.6 - 8.9)	12,724
	18 or older	13.7	(12.4 - 15.1)	4,227	15.9	(14.1 - 18.0)	2,349	10.4	(8.7 - 12.4)	1,854
Grade										
	9th	7.4	(6.7 - 8.2)	14,205	8.4	(7.4 - 9.6)	6,838	5.8	(5.1-6.6)	7,297
	10th	8.8	(8.1-9.6)	13,738	9.3	(8.3 - 10.4)	6,685	7.6	(6.8 - 8.5)	6,976
	11th	10.1	(9.4 - 11.0)	12,663	11.6	(10.5 - 12.9)	6,065	8.4	(7.6 - 9.3)	6,538
	12th	10.9	(10.1 - 11.8)	10,848	12.9	(11.7 - 14.1)	5,392	8.6	(7.6-9.7)	5,412
Race/E	thnicity									
	Black*	9.3	(8.5 - 10.3)	11,065	11.4	(10.2 - 12.7)	5,232	7.2	(6.3 - 8.1)	5,801
	Hispanic/Latino	12.3	(11.3 - 13.4)	5,240	12.7	(11.3 - 14.3)	2,551	10.6	(9.3 - 12.1)	2,587
	White*	8.5	(8.0-9.0)	27,839	9.3	(8.7 - 10.0)	13,637	7.6	(7.1 - 8.2)	14,170
	All other races	8.3	(7.1 - 9.6)	3,572	9.1	(7.6 - 10.8)	1,783	6.4	(5.0-8.1)	1,753
	Multiple races	9.8	(8.6 - 11.2)	2,857	11.7	(9.8 - 14.0)	1,286	8.0	(6.7 - 9.7)	1,557

Note: 1,589 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN101: Percentage of students who describe themselves as gay or lesbian or bisexual

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	9.0	(8.6-9.4)	51,374	5.9	(5.5-6.3)	24,913	11.8	(11.1 - 12.4)	26,115
Age										
	15 or younger	8.7	(8.1 - 9.2)	22,413	5.3	(4.8 - 5.8)	10,514	11.4	(10.5 - 12.3)	11,709
	16 or 17	9.1	(8.6-9.6)	24,746	6.3	(5.7-6.9)	12,089	11.8	(11.0 - 12.7)	12,566
	18 or older	9.9	(8.8 - 11.1)	4,126	6.7	(5.6 - 8.0)	2,283	13.5	(11.4 - 15.8)	1,821
Grade										
	9th	8.4	(7.7 - 9.2)	13,953	4.9	(4.2 - 5.6)	6,715	11.9	(10.8 - 13.1)	7,176
	10th	8.7	(7.9 - 9.6)	13,556	5.2	(4.5 - 5.9)	6,599	11.9	(10.7 - 13.3)	6,893
	11th	8.8	(8.2 - 9.5)	12,495	6.1	(5.4 - 7.0)	5,974	11.2	(10.2 - 12.3)	6,467
	12th	9.5	(8.8 - 10.3)	10,678	7.1	(6.3 - 8.0)	5,292	11.8	(10.6 - 13.0)	5,349
Race/E	thnicity									
	Black*	11.2	(10.6 - 11.9)	10,854	6.1	(5.4 - 6.8)	5,137	16.0	(14.9 - 17.3)	5,688
	Hispanic/Latino	11.3	(10.4 - 12.3)	5,078	8.1	(7.0-9.3)	2,483	14.2	(12.6 - 16.0)	2,503
	White*	6.6	(6.1 - 7.1)	27,603	4.8	(4.4 - 5.3)	13,474	8.3	(7.6-9.0)	14,098
	All other races	6.5	(5.3 - 8.1)	3,505	5.3	(4.1 - 6.8)	1,747	7.4	(5.8-9.4)	1,726
	Multiple races	12.0	(10.8 - 13.4)	2,821	7.7	(6.3 - 9.5)	1,280	15.8	(13.9 - 17.9)	1,528

Note: 2,411 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN102: Percentage of students who spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	37.1	(36.0 - 38.2)	50,182	44.8	(43.6 - 45.9)	24,225	29.4	(28.0 - 30.9)	25,563
Age										
	15 or younger	46.8	(45.5 - 48.2)	21,830	52.3	(50.8-53.9)	10,194	41.6	(39.8 - 43.6)	11,420
	16 or 17	30.0	(29.0 - 31.1)	24,237	39.8	(38.4 - 41.2)	11,797	20.5	(19.3 - 21.8)	12,337
	18 or older	30.5	(28.4 - 32.6)	4,021	38.6	(35.8 - 41.5)	2,210	20.6	(18.2 - 23.1)	1,787
Grade										
	9th	55.6	(53.9 - 57.4)	13,507	58.6	(56.9-60.3)	6,476	52.9	(50.3 - 55.5)	6,969
	10th	32.9	(31.2 - 34.6)	13,216	41.0	(38.8 - 43.2)	6,398	24.8	(22.8 - 27.0)	6,744
	11th	28.8	(27.6 - 30.1)	12,274	38.7	(36.9 - 40.6)	5,859	19.4	(18.2 - 20.8)	6,355
	12th	28.9	(27.5 - 30.4)	10,476	39.2	(37.2 - 41.2)	5,162	18.9	(17.3 - 20.6)	5,270
Race/E	thnicity									
	Black*	36.4	(34.9 - 38.0)	10,308	44.8	(42.9 - 46.8)	4,854	28.5	(26.4 - 30.8)	5,424
	Hispanic/Latino	38.8	(36.4 - 41.1)	4,930	45.2	(42.4 - 48.0)	2,382	32.2	(29.2 - 35.3)	2,449
	White*	37.5	(36.3 - 38.7)	27,214	45.7	(44.3 - 47.0)	13,262	29.3	(27.9 - 30.8)	13,920
	All other races	35.0	(31.8 - 38.3)	3,449	40.7	(38.0-43.5)	1,702	29.0	(24.3 - 34.2)	1,713
	Multiple races	37.2	(35.0-39.6)	2,737	42.5	(39.0 - 45.9)	1,228	32.9	(30.0-36.0)	1,495

Note: 3,603 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN103: Percentage of students who described their health in general as excellent or very good

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	49.9	(49.2 - 50.6)	50,250	60.0	(59.1 - 60.8)	24,219	39.7	(38.7 - 40.6)	25,660
Age										
	15 or younger	49.4	(48.3 - 50.5)	21,814	59.4	(58.1 - 60.7)	10,169	39.5	(38.0 - 41.0)	11,444
	16 or 17	49.9	(49.0 - 50.7)	24,305	60.3	(59.1 - 61.5)	11,816	39.6	(38.5 - 40.7)	12,387
	18 or older	51.7	(49.5 - 53.9)	4,042	60.7	(57.9-63.4)	2,209	40.7	(37.8 - 43.7)	1,810
Grade										
	9th	50.0	(48.6 - 51.5)	13,513	60.1	(58.4 - 61.8)	6,463	39.4	(37.4 - 41.5)	6,990
	10th	50.1	(48.8 - 51.3)	13,229	59.8	(58.1 - 61.5)	6,396	40.2	(38.4 - 42.0)	6,764
	11th	49.1	(48.2 - 50.1)	12,296	58.9	(57.3 - 60.5)	5,856	39.7	(38.3 - 41.1)	6,384
	12th	49.9	(48.5 - 51.4)	10,519	61.3	(59.4 - 63.1)	5,182	39.0	(37.2 - 40.9)	5,294
Race/E	thnicity									
	Black*	48.7	(47.6 - 49.9)	10,333	63.2	(61.5 - 64.9)	4,847	35.2	(33.8 - 36.7)	5,458
	Hispanic/Latino	46.0	(43.8 - 48.2)	4,942	55.5	(52.8 - 58.1)	2,383	34.7	(31.6 - 38.0)	2,464
	White*	52.0	(51.1 - 52.9)	27,264	59.5	(58.4 - 60.6)	13,271	44.5	(43.4 - 45.6)	13,962
	All other races	46.0	(43.4 - 48.5)	3,451	54.2	(51.3 - 57.1)	1,703	37.2	(33.4 - 41.1)	1,716
	Multiple races	49.3	(47.3 - 51.4)	2,738	63.3	(60.5 - 66.1)	1,231	37.2	(34.1 - 40.3)	1,493

Note: 3,535 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN104: Percentage of students who have had asthma symptoms during the past 12 months

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	17.4	(17.0 - 17.8)	49,735	14.6	(14.0 - 15.1)	23,915	20.1	(19.5 - 20.7)	25,506	
Age											
	15 or younger	17.8	(17.1 - 18.4)	21,617	15.2	(14.4 - 16.1)	10,068	20.1	(19.3 - 21.0)	11,391	
	16 or 17	17.3	(16.7 - 17.9)	24,063	14.0	(13.2 - 14.7)	11,662	20.6	(19.6 - 21.5)	12,309	
	18 or older	16.0	(14.7 - 17.4)	3,968	15.1	(13.3 - 17.2)	2,164	17.0	(15.1 - 19.1)	1,787	
Grade											
	9th	18.1	(17.3 - 18.9)	13,420	15.6	(14.5 - 16.8)	6,403	20.7	(19.5 - 21.9)	6,965	
	10th	17.2	(16.4 - 18.1)	13,126	14.5	(13.4 - 15.5)	6,337	20.0	(18.8 - 21.4)	6,735	
	11th	17.6	(16.8 - 18.5)	12,139	14.4	(13.4 - 15.5)	5,756	20.6	(19.3 - 22.0)	6,334	
	12th	16.1	(15.3 - 17.0)	10,403	13.5	(12.3 - 14.8)	5,109	18.6	(17.4 - 19.8)	5,259	
Race/E	thnicity										
	Black*	18.5	(17.7 - 19.4)	10,196	15.7	(14.4 - 17.1)	4,752	21.1	(19.9 - 22.4)	5,418	
	Hispanic/Latino	16.2	(15.1 - 17.3)	4,855	14.8	(13.1 - 16.6)	2,351	17.7	(15.8 - 19.7)	2,420	
	White*	17.1	(16.5 - 17.7)	27,104	13.8	(13.1 - 14.4)	13,169	20.4	(19.5 - 21.3)	13,911	
	All other races	12.8	(11.5 - 14.3)	3,414	11.5	(9.6 - 13.7)	1,681	14.2	(12.4 - 16.1)	1,707	
	Multiple races	22.5	(20.4 - 24.6)	2,717	17.9	(15.2 - 21.0)	1,208	26.2	(23.7 - 29.0)	1,495	

Note: 4,050 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN105: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months

			Total			Male			Female	
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	10.5	(10.0 - 11.0)	50,165	9.7	(9.1 - 10.5)	24,189	10.4	(9.9 - 11.0)	25,592
Age										
	15 or younger	9.2	(8.5 - 9.9)	21,786	9.1	(8.2 - 10.2)	10,163	8.0	(7.3 - 8.8)	11,413
	16 or 17	10.6	(10.0 - 11.1)	24,258	9.3	(8.5 - 10.1)	11,798	11.5	(10.8 - 12.4)	12,357
	18 or older	15.4	(14.0 - 16.8)	4,029	14.5	(12.7 - 16.5)	2,205	15.9	(14.1 - 18.0)	1,803
Grade										
	9th	8.6	(7.7 - 9.6)	13,498	8.9	(7.6 - 10.4)	6,459	7.7	(6.9 - 8.7)	6,977
	10th	9.1	(8.4 - 9.9)	13,177	9.1	(8.1 - 10.3)	6,369	8.3	(7.4 - 9.2)	6,734
	11th	10.4	(9.6 - 11.2)	12,273	9.5	(8.4 - 10.6)	5,847	10.8	(9.9 - 11.7)	6,367
	12th	12.5	(11.7 - 13.5)	10,520	10.4	(9.3 - 11.7)	5,189	14.2	(12.9 - 15.6)	5,289
Race/E	thnicity									
	Black*	9.3	(8.5 - 10.2)	10,289	12.4	(11.1 - 13.8)	4,832	6.3	(5.6-7.2)	5,427
	Hispanic/Latino	13.5	(12.4 - 14.8)	4,925	14.1	(12.2 - 16.1)	2,389	11.6	(10.0 - 13.6)	2,442
	White*	9.9	(9.4 - 10.4)	27,239	6.2	(5.7-6.8)	13,257	13.5	(12.7 - 14.3)	13,952
	All other races	8.6	(7.4 - 10.0)	3,444	8.1	(6.5 - 10.1)	1,699	8.2	(6.8 - 9.7)	1,710
	Multiple races	8.8	(7.6 - 10.2)	2,738	9.9	(8.1 - 12.1)	1,226	7.6	(6.1 - 9.3)	1,498

Note: 3,620 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	39.8	(38.6 - 41.0)	49,278	41.3	(40.0 - 42.6)	23,716	38.0	(36.7 - 39.4)	25,218
Age										
	15 or younger	40.1	(38.5 - 41.8)	21,414	39.7	(37.9 - 41.6)	9,982	40.1	(38.4 - 41.9)	11,247
	16 or 17	38.8	(37.4 - 40.2)	23,845	41.8	(40.3 - 43.3)	11,571	35.7	(34.1 - 37.4)	12,180
	18 or older	43.3	(41.2 - 45.5)	3,932	45.2	(42.3 - 48.1)	2,139	41.0	(38.0 - 44.2)	1,772
Grade										
	9th	40.2	(38.3 - 42.2)	13,260	39.1	(37.0 - 41.3)	6,327	41.0	(38.7 - 43.3)	6,876
	10th	40.6	(38.9 - 42.3)	12,973	42.2	(40.1 - 44.3)	6,289	38.9	(37.1 - 40.8)	6,623
	11th	39.4	(37.5 - 41.3)	12,069	42.1	(39.8 - 44.4)	5,720	36.6	(34.4 - 38.8)	6,294
	12th	38.1	(36.2 - 39.9)	10,318	41.4	(39.3 - 43.6)	5,072	34.7	(32.5 - 36.9)	5,206
Race/E	thnicity									
	Black*	55.8	(54.3 - 57.2)	10,043	56.4	(54.6 - 58.3)	4,683	55.1	(53.4 - 56.8)	5,333
	Hispanic/Latino	48.3	(46.3 - 50.3)	4,810	48.4	(45.7 - 51.0)	2,334	47.7	(45.2 - 50.2)	2,389
	White*	26.9	(26.1 - 27.8)	26,911	29.7	(28.7 - 30.7)	13,082	24.2	(23.1 - 25.3)	13,802
	All other races	34.4	(30.7 - 38.3)	3,386	37.0	(31.6 - 42.8)	1,672	31.6	(28.8 - 34.5)	1,684
	Multiple races	39.6	(37.5 - 41.8)	2,677	40.7	(37.7 - 43.7)	1,192	38.7	(35.9 - 41.5)	1,472

Note: 4,507 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	24.4	(23.5 - 25.3)	49,628	28.2	(27.0 - 29.4)	23,908	20.2	(19.4 - 21.1)	25,383
Age										
	15 or younger	24.8	(23.6 - 26.2)	21,553	27.6	(26.1 - 29.1)	10,052	21.7	(20.3 - 23.1)	11,319
	16 or 17	23.3	(22.4 - 24.4)	24,015	28.0	(26.6-29.4)	11,660	18.6	(17.6 - 19.7)	12,262
	18 or older	27.4	(25.6 - 29.4)	3,972	31.5	(28.9-34.2)	2,171	22.4	(20.1 - 25.0)	1,783
Grade										
	9th	25.2	(23.8 - 26.6)	13,370	27.9	(26.3 - 29.6)	6,394	22.0	(20.3 - 23.8)	6,921
	10th	24.6	(23.2 - 26.1)	13,063	27.6	(25.7 - 29.6)	6,323	21.2	(19.7 - 22.8)	6,672
	11th	23.2	(21.9 - 24.5)	12,126	27.6	(25.7 - 29.6)	5,754	18.7	(17.5 - 20.1)	6,321
	12th	23.2	(21.7 - 24.7)	10,403	28.7	(26.8 - 30.8)	5,123	17.7	(16.3 - 19.2)	5,246
Race/E	thnicity									
	Black*	33.4	(32.2 - 34.7)	10,153	38.7	(36.8 - 40.6)	4,741	28.6	(27.2 - 30.1)	5,385
	Hispanic/Latino	29.3	(27.2 - 31.4)	4,842	32.9	(30.3 - 35.7)	2,346	24.0	(21.7 - 26.5)	2,414
	White*	16.7	(16.1 - 17.4)	27,046	20.3	(19.3 - 21.3)	13,163	13.2	(12.5 - 13.8)	13,854
	All other races	19.7	(17.2 - 22.6)	3,415	21.7	(18.2 - 25.7)	1,688	17.4	(15.1 - 20.0)	1,695
	Multiple races	24.0	(22.1 - 25.9)	2,706	28.7	(25.7 - 32.0)	1,211	19.7	(17.6 - 22.0)	1,481

Note: 4,157 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN108: Percentage of students who say definitely yes or probably yes that smokers have shorter lives than non-smokers

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	89.0	(88.5 - 89.5)	49,697	87.7	(87.0 - 88.3)	23,913	90.7	(90.0 - 91.2)	25,432
Age										
	15 or younger	89.6	(88.9 - 90.2)	21,574	88.8	(87.9 - 89.6)	10,054	90.9	(90.1 - 91.7)	11,331
	16 or 17	89.4	(88.6 - 90.0)	24,056	87.8	(86.9 - 88.6)	11,668	91.0	(90.1 - 91.8)	12,295
	18 or older	84.8	(83.3 - 86.3)	3,977	82.9	(80.4 - 85.1)	2,170	87.6	(85.4 - 89.6)	1,787
Grade										
	9th	89.0	(88.1 - 89.9)	13,381	88.3	(87.1 - 89.4)	6,400	90.0	(88.8 - 91.0)	6,922
	10th	90.3	(89.5 - 91.0)	13,080	88.5	(87.3 - 89.6)	6,312	92.5	(91.6 - 93.2)	6,697
	11th	89.0	(88.1 - 89.9)	12,153	87.7	(86.4 - 88.8)	5,761	90.5	(89.5 - 91.5)	6,339
	12th	88.7	(87.7 - 89.6)	10,422	87.0	(85.5 - 88.4)	5,128	90.5	(89.3 - 91.6)	5,256
Race/E	thnicity									
	Black*	85.8	(84.8 - 86.8)	10,138	84.5	(83.2 - 85.7)	4,729	87.2	(85.9 - 88.4)	5,383
	Hispanic/Latino	86.2	(85.1 - 87.3)	4,872	85.7	(83.7 - 87.6)	2,354	87.4	(85.6 - 89.0)	2,424
	White*	92.2	(91.7 - 92.7)	27,082	90.7	(90.0 - 91.4)	13,177	93.7	(93.2 - 94.2)	13,876
	All other races	91.2	(89.8 - 92.3)	3,416	89.7	(87.6-91.5)	1,684	93.2	(91.5 - 94.6)	1,700
	Multiple races	88.5	(86.9 - 89.9)	2,727	87.1	(84.3 - 89.4)	1,218	89.7	(87.6 - 91.4)	1,495

Note: 4,088 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN109: Percentage of students who were taught in any of their classes about the dangers of tobacco use during the last school year

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	69.4	(68.5 - 70.2)	48,947	70.2	(69.3 - 71.2)	23,509	68.8	(67.8 - 69.8)	25,144	
Age											
	15 or younger	77.8	(76.8 - 78.8)	21,246	78.3	(77.1 - 79.4)	9,876	77.9	(76.6 - 79.1)	11,215	
	16 or 17	64.3	(63.2 - 65.3)	23,726	65.6	(64.3 - 66.9)	11,488	63.1	(61.7 - 64.4)	12,156	
	18 or older	59.0	(56.9-61.0)	3,892	60.7	(58.0-63.3)	2,124	57.3	(54.4 - 60.1)	1,755	
Grade											
	9th	79.9	(78.7 - 81.1)	13,211	80.2	(78.6 - 81.7)	6,307	79.9	(78.3 - 81.4)	6,855	
	10th	74.1	(72.7 - 75.6)	12,878	74.5	(72.8 - 76.1)	6,198	74.1	(72.3 - 75.9)	6,624	
	11th	64.8	(63.3 - 66.3)	11,980	66.1	(64.2 - 68.0)	5,669	63.7	(62.0-65.4)	6,266	
	12th	57.7	(56.1-59.2)	10,263	58.8	(56.8-60.7)	5,042	56.7	(54.7 - 58.7)	5,188	
Race/E	thnicity										
	Black*	68.8	(67.2 - 70.4)	9,937	69.8	(67.8 - 71.7)	4,627	68.0	(66.1 - 69.9)	5,286	
	Hispanic/Latino	70.5	(68.2 - 72.7)	4,744	72.9	(69.3 - 76.2)	2,289	68.6	(65.3 - 71.6)	2,379	
	White*	69.7	(68.9 - 70.6)	26,840	70.2	(69.1 - 71.2)	13,031	69.3	(68.2 - 70.5)	13,783	
	All other races	70.0	(67.2 - 72.6)	3,350	70.9	(67.6-74.0)	1,647	69.2	(65.8 - 72.3)	1,676	
	Multiple races	71.7	(69.6 - 73.6)	2,680	71.7	(68.6 - 74.6)	1,192	71.8	(69.0 - 74.4)	1,475	

Note: 4,838 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN110: Percentage of students who responded that their parents would feel it would be wrong or very wrong for them to drink beer, wine, or hard liquor (such as vodka, whiskey, or gin) at least once or twice a month

		Total				Male		Female				
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν		
	Total	70.4	(69.6 - 71.2)	49,655	69.8	(69.0 - 70.7)	23,919	71.1	(70.0 - 72.1)	25,376		
Age												
	15 or younger	75.8	(74.9 - 76.5)	21,512	75.2	(74.0 - 76.3)	10,033	76.7	(75.6 - 77.7)	11,287		
	16 or 17	67.7	(66.6 - 68.7)	24,067	67.7	(66.5 - 68.8)	11,677	67.8	(66.3 - 69.2)	12,289		
	18 or older	60.9	(58.9 - 62.8)	3,986	59.1	(56.8-61.5)	2,185	62.9	(59.9 - 65.7)	1,782		
Grade												
	9th	77.5	(76.6 - 78.5)	13,323	76.8	(75.4 - 78.1)	6,379	78.4	(77.0 - 79.6)	6,890		
	10th	72.6	(71.5 - 73.8)	13,051	72.6	(71.0 - 74.1)	6,308	73.0	(71.5 - 74.5)	6,676		
	11th	68.7	(67.6-69.9)	12,158	68.2	(66.8 - 69.6)	5,771	69.3	(67.5 - 71.1)	6,331		
	12th	62.1	(60.7 - 63.5)	10,440	60.9	(59.4 - 62.5)	5,140	63.2	(61.1 - 65.3)	5,260		
Race/E	thnicity											
	Black*	77.4	(76.3 - 78.4)	10,135	77.0	(75.6 - 78.5)	4,746	77.7	(76.4 - 79.1)	5,363		
	Hispanic/Latino	72.1	(70.3 - 73.9)	4,867	72.5	(70.0 - 74.9)	2,355	71.9	(69.5 - 74.2)	2,418		
	White*	64.5	(63.5-65.4)	27,062	63.9	(62.7-65.1)	13,165	65.1	(63.8 - 66.3)	13,865		
	All other races	75.1	(73.0 - 77.1)	3,410	73.2	(70.5 - 75.9)	1,678	77.2	(73.9 - 80.2)	1,697		
	Multiple races	69.3	(67.4 - 71.2)	2,702	68.9	(65.8 - 71.7)	1,213	70.0	(67.5 - 72.4)	1,475		

Note: 4,130 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN111: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine, or liquor) nearly every day

		Total				Male	Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	61.9	(61.1 - 62.6)	49,108	56.4	(55.4 - 57.4)	23,625	67.4	(66.5 - 68.4)	25,138
Age										
	15 or younger	63.3	(62.3 - 64.3)	21,230	59.3	(57.8 - 60.7)	9,882	67.4	(66.1 - 68.6)	11,166
	16 or 17	61.6	(60.6-62.6)	23,856	55.5	(54.2 - 56.9)	11,566	67.7	(66.3 - 69.0)	12,196
	18 or older	57.0	(54.8 - 59.2)	3,934	49.3	(46.6 - 52.1)	2,155	66.4	(63.7 - 69.0)	1,759
Grade										
	9th	63.1	(61.7 - 64.4)	13,130	59.4	(57.5 - 61.2)	6,269	67.1	(65.3 - 68.8)	6,812
	10th	61.8	(60.6 - 63.0)	12,921	56.7	(55.1 - 58.4)	6,240	66.9	(65.4 - 68.4)	6,613
	11th	63.1	(61.8 - 64.3)	12,052	57.6	(55.8 - 59.4)	5,721	68.2	(66.6 - 69.7)	6,277
	12th	60.2	(58.9-61.6)	10,344	52.2	(50.3 - 54.0)	5,088	68.2	(66.6 - 69.7)	5,216
Race/E	thnicity									
	Black*	62.5	(61.1-63.8)	10,003	57.4	(55.5 - 59.3)	4,686	67.1	(65.5 - 68.7)	5,293
	Hispanic/Latino	58.8	(57.0 - 60.5)	4,755	55.0	(52.5 - 57.5)	2,290	63.4	(60.9 - 66.0)	2,376
	White*	61.4	(60.6 - 62.3)	26,862	55.3	(54.1 - 56.5)	13,052	67.5	(66.4 - 68.7)	13,779
	All other races	69.5	(66.7 - 72.1)	3,367	64.4	(60.4 - 68.2)	1,657	74.8	(72.1 - 77.3)	1,678
	Multiple races	62.7	(60.8 - 64.6)	2,681	57.3	(54.4 - 60.2)	1,199	67.6	(65.0 - 70.0)	1,468

Note: 4,677 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN112: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	73.7	(72.9 - 74.5)	48,849	69.6	(68.6 - 70.6)	23,505	78.1	(77.2 - 79.0)	25,018	
Age											
	15 or younger	74.5	(73.5 - 75.5)	21,131	71.3	(69.9 - 72.7)	9,845	78.1	(76.8 - 79.3)	11,121	
	16 or 17	74.3	(73.2 - 75.4)	23,737	69.7	(68.3 - 71.1)	11,513	79.0	(77.7 - 80.1)	12,130	
	18 or older	67.1	(65.1-69.0)	3,893	62.0	(59.4 - 64.5)	2,127	73.5	(70.9 - 75.9)	1,749	
Grade											
	9th	73.9	(72.5 - 75.3)	13,086	71.1	(69.2 - 73.0)	6,261	77.0	(75.3 - 78.6)	6,777	
	10th	74.0	(72.7 - 75.2)	12,840	69.8	(68.1 - 71.5)	6,191	78.5	(77.1 - 79.9)	6,589	
	11th	74.9	(73.6 - 76.2)	11,968	70.7	(68.8 - 72.6)	5,681	79.0	(77.5 - 80.5)	6,240	
	12th	73.1	(71.9 - 74.4)	10,299	67.3	(65.5 - 69.0)	5,067	79.0	(77.4 - 80.4)	5,194	
Race/E	thnicity										
	Black*	70.4	(69.0 - 71.7)	9,905	65.7	(63.9-67.5)	4,637	74.8	(72.9 - 76.5)	5,244	
	Hispanic/Latino	69.1	(67.2 - 70.9)	4,724	66.6	(63.9-69.2)	2,282	72.6	(70.0 - 75.0)	2,363	
	White*	76.9	(76.2 - 77.6)	26,783	72.6	(71.5 - 73.6)	13,022	81.2	(80.4 - 82.0)	13,731	
	All other races	78.4	(76.1 - 80.4)	3,356	75.3	(71.7 - 78.5)	1,647	82.0	(79.8 - 84.0)	1,677	
	Multiple races	75.0	(73.0 - 76.9)	2,666	70.3	(67.4 - 73.0)	1,190	79.3	(76.8 - 81.6)	1,462	

Note: 4,936 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN113: Percentage of students who have an adult outside of school they can talk to about things that are important to them

		Total				Male			Female				
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν			
	Total	84.0	(83.4 - 84.5)	48,177	84.2	(83.5 - 84.8)	23,071	84.0	(83.3 - 84.7)	24,821			
Age													
	15 or younger	83.4	(82.6 - 84.2)	20,845	84.9	(83.9 - 86.0)	9,663	82.4	(81.4 - 83.4)	11,038			
	16 or 17	84.5	(83.9 - 85.2)	23,438	84.0	(83.2 - 84.8)	11,311	85.2	(84.2 - 86.1)	12,041			
	18 or older	83.4	(81.8 - 84.8)	3,818	81.7	(79.5 - 83.8)	2,077	85.5	(83.3 - 87.4)	1,724			
Grade													
	9th	83.7	(82.6 - 84.7)	12,944	84.9	(83.6 - 86.1)	6,156	82.6	(81.2 - 84.0)	6,739			
	10th	83.6	(82.6 - 84.5)	12,698	84.5	(83.1 - 85.7)	6,101	83.0	(81.6 - 84.2)	6,543			
	11th	84.4	(83.5 - 85.2)	11,812	83.9	(82.8 - 85.0)	5,572	85.1	(83.8 - 86.3)	6,196			
	12th	85.1	(84.2 - 86.0)	10,121	84.0	(82.5 - 85.3)	4,951	86.4	(85.1 - 87.6)	5,140			
Race/E	thnicity												
	Black*	82.5	(81.6 - 83.5)	9,744	83.3	(81.9 - 84.6)	4,519	81.9	(80.6 - 83.2)	5,203			
	Hispanic/Latino	76.6	(75.3 - 77.9)	4,632	76.9	(74.8 - 78.8)	2,236	76.4	(74.2 - 78.4)	2,324			
	White*	87.8	(87.4 - 88.3)	26,519	87.4	(86.7 - 88.1)	12,840	88.3	(87.6 - 89.0)	13,656			
	All other races	79.2	(77.3 - 81.0)	3,281	79.3	(76.9 - 81.5)	1,607	79.1	(76.1 - 81.8)	1,649			
	Multiple races	81.8	(80.0 - 83.5)	2,637	83.0	(80.2 - 85.4)	1,173	81.0	(78.6 - 83.2)	1,450			

Note: 5,608 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN114: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

		Total				Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν		
	Total	77.3	(76.7 - 77.9)	49,308	76.0	(75.2 - 76.7)	23,700	78.8	(77.9 - 79.6)	25,241		
Age												
	15 or younger	76.0	(75.2 - 76.8)	21,337	75.7	(74.5 - 76.8)	9,919	76.3	(75.1 - 77.4)	11,222		
	16 or 17	78.4	(77.6 - 79.1)	23,915	76.3	(75.2 - 77.4)	11,590	80.6	(79.6 - 81.5)	12,225		
	18 or older	77.7	(76.2 - 79.2)	3,967	75.3	(73.1 - 77.3)	2,169	80.8	(78.6 - 82.8)	1,776		
Grade												
	9th	75.3	(74.3 - 76.3)	13,180	75.2	(73.7 - 76.7)	6,287	75.5	(74.1 - 76.8)	6,837		
	10th	77.1	(75.9 - 78.2)	12,958	75.9	(74.4 - 77.3)	6,243	78.4	(76.8 - 79.9)	6,644		
	11th	78.3	(77.3 - 79.3)	12,089	76.3	(74.7 - 77.8)	5,739	80.3	(79.0 - 81.4)	6,295		
	12th	79.2	(78.1 - 80.3)	10,384	76.7	(75.3 - 78.1)	5,105	81.7	(80.2 - 83.1)	5,238		
Race/E	thnicity											
	Black*	75.3	(74.2 - 76.4)	10,046	74.5	(73.0 - 75.9)	4,693	76.1	(74.6 - 77.6)	5,325		
	Hispanic/Latino	71.2	(69.4 - 72.9)	4,822	70.2	(67.7-72.6)	2,333	72.2	(69.6 - 74.6)	2,399		
	White*	81.5	(81.0 - 82.1)	26,885	79.4	(78.6 - 80.2)	13,054	83.6	(82.9 - 84.3)	13,799		
	All other races	72.6	(71.2 - 74.0)	3,376	72.0	(69.4 - 74.4)	1,661	73.3	(70.8 - 75.6)	1,681		
	Multiple races	75.2	(73.3 - 77.1)	2,688	73.8	(70.7 - 76.8)	1,201	76.7	(74.1 - 79.1)	1,473		

Note: 4,477 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN115: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had during the past 12 months

		Total				Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν		
	Total	34.6	(33.9 - 35.3)	47,654	31.8	(30.9 - 32.8)	22,734	37.1	(36.1 - 38.0)	24,663		
Age												
	15 or younger	30.7	(29.7 - 31.6)	20,654	28.9	(27.5 - 30.3)	9,549	32.0	(30.7 - 33.4)	10,980		
	16 or 17	36.7	(35.7 - 37.7)	23,138	33.1	(31.8 - 34.4)	11,111	40.0	(38.8 - 41.3)	11,949		
	18 or older	40.9	(38.8 - 43.0)	3,786	37.5	(35.1-39.9)	2,055	44.6	(41.6 - 47.6)	1,716		
Grade												
	9th	30.1	(29.0 - 31.2)	12,793	29.1	(27.4 - 30.8)	6,055	30.8	(29.3 - 32.4)	6,691		
	10th	32.5	(31.1 - 33.9)	12,594	30.1	(28.3 - 31.8)	6,026	34.8	(33.1 - 36.4)	6,520		
	11th	35.7	(34.6 - 36.9)	11,659	31.9	(30.5 - 33.4)	5,480	39.2	(37.5 - 40.8)	6,143		
	12th	40.4	(39.1 - 41.6)	10,033	36.4	(34.8 - 38.1)	4,895	44.1	(42.3 - 45.8)	5,113		
Race/E	thnicity											
	Black*	36.6	(35.3 - 37.9)	9,610	36.0	(34.2 - 37.9)	4,427	37.1	(35.5 - 38.7)	5,166		
	Hispanic/Latino	34.4	(32.8 - 36.0)	4,544	32.8	(30.3 - 35.5)	2,185	35.5	(33.1-38.0)	2,292		
	White*	34.1	(33.3 - 35.0)	26,318	29.8	(28.6 - 30.9)	12,707	38.4	(37.3 - 39.5)	13,589		
	All other races	26.6	(24.2 - 29.1)	3,266	24.8	(22.3 - 27.5)	1,593	28.4	(24.9 - 32.1)	1,648		
	Multiple races	36.8	(34.7 - 38.9)	2,611	31.1	(28.2 - 34.1)	1,154	41.4	(38.2 - 44.6)	1,445		

Note: 6,131 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN116: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

		Total				Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν		
	Total	55.0	(54.2 - 55.7)	49,303	57.5	(56.6 - 58.3)	23,735	52.4	(51.3 - 53.5)	25,204		
Age												
	15 or younger	52.1	(50.9 - 53.3)	21,351	55.4	(53.9-56.9)	9,934	48.8	(47.2 - 50.3)	11,218		
	16 or 17	56.3	(55.4 - 57.2)	23,895	58.6	(57.5-59.6)	11,609	54.0	(52.8-55.2)	12,188		
	18 or older	60.6	(58.8 - 62.3)	3,970	60.4	(58.1 - 62.8)	2,168	61.1	(58.4 - 63.8)	1,780		
Grade												
	9th	52.6	(51.0 - 54.1)	13,197	55.2	(53.2 - 57.2)	6,300	49.6	(47.5 - 51.7)	6,837		
	10th	52.1	(50.8 - 53.3)	12,958	55.8	(54.1 - 57.5)	6,263	48.4	(46.5 - 50.2)	6,625		
	11th	54.9	(53.8-56.1)	12,077	57.5	(55.9-59.0)	5,736	52.5	(50.8 - 54.1)	6,284		
	12th	60.6	(59.2 - 61.9)	10,387	61.9	(60.2 - 63.6)	5,110	59.4	(57.6-61.2)	5,237		
Race/E	thnicity											
	Black*	52.6	(51.3 - 53.9)	10,032	56.9	(55.1 - 58.6)	4,695	48.7	(46.9 - 50.4)	5,310		
	Hispanic/Latino	51.7	(49.4 - 54.1)	4,804	54.0	(51.1 - 56.8)	2,324	49.1	(45.7 - 52.5)	2,389		
	White*	57.1	(56.3 - 57.9)	26,911	58.5	(57.4 - 59.5)	13,081	55.9	(54.8 - 56.9)	13,798		
	All other races	57.2	(55.3 - 59.1)	3,390	58.8	(55.8-61.7)	1,677	55.4	(52.4 - 58.4)	1,679		
	Multiple races	51.6	(49.5 - 53.7)	2,677	55.7	(52.6-58.7)	1,197	48.1	(45.3 - 50.9)	1,468		

Note: 4,482 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey

Summary Tables - Weighted Data

QN117: Percentage of students who participate in any extracurricular activities at school such as sports, band, drama, clubs, or student government

		Total				Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν		
	Total	67.4	(66.3 - 68.5)	48,294	68.0	(66.8 - 69.3)	23,133	66.8	(65.6 - 68.0)	24,906		
Age												
	15 or younger	67.7	(66.3 - 69.1)	20,920	69.4	(67.7 - 71.1)	9,699	66.1	(64.5 - 67.7)	11,099		
	16 or 17	68.2	(66.9 - 69.5)	23,436	68.0	(66.5-69.4)	11,318	68.4	(66.9 - 69.8)	12,041		
	18 or older	61.9	(59.6-64.2)	3,853	63.1	(60.0 - 66.0)	2,093	60.6	(57.5-63.6)	1,746		
Grade												
	9th	66.2	(64.5 - 67.9)	12,983	68.4	(66.3 - 70.5)	6,159	63.9	(61.9 - 65.9)	6,779		
	10th	68.1	(66.5 - 69.6)	12,734	68.5	(66.7 - 70.2)	6,127	67.7	(65.7 - 69.6)	6,561		
	11th	69.3	(67.7 - 70.9)	11,802	69.4	(67.6-71.1)	5,575	69.4	(67.3 - 71.4)	6,190		
	12th	66.3	(64.7 - 68.0)	10,180	66.2	(64.0 - 68.3)	4,981	66.6	(64.8 - 68.4)	5,173		
Race/E	thnicity											
	Black*	63.5	(62.0-64.9)	9,775	67.2	(65.3 - 69.0)	4,541	60.1	(58.3 - 61.8)	5,219		
	Hispanic/Latino	57.5	(54.6-60.3)	4,620	60.2	(56.5-63.7)	2,225	54.2	(50.9-57.6)	2,331		
	White*	71.6	(70.5 - 72.7)	26,588	69.9	(68.6 - 71.2)	12,867	73.3	(72.0 - 74.6)	13,696		
	All other races	71.8	(68.7 - 74.7)	3,312	70.3	(65.8 - 74.4)	1,626	73.3	(70.7 - 75.8)	1,665		
	Multiple races	70.7	(68.7 - 72.6)	2,641	71.4	(68.4 - 74.2)	1,172	70.3	(67.8 - 72.8)	1,456		

Note: 5,491 students were excluded from this analysis. *Non-Hispanic. N = Number of students in this subgroup.