# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN6: Percentage of students who never or rarely wore a bicycle helmet (among students who had ridden a bicycle)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 83.9 | ( 79.4 - 87.6 ) | 983 | 85.6 | ( 81.0 - 89.2 ) | 509 | 82.3 | ( 76.5 - 86.9 ) | 469 |
| **Age** | | | | | | | | | |
| 11 or younger | 78.3 | ( 68.5 - 85.7 ) | 219 | 77.4 | ( 64.4 - 86.6 ) | 102 | 80.3 | ( 67.1 - 89.1 ) | 115 |
| 12 | 82.4 | ( 77.1 - 86.7 ) | 310 | 88.1 | ( 80.2 - 93.1 ) | 154 | 76.3 | ( 68.7 - 82.5 ) | 156 |
| 13 | 85.3 | ( 80.9 - 88.7 ) | 319 | 84.5 | ( 79.1 - 88.7 ) | 170 | 87.2 | ( 81.0 - 91.5 ) | 148 |
| 14 or older | 91.8 | ( 84.8 - 95.7 ) | 130 | - | - | 82 | - | - | 47 |
| **Grade** | | | | | | | | | |
| 6th | 77.9 | ( 71.8 - 83.0 ) | 395 | 78.6 | ( 70.6 - 84.8 ) | 203 | 77.2 | ( 69.8 - 83.2 ) | 192 |
| 7th | 86.1 | ( 81.4 - 89.7 ) | 284 | 88.7 | ( 83.3 - 92.6 ) | 143 | 82.7 | ( 75.6 - 88.0 ) | 140 |
| 8th | 89.1 | ( 79.3 - 94.6 ) | 296 | 89.8 | ( 80.6 - 94.9 ) | 162 | 88.0 | ( 74.2 - 94.9 ) | 133 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 87.1 | ( 84.3 - 89.4 ) | 644 | 88.1 | ( 83.4 - 91.7 ) | 334 | 85.7 | ( 80.8 - 89.6 ) | 309 |
| Hispanic/Latino | 76.1 | ( 56.5 - 88.7 ) | 110 | - | - | 55 | - | - | 54 |
| White* | - | - | 75 | - | - | 35 | - | - | 40 |
| All other races* | - | - | 42 | - | - | 26 | - | - | 16 |
| Multiple races* | - | - | 58 | - | - | 26 | - | - | 32 |

Note: 359 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN7: Percentage of students who never or rarely wore a helmet when rollerblading or skateboarding (among students who used rollerblades or rode a skateboard)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 84.3 | ( 79.6 - 88.2 ) | 459 | 87.2 | ( 80.8 - 91.7 ) | 219 | 81.7 | ( 76.0 - 86.3 ) | 236 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 98 | - | - | 48 | - | - | 48 |
| 12 | 82.4 | ( 75.2 - 87.8 ) | 159 | - | - | 78 | - | - | 81 |
| 13 | 86.6 | ( 80.3 - 91.2 ) | 149 | - | - | 69 | - | - | 79 |
| 14 or older | - | - | 51 | - | - | 24 | - | - | 26 |
| **Grade** | | | | | | | | | |
| 6th | 80.7 | ( 73.6 - 86.2 ) | 182 | - | - | 97 | - | - | 85 |
| 7th | 84.8 | ( 76.9 - 90.3 ) | 143 | - | - | 62 | - | - | 80 |
| 8th | 87.7 | ( 77.7 - 93.6 ) | 129 | - | - | 60 | - | - | 68 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 85.8 | ( 81.2 - 89.3 ) | 288 | 87.3 | ( 80.5 - 92.0 ) | 137 | 84.1 | ( 78.5 - 88.5 ) | 150 |
| Hispanic/Latino | - | - | 52 | - | - | 29 | - | - | 23 |
| White* | - | - | 43 | - | - | 16 | - | - | 27 |
| All other races* | - | - | 23 | - | - | 13 | - | - | 10 |
| Multiple races* | - | - | 28 | - | - | 10 | - | - | 18 |

Note: 883 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN8: Percentage of students who never or rarely wore a seat belt (when riding in a car)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.7 | ( 8.5 - 13.4 ) | 1,326 | 13.5 | ( 10.2 - 17.6 ) | 633 | 7.9 | ( 5.8 - 10.5 ) | 685 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.2 | ( 6.1 - 13.6 ) | 282 | 13.9 | ( 9.6 - 19.8 ) | 128 | 5.3 | ( 2.9 - 9.6 ) | 150 |
| 12 | 8.6 | ( 6.6 - 11.2 ) | 429 | 11.4 | ( 7.5 - 16.9 ) | 196 | 6.1 | ( 4.1 - 9.1 ) | 233 |
| 13 | 12.2 | ( 8.6 - 17.1 ) | 427 | 13.2 | ( 8.4 - 20.0 ) | 206 | 11.2 | ( 8.2 - 15.1 ) | 220 |
| 14 or older | 13.6 | ( 8.4 - 21.4 ) | 181 | 17.0 | ( 9.1 - 29.7 ) | 102 | - | - | 78 |
| **Grade** | | | | | | | | | |
| 6th | 9.3 | ( 6.9 - 12.5 ) | 498 | 14.8 | ( 10.8 - 19.9 ) | 247 | 3.6 | ( 1.9 - 6.7 ) | 250 |
| 7th | 11.5 | ( 7.9 - 16.5 ) | 408 | 12.4 | ( 7.1 - 20.8 ) | 188 | 10.6 | ( 7.3 - 15.2 ) | 219 |
| 8th | 11.6 | ( 7.9 - 16.7 ) | 409 | 13.3 | ( 9.0 - 19.4 ) | 197 | 9.8 | ( 5.8 - 16.0 ) | 211 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 11.8 | ( 9.4 - 14.8 ) | 877 | 14.9 | ( 12.0 - 18.5 ) | 422 | 8.7 | ( 5.9 - 12.6 ) | 454 |
| Hispanic/Latino | 5.9 | ( 2.8 - 11.7 ) | 147 | - | - | 70 | - | - | 76 |
| White* | - | - | 96 | - | - | 42 | - | - | 54 |
| All other races* | - | - | 54 | - | - | 31 | - | - | 23 |
| Multiple races* | - | - | 79 | - | - | 30 | - | - | 49 |

Note: 16 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.6 | ( 15.0 - 18.2 ) | 1,314 | 13.0 | ( 11.2 - 15.0 ) | 629 | 20.5 | ( 17.4 - 24.0 ) | 678 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.8 | ( 6.9 - 13.9 ) | 280 | 6.3 | ( 3.1 - 12.4 ) | 127 | 13.2 | ( 8.7 - 19.6 ) | 149 |
| 12 | 16.3 | ( 12.5 - 21.1 ) | 426 | 14.6 | ( 9.9 - 20.9 ) | 194 | 17.9 | ( 13.8 - 23.0 ) | 232 |
| 13 | 19.2 | ( 15.5 - 23.6 ) | 423 | 15.5 | ( 11.4 - 20.8 ) | 206 | 23.5 | ( 16.1 - 32.9 ) | 217 |
| 14 or older | 20.5 | ( 12.9 - 31.0 ) | 178 | 11.7 | ( 5.9 - 21.8 ) | 101 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 12.5 | ( 9.7 - 16.0 ) | 498 | 11.2 | ( 7.7 - 15.9 ) | 245 | 14.0 | ( 10.0 - 19.4 ) | 252 |
| 7th | 16.9 | ( 13.0 - 21.7 ) | 403 | 12.5 | ( 8.8 - 17.5 ) | 187 | 21.8 | ( 15.7 - 29.4 ) | 214 |
| 8th | 20.9 | ( 16.5 - 26.2 ) | 404 | 15.4 | ( 11.4 - 20.5 ) | 196 | 27.0 | ( 20.5 - 34.7 ) | 207 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 16.9 | ( 15.1 - 18.7 ) | 873 | 13.3 | ( 11.2 - 15.8 ) | 419 | 20.5 | ( 17.3 - 24.2 ) | 453 |
| Hispanic/Latino | 19.0 | ( 15.3 - 23.4 ) | 146 | - | - | 70 | - | - | 75 |
| White* | - | - | 96 | - | - | 42 | - | - | 54 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 28 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN10: Percentage of students who carried a weapon (such as a gun, knife, or club)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.4 | ( 19.5 - 25.5 ) | 1,318 | 28.7 | ( 24.2 - 33.8 ) | 624 | 15.6 | ( 13.3 - 18.2 ) | 688 |
| **Age** | | | | | | | | | |
| 11 or younger | 16.0 | ( 12.3 - 20.7 ) | 280 | 23.3 | ( 16.8 - 31.3 ) | 127 | 10.0 | ( 6.2 - 15.6 ) | 150 |
| 12 | 14.5 | ( 11.1 - 18.7 ) | 425 | 23.7 | ( 15.9 - 33.9 ) | 190 | 6.4 | ( 3.9 - 10.1 ) | 235 |
| 13 | 28.5 | ( 23.8 - 33.8 ) | 426 | 30.1 | ( 22.5 - 39.0 ) | 205 | 26.3 | ( 20.7 - 32.8 ) | 220 |
| 14 or older | 33.8 | ( 27.4 - 40.9 ) | 181 | 40.8 | ( 31.7 - 50.5 ) | 101 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 13.6 | ( 10.7 - 17.2 ) | 493 | 19.4 | ( 14.8 - 25.2 ) | 241 | 7.7 | ( 5.0 - 11.8 ) | 251 |
| 7th | 24.3 | ( 18.2 - 31.6 ) | 406 | 32.6 | ( 22.2 - 45.2 ) | 186 | 15.7 | ( 12.0 - 20.3 ) | 220 |
| 8th | 29.0 | ( 25.1 - 33.1 ) | 409 | 34.3 | ( 28.1 - 41.1 ) | 196 | 22.9 | ( 18.8 - 27.6 ) | 212 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 21.8 | ( 18.5 - 25.5 ) | 875 | 27.9 | ( 22.7 - 33.7 ) | 415 | 15.4 | ( 13.2 - 18.0 ) | 459 |
| Hispanic/Latino | 22.6 | ( 17.5 - 28.8 ) | 145 | - | - | 69 | - | - | 75 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 52 | - | - | 30 | - | - | 22 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 24 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

5

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN11: Percentage of students who were in a physical fight

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 71.5 | ( 67.6 - 75.2 ) | 1,303 | 80.5 | ( 76.4 - 84.0 ) | 617 | 62.4 | ( 56.9 - 67.6 ) | 681 |
| **Age** | | | | | | | | | |
| 11 or younger | 58.9 | ( 51.3 - 66.1 ) | 278 | 77.1 | ( 70.6 - 82.5 ) | 125 | 42.9 | ( 35.1 - 51.2 ) | 150 |
| 12 | 71.3 | ( 67.2 - 75.0 ) | 418 | 77.5 | ( 72.2 - 82.1 ) | 189 | 65.7 | ( 59.7 - 71.2 ) | 229 |
| 13 | 74.9 | ( 68.0 - 80.7 ) | 423 | 82.8 | ( 77.0 - 87.3 ) | 204 | 65.9 | ( 56.1 - 74.6 ) | 219 |
| 14 or older | 80.6 | ( 74.2 - 85.6 ) | 179 | - | - | 99 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 63.2 | ( 57.3 - 68.6 ) | 487 | 76.1 | ( 69.6 - 81.6 ) | 237 | 50.4 | ( 42.4 - 58.4 ) | 249 |
| 7th | 77.2 | ( 72.3 - 81.5 ) | 402 | 82.1 | ( 75.5 - 87.2 ) | 185 | 72.0 | ( 66.9 - 76.5 ) | 216 |
| 8th | 74.4 | ( 67.1 - 80.5 ) | 406 | 83.6 | ( 77.2 - 88.5 ) | 194 | 64.6 | ( 53.8 - 74.1 ) | 211 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 74.1 | ( 71.4 - 76.6 ) | 865 | 82.1 | ( 77.9 - 85.7 ) | 408 | 66.0 | ( 61.6 - 70.1 ) | 456 |
| Hispanic/Latino | 56.5 | ( 44.1 - 68.1 ) | 143 | - | - | 70 | - | - | 72 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 52 | - | - | 31 | - | - | 21 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 39 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN12: Percentage of students who were injured in a physical fight (injuries had to be treated by a doctor or nurse)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.0 | ( 8.1 - 12.4 ) | 1,299 | 11.3 | ( 8.4 - 15.2 ) | 615 | 8.6 | ( 6.9 - 10.6 ) | 679 |
| **Age** | | | | | | | | | |
| 11 or younger | 6.7 | ( 3.7 - 11.8 ) | 276 | 6.2 | ( 2.3 - 15.7 ) | 124 | 6.2 | ( 3.6 - 10.4 ) | 149 |
| 12 | 8.5 | ( 5.8 - 12.4 ) | 421 | 7.0 | ( 3.5 - 13.4 ) | 189 | 9.9 | ( 7.0 - 13.9 ) | 232 |
| 13 | 11.7 | ( 7.7 - 17.2 ) | 419 | 14.8 | ( 9.8 - 21.6 ) | 203 | 8.1 | ( 4.7 - 13.5 ) | 216 |
| 14 or older | 14.4 | ( 9.7 - 20.8 ) | 179 | - | - | 99 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 7.7 | ( 5.1 - 11.4 ) | 487 | 8.2 | ( 4.4 - 14.8 ) | 237 | 7.2 | ( 4.9 - 10.5 ) | 249 |
| 7th | 10.3 | ( 8.0 - 13.1 ) | 400 | 8.6 | ( 5.9 - 12.5 ) | 184 | 12.1 | ( 8.8 - 16.5 ) | 215 |
| 8th | 12.1 | ( 9.9 - 14.8 ) | 404 | 17.5 | ( 13.3 - 22.8 ) | 193 | 6.6 | ( 4.4 - 9.6 ) | 210 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 10.6 | ( 8.6 - 13.0 ) | 864 | 11.6 | ( 8.5 - 15.6 ) | 410 | 9.6 | ( 8.0 - 11.4 ) | 453 |
| Hispanic/Latino | 8.2 | ( 3.8 - 16.8 ) | 146 | - | - | 70 | - | - | 75 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 79 | - | - | 30 | - | - | 49 |

Note: 43 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN13: Percentage of students who were bullied on school property

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 35.3 | ( 31.2 - 39.6 ) | 1,297 | 29.0 | ( 24.8 - 33.5 ) | 619 | 42.0 | ( 36.8 - 47.4 ) | 675 |
| **Age** | | | | | | | | | |
| 11 or younger | 39.4 | ( 34.3 - 44.8 ) | 272 | 33.6 | ( 27.4 - 40.5 ) | 126 | 44.4 | ( 38.9 - 50.1 ) | 145 |
| 12 | 37.0 | ( 32.8 - 41.3 ) | 421 | 31.8 | ( 26.0 - 38.2 ) | 191 | 41.6 | ( 35.1 - 48.5 ) | 230 |
| 13 | 32.5 | ( 25.3 - 40.5 ) | 421 | 27.3 | ( 20.4 - 35.5 ) | 202 | 38.3 | ( 29.9 - 47.5 ) | 219 |
| 14 or older | 33.1 | ( 25.2 - 42.2 ) | 177 | - | - | 99 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 40.5 | ( 36.8 - 44.4 ) | 484 | 33.7 | ( 28.9 - 38.8 ) | 240 | 47.6 | ( 43.8 - 51.4 ) | 244 |
| 7th | 30.5 | ( 23.8 - 38.1 ) | 405 | 26.8 | ( 19.3 - 36.0 ) | 188 | 34.6 | ( 25.8 - 44.6 ) | 216 |
| 8th | 34.9 | ( 28.0 - 42.6 ) | 401 | 26.2 | ( 19.3 - 34.5 ) | 190 | 44.1 | ( 36.3 - 52.3 ) | 210 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 32.8 | ( 28.3 - 37.8 ) | 860 | 26.7 | ( 22.2 - 31.8 ) | 409 | 39.1 | ( 32.7 - 45.9 ) | 450 |
| Hispanic/Latino | 44.9 | ( 37.0 - 53.2 ) | 146 | - | - | 70 | - | - | 75 |
| White* | - | - | 95 | - | - | 42 | - | - | 53 |
| All other races* | - | - | 52 | - | - | 30 | - | - | 22 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 45 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN14: Percentage of students who were electronically bullied (including through e-mail, chat rooms, instant messaging, web sites, or texting)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.8 | ( 11.6 - 16.4 ) | 1,324 | 9.2 | ( 7.1 - 11.8 ) | 631 | 18.7 | ( 14.0 - 24.5 ) | 689 |
| **Age** | | | | | | | | | |
| 11 or younger | 14.3 | ( 11.8 - 17.1 ) | 280 | 9.3 | ( 5.3 - 16.0 ) | 129 | 18.4 | ( 14.2 - 23.5 ) | 150 |
| 12 | 14.4 | ( 10.1 - 20.1 ) | 427 | 10.8 | ( 5.9 - 18.9 ) | 193 | 17.6 | ( 11.5 - 26.1 ) | 234 |
| 13 | 13.4 | ( 10.3 - 17.2 ) | 429 | 8.7 | ( 4.8 - 15.4 ) | 207 | 18.7 | ( 12.0 - 28.1 ) | 221 |
| 14 or older | 13.5 | ( 11.0 - 16.6 ) | 183 | 6.9 | ( 3.3 - 14.0 ) | 102 | - | - | 80 |
| **Grade** | | | | | | | | | |
| 6th | 14.8 | ( 12.6 - 17.2 ) | 494 | 10.6 | ( 7.4 - 15.0 ) | 244 | 19.1 | ( 15.3 - 23.6 ) | 250 |
| 7th | 12.0 | ( 8.3 - 17.0 ) | 409 | 10.9 | ( 7.8 - 15.0 ) | 188 | 13.1 | ( 7.0 - 23.3 ) | 220 |
| 8th | 14.8 | ( 11.3 - 19.1 ) | 413 | 5.9 | ( 3.0 - 11.0 ) | 198 | 24.3 | ( 17.8 - 32.1 ) | 214 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 12.8 | ( 10.3 - 15.8 ) | 881 | 9.8 | ( 7.3 - 12.9 ) | 421 | 16.0 | ( 11.2 - 22.2 ) | 459 |
| Hispanic/Latino | 17.8 | ( 14.0 - 22.3 ) | 148 | - | - | 71 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 79 | - | - | 30 | - | - | 49 |

Note: 18 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN15: Percentage of students who seriously thought about killing themselves

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.3 | ( 20.1 - 26.9 ) | 1,302 | 15.3 | ( 13.2 - 17.7 ) | 619 | 31.6 | ( 27.4 - 36.1 ) | 677 |
| **Age** | | | | | | | | | |
| 11 or younger | 16.9 | ( 11.7 - 24.0 ) | 278 | 14.7 | ( 9.1 - 22.8 ) | 127 | 19.3 | ( 13.2 - 27.3 ) | 148 |
| 12 | 21.8 | ( 18.1 - 26.1 ) | 425 | 16.0 | ( 11.7 - 21.5 ) | 192 | 27.0 | ( 20.3 - 35.0 ) | 233 |
| 13 | 26.0 | ( 21.8 - 30.6 ) | 418 | 13.9 | ( 10.7 - 18.0 ) | 200 | 38.8 | ( 33.4 - 44.6 ) | 217 |
| 14 or older | 28.9 | ( 22.6 - 36.2 ) | 176 | - | - | 99 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 19.7 | ( 15.5 - 24.7 ) | 494 | 16.6 | ( 12.4 - 21.8 ) | 244 | 23.1 | ( 17.6 - 29.6 ) | 249 |
| 7th | 20.2 | ( 16.0 - 25.2 ) | 399 | 11.3 | ( 7.4 - 17.1 ) | 182 | 29.4 | ( 21.9 - 38.1 ) | 216 |
| 8th | 29.9 | ( 24.2 - 36.4 ) | 400 | 18.1 | ( 13.0 - 24.5 ) | 192 | 42.6 | ( 34.8 - 50.9 ) | 207 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 23.0 | ( 19.6 - 26.8 ) | 864 | 16.1 | ( 13.5 - 19.1 ) | 410 | 30.1 | ( 25.5 - 35.1 ) | 453 |
| Hispanic/Latino | 28.0 | ( 23.0 - 33.6 ) | 144 | - | - | 69 | - | - | 74 |
| White* | - | - | 97 | - | - | 43 | - | - | 54 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 76 | - | - | 30 | - | - | 46 |

Note: 40 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN19: Percentage of students who smoked a whole cigarette before age 11 years (for the first time)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.2 | ( 3.1 - 5.6 ) | 1,280 | 4.4 | ( 3.4 - 5.8 ) | 608 | 3.4 | ( 2.3 - 4.9 ) | 666 |
| **Age** | | | | | | | | | |
| 11 or younger | 4.7 | ( 3.1 - 7.2 ) | 269 | 2.8 | ( 1.1 - 6.8 ) | 124 | 4.6 | ( 3.1 - 6.9 ) | 141 |
| 12 | 3.3 | ( 2.1 - 5.1 ) | 409 | 4.3 | ( 2.7 - 6.6 ) | 184 | 2.5 | ( 0.9 - 6.9 ) | 225 |
| 13 | 4.4 | ( 2.4 - 8.0 ) | 422 | 4.5 | ( 2.3 - 8.5 ) | 201 | 3.8 | ( 1.7 - 8.0 ) | 220 |
| 14 or older | 4.3 | ( 1.7 - 10.7 ) | 176 | - | - | 99 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 4.8 | ( 3.8 - 5.9 ) | 474 | 4.9 | ( 3.0 - 7.9 ) | 234 | 4.6 | ( 3.1 - 6.9 ) | 239 |
| 7th | 2.2 | ( 0.8 - 6.0 ) | 391 | 2.2 | ( 0.6 - 7.9 ) | 179 | 2.2 | ( 0.9 - 5.0 ) | 212 |
| 8th | 4.5 | ( 3.0 - 6.7 ) | 404 | 6.3 | ( 3.9 - 9.9 ) | 194 | 2.8 | ( 1.4 - 5.5 ) | 210 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 3.7 | ( 2.7 - 5.0 ) | 849 | 3.9 | ( 2.6 - 5.8 ) | 405 | 3.4 | ( 2.1 - 5.4 ) | 444 |
| Hispanic/Latino | 5.3 | ( 2.1 - 12.8 ) | 140 | - | - | 68 | - | - | 71 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 62 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN20: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.0 | ( 3.2 - 5.0 ) | 1,255 | 3.9 | ( 2.7 - 5.4 ) | 593 | 3.7 | ( 2.6 - 5.4 ) | 657 |
| **Age** | | | | | | | | | |
| 11 or younger | 2.7 | ( 1.1 - 6.5 ) | 271 | 1.1 | ( 0.3 - 4.0 ) | 120 | 2.2 | ( 0.6 - 7.1 ) | 147 |
| 12 | 3.1 | ( 1.9 - 4.9 ) | 393 | 4.6 | ( 2.7 - 7.9 ) | 178 | 1.7 | ( 0.5 - 5.3 ) | 215 |
| 13 | 3.5 | ( 2.0 - 6.0 ) | 415 | 2.6 | ( 1.2 - 5.3 ) | 198 | 4.6 | ( 2.2 - 9.2 ) | 217 |
| 14 or older | 8.1 | ( 5.0 - 12.9 ) | 171 | - | - | 97 | - | - | 74 |
| **Grade** | | | | | | | | | |
| 6th | 3.4 | ( 2.3 - 5.1 ) | 476 | 4.5 | ( 2.6 - 7.7 ) | 231 | 2.4 | ( 1.0 - 5.5 ) | 244 |
| 7th | 3.2 | ( 1.7 - 6.3 ) | 379 | 4.0 | ( 1.6 - 9.4 ) | 174 | 1.8 | ( 0.6 - 5.0 ) | 204 |
| 8th | 4.8 | ( 3.7 - 6.2 ) | 391 | 3.1 | ( 1.5 - 6.2 ) | 187 | 6.6 | ( 4.1 - 10.5 ) | 204 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 3.5 | ( 2.6 - 4.8 ) | 825 | 3.3 | ( 2.0 - 5.4 ) | 394 | 3.8 | ( 2.5 - 5.7 ) | 431 |
| Hispanic/Latino | 5.8 | ( 3.0 - 11.1 ) | 142 | - | - | 67 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 87 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.4 | ( 0.2 - 0.8 ) | 1,255 | 0.3 | ( 0.1 - 1.1 ) | 593 | 0.1 | ( 0.0 - 0.9 ) | 657 |
| **Age** | | | | | | | | | |
| 11 or younger | 1.1 | ( 0.3 - 3.9 ) | 271 | 0.2 | ( 0.0 - 1.1 ) | 120 | 0.0 | - | 147 |
| 12 | 0.3 | ( 0.0 - 2.1 ) | 393 | 0.6 | ( 0.1 - 4.4 ) | 178 | 0.0 | - | 215 |
| 13 | 0.2 | ( 0.0 - 1.3 ) | 415 | 0.0 | - | 198 | 0.4 | ( 0.1 - 2.6 ) | 217 |
| 14 or older | 0.1 | ( 0.0 - 0.8 ) | 171 | - | - | 97 | - | - | 74 |
| **Grade** | | | | | | | | | |
| 6th | 0.3 | ( 0.1 - 1.8 ) | 476 | 0.6 | ( 0.1 - 3.7 ) | 231 | 0.0 | - | 244 |
| 7th | 0.3 | ( 0.0 - 2.4 ) | 379 | 0.0 | - | 174 | 0.0 | - | 204 |
| 8th | 0.2 | ( 0.1 - 1.2 ) | 391 | 0.1 | ( 0.0 - 0.7 ) | 187 | 0.4 | ( 0.1 - 2.6 ) | 204 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 0.1 | ( 0.0 - 0.8 ) | 825 | 0.2 | ( 0.0 - 1.7 ) | 394 | 0.0 | - | 431 |
| Hispanic/Latino | 0.0 | - | 142 | - | - | 67 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 87 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.2 | ( 0.1 - 0.3 ) | 1,255 | 0.3 | ( 0.1 - 1.1 ) | 593 | 0.1 | ( 0.0 - 0.9 ) | 657 |
| **Age** | | | | | | | | | |
| 11 or younger | 0.1 | ( 0.0 - 0.5 ) | 271 | 0.2 | ( 0.0 - 1.1 ) | 120 | 0.0 | - | 147 |
| 12 | 0.3 | ( 0.0 - 2.1 ) | 393 | 0.6 | ( 0.1 - 4.4 ) | 178 | 0.0 | - | 215 |
| 13 | 0.2 | ( 0.0 - 1.3 ) | 415 | 0.0 | - | 198 | 0.4 | ( 0.1 - 2.6 ) | 217 |
| 14 or older | 0.1 | ( 0.0 - 0.8 ) | 171 | - | - | 97 | - | - | 74 |
| **Grade** | | | | | | | | | |
| 6th | 0.3 | ( 0.1 - 1.8 ) | 476 | 0.6 | ( 0.1 - 3.7 ) | 231 | 0.0 | - | 244 |
| 7th | 0.0 | - | 379 | 0.0 | - | 174 | 0.0 | - | 204 |
| 8th | 0.2 | ( 0.1 - 1.2 ) | 391 | 0.1 | ( 0.0 - 0.7 ) | 187 | 0.4 | ( 0.1 - 2.6 ) | 204 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 0.1 | ( 0.0 - 0.8 ) | 825 | 0.2 | ( 0.0 - 1.7 ) | 394 | 0.0 | - | 431 |
| Hispanic/Latino | 0.0 | - | 142 | - | - | 67 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 78 | - | - | 30 | - | - | 48 |

Note: 87 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

14

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN22: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey, among the students who currently smoked cigarettes)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 43 | - | - | 22 | - | - | 19 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 6 | - | - | 2 | - | - | 2 |
| 12 | - | - | 10 | - | - | 7 | - | - | 3 |
| 13 | - | - | 15 | - | - | 5 | - | - | 10 |
| 14 or older | - | - | 11 | - | - | 8 | - | - | 3 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 11 | - | - | 8 | - | - | 3 |
| 7th | - | - | 14 | - | - | 8 | - | - | 5 |
| 8th | - | - | 16 | - | - | 6 | - | - | 10 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | - | - | 23 | - | - | 10 | - | - | 13 |
| Hispanic/Latino | - | - | 6 | - | - | 5 | - | - | 1 |
| White* | - | - | 4 | - | - | 2 | - | - | 2 |
| All other races* | - | - | 2 | - | - | 1 | - | - | 1 |
| Multiple races* | - | - | 4 | - | - | 3 | - | - | 1 |

Note: 1,299 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN23: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.6 | ( 2.0 - 6.4 ) | 1,298 | 4.6 | ( 2.5 - 8.3 ) | 615 | 2.2 | ( 0.9 - 5.5 ) | 675 |
| **Age** | | | | | | | | | |
| 11 or younger | 3.2 | ( 2.0 - 5.2 ) | 282 | 3.2 | ( 1.2 - 8.1 ) | 128 | 1.4 | ( 0.4 - 5.4 ) | 149 |
| 12 | 3.3 | ( 1.4 - 7.6 ) | 414 | 5.6 | ( 2.3 - 12.8 ) | 187 | 1.2 | ( 0.3 - 4.2 ) | 227 |
| 13 | 4.1 | ( 1.9 - 8.3 ) | 419 | 4.7 | ( 2.1 - 10.0 ) | 201 | 3.4 | ( 1.3 - 8.7 ) | 217 |
| 14 or older | 3.3 | ( 1.3 - 8.4 ) | 178 | - | - | 98 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 3.3 | ( 1.6 - 6.7 ) | 491 | 5.2 | ( 2.2 - 11.7 ) | 241 | 1.3 | ( 0.3 - 5.2 ) | 249 |
| 7th | 4.7 | ( 2.1 - 10.0 ) | 395 | 6.1 | ( 2.6 - 13.8 ) | 181 | 3.2 | ( 1.3 - 7.8 ) | 213 |
| 8th | 2.4 | ( 0.9 - 6.3 ) | 402 | 2.5 | ( 0.7 - 8.5 ) | 192 | 2.3 | ( 0.8 - 6.1 ) | 209 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 3.5 | ( 1.8 - 6.8 ) | 856 | 4.5 | ( 2.3 - 8.6 ) | 409 | 2.5 | ( 0.9 - 6.6 ) | 446 |
| Hispanic/Latino | 5.2 | ( 1.8 - 14.0 ) | 147 | - | - | 70 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 55 | - | - | 32 | - | - | 23 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 44 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN24: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.0 | ( 5.2 - 9.4 ) | 1,286 | 7.8 | ( 5.9 - 10.3 ) | 609 | 5.6 | ( 3.6 - 8.7 ) | 669 |
| **Age** | | | | | | | | | |
| 11 or younger | 4.9 | ( 2.8 - 8.3 ) | 280 | 5.1 | ( 1.9 - 12.8 ) | 128 | 2.9 | ( 1.3 - 6.2 ) | 147 |
| 12 | 6.2 | ( 3.9 - 9.5 ) | 409 | 8.8 | ( 4.6 - 15.9 ) | 184 | 3.8 | ( 2.3 - 6.3 ) | 225 |
| 13 | 7.1 | ( 4.5 - 11.1 ) | 417 | 6.4 | ( 3.6 - 11.1 ) | 198 | 7.3 | ( 3.8 - 13.6 ) | 218 |
| 14 or older | 11.6 | ( 8.2 - 16.1 ) | 175 | - | - | 98 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 5.9 | ( 3.9 - 9.0 ) | 487 | 8.1 | ( 4.7 - 13.6 ) | 239 | 3.7 | ( 1.9 - 7.1 ) | 247 |
| 7th | 6.4 | ( 3.5 - 11.6 ) | 390 | 7.8 | ( 3.8 - 15.4 ) | 178 | 4.4 | ( 2.2 - 8.5 ) | 211 |
| 8th | 8.3 | ( 5.6 - 12.1 ) | 399 | 7.6 | ( 4.7 - 12.1 ) | 191 | 9.1 | ( 4.6 - 17.0 ) | 207 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 6.8 | ( 5.0 - 9.2 ) | 847 | 7.6 | ( 5.8 - 10.0 ) | 405 | 5.9 | ( 3.7 - 9.5 ) | 441 |
| Hispanic/Latino | 7.9 | ( 3.3 - 17.8 ) | 146 | - | - | 69 | - | - | 76 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 56 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN25: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

| | Total Percentage | Total 95% confidence interval | Total N | Male Percentage | Male 95% confidence interval | Male N | Female Percentage | Female 95% confidence interval | Female N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 17.7 | ( 15.0 - 20.8 ) | 1,222 | 17.3 | ( 13.3 - 22.0 ) | 581 | 18.0 | ( 14.3 - 22.5 ) | 638 |
| **Age** | | | | | | | | | |
| 11 or younger | 10.0 | ( 6.7 - 14.7 ) | 265 | 13.3 | ( 8.7 - 19.9 ) | 121 | 7.1 | ( 3.2 - 15.0 ) | 143 |
| 12 | 20.4 | ( 17.1 - 24.2 ) | 394 | 22.5 | ( 14.7 - 33.0 ) | 180 | 18.5 | ( 13.2 - 25.1 ) | 214 |
| 13 | 19.5 | ( 15.5 - 24.2 ) | 397 | 15.8 | ( 10.8 - 22.6 ) | 190 | 23.6 | ( 18.4 - 29.7 ) | 207 |
| 14 or older | 18.1 | ( 12.0 - 26.3 ) | 161 | - | - | 89 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 15.4 | ( 11.6 - 20.2 ) | 468 | 21.2 | ( 14.9 - 29.1 ) | 231 | 9.3 | ( 5.8 - 14.6 ) | 237 |
| 7th | 19.8 | ( 15.5 - 24.9 ) | 372 | 15.8 | ( 10.9 - 22.3 ) | 171 | 24.0 | ( 17.0 - 32.6 ) | 201 |
| 8th | 18.1 | ( 13.5 - 23.9 ) | 376 | 14.4 | ( 8.6 - 23.2 ) | 178 | 21.4 | ( 16.2 - 27.8 ) | 197 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 16.4 | ( 14.5 - 18.4 ) | 805 | 16.5 | ( 12.4 - 21.5 ) | 386 | 16.0 | ( 11.6 - 21.7 ) | 418 |
| Hispanic/Latino | 19.8 | ( 15.4 - 25.2 ) | 141 | - | - | 67 | - | - | 73 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 73 | - | - | 27 | - | - | 46 |

Note: 120 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN26: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

| | Total Percentage | Total 95% confidence interval | Total N | Male Percentage | Male 95% confidence interval | Male N | Female Percentage | Female 95% confidence interval | Female N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 9.0 | ( 7.1 - 11.4 ) | 1,238 | 8.5 | ( 6.2 - 11.7 ) | 590 | 9.0 | ( 6.3 - 12.7 ) | 642 |
| **Age** | | | | | | | | | |
| 11 or younger | 6.0 | ( 3.4 - 10.6 ) | 274 | 5.7 | ( 2.4 - 13.2 ) | 123 | 3.5 | ( 1.3 - 9.0 ) | 147 |
| 12 | 9.5 | ( 7.2 - 12.4 ) | 397 | 10.8 | ( 6.7 - 16.8 ) | 183 | 8.2 | ( 4.2 - 15.2 ) | 214 |
| 13 | 10.4 | ( 7.8 - 13.7 ) | 399 | 8.8 | ( 5.2 - 14.4 ) | 193 | 12.2 | ( 8.7 - 16.8 ) | 206 |
| 14 or older | 9.1 | ( 4.9 - 16.3 ) | 164 | - | - | 90 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 6.9 | ( 4.7 - 9.9 ) | 474 | 10.2 | ( 6.6 - 15.4 ) | 234 | 3.4 | ( 1.6 - 7.2 ) | 240 |
| 7th | 11.7 | ( 8.0 - 16.8 ) | 377 | 9.2 | ( 6.6 - 12.7 ) | 175 | 13.7 | ( 7.7 - 23.2 ) | 201 |
| 8th | 8.1 | ( 5.0 - 13.0 ) | 379 | 5.9 | ( 2.6 - 13.1 ) | 180 | 10.5 | ( 6.7 - 16.0 ) | 198 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.3 | ( 6.2 - 11.0 ) | 813 | 7.9 | ( 5.4 - 11.4 ) | 392 | 8.7 | ( 5.2 - 14.3 ) | 420 |
| Hispanic/Latino | 10.8 | ( 6.0 - 18.6 ) | 141 | - | - | 67 | - | - | 73 |
| White* | - | - | 96 | - | - | 42 | - | - | 54 |
| All other races* | - | - | 52 | - | - | 31 | - | - | 21 |
| Multiple races* | - | - | 73 | - | - | 27 | - | - | 46 |

Note: 104 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.3 | ( 13.4 - 19.6 ) | 1,202 | 17.0 | ( 13.8 - 20.8 ) | 573 | 14.8 | ( 10.7 - 20.1 ) | 623 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.6 | ( 6.0 - 15.1 ) | 265 | 11.6 | ( 6.1 - 21.0 ) | 119 | 5.1 | ( 2.2 - 11.0 ) | 142 |
| 12 | 17.0 | ( 13.1 - 21.8 ) | 373 | 21.3 | ( 14.7 - 30.0 ) | 171 | 12.7 | ( 8.0 - 19.6 ) | 202 |
| 13 | 16.4 | ( 12.5 - 21.3 ) | 396 | 14.1 | ( 9.1 - 21.2 ) | 190 | 18.4 | ( 12.2 - 26.7 ) | 205 |
| 14 or older | 22.7 | ( 17.9 - 28.3 ) | 163 | - | - | 92 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 13.4 | ( 9.6 - 18.4 ) | 455 | 20.0 | ( 13.8 - 28.1 ) | 223 | 6.5 | ( 4.0 - 10.5 ) | 232 |
| 7th | 17.5 | ( 11.6 - 25.6 ) | 363 | 16.3 | ( 10.4 - 24.6 ) | 169 | 18.2 | ( 9.7 - 31.7 ) | 193 |
| 8th | 17.1 | ( 13.0 - 22.1 ) | 374 | 14.5 | ( 9.5 - 21.6 ) | 180 | 19.8 | ( 13.1 - 28.9 ) | 194 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 16.1 | ( 13.1 - 19.7 ) | 787 | 16.7 | ( 13.3 - 20.9 ) | 382 | 15.4 | ( 10.4 - 22.4 ) | 405 |
| Hispanic/Latino | 13.4 | ( 7.0 - 24.1 ) | 137 | - | - | 64 | - | - | 72 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 48 | - | - | 29 | - | - | 19 |
| Multiple races* | - | - | 72 | - | - | 27 | - | - | 45 |

Note: 140 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | **Total** | | | **Male** | | | **Female** | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.1 | ( 7.5 - 13.4 ) | 1,244 | 11.3 | ( 8.3 - 15.3 ) | 589 | 8.1 | ( 5.5 - 11.8 ) | 648 |
| **Age** | | | | | | | | | |
| 11 or younger | 6.6 | ( 4.2 - 10.2 ) | 271 | 7.5 | ( 3.4 - 15.9 ) | 122 | 2.9 | ( 1.3 - 6.4 ) | 144 |
| 12 | 9.0 | ( 5.6 - 14.2 ) | 386 | 13.5 | ( 7.4 - 23.4 ) | 176 | 4.9 | ( 3.2 - 7.4 ) | 210 |
| 13 | 9.7 | ( 6.4 - 14.4 ) | 411 | 8.2 | ( 4.7 - 14.0 ) | 194 | 10.7 | ( 6.1 - 18.1 ) | 216 |
| 14 or older | 17.1 | ( 11.6 - 24.5 ) | 170 | - | - | 96 | - | - | 74 |
| **Grade** | | | | | | | | | |
| 6th | 8.4 | ( 5.7 - 12.2 ) | 471 | 12.6 | ( 7.9 - 19.6 ) | 231 | 4.0 | ( 2.2 - 7.4 ) | 239 |
| 7th | 9.3 | ( 5.0 - 16.7 ) | 373 | 11.0 | ( 5.3 - 21.6 ) | 171 | 6.9 | ( 3.6 - 13.0 ) | 201 |
| 8th | 11.6 | ( 8.3 - 16.1 ) | 389 | 10.3 | ( 5.9 - 17.2 ) | 186 | 13.1 | ( 7.8 - 21.2 ) | 203 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 10.2 | ( 7.7 - 13.4 ) | 817 | 11.4 | ( 8.4 - 15.4 ) | 393 | 8.9 | ( 6.0 - 13.1 ) | 424 |
| Hispanic/Latino | 8.8 | ( 3.5 - 20.2 ) | 141 | - | - | 66 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 98 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.7 | ( 6.8 - 11.1 ) | 1,236 | 9.5 | ( 7.3 - 12.3 ) | 583 | 7.3 | ( 5.2 - 10.3 ) | 647 |
| **Age** | | | | | | | | | |
| 11 or younger | 5.3 | ( 3.0 - 9.1 ) | 268 | 5.8 | ( 2.2 - 14.6 ) | 120 | 2.9 | ( 1.3 - 6.4 ) | 144 |
| 12 | 7.9 | ( 5.1 - 11.9 ) | 383 | 11.1 | ( 6.2 - 19.3 ) | 173 | 4.9 | ( 3.2 - 7.4 ) | 210 |
| 13 | 8.3 | ( 5.6 - 12.0 ) | 411 | 7.0 | ( 4.0 - 11.8 ) | 194 | 9.1 | ( 5.0 - 15.8 ) | 216 |
| 14 or older | 15.7 | ( 10.8 - 22.4 ) | 169 | - | - | 96 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 7.1 | ( 4.8 - 10.3 ) | 466 | 10.1 | ( 6.5 - 15.5 ) | 226 | 4.0 | ( 2.2 - 7.4 ) | 239 |
| 7th | 7.5 | ( 4.1 - 13.1 ) | 371 | 9.0 | ( 4.5 - 17.3 ) | 169 | 5.2 | ( 2.9 - 9.2 ) | 201 |
| 8th | 11.0 | ( 8.2 - 14.5 ) | 389 | 9.5 | ( 5.8 - 15.1 ) | 187 | 12.5 | ( 7.7 - 19.6 ) | 202 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.7 | ( 6.9 - 10.9 ) | 811 | 9.4 | ( 7.2 - 12.1 ) | 388 | 8.0 | ( 5.6 - 11.3 ) | 423 |
| Hispanic/Latino | 8.8 | ( 3.5 - 20.2 ) | 141 | - | - | 66 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 106 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

---

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 87.5 | ( 85.4 - 89.4 ) | 1,158 | 87.4 | ( 84.7 - 89.7 ) | 546 | 88.0 | ( 84.6 - 90.7 ) | 608 |
| **Age** | | | | | | | | | |
| 11 or younger | 93.4 | ( 86.5 - 96.9 ) | 257 | 93.0 | ( 83.8 - 97.1 ) | 113 | 95.7 | ( 88.8 - 98.4 ) | 141 |
| 12 | 86.5 | ( 83.0 - 89.5 ) | 359 | 83.4 | ( 75.9 - 88.9 ) | 162 | 89.5 | ( 84.8 - 92.9 ) | 197 |
| 13 | 87.1 | ( 83.9 - 89.7 ) | 384 | 90.3 | ( 86.8 - 92.9 ) | 182 | 83.6 | ( 75.9 - 89.1 ) | 202 |
| 14 or older | 82.3 | ( 76.9 - 86.6 ) | 155 | - | - | 89 | - | - | 66 |
| **Grade** | | | | | | | | | |
| 6th | 89.9 | ( 85.3 - 93.1 ) | 440 | 85.2 | ( 78.8 - 89.8 ) | 211 | 94.5 | ( 90.9 - 96.8 ) | 229 |
| 7th | 85.8 | ( 79.2 - 90.6 ) | 351 | 88.0 | ( 81.6 - 92.4 ) | 161 | 84.2 | ( 74.1 - 90.8 ) | 189 |
| 8th | 86.8 | ( 82.3 - 90.3 ) | 360 | 89.2 | ( 82.9 - 93.4 ) | 173 | 84.3 | ( 74.5 - 90.8 ) | 187 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 87.9 | ( 85.7 - 89.7 ) | 753 | 87.8 | ( 84.6 - 90.5 ) | 361 | 87.9 | ( 83.8 - 91.1 ) | 392 |
| Hispanic/Latino | 87.9 | ( 79.5 - 93.1 ) | 135 | - | - | 63 | - | - | 71 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 46 | - | - | 28 | - | - | 18 |
| Multiple races* | - | - | 72 | - | - | 27 | - | - | 45 |

Note: 184 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 92.5 | ( 90.4 - 94.1 ) | 1,214 | 91.7 | ( 88.8 - 94.0 ) | 570 | 93.6 | ( 91.2 - 95.3 ) | 639 |
| **Age** | | | | | | | | | |
| 11 or younger | 95.4 | ( 90.4 - 97.9 ) | 265 | 94.9 | ( 85.2 - 98.4 ) | 118 | 97.8 | ( 92.8 - 99.3 ) | 143 |
| 12 | 93.0 | ( 88.8 - 95.7 ) | 378 | 90.5 | ( 82.1 - 95.2 ) | 169 | 95.2 | ( 92.5 - 97.0 ) | 209 |
| 13 | 92.5 | ( 89.3 - 94.8 ) | 403 | 94.5 | ( 90.0 - 97.0 ) | 189 | 90.4 | ( 83.8 - 94.5 ) | 214 |
| 14 or older | 86.8 | ( 80.3 - 91.4 ) | 164 | - | - | 94 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 93.9 | ( 90.9 - 95.9 ) | 461 | 91.3 | ( 87.3 - 94.1 ) | 222 | 96.4 | ( 92.4 - 98.3 ) | 238 |
| 7th | 92.1 | ( 85.5 - 95.8 ) | 367 | 91.6 | ( 82.6 - 96.2 ) | 166 | 93.1 | ( 87.1 - 96.5 ) | 200 |
| 8th | 91.5 | ( 88.6 - 93.7 ) | 378 | 92.3 | ( 86.8 - 95.6 ) | 181 | 90.7 | ( 84.2 - 94.7 ) | 197 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 92.3 | ( 90.1 - 94.1 ) | 795 | 91.6 | ( 88.0 - 94.2 ) | 379 | 93.1 | ( 90.4 - 95.1 ) | 416 |
| Hispanic/Latino | 92.0 | ( 82.9 - 96.5 ) | 140 | - | - | 65 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 29 | - | - | 20 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 128 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 93.0 | ( 91.1 - 94.5 ) | 1,216 | 92.4 | ( 89.9 - 94.3 ) | 571 | 93.9 | ( 91.4 - 95.8 ) | 640 |
| **Age** | | | | | | | | | |
| 11 or younger | 95.4 | ( 90.4 - 97.9 ) | 265 | 94.9 | ( 85.2 - 98.4 ) | 118 | 97.8 | ( 92.8 - 99.3 ) | 143 |
| 12 | 93.3 | ( 89.2 - 95.9 ) | 378 | 91.1 | ( 82.7 - 95.6 ) | 169 | 95.2 | ( 92.5 - 97.0 ) | 209 |
| 13 | 93.4 | ( 90.2 - 95.6 ) | 405 | 95.2 | ( 91.5 - 97.4 ) | 190 | 91.5 | ( 84.7 - 95.4 ) | 215 |
| 14 or older | 87.6 | ( 81.6 - 91.9 ) | 164 | - | - | 94 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 94.1 | ( 91.0 - 96.2 ) | 461 | 91.8 | ( 87.7 - 94.6 ) | 222 | 96.4 | ( 92.4 - 98.3 ) | 238 |
| 7th | 93.3 | ( 87.7 - 96.4 ) | 367 | 92.3 | ( 84.1 - 96.5 ) | 166 | 94.9 | ( 90.8 - 97.2 ) | 200 |
| 8th | 91.6 | ( 89.1 - 93.6 ) | 380 | 93.1 | ( 88.8 - 95.8 ) | 182 | 90.1 | ( 83.4 - 94.2 ) | 198 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 93.0 | ( 90.9 - 94.7 ) | 797 | 92.4 | ( 89.5 - 94.6 ) | 380 | 93.6 | ( 90.7 - 95.6 ) | 417 |
| Hispanic/Latino | 92.0 | ( 82.9 - 96.5 ) | 140 | - | - | 65 | - | - | 74 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 29 | - | - | 20 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 126 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN27: Percentage of students who ever drank alcohol (other than a few sips)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.1 | ( 21.1 - 27.5 ) | 1,146 | 21.5 | ( 17.7 - 25.8 ) | 537 | 26.5 | ( 22.0 - 31.4 ) | 605 |
| **Age** | | | | | | | | | |
| 11 or younger | 13.5 | ( 8.5 - 20.7 ) | 252 | 14.6 | ( 8.2 - 24.5 ) | 115 | 12.2 | ( 6.9 - 20.5 ) | 136 |
| 12 | 23.0 | ( 17.5 - 29.6 ) | 365 | 22.7 | ( 18.5 - 27.5 ) | 166 | 23.3 | ( 13.9 - 36.4 ) | 199 |
| 13 | 25.6 | ( 19.8 - 32.4 ) | 372 | 18.0 | ( 11.6 - 26.8 ) | 176 | 33.3 | ( 25.2 - 42.5 ) | 195 |
| 14 or older | 38.8 | ( 31.4 - 46.7 ) | 153 | - | - | 80 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 16.5 | ( 11.0 - 23.8 ) | 441 | 17.6 | ( 12.0 - 25.0 ) | 214 | 15.3 | ( 9.3 - 24.2 ) | 227 |
| 7th | 22.8 | ( 17.2 - 29.4 ) | 338 | 18.9 | ( 13.6 - 25.6 ) | 155 | 26.9 | ( 17.2 - 39.4 ) | 183 |
| 8th | 33.1 | ( 27.3 - 39.5 ) | 361 | 28.2 | ( 19.5 - 38.9 ) | 167 | 37.4 | ( 30.6 - 44.8 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 24.2 | ( 21.0 - 27.8 ) | 756 | 21.7 | ( 17.2 - 26.9 ) | 357 | 26.6 | ( 21.4 - 32.7 ) | 398 |
| Hispanic/Latino | 22.9 | ( 16.3 - 31.3 ) | 133 | - | - | 64 | - | - | 68 |
| White* | - | - | 89 | - | - | 37 | - | - | 52 |
| All other races* | - | - | 42 | - | - | 25 | - | - | 17 |
| Multiple races* | - | - | 70 | - | - | 27 | - | - | 43 |

Note: 196 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN28: Percentage of students who drank alcohol for the first time before age 11 years (other than a few sips)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.8 | ( 7.9 - 12.3 ) | 1,122 | 10.2 | ( 7.2 - 14.2 ) | 526 | 9.3 | ( 6.6 - 12.8 ) | 592 |
| **Age** | | | | | | | | | |
| 11 or younger | 12.7 | ( 9.1 - 17.5 ) | 241 | 15.1 | ( 9.2 - 23.6 ) | 113 | 10.3 | ( 7.4 - 14.0 ) | 127 |
| 12 | 10.8 | ( 7.7 - 15.1 ) | 358 | 11.0 | ( 6.9 - 17.2 ) | 159 | 10.6 | ( 5.4 - 19.9 ) | 199 |
| 13 | 9.8 | ( 6.2 - 15.0 ) | 371 | 9.4 | ( 5.2 - 16.5 ) | 178 | 9.6 | ( 5.5 - 16.1 ) | 192 |
| 14 or older | 3.9 | ( 2.2 - 6.8 ) | 149 | - | - | 76 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 11.4 | ( 7.5 - 17.1 ) | 428 | 13.4 | ( 8.1 - 21.3 ) | 210 | 9.4 | ( 5.7 - 15.0 ) | 218 |
| 7th | 9.5 | ( 5.5 - 16.0 ) | 329 | 7.6 | ( 4.0 - 14.0 ) | 148 | 11.5 | ( 5.4 - 22.7 ) | 181 |
| 8th | 7.9 | ( 5.0 - 12.4 ) | 359 | 8.8 | ( 4.6 - 16.2 ) | 167 | 7.1 | ( 4.2 - 11.7 ) | 191 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 9.5 | ( 7.4 - 12.0 ) | 745 | 9.6 | ( 6.5 - 13.8 ) | 353 | 9.4 | ( 6.2 - 14.1 ) | 391 |
| Hispanic/Latino | 15.0 | ( 10.4 - 21.2 ) | 127 | - | - | 61 | - | - | 65 |
| White* | - | - | 88 | - | - | 37 | - | - | 51 |
| All other races* | - | - | 38 | - | - | 21 | - | - | 17 |
| Multiple races* | - | - | 69 | - | - | 27 | - | - | 42 |

Note: 220 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

27

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN29: Percentage of students who ever used marijuana (during their life)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.6 | ( 12.9 - 18.7 ) | 1,159 | 16.5 | ( 11.9 - 22.4 ) | 532 | 14.5 | ( 12.4 - 17.0 ) | 623 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.2 | ( 6.1 - 13.6 ) | 249 | 10.7 | ( 4.8 - 22.2 ) | 117 | 6.7 | ( 4.5 - 9.8 ) | 130 |
| 12 | 10.5 | ( 7.2 - 15.0 ) | 373 | 12.6 | ( 7.7 - 20.0 ) | 162 | 8.7 | ( 4.9 - 15.0 ) | 211 |
| 13 | 17.9 | ( 14.4 - 22.0 ) | 379 | 17.8 | ( 12.7 - 24.2 ) | 175 | 18.0 | ( 15.1 - 21.3 ) | 204 |
| 14 or older | 31.1 | ( 23.8 - 39.4 ) | 154 | - | - | 78 | - | - | 75 |
| **Grade** | | | | | | | | | |
| 6th | 9.3 | ( 6.4 - 13.4 ) | 434 | 12.1 | ( 6.7 - 20.9 ) | 213 | 6.5 | ( 3.6 - 11.4 ) | 221 |
| 7th | 15.4 | ( 11.0 - 21.1 ) | 351 | 17.1 | ( 11.6 - 24.5 ) | 153 | 13.8 | ( 9.2 - 20.3 ) | 198 |
| 8th | 21.8 | ( 17.3 - 27.0 ) | 368 | 21.0 | ( 15.2 - 28.2 ) | 165 | 22.6 | ( 17.3 - 29.1 ) | 202 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 15.8 | ( 12.8 - 19.4 ) | 758 | 17.1 | ( 11.5 - 24.6 ) | 347 | 14.7 | ( 12.5 - 17.2 ) | 410 |
| Hispanic/Latino | 13.0 | ( 8.3 - 19.7 ) | 133 | - | - | 62 | - | - | 70 |
| White* | - | - | 91 | - | - | 39 | - | - | 52 |
| All other races* | - | - | 46 | - | - | 27 | - | - | 19 |
| Multiple races* | - | - | 71 | - | - | 27 | - | - | 44 |

Note: 183 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

**2014 YOUTH RISK BEHAVIOR SURVEY RESULTS**

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN30: Percentage of students who tried marijuana before age 11 years (for the first time)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.7 | ( 5.0 - 8.9 ) | 1,185 | 8.6 | ( 5.9 - 12.3 ) | 548 | 4.4 | ( 3.1 - 6.3 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 7.8 | ( 5.2 - 11.7 ) | 249 | 6.6 | ( 2.6 - 15.6 ) | 116 | 7.9 | ( 4.2 - 14.4 ) | 131 |
| 12 | 5.6 | ( 3.4 - 9.2 ) | 384 | 9.0 | ( 4.8 - 16.4 ) | 171 | 2.6 | ( 1.4 - 4.6 ) | 213 |
| 13 | 7.2 | ( 4.6 - 11.2 ) | 393 | 9.1 | ( 6.1 - 13.5 ) | 182 | 4.5 | ( 2.2 - 9.2 ) | 210 |
| 14 or older | 6.4 | ( 3.1 - 12.8 ) | 155 | - | - | 79 | - | - | 75 |
| **Grade** | | | | | | | | | |
| 6th | 8.0 | ( 5.4 - 11.7 ) | 442 | 9.3 | ( 5.2 - 16.3 ) | 217 | 6.6 | ( 3.7 - 11.4 ) | 225 |
| 7th | 5.7 | ( 3.2 - 10.1 ) | 362 | 8.6 | ( 5.2 - 13.9 ) | 161 | 2.9 | ( 1.2 - 6.9 ) | 201 |
| 8th | 5.7 | ( 3.5 - 9.2 ) | 372 | 7.9 | ( 4.3 - 13.8 ) | 169 | 3.7 | ( 2.3 - 6.0 ) | 202 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 7.0 | ( 5.2 - 9.3 ) | 777 | 9.2 | ( 6.2 - 13.3 ) | 361 | 4.9 | ( 3.5 - 6.8 ) | 415 |
| Hispanic/Latino | 4.4 | ( 2.0 - 9.6 ) | 135 | - | - | 63 | - | - | 71 |
| White* | - | - | 92 | - | - | 39 | - | - | 53 |
| All other races* | - | - | 49 | - | - | 27 | - | - | 22 |
| Multiple races* | - | - | 71 | - | - | 27 | - | - | 44 |

Note: 157 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN31: Percentage of students who ever used any form of cocaine (such as powder, crack, or freebase during their life)

| | **Total** | | | **Male** | | | **Female** | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | ( 3.1 - 6.4 ) | 1,248 | 5.3 | ( 3.4 - 8.1 ) | 586 | 3.4 | ( 2.3 - 4.9 ) | 658 |
| **Age** | | | | | | | | | |
| 11 or younger | 5.0 | ( 2.7 - 9.3 ) | 270 | 3.8 | ( 1.2 - 11.3 ) | 123 | 5.7 | ( 3.3 - 9.7 ) | 146 |
| 12 | 3.9 | ( 2.5 - 6.1 ) | 404 | 5.0 | ( 2.7 - 9.2 ) | 178 | 3.0 | ( 1.5 - 5.8 ) | 226 |
| 13 | 5.1 | ( 2.8 - 9.1 ) | 402 | 5.9 | ( 2.7 - 12.4 ) | 193 | 3.6 | ( 2.1 - 6.2 ) | 208 |
| 14 or older | 3.5 | ( 1.5 - 8.0 ) | 168 | - | - | 91 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 5.3 | ( 3.3 - 8.4 ) | 471 | 5.0 | ( 2.1 - 11.4 ) | 227 | 5.6 | ( 3.3 - 9.3 ) | 244 |
| 7th | 4.9 | ( 2.6 - 9.1 ) | 382 | 5.9 | ( 2.8 - 12.2 ) | 175 | 3.8 | ( 2.2 - 6.6 ) | 207 |
| 8th | 2.8 | ( 1.4 - 5.3 ) | 387 | 5.0 | ( 2.4 - 9.9 ) | 183 | 0.5 | ( 0.1 - 2.7 ) | 203 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 4.4 | ( 2.8 - 6.8 ) | 817 | 5.3 | ( 3.3 - 8.4 ) | 385 | 3.5 | ( 2.1 - 5.7 ) | 431 |
| Hispanic/Latino | 6.1 | ( 2.7 - 13.4 ) | 144 | - | - | 67 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 29 | - | - | 21 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 94 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN32: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high during their life)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.1 | ( 5.1 - 7.2 ) | 1,250 | 5.8 | ( 4.3 - 7.9 ) | 587 | 6.4 | ( 4.9 - 8.3 ) | 659 |
| **Age** | | | | | | | | | |
| 11 or younger | 3.0 | ( 1.7 - 5.2 ) | 272 | 2.9 | ( 1.1 - 7.6 ) | 125 | 3.2 | ( 1.9 - 5.3 ) | 145 |
| 12 | 9.5 | ( 6.6 - 13.6 ) | 405 | 9.8 | ( 5.9 - 15.8 ) | 180 | 9.3 | ( 5.4 - 15.4 ) | 225 |
| 13 | 4.9 | ( 3.3 - 7.1 ) | 401 | 4.2 | ( 2.7 - 6.7 ) | 190 | 5.6 | ( 2.4 - 12.5 ) | 211 |
| 14 or older | 5.4 | ( 2.8 - 9.9 ) | 168 | - | - | 91 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 5.3 | ( 3.4 - 8.3 ) | 474 | 5.9 | ( 2.7 - 12.2 ) | 232 | 4.7 | ( 2.5 - 8.8 ) | 242 |
| 7th | 7.1 | ( 4.7 - 10.5 ) | 380 | 7.1 | ( 4.7 - 10.6 ) | 171 | 7.1 | ( 4.1 - 11.9 ) | 208 |
| 8th | 6.0 | ( 4.0 - 9.0 ) | 389 | 4.4 | ( 2.4 - 8.1 ) | 183 | 7.7 | ( 4.7 - 12.5 ) | 205 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 5.5 | ( 4.3 - 7.0 ) | 819 | 5.4 | ( 3.4 - 8.3 ) | 385 | 5.7 | ( 3.9 - 8.1 ) | 433 |
| Hispanic/Latino | 6.4 | ( 3.7 - 10.9 ) | 144 | - | - | 68 | - | - | 75 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 29 | - | - | 21 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 92 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN33: Percentage of students who ever took steroids without a doctor's prescription (pills or shots during their life)

|  | Total Percentage | 95% confidence interval | N | Male Percentage | 95% confidence interval | N | Female Percentage | 95% confidence interval | N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 4.2 | ( 2.6 - 6.6 ) | 1,244 | 5.5 | ( 3.3 - 9.0 ) | 581 | 2.9 | ( 1.4 - 5.8 ) | 657 |
| **Age** | | | | | | | | | |
| 11 or younger | 3.2 | ( 1.7 - 6.3 ) | 269 | 3.2 | ( 1.2 - 8.5 ) | 122 | 3.4 | ( 1.6 - 6.9 ) | 144 |
| 12 | 3.9 | ( 1.8 - 8.2 ) | 399 | 6.5 | ( 3.0 - 13.6 ) | 176 | 1.6 | ( 0.5 - 4.9 ) | 223 |
| 13 | 4.0 | ( 2.3 - 6.7 ) | 406 | 6.0 | ( 3.4 - 10.4 ) | 193 | 1.8 | ( 0.8 - 4.1 ) | 212 |
| 14 or older | 6.0 | ( 2.9 - 12.1 ) | 166 | - | - | 89 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 4.3 | ( 2.3 - 8.1 ) | 466 | 6.3 | ( 3.1 - 12.4 ) | 225 | 2.4 | ( 1.1 - 5.4 ) | 241 |
| 7th | 4.7 | ( 2.5 - 8.6 ) | 381 | 7.1 | ( 3.6 - 13.5 ) | 173 | 2.2 | ( 0.9 - 5.4 ) | 207 |
| 8th | 3.5 | ( 2.2 - 5.7 ) | 388 | 2.9 | ( 1.3 - 6.6 ) | 182 | 4.2 | ( 1.7 - 10.1 ) | 205 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 4.3 | ( 2.5 - 7.1 ) | 813 | 5.6 | ( 3.1 - 9.7 ) | 381 | 3.0 | ( 1.3 - 6.9 ) | 431 |
| Hispanic/Latino | 3.4 | ( 1.6 - 7.3 ) | 144 | - | - | 67 | - | - | 76 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 30 | - | - | 21 |
| Multiple races* | - | - | 75 | - | - | 28 | - | - | 47 |

Note: 98 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN34: Percentage of students who ever took prescription drugs without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, during their life)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.5 | ( 5.8 - 9.8 ) | 1,241 | 8.9 | ( 6.2 - 12.5 ) | 580 | 5.8 | ( 3.6 - 9.0 ) | 656 |
| **Age** | | | | | | | | | |
| 11 or younger | 6.4 | ( 3.5 - 11.5 ) | 271 | 7.9 | ( 3.5 - 16.9 ) | 123 | 4.1 | ( 1.9 - 8.5 ) | 145 |
| 12 | 6.3 | ( 4.2 - 9.4 ) | 401 | 6.4 | ( 3.1 - 12.9 ) | 178 | 6.3 | ( 3.6 - 10.8 ) | 223 |
| 13 | 8.4 | ( 5.7 - 12.1 ) | 400 | 10.1 | ( 6.8 - 14.9 ) | 190 | 6.4 | ( 3.4 - 11.8 ) | 210 |
| 14 or older | 10.0 | ( 5.4 - 17.7 ) | 166 | - | - | 89 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 5.8 | ( 3.4 - 9.5 ) | 468 | 6.5 | ( 3.0 - 13.6 ) | 225 | 5.0 | ( 3.1 - 8.0 ) | 243 |
| 7th | 7.5 | ( 4.6 - 12.0 ) | 379 | 10.1 | ( 6.0 - 16.6 ) | 172 | 4.9 | ( 2.2 - 10.4 ) | 206 |
| 8th | 9.2 | ( 6.3 - 13.2 ) | 386 | 10.2 | ( 5.9 - 16.9 ) | 182 | 7.6 | ( 3.8 - 14.4 ) | 203 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 7.6 | ( 5.5 - 10.3 ) | 813 | 9.1 | ( 5.9 - 13.6 ) | 382 | 5.8 | ( 3.4 - 9.7 ) | 430 |
| Hispanic/Latino | 4.7 | ( 2.2 - 9.7 ) | 145 | - | - | 69 | - | - | 75 |
| White* | - | - | 95 | - | - | 40 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 28 | - | - | 22 |
| Multiple races* | - | - | 75 | - | - | 28 | - | - | 47 |

Note: 101 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN35: Percentage of students who ever had sexual intercourse

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.7 | ( 14.9 - 23.1 ) | 1,042 | 32.0 | ( 24.6 - 40.4 ) | 458 | 6.4 | ( 4.8 - 8.7 ) | 580 |
| **Age** | | | | | | | | | |
| 11 or younger | 11.0 | ( 6.1 - 19.0 ) | 226 | - | - | 95 | 1.0 | ( 0.2 - 4.5 ) | 129 |
| 12 | 14.1 | ( 11.3 - 17.5 ) | 342 | 26.8 | ( 18.4 - 37.4 ) | 145 | 3.4 | ( 1.6 - 6.9 ) | 197 |
| 13 | 23.8 | ( 17.5 - 31.6 ) | 334 | 36.3 | ( 26.6 - 47.2 ) | 152 | 11.2 | ( 7.4 - 16.6 ) | 182 |
| 14 or older | 29.3 | ( 19.5 - 41.4 ) | 136 | - | - | 66 | - | - | 69 |
| **Grade** | | | | | | | | | |
| 6th | 11.7 | ( 7.9 - 17.1 ) | 382 | 24.5 | ( 15.7 - 36.1 ) | 168 | 0.9 | ( 0.3 - 2.8 ) | 214 |
| 7th | 20.5 | ( 15.1 - 27.1 ) | 333 | 32.5 | ( 22.7 - 44.2 ) | 149 | 7.5 | ( 4.1 - 13.4 ) | 183 |
| 8th | 24.4 | ( 17.1 - 33.5 ) | 321 | 39.6 | ( 27.5 - 53.1 ) | 140 | 11.2 | ( 7.8 - 15.8 ) | 180 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 20.1 | ( 16.2 - 24.6 ) | 661 | 35.4 | ( 27.5 - 44.3 ) | 287 | 6.5 | ( 4.7 - 9.1 ) | 373 |
| Hispanic/Latino | 14.5 | ( 9.1 - 22.2 ) | 131 | - | - | 62 | - | - | 68 |
| White* | - | - | 89 | - | - | 37 | - | - | 52 |
| All other races* | - | - | 39 | - | - | 21 | - | - | 18 |
| Multiple races* | - | - | 70 | - | - | 26 | - | - | 44 |

Note: 300 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN36: Percentage of students who had sexual intercourse before age 11 years (for the first time)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.0 | ( 5.7 - 11.1 ) | 1,042 | 14.7 | ( 10.7 - 19.8 ) | 464 | 1.6 | ( 0.9 - 2.9 ) | 573 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.3 | ( 5.8 - 14.6 ) | 225 | - | - | 95 | 0.8 | ( 0.1 - 5.2 ) | 128 |
| 12 | 6.7 | ( 4.0 - 10.9 ) | 340 | 12.2 | ( 6.9 - 20.6 ) | 148 | 1.8 | ( 0.7 - 5.0 ) | 192 |
| 13 | 8.3 | ( 4.6 - 14.7 ) | 336 | 14.7 | ( 8.3 - 24.9 ) | 153 | 1.9 | ( 0.5 - 7.5 ) | 182 |
| 14 or older | 8.7 | ( 4.0 - 17.7 ) | 137 | - | - | 68 | - | - | 68 |
| **Grade** | | | | | | | | | |
| 6th | 7.9 | ( 4.9 - 12.4 ) | 384 | 16.4 | ( 10.1 - 25.4 ) | 171 | 0.6 | ( 0.1 - 2.9 ) | 213 |
| 7th | 8.6 | ( 5.4 - 13.5 ) | 328 | 12.9 | ( 6.9 - 22.9 ) | 148 | 3.4 | ( 1.4 - 7.9 ) | 179 |
| 8th | 7.6 | ( 3.9 - 14.4 ) | 323 | 15.0 | ( 8.4 - 25.3 ) | 144 | 1.0 | ( 0.2 - 4.0 ) | 178 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.7 | ( 6.2 - 12.2 ) | 662 | 17.0 | ( 12.3 - 23.2 ) | 292 | 1.3 | ( 0.7 - 2.2 ) | 369 |
| Hispanic/Latino | 6.4 | ( 2.6 - 14.8 ) | 129 | - | - | 61 | - | - | 67 |
| White* | - | - | 90 | - | - | 38 | - | - | 52 |
| All other races* | - | - | 40 | - | - | 21 | - | - | 19 |
| Multiple races* | - | - | 68 | - | - | 26 | - | - | 42 |

Note: 300 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN37: Percentage of students who had sexual intercourse with three or more persons (during their life)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.9 | ( 5.7 - 10.9 ) | 1,038 | 13.8 | ( 10.0 - 18.9 ) | 459 | 1.8 | ( 0.9 - 3.7 ) | 574 |
| **Age** | | | | | | | | | |
| 11 or younger | 5.4 | ( 3.0 - 9.6 ) | 227 | - | - | 96 | 0.8 | ( 0.1 - 5.2 ) | 128 |
| 12 | 5.6 | ( 3.6 - 8.6 ) | 338 | 11.0 | ( 6.3 - 18.3 ) | 145 | 1.0 | ( 0.3 - 3.4 ) | 193 |
| 13 | 8.8 | ( 5.9 - 12.9 ) | 336 | 14.6 | ( 9.3 - 22.1 ) | 152 | 2.3 | ( 0.8 - 6.9 ) | 183 |
| 14 or older | 15.6 | ( 8.2 - 27.5 ) | 133 | - | - | 66 | - | - | 67 |
| **Grade** | | | | | | | | | |
| 6th | 5.5 | ( 3.6 - 8.4 ) | 382 | 11.1 | ( 6.7 - 17.9 ) | 169 | 0.8 | ( 0.2 - 2.8 ) | 213 |
| 7th | 6.6 | ( 4.2 - 10.2 ) | 328 | 11.0 | ( 6.6 - 17.8 ) | 147 | 1.3 | ( 0.3 - 5.0 ) | 180 |
| 8th | 11.4 | ( 7.0 - 18.0 ) | 320 | 20.0 | ( 12.9 - 29.8 ) | 142 | 3.5 | ( 1.6 - 7.7 ) | 178 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.0 | ( 5.7 - 11.0 ) | 656 | 15.3 | ( 10.8 - 21.1 ) | 287 | 1.5 | ( 0.7 - 3.5 ) | 369 |
| Hispanic/Latino | 6.0 | ( 2.5 - 13.5 ) | 130 | - | - | 61 | - | - | 68 |
| White* | - | - | 89 | - | - | 37 | - | - | 52 |
| All other races* | - | - | 41 | - | - | 22 | - | - | 19 |
| Multiple races* | - | - | 68 | - | - | 26 | - | - | 42 |

Note: 304 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN38: Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 76.5 | ( 71.2 - 81.1 ) | 176 | 78.1 | ( 70.7 - 84.0 ) | 138 | - | - | 37 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 24 | - | - | 21 | - | - | 2 |
| 12 | - | - | 44 | - | - | 37 | - | - | 7 |
| 13 | - | - | 69 | - | - | 50 | - | - | 19 |
| 14 or older | - | - | 39 | - | - | 30 | - | - | 9 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 43 | - | - | 39 | - | - | 4 |
| 7th | - | - | 61 | - | - | 46 | - | - | 14 |
| 8th | - | - | 71 | - | - | 53 | - | - | 18 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 77.8 | ( 72.1 - 82.5 ) | 124 | 79.2 | ( 71.6 - 85.2 ) | 100 | - | - | 24 |
| Hispanic/Latino | - | - | 18 | - | - | 15 | - | - | 3 |
| White* | - | - | 5 | - | - | 2 | - | - | 3 |
| All other races* | - | - | 8 | - | - | 7 | - | - | 1 |
| Multiple races* | - | - | 10 | - | - | 6 | - | - | 4 |

Note: 1,166 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN39: Percentage of students who described themselves as slightly or very overweight

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.7 | ( 17.1 - 22.7 ) | 1,220 | 15.9 | ( 12.2 - 20.6 ) | 572 | 23.9 | ( 21.0 - 27.1 ) | 641 |
| **Age** | | | | | | | | | |
| 11 or younger | 19.5 | ( 16.6 - 22.7 ) | 265 | 17.6 | ( 13.3 - 23.0 ) | 120 | 21.5 | ( 17.2 - 26.6 ) | 142 |
| 12 | 17.8 | ( 15.3 - 20.5 ) | 392 | 12.5 | ( 7.6 - 20.1 ) | 176 | 22.7 | ( 18.6 - 27.3 ) | 216 |
| 13 | 21.8 | ( 16.7 - 27.9 ) | 396 | 17.8 | ( 12.0 - 25.6 ) | 189 | 26.5 | ( 20.3 - 33.9 ) | 206 |
| 14 or older | 19.8 | ( 14.8 - 26.1 ) | 161 | - | - | 86 | - | - | 74 |
| **Grade** | | | | | | | | | |
| 6th | 17.7 | ( 15.6 - 20.0 ) | 462 | 14.3 | ( 10.4 - 19.2 ) | 224 | 21.2 | ( 18.2 - 24.5 ) | 237 |
| 7th | 17.3 | ( 13.3 - 22.2 ) | 372 | 12.0 | ( 7.1 - 19.8 ) | 170 | 23.2 | ( 16.3 - 32.0 ) | 200 |
| 8th | 24.4 | ( 19.1 - 30.6 ) | 378 | 21.7 | ( 14.4 - 31.5 ) | 177 | 27.3 | ( 22.0 - 33.3 ) | 200 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 19.1 | ( 16.0 - 22.7 ) | 799 | 14.5 | ( 9.8 - 20.8 ) | 380 | 23.9 | ( 20.9 - 27.2 ) | 418 |
| Hispanic/Latino | 18.4 | ( 14.0 - 24.0 ) | 136 | - | - | 64 | - | - | 71 |
| White* | - | - | 95 | - | - | 40 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 28 | - | - | 23 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 122 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN40: Percentage of students who were trying to lose weight

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 41.8 | ( 38.8 - 44.8 ) | 1,209 | 36.5 | ( 32.6 - 40.6 ) | 566 | 47.3 | ( 43.7 - 51.0 ) | 637 |
| **Age** | | | | | | | | | |
| 11 or younger | 38.0 | ( 31.2 - 45.3 ) | 262 | 35.0 | ( 24.6 - 47.0 ) | 119 | 39.7 | ( 30.5 - 49.8 ) | 141 |
| 12 | 43.8 | ( 39.7 - 47.9 ) | 391 | 37.8 | ( 32.0 - 43.9 ) | 172 | 49.2 | ( 44.8 - 53.5 ) | 219 |
| 13 | 42.9 | ( 37.7 - 48.2 ) | 392 | 38.1 | ( 30.9 - 45.8 ) | 189 | 48.8 | ( 40.8 - 56.8 ) | 202 |
| 14 or older | 40.2 | ( 31.7 - 49.5 ) | 159 | - | - | 85 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 39.9 | ( 36.0 - 43.9 ) | 460 | 34.9 | ( 28.8 - 41.6 ) | 223 | 44.9 | ( 39.4 - 50.7 ) | 237 |
| 7th | 41.9 | ( 36.2 - 47.9 ) | 365 | 36.0 | ( 29.6 - 42.9 ) | 162 | 47.8 | ( 41.7 - 53.9 ) | 201 |
| 8th | 43.6 | ( 38.9 - 48.4 ) | 376 | 38.8 | ( 29.2 - 49.3 ) | 180 | 49.2 | ( 42.0 - 56.5 ) | 195 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 41.5 | ( 37.5 - 45.6 ) | 786 | 36.7 | ( 31.9 - 41.8 ) | 373 | 46.5 | ( 42.5 - 50.6 ) | 412 |
| Hispanic/Latino | 40.2 | ( 31.8 - 49.1 ) | 139 | - | - | 66 | - | - | 72 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 28 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 28 | - | - | 47 |

Note: 133 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

39

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN41: Percentage of students who did not eat breakfast (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 12.8 | ( 10.0 - 16.3 ) | 1,241 | 15.3 | ( 11.4 - 20.3 ) | 584 | 10.5 | ( 7.2 - 15.0 ) | 649 |
| **Age** | | | | | | | | | |
| 11 or younger | 9.3 | ( 5.9 - 14.2 ) | 267 | 12.9 | ( 7.3 - 21.6 ) | 122 | 6.4 | ( 3.1 - 12.6 ) | 141 |
| 12 | 11.9 | ( 7.9 - 17.7 ) | 403 | 13.4 | ( 7.7 - 22.3 ) | 179 | 10.6 | ( 5.5 - 19.7 ) | 224 |
| 13 | 14.7 | ( 11.6 - 18.5 ) | 396 | 16.2 | ( 11.5 - 22.4 ) | 191 | 13.0 | ( 7.8 - 20.8 ) | 204 |
| 14 or older | 15.4 | ( 11.1 - 21.1 ) | 169 | - | - | 91 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 11.9 | ( 7.8 - 17.7 ) | 470 | 16.6 | ( 10.6 - 25.1 ) | 229 | 7.1 | ( 3.4 - 14.3 ) | 240 |
| 7th | 11.3 | ( 8.1 - 15.7 ) | 376 | 11.6 | ( 5.9 - 21.4 ) | 169 | 11.2 | ( 6.5 - 18.7 ) | 205 |
| 8th | 15.7 | ( 11.3 - 21.3 ) | 386 | 17.6 | ( 11.4 - 26.3 ) | 185 | 13.6 | ( 9.4 - 19.4 ) | 200 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 13.1 | ( 10.0 - 17.0 ) | 811 | 16.4 | ( 12.4 - 21.4 ) | 385 | 9.8 | ( 6.2 - 15.4 ) | 425 |
| Hispanic/Latino | 14.5 | ( 9.1 - 22.2 ) | 141 | - | - | 68 | - | - | 72 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 28 | - | - | 23 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 101 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 49.1 | ( 46.1 - 52.1 ) | 1,241 | 52.4 | ( 47.8 - 57.0 ) | 584 | 45.5 | ( 41.9 - 49.2 ) | 649 |
| **Age** | | | | | | | | | |
| 11 or younger | 60.9 | ( 53.2 - 68.2 ) | 267 | 64.6 | ( 54.5 - 73.6 ) | 122 | 58.2 | ( 49.7 - 66.3 ) | 141 |
| 12 | 50.1 | ( 45.0 - 55.1 ) | 403 | 55.8 | ( 47.8 - 63.6 ) | 179 | 44.8 | ( 38.3 - 51.5 ) | 224 |
| 13 | 43.7 | ( 39.5 - 47.9 ) | 396 | 48.3 | ( 42.8 - 53.9 ) | 191 | 38.6 | ( 30.5 - 47.3 ) | 204 |
| 14 or older | 42.4 | ( 33.5 - 51.9 ) | 169 | - | - | 91 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 59.4 | ( 53.9 - 64.6 ) | 470 | 61.8 | ( 54.4 - 68.7 ) | 229 | 57.2 | ( 49.6 - 64.5 ) | 240 |
| 7th | 49.5 | ( 46.1 - 53.0 ) | 376 | 54.8 | ( 49.4 - 60.1 ) | 169 | 43.3 | ( 36.1 - 50.8 ) | 205 |
| 8th | 37.9 | ( 32.3 - 43.9 ) | 386 | 40.1 | ( 31.5 - 49.4 ) | 185 | 35.1 | ( 29.8 - 40.8 ) | 200 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 47.7 | ( 44.3 - 51.2 ) | 811 | 50.4 | ( 45.1 - 55.7 ) | 385 | 44.9 | ( 39.9 - 49.9 ) | 425 |
| Hispanic/Latino | 47.5 | ( 40.2 - 54.9 ) | 141 | - | - | 68 | - | - | 72 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 28 | - | - | 23 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 101 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN42: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 40.3 | ( 37.3 - 43.4 ) | 1,216 | 44.3 | ( 39.1 - 49.6 ) | 578 | 36.1 | ( 32.6 - 39.7 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 41.4 | ( 35.4 - 47.7 ) | 264 | 45.2 | ( 35.5 - 55.2 ) | 120 | 37.9 | ( 32.0 - 44.3 ) | 142 |
| 12 | 39.2 | ( 34.3 - 44.4 ) | 396 | 42.4 | ( 33.5 - 51.8 ) | 179 | 36.2 | ( 29.7 - 43.2 ) | 217 |
| 13 | 44.2 | ( 40.3 - 48.3 ) | 389 | 47.5 | ( 39.4 - 55.6 ) | 188 | 40.8 | ( 33.4 - 48.6 ) | 200 |
| 14 or older | 32.0 | ( 22.5 - 43.2 ) | 163 | - | - | 90 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 38.5 | ( 34.8 - 42.4 ) | 462 | 39.4 | ( 33.7 - 45.5 ) | 227 | 37.6 | ( 33.8 - 41.6 ) | 235 |
| 7th | 43.9 | ( 37.2 - 50.8 ) | 372 | 49.2 | ( 40.5 - 57.9 ) | 168 | 37.5 | ( 28.5 - 47.5 ) | 202 |
| 8th | 38.7 | ( 33.0 - 44.8 ) | 374 | 44.4 | ( 36.5 - 52.6 ) | 182 | 32.8 | ( 25.3 - 41.4 ) | 191 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 39.9 | ( 36.8 - 42.9 ) | 796 | 43.6 | ( 38.7 - 48.7 ) | 382 | 36.0 | ( 31.4 - 40.9 ) | 413 |
| Hispanic/Latino | 40.4 | ( 33.9 - 47.3 ) | 137 | - | - | 66 | - | - | 71 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 52 | - | - | 29 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 126 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.4 | ( 20.6 - 28.7 ) | 1,216 | 24.0 | ( 20.3 - 28.1 ) | 578 | 24.9 | ( 19.8 - 30.9 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 24.6 | ( 19.6 - 30.5 ) | 264 | 22.9 | ( 15.5 - 32.5 ) | 120 | 26.6 | ( 20.8 - 33.4 ) | 142 |
| 12 | 23.6 | ( 18.5 - 29.7 ) | 396 | 25.5 | ( 19.1 - 33.0 ) | 179 | 21.9 | ( 16.9 - 27.8 ) | 217 |
| 13 | 22.9 | ( 17.4 - 29.5 ) | 389 | 22.2 | ( 15.7 - 30.3 ) | 188 | 23.1 | ( 16.1 - 32.0 ) | 200 |
| 14 or older | 29.6 | ( 22.3 - 38.1 ) | 163 | - | - | 90 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 30.7 | ( 24.6 - 37.6 ) | 462 | 31.4 | ( 25.0 - 38.6 ) | 227 | 30.0 | ( 23.2 - 37.8 ) | 235 |
| 7th | 19.8 | ( 14.8 - 26.0 ) | 372 | 20.2 | ( 13.4 - 29.3 ) | 168 | 19.7 | ( 15.2 - 25.1 ) | 202 |
| 8th | 21.9 | ( 16.0 - 29.2 ) | 374 | 20.0 | ( 15.7 - 25.1 ) | 182 | 24.1 | ( 14.8 - 36.8 ) | 191 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 25.4 | ( 21.3 - 29.9 ) | 796 | 24.5 | ( 20.5 - 28.8 ) | 382 | 26.4 | ( 20.9 - 32.7 ) | 413 |
| Hispanic/Latino | 23.2 | ( 17.9 - 29.5 ) | 137 | - | - | 66 | - | - | 71 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 52 | - | - | 29 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 126 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

43

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.1 | ( 21.8 - 28.8 ) | 1,216 | 29.6 | ( 24.9 - 34.8 ) | 578 | 20.4 | ( 16.4 - 25.0 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 25.6 | ( 19.2 - 33.3 ) | 264 | 32.4 | ( 23.3 - 43.1 ) | 120 | 20.4 | ( 14.7 - 27.6 ) | 142 |
| 12 | 23.8 | ( 17.8 - 31.0 ) | 396 | 26.2 | ( 19.2 - 34.6 ) | 179 | 21.5 | ( 14.8 - 30.3 ) | 217 |
| 13 | 26.3 | ( 22.4 - 30.7 ) | 389 | 31.5 | ( 25.2 - 38.5 ) | 188 | 20.5 | ( 14.8 - 27.7 ) | 200 |
| 14 or older | 24.2 | ( 16.8 - 33.5 ) | 163 | - | - | 90 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 25.0 | ( 20.2 - 30.5 ) | 462 | 27.5 | ( 22.0 - 33.8 ) | 227 | 22.5 | ( 17.0 - 29.2 ) | 235 |
| 7th | 25.9 | ( 20.2 - 32.5 ) | 372 | 28.7 | ( 20.3 - 39.0 ) | 168 | 22.6 | ( 16.0 - 30.9 ) | 202 |
| 8th | 24.6 | ( 21.3 - 28.3 ) | 374 | 32.5 | ( 27.1 - 38.4 ) | 182 | 16.2 | ( 11.9 - 21.5 ) | 191 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 24.7 | ( 21.8 - 27.9 ) | 796 | 29.2 | ( 24.8 - 34.0 ) | 382 | 20.1 | ( 15.7 - 25.4 ) | 413 |
| Hispanic/Latino | 28.6 | ( 24.3 - 33.3 ) | 137 | - | - | 66 | - | - | 71 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 52 | - | - | 29 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 126 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN43: Percentage of students who watched television 3 or more hours per day (on an average school day)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 48.1 | ( 43.7 - 52.7 ) | 1,201 | 43.8 | ( 37.6 - 50.2 ) | 568 | 52.7 | ( 48.1 - 57.2 ) | 627 |
| **Age** | | | | | | | | | |
| 11 or younger | 45.4 | ( 35.6 - 55.6 ) | 259 | 45.7 | ( 36.1 - 55.7 ) | 118 | 45.2 | ( 33.7 - 57.2 ) | 137 |
| 12 | 53.1 | ( 48.0 - 58.1 ) | 391 | 47.1 | ( 40.2 - 54.2 ) | 176 | 58.7 | ( 51.6 - 65.4 ) | 215 |
| 13 | 46.1 | ( 39.9 - 52.5 ) | 386 | 40.3 | ( 30.4 - 51.1 ) | 188 | 53.3 | ( 46.7 - 59.8 ) | 197 |
| 14 or older | 45.2 | ( 36.8 - 53.9 ) | 161 | - | - | 85 | - | - | 75 |
| **Grade** | | | | | | | | | |
| 6th | 43.9 | ( 37.7 - 50.3 ) | 453 | 41.0 | ( 34.4 - 47.9 ) | 221 | 47.0 | ( 38.8 - 55.5 ) | 231 |
| 7th | 55.3 | ( 49.5 - 61.0 ) | 369 | 48.7 | ( 41.0 - 56.4 ) | 169 | 62.2 | ( 55.3 - 68.5 ) | 199 |
| 8th | 45.6 | ( 39.7 - 51.6 ) | 371 | 42.2 | ( 32.8 - 52.2 ) | 177 | 48.9 | ( 42.7 - 55.2 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 51.2 | ( 47.3 - 55.0 ) | 782 | 45.6 | ( 39.5 - 51.9 ) | 373 | 56.8 | ( 53.0 - 60.5 ) | 408 |
| Hispanic/Latino | 38.9 | ( 32.3 - 45.9 ) | 139 | - | - | 66 | - | - | 72 |
| White* | - | - | 94 | - | - | 41 | - | - | 53 |
| All other races* | - | - | 50 | - | - | 27 | - | - | 23 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 141 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN44: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 43.3 | ( 39.3 - 47.3 ) | 1,217 | 44.0 | ( 38.7 - 49.5 ) | 576 | 43.0 | ( 38.0 - 48.1 ) | 636 |
| **Age** | | | | | | | | | |
| 11 or younger | 35.1 | ( 28.2 - 42.5 ) | 263 | 37.4 | ( 31.5 - 43.7 ) | 120 | 34.0 | ( 23.4 - 46.5 ) | 140 |
| 12 | 41.1 | ( 36.7 - 45.7 ) | 393 | 43.1 | ( 32.9 - 53.9 ) | 177 | 39.3 | ( 34.5 - 44.2 ) | 216 |
| 13 | 50.5 | ( 45.0 - 55.9 ) | 394 | 48.4 | ( 40.1 - 56.7 ) | 189 | 53.2 | ( 45.5 - 60.8 ) | 204 |
| 14 or older | 42.3 | ( 33.4 - 51.6 ) | 163 | - | - | 89 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 35.4 | ( 29.1 - 42.3 ) | 460 | 36.8 | ( 28.2 - 46.4 ) | 224 | 34.2 | ( 26.5 - 42.7 ) | 235 |
| 7th | 48.6 | ( 45.3 - 52.0 ) | 369 | 48.3 | ( 42.0 - 54.8 ) | 169 | 49.3 | ( 43.2 - 55.4 ) | 199 |
| 8th | 47.0 | ( 41.2 - 53.0 ) | 381 | 47.5 | ( 40.7 - 54.3 ) | 182 | 46.9 | ( 39.5 - 54.5 ) | 198 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 42.8 | ( 38.2 - 47.6 ) | 794 | 43.2 | ( 37.2 - 49.4 ) | 379 | 42.6 | ( 37.0 - 48.3 ) | 414 |
| Hispanic/Latino | 48.8 | ( 46.6 - 51.0 ) | 137 | - | - | 66 | - | - | 71 |
| White* | - | - | 94 | - | - | 40 | - | - | 54 |
| All other races* | - | - | 51 | - | - | 28 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 125 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN45: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 59.4 | ( 48.0 - 69.8 ) | 1,205 | 58.3 | ( 45.7 - 69.9 ) | 568 | 60.3 | ( 48.5 - 71.0 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 83.9 | ( 74.1 - 90.4 ) | 262 | 81.5 | ( 67.2 - 90.4 ) | 119 | 85.6 | ( 73.8 - 92.6 ) | 140 |
| 12 | 62.8 | ( 46.7 - 76.4 ) | 394 | 65.6 | ( 50.9 - 77.8 ) | 176 | 60.2 | ( 42.2 - 75.8 ) | 218 |
| 13 | 47.8 | ( 36.1 - 59.7 ) | 382 | 45.0 | ( 34.6 - 56.0 ) | 185 | 50.5 | ( 35.3 - 65.7 ) | 196 |
| 14 or older | 43.9 | ( 27.1 - 62.2 ) | 163 | - | - | 87 | - | - | 75 |
| **Grade** | | | | | | | | | |
| 6th | 81.4 | ( 72.0 - 88.2 ) | 456 | 79.3 | ( 69.5 - 86.5 ) | 223 | 83.6 | ( 72.0 - 91.0 ) | 233 |
| 7th | 49.2 | ( 32.4 - 66.2 ) | 367 | 50.5 | ( 34.2 - 66.7 ) | 166 | 47.4 | ( 29.7 - 65.7 ) | 200 |
| 8th | 45.4 | ( 31.8 - 59.8 ) | 374 | 43.2 | ( 27.7 - 60.2 ) | 178 | 48.1 | ( 31.5 - 65.1 ) | 195 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 58.2 | ( 46.0 - 69.4 ) | 789 | 55.6 | ( 43.5 - 67.1 ) | 373 | 60.9 | ( 47.9 - 72.6 ) | 415 |
| Hispanic/Latino | 66.1 | ( 43.1 - 83.3 ) | 137 | - | - | 65 | - | - | 71 |
| White* | - | - | 93 | - | - | 40 | - | - | 53 |
| All other races* | - | - | 51 | - | - | 29 | - | - | 22 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 137 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.0 | ( 12.3 - 25.7 ) | 1,205 | 17.3 | ( 11.9 - 24.4 ) | 568 | 18.7 | ( 12.3 - 27.4 ) | 632 |
| **Age** | | | | | | | | | |
| 11 or younger | 25.9 | ( 14.9 - 41.1 ) | 262 | 28.3 | ( 19.4 - 39.4 ) | 119 | 23.3 | ( 11.0 - 42.8 ) | 140 |
| 12 | 18.7 | ( 10.0 - 32.4 ) | 394 | 16.1 | ( 8.5 - 28.5 ) | 176 | 21.2 | ( 10.8 - 37.4 ) | 218 |
| 13 | 15.3 | ( 10.3 - 22.0 ) | 382 | 15.2 | ( 9.9 - 22.7 ) | 185 | 15.5 | ( 9.5 - 24.3 ) | 196 |
| 14 or older | 10.8 | ( 6.1 - 18.6 ) | 163 | - | - | 87 | - | - | 75 |
| **Grade** | | | | | | | | | |
| 6th | 23.0 | ( 13.3 - 36.8 ) | 456 | 23.2 | ( 14.5 - 35.1 ) | 223 | 22.8 | ( 11.6 - 39.8 ) | 233 |
| 7th | 21.6 | ( 11.3 - 37.5 ) | 367 | 19.2 | ( 10.6 - 32.3 ) | 166 | 23.5 | ( 11.6 - 42.1 ) | 200 |
| 8th | 9.3 | ( 4.4 - 18.9 ) | 374 | 9.0 | ( 4.3 - 17.8 ) | 178 | 9.8 | ( 3.4 - 24.9 ) | 195 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 20.3 | ( 13.9 - 28.6 ) | 789 | 18.8 | ( 12.8 - 26.8 ) | 373 | 21.8 | ( 14.5 - 31.4 ) | 415 |
| Hispanic/Latino | 10.6 | ( 5.9 - 18.4 ) | 137 | - | - | 65 | - | - | 71 |
| White* | - | - | 93 | - | - | 40 | - | - | 53 |
| All other races* | - | - | 51 | - | - | 29 | - | - | 22 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 137 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN46: Percentage of students who played on at least one sports team (run by their school or community groups during the past 12 months)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 53.1 | ( 49.5 - 56.7 ) | 1,191 | 59.7 | ( 55.0 - 64.2 ) | 558 | 46.3 | ( 41.2 - 51.3 ) | 628 |
| **Age** | | | | | | | | | |
| 11 or younger | 59.4 | ( 51.2 - 67.0 ) | 259 | 70.7 | ( 62.2 - 77.9 ) | 118 | 49.0 | ( 36.8 - 61.3 ) | 138 |
| 12 | 51.8 | ( 45.8 - 57.8 ) | 393 | 58.7 | ( 50.2 - 66.7 ) | 175 | 45.5 | ( 37.3 - 54.0 ) | 218 |
| 13 | 53.9 | ( 49.5 - 58.2 ) | 382 | 59.8 | ( 54.0 - 65.4 ) | 183 | 46.8 | ( 39.3 - 54.5 ) | 198 |
| 14 or older | 46.0 | ( 37.2 - 55.1 ) | 155 | - | - | 82 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 56.1 | ( 51.1 - 61.1 ) | 455 | 64.9 | ( 56.1 - 72.7 ) | 222 | 47.3 | ( 40.9 - 53.8 ) | 233 |
| 7th | 53.0 | ( 47.2 - 58.6 ) | 360 | 56.2 | ( 48.6 - 63.6 ) | 161 | 49.3 | ( 40.4 - 58.2 ) | 198 |
| 8th | 49.2 | ( 43.5 - 54.9 ) | 369 | 57.3 | ( 49.5 - 64.8 ) | 174 | 41.2 | ( 31.5 - 51.6 ) | 194 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 52.3 | ( 48.6 - 55.9 ) | 783 | 59.0 | ( 54.5 - 63.4 ) | 370 | 45.6 | ( 40.2 - 51.0 ) | 412 |
| Hispanic/Latino | 56.8 | ( 52.1 - 61.5 ) | 132 | - | - | 64 | - | - | 67 |
| White* | - | - | 92 | - | - | 38 | - | - | 54 |
| All other races* | - | - | 50 | - | - | 28 | - | - | 22 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 151 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN47: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 31.1 | ( 28.1 - 34.2 ) | 1,179 | 33.4 | ( 29.9 - 37.1 ) | 549 | 28.9 | ( 23.4 - 35.1 ) | 625 |
| **Age** | | | | | | | | | |
| 11 or younger | 25.5 | ( 18.6 - 33.8 ) | 256 | 21.6 | ( 14.1 - 31.5 ) | 116 | 28.9 | ( 20.7 - 38.7 ) | 138 |
| 12 | 33.6 | ( 29.3 - 38.3 ) | 383 | 35.2 | ( 29.1 - 41.8 ) | 170 | 32.2 | ( 24.5 - 41.1 ) | 213 |
| 13 | 30.4 | ( 27.4 - 33.6 ) | 382 | 34.8 | ( 28.7 - 41.4 ) | 181 | 25.9 | ( 21.4 - 31.0 ) | 200 |
| 14 or older | 34.7 | ( 26.4 - 44.0 ) | 154 | - | - | 82 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 29.3 | ( 24.8 - 34.3 ) | 449 | 29.1 | ( 24.5 - 34.1 ) | 217 | 29.5 | ( 23.0 - 37.0 ) | 232 |
| 7th | 32.6 | ( 28.5 - 37.0 ) | 353 | 36.7 | ( 29.0 - 45.0 ) | 155 | 28.8 | ( 22.0 - 36.9 ) | 197 |
| 8th | 31.7 | ( 27.5 - 36.3 ) | 370 | 34.8 | ( 28.2 - 41.9 ) | 176 | 28.8 | ( 21.4 - 37.5 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 32.9 | ( 29.8 - 36.3 ) | 774 | 34.4 | ( 31.4 - 37.5 ) | 364 | 31.6 | ( 26.0 - 37.7 ) | 409 |
| Hispanic/Latino | 25.0 | ( 19.8 - 31.0 ) | 132 | - | - | 64 | - | - | 67 |
| White* | - | - | 93 | - | - | 38 | - | - | 55 |
| All other races* | - | - | 48 | - | - | 26 | - | - | 22 |
| Multiple races* | - | - | 73 | - | - | 28 | - | - | 45 |

Note: 163 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN48: Percentage of students who had 8 or more hours of sleep (on an average school night)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 50.0 | ( 44.8 - 55.2 ) | 1,177 | 48.5 | ( 41.6 - 55.5 ) | 551 | 51.5 | ( 46.5 - 56.4 ) | 621 |
| **Age** | | | | | | | | | |
| 11 or younger | 64.1 | ( 57.8 - 70.0 ) | 256 | 66.2 | ( 53.0 - 77.3 ) | 117 | 62.5 | ( 57.5 - 67.2 ) | 136 |
| 12 | 52.9 | ( 46.5 - 59.1 ) | 381 | 49.2 | ( 40.4 - 58.0 ) | 170 | 56.3 | ( 49.8 - 62.6 ) | 211 |
| 13 | 43.0 | ( 38.3 - 47.8 ) | 383 | 43.3 | ( 38.9 - 47.9 ) | 182 | 42.9 | ( 35.9 - 50.1 ) | 200 |
| 14 or older | 40.2 | ( 31.9 - 49.1 ) | 153 | - | - | 81 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 61.5 | ( 55.3 - 67.4 ) | 447 | 59.5 | ( 47.9 - 70.1 ) | 219 | 63.6 | ( 59.1 - 67.9 ) | 228 |
| 7th | 48.0 | ( 42.9 - 53.2 ) | 353 | 45.7 | ( 41.1 - 50.4 ) | 156 | 50.7 | ( 42.1 - 59.2 ) | 196 |
| 8th | 39.3 | ( 32.6 - 46.4 ) | 370 | 39.1 | ( 32.1 - 46.7 ) | 175 | 39.1 | ( 32.1 - 46.6 ) | 194 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 48.6 | ( 43.2 - 54.1 ) | 772 | 45.5 | ( 38.3 - 53.0 ) | 368 | 51.7 | ( 46.7 - 56.6 ) | 403 |
| Hispanic/Latino | 53.0 | ( 45.3 - 60.5 ) | 129 | - | - | 61 | - | - | 67 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 27 | - | - | 23 |
| Multiple races* | - | - | 74 | - | - | 29 | - | - | 45 |

Note: 165 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN49: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 71.8 | ( 67.9 - 75.4 ) | 1,125 | 67.7 | ( 62.0 - 72.8 ) | 533 | 76.8 | ( 70.6 - 82.0 ) | 586 |
| **Age** | | | | | | | | | |
| 11 or younger | 75.7 | ( 68.7 - 81.5 ) | 238 | 71.3 | ( 56.4 - 82.6 ) | 110 | 81.3 | ( 74.1 - 86.8 ) | 125 |
| 12 | 72.9 | ( 65.4 - 79.3 ) | 371 | 74.2 | ( 65.6 - 81.3 ) | 171 | 71.7 | ( 60.3 - 80.9 ) | 200 |
| 13 | 72.4 | ( 67.7 - 76.7 ) | 366 | 65.6 | ( 58.1 - 72.4 ) | 174 | 80.7 | ( 75.3 - 85.2 ) | 191 |
| 14 or older | 61.7 | ( 54.6 - 68.4 ) | 147 | - | - | 77 | - | - | 69 |
| **Grade** | | | | | | | | | |
| 6th | 73.7 | ( 68.6 - 78.2 ) | 425 | 69.8 | ( 61.4 - 77.1 ) | 212 | 77.8 | ( 70.0 - 84.1 ) | 213 |
| 7th | 67.3 | ( 59.9 - 74.0 ) | 341 | 64.7 | ( 53.9 - 74.2 ) | 157 | 70.8 | ( 57.4 - 81.3 ) | 183 |
| 8th | 74.9 | ( 68.2 - 80.6 ) | 351 | 68.1 | ( 59.5 - 75.7 ) | 163 | 82.1 | ( 76.8 - 86.4 ) | 187 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 72.0 | ( 68.8 - 74.9 ) | 733 | 68.5 | ( 62.9 - 73.6 ) | 351 | 75.8 | ( 69.8 - 81.0 ) | 381 |
| Hispanic/Latino | 74.9 | ( 63.7 - 83.5 ) | 125 | - | - | 63 | - | - | 61 |
| White* | - | - | 90 | - | - | 36 | - | - | 54 |
| All other races* | - | - | 45 | - | - | 24 | - | - | 21 |
| Multiple races* | - | - | 68 | - | - | 26 | - | - | 42 |

Note: 217 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN50: Percentage of students who respond that their parents or guardians own the home or place where they live

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 49.0 | ( 43.9 - 54.0 ) | 1,298 | 56.9 | ( 51.7 - 61.9 ) | 620 | 40.5 | ( 34.8 - 46.5 ) | 673 |
| **Age** | | | | | | | | | |
| 11 or younger | 50.2 | ( 45.0 - 55.4 ) | 276 | 60.7 | ( 53.4 - 67.6 ) | 128 | 39.6 | ( 31.8 - 47.8 ) | 145 |
| 12 | 48.1 | ( 40.6 - 55.8 ) | 422 | 60.3 | ( 51.7 - 68.3 ) | 192 | 37.1 | ( 29.5 - 45.4 ) | 230 |
| 13 | 50.4 | ( 43.2 - 57.7 ) | 419 | 56.6 | ( 51.0 - 62.1 ) | 200 | 43.8 | ( 32.8 - 55.5 ) | 218 |
| 14 or older | 46.3 | ( 35.3 - 57.6 ) | 177 | - | - | 99 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 52.2 | ( 47.9 - 56.5 ) | 491 | 63.3 | ( 56.5 - 69.6 ) | 245 | 40.1 | ( 34.6 - 46.0 ) | 245 |
| 7th | 43.7 | ( 36.3 - 51.4 ) | 398 | 54.2 | ( 47.5 - 60.8 ) | 183 | 32.8 | ( 23.6 - 43.6 ) | 215 |
| 8th | 51.0 | ( 43.1 - 58.9 ) | 400 | 52.4 | ( 45.2 - 59.4 ) | 191 | 49.4 | ( 37.7 - 61.1 ) | 208 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 46.8 | ( 40.5 - 53.2 ) | 863 | 56.4 | ( 49.0 - 63.5 ) | 414 | 36.8 | ( 30.8 - 43.3 ) | 448 |
| Hispanic/Latino | 45.2 | ( 27.9 - 63.6 ) | 143 | - | - | 70 | - | - | 72 |
| White* | - | - | 95 | - | - | 40 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 77 | - | - | 28 | - | - | 49 |

Note: 44 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN51: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.4 | ( 4.3 - 6.7 ) | 1,321 | 3.7 | ( 2.2 - 6.1 ) | 627 | 6.8 | ( 5.1 - 8.9 ) | 687 |
| **Age** | | | | | | | | | |
| 11 or younger | 3.7 | ( 2.4 - 5.8 ) | 283 | 3.8 | ( 1.8 - 7.8 ) | 130 | 1.8 | ( 0.6 - 5.9 ) | 149 |
| 12 | 4.3 | ( 2.8 - 6.4 ) | 428 | 2.2 | ( 0.9 - 5.5 ) | 192 | 6.0 | ( 4.0 - 9.0 ) | 236 |
| 13 | 5.2 | ( 3.4 - 8.0 ) | 421 | 3.7 | ( 1.6 - 8.1 ) | 201 | 6.9 | ( 3.8 - 12.3 ) | 220 |
| 14 or older | 10.2 | ( 6.5 - 15.8 ) | 182 | 5.5 | ( 2.1 - 13.4 ) | 103 | - | - | 78 |
| **Grade** | | | | | | | | | |
| 6th | 3.3 | ( 2.1 - 5.1 ) | 498 | 2.1 | ( 0.9 - 4.7 ) | 246 | 4.5 | ( 2.4 - 8.3 ) | 251 |
| 7th | 5.1 | ( 2.8 - 9.3 ) | 404 | 4.5 | ( 2.0 - 9.6 ) | 183 | 5.2 | ( 2.1 - 12.2 ) | 219 |
| 8th | 7.7 | ( 5.2 - 11.4 ) | 410 | 4.6 | ( 2.0 - 10.4 ) | 197 | 11.0 | ( 6.7 - 17.6 ) | 212 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 5.0 | ( 3.8 - 6.6 ) | 877 | 3.3 | ( 1.7 - 6.3 ) | 417 | 6.8 | ( 4.8 - 9.6 ) | 459 |
| Hispanic/Latino | 5.3 | ( 1.7 - 15.6 ) | 145 | - | - | 70 | - | - | 74 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 54 | - | - | 32 | - | - | 22 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 21 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN52: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.5 | ( 1.5 - 4.0 ) | 1,321 | 2.5 | ( 1.3 - 4.9 ) | 628 | 2.5 | ( 1.5 - 4.2 ) | 687 |
| **Age** | | | | | | | | | |
| 11 or younger | 0.7 | ( 0.2 - 2.3 ) | 281 | 1.2 | ( 0.3 - 5.1 ) | 128 | 0.3 | ( 0.0 - 2.6 ) | 149 |
| 12 | 2.4 | ( 1.2 - 4.8 ) | 428 | 3.7 | ( 1.8 - 7.6 ) | 192 | 1.3 | ( 0.4 - 4.0 ) | 236 |
| 13 | 3.0 | ( 1.6 - 5.5 ) | 426 | 2.9 | ( 1.0 - 8.2 ) | 204 | 3.1 | ( 1.7 - 5.6 ) | 221 |
| 14 or older | 4.0 | ( 1.7 - 8.9 ) | 182 | 1.1 | ( 0.2 - 7.6 ) | 103 | - | - | 78 |
| **Grade** | | | | | | | | | |
| 6th | 2.2 | ( 1.1 - 4.2 ) | 494 | 3.7 | ( 1.9 - 7.0 ) | 244 | 0.6 | ( 0.1 - 2.7 ) | 249 |
| 7th | 2.8 | ( 1.3 - 6.0 ) | 408 | 3.1 | ( 1.1 - 8.5 ) | 187 | 2.5 | ( 0.8 - 7.7 ) | 221 |
| 8th | 2.6 | ( 1.4 - 4.9 ) | 409 | 0.7 | ( 0.1 - 3.7 ) | 196 | 4.7 | ( 2.4 - 9.0 ) | 212 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 2.4 | ( 1.4 - 3.9 ) | 875 | 2.6 | ( 1.2 - 5.2 ) | 416 | 2.2 | ( 1.2 - 3.9 ) | 458 |
| Hispanic/Latino | 2.4 | ( 0.9 - 6.5 ) | 146 | - | - | 69 | - | - | 76 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 55 | - | - | 32 | - | - | 23 |
| Multiple races* | - | - | 77 | - | - | 30 | - | - | 47 |

Note: 21 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN53: Percentage of students who have ever ridden in a car driven by someone who was texting while they were driving the car

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 47.7 | ( 43.2 - 52.3 ) | 1,329 | 41.2 | ( 37.4 - 45.1 ) | 635 | 54.5 | ( 47.3 - 61.4 ) | 687 |
| **Age** | | | | | | | | | |
| 11 or younger | 42.0 | ( 38.7 - 45.5 ) | 282 | 37.3 | ( 31.3 - 43.7 ) | 129 | 46.2 | ( 37.9 - 54.7 ) | 150 |
| 12 | 47.9 | ( 39.7 - 56.2 ) | 428 | 43.6 | ( 35.0 - 52.5 ) | 194 | 51.8 | ( 41.2 - 62.3 ) | 234 |
| 13 | 49.1 | ( 43.1 - 55.2 ) | 431 | 39.8 | ( 32.5 - 47.5 ) | 209 | 59.5 | ( 53.5 - 65.3 ) | 221 |
| 14 or older | 51.4 | ( 43.3 - 59.5 ) | 183 | 44.1 | ( 34.5 - 54.2 ) | 103 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 43.7 | ( 40.1 - 47.3 ) | 501 | 40.8 | ( 36.4 - 45.3 ) | 248 | 47.0 | ( 39.9 - 54.2 ) | 252 |
| 7th | 43.0 | ( 34.6 - 51.9 ) | 405 | 36.9 | ( 28.5 - 46.3 ) | 187 | 49.6 | ( 40.3 - 59.0 ) | 217 |
| 8th | 56.3 | ( 51.3 - 61.2 ) | 413 | 45.9 | ( 38.4 - 53.6 ) | 199 | 67.0 | ( 60.2 - 73.3 ) | 213 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 47.3 | ( 42.8 - 51.9 ) | 883 | 42.3 | ( 38.6 - 46.1 ) | 424 | 52.3 | ( 44.5 - 60.0 ) | 458 |
| Hispanic/Latino | 50.7 | ( 41.3 - 60.0 ) | 146 | - | - | 69 | - | - | 76 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 32 | - | - | 21 |
| Multiple races* | - | - | 79 | - | - | 30 | - | - | 49 |

Note: 13 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN54: Percentage of students who most of the time or always feel safe and secure in their neighborhood

| | Total Percentage | 95% confidence interval | N | Male Percentage | 95% confidence interval | N | Female Percentage | 95% confidence interval | N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 62.7 | ( 59.3 - 66.0 ) | 1,322 | 64.3 | ( 59.5 - 68.8 ) | 630 | 61.2 | ( 57.7 - 64.7 ) | 685 |
| **Age** | | | | | | | | | |
| 11 or younger | 58.7 | ( 53.8 - 63.3 ) | 283 | 60.7 | ( 49.6 - 70.9 ) | 129 | 57.6 | ( 51.0 - 63.9 ) | 150 |
| 12 | 62.9 | ( 58.0 - 67.5 ) | 424 | 61.1 | ( 54.9 - 66.9 ) | 191 | 64.4 | ( 58.3 - 70.1 ) | 233 |
| 13 | 64.9 | ( 59.8 - 69.7 ) | 430 | 67.4 | ( 61.0 - 73.2 ) | 209 | 62.5 | ( 56.3 - 68.3 ) | 220 |
| 14 or older | 62.5 | ( 51.5 - 72.3 ) | 180 | 66.6 | ( 56.4 - 75.4 ) | 100 | - | - | 79 |
| **Grade** | | | | | | | | | |
| 6th | 61.3 | ( 57.1 - 65.3 ) | 494 | 60.1 | ( 52.0 - 67.7 ) | 244 | 62.8 | ( 56.4 - 68.8 ) | 249 |
| 7th | 61.3 | ( 57.7 - 64.8 ) | 408 | 63.9 | ( 56.4 - 70.9 ) | 188 | 58.1 | ( 55.1 - 61.1 ) | 218 |
| 8th | 66.3 | ( 59.8 - 72.3 ) | 411 | 69.2 | ( 62.2 - 75.4 ) | 197 | 63.1 | ( 53.1 - 72.0 ) | 213 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 61.1 | ( 57.8 - 64.3 ) | 874 | 62.6 | ( 58.4 - 66.5 ) | 417 | 59.5 | ( 55.6 - 63.3 ) | 456 |
| Hispanic/Latino | 66.0 | ( 57.0 - 74.0 ) | 148 | - | - | 71 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 54 | - | - | 32 | - | - | 22 |
| Multiple races* | - | - | 79 | - | - | 30 | - | - | 49 |

Note: 20 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN55: Percentage of students who who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.5 | ( 23.5 - 27.6 ) | 1,310 | 17.5 | ( 14.2 - 21.2 ) | 622 | 33.8 | ( 30.9 - 36.8 ) | 682 |
| **Age** | | | | | | | | | |
| 11 or younger | 19.6 | ( 14.9 - 25.3 ) | 280 | 13.0 | ( 8.2 - 19.8 ) | 129 | 25.8 | ( 18.3 - 35.1 ) | 149 |
| 12 | 24.2 | ( 19.8 - 29.3 ) | 425 | 17.9 | ( 10.9 - 28.0 ) | 192 | 30.0 | ( 25.3 - 35.1 ) | 233 |
| 13 | 30.6 | ( 26.5 - 35.1 ) | 421 | 21.3 | ( 15.6 - 28.4 ) | 201 | 40.5 | ( 35.7 - 45.6 ) | 219 |
| 14 or older | 24.3 | ( 18.8 - 30.8 ) | 179 | 13.5 | ( 8.2 - 21.6 ) | 100 | - | - | 78 |
| **Grade** | | | | | | | | | |
| 6th | 21.5 | ( 17.0 - 26.9 ) | 492 | 16.1 | ( 10.9 - 23.1 ) | 243 | 27.2 | ( 21.0 - 34.4 ) | 249 |
| 7th | 25.2 | ( 21.8 - 29.1 ) | 403 | 16.8 | ( 13.1 - 21.3 ) | 185 | 34.1 | ( 27.4 - 41.5 ) | 217 |
| 8th | 29.9 | ( 25.4 - 34.9 ) | 405 | 19.6 | ( 12.6 - 29.4 ) | 193 | 40.7 | ( 35.3 - 46.3 ) | 211 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 24.3 | ( 21.9 - 26.9 ) | 868 | 17.0 | ( 13.9 - 20.7 ) | 413 | 31.7 | ( 28.8 - 34.8 ) | 454 |
| Hispanic/Latino | 28.8 | ( 24.7 - 33.3 ) | 147 | - | - | 70 | - | - | 76 |
| White* | - | - | 98 | - | - | 43 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 77 | - | - | 30 | - | - | 47 |

Note: 32 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN56: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.4 | ( 7.2 - 12.0 ) | 1,286 | 8.6 | ( 6.5 - 11.3 ) | 617 | 9.8 | ( 7.3 - 13.1 ) | 666 |
| **Age** | | | | | | | | | |
| 11 or younger | 4.8 | ( 2.4 - 9.1 ) | 274 | 5.2 | ( 1.8 - 13.8 ) | 124 | 2.6 | ( 1.5 - 4.2 ) | 147 |
| 12 | 8.1 | ( 5.7 - 11.4 ) | 421 | 9.7 | ( 6.3 - 14.7 ) | 191 | 6.6 | ( 4.1 - 10.6 ) | 230 |
| 13 | 10.1 | ( 6.5 - 15.4 ) | 414 | 7.5 | ( 4.3 - 12.8 ) | 201 | 13.1 | ( 7.5 - 22.0 ) | 213 |
| 14 or older | 16.7 | ( 10.8 - 24.9 ) | 174 | 12.2 | ( 6.1 - 23.0 ) | 101 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 6.3 | ( 4.8 - 8.4 ) | 487 | 8.5 | ( 5.6 - 12.7 ) | 239 | 4.1 | ( 2.6 - 6.5 ) | 248 |
| 7th | 9.2 | ( 6.0 - 13.9 ) | 395 | 9.7 | ( 5.4 - 16.7 ) | 184 | 8.7 | ( 5.6 - 13.4 ) | 211 |
| 8th | 12.0 | ( 8.1 - 17.3 ) | 397 | 7.5 | ( 4.9 - 11.5 ) | 193 | 16.7 | ( 10.7 - 25.2 ) | 204 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.9 | ( 6.7 - 11.8 ) | 856 | 8.0 | ( 5.7 - 11.1 ) | 413 | 9.9 | ( 7.1 - 13.7 ) | 443 |
| Hispanic/Latino | 8.8 | ( 5.3 - 14.2 ) | 144 | - | - | 70 | - | - | 73 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 31 | - | - | 18 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 56 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN57: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 53.0 | ( 44.9 - 61.0 ) | 190 | - | - | 99 | - | - | 89 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 29 | - | - | 18 | - | - | 9 |
| 12 | - | - | 55 | - | - | 33 | - | - | 22 |
| 13 | - | - | 70 | - | - | 30 | - | - | 40 |
| 14 or older | - | - | 35 | - | - | 18 | - | - | 17 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 62 | - | - | 42 | - | - | 20 |
| 7th | - | - | 56 | - | - | 26 | - | - | 30 |
| 8th | - | - | 67 | - | - | 31 | - | - | 36 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 53.7 | ( 43.9 - 63.2 ) | 127 | - | - | 67 | - | - | 60 |
| Hispanic/Latino | - | - | 18 | - | - | 9 | - | - | 9 |
| White* | - | - | 11 | - | - | 4 | - | - | 7 |
| All other races* | - | - | 11 | - | - | 7 | - | - | 4 |
| Multiple races* | - | - | 9 | - | - | 4 | - | - | 5 |

Note: 1,152 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN58: Percentage of students who used some flavored tobacco product (during the 30 days before the survey)

| | **Total** | | | **Male** | | | **Female** | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.0 | ( 5.5 - 8.8 ) | 1,264 | 8.0 | ( 6.0 - 10.5 ) | 599 | 5.4 | ( 4.1 - 7.3 ) | 659 |
| **Age** | | | | | | | | | |
| 11 or younger | 4.7 | ( 2.7 - 7.9 ) | 269 | 6.1 | ( 2.6 - 13.4 ) | 123 | 1.5 | ( 0.4 - 5.6 ) | 142 |
| 12 | 6.3 | ( 4.1 - 9.6 ) | 408 | 8.8 | ( 5.1 - 14.8 ) | 182 | 4.1 | ( 2.2 - 7.6 ) | 226 |
| 13 | 7.5 | ( 5.2 - 10.7 ) | 412 | 7.4 | ( 5.2 - 10.5 ) | 199 | 7.1 | ( 4.0 - 12.5 ) | 212 |
| 14 or older | 10.0 | ( 6.1 - 16.0 ) | 172 | - | - | 94 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 5.8 | ( 3.9 - 8.4 ) | 472 | 8.4 | ( 4.4 - 15.1 ) | 233 | 3.1 | ( 1.6 - 5.9 ) | 239 |
| 7th | 5.6 | ( 2.9 - 10.6 ) | 387 | 6.6 | ( 3.1 - 13.5 ) | 176 | 4.0 | ( 1.6 - 10.0 ) | 210 |
| 8th | 9.1 | ( 6.6 - 12.3 ) | 396 | 9.0 | ( 6.7 - 12.1 ) | 189 | 9.1 | ( 5.6 - 14.6 ) | 206 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 6.8 | ( 5.2 - 8.7 ) | 838 | 7.4 | ( 5.3 - 10.3 ) | 399 | 6.1 | ( 4.5 - 8.3 ) | 438 |
| Hispanic/Latino | 6.5 | ( 3.4 - 12.0 ) | 140 | - | - | 69 | - | - | 70 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 31 | - | - | 22 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 78 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN59: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.8 | ( 0.3 - 1.8 ) | 1,199 | 1.1 | ( 0.4 - 2.9 ) | 562 | 0.5 | ( 0.1 - 2.2 ) | 631 |
| **Age** | | | | | | | | | |
| 11 or younger | 0.1 | ( 0.0 - 0.5 ) | 259 | 0.2 | ( 0.0 - 1.1 ) | 115 | 0.0 | - | 140 |
| 12 | 0.3 | ( 0.0 - 2.1 ) | 383 | 0.7 | ( 0.1 - 4.4 ) | 172 | 0.0 | - | 211 |
| 13 | 0.8 | ( 0.2 - 2.8 ) | 388 | 0.9 | ( 0.2 - 4.5 ) | 182 | 0.7 | ( 0.1 - 4.9 ) | 206 |
| 14 or older | 2.8 | ( 0.6 - 11.8 ) | 164 | - | - | 92 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 0.6 | ( 0.2 - 2.5 ) | 448 | 1.3 | ( 0.3 - 5.4 ) | 219 | 0.0 | - | 229 |
| 7th | 0.5 | ( 0.1 - 2.5 ) | 363 | 1.0 | ( 0.2 - 4.4 ) | 167 | 0.0 | - | 195 |
| 8th | 1.3 | ( 0.5 - 3.5 ) | 378 | 1.0 | ( 0.2 - 4.7 ) | 175 | 1.6 | ( 0.4 - 6.6 ) | 202 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 0.9 | ( 0.4 - 2.2 ) | 781 | 1.2 | ( 0.4 - 3.5 ) | 366 | 0.7 | ( 0.2 - 2.8 ) | 414 |
| Hispanic/Latino | 0.0 | - | 134 | - | - | 63 | - | - | 70 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 77 | - | - | 28 | - | - | 49 |

Note: 143 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN60: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 62 | - | - | 37 | - | - | 23 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 10 | - | - | 6 | - | - | 3 |
| 12 | - | - | 21 | - | - | 14 | - | - | 7 |
| 13 | - | - | 22 | - | - | 11 | - | - | 10 |
| 14 or older | - | - | 9 | - | - | 6 | - | - | 3 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 22 | - | - | 16 | - | - | 6 |
| 7th | - | - | 20 | - | - | 12 | - | - | 8 |
| 8th | - | - | 18 | - | - | 9 | - | - | 9 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | - | - | 41 | - | - | 25 | - | - | 16 |
| Hispanic/Latino | - | - | 8 | - | - | 4 | - | - | 4 |
| White* | - | - | 1 | - | - | 0 | - | - | 1 |
| All other races* | - | - | 4 | - | - | 3 | - | - | 1 |
| Multiple races* | - | - | 2 | - | - | 1 | - | - | 1 |

Note: 1,280 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN61: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.5 | ( 16.6 - 34.7 ) | 129 | - | - | 73 | - | - | 53 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 25 | - | - | 11 | - | - | 12 |
| 12 | - | - | 37 | - | - | 24 | - | - | 13 |
| 13 | - | - | 46 | - | - | 27 | - | - | 18 |
| 14 or older | - | - | 19 | - | - | 10 | - | - | 9 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 54 | - | - | 31 | - | - | 22 |
| 7th | - | - | 35 | - | - | 22 | - | - | 13 |
| 8th | - | - | 37 | - | - | 20 | - | - | 17 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | - | - | 82 | - | - | 48 | - | - | 34 |
| Hispanic/Latino | - | - | 15 | - | - | 8 | - | - | 7 |
| White* | - | - | 4 | - | - | 2 | - | - | 2 |
| All other races* | - | - | 8 | - | - | 6 | - | - | 2 |
| Multiple races* | - | - | 4 | - | - | 2 | - | - | 2 |

Note: 1,213 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN62: Percentage of students who usually smoked menthol cigarettes (among students who smoked cigarettes during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 52 | - | - | 29 | - | - | 23 |
| **Age** | | | | | | | | | |
| 11 or younger | - | - | 5 | - | - | 4 | - | - | 1 |
| 12 | - | - | 15 | - | - | 7 | - | - | 8 |
| 13 | - | - | 17 | - | - | 8 | - | - | 9 |
| 14 or older | - | - | 14 | - | - | 9 | - | - | 5 |
| **Grade** | | | | | | | | | |
| 6th | - | - | 17 | - | - | 11 | - | - | 6 |
| 7th | - | - | 12 | - | - | 7 | - | - | 5 |
| 8th | - | - | 23 | - | - | 11 | - | - | 12 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | - | - | 30 | - | - | 14 | - | - | 16 |
| Hispanic/Latino | - | - | 9 | - | - | 5 | - | - | 4 |
| White* | - | - | 2 | - | - | 1 | - | - | 1 |
| All other races* | - | - | 2 | - | - | 2 | - | - | 0 |
| Multiple races* | - | - | 2 | - | - | 1 | - | - | 1 |

Note: 1,290 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN63: Percentage of students who live with someone who now smokes cigarettes or cigars

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 50.0 | ( 43.3 - 56.7 ) | 1,279 | 47.6 | ( 39.5 - 55.9 ) | 602 | 52.5 | ( 46.0 - 59.0 ) | 672 |
| **Age** | | | | | | | | | |
| 11 or younger | 48.3 | ( 38.5 - 58.1 ) | 275 | 46.8 | ( 36.6 - 57.4 ) | 125 | 49.6 | ( 38.3 - 60.9 ) | 147 |
| 12 | 53.3 | ( 45.1 - 61.3 ) | 410 | 45.6 | ( 36.6 - 54.8 ) | 183 | 60.2 | ( 50.7 - 69.0 ) | 227 |
| 13 | 45.6 | ( 36.7 - 54.8 ) | 413 | 42.8 | ( 28.8 - 58.0 ) | 196 | 48.7 | ( 38.4 - 59.1 ) | 217 |
| 14 or older | 56.3 | ( 47.3 - 64.9 ) | 176 | - | - | 97 | - | - | 78 |
| **Grade** | | | | | | | | | |
| 6th | 50.1 | ( 41.2 - 59.1 ) | 483 | 45.0 | ( 35.9 - 54.4 ) | 237 | 55.5 | ( 45.0 - 65.6 ) | 246 |
| 7th | 50.1 | ( 40.3 - 59.9 ) | 391 | 44.8 | ( 31.4 - 59.0 ) | 176 | 54.9 | ( 46.2 - 63.3 ) | 213 |
| 8th | 49.7 | ( 39.8 - 59.5 ) | 398 | 53.6 | ( 42.2 - 64.6 ) | 188 | 46.0 | ( 35.9 - 56.4 ) | 209 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 50.4 | ( 44.3 - 56.5 ) | 843 | 47.1 | ( 39.2 - 55.3 ) | 400 | 53.9 | ( 48.4 - 59.2 ) | 442 |
| Hispanic/Latino | 40.2 | ( 30.9 - 50.2 ) | 145 | - | - | 68 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 30 | - | - | 23 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 63 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN64: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 69.6 | ( 64.6 - 74.2 ) | 1,262 | 70.7 | ( 65.4 - 75.5 ) | 595 | 68.7 | ( 61.1 - 75.4 ) | 661 |
| **Age** | | | | | | | | | |
| 11 or younger | 73.9 | ( 66.9 - 79.9 ) | 271 | 71.4 | ( 62.9 - 78.6 ) | 125 | 76.7 | ( 66.8 - 84.3 ) | 143 |
| 12 | 67.8 | ( 62.7 - 72.6 ) | 404 | 71.3 | ( 61.2 - 79.6 ) | 182 | 64.7 | ( 56.6 - 72.0 ) | 222 |
| 13 | 69.9 | ( 63.4 - 75.7 ) | 412 | 73.6 | ( 66.5 - 79.7 ) | 194 | 66.3 | ( 56.3 - 75.1 ) | 217 |
| 14 or older | 67.2 | ( 60.2 - 73.6 ) | 171 | - | - | 93 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 70.0 | ( 65.4 - 74.2 ) | 476 | 70.6 | ( 63.6 - 76.7 ) | 236 | 69.4 | ( 61.6 - 76.2 ) | 240 |
| 7th | 69.4 | ( 60.9 - 76.8 ) | 382 | 72.7 | ( 63.6 - 80.3 ) | 174 | 65.9 | ( 54.1 - 76.1 ) | 208 |
| 8th | 69.9 | ( 61.4 - 77.2 ) | 394 | 68.7 | ( 59.0 - 77.0 ) | 184 | 70.8 | ( 61.9 - 78.4 ) | 209 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 68.8 | ( 63.4 - 73.8 ) | 832 | 69.7 | ( 63.5 - 75.3 ) | 395 | 67.9 | ( 59.6 - 75.2 ) | 436 |
| Hispanic/Latino | 83.7 | ( 69.2 - 92.1 ) | 143 | - | - | 67 | - | - | 75 |
| White* | - | - | 96 | - | - | 42 | - | - | 54 |
| All other races* | - | - | 54 | - | - | 31 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 80 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN65: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 29.1 | ( 25.8 - 32.7 ) | 1,273 | 25.6 | ( 21.8 - 29.7 ) | 601 | 32.3 | ( 27.6 - 37.4 ) | 665 |
| **Age** | | | | | | | | | |
| 11 or younger | 23.7 | ( 18.6 - 29.7 ) | 279 | 21.1 | ( 15.9 - 27.5 ) | 127 | 23.8 | ( 15.5 - 34.7 ) | 148 |
| 12 | 31.2 | ( 27.1 - 35.7 ) | 404 | 28.9 | ( 22.1 - 36.8 ) | 181 | 33.2 | ( 27.5 - 39.5 ) | 223 |
| 13 | 30.9 | ( 25.2 - 37.2 ) | 414 | 25.3 | ( 18.8 - 33.1 ) | 198 | 36.7 | ( 30.4 - 43.4 ) | 215 |
| 14 or older | 28.5 | ( 22.7 - 35.0 ) | 171 | - | - | 94 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 28.2 | ( 23.7 - 33.1 ) | 487 | 26.7 | ( 20.6 - 33.8 ) | 239 | 29.7 | ( 22.8 - 37.6 ) | 248 |
| 7th | 29.8 | ( 24.6 - 35.6 ) | 383 | 25.1 | ( 17.6 - 34.5 ) | 174 | 34.3 | ( 27.4 - 41.9 ) | 208 |
| 8th | 29.0 | ( 24.7 - 33.7 ) | 393 | 24.9 | ( 19.6 - 31.1 ) | 187 | 33.5 | ( 27.0 - 40.7 ) | 205 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 28.8 | ( 25.4 - 32.4 ) | 834 | 25.2 | ( 20.1 - 31.0 ) | 397 | 32.6 | ( 27.5 - 38.1 ) | 436 |
| Hispanic/Latino | 13.2 | ( 6.5 - 24.8 ) | 145 | - | - | 68 | - | - | 76 |
| White* | - | - | 96 | - | - | 41 | - | - | 55 |
| All other races* | - | - | 54 | - | - | 31 | - | - | 23 |
| Multiple races* | - | - | 77 | - | - | 29 | - | - | 48 |

Note: 69 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN66: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.7 | ( 9.4 - 14.4 ) | 1,278 | 10.8 | ( 8.7 - 13.4 ) | 604 | 12.0 | ( 8.8 - 16.2 ) | 668 |
| **Age** | | | | | | | | | |
| 11 or younger | 6.3 | ( 3.6 - 10.8 ) | 278 | 5.2 | ( 2.0 - 12.5 ) | 127 | 5.5 | ( 3.0 - 9.8 ) | 148 |
| 12 | 11.2 | ( 8.5 - 14.7 ) | 407 | 12.1 | ( 7.6 - 18.7 ) | 184 | 10.4 | ( 7.0 - 15.2 ) | 223 |
| 13 | 12.1 | ( 7.6 - 18.7 ) | 419 | 9.4 | ( 5.1 - 16.5 ) | 200 | 14.6 | ( 9.2 - 22.5 ) | 218 |
| 14 or older | 19.0 | ( 13.5 - 26.0 ) | 169 | - | - | 92 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 7.7 | ( 4.7 - 12.4 ) | 487 | 8.4 | ( 4.1 - 16.6 ) | 240 | 6.9 | ( 4.1 - 11.2 ) | 247 |
| 7th | 12.2 | ( 8.4 - 17.5 ) | 384 | 11.6 | ( 7.0 - 18.6 ) | 175 | 12.9 | ( 9.0 - 18.1 ) | 209 |
| 8th | 14.6 | ( 9.6 - 21.6 ) | 397 | 12.8 | ( 8.1 - 19.5 ) | 188 | 16.6 | ( 8.9 - 28.9 ) | 208 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 11.4 | ( 9.0 - 14.3 ) | 839 | 10.7 | ( 8.6 - 13.2 ) | 399 | 12.1 | ( 8.2 - 17.6 ) | 439 |
| Hispanic/Latino | 10.5 | ( 4.6 - 21.9 ) | 146 | - | - | 69 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 53 | - | - | 30 | - | - | 23 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 64 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN67: Percentage of students who who currently used marijuana (one or more times during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.2 | ( 11.8 - 17.1 ) | 1,266 | 15.5 | ( 11.6 - 20.3 ) | 595 | 12.3 | ( 10.3 - 14.8 ) | 664 |
| **Age** | | | | | | | | | |
| 11 or younger | 7.3 | ( 4.5 - 11.6 ) | 273 | 7.7 | ( 3.5 - 16.1 ) | 123 | 4.1 | ( 2.1 - 8.0 ) | 146 |
| 12 | 10.4 | ( 8.2 - 13.1 ) | 406 | 11.1 | ( 7.6 - 15.9 ) | 181 | 9.7 | ( 6.7 - 13.9 ) | 225 |
| 13 | 17.7 | ( 14.4 - 21.7 ) | 411 | 19.3 | ( 15.2 - 24.2 ) | 197 | 15.4 | ( 11.5 - 20.4 ) | 213 |
| 14 or older | 24.6 | ( 16.7 - 34.8 ) | 171 | - | - | 93 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 7.6 | ( 5.5 - 10.2 ) | 478 | 10.1 | ( 5.9 - 16.9 ) | 232 | 4.9 | ( 2.9 - 8.2 ) | 246 |
| 7th | 17.0 | ( 13.5 - 21.1 ) | 384 | 17.8 | ( 13.2 - 23.5 ) | 174 | 15.6 | ( 11.8 - 20.2 ) | 209 |
| 8th | 18.1 | ( 13.2 - 24.5 ) | 394 | 18.8 | ( 12.1 - 28.1 ) | 188 | 17.5 | ( 12.4 - 24.2 ) | 205 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 14.2 | ( 11.7 - 17.2 ) | 832 | 16.1 | ( 11.8 - 21.6 ) | 393 | 12.4 | ( 9.8 - 15.5 ) | 438 |
| Hispanic/Latino | 11.5 | ( 5.5 - 22.3 ) | 145 | - | - | 68 | - | - | 76 |
| White* | - | - | 95 | - | - | 41 | - | - | 54 |
| All other races* | - | - | 51 | - | - | 29 | - | - | 22 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 76 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN68: Percentage of students who have ever used heroin (also called "smack","junk", or "China White")

| | Total Percentage | 95% confidence interval | N | Male Percentage | 95% confidence interval | N | Female Percentage | 95% confidence interval | N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 3.0 | ( 1.9 - 4.8 ) | 1,254 | 4.5 | ( 2.6 - 7.7 ) | 585 | 1.5 | ( 0.8 - 2.9 ) | 664 |
| **Age** | | | | | | | | | |
| 11 or younger | 2.6 | ( 1.1 - 5.6 ) | 271 | 4.2 | ( 1.5 - 11.5 ) | 123 | 0.8 | ( 0.2 - 4.3 ) | 146 |
| 12 | 3.0 | ( 1.5 - 6.0 ) | 405 | 3.0 | ( 1.0 - 8.5 ) | 178 | 3.0 | ( 1.3 - 6.6 ) | 227 |
| 13 | 3.6 | ( 2.1 - 6.1 ) | 407 | 6.0 | ( 3.3 - 10.6 ) | 193 | 1.0 | ( 0.3 - 3.6 ) | 213 |
| 14 or older | 2.6 | ( 1.0 - 7.0 ) | 167 | - | - | 90 | - | - | 76 |
| **Grade** | | | | | | | | | |
| 6th | 3.3 | ( 1.7 - 6.5 ) | 475 | 4.8 | ( 2.0 - 11.3 ) | 230 | 1.8 | ( 0.6 - 5.2 ) | 245 |
| 7th | 3.0 | ( 1.7 - 5.4 ) | 380 | 3.8 | ( 1.6 - 8.8 ) | 170 | 2.2 | ( 0.9 - 5.5 ) | 209 |
| 8th | 2.7 | ( 1.5 - 4.9 ) | 391 | 4.8 | ( 2.6 - 8.9 ) | 184 | 0.5 | ( 0.1 - 3.7 ) | 206 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 3.4 | ( 2.1 - 5.3 ) | 822 | 5.1 | ( 2.8 - 9.0 ) | 384 | 1.7 | ( 0.8 - 3.3 ) | 437 |
| Hispanic/Latino | 2.8 | ( 0.8 - 9.3 ) | 145 | - | - | 68 | - | - | 76 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 29 | - | - | 21 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 88 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
### Summary Tables - Weighted Data

QN69: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times  during the 30 days before the survey)

| | Total Percentage | 95% confidence interval | N | Male Percentage | 95% confidence interval | N | Female Percentage | 95% confidence interval | N |
|---|---|---|---|---|---|---|---|---|---|
| Total | 10.4 | ( 8.5 - 12.5 ) | 1,245 | 11.6 | ( 8.0 - 16.6 ) | 588 | 8.5 | ( 6.6 - 10.9 ) | 651 |
| **Age** | | | | | | | | | |
| 11 or younger | 8.0 | ( 5.5 - 11.5 ) | 271 | 10.8 | ( 6.0 - 18.5 ) | 122 | 4.9 | ( 2.7 - 8.6 ) | 146 |
| 12 | 8.3 | ( 5.2 - 13.0 ) | 402 | 8.4 | ( 3.6 - 18.5 ) | 183 | 8.2 | ( 5.1 - 13.0 ) | 219 |
| 13 | 11.8 | ( 9.2 - 14.9 ) | 401 | 13.8 | ( 9.5 - 19.7 ) | 193 | 8.9 | ( 6.7 - 11.7 ) | 207 |
| 14 or older | 15.1 | ( 9.7 - 22.9 ) | 167 | - | - | 89 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 7.6 | ( 4.8 - 11.7 ) | 475 | 10.3 | ( 5.7 - 17.9 ) | 232 | 4.9 | ( 3.0 - 7.9 ) | 243 |
| 7th | 8.8 | ( 6.4 - 12.1 ) | 376 | 8.8 | ( 4.9 - 15.4 ) | 171 | 8.8 | ( 5.7 - 13.4 ) | 204 |
| 8th | 14.5 | ( 10.6 - 19.6 ) | 385 | 15.8 | ( 9.0 - 26.2 ) | 184 | 12.5 | ( 8.1 - 19.0 ) | 200 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 10.5 | ( 8.1 - 13.6 ) | 814 | 11.7 | ( 7.6 - 17.6 ) | 387 | 9.1 | ( 6.8 - 12.0 ) | 426 |
| Hispanic/Latino | 9.2 | ( 4.1 - 19.2 ) | 145 | - | - | 69 | - | - | 75 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 28 | - | - | 22 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 97 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN70: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.4 | ( 4.8 - 8.6 ) | 1,223 | 7.1 | ( 4.9 - 10.2 ) | 569 | 5.7 | ( 4.0 - 8.0 ) | 650 |
| **Age** | | | | | | | | | |
| 11 or younger | 2.7 | ( 1.1 - 6.5 ) | 264 | 2.8 | ( 0.9 - 8.7 ) | 118 | 2.3 | ( 0.7 - 7.0 ) | 144 |
| 12 | 6.9 | ( 4.2 - 11.1 ) | 396 | 8.9 | ( 4.6 - 16.8 ) | 177 | 5.1 | ( 2.2 - 11.3 ) | 219 |
| 13 | 6.6 | ( 4.2 - 10.3 ) | 394 | 5.3 | ( 2.4 - 11.4 ) | 186 | 8.1 | ( 4.9 - 13.1 ) | 208 |
| 14 or older | 9.9 | ( 5.6 - 17.1 ) | 166 | - | - | 88 | - | - | 77 |
| **Grade** | | | | | | | | | |
| 6th | 6.1 | ( 3.5 - 10.7 ) | 462 | 8.1 | ( 3.5 - 17.5 ) | 223 | 4.2 | ( 2.0 - 8.6 ) | 239 |
| 7th | 4.3 | ( 2.6 - 7.0 ) | 374 | 4.7 | ( 2.4 - 8.9 ) | 168 | 3.9 | ( 1.5 - 9.6 ) | 205 |
| 8th | 8.7 | ( 5.7 - 13.1 ) | 380 | 8.5 | ( 5.2 - 13.7 ) | 177 | 8.9 | ( 5.2 - 14.8 ) | 202 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 6.4 | ( 4.5 - 8.9 ) | 797 | 7.3 | ( 4.5 - 11.6 ) | 372 | 5.5 | ( 3.7 - 8.0 ) | 424 |
| Hispanic/Latino | 8.9 | ( 5.9 - 13.2 ) | 144 | - | - | 68 | - | - | 75 |
| White* | - | - | 97 | - | - | 42 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 28 | - | - | 22 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 119 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN71: Percentage of students who spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 48.4 | ( 38.5 - 58.4 ) | 1,211 | 49.5 | ( 37.4 - 61.7 ) | 571 | 47.2 | ( 37.9 - 56.7 ) | 635 |
| **Age** | | | | | | | | | |
| 11 or younger | 69.3 | ( 55.6 - 80.2 ) | 261 | 68.8 | ( 52.8 - 81.3 ) | 119 | 70.2 | ( 53.7 - 82.7 ) | 139 |
| 12 | 47.8 | ( 34.9 - 61.0 ) | 398 | 52.3 | ( 39.0 - 65.4 ) | 179 | 43.5 | ( 30.0 - 58.1 ) | 219 |
| 13 | 39.9 | ( 30.5 - 50.2 ) | 390 | 41.0 | ( 30.2 - 52.8 ) | 188 | 38.2 | ( 26.5 - 51.5 ) | 201 |
| 14 or older | 41.1 | ( 26.9 - 57.0 ) | 159 | - | - | 85 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 63.2 | ( 51.3 - 73.7 ) | 458 | 61.8 | ( 50.4 - 72.0 ) | 224 | 64.7 | ( 50.0 - 77.1 ) | 234 |
| 7th | 37.5 | ( 23.8 - 53.5 ) | 370 | 41.7 | ( 26.2 - 59.0 ) | 169 | 32.6 | ( 19.7 - 48.7 ) | 200 |
| 8th | 43.1 | ( 32.4 - 54.4 ) | 375 | 44.0 | ( 30.4 - 58.7 ) | 177 | 42.3 | ( 30.3 - 55.3 ) | 197 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 46.7 | ( 36.4 - 57.2 ) | 793 | 46.9 | ( 35.1 - 59.1 ) | 376 | 46.5 | ( 36.7 - 56.6 ) | 416 |
| Hispanic/Latino | 61.6 | ( 43.3 - 77.1 ) | 136 | - | - | 66 | - | - | 69 |
| White* | - | - | 93 | - | - | 39 | - | - | 54 |
| All other races* | - | - | 52 | - | - | 29 | - | - | 23 |
| Multiple races* | - | - | 76 | - | - | 29 | - | - | 47 |

Note: 131 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN72: Percentage of students who have been taught about AIDS or HIV infection in school

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 46.0 | ( 38.3 - 53.8 ) | 1,186 | 45.2 | ( 37.4 - 53.2 ) | 558 | 46.7 | ( 38.1 - 55.6 ) | 623 |
| **Age** | | | | | | | | | |
| 11 or younger | 28.6 | ( 21.3 - 37.2 ) | 257 | 35.3 | ( 23.4 - 49.4 ) | 116 | 22.5 | ( 13.4 - 35.2 ) | 138 |
| 12 | 37.5 | ( 30.7 - 44.8 ) | 387 | 37.5 | ( 28.1 - 47.8 ) | 172 | 37.5 | ( 28.7 - 47.2 ) | 215 |
| 13 | 58.7 | ( 46.3 - 70.1 ) | 385 | 52.8 | ( 41.0 - 64.2 ) | 187 | 65.9 | ( 53.1 - 76.8 ) | 197 |
| 14 or older | 59.8 | ( 44.6 - 73.4 ) | 154 | - | - | 82 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 26.3 | ( 20.9 - 32.5 ) | 453 | 30.6 | ( 22.1 - 40.8 ) | 222 | 21.9 | ( 15.2 - 30.6 ) | 231 |
| 7th | 49.7 | ( 42.2 - 57.2 ) | 357 | 46.7 | ( 38.1 - 55.4 ) | 159 | 52.4 | ( 41.6 - 62.9 ) | 197 |
| 8th | 64.3 | ( 50.0 - 76.4 ) | 369 | 59.6 | ( 46.3 - 71.7 ) | 176 | 69.0 | ( 52.7 - 81.6 ) | 192 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 46.0 | ( 38.7 - 53.4 ) | 777 | 46.0 | ( 38.7 - 53.4 ) | 368 | 45.8 | ( 37.3 - 54.6 ) | 408 |
| Hispanic/Latino | 37.8 | ( 25.9 - 51.4 ) | 132 | - | - | 64 | - | - | 67 |
| White* | - | - | 93 | - | - | 38 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 28 | - | - | 21 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 156 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN73: Percentage of students who have had asthma symptoms (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.2 | ( 19.5 - 25.2 ) | 1,167 | 21.6 | ( 18.3 - 25.3 ) | 545 | 22.9 | ( 18.6 - 27.8 ) | 618 |
| **Age** | | | | | | | | | |
| 11 or younger | 19.4 | ( 15.3 - 24.2 ) | 252 | 19.1 | ( 14.5 - 24.8 ) | 115 | 19.3 | ( 13.6 - 26.7 ) | 136 |
| 12 | 24.3 | ( 18.8 - 30.9 ) | 380 | 23.9 | ( 16.2 - 33.8 ) | 168 | 24.7 | ( 17.0 - 34.5 ) | 212 |
| 13 | 22.0 | ( 19.2 - 25.0 ) | 379 | 20.9 | ( 17.0 - 25.5 ) | 181 | 23.3 | ( 18.8 - 28.5 ) | 197 |
| 14 or older | 22.2 | ( 16.9 - 28.6 ) | 153 | - | - | 80 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 22.4 | ( 19.3 - 25.8 ) | 448 | 23.2 | ( 19.1 - 27.8 ) | 219 | 21.6 | ( 16.7 - 27.5 ) | 229 |
| 7th | 20.8 | ( 15.8 - 26.8 ) | 347 | 20.0 | ( 14.2 - 27.4 ) | 154 | 21.6 | ( 14.4 - 31.0 ) | 193 |
| 8th | 23.4 | ( 19.4 - 28.0 ) | 365 | 21.5 | ( 16.7 - 27.1 ) | 171 | 25.6 | ( 20.1 - 32.0 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 23.6 | ( 20.2 - 27.4 ) | 766 | 22.5 | ( 18.4 - 27.2 ) | 363 | 24.9 | ( 19.7 - 30.8 ) | 402 |
| Hispanic/Latino | 15.2 | ( 11.2 - 20.3 ) | 132 | - | - | 63 | - | - | 68 |
| White* | - | - | 93 | - | - | 38 | - | - | 55 |
| All other races* | - | - | 48 | - | - | 25 | - | - | 23 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 175 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN74: Percentage of students who described their health as excellent or very good

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 65.4 | ( 62.6 - 68.1 ) | 1,174 | 70.1 | ( 65.4 - 74.4 ) | 553 | 60.3 | ( 57.2 - 63.4 ) | 617 |
| **Age** | | | | | | | | | |
| 11 or younger | 68.6 | ( 64.4 - 72.6 ) | 254 | 70.4 | ( 61.0 - 78.3 ) | 119 | 66.9 | ( 61.4 - 72.0 ) | 134 |
| 12 | 68.8 | ( 63.3 - 73.8 ) | 380 | 70.8 | ( 65.0 - 76.0 ) | 170 | 66.9 | ( 58.0 - 74.6 ) | 210 |
| 13 | 63.7 | ( 59.4 - 67.8 ) | 381 | 71.3 | ( 66.6 - 75.6 ) | 183 | 54.8 | ( 47.5 - 61.9 ) | 197 |
| 14 or older | 56.6 | ( 49.6 - 63.3 ) | 154 | - | - | 80 | - | - | 73 |
| **Grade** | | | | | | | | | |
| 6th | 66.1 | ( 61.3 - 70.6 ) | 447 | 67.9 | ( 61.6 - 73.7 ) | 221 | 64.2 | ( 57.9 - 70.1 ) | 226 |
| 7th | 71.8 | ( 67.2 - 75.9 ) | 350 | 78.4 | ( 72.6 - 83.2 ) | 157 | 64.9 | ( 55.9 - 73.0 ) | 193 |
| 8th | 58.9 | ( 53.0 - 64.5 ) | 370 | 64.4 | ( 56.1 - 71.9 ) | 174 | 52.9 | ( 47.4 - 58.3 ) | 195 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 66.2 | ( 63.2 - 69.1 ) | 764 | 72.2 | ( 67.7 - 76.2 ) | 364 | 60.0 | ( 55.6 - 64.2 ) | 399 |
| Hispanic/Latino | 63.7 | ( 57.4 - 69.5 ) | 133 | - | - | 65 | - | - | 67 |
| White* | - | - | 93 | - | - | 38 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 26 | - | - | 23 |
| Multiple races* | - | - | 75 | - | - | 29 | - | - | 46 |

Note: 168 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN75: Percentage of students who used an indoor tanning device (such as a sunlamp, sunbed, or tanning booth [not including getting a spray-on tan] one or more times during the 12 months before the survey)

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.7 | ( 5.3 - 11.0 ) | 1,173 | 10.1 | ( 7.0 - 14.3 ) | 552 | 5.1 | ( 2.9 - 8.7 ) | 617 |
| **Age** | | | | | | | | | |
| 11 or younger | 3.8 | ( 2.0 - 7.1 ) | 248 | 6.3 | ( 3.1 - 12.3 ) | 115 | 1.5 | ( 0.4 - 6.3 ) | 132 |
| 12 | 8.1 | ( 5.3 - 12.1 ) | 382 | 10.6 | ( 5.6 - 18.9 ) | 168 | 5.8 | ( 3.2 - 10.4 ) | 214 |
| 13 | 8.0 | ( 4.4 - 13.9 ) | 386 | 10.5 | ( 6.1 - 17.4 ) | 187 | 4.4 | ( 1.6 - 11.3 ) | 198 |
| 14 or older | 11.8 | ( 7.5 - 18.0 ) | 154 | - | - | 82 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 7.2 | ( 4.7 - 11.0 ) | 443 | 9.7 | ( 5.4 - 16.7 ) | 216 | 4.8 | ( 2.4 - 9.0 ) | 227 |
| 7th | 8.0 | ( 5.1 - 12.1 ) | 354 | 12.1 | ( 8.2 - 17.6 ) | 160 | 3.6 | ( 1.4 - 9.4 ) | 194 |
| 8th | 7.8 | ( 4.1 - 14.3 ) | 369 | 8.6 | ( 4.2 - 16.7 ) | 175 | 7.0 | ( 2.5 - 17.6 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 8.4 | ( 5.5 - 12.5 ) | 772 | 10.8 | ( 7.2 - 15.9 ) | 367 | 5.9 | ( 3.2 - 10.8 ) | 404 |
| Hispanic/Latino | 6.1 | ( 2.3 - 15.0 ) | 126 | - | - | 61 | - | - | 64 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 27 | - | - | 23 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 169 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN76: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 52.5 | ( 46.6 - 58.4 ) | 1,170 | 52.7 | ( 46.2 - 59.2 ) | 548 | 52.4 | ( 45.1 - 59.5 ) | 618 |
| **Age** | | | | | | | | | |
| 11 or younger | 50.2 | ( 42.7 - 57.7 ) | 248 | 52.9 | ( 39.6 - 65.7 ) | 114 | 48.2 | ( 38.1 - 58.4 ) | 132 |
| 12 | 48.3 | ( 39.8 - 56.9 ) | 381 | 50.3 | ( 40.3 - 60.3 ) | 169 | 46.5 | ( 36.7 - 56.5 ) | 212 |
| 13 | 58.9 | ( 49.8 - 67.4 ) | 384 | 54.7 | ( 47.3 - 61.9 ) | 184 | 64.0 | ( 50.5 - 75.7 ) | 199 |
| 14 or older | 50.4 | ( 41.2 - 59.5 ) | 154 | - | - | 81 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 47.3 | ( 40.7 - 54.0 ) | 443 | 50.6 | ( 39.8 - 61.3 ) | 215 | 43.9 | ( 34.9 - 53.3 ) | 228 |
| 7th | 53.2 | ( 46.5 - 59.7 ) | 354 | 52.8 | ( 47.8 - 57.7 ) | 160 | 54.0 | ( 41.6 - 66.0 ) | 193 |
| 8th | 57.4 | ( 46.9 - 67.2 ) | 367 | 54.8 | ( 46.2 - 63.1 ) | 172 | 59.7 | ( 45.3 - 72.7 ) | 194 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 52.1 | ( 46.1 - 58.0 ) | 764 | 51.3 | ( 44.9 - 57.7 ) | 361 | 52.8 | ( 45.4 - 60.1 ) | 402 |
| Hispanic/Latino | 57.7 | ( 42.1 - 71.8 ) | 133 | - | - | 65 | - | - | 67 |
| White* | - | - | 91 | - | - | 37 | - | - | 54 |
| All other races* | - | - | 49 | - | - | 26 | - | - | 23 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 172 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN77: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

| | Total | | | Male | | | Female | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 49.2 | ( 44.1 - 54.3 ) | 1,152 | 45.2 | ( 36.9 - 53.7 ) | 543 | 53.2 | ( 47.8 - 58.5 ) | 605 |
| **Age** | | | | | | | | | |
| 11 or younger | 42.1 | ( 35.1 - 49.5 ) | 247 | 36.9 | ( 29.9 - 44.5 ) | 114 | 47.0 | ( 36.1 - 58.2 ) | 132 |
| 12 | 46.4 | ( 41.5 - 51.3 ) | 378 | 40.4 | ( 30.4 - 51.3 ) | 170 | 51.9 | ( 44.8 - 59.0 ) | 208 |
| 13 | 52.1 | ( 43.8 - 60.3 ) | 374 | 49.6 | ( 36.9 - 62.4 ) | 180 | 54.6 | ( 48.0 - 61.1 ) | 193 |
| 14 or older | 58.3 | ( 47.5 - 68.4 ) | 150 | - | - | 79 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 44.9 | ( 39.1 - 50.8 ) | 444 | 40.3 | ( 30.1 - 51.3 ) | 218 | 49.7 | ( 40.4 - 59.0 ) | 226 |
| 7th | 50.6 | ( 43.6 - 57.6 ) | 343 | 47.3 | ( 36.7 - 58.1 ) | 156 | 54.2 | ( 43.9 - 64.1 ) | 187 |
| 8th | 52.8 | ( 43.0 - 62.4 ) | 358 | 48.8 | ( 34.9 - 62.9 ) | 168 | 56.6 | ( 47.1 - 65.6 ) | 189 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 52.3 | ( 47.9 - 56.7 ) | 753 | 47.4 | ( 39.3 - 55.7 ) | 362 | 57.3 | ( 51.6 - 62.9 ) | 390 |
| Hispanic/Latino | 48.8 | ( 37.9 - 59.8 ) | 129 | - | - | 61 | - | - | 67 |
| White* | - | - | 91 | - | - | 37 | - | - | 54 |
| All other races* | - | - | 49 | - | - | 26 | - | - | 23 |
| Multiple races* | - | - | 72 | - | - | 28 | - | - | 44 |

Note: 190 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

80

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN78: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 29.5 | ( 25.9 - 33.4 ) | 1,166 | 28.8 | ( 23.5 - 34.7 ) | 546 | 30.2 | ( 25.8 - 35.1 ) | 615 |
| **Age** | | | | | | | | | |
| 11 or younger | 26.8 | ( 20.0 - 34.8 ) | 253 | 24.2 | ( 15.2 - 36.2 ) | 116 | 28.3 | ( 20.7 - 37.4 ) | 135 |
| 12 | 28.4 | ( 22.5 - 35.2 ) | 379 | 25.3 | ( 17.8 - 34.6 ) | 168 | 31.2 | ( 24.2 - 39.2 ) | 211 |
| 13 | 30.8 | ( 25.2 - 37.0 ) | 380 | 33.1 | ( 26.5 - 40.5 ) | 182 | 28.4 | ( 20.7 - 37.6 ) | 197 |
| 14 or older | 33.3 | ( 23.9 - 44.3 ) | 151 | - | - | 80 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 26.3 | ( 20.2 - 33.5 ) | 444 | 26.0 | ( 18.0 - 35.9 ) | 216 | 26.7 | ( 19.5 - 35.4 ) | 228 |
| 7th | 31.2 | ( 26.1 - 36.9 ) | 352 | 30.3 | ( 24.3 - 37.0 ) | 159 | 31.7 | ( 24.7 - 39.6 ) | 192 |
| 8th | 31.6 | ( 24.4 - 39.7 ) | 363 | 30.6 | ( 22.3 - 40.3 ) | 170 | 32.8 | ( 23.6 - 43.5 ) | 192 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 31.7 | ( 28.3 - 35.2 ) | 763 | 31.1 | ( 25.7 - 37.1 ) | 363 | 32.3 | ( 28.3 - 36.6 ) | 399 |
| Hispanic/Latino | 16.6 | ( 11.7 - 23.1 ) | 131 | - | - | 64 | - | - | 66 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 50 | - | - | 27 | - | - | 23 |
| Multiple races* | - | - | 72 | - | - | 27 | - | - | 45 |

Note: 176 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN79: Percentage of students who say definitely yes or probably yes that smokers have shorter lives than non-smokers

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 82.4 | ( 79.2 - 85.3 ) | 1,160 | 81.4 | ( 75.7 - 85.9 ) | 543 | 84.1 | ( 79.1 - 88.0 ) | 612 |
| **Age** | | | | | | | | | |
| 11 or younger | 79.9 | ( 74.1 - 84.7 ) | 252 | 77.9 | ( 69.7 - 84.3 ) | 117 | 82.5 | ( 75.6 - 87.7 ) | 133 |
| 12 | 82.6 | ( 77.7 - 86.6 ) | 379 | 81.3 | ( 72.8 - 87.5 ) | 169 | 83.8 | ( 80.3 - 86.8 ) | 210 |
| 13 | 84.6 | ( 80.7 - 87.8 ) | 374 | 81.8 | ( 73.3 - 88.0 ) | 177 | 88.2 | ( 82.4 - 92.4 ) | 196 |
| 14 or older | 80.8 | ( 76.6 - 84.3 ) | 152 | - | - | 80 | - | - | 71 |
| **Grade** | | | | | | | | | |
| 6th | 77.9 | ( 73.3 - 81.9 ) | 442 | 75.0 | ( 68.4 - 80.5 ) | 217 | 81.0 | ( 75.1 - 85.7 ) | 225 |
| 7th | 86.5 | ( 83.7 - 89.0 ) | 345 | 87.2 | ( 80.4 - 91.8 ) | 155 | 85.9 | ( 81.3 - 89.5 ) | 190 |
| 8th | 84.2 | ( 80.3 - 87.4 ) | 365 | 82.7 | ( 74.7 - 88.5 ) | 170 | 86.2 | ( 73.1 - 93.5 ) | 194 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 81.8 | ( 78.5 - 84.7 ) | 760 | 80.8 | ( 74.5 - 85.8 ) | 361 | 83.1 | ( 77.4 - 87.5 ) | 398 |
| Hispanic/Latino | 85.2 | ( 80.7 - 88.8 ) | 131 | - | - | 65 | - | - | 65 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 26 | - | - | 23 |
| Multiple races* | - | - | 73 | - | - | 28 | - | - | 45 |

Note: 182 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN80: Percentage of students who responded that their parents would feel it would be wrong or very wrong for them  to drink beer, wine, or hard liquor at least once or twice a month

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 88.2 | ( 86.6 - 89.6 ) | 1,129 | 87.3 | ( 85.1 - 89.2 ) | 525 | 89.4 | ( 86.9 - 91.5 ) | 599 |
| **Age** | | | | | | | | | |
| 11 or younger | 87.3 | ( 81.9 - 91.3 ) | 242 | 87.7 | ( 80.5 - 92.6 ) | 112 | 87.8 | ( 81.8 - 92.0 ) | 128 |
| 12 | 92.5 | ( 88.3 - 95.2 ) | 369 | 90.2 | ( 82.2 - 94.8 ) | 166 | 94.6 | ( 89.8 - 97.2 ) | 203 |
| 13 | 86.2 | ( 81.6 - 89.8 ) | 367 | 88.5 | ( 83.4 - 92.2 ) | 171 | 84.4 | ( 77.5 - 89.5 ) | 195 |
| 14 or older | 83.9 | ( 76.1 - 89.5 ) | 149 | - | - | 76 | - | - | 72 |
| **Grade** | | | | | | | | | |
| 6th | 89.2 | ( 87.2 - 90.9 ) | 431 | 88.1 | ( 84.3 - 91.1 ) | 214 | 90.3 | ( 86.6 - 93.1 ) | 217 |
| 7th | 90.2 | ( 85.1 - 93.6 ) | 335 | 89.5 | ( 82.8 - 93.8 ) | 149 | 90.9 | ( 85.0 - 94.6 ) | 186 |
| 8th | 85.6 | ( 79.4 - 90.2 ) | 355 | 84.1 | ( 74.7 - 90.4 ) | 161 | 87.0 | ( 79.8 - 91.9 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 88.3 | ( 86.3 - 90.1 ) | 741 | 87.2 | ( 84.4 - 89.7 ) | 349 | 89.4 | ( 86.1 - 92.0 ) | 391 |
| Hispanic/Latino | 88.0 | ( 83.2 - 91.6 ) | 122 | - | - | 60 | - | - | 61 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 47 | - | - | 26 | - | - | 21 |
| Multiple races* | - | - | 72 | - | - | 28 | - | - | 44 |

Note: 213 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# Maryland Middle School Survey
## Baltimore City
## Summary Tables - Weighted Data

QN81: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine or liquor) nearly every day

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 52.4 | ( 46.3 - 58.4 ) | 1,136 | 48.1 | ( 39.5 - 56.7 ) | 530 | 56.7 | ( 52.2 - 61.2 ) | 600 |
| **Age** | | | | | | | | | |
| 11 or younger | 50.6 | ( 43.0 - 58.1 ) | 244 | 49.5 | ( 34.8 - 64.3 ) | 112 | 51.7 | ( 43.3 - 59.9 ) | 129 |
| 12 | 54.5 | ( 48.5 - 60.4 ) | 371 | 50.3 | ( 41.1 - 59.5 ) | 168 | 58.5 | ( 52.0 - 64.7 ) | 203 |
| 13 | 52.2 | ( 42.4 - 61.8 ) | 374 | 46.2 | ( 35.6 - 57.3 ) | 174 | 59.0 | ( 49.2 - 68.2 ) | 199 |
| 14 or older | 50.3 | ( 40.9 - 59.6 ) | 145 | - | - | 76 | - | - | 68 |
| **Grade** | | | | | | | | | |
| 6th | 50.3 | ( 42.8 - 57.8 ) | 433 | 48.2 | ( 37.3 - 59.3 ) | 214 | 52.4 | ( 45.6 - 59.2 ) | 219 |
| 7th | 51.2 | ( 42.7 - 59.6 ) | 344 | 46.3 | ( 35.8 - 57.1 ) | 156 | 56.1 | ( 48.5 - 63.4 ) | 187 |
| 8th | 55.9 | ( 47.1 - 64.3 ) | 351 | 49.5 | ( 38.2 - 60.9 ) | 159 | 61.6 | ( 54.2 - 68.5 ) | 191 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 51.0 | ( 44.3 - 57.6 ) | 744 | 45.9 | ( 36.9 - 55.3 ) | 355 | 56.0 | ( 50.8 - 61.1 ) | 388 |
| Hispanic/Latino | 55.5 | ( 49.0 - 61.8 ) | 122 | - | - | 57 | - | - | 64 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 49 | - | - | 26 | - | - | 23 |
| Multiple races* | - | - | 72 | - | - | 29 | - | - | 43 |

Note: 206 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN82: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 55.5 | ( 48.6 - 62.1 ) | 1,131 | 52.9 | ( 44.5 - 61.1 ) | 532 | 58.1 | ( 51.3 - 64.6 ) | 594 |
| **Age** | | | | | | | | | |
| 11 or younger | 53.8 | ( 45.3 - 62.1 ) | 244 | 53.7 | ( 41.6 - 65.4 ) | 113 | 54.3 | ( 44.4 - 63.8 ) | 129 |
| 12 | 55.4 | ( 49.2 - 61.3 ) | 368 | 52.6 | ( 43.5 - 61.5 ) | 166 | 58.0 | ( 49.5 - 66.1 ) | 202 |
| 13 | 57.5 | ( 48.6 - 65.9 ) | 372 | 53.2 | ( 41.3 - 64.6 ) | 175 | 61.9 | ( 55.4 - 68.0 ) | 196 |
| 14 or older | 52.4 | ( 42.3 - 62.4 ) | 145 | - | - | 78 | - | - | 66 |
| **Grade** | | | | | | | | | |
| 6th | 51.4 | ( 43.9 - 58.9 ) | 432 | 48.1 | ( 37.0 - 59.4 ) | 214 | 54.9 | ( 47.3 - 62.4 ) | 218 |
| 7th | 55.8 | ( 48.5 - 62.8 ) | 340 | 53.9 | ( 44.8 - 62.7 ) | 153 | 57.7 | ( 50.1 - 65.0 ) | 187 |
| 8th | 59.8 | ( 49.0 - 69.8 ) | 351 | 57.2 | ( 43.1 - 70.1 ) | 164 | 63.0 | ( 52.4 - 72.4 ) | 186 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 52.9 | ( 46.1 - 59.5 ) | 743 | 49.7 | ( 41.2 - 58.3 ) | 356 | 56.3 | ( 49.5 - 62.9 ) | 386 |
| Hispanic/Latino | 60.5 | ( 51.0 - 69.3 ) | 123 | - | - | 59 | - | - | 63 |
| White* | - | - | 91 | - | - | 37 | - | - | 54 |
| All other races* | - | - | 48 | - | - | 26 | - | - | 22 |
| Multiple races* | - | - | 72 | - | - | 29 | - | - | 43 |

Note: 211 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN83: Percentage of students who have an adult outside of school they can talk to about things that are important to them

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 79.5 | ( 74.4 - 83.8 ) | 1,094 | 77.2 | ( 69.3 - 83.5 ) | 507 | 82.3 | ( 78.4 - 85.7 ) | 583 |
| **Age** | | | | | | | | | |
| 11 or younger | 83.5 | ( 76.7 - 88.6 ) | 239 | 81.2 | ( 71.5 - 88.2 ) | 108 | 86.2 | ( 79.3 - 91.0 ) | 129 |
| 12 | 79.6 | ( 73.3 - 84.7 ) | 358 | 76.7 | ( 68.6 - 83.3 ) | 162 | 82.3 | ( 75.6 - 87.5 ) | 196 |
| 13 | 79.5 | ( 73.4 - 84.5 ) | 354 | 76.8 | ( 66.3 - 84.7 ) | 166 | 83.0 | ( 76.6 - 88.0 ) | 187 |
| 14 or older | 74.3 | ( 64.9 - 81.8 ) | 140 | - | - | 71 | - | - | 69 |
| **Grade** | | | | | | | | | |
| 6th | 80.7 | ( 73.6 - 86.3 ) | 422 | 77.3 | ( 66.5 - 85.4 ) | 203 | 84.1 | ( 78.7 - 88.4 ) | 219 |
| 7th | 78.5 | ( 74.1 - 82.4 ) | 318 | 75.3 | ( 67.4 - 81.8 ) | 141 | 81.8 | ( 76.6 - 86.0 ) | 177 |
| 8th | 80.2 | ( 72.7 - 86.0 ) | 346 | 78.6 | ( 69.2 - 85.7 ) | 162 | 81.8 | ( 72.7 - 88.4 ) | 184 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 78.5 | ( 73.0 - 83.2 ) | 709 | 74.5 | ( 66.7 - 81.0 ) | 333 | 82.5 | ( 78.1 - 86.2 ) | 376 |
| Hispanic/Latino | 81.6 | ( 69.0 - 89.9 ) | 127 | - | - | 63 | - | - | 63 |
| White* | - | - | 91 | - | - | 37 | - | - | 54 |
| All other races* | - | - | 44 | - | - | 25 | - | - | 19 |
| Multiple races* | - | - | 72 | - | - | 27 | - | - | 45 |

Note: 248 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN84: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 77.9 | ( 73.1 - 82.0 ) | 1,160 | 73.8 | ( 66.7 - 79.9 ) | 542 | 82.3 | ( 77.8 - 86.0 ) | 612 |
| **Age** | | | | | | | | | |
| 11 or younger | 78.9 | ( 72.2 - 84.3 ) | 249 | 74.5 | ( 66.9 - 81.0 ) | 114 | 83.4 | ( 76.8 - 88.4 ) | 132 |
| 12 | 80.0 | ( 72.8 - 85.7 ) | 378 | 76.3 | ( 65.3 - 84.6 ) | 168 | 83.4 | ( 77.7 - 87.9 ) | 210 |
| 13 | 76.2 | ( 69.5 - 81.8 ) | 380 | 71.2 | ( 60.8 - 79.8 ) | 180 | 81.5 | ( 74.1 - 87.1 ) | 199 |
| 14 or older | 76.1 | ( 68.3 - 82.5 ) | 150 | - | - | 79 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 78.5 | ( 70.1 - 85.0 ) | 438 | 72.6 | ( 60.4 - 82.2 ) | 213 | 84.4 | ( 78.1 - 89.1 ) | 225 |
| 7th | 77.9 | ( 72.1 - 82.7 ) | 350 | 75.8 | ( 66.9 - 83.0 ) | 158 | 80.6 | ( 73.2 - 86.4 ) | 191 |
| 8th | 76.9 | ( 70.4 - 82.4 ) | 364 | 73.1 | ( 63.9 - 80.7 ) | 170 | 81.4 | ( 71.3 - 88.5 ) | 193 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 78.6 | ( 72.9 - 83.3 ) | 760 | 73.2 | ( 65.3 - 79.8 ) | 360 | 84.3 | ( 79.7 - 88.0 ) | 399 |
| Hispanic/Latino | 72.8 | ( 62.0 - 81.5 ) | 128 | - | - | 63 | - | - | 64 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 48 | - | - | 26 | - | - | 22 |
| Multiple races* | - | - | 73 | - | - | 28 | - | - | 45 |

Note: 182 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN85: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 36.5 | ( 32.8 - 40.4 ) | 1,111 | 32.2 | ( 26.9 - 38.0 ) | 519 | 40.8 | ( 36.4 - 45.3 ) | 589 |
| **Age** | | | | | | | | | |
| 11 or younger | 33.2 | ( 27.8 - 39.1 ) | 239 | 26.1 | ( 19.2 - 34.4 ) | 110 | 39.2 | ( 29.2 - 50.1 ) | 128 |
| 12 | 39.0 | ( 33.2 - 45.0 ) | 361 | 35.5 | ( 27.1 - 44.9 ) | 160 | 42.2 | ( 36.1 - 48.5 ) | 201 |
| 13 | 35.8 | ( 31.4 - 40.4 ) | 366 | 32.5 | ( 24.8 - 41.2 ) | 173 | 39.0 | ( 34.4 - 43.8 ) | 192 |
| 14 or older | 37.3 | ( 27.2 - 48.6 ) | 142 | - | - | 75 | - | - | 67 |
| **Grade** | | | | | | | | | |
| 6th | 38.2 | ( 32.5 - 44.3 ) | 421 | 33.5 | ( 25.5 - 42.6 ) | 202 | 42.8 | ( 35.0 - 51.1 ) | 219 |
| 7th | 33.7 | ( 27.5 - 40.5 ) | 336 | 30.7 | ( 23.0 - 39.6 ) | 155 | 37.2 | ( 31.1 - 43.6 ) | 180 |
| 8th | 37.2 | ( 32.4 - 42.2 ) | 349 | 32.4 | ( 25.5 - 40.2 ) | 161 | 41.8 | ( 34.4 - 49.7 ) | 188 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 38.1 | ( 33.6 - 42.7 ) | 725 | 34.1 | ( 27.6 - 41.1 ) | 343 | 42.1 | ( 36.9 - 47.5 ) | 382 |
| Hispanic/Latino | 30.6 | ( 24.6 - 37.4 ) | 124 | - | - | 62 | - | - | 61 |
| White* | - | - | 91 | - | - | 36 | - | - | 55 |
| All other races* | - | - | 43 | - | - | 24 | - | - | 19 |
| Multiple races* | - | - | 72 | - | - | 27 | - | - | 45 |

Note: 231 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

QN86: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

|  | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
|  | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 69.6 | ( 65.4 - 73.5 ) | 1,144 | 70.4 | ( 64.9 - 75.5 ) | 543 | 68.5 | ( 63.7 - 73.0 ) | 594 |
| **Age** | | | | | | | | | |
| 11 or younger | 77.6 | ( 70.6 - 83.3 ) | 245 | 82.4 | ( 71.9 - 89.6 ) | 114 | 73.6 | ( 62.2 - 82.6 ) | 128 |
| 12 | 72.4 | ( 66.1 - 77.8 ) | 371 | 71.9 | ( 63.1 - 79.4 ) | 170 | 72.8 | ( 66.1 - 78.6 ) | 201 |
| 13 | 64.3 | ( 58.4 - 69.8 ) | 377 | 66.3 | ( 57.2 - 74.3 ) | 179 | 61.8 | ( 54.0 - 69.1 ) | 197 |
| 14 or older | 64.8 | ( 53.5 - 74.6 ) | 147 | - | - | 79 | - | - | 67 |
| **Grade** | | | | | | | | | |
| 6th | 77.7 | ( 71.6 - 82.8 ) | 435 | 79.9 | ( 72.1 - 85.9 ) | 216 | 75.4 | ( 66.7 - 82.4 ) | 219 |
| 7th | 64.4 | ( 59.4 - 69.1 ) | 342 | 64.6 | ( 55.0 - 73.1 ) | 157 | 63.7 | ( 54.9 - 71.7 ) | 183 |
| 8th | 66.0 | ( 58.2 - 72.9 ) | 359 | 65.8 | ( 59.8 - 71.2 ) | 169 | 65.9 | ( 54.2 - 75.9 ) | 189 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 70.5 | ( 65.9 - 74.8 ) | 744 | 71.7 | ( 66.2 - 76.7 ) | 358 | 69.2 | ( 63.3 - 74.4 ) | 385 |
| Hispanic/Latino | 70.4 | ( 59.7 - 79.2 ) | 126 | - | - | 63 | - | - | 62 |
| White* | - | - | 91 | - | - | 37 | - | - | 54 |
| All other races* | - | - | 47 | - | - | 25 | - | - | 22 |
| Multiple races* | - | - | 73 | - | - | 29 | - | - | 44 |

Note: 198 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

## Maryland Middle School Survey
### Baltimore City
### Summary Tables - Weighted Data

---

QN87: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

| | Total | | | Male | | | Female | | |
|---|---|---|---|---|---|---|---|---|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 59.1 | ( 53.3 - 64.7 ) | 1,132 | 55.7 | ( 47.8 - 63.3 ) | 533 | 62.8 | ( 58.3 - 67.1 ) | 597 |
| **Age** | | | | | | | | | |
| 11 or younger | 56.4 | ( 48.8 - 63.7 ) | 240 | 57.6 | ( 49.3 - 65.5 ) | 110 | 55.8 | ( 47.4 - 63.8 ) | 128 |
| 12 | 59.6 | ( 51.3 - 67.3 ) | 372 | 55.5 | ( 43.5 - 66.9 ) | 170 | 63.5 | ( 55.4 - 70.8 ) | 202 |
| 13 | 61.4 | ( 53.3 - 69.0 ) | 373 | 61.2 | ( 50.3 - 71.1 ) | 177 | 61.7 | ( 52.9 - 69.8 ) | 196 |
| 14 or older | 56.3 | ( 44.5 - 67.4 ) | 145 | - | - | 75 | - | - | 70 |
| **Grade** | | | | | | | | | |
| 6th | 54.7 | ( 47.5 - 61.7 ) | 433 | 52.2 | ( 44.9 - 59.4 ) | 213 | 57.2 | ( 47.9 - 66.0 ) | 220 |
| 7th | 60.6 | ( 49.7 - 70.6 ) | 338 | 58.1 | ( 42.9 - 71.9 ) | 155 | 63.8 | ( 54.0 - 72.6 ) | 182 |
| 8th | 62.2 | ( 53.2 - 70.4 ) | 356 | 56.9 | ( 44.4 - 68.7 ) | 164 | 67.2 | ( 57.6 - 75.6 ) | 192 |
| **Race/Ethnicity** | | | | | | | | | |
| Black* | 59.5 | ( 53.9 - 64.8 ) | 737 | 55.9 | ( 47.9 - 63.6 ) | 349 | 63.1 | ( 58.9 - 67.1 ) | 388 |
| Hispanic/Latino | 57.7 | ( 48.3 - 66.6 ) | 128 | - | - | 64 | - | - | 63 |
| White* | - | - | 92 | - | - | 37 | - | - | 55 |
| All other races* | - | - | 45 | - | - | 25 | - | - | 20 |
| Multiple races* | - | - | 72 | - | - | 28 | - | - | 44 |

Note: 210 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.