# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	17.8	(15.7 - 20.1)	3,857	16.3	(13.9 - 19.0)	1,868	18.9	(16.9 - 21.0)	1,961	
Age											
	15 or younger	16.2	(13.8 - 18.8)	1,696	14.7	(11.9 - 17.9)	761	17.0	(14.7 - 19.7)	922	
	16 or 17	19.3	(17.0 - 21.9)	1,995	18.0	(15.1 - 21.3)	1,009	20.6	(18.2 - 23.2)	977	
	18 or older	17.3	(11.9 - 24.4)	160	-	-	97	-	-	62	
Grade											
	9th	15.9	(12.5 - 19.9)	892	15.1	(11.3 - 19.9)	394	16.4	(13.0 - 20.5)	494	
	10th	16.7	(14.1 - 19.8)	1,017	15.0	(12.1 - 18.3)	513	18.3	(15.0 - 22.0)	498	
	11th	19.7	(16.8 - 22.9)	1,066	19.1	(15.4 - 23.4)	525	20.2	(16.5 - 24.5)	538	
	12th	18.3	(15.3 - 21.6)	838	16.4	(12.8 - 20.7)	418	20.0	(16.3 - 24.4)	416	
Race/E	thnicity										
	Black*	15.8	(14.0 - 17.8)	1,314	15.8	(13.5 - 18.4)	621	15.9	(13.7 - 18.4)	692	
	Hispanic/Latino	19.5	(16.0 - 23.4)	371	17.2	(12.2 - 23.9)	182	21.8	(15.7 - 29.5)	188	
	White*	18.6	(16.0 - 21.6)	1,518	15.6	(12.8 - 18.9)	762	21.9	(19.1 - 25.0)	754	
	All other races*	16.3	(11.1 - 23.2)	326	17.8	(11.3 - 26.8)	171	11.5	(7.1 - 18.1)	148	
	Multiple races*	17.8	(13.6 - 22.9)	198	-	-	72	19.2	(13.1 - 27.1)	123	

Note: 35 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

		Total				Male		Female		
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	5.4	(3.7 - 7.7)	1,592	6.5	(4.3 - 9.8)	782	4.1	(2.7 - 6.2)	801
Age										
	15 or younger	6.0	(3.9 - 9.2)	403	9.2	(5.9 - 14.1)	174	3.0	(1.3 - 6.6)	224
	16 or 17	5.0	(3.2 - 7.7)	1,094	5.4	(3.3 - 8.9)	548	4.4	(2.7 - 7.1)	543
	18 or older	-	-	94	-	-	59	-	-	34
Grade										
	9th	3.5	(1.5 - 7.9)	170	-	-	74	-	-	94
	10th	5.8	(3.6 - 9.1)	328	8.2	(4.8 - 13.5)	168	3.4	(1.8 - 6.2)	159
	11th	4.7	(3.4 - 6.6)	537	5.6	(3.7 - 8.4)	269	3.4	(1.9 - 6.1)	266
	12th	5.6	(2.5 - 11.7)	539	6.3	(2.5 - 14.7)	264	4.9	(2.4 - 9.6)	274
Race/E	thnicity									
	Black*	3.6	(2.4 - 5.4)	529	6.3	(3.9 - 10.0)	250	1.0	(0.6 - 2.0)	278
	Hispanic/Latino	14.2	(7.3 - 25.6)	169	-	-	90	-	-	79
	White*	5.6	(3.3 - 9.2)	647	5.9	(2.8 - 12.0)	320	5.3	(3.4 - 8.1)	326
	All other races*	4.3	(2.0 - 8.8)	120	-	-	66	-	-	50
	Multiple races*	-	-	76	-	-	31	-	-	45

Note: 2,300 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

	Total				Male		Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν	
Total	21.3	(17.7 - 25.3)	1,626	25.7	(21.8 - 30.0)	804	16.0	(12.3 - 20.6)	808	
Age										
15 or younger	13.4	(10.3 - 17.3)	413	19.7	(14.4 - 26.5)	183	5.5	(2.8 - 10.4)	223	
16 or 17	23.2	(19.0 - 28.1)	1,115	26.5	(21.8 - 31.8)	561	19.8	(15.1 - 25.5)	549	
18 or older	-	-	96	-	-	59	-	-	36	
Grade										
9th	9.6	(5.5 - 16.2)	178	-	-	82	-	-	94	
10th	13.7	(10.1 - 18.3)	334	20.3	(14.9 - 27.1)	173	5.3	(2.7 - 10.3)	159	
11th	14.7	(12.0 - 17.9)	542	18.3	(13.8 - 23.7)	272	10.8	(7.9 - 14.7)	268	
12th	34.0	(27.1 - 41.7)	551	38.9	(31.9 - 46.5)	270	29.3	(21.3 - 38.8)	278	
Race/Ethnicity										
Black*	17.2	(14.4 - 20.3)	543	22.8	(18.2 - 28.2)	259	11.8	(9.2 - 15.0)	283	
Hispanic/Latino	19.7	(12.2 - 30.2)	168	-	-	89	-	-	79	
White*	23.6	(17.2 - 31.4)	651	27.9	(21.2 - 35.7)	322	19.0	(12.6 - 27.8)	328	
All other races*	31.2	(23.6 - 40.0)	128	-	-	71	-	-	51	
Multiple races*	-	-	79	-	-	33	-	-	46	

Note: 2,266 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

			Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	15.5	(13.7 - 17.4)	3,794	20.9	(18.0 - 24.1)	1,835	9.7	(8.1 - 11.6)	1,938	
Age											
	15 or younger	12.8	(10.9 - 15.0)	1,667	16.6	(13.7 - 19.9)	745	9.0	(7.3 - 11.2)	912	
	16 or 17	17.2	(15.1 - 19.6)	1,961	24.1	(20.9 - 27.7)	992	9.8	(7.2 - 13.1)	962	
	18 or older	23.8	(17.5 - 31.5)	162	-	-	97	-	-	64	
Grade											
	9th	12.8	(10.5 - 15.5)	878	16.3	(12.6 - 20.9)	384	8.8	(6.8 - 11.3)	490	
	10th	15.1	(12.3 - 18.3)	1,003	19.6	(15.8 - 24.1)	509	10.4	(7.6 - 14.0)	491	
	11th	16.1	(13.5 - 19.0)	1,048	23.6	(20.0 - 27.6)	515	8.5	(6.3 - 11.4)	530	
	12th	16.6	(13.6 - 20.0)	822	23.2	(17.9 - 29.5)	408	10.0	(6.3 - 15.6)	412	
Race/E	thnicity										
	Black*	13.3	(11.0 - 16.0)	1,291	19.3	(15.6 - 23.8)	604	7.6	(5.6 - 10.3)	686	
	Hispanic/Latino	16.4	(13.2 - 20.0)	364	20.7	(15.0 - 27.9)	181	11.7	(8.4 - 16.3)	182	
	White*	17.3	(14.8 - 20.0)	1,513	23.0	(19.2 - 27.2)	759	11.1	(8.9 - 13.7)	751	
	All other races*	10.8	(7.4 - 15.6)	314	10.8	(6.5 - 17.4)	165	7.7	(4.5 - 12.7)	143	
	Multiple races*	20.6	(13.9 - 29.5)	195	-	-	71	14.7	(7.7 - 26.5)	123	

Note: 98 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	5.4	(4.2 - 6.7)	3,795	6.6	(5.1 - 8.5)	1,836	3.8	(2.7 - 5.3)	1,939	
Age											
	15 or younger	3.3	(2.3 - 4.8)	1,668	3.8	(2.4 - 6.0)	748	2.7	(1.7 - 4.2)	912	
	16 or 17	6.6	(5.1 - 8.5)	1,960	8.4	(6.3 - 11.0)	990	4.6	(3.2-6.6)	963	
	18 or older	12.0	(7.1 - 19.6)	162	-	-	97	-	-	64	
Grade											
	9th	2.4	(1.5 - 3.8)	881	2.3	(1.1 - 4.6)	389	2.3	(1.2 - 4.2)	489	
	10th	4.8	(3.3 - 7.0)	1,001	6.0	(3.9 - 9.3)	506	3.5	(2.2 - 5.8)	492	
	11th	5.9	(4.3 - 8.1)	1,046	8.0	(5.8 - 10.9)	514	3.9	(2.5 - 5.9)	530	
	12th	7.2	(5.4 - 9.4)	824	9.5	(6.7 - 13.4)	408	4.6	(2.4 - 8.8)	413	
Race/E	thnicity										
	Black*	5.5	(4.0 - 7.5)	1,292	7.5	(5.1 - 10.9)	605	3.5	(2.1 - 6.0)	686	
	Hispanic/Latino	8.0	(5.7 - 11.1)	365	9.7	(5.5 - 16.6)	182	6.3	(3.4 - 11.5)	182	
	White*	4.4	(3.2 - 6.0)	1,515	5.4	(3.7 - 7.7)	761	3.3	(2.2 - 4.8)	751	
	All other races*	4.5	(2.1 - 9.5)	313	3.0	(0.7 - 12.2)	164	3.6	(1.5 - 8.5)	143	
	Multiple races*	6.3	(2.9 - 13.2)	195	-	-	71	2.9	(0.8 - 9.3)	123	

Note: 97 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	6.3	(4.6 - 8.6)	3,844	5.6	(4.0 - 7.8)	1,866	6.6	(4.6 - 9.3)	1,952	
Age											
	15 or younger	6.6	(4.7 - 9.3)	1,690	5.7	(4.0 - 7.9)	761	7.0	(4.5 - 10.7)	918	
	16 or 17	5.8	(4.1 - 8.2)	1,989	5.4	(3.5 - 8.2)	1,007	6.1	(4.3 - 8.6)	973	
	18 or older	8.6	(4.6 - 15.7)	159	-	-	96	-	-	61	
Grade											
	9th	7.3	(4.6 - 11.3)	890	5.8	(3.3 - 9.9)	394	8.2	(4.9 - 13.3)	491	
	10th	6.1	(4.3 - 8.8)	1,021	6.4	(3.9 - 10.1)	521	5.6	(3.8 - 8.2)	495	
	11th	6.2	(4.5 - 8.5)	1,060	5.2	(3.4 - 8.1)	520	7.0	(4.8 - 10.3)	537	
	12th	4.4	(2.6 - 7.5)	829	4.5	(2.5 - 7.9)	412	4.4	(2.2 - 8.5)	414	
Race/E	thnicity										
	Black*	6.1	(4.1 - 9.1)	1,315	6.7	(4.5 - 9.7)	624	5.5	(3.3 - 9.1)	690	
	Hispanic/Latino	11.2	(7.7 - 16.1)	371	9.7	(5.4 - 17.0)	185	12.9	(8.0 - 19.9)	185	
	White*	4.9	(3.4 - 7.1)	1,512	3.6	(2.4 - 5.4)	757	6.1	(3.8-9.8)	752	
	All other races*	8.3	(4.3 - 15.1)	324	5.3	(1.5 - 17.6)	169	8.1	(4.5 - 14.2)	147	
	Multiple races*	8.4	(5.3 - 13.2)	197	-	-	72	8.2	(4.4 - 14.9)	122	

Note: 48 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total		6.8	(5.6-8.3)	3,875	7.8	( 6.3 - 9.6 )	1,879	5.3	(4.1 - 6.9)	1,967	
Age											
15 or y	ounger	6.4	(4.7 - 8.6)	1,702	7.2	(5.1 - 10.0)	765	5.2	(3.7 - 7.3)	924	
16 or 1	7	6.8	(5.7 - 8.1)	2,003	8.1	(6.5 - 10.0)	1,015	5.2	(3.8 - 7.0)	979	
18 or o	lder	10.9	(6.3 - 18.2)	163	-	-	97	-	-	64	
Grade											
9th		5.4	(3.8 - 7.6)	897	5.4	(3.5 - 8.2)	395	5.0	(3.0 - 8.2)	497	
10th		8.0	(5.7 - 11.0)	1,026	9.2	(6.4 - 13.0)	522	6.2	(4.0 - 9.5)	498	
11th		6.8	(5.6 - 8.2)	1,067	8.5	(6.6 - 10.8)	525	5.2	(3.7 - 7.1)	539	
12th		5.9	(4.1 - 8.2)	840	7.7	(5.6 - 10.4)	418	4.0	(2.3 - 6.7)	418	
Race/Ethnicity											
Black*		6.7	(5.1 - 8.7)	1,325	8.1	(6.5 - 10.2)	626	5.3	(3.2 - 8.5)	698	
Hispan	ic/Latino	14.0	(10.3 - 18.7)	374	18.6	(13.0 - 26.0)	186	9.1	(5.6 - 14.4)	187	
White*		5.5	(4.2 - 7.2)	1,521	5.9	(3.9 - 8.8)	762	4.9	(3.8-6.4)	756	
All oth	er races*	5.7	(3.6-9.0)	326	5.2	(2.6 - 10.2)	171	3.7	(1.7 - 7.9)	147	
Multip	e races*	8.2	(4.7 - 14.0)	197	-	-	71	7.2	(3.6 - 13.8)	123	

Note: 17 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

		Total			Male		Female			
	Percenta	age 95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	13.7	(11.2 - 16.6)	3,877	16.2	(13.3 - 19.6)	1,882	10.5	(8.2 - 13.3)	1,966	
Age										
15 or youn	ger 15.1	(11.8 - 19.0)	1,706	17.5	(13.7 - 22.1)	769	12.0	(8.5 - 16.7)	924	
16 or 17	12.1	(9.9 - 14.8)	2,002	14.8	(11.8 - 18.4)	1,015	9.0	(6.9 - 11.7)	978	
18 or older	15.8	(9.9-24.2)	163	-	-	97	-	-	64	
Grade										
9th	15.6	(11.5 - 20.9)	897	18.3	(13.7 - 24.0)	397	12.5	(8.3 - 18.4)	495	
10th	16.1	(13.3 - 19.5)	1,027	19.2	(15.4 - 23.7)	523	12.4	(9.6 - 16.0)	498	
11th	12.0	(9.7 - 14.8)	1,068	14.6	(11.7 - 18.0)	526	9.3	(6.4 - 13.2)	539	
12th	9.4	(6.7 - 13.0)	839	11.6	(8.0 - 16.6)	417	6.9	(4.6 - 10.2)	418	
<b>Race/Ethnicity</b>										
Black*	19.0	(15.8 - 22.8)	1,327	23.1	(19.8 - 26.7)	629	15.1	(11.6 - 19.4)	697	
Hispanic/L	atino 19.7	(16.4 - 23.4)	375	21.6	(14.5 - 31.0)	187	17.6	(12.1 - 24.8)	187	
White*	7.5	(5.5 - 10.1)	1,521	9.5	(6.6 - 13.4)	762	5.4	(3.6 - 7.9)	756	
All other ra		(5.3 - 15.0)	326	9.2	(4.2 - 19.0)	171	5.4	(2.9 - 10.0)	147	
Multiple ra	ces* 13.6	(10.2 - 17.9)	198	-	-	72	10.9	(7.3 - 16.0)	123	

Note: 15 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

	Total				Male		Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	6.9	(6.1 - 7.9)	3,770	4.6	(3.6 - 5.9)	1,825	9.1	(7.9 - 10.4)	1,928	
Age										
15 or younger	6.5	(5.3 - 8.0)	1,663	4.4	(3.1-6.1)	748	8.4	(6.7 - 10.6)	907	
16 or 17	7.0	(5.8-8.6)	1,945	4.4	(3.1-6.4)	980	9.5	(7.6 - 11.7)	959	
18 or older	10.1	(6.0 - 16.7)	158	-	-	96	-	-	62	
Grade										
9th	6.5	(5.0 - 8.4)	877	4.0	(2.5 - 6.4)	385	8.8	(6.4 - 12.1)	490	
10th	6.1	(4.8 - 7.8)	995	4.2	(2.9-6.0)	508	8.0	(5.8 - 10.9)	482	
11th	6.9	(5.1-9.2)	1,045	4.2	(2.5 - 6.8)	514	9.4	(7.0 - 12.7)	530	
12th	7.8	(6.3 - 9.7)	816	5.6	(3.8 - 8.1)	402	9.7	(7.8 - 12.1)	411	
Race/Ethnicity										
Black*	6.5	(5.4 - 7.8)	1,287	4.8	(3.3 - 7.0)	605	8.2	(6.7 - 9.9)	681	
Hispanic/Latino	12.9	(9.5 - 17.2)	359	9.9	(5.5 - 17.2)	176	16.1	(12.0 - 21.2)	182	
White*	6.2	(5.0 - 7.7)	1,504	3.3	(2.2 - 4.8)	756	9.1	(7.2 - 11.5)	746	
All other races*	7.0	(4.5 - 10.7)	318	5.0	(2.5 - 10.0)	167	8.9	(5.6 - 13.8)	146	
Multiple races*	8.7	(5.7 - 13.0)	193	-	-	70	9.9	(6.8 - 14.2)	122	

Note: 122 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	10.4	(8.6 - 12.5)	2,432	9.6	(7.6 - 12.1)	1,178	10.7	(8.6 - 13.2)	1,239	
Age											
	15 or younger	9.5	(6.9 - 12.9)	999	8.0	(5.4 - 11.8)	450	10.6	(7.6 - 14.6)	543	
	16 or 17	11.1	(9.0 - 13.7)	1,324	10.7	(8.2 - 14.0)	662	11.1	(8.6 - 14.3)	657	
	18 or older	8.9	(4.5 - 17.0)	105	-	-	65	-	-	39	
Grade											
	9th	9.0	(6.0 - 13.2)	509	8.4	(4.8 - 14.3)	232	9.7	(6.1 - 15.0)	277	
	10th	9.8	(7.6 - 12.6)	643	9.0	(6.2 - 12.8)	315	10.3	(7.8 - 13.5)	325	
	11th	10.6	(7.9 - 14.1)	679	8.9	(6.1 - 12.8)	340	12.1	(8.8 - 16.3)	336	
	12th	11.6	(9.2 - 14.4)	578	12.2	(9.1 - 16.2)	281	10.5	(7.5 - 14.7)	294	
Race/E	thnicity										
	Black*	9.8	(7.5 - 12.6)	865	10.3	(7.4 - 14.2)	410	9.2	(6.7 - 12.6)	454	
	Hispanic/Latino	11.2	(8.1 - 15.2)	227	9.1	(4.8 - 16.8)	114	13.4	(8.6-20.3)	112	
	White*	10.5	(8.0 - 13.8)	983	8.6	(6.1 - 11.9)	491	12.3	(8.9 - 16.6)	490	
	All other races*	8.6	(5.0 - 14.3)	153	-	-	85	-	-	64	
	Multiple races*	11.7	(7.4 - 18.1)	133	-	-	44	-	-	87	

Note: 1,460 students were excluded from this analysis.

Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

	Total				Male		Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	9.9	(8.7 - 11.3)	2,423	6.2	(4.8 - 7.8)	1,172	13.2	(11.3 - 15.3)	1,237	
Age										
15 or younger	9.5	(7.7 - 11.6)	994	5.3	(3.5 - 7.9)	447	13.2	(10.5 - 16.5)	542	
16 or 17	10.2	(8.9 - 11.8)	1,320	6.8	(4.9 - 9.5)	659	13.2	(11.2 - 15.5)	656	
18 or older	9.7	(4.4 - 19.9)	105	-	-	65	-	-	39	
Grade										
9th	8.9	(6.7 - 11.8)	507	4.1	(2.2 - 7.5)	231	14.2	(10.2 - 19.3)	276	
10th	9.7	(7.3 - 12.8)	641	6.5	(4.2 - 10.0)	313	12.6	(9.6 - 16.4)	325	
11th	10.2	(8.0 - 12.8)	676	6.7	(4.5 - 9.8)	338	13.5	(10.1 - 17.8)	336	
12th	10.1	(8.1 - 12.6)	576	7.2	(4.4 - 11.6)	280	12.1	(8.9 - 16.2)	293	
Race/Ethnicity										
Black*	8.2	(6.6 - 10.2)	861	6.8	(4.5 - 10.1)	407	9.6	(7.5 - 12.1)	453	
Hispanic/Latino	10.8	( 6.9 - 16.3 )	224	6.9	(2.8 - 16.3)	112	14.9	(9.3 - 22.9)	111	
White*	10.8	(8.7 - 13.2)	982	4.4	(3.0 - 6.5)	490	16.9	(13.6 - 20.8)	490	
All other races*	10.5	(6.2 - 17.3)	152	-	-	84	-	-	64	
Multiple races*	15.7	(10.4 - 23.2)	133	-	-	44	-	-	87	

Note: 1,469 students were excluded from this analysis.

Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	17.4	(15.8 - 19.1)	3,785	14.2	(12.1 - 16.5)	1,832	20.5	(19.0 - 22.1)	1,934	
Age											
	15 or younger	19.7	(17.6 - 22.0)	1,661	16.3	(13.8 - 19.3)	744	22.8	(20.2 - 25.7)	910	
	16 or 17	15.6	(13.6 - 17.9)	1,962	12.9	(10.1 - 16.3)	991	18.1	(15.9 - 20.6)	963	
	18 or older	13.3	(7.9-21.6)	158	-	-	96	-	-	61	
Grade											
	9th	21.3	(18.4 - 24.5)	880	17.1	(13.3 - 21.8)	385	25.1	(21.6 - 29.1)	491	
	10th	18.6	(15.6 - 21.9)	1,002	17.0	(13.7 - 20.9)	509	20.1	(16.7 - 23.9)	489	
	11th	16.8	(14.6 - 19.4)	1,045	12.4	(9.3 - 16.4)	514	21.0	(18.5 - 23.8)	530	
	12th	11.7	(9.7 - 14.1)	819	9.1	(6.7 - 12.3)	406	14.5	(10.9 - 19.0)	410	
Race/E	thnicity										
	Black*	14.9	(13.4 - 16.7)	1,290	12.8	(10.4 - 15.7)	605	17.0	(14.3 - 20.1)	684	
	Hispanic/Latino	18.8	(14.3 - 24.4)	366	13.9	(9.0 - 21.0)	180	24.0	(18.6 - 30.4)	185	
	White*	19.4	(17.0 - 22.2)	1,511	14.8	(12.5 - 17.4)	756	24.3	(21.2 - 27.7)	752	
	All other races*	15.8	(10.9 - 22.4)	316	12.2	(5.9-23.5)	169	19.2	(13.7 - 26.3)	143	
	Multiple races*	19.5	(13.7 - 26.9)	191	-	-	71	19.7	(14.2 - 26.7)	118	

Note: 107 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	12.9	(11.7 - 14.2)	3,820	8.2	( 6.8 - 9.9 )	1,846	17.4	(15.9 - 18.9)	1,953	
Age											
	15 or younger	13.7	(11.9 - 15.8)	1,686	7.8	(5.6 - 10.7)	758	19.1	(17.0 - 21.4)	918	
	16 or 17	12.4	(10.8 - 14.2)	1,970	8.7	(6.8 - 11.0)	992	15.9	(13.7 - 18.3)	972	
	18 or older	10.1	(6.6 - 15.2)	159	-	-	95	-	-	63	
Grade											
	9th	12.1	(9.7 - 15.0)	887	5.5	(3.3 - 9.1)	390	19.0	(15.6 - 22.8)	495	
	10th	15.9	(13.9 - 18.1)	1,017	12.0	(9.1 - 15.7)	516	19.6	(16.4 - 23.1)	495	
	11th	11.7	(9.8 - 13.9)	1,055	8.1	(5.5-11.6)	518	15.1	(12.3 - 18.3)	535	
	12th	11.1	(9.2 - 13.3)	821	6.8	(5.1-9.0)	406	15.0	(12.0 - 18.7)	413	
Race/E	thnicity										
	Black*	10.0	(8.5 - 11.6)	1,305	7.5	(5.6 - 10.0)	612	12.4	(10.5 - 14.5)	692	
	Hispanic/Latino	16.8	(12.8 - 21.6)	367	12.4	(8.0 - 18.9)	181	21.4	(16.4 - 27.3)	185	
	White*	14.6	(12.7 - 16.7)	1,515	8.1	(5.9 - 10.9)	760	21.4	(18.9 - 24.1)	753	
	All other races*	14.9	(11.0 - 20.0)	322	10.4	(6.7 - 15.7)	171	19.0	(13.3 - 26.4)	147	
	Multiple races*	17.9	(13.2 - 23.7)	198	-	-	72	21.0	(15.4 - 28.1)	123	

Note: 72 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.7	(24.4 - 29.1)	3,788	18.4	(16.7 - 20.2)	1,831	34.9	(32.1 - 37.9)	1,942
Age										
	15 or younger	25.4	(22.8 - 28.3)	1,662	15.7	(13.2 - 18.5)	747	34.6	(31.2 - 38.2)	911
	16 or 17	27.5	(25.0-30.3)	1,962	20.2	(17.4 - 23.3)	988	34.9	(31.6 - 38.3)	967
	18 or older	30.3	(23.3 - 38.4)	160	-	-	95	-	-	64
Grade										
	9th	24.5	(21.3 - 28.1)	881	15.2	(12.7 - 18.2)	387	33.8	(29.1 - 38.9)	492
	10th	28.2	(25.3 - 31.4)	1,001	20.9	(17.3 - 25.0)	510	35.8	(32.7 - 39.1)	488
	11th	26.2	(23.1 - 29.6)	1,050	16.6	(13.6 - 19.9)	516	35.5	(31.6 - 39.7)	533
	12th	27.9	(24.8 - 31.2)	817	21.4	(18.0 - 25.3)	401	34.2	(29.5 - 39.2)	414
Race/Etl	nnicity									
	Black*	24.0	(21.3 - 26.9)	1,297	18.0	(15.0 - 21.6)	607	29.7	(26.2-33.4)	689
	Hispanic/Latino	35.1	(31.2 - 39.2)	367	25.1	(20.2 - 30.6)	180	45.7	(40.4 - 51.0)	186
	White*	27.8	(23.9-32.0)	1,506	17.4	(15.0 - 20.1)	756	38.5	(33.2 - 44.2)	748
	All other races*	27.1	(22.4 - 32.4)	316	20.2	(13.5 - 29.0)	169	35.2	(28.2 - 42.9)	145
	Multiple races*	33.9	(26.3 - 42.4)	194	-	-	69	43.8	(32.1-56.2)	122

Note: 104 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	15.3	( 13.9 - 16.9 )	3,782	10.4	(9.1 - 11.8)	1,827	19.9	(18.0 - 22.0)	1,934	
Age											
	15 or younger	15.3	(13.6 - 17.2)	1,666	9.3	(7.6 - 11.2)	745	20.4	(18.3 - 22.6)	911	
	16 or 17	15.2	(13.6 - 17.0)	1,955	11.4	(9.7 - 13.3)	987	19.1	(16.3 - 22.2)	960	
	18 or older	16.7	(11.0 - 24.5)	157	-	-	94	-	-	63	
Grade											
	9th	15.4	(13.2 - 17.9)	880	8.2	(6.2 - 10.7)	386	22.1	(19.2 - 25.3)	490	
	10th	14.3	(12.1 - 16.7)	1,002	11.1	(8.8 - 13.9)	508	17.4	(14.1 - 21.3)	490	
	11th	15.2	(12.6 - 18.2)	1,045	9.2	(6.7 - 12.6)	514	20.8	(17.2 - 25.0)	529	
	12th	16.1	(13.8 - 18.8)	819	13.2	(10.8 - 15.9)	403	18.9	(15.4 - 23.0)	412	
Race/Eth	nicity										
	Black*	12.9	(11.5 - 14.5)	1,296	9.6	(8.0 - 11.5)	606	16.1	(13.5 - 19.0)	689	
	Hispanic/Latino	19.3	(15.1 - 24.2)	363	14.4	(8.5 - 23.5)	177	24.3	(19.7 - 29.6)	185	
	White*	16.6	(14.3 - 19.1)	1,500	10.8	(9.0 - 12.8)	756	22.8	(19.7 - 26.1)	742	
	All other races*	15.9	(11.4 - 21.9)	320	10.0	(5.6 - 17.0)	168	20.7	(14.5 - 28.5)	145	
	Multiple races*	21.1	(15.9 - 27.6)	195	-	-	72	28.2	(21.6-35.9)	121	

Note: 110 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	12.7	( 11.4 - 14.2 )	3,802	10.0	( 8.3 - 12.1 )	1,845	15.3	(13.7 - 16.9)	1,937
Age										
	15 or younger	12.6	(10.6 - 15.0)	1,662	8.9	(6.3 - 12.4)	752	16.1	(13.7 - 18.8)	905
	16 or 17	12.7	(11.4 - 14.2)	1,976	10.9	(9.1 - 13.1)	999	14.4	(12.2 - 16.8)	969
	18 or older	14.0	(8.9-21.4)	158	-	-	93	-	-	63
Grade										
	9th	13.0	(10.4 - 16.1)	882	8.7	(5.6 - 13.1)	390	17.4	(14.1 - 21.4)	489
	10th	12.4	(10.1 - 15.0)	1,008	10.6	(7.8 - 14.3)	516	14.1	(11.6 - 17.0)	488
	11th	13.3	(11.1 - 15.8)	1,051	9.4	(7.2 - 12.2)	517	16.9	(13.6 - 20.8)	533
	12th	11.6	(9.9 - 13.6)	822	11.6	(9.0 - 14.8)	407	11.7	(9.4 - 14.5)	413
Race/Eth	nicity									
	Black*	11.8	(10.1 - 13.7)	1,301	10.2	(7.9 - 13.1)	612	13.3	(10.8 - 16.3)	688
	Hispanic/Latino	15.2	(11.4 - 20.0)	368	11.3	(6.2 - 19.6)	183	19.4	(15.3 - 24.2)	184
	White*	12.7	(11.0 - 14.6)	1,510	9.5	(7.9 - 11.4)	760	16.0	(13.5 - 19.0)	747
	All other races*	12.4	(8.5 - 17.7)	322	10.3	(5.1 - 19.5)	172	14.6	(9.3 - 22.3)	146
	Multiple races*	18.1	(13.8 - 23.4)	194	-	-	70	20.8	(15.3 - 27.6)	121

Note: 90 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	7.0	(5.7 - 8.5)	3,776	7.8	( 6.4 - 9.4 )	1,830	5.8	(4.5 - 7.4)	1,920	
Age										
15 or younger	7.3	(5.5-9.6)	1,656	8.3	(6.4 - 10.6)	743	5.7	(3.8 - 8.5)	900	
16 or 17	6.7	(5.3 - 8.4)	1,956	7.5	(5.8-9.7)	989	5.6	(4.1 - 7.7)	960	
18 or older	7.8	(4.5 - 13.1)	158	-	-	96	-	-	60	
Grade										
9th	7.0	(4.8 - 10.3)	872	7.8	(5.3 - 11.5)	381	5.8	(3.6 - 9.2)	487	
10th	8.6	(6.7 - 11.0)	999	9.3	(6.8 - 12.7)	510	7.7	(5.5 - 10.5)	483	
11th	5.9	(4.6 - 7.5)	1,044	8.3	(6.4 - 10.8)	514	3.4	(2.3 - 5.1)	528	
12th	5.5	(4.0 - 7.5)	822	5.3	(3.4 - 8.1)	408	5.3	(3.5 - 8.0)	410	
Race/Ethnicity										
Black*	5.9	(4.8 - 7.3)	1,286	7.0	(5.6 - 8.7)	604	4.9	(3.4 - 6.9)	681	
Hispanic/Latino	9.3	(6.7 - 12.8)	357	13.5	(9.5 - 18.9)	180	4.7	(2.1 - 10.0)	176	
White*	7.1	(5.3 - 9.5)	1,503	7.3	(5.1 - 10.2)	753	6.9	(4.7 - 9.9)	747	
All other races*	6.4	(3.4 - 11.7)	321	6.5	(3.1 - 13.4)	168	3.8	(1.8 - 7.7)	147	
Multiple races*	5.9	(3.8-9.2)	190	-	-	70	4.5	(1.8 - 11.1)	117	

Note: 116 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
То	tal	8.7	( 6.8 - 11.1 )	3,682	7.7	(6.1 - 9.8)	1,769	9.1	( 6.9 - 12.0 )	1,888
Age										
15	or younger	6.6	(4.7 - 9.3)	1,626	5.8	(4.0 - 8.2)	721	6.7	(4.5 - 9.8)	893
16	or 17	10.2	(8.4 - 12.3)	1,901	9.3	(7.4 - 11.8)	959	11.0	(8.9 - 13.6)	936
18	or older	13.6	(8.3 - 21.5)	148	-	-	87	-	-	59
Grade										
9th	L	6.1	(4.0 - 9.3)	859	5.1	(3.1 - 8.4)	370	6.5	(4.0 - 10.5)	484
10	th	7.9	(5.8 - 10.8)	975	7.4	(5.2 - 10.5)	493	8.0	(5.7 - 11.1)	476
111	th	9.2	(7.4 - 11.3)	1,014	9.2	(6.9 - 12.2)	499	9.1	(6.8 - 12.1)	513
121	th	11.2	(8.3 - 15.0)	797	9.6	( 6.3 - 14.2 )	392	12.7	(9.3 - 17.1)	402
Race/Ethnic	ity									
Bla	ack*	4.8	(3.2 - 7.0)	1,249	6.0	(4.2 - 8.5)	583	3.6	(1.8 - 7.0)	665
His	spanic/Latino	12.1	(9.0 - 16.1)	342	10.0	( 6.9 - 14.2 )	167	14.3	(9.8 - 20.4)	174
Wł	nite*	11.8	(9.0 - 15.2)	1,478	9.5	(7.1 - 12.6)	739	14.1	(10.7 - 18.3)	736
All	other races*	7.1	(4.0 - 12.6)	313	3.7	(1.5 - 8.9)	163	9.3	(5.6 - 15.1)	146
Mu	Iltiple races*	8.4	(5.4 - 12.8)	182	-	-	65	8.6	(3.6 - 19.0)	114

Note: 210 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	2.6	(1.7 - 4.0)	3,682	2.5	(1.5 - 4.2)	1,769	2.6	(1.8 - 3.9)	1,888
Age										
	15 or younger	1.4	(0.7 - 2.7)	1,626	1.0	(0.4 - 2.4)	721	1.5	(0.8 - 2.5)	893
	16 or 17	3.5	(2.4 - 5.1)	1,901	3.5	(2.1 - 6.0)	959	3.5	(2.4 - 5.3)	936
	18 or older	5.9	(3.0 - 11.5)	148	-	-	87	-	-	59
Grade										
	9th	0.8	(0.4 - 1.7)	859	0.6	(0.1 - 2.3)	370	1.1	(0.5 - 2.3)	484
	10th	2.3	(1.2 - 4.3)	975	2.3	(1.0 - 5.2)	493	2.2	(1.2 - 3.9)	476
	11th	3.6	(2.5 - 5.3)	1,014	3.8	(2.3 - 6.2)	499	3.5	(2.1 - 5.8)	513
	12th	3.6	(2.2 - 5.8)	797	3.5	(1.5 - 7.9)	392	3.7	(2.4 - 5.6)	402
Race/E	thnicity									
	Black*	0.8	(0.4 - 1.6)	1,249	1.5	(0.7 - 3.0)	583	0.1	(0.0-0.9)	665
	Hispanic/Latino	3.9	(2.1 - 7.0)	342	2.8	(1.0 - 7.8)	167	5.0	(2.5 - 9.8)	174
	White*	4.3	(2.9 - 6.3)	1,478	3.5	(2.0-6.2)	739	5.2	(3.6-7.4)	736
	All other races*	1.9	(0.8-4.6)	313	2.5	(0.8-7.6)	163	1.3	(0.3-4.7)	146
	Multiple races*	1.2	(0.3 - 5.2)	182	-	-	65	1.2	(0.1 - 8.7)	114

Note: 210 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	1.8	(1.1 - 2.9)	3,682	1.8	(1.0 - 3.2)	1,769	1.7	(1.1 - 2.6)	1,888
Age										
	15 or younger	0.9	(0.3 - 2.3)	1,626	0.8	(0.3 - 2.1)	721	0.8	(0.4 - 1.8)	893
	16 or 17	2.3	(1.5 - 3.6)	1,901	2.3	(1.2 - 4.3)	959	2.3	(1.4 - 3.8)	936
	18 or older	5.9	(3.0 - 11.5)	148	-	-	87	-	-	59
Grade										
	9th	0.5	(0.2 - 1.1)	859	0.6	(0.1 - 2.3)	370	0.4	(0.1 - 1.6)	484
	10th	1.8	(0.9 - 3.7)	975	1.6	(0.6-4.2)	493	1.8	(0.9-3.4)	476
	11th	2.0	(1.1 - 3.6)	1,014	2.1	(1.0 - 4.4)	499	2.0	(0.9-4.4)	513
	12th	2.6	(1.6 - 4.4)	797	2.8	(1.3 - 6.1)	392	2.5	(1.5 - 4.2)	402
Race/E	thnicity									
	Black*	0.6	(0.3 - 1.4)	1,249	1.3	(0.6 - 2.8)	583	0.0	-	665
	Hispanic/Latino	2.8	(1.1 - 6.7)	342	1.9	(0.4 - 8.2)	167	3.7	(1.4 - 9.9)	174
	White*	2.9	(1.9 - 4.4)	1,478	2.4	(1.3 - 4.4)	739	3.5	(2.2 - 5.5)	736
	All other races*	0.6	(0.1 - 2.6)	313	0.6	(0.1 - 5.0)	163	0.6	(0.1 - 4.1)	146
	Multiple races*	1.2	(0.3 - 5.2)	182	-	-	65	1.2	(0.1 - 8.7)	114

Note: 210 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	7.2	(5.1 - 10.0)	315	8.7	(4.5 - 16.3)	136	5.7	(2.8 - 11.3)	167
Age										
	15 or younger	6.9	(3.6 - 12.8)	109	-	-	39	-	-	62
	16 or 17	6.6	(4.2 - 10.3)	185	-	-	89	-	-	95
	18 or older	-	-	20	-	-	8	-	-	10
Grade										
	9th	-	-	53	-	-	17	-	-	33
	10th	-	-	75	-	-	36	-	-	36
	11th	-	-	89	-	-	42	-	-	46
	12th	-	-	90	-	-	40	-	-	49
Race/E	thnicity									
	Black*	-	-	47	-	-	30	-	-	17
	Hispanic/Latino	-	-	36	-	-	15	-	-	21
	White*	5.1	(2.6 - 9.6)	169	-	-	69	-	-	99
	All other races*	-	-	26	-	-	9	-	-	14
	Multiple races*	-	-	16	-	-	5	-	-	10

Note: 3,577 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν	
	Total	23.5	(18.2 - 29.7)	278	31.2	(21.7 - 42.6)	121	17.5	(11.7 - 25.2)	150	
Age											
	15 or younger	-	-	96	-	-	34	-	-	55	
	16 or 17	27.7	(22.2 - 34.0)	182	-	-	87	-	-	95	
	18 or older	-	-	0	-	-	0	-	-	0	
Grade											
	9th	-	-	46	-	-	13	-	-	31	
	10th	-	-	66	-	-	34	-	-	30	
	11th	-	-	89	-	-	43	-	-	45	
	12th	-	-	75	-	-	31	-	-	43	
Race/E	thnicity										
	Black*	-	-	39	-	-	24	-	-	15	
	Hispanic/Latino	-	-	29	-	-	13	-	-	16	
	White*	22.4	(17.0 - 28.8)	155	-	-	64	-	-	91	
	All other races*	-	-	23	-	-	9	-	-	12	
	Multiple races*	-	-	14	-	-	4	-	-	10	

Note: 3,614 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNCIGINT: Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
Total		5.3	(3.2 - 8.6)	278	8.8	( 5.2 - 14.7 )	121	2.6	(1.0 - 7.0)	150
Age										
15 or	younger	-	-	96	-	-	34	-	-	55
16 or	17	5.0	(2.6-9.4)	182	-	-	87	-	-	95
18 or	older	-	-	0	-	-	0	-	-	0
Grade										
9th		-	-	46	-	-	13	-	-	31
10th		-	-	66	-	-	34	-	-	30
11th		-	-	89	-	-	43	-	-	45
12th		-	-	75	-	-	31	-	-	43
Race/Ethnicity										
Black	*	-	-	39	-	-	24	-	-	15
Hispa	nic/Latino	-	-	29	-	-	13	-	-	16
White	2*	2.4	(0.8 - 6.7)	155	-	-	64	-	-	91
All ot	ther races*	-	-	23	-	-	9	-	-	12
Multi	ple races*	-	-	14	-	-	4	-	-	10

Note: 3,614 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	5.3	(4.0 - 6.9)	3,703	7.1	(5.1 - 9.8)	1,798	2.8	(1.9 - 4.0)	1,880	
Age											
	15 or younger	4.4	(3.3 - 5.9)	1,625	6.1	(4.2 - 8.8)	733	2.2	(1.4 - 3.3)	880	
	16 or 17	5.6	(3.9 - 8.1)	1,921	7.8	(5.2 - 11.4)	975	3.0	(1.9 - 4.7)	937	
	18 or older	9.9	(6.3 - 15.2)	153	-	-	89	-	-	63	
Grade											
	9th	4.1	(2.6 - 6.5)	853	5.7	(3.1 - 10.1)	377	1.7	(0.7 - 4.3)	471	
	10th	5.1	(3.7 - 6.9)	974	7.0	(4.7 - 10.3)	496	2.8	(1.7 - 4.6)	473	
	11th	5.1	(3.7 - 7.1)	1,026	7.4	(5.1 - 10.6)	502	2.7	(1.5 - 4.8)	521	
	12th	5.8	(3.5 - 9.6)	811	8.1	(4.5 - 14.1)	405	3.2	(1.7 - 5.7)	402	
Race/Et	hnicity										
	Black*	3.9	(2.6 - 5.8)	1,250	5.7	(3.6 - 8.8)	584	2.2	(1.3 - 3.5)	665	
	Hispanic/Latino	7.5	(5.3 - 10.5)	351	9.5	(6.1 - 14.6)	178	5.2	(2.4 - 10.9)	172	
	White*	5.3	(3.6 - 7.8)	1,482	7.4	(4.6 - 11.7)	745	3.1	(1.8 - 5.1)	735	
	All other races*	6.9	(4.3 - 10.7)	316	6.9	(3.5 - 13.3)	166	2.7	(1.1 - 6.6)	142	
	Multiple races*	4.7	(2.2 - 9.8)	186	-	-	68	0.8	(0.1 - 5.4)	115	

Note: 189 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	10.8	(8.9 - 13.1)	3,800	11.7	(9.7 - 14.0)	1,837	9.5	(7.4 - 12.2)	1,935
Age										
	15 or younger	8.2	(6.0 - 11.0)	1,665	7.9	(6.0 - 10.2)	747	8.0	(5.4 - 11.6)	906
	16 or 17	12.8	(10.9 - 15.1)	1,967	14.6	(12.0 - 17.7)	993	10.8	(8.3 - 13.8)	965
	18 or older	15.3	(10.9 - 21.0)	162	-	-	96	-	-	64
Grade										
	9th	6.6	(4.2 - 10.4)	869	6.4	(3.7 - 10.6)	381	6.4	(4.0 - 10.2)	484
	10th	10.2	(7.7 - 13.5)	1,003	9.6	(7.3 - 12.6)	510	10.8	(7.3 - 15.7)	488
	11th	11.6	(9.4 - 14.2)	1,050	14.4	(11.3 - 18.2)	513	8.8	(6.3 - 12.2)	534
	12th	14.3	(10.6 - 19.0)	834	16.6	(11.8 - 23.0)	415	11.6	(7.7 - 17.1)	415
Race/Et	nnicity									
	Black*	9.9	(7.8 - 12.5)	1,285	10.7	(8.2 - 13.9)	602	9.2	(6.8 - 12.2)	682
	Hispanic/Latino	14.9	(12.1 - 18.3)	362	16.2	(11.8 - 21.7)	181	13.7	(10.2 - 18.1)	180
	White*	11.0	(8.6 - 14.0)	1,512	12.3	(9.8 - 15.3)	755	9.6	(6.7 - 13.6)	754
	All other races*	8.9	(6.1 - 12.8)	324	5.9	(3.0 - 11.2)	170	8.8	(5.2 - 14.7)	146
	Multiple races*	10.7	(7.0 - 16.0)	192	-	-	69	11.1	(6.5 - 18.3)	120

Note: 92 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	37.6	( 34.0 - 41.3 )	3,632	36.6	( 33.4 - 39.9 )	1,751	38.6	( 34.4 - 43.0 )	1,866
Age										
	15 or younger	32.1	(27.8 - 36.7)	1,600	30.3	(26.0-34.9)	717	33.9	(28.9 - 39.2)	877
	16 or 17	42.8	(39.5 - 46.3)	1,876	42.3	(38.6 - 46.1)	939	43.4	(39.6 - 47.3)	931
	18 or older	36.3	(27.4 - 46.2)	152	-	-	93	-	-	58
Grade										
	9th	28.7	(22.7 - 35.4)	840	26.5	(20.5 - 33.5)	367	31.0	(24.4 - 38.5)	471
	10th	37.1	(33.1 - 41.2)	955	36.0	(31.8 - 40.4)	484	38.3	(33.0-43.8)	468
	11th	44.7	(40.9 - 48.6)	1,005	45.5	(41.1 - 50.0)	490	44.0	(38.5 - 49.7)	514
	12th	39.9	(33.5 - 46.7)	800	38.9	(31.9 - 46.5)	392	40.9	(33.2 - 49.0)	404
Race/E	thnicity									
	Black*	36.3	(32.2 - 40.7)	1,222	36.7	(32.2 - 41.6)	565	35.9	(31.3 - 40.8)	656
	Hispanic/Latino	42.3	(36.5 - 48.3)	343	39.0	(31.8 - 46.7)	172	46.2	(38.8 - 53.8)	170
	White*	39.4	(34.7 - 44.3)	1,475	37.4	(33.8 - 41.1)	739	41.6	(35.3 - 48.2)	734
	All other races*	25.7	(20.7 - 31.4)	305	23.3	(17.0 - 30.9)	162	28.1	(20.4 - 37.2)	141
	Multiple races*	44.4	(37.6 - 51.4)	189	-	-	66	44.2	(36.3 - 52.5)	120

Note: 260 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	19.9	( 17.4 - 22.7 )	3,692	19.1	(16.9 - 21.6)	1,791	20.5	(17.4 - 23.9)	1,878	
Age										
15 or younger	18.3	(15.3 - 21.7)	1,628	15.5	(12.7 - 18.7)	730	20.6	(17.0 - 24.8)	887	
16 or 17	21.1	(18.6 - 23.8)	1,905	22.2	(19.4 - 25.2)	965	19.8	(16.9 - 23.1)	932	
18 or older	23.7	(16.9 - 32.2)	155	-	-	95	-	-	59	
Grade										
9th	16.7	(12.9 - 21.3)	851	15.2	(11.1 - 20.4)	374	17.7	(13.9 - 22.3)	472	
10th	19.9	(16.1 - 24.3)	975	16.3	(13.3 - 19.7)	493	23.6	(18.0 - 30.3)	477	
11th	21.5	(18.6 - 24.6)	1,016	24.5	(20.5 - 29.0)	503	18.6	(14.9 - 22.9)	512	
12th	21.1	(16.7 - 26.2)	811	21.1	(16.2 - 27.0)	402	20.9	(15.7 - 27.2)	405	
Race/Ethnicity										
Black*	17.2	(13.8 - 21.2)	1,240	17.0	(13.7 - 20.9)	583	17.4	(13.3 - 22.4)	656	
Hispanic/Latino	22.6	(18.1 - 27.8)	352	21.7	(15.5 - 29.7)	178	23.6	(18.4 - 29.7)	173	
White*	22.6	(19.6 - 25.8)	1,487	21.1	(18.4 - 24.0)	744	24.2	(20.2 - 28.8)	741	
All other races*	16.0	(11.6 - 21.6)	311	13.5	(8.0-21.9)	164	16.1	(11.2 - 22.7)	140	
Multiple races*	20.0	(14.8 - 26.4)	190	-	-	68	20.4	(15.5 - 26.3)	119	

Note: 200 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	27.9	(24.4 - 31.8)	3,634	27.5	(24.1 - 31.3)	1,769	27.7	(23.7 - 32.1)	1,836
Age										
	15 or younger	24.5	(20.2 - 29.5)	1,605	22.3	(18.2 - 27.0)	720	25.8	(21.3 - 31.0)	870
	16 or 17	30.5	(27.6 - 33.6)	1,877	31.6	(28.3 - 35.2)	961	29.0	(25.4 - 32.9)	907
	18 or older	34.3	(25.3 - 44.5)	148	-	-	87	-	-	59
Grade										
	9th	21.6	(16.6 - 27.7)	837	20.9	(15.2 - 28.0)	369	22.0	(17.2 - 27.6)	463
	10th	28.5	(23.9-33.5)	956	25.7	(21.7 - 30.1)	484	30.9	(25.0 - 37.5)	466
	11th	30.1	(27.1 - 33.4)	1,000	32.6	(28.1 - 37.4)	498	27.5	(22.9-32.6)	499
	12th	30.3	(24.7 - 36.5)	801	31.1	(23.7 - 39.6)	400	29.3	(23.2 - 36.2)	396
Race/Eth	nicity									
	Black*	25.6	(21.1 - 30.8)	1,220	26.7	(22.3 - 31.5)	576	24.7	(19.4 - 30.8)	643
	Hispanic/Latino	32.9	(27.5 - 38.8)	340	31.2	(23.7 - 39.8)	169	34.9	(28.6 - 41.8)	170
	White*	29.3	(25.2 - 33.7)	1,469	27.8	(24.0 - 32.0)	741	30.9	(25.5 - 36.8)	725
	All other races*	21.1	(14.9 - 28.9)	308	19.0	(11.1 - 30.6)	159	19.8	(14.5 - 26.4)	141
	Multiple races*	31.5	(26.1 - 37.5)	179	-	-	65	31.9	(25.9-38.5)	111

Note: 258 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	16.5	(13.6 - 20.0)	3,654	17.2	(14.2 - 20.7)	1,774	15.1	(12.1 - 18.8)	1,851
Age										
	15 or younger	13.0	(9.8 - 17.1)	1,604	13.4	(10.2 - 17.3)	720	11.8	(8.6 - 16.0)	870
	16 or 17	19.0	(16.4 - 22.0)	1,895	19.9	(16.9 - 23.3)	966	17.7	(14.8 - 21.1)	920
	18 or older	24.6	(17.3 - 33.9)	150	-	-	87	-	-	61
Grade										
	9th	11.1	(7.6 - 15.9)	842	11.3	(7.5 - 16.9)	371	10.2	(6.9 - 14.9)	466
	10th	16.1	(12.4 - 20.6)	957	16.5	(12.9 - 20.8)	486	15.1	(10.9 - 20.6)	465
	11th	17.3	(15.1 - 19.6)	1,015	19.0	(16.2 - 22.2)	500	15.4	(12.2 - 19.2)	512
	12th	20.7	(15.6 - 27.0)	799	22.2	(15.5 - 30.7)	400	19.0	(14.5 - 24.5)	395
Race/E	thnicity									
	Black*	13.7	(10.5 - 17.5)	1,234	15.6	(11.9 - 20.2)	577	11.8	(8.7 - 15.9)	656
	Hispanic/Latino	20.2	(16.6 - 24.5)	340	19.9	(15.1 - 25.6)	170	20.7	(16.3 - 26.0)	169
	White*	18.2	(14.6 - 22.3)	1,468	18.4	(14.8 - 22.6)	741	17.8	(13.6 - 22.9)	724
	All other races*	13.5	(8.9-20.0)	314	10.1	(5.5 - 17.9)	164	13.6	(8.9-20.2)	142
	Multiple races*	19.0	(13.4 - 26.2)	179	-	-	64	18.0	(11.2 - 27.7)	112

Note: 238 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	14.9	(12.3 - 18.0)	3,721	14.9	(12.4 - 17.8)	1,792	14.3	(11.3 - 17.9)	1,900
Age										
	15 or younger	11.4	(8.4 - 15.1)	1,634	10.9	(8.2 - 14.4)	726	10.9	(7.8 - 15.1)	894
	16 or 17	17.5	(15.2 - 20.1)	1,924	17.9	(15.4 - 20.6)	972	16.9	(14.1 - 20.2)	944
	18 or older	22.7	(15.9 - 31.4)	157	-	-	93	-	-	62
Grade										
	9th	10.0	(6.9 - 14.5)	857	9.8	(6.3 - 15.0)	372	9.7	(6.7 - 13.9)	480
	10th	13.6	(10.0 - 18.1)	978	12.6	(9.8 - 16.0)	493	14.0	(9.5 - 20.1)	479
	11th	16.0	(13.8 - 18.4)	1,029	17.2	(14.5 - 20.4)	504	14.6	(11.6 - 18.2)	522
	12th	19.5	(14.8 - 25.2)	816	20.4	(14.5 - 28.0)	406	18.3	(13.7 - 23.9)	406
Race/Et	hnicity									
	Black*	12.5	(9.7 - 16.0)	1,261	14.2	(11.0 - 18.2)	590	10.9	(7.9 - 14.9)	670
	Hispanic/Latino	19.4	(15.9 - 23.5)	349	18.9	(14.4 - 24.3)	174	20.1	(15.8 - 25.3)	174
	White*	16.3	(13.0 - 20.3)	1,490	15.7	(12.7 - 19.2)	746	17.0	(12.9 - 22.1)	741
	All other races*	11.9	(7.8 - 17.7)	318	7.3	(3.6 - 14.0)	164	13.3	(8.7 - 19.7)	146
	Multiple races*	16.5	(11.7 - 22.7)	183	-	-	63	17.1	(10.5 - 26.7)	117

Note: 171 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	76.5	(73.1 - 79.5)	3,430	77.8	(74.6 - 80.8)	1,649	75.2	(71.1 - 78.9)	1,766
Age										
	15 or younger	79.7	(75.2 - 83.5)	1,518	83.1	(78.6 - 86.9)	672	76.5	(71.6 - 80.8)	840
	16 or 17	73.8	(71.1 - 76.4)	1,774	73.5	( 69.8 - 76.9 )	897	74.2	(70.6 - 77.5)	871
	18 or older	72.0	(61.7 - 80.4)	135	-	-	79	-	-	55
Grade										
	9th	82.1	(76.5 - 86.6)	801	84.8	(78.3 - 89.6)	345	79.8	(74.2 - 84.4)	452
	10th	76.1	(71.4 - 80.3)	898	79.6	(75.8 - 83.0)	451	72.7	(66.3 - 78.3)	443
	11th	74.0	(70.7 - 77.0)	948	72.0	(66.7 - 76.7)	469	75.9	(71.4 - 79.9)	478
	12th	74.1	( 68.5 - 79.0 )	753	74.6	(66.8 - 81.0)	369	73.4	(66.5 - 79.4)	382
Race/E	thnicity									
	Black*	79.3	(74.7 - 83.3)	1,145	80.0	(75.2 - 84.0)	528	78.7	(73.3 - 83.3)	616
	Hispanic/Latino	72.8	(67.4 - 77.6)	316	74.9	(66.9 - 81.4)	156	70.4	(63.8 - 76.3)	159
	White*	73.6	(69.7 - 77.1)	1,418	75.5	(71.9 - 78.8)	711	71.4	(65.6 - 76.5)	705
	All other races*	83.0	(75.8 - 88.4)	290	85.4	(75.3 - 91.8)	150	82.0	(75.1 - 87.4)	136
	Multiple races*	71.0	(65.7 - 75.8)	172	-	-	62	70.5	(63.7 - 76.5)	107

Note: 462 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	86.6	( 83.7 - 89.0 )	3,525	86.8	( 83.6 - 89.4 )	1,691	86.6	(83.5 - 89.3)	1,815
Age										
	15 or younger	89.5	(86.2 - 92.1)	1,556	90.0	(86.2 - 92.8)	690	89.5	(85.9 - 92.2)	857
	16 or 17	84.3	(81.7 - 86.6)	1,826	84.4	(81.0 - 87.3)	920	84.3	(81.3 - 86.9)	900
	18 or older	81.1	(71.3 - 88.2)	139	-	-	80	-	-	58
Grade										
	9th	91.3	(87.3 - 94.1)	822	92.4	(87.4 - 95.5)	355	90.6	(86.5 - 93.5)	463
	10th	86.8	(83.2 - 89.8)	922	86.9	(83.2 - 89.9)	465	87.2	(82.7 - 90.6)	452
	11th	86.2	(83.9 - 88.1)	978	85.3	(81.6 - 88.3)	477	87.1	(83.5 - 90.0)	499
	12th	82.3	(76.6 - 86.9)	771	82.2	(74.1 - 88.2)	379	82.4	(76.6 - 87.1)	389
Race/E	thnicity									
	Black*	90.2	(87.4 - 92.5)	1,182	89.5	(85.5 - 92.4)	544	90.9	(88.1 - 93.1)	637
	Hispanic/Latino	84.0	(80.3 - 87.0)	325	84.8	(80.1 - 88.6)	161	83.0	(77.8 - 87.1)	163
	White*	83.4	(79.5 - 86.7)	1,442	83.7	(79.9 - 87.0)	722	83.0	(78.1 - 87.0)	718
	All other races*	89.7	(84.0 - 93.5)	302	94.3	(88.5 - 97.2)	156	86.4	(79.8 - 91.1)	142
	Multiple races*	83.6	(76.2 - 89.0)	173	-	-	62	84.8	(74.6 - 91.3)	108

Note: 367 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	87.2	( 84.5 - 89.4 )	3,634	87.7	( 85.1 - 89.9 )	1,739	87.1	( 84.0 - 89.6 )	1,872
Age										
	15 or younger	90.3	(86.9 - 92.9)	1,604	91.2	(87.6 - 93.9)	708	89.9	(86.3 - 92.7)	886
	16 or 17	84.7	(82.4 - 86.8)	1,876	84.9	(82.0 - 87.3)	943	84.7	(81.9 - 87.1)	927
	18 or older	82.1	(72.7 - 88.7)	148	-	-	87	-	-	59
Grade										
	9th	91.6	(87.7 - 94.3)	843	92.7	(87.9 - 95.7)	361	90.9	(87.0-93.7)	478
	10th	88.4	(84.5 - 91.4)	956	89.3	(85.9 - 91.9)	482	87.9	(82.9 - 91.5)	469
	11th	86.5	(84.3 - 88.4)	1,003	85.5	(82.3 - 88.2)	490	87.4	(84.0 - 90.2)	511
	12th	82.7	(77.4 - 86.9)	795	82.7	(75.3 - 88.2)	391	82.7	(76.8 - 87.4)	401
Race/E	thnicity									
	Black*	90.4	(87.9 - 92.5)	1,221	89.7	(86.1 - 92.5)	564	91.1	(88.4 - 93.2)	656
	Hispanic/Latino	83.9	(80.3 - 87.0)	337	85.3	(80.6 - 88.9)	166	82.4	(77.3 - 86.7)	170
	White*	84.6	(80.9 - 87.8)	1,474	85.6	(82.4 - 88.3)	735	83.7	(78.8 - 87.6)	736
	All other races*	89.9	(84.2 - 93.7)	311	94.3	(88.2 - 97.4)	161	86.7	(80.3 - 91.3)	146
	Multiple races*	85.2	(79.1 - 89.7)	179	-	-	63	85.6	(75.5 - 91.9)	113

Note: 258 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	52.8	(49.4 - 56.2)	3,579	46.5	(42.8 - 50.3)	1,717	58.8	(55.2 - 62.3)	1,841
Age										
	15 or younger	43.5	(39.7 - 47.4)	1,578	36.9	(32.4 - 41.6)	706	49.8	(46.1 - 53.4)	864
	16 or 17	61.3	(57.2-65.2)	1,855	54.8	(50.5 - 59.1)	925	67.5	(62.6 - 72.1)	923
	18 or older	53.5	(44.7 - 62.2)	141	-	-	85	-	-	54
Grade										
	9th	38.0	(32.6 - 43.8)	835	30.7	(25.0 - 37.0)	366	45.5	(40.0 - 51.1)	465
	10th	51.8	(47.9 - 55.6)	936	47.1	(42.0 - 52.1)	474	56.4	(52.2 - 60.6)	459
	11th	58.3	(54.3 - 62.1)	990	52.4	(48.4 - 56.4)	477	63.7	(58.4 - 68.7)	511
	12th	64.6	( 60.1 - 68.9 )	781	58.1	(51.5 - 64.5)	381	70.6	(65.6-75.2)	396
Race/E	thnicity									
	Black*	47.3	(42.8 - 51.9)	1,191	39.9	(35.9 - 44.0)	549	54.2	(48.8 - 59.5)	641
	Hispanic/Latino	51.4	(44.0 - 58.7)	331	47.3	(38.8 - 56.0)	166	55.7	(47.3 - 63.8)	164
	White*	60.4	(56.8 - 63.9)	1,469	53.7	(49.8 - 57.6)	730	67.4	(62.9-71.6)	736
	All other races*	37.4	(30.5 - 44.9)	307	33.9	(23.1 - 46.8)	159	39.1	(32.2 - 46.5)	142
	Multiple races*	59.0	(49.4 - 68.0)	179	-	-	63	64.2	(53.8-73.5)	114

Note: 313 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	17.0	(15.5 - 18.6)	3,684	17.4	(15.8 - 19.1)	1,778	15.9	(14.0 - 18.1)	1,880
Age										
	15 or younger	18.2	(15.8 - 20.8)	1,613	18.4	(15.8 - 21.3)	722	17.5	(14.4 - 21.0)	879
	16 or 17	15.7	(14.1 - 17.3)	1,911	16.9	(15.0 - 19.0)	962	13.9	(12.0 - 16.0)	941
	18 or older	18.6	(13.8 - 24.5)	154	-	-	92	-	-	60
Grade										
	9th	18.9	(15.4 - 22.9)	844	19.5	(15.4 - 24.3)	372	17.7	(13.8 - 22.5)	467
	10th	17.5	(15.5 - 19.8)	965	17.5	(14.7 - 20.8)	486	17.4	(14.2 - 21.2)	474
	11th	15.6	(13.5 - 17.9)	1,024	18.3	(15.4 - 21.5)	502	12.8	(10.0 - 16.2)	519
	12th	14.5	(12.8 - 16.4)	807	13.8	(11.3 - 16.8)	399	15.1	(12.3 - 18.3)	406
Race/Et	hnicity									
	Black*	16.6	(14.7 - 18.6)	1,236	17.8	(15.4 - 20.4)	579	15.3	(12.3 - 18.9)	656
	Hispanic/Latino	20.5	(17.0 - 24.5)	348	22.5	(17.8 - 28.0)	171	18.4	(13.3 - 25.0)	176
	White*	17.0	(14.9 - 19.3)	1,485	17.5	(15.4 - 19.9)	740	16.6	(13.0 - 20.9)	742
	All other races*	11.4	(9.1 - 14.2)	314	10.7	(7.0 - 16.0)	167	8.9	(4.7 - 16.5)	140
	Multiple races*	22.8	(18.0 - 28.4)	189	-	-	68	22.2	(15.8 - 30.2)	118

Note: 208 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	25.0	(21.7 - 28.5)	3,394	21.2	(17.5 - 25.5)	1,645	28.7	(25.5 - 32.1)	1,735
Age										
	15 or younger	17.4	(13.8 - 21.6)	1,497	13.2	(10.1 - 17.1)	683	21.4	(17.0 - 26.7)	809
	16 or 17	31.6	(28.2 - 35.2)	1,761	27.5	(22.8 - 32.7)	879	35.6	(32.4 - 39.0)	876
	18 or older	29.7	(21.3 - 39.6)	132	-	-	82	-	-	50
Grade										
	9th	13.7	(9.8 - 18.8)	790	9.9	(6.7 - 14.5)	347	17.4	(12.2 - 24.1)	440
	10th	21.3	(17.9 - 25.2)	888	17.0	(13.3 - 21.5)	461	25.9	(21.2 - 31.3)	425
	11th	30.6	(27.1 - 34.2)	948	26.9	(22.3 - 32.0)	456	34.0	(29.8 - 38.5)	490
	12th	35.5	(30.2 - 41.0)	738	32.7	(25.2 - 41.2)	365	38.5	(33.8 - 43.5)	371
Race/E	thnicity									
	Black*	17.6	(15.4 - 20.0)	1,116	16.0	(12.6 - 20.1)	523	19.1	(16.6 - 21.9)	592
	Hispanic/Latino	23.9	(19.7 - 28.7)	318	21.6	(16.4 - 27.9)	166	26.9	(21.5 - 33.2)	151
	White*	33.6	(29.2 - 38.3)	1,408	27.4	(22.1 - 33.4)	701	40.2	(35.5 - 45.2)	705
	All other races*	14.1	(10.5 - 18.5)	294	10.7	(7.0 - 16.2)	155	15.9	(11.2 - 22.0)	135
	Multiple races*	29.2	(21.3 - 38.6)	167	-	-	60	32.0	(22.9 - 42.7)	106

Note: 498 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	11.8	(9.5 - 14.5)	3,605	11.3	( 8.5 - 14.9 )	1,735	12.1	(9.8 - 15.0)	1,852	
Age											
	15 or younger	8.1	(5.9 - 11.1)	1,588	7.8	(5.3 - 11.3)	714	8.3	(5.7 - 11.8)	867	
	16 or 17	14.6	(11.9 - 17.7)	1,867	13.6	(10.4 - 17.5)	932	15.6	(12.5 - 19.2)	928	
	18 or older	17.8	(12.2 - 25.0)	145	-	-	88	-	-	57	
Grade											
	9th	5.8	(3.4 - 9.5)	831	4.3	(2.3 - 7.7)	362	7.0	(3.9 - 12.4)	466	
	10th	10.4	(8.5 - 12.6)	948	10.4	(7.8 - 13.8)	479	10.4	(8.0 - 13.3)	465	
	11th	14.5	(12.3 - 17.0)	1,007	14.6	(11.6 - 18.2)	490	14.3	(11.1 - 18.2)	515	
	12th	16.6	(12.1 - 22.3)	786	16.2	(10.4 - 24.4)	388	17.1	(12.9 - 22.2)	396	
Race/E	thnicity										
	Black*	5.6	(4.3 - 7.3)	1,206	6.6	(4.9 - 8.8)	560	4.8	(3.2 - 7.2)	645	
	Hispanic/Latino	14.9	(12.1 - 18.2)	338	15.1	(11.0 - 20.4)	171	14.7	(10.0 - 21.0)	166	
	White*	17.5	(13.8 - 22.0)	1,469	15.5	(10.9 - 21.7)	727	19.7	(15.8 - 24.2)	740	
	All other races*	6.6	(4.5 - 9.4)	306	4.7	(2.8 - 7.7)	164	7.8	(4.7 - 12.6)	139	
	Multiple races*	16.3	(11.4 - 22.9)	181	-	-	65	14.5	(9.9-20.9)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	44.2	(40.7 - 47.9)	865	37.2	( 32.5 - 42.1 )	364	49.4	(44.4 - 54.4)	498
Age										
	15 or younger	45.8	(40.7 - 51.0)	271	-	-	95	54.1	(46.9 - 61.2)	175
	16 or 17	44.2	(38.8 - 49.7)	552	40.1	(33.1 - 47.5)	243	47.3	(41.0 - 53.7)	308
	18 or older	-	-	40	-	-	25	-	-	15
Grade										
	9th	38.1	(28.9 - 48.1)	111	-	-	35	-	-	76
	10th	50.9	(43.1 - 58.6)	190	-	-	79	59.1	(49.2 - 68.4)	111
	11th	45.7	(39.7 - 51.8)	285	37.5	(29.4 - 46.3)	124	51.9	(43.0 - 60.7)	160
	12th	42.1	(36.3 - 48.1)	270	40.0	( 30.4 - 50.3 )	121	43.9	(37.0 - 51.0)	149
Race/H	Cthnicity									
	Black*	40.6	(32.9 - 48.8)	195	-	-	84	42.9	(31.6 - 55.1)	111
	Hispanic/Latino	-	-	75	-	-	36	-	-	39
	White*	46.4	(41.9 - 51.0)	475	37.8	(30.8 - 45.2)	197	52.7	(44.7 - 60.5)	278
	All other races*	-	-	46	-	-	20	-	-	24
	Multiple races*	-	-	51	-	-	16	-	-	35

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN47: Percentage of students who ever used marijuana (one or more times during their life)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	33.2	(29.5 - 37.1)	3,573	32.9	(28.9 - 37.2)	1,708	33.3	(29.5 - 37.3)	1,844
Age										
	15 or younger	24.0	(19.7 - 28.8)	1,571	24.0	(19.6 - 29.1)	694	23.7	(19.3 - 28.9)	869
	16 or 17	41.0	(37.8 - 44.2)	1,849	39.8	(35.9 - 43.9)	925	42.2	(38.8-45.6)	916
	18 or older	42.1	(33.3 - 51.3)	147	-	-	87	-	-	59
Grade										
	9th	19.0	(14.0 - 25.4)	824	18.6	(13.1 - 25.8)	359	19.1	(13.8 - 26.0)	461
	10th	32.1	(28.3 - 36.2)	937	32.6	(27.7 - 37.9)	467	31.7	(27.5 - 36.3)	466
	11th	38.5	(35.2 - 41.9)	986	39.1	(35.3 - 43.0)	478	37.9	(33.7 - 42.4)	506
	12th	43.9	(38.1 - 49.7)	792	42.7	(36.4 - 49.3)	388	45.2	(38.4 - 52.2)	400
Race/E	thnicity									
	Black*	33.0	(29.2 - 37.1)	1,170	34.9	(29.8 - 40.3)	535	31.4	(27.8 - 35.1)	634
	Hispanic/Latino	38.3	(31.9 - 45.1)	341	38.1	(29.9 - 47.1)	171	38.7	(31.6 - 46.3)	169
	White*	34.0	(29.4 - 39.0)	1,476	32.3	(27.9 - 36.9)	732	35.9	(30.0 - 42.2)	741
	All other races*	18.3	(13.1 - 25.0)	305	17.1	(10.6 - 26.4)	161	18.6	(13.6 - 24.9)	139
	Multiple races*	44.0	(34.6 - 54.0)	178	-	-	58	47.7	(37.0 - 58.7)	118

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN48: Percentage of students who tried marijuana before age 13 years (for the first time)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	8.8	(7.2 - 10.8)	3,624	10.7	(8.5 - 13.3)	1,739	6.7	(5.2 - 8.6)	1,862
Age										
	15 or younger	8.8	(6.6 - 11.6)	1,590	10.3	(7.6 - 13.8)	708	7.2	(5.1 - 10.2)	872
	16 or 17	8.6	(7.1 - 10.5)	1,878	11.0	(8.8 - 13.6)	940	6.2	(4.6 - 8.2)	930
	18 or older	10.0	(6.7 - 14.8)	150	-	-	89	-	-	60
Grade										
	9th	8.9	(6.3 - 12.4)	830	10.6	(7.0 - 15.6)	362	7.0	(4.7 - 10.4)	463
	10th	8.3	(6.2 - 11.1)	953	9.5	( 6.3 - 14.0 )	480	7.1	(5.1-9.6)	469
	11th	8.7	(6.9 - 11.0)	1,002	12.2	(9.4 - 15.6)	487	5.5	(3.6 - 8.4)	513
	12th	8.5	(6.1 - 11.7)	804	10.2	(6.6 - 15.3)	394	6.7	(4.1 - 10.9)	405
Race/E	thnicity									
	Black*	8.3	(6.8 - 10.1)	1,193	10.1	(7.8 - 12.9)	547	6.7	(5.1 - 8.7)	645
	Hispanic/Latino	15.1	(11.6 - 19.5)	348	20.8	(15.3 - 27.6)	177	8.8	(5.0 - 15.1)	170
	White*	8.2	(6.0 - 11.2)	1,483	10.0	(7.1 - 13.9)	736	6.3	(3.9 - 9.9)	744
	All other races*	4.6	(2.8 - 7.4)	307	4.2	(2.0 - 8.4)	163	4.9	(2.5 - 9.6)	138
	Multiple races*	13.9	(9.3 - 20.4)	182	-	-	63	11.2	(7.3 - 16.7)	117

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.6	(16.1 - 21.5)	3,608	17.7	(14.8 - 21.0)	1,729	19.5	(16.8 - 22.4)	1,857
Age										
	15 or younger	12.9	(10.2 - 16.3)	1,582	12.6	(9.5 - 16.6)	706	12.8	(10.1 - 16.2)	867
	16 or 17	23.5	(20.8 - 26.3)	1,873	21.7	(18.6 - 25.2)	933	25.3	(22.4 - 28.5)	932
	18 or older	23.8	(17.6 - 31.4)	147	-	-	88	-	-	58
Grade										
	9th	10.2	(6.9 - 14.8)	828	10.1	(6.2 - 15.9)	362	9.9	(6.7 - 14.5)	462
	10th	17.8	(14.7 - 21.3)	952	17.1	(13.3 - 21.7)	478	18.6	(15.4 - 22.3)	470
	11th	21.6	(18.7 - 24.8)	994	21.9	(18.4 - 25.9)	481	21.2	(17.4 - 25.5)	511
	12th	25.4	(20.8 - 30.5)	799	22.3	(17.2 - 28.3)	391	28.3	(23.0-34.3)	403
Race/E	thnicity									
	Black*	16.5	(13.8 - 19.5)	1,194	17.3	(13.6 - 21.8)	548	15.7	(13.4 - 18.4)	645
	Hispanic/Latino	22.8	(19.3 - 26.8)	343	23.1	(17.8 - 29.4)	174	22.6	(17.9 - 28.1)	168
	White*	20.6	(17.2 - 24.5)	1,477	18.3	(15.2 - 21.9)	732	23.1	(18.7 - 28.1)	742
	All other races*	12.5	(8.5 - 18.0)	307	9.9	(5.3 - 17.7)	165	14.8	(10.1 - 21.3)	138
	Multiple races*	22.7	(17.4 - 29.2)	179	-	-	59	26.3	(20.1-33.6)	118

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	4.9	(3.5 - 6.7)	3,707	6.4	(4.5 - 8.9)	1,786	2.9	(2.0 - 4.3)	1,892
Age										
	15 or younger	3.9	(2.6 - 5.9)	1,618	4.9	(3.0 - 7.7)	721	2.4	(1.4 - 4.0)	883
	16 or 17	5.4	(4.0 - 7.3)	1,926	7.8	(5.7 - 10.4)	971	3.0	(1.9 - 4.7)	947
	18 or older	7.7	(4.2 - 13.8)	156	-	-	92	-	-	62
Grade										
	9th	3.5	(2.0 - 5.9)	842	4.4	(2.2 - 8.5)	371	2.0	(1.1 - 3.6)	466
	10th	5.1	(3.0 - 8.4)	976	6.8	(4.0 - 11.3)	491	3.0	(1.5 - 6.2)	480
	11th	4.8	(3.6 - 6.4)	1,028	7.3	(5.4 - 9.8)	503	2.2	(1.1 - 4.2)	522
	12th	5.2	(3.4 - 8.0)	819	6.7	(4.1 - 10.9)	404	3.6	(2.1 - 6.2)	410
Race/E	thnicity									
	Black*	4.5	(2.8 - 7.0)	1,240	6.6	(4.4 - 9.7)	578	2.5	(1.2 - 4.8)	661
	Hispanic/Latino	12.2	(8.3 - 17.5)	356	14.6	(9.4 - 22.1)	178	9.5	(5.8 - 15.2)	177
	White*	3.4	(2.2 - 5.3)	1,492	4.0	(2.3 - 7.0)	744	2.7	(1.8 - 4.1)	745
	All other races*	4.5	(2.5 - 8.0)	314	5.4	(2.7 - 10.5)	165	1.1	(0.3 - 4.3)	142
	Multiple races*	5.5	(3.0 - 10.1)	185	-	-	63	2.4	(0.8 - 7.3)	119

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

		Total		Male			Female			
	Percent	age 95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	9.0	(7.4 - 10.8)	3,688	9.3	(7.3 - 11.8)	1,772	8.0	(6.8 - 9.5)	1,889	
Age										
15 or young	er 9.3	(7.5 - 11.6)	1,613	9.2	(6.9 - 12.2)	719	8.8	(7.0 - 10.9)	882	
16 or 17	8.5	(6.7 - 10.7)	1,913	9.5	(7.5 - 12.0)	960	7.0	(5.4 - 9.2)	945	
18 or older	11.0	(7.6 - 15.8)	155	-	-	91	-	-	62	
Grade										
9th	8.8	(6.5 - 11.8)	839	8.1	(4.8 - 13.2)	370	9.1	(6.7 - 12.3)	465	
10th	9.0	(6.9 - 11.6)	972	10.3	(7.2 - 14.5)	487	7.3	(5.5-9.7)	480	
11th	8.9	(7.2 - 11.0)	1,023	8.5	(6.0 - 11.9)	500	9.1	(6.8 - 12.0)	520	
12th	7.7	(5.1 - 11.5)	813	8.9	(5.7 - 13.7)	398	5.8	(3.5 - 9.3)	410	
Race/Ethnicity										
Black*	9.6	(8.0 - 11.5)	1,235	11.0	(9.0 - 13.4)	573	8.2	(6.5 - 10.3)	661	
Hispanic/La	tino 13.7	(9.4 - 19.4)	356	13.0	(7.9 - 20.5)	178	14.5	(9.2 - 22.3)	177	
White*	6.5	(5.1 - 8.4)	1,487	5.8	(3.8 - 8.7)	739	7.2	(5.6-9.2)	745	
All other rad	ces* 8.4	(5.2 - 13.4)	311	9.1	(4.9 - 16.2)	164	5.0	(2.5 - 9.5)	141	
Multiple rac	ces* 15.0	(10.6 - 20.6)	183	-	-	63	10.2	(5.9 - 17.0)	117	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	3.9	(2.8 - 5.5)	3,600	4.7	(3.4 - 6.5)	1,736	2.6	( 1.7 - 4.0 )	1,838
Age										
	15 or younger	3.6	(2.2 - 5.6)	1,569	4.2	(2.8 - 6.4)	700	2.4	(1.2 - 4.6)	858
	16 or 17	3.9	(2.8 - 5.6)	1,871	5.3	(3.6-7.7)	945	2.2	(1.4 - 3.6)	918
	18 or older	7.4	(4.4 - 12.3)	153	-	-	89	-	-	62
Grade										
	9th	3.1	(1.7 - 5.5)	811	4.0	(2.0 - 7.7)	361	1.6	(0.7 - 3.7)	446
	10th	3.8	(2.2 - 6.4)	946	4.3	(2.6 - 7.0)	472	3.3	(1.6 - 6.9)	470
	11th	2.9	(1.9 - 4.4)	1,001	4.5	(2.8 - 7.3)	491	1.0	(0.5 - 2.4)	507
	12th	4.7	(2.8 - 7.8)	799	5.6	(3.3-9.4)	394	3.4	(1.8 - 6.6)	401
Race/E	thnicity									
	Black*	4.0	(2.6 - 6.0)	1,194	5.5	(3.5 - 8.6)	556	2.5	(1.4 - 4.7)	637
	Hispanic/Latino	8.6	(4.8 - 15.0)	345	8.9	(4.7 - 16.2)	173	8.4	(3.8 - 17.4)	171
	White*	2.1	(1.4 - 3.1)	1,459	2.5	(1.5 - 4.1)	729	1.5	(0.7 - 3.0)	728
	All other races*	5.2	(2.4 - 10.7)	306	4.4	(1.8 - 10.6)	162	3.8	(1.7 - 8.3)	138
	Multiple races*	4.7	(2.4 - 9.2)	178	-	-	60	1.8	(0.4 - 7.3)	115

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	4.1	(3.1 - 5.4)	3,685	5.3	(4.0 - 7.2)	1,774	2.3	(1.6-3.3)	1,883
Age										
	15 or younger	3.8	(2.5 - 5.8)	1,607	4.3	(2.7 - 6.8)	714	2.5	(1.4 - 4.2)	880
	16 or 17	4.2	(3.1 - 5.6)	1,916	6.5	(4.9 - 8.7)	967	1.7	(1.0 - 2.9)	941
	18 or older	5.0	(2.7 - 9.1)	155	-	-	91	-	-	62
Grade										
	9th	3.7	(2.0 - 6.4)	834	4.1	(1.8 - 9.2)	365	2.5	(1.3 - 4.5)	464
	10th	3.1	(1.9 - 5.1)	971	4.3	(2.5 - 7.1)	488	1.7	(0.7 - 3.8)	478
	11th	4.1	(2.6 - 6.3)	1,024	6.4	(4.2 - 9.7)	501	1.8	(0.7 - 4.5)	521
	12th	4.5	(3.0-6.6)	815	6.2	(3.8-9.8)	402	2.3	(1.4 - 3.7)	408
Race/E	thnicity									
	Black*	3.9	(2.6 - 5.9)	1,231	5.9	(3.9 - 8.7)	573	2.1	(1.0 - 4.2)	657
	Hispanic/Latino	9.2	(5.4 - 15.3)	356	10.3	(6.0 - 17.2)	177	8.2	(3.9 - 16.2)	178
	White*	2.4	(1.7 - 3.3)	1,486	2.8	(1.8 - 4.4)	741	1.8	(1.1 - 2.8)	742
	All other races*	4.6	(2.9 - 7.3)	314	4.9	(2.1 - 10.7)	165	1.9	(0.6-5.8)	143
	Multiple races*	2.8	(1.2 - 6.5)	182	-	-	63	0.0	-	116

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	6.3	(5.1 - 7.8)	3,672	8.0	( 6.3 - 10.3 )	1,771	4.1	(3.1 - 5.4)	1,875
Age										
	15 or younger	5.2	(3.7 - 7.2)	1,599	6.2	(4.1 - 9.3)	714	3.6	(2.4 - 5.2)	874
	16 or 17	6.8	(5.6 - 8.2)	1,912	9.1	(7.2 - 11.4)	964	4.2	(3.2-5.6)	940
	18 or older	13.2	(9.1 - 18.8)	154	-	-	91	-	-	61
Grade										
	9th	5.3	(3.4 - 8.2)	829	6.3	(3.2 - 12.3)	363	3.8	(2.2 - 6.4)	461
	10th	5.0	(3.5 - 7.0)	968	6.4	(4.3 - 9.5)	488	3.4	(2.1 - 5.5)	476
	11th	6.9	(5.2 - 9.0)	1,022	10.0	(7.4 - 13.4)	500	3.8	(2.7 - 5.5)	520
	12th	7.3	(5.4 - 9.6)	813	9.4	(6.6 - 13.1)	402	4.8	(3.0 - 7.7)	407
Race/E	thnicity									
	Black*	5.9	(4.4 - 7.8)	1,224	8.5	(6.1 - 11.7)	571	3.4	(2.2 - 5.3)	652
	Hispanic/Latino	9.9	(6.6 - 14.7)	353	11.3	(6.8 - 18.3)	176	8.5	(4.6 - 15.1)	176
	White*	5.3	(4.0 - 7.0)	1,488	5.9	(4.0 - 8.5)	742	4.6	(3.2 - 6.7)	743
	All other races*	5.2	(3.0 - 8.7)	313	6.0	(3.3 - 10.8)	165	2.5	(1.0 - 5.9)	142
	Multiple races*	6.3	(3.5 - 11.3)	182	-	-	63	2.8	(0.9 - 8.3)	116

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	8.6	( 6.9 - 10.7 )	3,650	9.8	(7.6 - 12.5)	1,761	6.7	(5.3 - 8.6)	1,860	
Age											
	15 or younger	7.8	(5.5 - 11.0)	1,593	8.6	(5.9 - 12.4)	714	6.0	(3.9 - 9.1)	865	
	16 or 17	9.1	(7.5 - 11.1)	1,898	10.9	(8.5 - 13.9)	956	7.1	(5.5-9.2)	934	
	18 or older	10.5	(6.7 - 16.1)	152	-	-	89	-	-	61	
Grade											
	9th	6.4	(4.2 - 9.7)	827	7.1	(4.2 - 11.7)	363	5.3	(3.3 - 8.3)	459	
	10th	9.2	(7.0 - 12.1)	962	10.5	(7.9 - 13.8)	488	7.4	(4.9 - 11.0)	468	
	11th	8.9	(7.3 - 10.9)	1,015	11.0	(8.5 - 14.1)	497	6.9	(4.8 - 9.8)	516	
	12th	8.6	(6.0 - 12.1)	809	9.8	( 5.9 - 15.9 )	397	6.8	(4.4 - 10.5)	407	
Race/E	thnicity										
	Black*	7.6	(5.5 - 10.3)	1,210	10.7	(7.7 - 14.7)	566	4.6	(3.0 - 7.1)	643	
	Hispanic/Latino	13.5	(10.2 - 17.6)	351	13.0	(8.3 - 19.9)	176	14.1	(9.2 - 21.1)	174	
	White*	8.4	(6.5 - 10.9)	1,485	8.6	(6.3 - 11.7)	741	8.1	(5.9-11.1)	741	
	All other races*	5.3	(3.2 - 8.5)	311	3.4	(1.8 - 6.3)	163	5.2	(2.8 - 9.5)	142	
	Multiple races*	11.2	(7.8 - 15.7)	181	-	-	62	7.2	(3.6 - 13.8)	116	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	4.2	(3.2 - 5.6)	3,716	5.4	(3.9 - 7.4)	1,800	2.5	(1.8 - 3.3)	1,888
Age										
	15 or younger	4.0	(2.6 - 6.0)	1,622	5.3	(3.3 - 8.4)	729	2.0	(1.3 - 3.2)	878
	16 or 17	4.2	(3.2 - 5.5)	1,933	5.6	(4.2 - 7.5)	976	2.4	(1.6-3.6)	949
	18 or older	7.1	(4.3 - 11.3)	155	-	-	93	-	-	61
Grade										
	9th	3.6	(2.1 - 6.0)	838	5.3	(2.8 - 10.1)	370	1.2	(0.5 - 2.8)	463
	10th	4.4	(2.9 - 6.4)	984	5.4	(3.6 - 7.9)	499	2.8	(1.6 - 5.0)	479
	11th	3.7	(2.7 - 5.2)	1,035	5.4	(3.4 - 8.4)	508	2.1	(1.3 - 3.3)	524
	12th	4.0	(2.7 - 6.0)	820	4.7	(3.0 - 7.5)	405	3.0	(1.7 - 5.1)	410
Race/Eth	nnicity									
	Black*	4.7	(3.4 - 6.4)	1,243	6.9	(5.1-9.4)	585	2.5	(1.6-3.9)	657
	Hispanic/Latino	9.3	(5.5 - 15.4)	360	11.3	(6.5 - 19.2)	182	7.1	(3.4 - 14.1)	177
	White*	2.1	(1.1 - 3.9)	1,491	2.4	(1.0 - 5.5)	744	1.8	(1.0 - 3.2)	745
	All other races*	4.4	(2.9-6.6)	318	4.2	(2.2 - 7.9)	168	1.6	(0.5-4.8)	143
	Multiple races*	4.9	(2.4 - 9.6)	186	-	-	66	3.4	(1.3 - 8.7)	117

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)

		Total			Male		Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	13.6	(11.7 - 15.8)	3,669	14.8	(12.2 - 17.9)	1,766	12.0	(10.4 - 13.8)	1,876	
Age										
15 or younger	10.3	(8.2 - 12.8)	1,604	10.2	(8.0 - 13.0)	714	9.8	(7.8 - 12.1)	875	
16 or 17	16.3	(14.3 - 18.5)	1,906	18.5	(15.5 - 22.0)	960	13.7	(11.6 - 16.1)	939	
18 or older	17.2	(12.8 - 22.8)	153	-	-	90	-	-	62	
Grade										
9th	8.3	(5.9 - 11.6)	828	8.2	(5.2 - 12.6)	363	8.3	(5.8 - 11.8)	460	
10th	13.3	(11.1 - 15.9)	970	14.8	(12.0 - 18.1)	487	11.5	(9.0 - 14.5)	477	
11th	17.1	(15.2 - 19.3)	1,023	17.6	(15.0 - 20.6)	499	16.5	(13.5 - 20.0)	521	
12th	15.1	(12.2 - 18.6)	809	18.3	(13.2 - 24.7)	399	11.2	(8.7 - 14.4)	406	
Race/Ethnicity										
Black*	12.7	(10.3 - 15.6)	1,221	15.7	(11.9 - 20.4)	570	9.9	(7.6 - 12.9)	650	
Hispanic/Latino	16.3	(13.0 - 20.3)	353	18.5	(14.0 - 24.0)	175	14.1	(9.5 - 20.6)	177	
White*	13.6	(11.2 - 16.4)	1,484	13.1	(10.5 - 16.3)	739	13.8	(10.8 - 17.5)	743	
All other races*	10.2	(7.0 - 14.7)	313	8.5	(4.7 - 15.0)	164	10.3	(6.7 - 15.5)	143	
Multiple races*	18.2	(12.4 - 25.9)	182	-	-	63	14.8	(9.0-23.3)	116	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	3.5	(2.6 - 4.7)	3,672	4.5	(3.3 - 6.2)	1,774	2.3	(1.4 - 3.6)	1,879
Age										
	15 or younger	4.0	(2.7 - 5.8)	1,604	4.8	(3.3 - 7.1)	719	2.8	(1.6 - 4.7)	876
	16 or 17	3.0	(2.1 - 4.3)	1,910	4.5	(3.1-6.4)	963	1.5	(0.7 - 3.2)	941
	18 or older	4.0	(2.1 - 7.5)	153	-	-	90	-	-	62
Grade										
	9th	4.0	(2.5 - 6.3)	830	4.4	(2.5 - 7.5)	363	3.0	(1.6 - 5.5)	463
	10th	3.5	(2.3 - 5.4)	974	4.9	(3.2 - 7.2)	494	2.2	(1.0 - 4.8)	476
	11th	2.8	(2.0 - 3.8)	1,024	4.4	(3.0-6.5)	502	1.2	(0.4 - 3.1)	521
	12th	2.8	(1.5 - 5.0)	809	3.7	(1.9 - 7.4)	399	1.8	(0.8 - 4.2)	408
Race/E	thnicity									
	Black*	4.3	(3.2 - 5.9)	1,230	6.3	(4.5 - 8.6)	574	2.5	(1.2 - 4.8)	655
	Hispanic/Latino	8.5	(4.9 - 14.3)	354	9.9	(5.4 - 17.5)	178	7.0	(3.1 - 14.8)	175
	White*	1.8	(1.0 - 3.3)	1,484	1.9	(0.8 - 4.3)	738	1.7	(1.0 - 3.1)	744
	All other races*	3.4	(2.6 - 4.5)	311	3.3	(1.6-6.6)	166	2.0	(0.8-5.1)	141
	Multiple races*	3.5	(1.5 - 7.7)	184	-	-	65	0.8	(0.1 - 4.7)	116

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.3	(23.8 - 29.1)	3,640	29.6	(26.1 - 33.5)	1,751	22.9	(20.6 - 25.4)	1,873
Age										
	15 or younger	24.2	(21.3 - 27.3)	1,586	25.1	(21.6 - 29.0)	710	23.1	(19.8 - 26.7)	869
	16 or 17	28.2	(25.0-31.6)	1,898	33.2	(28.8 - 38.0)	950	23.1	(20.3 - 26.1)	943
	18 or older	27.0	(20.0 - 35.3)	151	-	-	89	-	-	61
Grade										
	9th	21.3	(17.7 - 25.4)	827	20.7	(16.8 - 25.3)	363	21.2	(17.2 - 25.9)	461
	10th	27.0	(23.8 - 30.4)	959	31.9	(27.0 - 37.2)	483	22.2	(18.8 - 26.0)	472
	11th	29.4	(25.2 - 34.0)	1,016	33.0	(27.1 - 39.5)	493	26.1	(22.0-30.6)	522
	12th	27.8	(24.3 - 31.5)	806	33.7	(28.8 - 39.1)	396	21.7	(17.3 - 26.9)	407
Race/E	thnicity									
	Black*	27.5	(24.2 - 31.0)	1,220	33.2	(29.0 - 37.7)	568	22.2	(18.6 - 26.3)	651
	Hispanic/Latino	29.7	(24.6 - 35.5)	347	27.1	(21.6 - 33.5)	171	32.7	(25.1 - 41.2)	175
	White*	24.7	(21.7 - 27.8)	1,479	27.3	(22.7 - 32.4)	734	21.6	(18.9 - 24.7)	743
	All other races*	24.2	(18.6 - 30.9)	309	23.3	(16.5 - 31.8)	166	25.1	(17.4 - 34.7)	142
	Multiple races*	32.9	(27.2 - 39.1)	184	-	-	65	31.0	(24.5 - 38.4)	116

## **Maryland High School Survey**

# **Baltimore County**

#### **Summary Tables - Weighted Data**

#### QN60: Percentage of students who ever had sexual intercourse

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	35.5	(30.3 - 41.1)	3,117	38.8	(32.6 - 45.3)	1,452	32.2	(27.4 - 37.5)	1,653
Age										
	15 or younger	21.1	(16.2 - 27.1)	1,367	25.4	(18.7 - 33.5)	591	17.4	(13.3 - 22.6)	772
	16 or 17	46.7	(42.1 - 51.4)	1,624	48.0	(43.2 - 52.9)	788	45.1	(39.5 - 50.8)	831
	18 or older	58.0	(47.3 - 68.0)	122	-	-	72	-	-	50
Grade										
	9th	16.9	(11.2 - 24.7)	713	21.3	(13.9 - 31.4)	304	12.8	(7.9 - 20.0)	407
	10th	31.1	(25.5 - 37.2)	807	34.6	(27.2 - 42.9)	387	27.7	(22.3 - 33.9)	417
	11th	39.6	(34.5 - 45.0)	876	44.9	(39.6 - 50.4)	416	34.7	(28.3 - 41.6)	459
	12th	55.0	(48.6 - 61.3)	701	55.5	(47.6-63.2)	335	54.2	(47.1 - 61.2)	364
Race/E	thnicity									
	Black*	42.2	(36.6 - 47.9)	1,015	50.5	(44.2 - 56.8)	463	34.5	(29.1 - 40.3)	551
	Hispanic/Latino	39.7	(34.7 - 44.9)	270	47.7	(40.9 - 54.6)	124	32.5	(25.2 - 40.7)	145
	White*	32.9	(27.5 - 38.7)	1,339	31.9	(26.8 - 37.5)	645	33.7	(26.8 - 41.3)	692
	All other races*	13.2	(9.0 - 19.0)	263	13.6	(8.3 - 21.4)	136	12.4	(7.6 - 19.7)	126
	Multiple races*	41.5	( 34.1 - 49.4 )	156	-	-	51	33.3	(25.3 - 42.5)	103

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	5.6	(4.3 - 7.1)	3,133	8.6	( 6.3 - 11.7 )	1,463	2.7	(1.9 - 3.7)	1,653
Age										
	15 or younger	4.6	(3.3 - 6.3)	1,370	7.0	(4.6 - 10.6)	597	2.4	(1.5 - 3.8)	765
	16 or 17	5.9	(4.4 - 8.0)	1,634	9.2	(6.6 - 12.6)	793	2.9	(1.8 - 4.5)	836
	18 or older	12.1	(8.4 - 17.2)	125	-	-	72	-	-	52
Grade										
	9th	4.1	(2.3 - 7.1)	713	5.8	(2.7 - 12.0)	306	2.4	(1.3 - 4.3)	404
	10th	4.7	(3.5 - 6.5)	805	7.6	(5.3 - 10.8)	389	2.1	(1.0 - 4.5)	412
	11th	6.3	(4.4 - 8.9)	882	10.6	(7.5 - 14.8)	418	2.4	(1.3 - 4.6)	462
	12th	6.9	(4.9 - 9.5)	709	10.4	(7.4 - 14.4)	339	3.6	(2.0-6.6)	367
Race/E	thnicity									
	Black*	8.8	(7.2 - 10.8)	1,019	14.6	(11.1 - 18.9)	467	3.6	(2.3 - 5.5)	551
	Hispanic/Latino	5.6	(3.4 - 9.3)	272	10.4	(6.1 - 16.9)	124	1.4	(0.4 - 4.6)	147
	White*	2.9	(1.9 - 4.5)	1,345	4.0	(2.1 - 7.2)	651	1.9	(1.1 - 3.3)	691
	All other races*	2.8	(1.5 - 5.2)	265	2.5	(1.2 - 5.3)	137	3.1	(1.2 - 7.9)	126
	Multiple races*	10.1	(5.7 - 17.2)	153	-	-	49	4.9	(2.2 - 10.6)	102

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

#### QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	9.6	(7.7 - 11.8)	3,105	12.4	(9.7 - 15.8)	1,442	6.8	(5.5 - 8.5)	1,650
Age										
	15 or younger	3.5	(2.3 - 5.4)	1,359	5.2	(3.3 - 8.2)	589	2.0	(1.1 - 3.6)	764
	16 or 17	13.8	(11.7 - 16.3)	1,619	17.6	(14.2 - 21.6)	781	10.3	(8.5 - 12.5)	834
	18 or older	23.5	(17.6 - 30.6)	123	-	-	71	-	-	52
Grade										
	9th	2.3	(1.2 - 4.6)	707	3.4	(1.5 - 7.7)	302	1.2	(0.5 - 2.9)	402
	10th	6.5	(4.5 - 9.4)	800	10.5	(6.3 - 17.1)	384	2.8	(1.7 - 4.7)	414
	11th	12.0	(10.1 - 14.3)	875	17.1	(13.5 - 21.4)	411	7.3	(5.1 - 10.4)	462
	12th	17.2	(13.4 - 21.8)	701	19.0	(13.6 - 26.0)	335	15.6	(12.0 - 20.0)	364
Race/E	Cthnicity									
	Black*	13.0	(10.5 - 15.9)	1,012	19.5	(15.7 - 24.0)	460	7.2	(5.5-9.3)	551
	Hispanic/Latino	13.8	(11.2 - 16.8)	267	17.3	(13.2 - 22.4)	119	10.7	(7.5 - 15.2)	147
	White*	7.3	(5.8-9.3)	1,337	7.6	(5.8-9.7)	645	7.1	(5.2-9.7)	690
	All other races*	4.1	(2.4 - 6.8)	264	4.1	(2.1 - 8.0)	136	3.6	(1.5 - 8.3)	126
	Multiple races*	6.3	(3.7 - 10.6)	152	-	-	49	2.9	(1.0 - 8.1)	102

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	24.7	(20.7 - 29.2)	3,107	25.8	(21.6 - 30.6)	1,447	23.4	(19.4 - 28.1)	1,645	
Age											
	15 or younger	12.9	(9.5 - 17.3)	1,358	14.6	(10.4 - 20.2)	589	11.3	(8.1 - 15.5)	763	
	16 or 17	33.7	(29.7 - 38.0)	1,620	34.0	(30.0 - 38.2)	785	33.4	(28.6 - 38.7)	830	
	18 or older	43.0	( 34.9 - 51.5 )	125	-	-	72	-	-	52	
Grade											
	9th	9.6	(5.9 - 15.3)	710	12.1	(7.6 - 18.8)	305	6.9	(3.7 - 12.5)	402	
	10th	20.3	(16.1 - 25.2)	797	22.5	(16.7 - 29.6)	382	18.3	(14.2 - 23.3)	412	
	11th	26.9	(22.4 - 31.8)	875	28.6	(23.3 - 34.6)	412	25.2	(19.9 - 31.2)	461	
	12th	42.3	(36.6 - 48.2)	701	40.8	(33.8 - 48.1)	337	43.8	(37.4 - 50.4)	362	
Race/E	thnicity										
	Black*	28.8	(24.3 - 33.9)	1,014	33.3	(27.9 - 39.1)	463	24.7	(19.8 - 30.2)	550	
	Hispanic/Latino	27.6	(23.2 - 32.5)	271	31.3	(24.6 - 38.9)	123	24.4	(18.8 - 31.0)	147	
	White*	23.7	(19.2 - 28.8)	1,336	22.1	(18.1 - 26.6)	645	25.3	(19.5 - 32.1)	688	
	All other races*	7.9	(5.1 - 12.3)	263	6.8	(3.9 - 11.4)	136	8.5	(4.6 - 15.2)	125	
	Multiple races*	25.3	(16.8 - 36.2)	151	-	-	48	21.2	(13.3 - 32.0)	101	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	20.3	(17.7 - 23.2)	749	23.0	(19.5 - 26.9)	370	17.1	(13.3 - 21.7)	375
Age										
	15 or younger	19.0	(13.5 - 26.1)	170	-	-	79	-	-	91
	16 or 17	20.2	(17.2 - 23.6)	520	22.6	(18.7 - 27.0)	259	18.0	(13.3 - 23.9)	259
	18 or older	-	-	57	-	-	31	-	-	25
Grade										
	9th	-	-	63	-	-	33	-	-	30
	10th	16.9	(12.0 - 23.1)	158	-	-	81	-	-	77
	11th	15.4	(10.8 - 21.4)	230	23.4	(16.5 - 32.2)	116	7.2	(3.6 - 14.1)	114
	12th	24.0	(19.0 - 29.8)	292	23.9	(17.8 - 31.4)	137	24.3	(16.9 - 33.5)	154
Race/E	thnicity									
	Black*	17.1	(12.8 - 22.4)	282	20.4	(14.9 - 27.3)	147	13.4	(8.9 - 19.9)	134
	Hispanic/Latino	-	-	71	-	-	37	-	-	34
	White*	22.4	(17.4 - 28.2)	317	23.5	(17.0 - 31.5)	146	20.9	(14.8 - 28.7)	170
	All other races*	-	-	27	-	-	13	-	-	13
	Multiple races*	-	-	38	-	-	17	-	-	21

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	61.6	(57.6 - 65.5)	736	69.2	( 62.6 - 75.1 )	364	53.9	(49.4 - 58.4)	368
Age										
	15 or younger	66.2	( 59.4 - 72.4 )	168	-	-	82	-	-	86
	16 or 17	60.6	(55.8 - 65.2)	510	67.6	(59.6 - 74.7)	251	53.9	(48.5 - 59.2)	257
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	64	-	-	36	-	-	28
	10th	68.9	(63.2 - 74.1)	154	-	-	81	-	-	73
	11th	62.0	(56.1 - 67.6)	224	71.8	(65.3 - 77.5)	111	52.3	(45.1 - 59.4)	113
	12th	57.6	(51.8-63.2)	288	60.8	( 50.2 - 70.4 )	133	54.6	(48.0 - 61.0)	154
Race/E	thnicity									
	Black*	63.9	(58.4 - 69.1)	276	69.0	(57.2 - 78.8)	147	57.5	(48.5 - 65.9)	128
	Hispanic/Latino	-	-	71	-	-	37	-	-	34
	White*	59.0	(51.8 - 66.0)	310	68.2	(61.6-74.2)	143	50.8	(42.0 - 59.6)	166
	All other races*	-	-	28	-	-	13	-	-	14
	Multiple races*	-	-	38	-	-	17	-	-	21

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.0	(13.4 - 23.7)	729	14.7	(10.5 - 20.3)	365	21.3	(15.6 - 28.5)	358
Age										
	15 or younger	11.7	(7.4 - 18.1)	169	-	-	85	-	-	82
	16 or 17	19.8	(14.7 - 26.1)	502	17.0	(11.7 - 23.9)	249	22.5	(16.2 - 30.2)	251
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	63	-	-	37	-	-	25
	10th	12.7	(7.7 - 20.2)	153	-	-	81	-	-	72
	11th	17.3	(13.3 - 22.2)	227	13.9	(9.1 - 20.6)	114	20.9	(15.1 - 28.2)	112
	12th	21.6	(14.6 - 30.8)	279	18.0	(10.7 - 28.5)	130	25.0	(16.4 - 36.0)	148
Race/E	thnicity									
	Black*	11.2	(7.5 - 16.5)	275	10.0	(5.8 - 16.7)	149	12.8	(7.8 - 20.2)	125
	Hispanic/Latino	-	-	74	-	-	39	-	-	35
	White*	25.6	(20.1 - 31.9)	303	20.5	(14.8 - 27.5)	141	29.6	(21.7 - 38.8)	161
	All other races*	-	-	29	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	3.2	(2.0 - 4.9)	729	2.3	(1.0 - 5.2)	365	4.1	(2.3 - 7.2)	358
Age										
	15 or younger	2.0	(0.7 - 5.5)	169	-	-	85	-	-	82
	16 or 17	3.6	(2.1 - 6.0)	502	2.9	(1.1 - 7.2)	249	4.3	(2.2 - 8.1)	251
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	63	-	-	37	-	-	25
	10th	2.7	(1.0 - 6.9)	153	-	-	81	-	-	72
	11th	3.6	(1.8 - 6.8)	227	1.1	(0.2 - 6.9)	114	6.2	(3.2 - 11.6)	112
	12th	3.6	(1.8 - 7.1)	279	3.8	(1.2 - 11.1)	130	3.5	(1.4 - 8.4)	148
Race/E	thnicity									
	Black*	3.8	(2.0 - 6.9)	275	2.4	(0.7 - 7.5)	149	5.5	(2.6 - 11.5)	125
	Hispanic/Latino	-	-	74	-	-	39	-	-	35
	White*	2.7	(1.4 - 5.2)	303	2.2	(0.7 - 6.8)	141	3.2	(1.5 - 6.7)	161
	All other races*	-	-	29	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	5.4	(3.6 - 8.1)	729	3.2	(1.8 - 5.5)	365	7.7	(4.4 - 13.1)	358
Age										
	15 or younger	6.4	(3.5 - 11.4)	169	-	-	85	-	-	82
	16 or 17	5.2	(3.3 - 8.0)	502	2.8	(1.3 - 6.0)	249	7.4	(4.1 - 13.1)	251
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	63	-	-	37	-	-	25
	10th	5.2	(2.2 - 11.7)	153	-	-	81	-	-	72
	11th	4.1	(2.2 - 7.6)	227	2.5	(0.9 - 7.3)	114	5.2	(2.5 - 10.6)	112
	12th	5.9	(3.7-9.4)	279	3.0	(1.0 - 9.0)	130	8.4	(4.3 - 15.9)	148
Race/E	thnicity									
	Black*	6.7	(4.2 - 10.6)	275	4.2	(2.0 - 8.5)	149	10.0	(5.0 - 19.1)	125
	Hispanic/Latino	-	-	74	-	-	39	-	-	35
	White*	5.1	(2.7 - 9.2)	303	2.6	(1.1 - 5.9)	141	7.3	(3.4 - 15.0)	161
	All other races*	-	-	29	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total				Male	Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.6	(22.6 - 31.1)	729	20.3	(15.7 - 25.7)	365	33.1	(28.5 - 38.2)	358
Age										
	15 or younger	20.1	(15.7 - 25.4)	169	-	-	85	-	-	82
	16 or 17	28.6	(24.1 - 33.5)	502	22.7	(17.4 - 29.0)	249	34.2	(28.7 - 40.1)	251
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	63	-	-	37	-	-	25
	10th	20.6	(15.0 - 27.5)	153	-	-	81	-	-	72
	11th	24.9	(20.3 - 30.2)	227	17.5	(12.1 - 24.6)	114	32.3	(25.5 - 39.9)	112
	12th	31.1	(24.9 - 38.1)	279	24.8	(16.9 - 34.9)	130	36.9	(29.5 - 44.8)	148
Race/E	thnicity									
	Black*	21.7	(17.6 - 26.4)	275	16.6	(11.4 - 23.5)	149	28.3	(21.5 - 36.3)	125
	Hispanic/Latino	-	-	74	-	-	39	-	-	35
	White*	33.4	(28.4 - 38.7)	303	25.3	(19.2 - 32.6)	141	40.0	(32.8 - 47.6)	161
	All other races*	-	-	29	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	10.0	(8.0 - 12.6)	715	8.6	(5.9 - 12.5)	357	11.3	(8.6 - 14.7)	354
Age										
	15 or younger	7.1	(3.7 - 13.1)	163	-	-	82	-	-	81
	16 or 17	11.1	(8.7 - 14.0)	496	10.2	(7.1 - 14.6)	245	12.0	(8.9 - 16.1)	249
	18 or older	-	-	54	-	-	29	-	-	24
Grade										
	9th	-	-	61	-	-	36	-	-	25
	10th	8.3	(4.6 - 14.7)	149	-	-	79	-	-	70
	11th	7.8	(5.1 - 11.6)	222	7.6	(4.1 - 13.6)	110	7.9	(4.5 - 13.5)	112
	12th	12.3	(8.7 - 17.0)	277	9.5	(4.9 - 17.4)	129	14.8	(10.0 - 21.4)	147
Race/E	thnicity									
	Black*	9.6	(7.0 - 13.1)	268	8.1	(4.1 - 15.3)	144	11.6	(7.2 - 18.2)	123
	Hispanic/Latino	-	-	71	-	-	37	-	-	34
	White*	11.1	(8.1 - 14.9)	301	9.0	(5.8 - 13.7)	140	12.3	(7.5 - 19.5)	160
	All other races*	-	-	28	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

		Total				Male	Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	13.9	( 11.2 - 17.2 )	729	13.4	(9.8 - 18.0)	365	14.7	(10.6 - 20.0)	358
Age										
	15 or younger	13.5	(8.7 - 20.5)	169	-	-	85	-	-	82
	16 or 17	12.9	(9.8 - 16.7)	502	11.6	(7.6 - 17.2)	249	14.2	(9.9 - 20.0)	251
	18 or older	-	-	56	-	-	30	-	-	25
Grade										
	9th	-	-	63	-	-	37	-	-	25
	10th	16.2	(10.5 - 24.3)	153	-	-	81	-	-	72
	11th	11.3	(7.5 - 16.8)	227	8.5	(4.2 - 16.2)	114	14.4	(8.2 - 23.8)	112
	12th	15.4	(10.5 - 21.9)	279	16.7	(11.1 - 24.3)	130	14.3	(8.5 - 23.1)	148
Race/E	thnicity									
	Black*	18.4	(14.8 - 22.6)	275	18.6	(13.0 - 25.9)	149	18.4	(12.5 - 26.2)	125
	Hispanic/Latino	-	-	74	-	-	39	-	-	35
	White*	9.8	(6.3 - 15.0)	303	8.6	(4.8 - 15.0)	141	10.9	(6.1 - 18.6)	161
	All other races*	-	-	29	-	-	13	-	-	14
	Multiple races*	-	-	35	-	-	16	-	-	19

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	12.4	( 11.3 - 13.6 )	3,560	14.0	(12.6 - 15.5)	1,763	10.7	( 8.9 - 12.8 )	1,797	
Age										
15 or younger	12.6	(11.0 - 14.4)	1,540	12.7	(10.9 - 14.8)	706	12.5	(9.6 - 16.2)	834	
16 or 17	12.0	(10.7 - 13.5)	1,874	14.8	(13.0 - 16.9)	967	9.0	(7.4 - 10.9)	907	
18 or older	14.5	(9.1-22.4)	146	-	-	90	-	-	56	
Grade										
9th	12.0	(9.7 - 14.8)	809	11.5	(8.8 - 15.0)	365	12.5	(8.3 - 18.5)	444	
10th	13.4	(11.6 - 15.4)	932	15.0	(12.3 - 18.1)	481	11.7	(9.3 - 14.6)	451	
11th	12.1	(10.2 - 14.3)	1,005	13.9	(10.7 - 17.7)	504	10.3	(7.8 - 13.5)	501	
12th	12.1	(9.8 - 14.8)	790	15.7	(12.5 - 19.4)	399	8.4	(5.9 - 11.8)	391	
Race/Ethnicity										
Black*	14.7	(12.6 - 17.1)	1,243	14.3	(12.3 - 16.5)	595	15.1	(11.2 - 20.1)	648	
Hispanic/Latino	14.8	(12.1 - 18.0)	319	15.8	(11.9 - 20.8)	164	13.7	(9.2 - 20.0)	155	
White*	10.4	(8.8 - 12.2)	1,428	13.8	(11.1 - 17.0)	728	6.6	(5.1 - 8.5)	700	
All other races*	9.9	(6.8 - 14.1)	297	10.8	(6.7 - 17.0)	157	8.8	(5.0 - 14.9)	140	
Multiple races*	10.7	( 6.3 - 17.4 )	176	-	-	66	6.3	(3.0 - 12.6)	110	

Note: 332 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup. \*\*Based on reference data from the 2000 CDC Growth Charts.

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	14.4	(13.1 - 15.8)	3,560	14.4	(12.9 - 16.1)	1,763	14.4	(12.7 - 16.3)	1,797	
Age											
	15 or younger	14.5	(12.8 - 16.4)	1,540	14.3	(11.7 - 17.4)	706	14.7	(12.6 - 16.9)	834	
	16 or 17	14.0	(12.1 - 16.1)	1,874	14.0	(11.8 - 16.6)	967	13.9	(11.7 - 16.4)	907	
	18 or older	18.7	(13.6 - 25.2)	146	-	-	90	-	-	56	
Grade											
	9th	15.2	(12.9 - 17.8)	809	14.9	(11.0 - 19.7)	365	15.5	(12.3 - 19.3)	444	
	10th	14.7	(12.0 - 17.9)	932	14.5	(11.6 - 18.1)	481	14.9	(10.6 - 20.6)	451	
	11th	14.4	(12.3 - 16.8)	1,005	15.5	(12.6 - 19.0)	504	13.2	(10.5 - 16.4)	501	
	12th	13.4	(11.1 - 16.2)	790	13.0	(9.8 - 17.2)	399	13.8	(10.2 - 18.5)	391	
Race/E	Cthnicity										
	Black*	15.5	(13.9 - 17.3)	1,243	15.7	(13.5 - 18.1)	595	15.3	(12.8 - 18.2)	648	
	Hispanic/Latino	22.7	(16.7 - 30.0)	319	22.9	(16.9 - 30.2)	164	22.4	(14.7 - 32.6)	155	
	White*	12.6	(10.8 - 14.7)	1,428	12.2	(9.4 - 15.6)	728	13.1	(10.4 - 16.4)	700	
	All other races*	11.2	(8.6 - 14.5)	297	14.6	(9.5 - 21.7)	157	7.1	(3.3 - 14.6)	140	
	Multiple races*	18.2	(12.4 - 26.0)	176	-	-	66	20.0	(11.4 - 32.8)	110	

Note: 332 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup. \*\*Based on reference data from the 2000 CDC Growth Charts.

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN69: Percentage of students who described themselves as slightly or very overweight

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	24.6	(23.0 - 26.2)	3,585	21.3	(19.1 - 23.7)	1,735	27.8	(25.7 - 29.9)	1,829	
Age											
	15 or younger	24.4	(21.9 - 27.1)	1,563	20.8	(16.7 - 25.5)	700	27.8	(25.0-30.9)	855	
	16 or 17	25.0	(23.1 - 27.1)	1,865	22.0	(19.8 - 24.4)	942	28.0	(25.3 - 31.0)	916	
	18 or older	20.9	(14.2 - 29.7)	151	-	-	91	-	-	58	
Grade											
	9th	22.5	(19.2 - 26.2)	806	18.8	(12.7 - 27.0)	353	26.4	(23.0 - 30.1)	450	
	10th	24.8	(21.8 - 28.0)	931	21.5	(18.1 - 25.4)	474	27.8	(24.1 - 32.0)	455	
	11th	25.4	(22.7 - 28.3)	1,002	21.1	(18.0 - 24.6)	492	29.6	(25.8 - 33.7)	507	
	12th	25.9	(22.2 - 30.0)	805	23.8	(20.3 - 27.7)	398	27.6	(22.4 - 33.5)	404	
Race/E	thnicity										
	Black*	22.8	(20.1 - 25.8)	1,181	17.7	(15.0 - 20.9)	556	27.7	(23.9 - 31.8)	624	
	Hispanic/Latino	31.9	(26.4 - 38.0)	344	30.7	(22.6 - 40.3)	173	33.2	(27.1 - 39.9)	171	
	White*	25.9	(23.1 - 28.9)	1,466	23.6	(19.9 - 27.8)	732	28.2	(25.0 - 31.7)	731	
	All other races*	23.9	(19.4 - 29.0)	307	24.2	(18.5 - 30.9)	159	22.6	(15.0 - 32.6)	142	
	Multiple races*	24.8	(19.2 - 31.4)	176	-	-	62	30.0	(22.7 - 38.4)	112	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	26.0	(24.3 - 27.8)	3,631	24.0	(21.7 - 26.5)	1,744	28.1	(26.2 - 30.0)	1,859	
Age											
	15 or younger	25.1	(21.8 - 28.6)	1,573	23.1	(19.1 - 27.8)	700	26.9	(23.7 - 30.4)	859	
	16 or 17	26.8	(25.1 - 28.5)	1,897	24.8	(22.4 - 27.4)	950	28.7	(26.5 - 31.1)	939	
	18 or older	27.1	(20.9 - 34.5)	155	-	-	92	-	-	61	
Grade											
	9th	26.5	(22.3 - 31.2)	811	23.7	(18.9 - 29.2)	353	29.4	(24.6 - 34.7)	454	
	10th	25.9	(22.9 - 29.1)	946	24.8	(19.6 - 30.9)	476	27.0	(23.7 - 30.5)	464	
	11th	26.4	(23.8 - 29.3)	1,016	25.6	(22.2 - 29.4)	495	27.1	(23.2 - 31.3)	518	
	12th	25.6	(22.9 - 28.5)	817	22.4	(19.6 - 25.5)	402	29.0	(24.1 - 34.5)	410	
Race/E	thnicity										
	Black*	22.2	(19.7 - 25.1)	1,200	21.9	(17.7 - 26.9)	560	22.6	(20.0 - 25.3)	639	
	Hispanic/Latino	20.3	(16.0 - 25.4)	352	18.0	(12.5 - 25.2)	174	22.9	(17.3 - 29.6)	177	
	White*	29.4	(26.4 - 32.6)	1,468	24.9	(22.1 - 27.9)	729	34.3	(30.6 - 38.2)	736	
	All other races*	32.2	(27.8 - 37.0)	314	30.0	(22.0 - 39.4)	164	33.5	(26.1 - 41.8)	144	
	Multiple races*	19.6	(13.4 - 27.8)	181	-	-	64	17.2	(11.9 - 24.1)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	17.8	(15.0 - 21.0)	3,624	19.0	(15.5 - 23.2)	1,741	16.7	(13.8 - 20.0)	1,855	
Age											
	15 or younger	17.6	(13.8 - 22.3)	1,569	17.7	(13.0 - 23.7)	699	17.8	(13.7 - 22.7)	857	
	16 or 17	17.9	(15.2 - 21.0)	1,896	20.1	(16.5 - 24.3)	949	15.7	(13.2 - 18.6)	939	
	18 or older	18.3	(13.3 - 24.8)	153	-	-	92	-	-	59	
Grade											
	9th	18.5	(13.6 - 24.7)	808	17.2	(11.6 - 24.8)	351	20.1	(14.8 - 26.7)	452	
	10th	17.9	(14.3 - 22.2)	945	19.9	(14.8 - 26.1)	476	16.0	(11.9 - 21.1)	465	
	11th	19.2	(16.1 - 22.6)	1,015	22.3	(17.9 - 27.4)	494	16.2	(13.0 - 20.1)	518	
	12th	15.3	(12.5 - 18.5)	814	16.6	(13.3 - 20.6)	402	14.1	(10.7 - 18.3)	407	
Race/Et	hnicity										
	Black*	24.4	(21.7 - 27.3)	1,197	25.6	(21.5 - 30.2)	557	23.4	(20.5 - 26.5)	639	
	Hispanic/Latino	17.8	(13.7 - 22.8)	351	20.5	(14.7 - 27.7)	175	15.1	(10.7 - 20.9)	175	
	White*	12.3	(9.5 - 15.8)	1,466	14.1	(11.0 - 17.9)	729	10.6	(7.5 - 14.7)	734	
	All other races*	12.2	(8.9 - 16.5)	314	11.9	(6.4 - 21.0)	164	13.0	(8.4 - 19.6)	144	
	Multiple races*	15.2	(10.0 - 22.4)	180	-	-	63	13.2	(6.7 - 24.2)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	7.9	(6.6 - 9.5)	3,611	9.2	(7.5 - 11.2)	1,733	6.7	(5.3 - 8.6)	1,852	
Age											
	15 or younger	7.6	(5.4 - 10.4)	1,563	8.7	(6.1 - 12.3)	696	6.6	(4.5 - 9.7)	855	
	16 or 17	8.1	(6.8 - 9.5)	1,890	9.3	(7.6 - 11.3)	944	6.9	(5.3 - 8.8)	938	
	18 or older	9.8	(6.6 - 14.4)	153	-	-	92	-	-	59	
Grade											
	9th	8.5	(5.8 - 12.3)	805	8.7	(5.5 - 13.4)	350	8.5	(5.4 - 12.9)	451	
	10th	8.0	(6.0 - 10.7)	940	10.2	(6.7 - 15.3)	473	5.8	(4.1 - 8.2)	463	
	11th	8.7	(7.2 - 10.4)	1,012	11.0	(8.7 - 13.8)	491	6.5	(4.1 - 10.1)	518	
	12th	6.3	(4.8 - 8.2)	813	6.6	(5.0 - 8.8)	401	6.0	(3.3 - 10.8)	407	
Race/E	thnicity										
	Black*	9.3	(7.6 - 11.4)	1,193	10.8	(8.2 - 14.2)	555	8.0	(6.5 - 9.8)	637	
	Hispanic/Latino	9.6	(6.3 - 14.3)	349	10.8	(6.4 - 17.8)	173	8.3	(5.1 - 13.4)	175	
	White*	6.8	(5.0-9.1)	1,463	7.5	(5.7-9.8)	727	6.0	(3.6-9.8)	733	
	All other races*	5.9	(3.5 - 9.6)	313	7.9	(3.9 - 15.4)	164	3.6	(1.6 - 8.0)	144	
	Multiple races*	5.2	(3.3 - 8.1)	180	-	-	63	3.1	(1.2 - 7.9)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
,	Total	56.5	( 53.5 - 59.5 )	3,611	59.6	(56.6 - 62.5)	1,733	53.2	(49.4 - 56.9)	1,852	
Age											
	15 or younger	57.3	(53.1-61.4)	1,563	61.1	(56.2 - 65.9)	696	53.3	(48.6 - 58.0)	855	
	16 or 17	55.8	(52.4 - 59.2)	1,890	58.4	(54.6 - 62.1)	944	53.3	(49.3 - 57.3)	938	
	18 or older	55.2	(45.7 - 64.3)	153	-	-	92	-	-	59	
Grade											
	9th	58.6	(53.3 - 63.7)	805	64.1	(57.7 - 70.1)	350	52.9	(46.3 - 59.4)	451	
	10th	55.7	(51.7 - 59.6)	940	57.8	(52.0-63.4)	473	53.4	(49.1 - 57.6)	463	
	11th	54.2	(50.2 - 58.1)	1,012	54.8	(49.9 - 59.6)	491	53.5	(47.4 - 59.5)	518	
	12th	57.0	(52.5 - 61.4)	813	60.7	(56.5-64.9)	401	52.8	(46.7 - 58.8)	407	
Race/Ethi	nicity										
]	Black*	53.8	(51.0-56.6)	1,193	56.5	(52.3 - 60.7)	555	51.2	(47.6 - 54.8)	637	
]	Hispanic/Latino	57.1	(51.7 - 62.3)	349	58.2	(49.2 - 66.7)	173	55.7	(46.7 - 64.3)	175	
,	White*	59.2	(54.3 - 63.9)	1,463	63.8	(60.1 - 67.4)	727	54.2	(47.6 - 60.6)	733	
	All other races*	56.1	(50.0 - 61.9)	313	56.3	(47.4 - 64.8)	164	55.9	(47.3 - 64.2)	144	
1	Multiple races*	61.7	(54.1 - 68.8)	180	-	-	63	60.2	(52.3 - 67.6)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	28.6	(27.0 - 30.3)	3,611	30.2	(28.3 - 32.2)	1,733	26.8	(24.3 - 29.6)	1,852	
Age											
	15 or younger	28.4	(25.8 - 31.2)	1,563	30.4	(26.8 - 34.2)	696	26.1	(22.5 - 30.1)	855	
	16 or 17	29.1	(27.1 - 31.3)	1,890	30.7	(28.3 - 33.3)	944	27.5	(24.9 - 30.3)	938	
	18 or older	24.8	(18.7 - 32.2)	153	-	-	92	-	-	59	
Grade											
	9th	30.0	(25.9 - 34.3)	805	35.6	(30.9 - 40.6)	350	24.1	(18.4 - 30.9)	451	
	10th	28.7	(26.1 - 31.5)	940	26.6	(23.1 - 30.5)	473	30.5	(27.3 - 34.0)	463	
	11th	27.9	(25.4 - 30.6)	1,012	27.6	(23.6 - 32.0)	491	28.2	(23.5 - 33.5)	518	
	12th	27.2	(24.5 - 30.2)	813	29.8	(25.6 - 34.4)	401	24.5	(20.2 - 29.3)	407	
Race/E	thnicity										
	Black*	29.5	(27.4 - 31.6)	1,193	32.0	(28.3 - 35.9)	555	27.1	(23.3 - 31.3)	637	
	Hispanic/Latino	28.3	(23.7 - 33.3)	349	27.7	(21.4 - 35.1)	173	28.5	(22.9 - 34.8)	175	
	White*	28.3	(25.9 - 30.9)	1,463	31.3	(28.5 - 34.4)	727	25.1	(21.4 - 29.3)	733	
	All other races*	27.2	(21.7 - 33.5)	313	22.4	(16.7 - 29.5)	164	33.1	(24.6 - 42.9)	144	
	Multiple races*	33.8	(23.6 - 45.8)	180	-	-	63	35.5	(21.7 - 52.1)	114	

## **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.3	( 16.9 - 19.9 )	3,611	20.0	(18.1 - 22.0)	1,733	16.5	(14.6 - 18.6)	1,852
Age										
	15 or younger	18.4	(16.0 - 21.0)	1,563	19.7	(16.8 - 23.1)	696	16.7	(13.7 - 20.1)	855
	16 or 17	18.3	(16.8 - 20.0)	1,890	20.5	(18.4 - 22.6)	944	16.2	(14.2 - 18.3)	938
	18 or older	17.6	(11.8 - 25.5)	153	-	-	92	-	-	59
Grade										
	9th	18.9	(15.7 - 22.7)	805	23.3	(19.4 - 27.6)	350	14.3	(10.2 - 19.7)	451
	10th	18.8	(16.1 - 21.7)	940	17.2	(14.1 - 20.9)	473	20.1	(16.5 - 24.2)	463
	11th	16.9	(14.8 - 19.2)	1,012	17.7	(14.6 - 21.2)	491	16.1	(12.7 - 20.3)	518
	12th	18.4	(15.8 - 21.3)	813	21.1	(17.0 - 25.9)	401	15.5	(12.2 - 19.4)	407
Race/E	thnicity									
	Black*	21.3	(19.3 - 23.5)	1,193	24.4	(20.7 - 28.4)	555	18.4	(15.6 - 21.5)	637
	Hispanic/Latino	22.3	(18.7 - 26.2)	349	24.4	(18.9 - 31.0)	173	20.0	(15.0 - 26.2)	175
	White*	15.7	(13.9 - 17.7)	1,463	17.6	(15.2 - 20.2)	727	13.8	(11.3 - 16.7)	733
	All other races*	14.0	(10.1 - 19.1)	313	11.2	(6.2 - 19.3)	164	17.8	(12.3 - 25.1)	144
	Multiple races*	25.5	(16.4 - 37.3)	180	-	-	63	27.0	(15.6 - 42.4)	114

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

#### QN73: Percentage of students who did not eat salad (during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	44.9	(41.6 - 48.2)	3,596	49.3	(45.2 - 53.4)	1,731	40.8	( 36.9 - 44.8 )	1,837	
Age											
	15 or younger	45.0	(41.9 - 48.0)	1,561	49.8	(44.5 - 55.1)	699	40.8	(36.7 - 45.0)	849	
	16 or 17	45.0	(40.3 - 49.8)	1,878	49.4	(44.3 - 54.5)	939	40.9	(35.5 - 46.6)	931	
	18 or older	42.3	(35.0 - 49.9)	151	-	-	92	-	-	57	
Grade											
	9th	46.6	(42.5 - 50.8)	806	51.6	(44.5 - 58.6)	352	42.2	(36.6 - 47.9)	449	
	10th	43.1	(39.2 - 47.1)	936	46.6	(41.4 - 51.9)	471	39.7	(33.9 - 45.7)	459	
	11th	48.5	(43.9 - 53.2)	1,008	53.5	(48.7 - 58.2)	489	43.8	(37.5 - 50.3)	517	
	12th	41.4	(35.8 - 47.3)	807	45.5	(39.7 - 51.5)	401	37.5	(30.0-45.6)	402	
Race/E	thnicity										
	Black*	52.0	(48.2 - 55.8)	1,183	55.7	(51.5 - 60.0)	549	48.7	(43.3 - 54.1)	633	
	Hispanic/Latino	41.6	(34.9 - 48.6)	343	49.4	(38.1 - 60.8)	173	32.5	(26.7 - 38.9)	169	
	White*	39.4	(35.0-43.9)	1,465	44.5	(37.7 - 51.6)	729	34.1	(28.9 - 39.8)	733	
	All other races*	44.4	(39.2 - 49.7)	313	48.6	(40.9 - 56.3)	164	40.8	(32.5 - 49.6)	142	
	Multiple races*	36.7	(30.2 - 43.8)	178	-	-	63	36.0	(30.4 - 42.0)	112	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	40.4	( 38.3 - 42.5 )	3,597	38.7	(35.7 - 41.8)	1,726	42.1	( 39.8 - 44.5 )	1,843	
Age											
	15 or younger	44.0	(40.9 - 47.1)	1,555	42.3	(37.7 - 47.0)	694	45.8	(42.2 - 49.4)	848	
	16 or 17	37.6	(35.0 - 40.3)	1,886	35.7	(32.1 - 39.5)	941	39.5	(36.5 - 42.6)	937	
	18 or older	36.4	( 30.0 - 43.4 )	150	-	-	90	-	-	58	
Grade											
	9th	43.9	(40.1 - 47.7)	802	43.6	(38.0 - 49.3)	349	44.5	(39.5 - 49.6)	448	
	10th	43.5	(39.6 - 47.5)	938	40.0	(33.5 - 47.0)	472	46.6	(42.4 - 50.9)	461	
	11th	39.4	(36.5 - 42.4)	1,012	36.0	(32.6 - 39.7)	491	42.6	(38.3 - 47.0)	518	
	12th	33.9	(30.8 - 37.2)	805	33.9	(29.2 - 39.0)	397	34.3	(30.0-39.0)	404	
Race/E	thnicity										
	Black*	48.9	(46.4 - 51.4)	1,183	49.0	(45.3 - 52.6)	550	48.9	(45.7 - 52.1)	632	
	Hispanic/Latino	41.5	(36.7 - 46.4)	346	41.5	(33.9 - 49.5)	170	41.2	(35.4 - 47.3)	175	
	White*	32.9	(30.6 - 35.4)	1,465	30.7	(27.4 - 34.1)	730	35.3	(32.2 - 38.5)	732	
	All other races*	34.1	(29.0 - 39.5)	314	30.2	(22.0 - 39.9)	163	39.8	(31.5 - 48.8)	144	
	Multiple races*	43.4	(36.8 - 50.2)	178	-	-	63	43.8	(35.1 - 52.9)	112	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	53.7	( 50.7 - 56.7 )	3,592	51.0	(47.8 - 54.2)	1,719	56.8	( 53.1 - 60.4 )	1,844
Age										
	15 or younger	53.1	(49.2 - 56.9)	1,553	50.7	(45.5 - 55.8)	691	56.0	(52.3 - 59.7)	848
	16 or 17	54.9	(51.2 - 58.6)	1,881	51.5	(47.6 - 55.4)	936	58.2	(52.9-63.4)	937
	18 or older	46.0	(38.3 - 53.9)	152	-	-	91	-	-	59
Grade										
	9th	53.4	(49.3 - 57.6)	800	49.4	(43.8 - 54.9)	348	58.0	(52.8 - 63.0)	447
	10th	52.8	(48.7 - 56.8)	936	51.2	(45.2 - 57.1)	469	54.6	(49.3 - 59.8)	461
	11th	57.0	(53.1 - 60.9)	1,007	53.4	(49.0 - 57.8)	487	60.5	(54.2 - 66.5)	517
	12th	51.9	(46.9 - 56.9)	809	49.9	(44.6 - 55.2)	398	53.8	(46.6 - 60.8)	407
Race/E	thnicity									
	Black*	65.1	(62.6-67.5)	1,182	61.6	(58.0-65.1)	546	68.2	(64.1 - 72.1)	635
	Hispanic/Latino	49.5	(42.2 - 56.8)	344	50.1	(41.0 - 59.2)	169	48.6	(39.5 - 57.7)	174
	White*	45.4	(41.8 - 49.0)	1,462	43.9	(39.9 - 48.0)	727	47.0	(42.7 - 51.3)	732
	All other races*	48.9	(42.9 - 54.9)	315	45.0	(36.7 - 53.5)	163	54.5	(47.7 - 61.1)	145
	Multiple races*	51.7	(44.3 - 59.1)	177	-	-	63	54.1	(44.2 - 63.7)	111

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.2	( 15.4 - 21.4 )	3,571	20.4	(16.5 - 25.0)	1,706	16.0	(13.6 - 18.8)	1,836
Age										
	15 or younger	18.7	(15.2 - 22.7)	1,544	20.7	(16.0 - 26.4)	684	17.0	(13.4 - 21.2)	846
	16 or 17	17.9	(15.0 - 21.3)	1,872	20.7	(16.5 - 25.7)	931	15.1	(12.8 - 17.8)	933
	18 or older	16.8	(11.6 - 23.7)	148	-	-	89	-	-	57
Grade										
	9th	17.8	(13.3 - 23.4)	794	20.0	(14.0 - 27.7)	344	15.8	(10.8 - 22.4)	445
	10th	20.2	(17.4 - 23.3)	931	22.5	(17.4 - 28.5)	466	18.0	(14.6 - 22.0)	459
	11th	19.6	(16.6 - 23.1)	1,003	22.6	(18.5 - 27.2)	483	16.9	(12.7 - 22.1)	517
	12th	14.8	(11.1 - 19.5)	804	16.7	(11.9 - 23.0)	396	13.1	(9.0 - 18.5)	404
Race/Eth	nnicity									
	Black*	22.1	(18.8 - 25.8)	1,172	26.6	(22.5 - 31.2)	543	18.0	(14.3 - 22.4)	628
	Hispanic/Latino	25.9	(20.8 - 31.7)	341	27.4	(20.9 - 35.1)	165	23.9	(17.7 - 31.5)	175
	White*	14.2	(10.9 - 18.3)	1,457	15.0	(11.0 - 20.2)	723	13.2	(10.0 - 17.3)	731
	All other races*	14.1	(10.4 - 18.9)	312	14.5	(8.5 - 23.6)	161	13.8	(8.9-20.8)	144
	Multiple races*	15.6	(10.8 - 22.0)	177	-	-	62	15.3	(11.1 - 20.9)	112

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	8.7	(7.1 - 10.5)	3,524	11.1	( 8.7 - 14.0 )	1,684	6.4	(5.3 - 7.7)	1,813
Age										
	15 or younger	8.8	(6.8 - 11.4)	1,527	11.5	(8.3 - 15.7)	679	6.3	(4.6 - 8.6)	836
	16 or 17	8.8	(7.1 - 10.9)	1,846	11.2	(8.8 - 14.2)	916	6.5	(5.0-8.3)	922
	18 or older	6.5	(3.5 - 11.8)	145	-	-	88	-	-	55
Grade										
	9th	8.9	(6.7 - 11.7)	786	11.4	(8.1 - 15.8)	340	6.4	(4.1 - 9.8)	441
	10th	9.5	(7.1 - 12.6)	917	12.4	(8.5 - 17.7)	461	6.6	(4.7 - 9.2)	451
	11th	9.8	(7.9 - 12.1)	993	12.1	(9.4 - 15.5)	476	7.6	(5.4 - 10.7)	515
	12th	6.4	(4.5 - 8.9)	790	8.2	(5.5 - 12.0)	390	4.6	(2.8 - 7.4)	396
Race/E	thnicity									
	Black*	11.7	(9.4 - 14.5)	1,153	16.0	(13.1 - 19.4)	532	7.8	(5.6 - 10.9)	620
	Hispanic/Latino	13.9	(10.1 - 18.9)	330	17.8	(11.9 - 26.0)	161	9.3	(5.6 - 15.1)	168
	White*	5.8	(4.2 - 7.8)	1,451	7.0	(4.8 - 10.1)	719	4.5	(3.2-6.4)	729
	All other races*	6.2	(3.5 - 10.7)	308	6.4	(2.4 - 15.8)	161	6.2	(2.8 - 12.9)	140
	Multiple races*	6.8	(4.5 - 10.0)	174	-	-	61	5.4	(3.2 - 8.9)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	58.1	( 54.7 - 61.4 )	3,524	56.5	(52.8 - 60.2)	1,684	59.3	( 55.4 - 63.0 )	1,813	
Age											
	15 or younger	58.5	(54.6 - 62.4)	1,527	56.3	(50.9-61.6)	679	60.1	(56.0-64.0)	836	
	16 or 17	58.2	(54.1 - 62.1)	1,846	57.5	(53.8-61.1)	916	58.7	(53.2-64.0)	922	
	18 or older	52.3	(43.4 - 61.1)	145	-	-	88	-	-	55	
Grade											
	9th	58.3	(53.5 - 63.0)	786	56.8	(50.2 - 63.2)	340	59.3	(53.1-65.2)	441	
	10th	59.2	(55.1-63.1)	917	57.1	(50.4 - 63.5)	461	61.1	(55.9 - 66.0)	451	
	11th	55.8	(51.9-59.6)	993	54.5	(50.4 - 58.5)	476	56.9	(51.2 - 62.4)	515	
	12th	59.4	(53.6-64.9)	790	58.1	(52.4 - 63.5)	390	60.2	(51.6-68.3)	396	
Race/Eth	nicity										
	Black*	50.0	(45.7 - 54.3)	1,153	48.0	(42.8 - 53.3)	532	51.7	(46.8 - 56.6)	620	
	Hispanic/Latino	53.8	(47.3 - 60.2)	330	52.2	(42.4 - 61.8)	161	55.7	(48.3 - 62.9)	168	
	White*	63.4	(59.7 - 67.0)	1,451	61.7	(57.5 - 65.8)	719	65.0	(59.5 - 70.0)	729	
	All other races*	68.0	( 60.8 - 74.4 )	308	65.9	(53.5-76.4)	161	69.5	(61.4 - 76.6)	140	
	Multiple races*	63.5	(55.8 - 70.5)	174	-	-	61	61.9	(52.8-70.2)	110	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	24.2	(22.5 - 26.1)	3,524	25.5	(23.5 - 27.6)	1,684	22.6	(20.2 - 25.1)	1,813
Age										
	15 or younger	24.4	(22.3 - 26.7)	1,527	26.1	(22.5 - 30.0)	679	22.1	(19.6 - 24.8)	836
	16 or 17	24.0	(21.6 - 26.7)	1,846	25.3	(23.0 - 27.8)	916	22.7	(19.3 - 26.5)	922
	18 or older	24.3	(17.8 - 32.2)	145	-	-	88	-	-	55
Grade										
	9th	25.6	(22.7 - 28.9)	786	28.0	(23.3 - 33.3)	340	22.8	(18.7 - 27.5)	441
	10th	24.4	(21.6 - 27.4)	917	25.8	(22.0 - 30.0)	461	22.6	(18.6 - 27.2)	451
	11th	21.1	(18.3 - 24.1)	993	20.1	(16.7 - 24.0)	476	21.8	(17.8 - 26.4)	515
	12th	25.7	(22.7 - 29.0)	790	27.9	(23.8 - 32.3)	390	23.2	(18.0 - 29.4)	396
Race/E	thnicity									
	Black*	19.8	(18.1 - 21.6)	1,153	23.1	(20.5 - 26.0)	532	16.6	(14.4 - 19.1)	620
	Hispanic/Latino	28.0	(23.6 - 32.7)	330	28.0	(21.0 - 36.2)	161	28.1	(22.8 - 34.0)	168
	White*	25.6	(22.9 - 28.5)	1,451	25.3	(21.8 - 29.1)	719	25.9	(22.1 - 30.1)	729
	All other races*	30.1	(24.7 - 36.3)	308	30.1	(23.0 - 38.4)	161	28.4	(20.4 - 38.0)	140
	Multiple races*	29.2	(23.0-36.2)	174	-	-	61	25.0	(17.3 - 34.6)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	12.7	(11.6 - 13.8)	3,524	14.1	(12.6 - 15.8)	1,684	10.8	(9.5 - 12.4)	1,813	
Age											
	15 or younger	12.4	(10.7 - 14.4)	1,527	14.2	(11.6 - 17.4)	679	9.9	(8.3 - 11.9)	836	
	16 or 17	12.8	(11.4 - 14.5)	1,846	14.3	(12.4 - 16.5)	916	11.4	(9.6 - 13.6)	922	
	18 or older	12.6	(8.6 - 18.2)	145	-	-	88	-	-	55	
Grade											
	9th	12.9	(10.7 - 15.4)	786	15.1	(11.4 - 19.8)	340	10.0	(7.7 - 13.0)	441	
	10th	13.5	(11.8 - 15.5)	917	14.7	(12.3 - 17.5)	461	12.1	(9.6 - 15.0)	451	
	11th	10.6	(8.8 - 12.6)	993	12.0	(9.7 - 14.8)	476	9.1	(6.9 - 12.1)	515	
	12th	13.5	(11.3 - 15.9)	790	14.2	(11.4 - 17.6)	390	12.4	(9.2 - 16.7)	396	
Race/E	thnicity										
	Black*	11.7	(10.1 - 13.5)	1,153	15.0	(12.3 - 18.2)	532	8.8	(7.1 - 10.8)	620	
	Hispanic/Latino	12.5	(9.3 - 16.6)	330	12.6	(6.9-21.8)	161	12.4	(8.6 - 17.8)	168	
	White*	12.1	(10.6 - 13.7)	1,451	12.3	(9.9 - 15.2)	719	11.8	(9.7 - 14.2)	729	
	All other races*	16.0	(11.5 - 21.9)	308	16.4	(11.2 - 23.2)	161	13.9	(8.1-22.8)	140	
	Multiple races*	15.0	(9.9-22.1)	174	-	-	61	11.6	( 6.1 - 20.9 )	110	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	28.5	(26.1 - 31.0)	3,579	26.8	(24.2 - 29.6)	1,712	30.1	(26.9 - 33.5)	1,839
Age										
	15 or younger	26.8	(23.5 - 30.4)	1,546	25.1	(21.5 - 29.1)	688	28.0	(24.2 - 32.1)	845
	16 or 17	29.8	(27.6 - 32.1)	1,877	28.3	(25.4 - 31.4)	933	31.4	(27.4 - 35.7)	936
	18 or older	30.2	(22.9 - 38.8)	149	-	-	89	-	-	58
Grade										
	9th	25.5	(21.1 - 30.4)	797	23.6	(18.1 - 30.3)	345	26.8	(22.3 - 31.9)	447
	10th	27.9	(24.3 - 31.7)	932	27.1	(23.2 - 31.4)	469	28.6	(23.9-33.9)	458
	11th	29.4	(26.7 - 32.3)	1,003	28.9	(24.7 - 33.6)	483	29.9	(26.9-33.1)	517
	12th	31.0	(27.5 - 34.7)	807	26.9	(23.2 - 30.8)	398	35.0	(28.9-41.6)	405
Race/E	thnicity									
	Black*	27.7	(24.7 - 31.0)	1,174	28.4	(25.4 - 31.5)	542	27.1	(23.0-31.6)	631
	Hispanic/Latino	23.1	(19.1 - 27.8)	343	23.0	(16.7 - 30.8)	167	23.4	(17.7 - 30.1)	175
	White*	28.9	(26.0-32.0)	1,463	25.6	(21.9 - 29.6)	728	32.5	(28.3 - 36.9)	732
	All other races*	33.5	(28.9-38.4)	314	31.1	(24.8 - 38.3)	162	36.8	(29.3 - 45.0)	145
	Multiple races*	31.3	(23.9 - 39.7)	175	-	-	62	36.0	(26.3 - 46.9)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	17.4	(15.3 - 19.7)	3,579	19.3	( 17.3 - 21.5 )	1,712	15.3	(12.5 - 18.7)	1,839
Age										
	15 or younger	16.4	(13.7 - 19.4)	1,546	16.5	(14.1 - 19.2)	688	16.0	(11.8 - 21.5)	845
	16 or 17	17.8	(15.6 - 20.2)	1,877	21.2	(18.0 - 24.8)	933	14.4	(12.3 - 16.8)	936
	18 or older	23.4	(16.4 - 32.2)	149	-	-	89	-	-	58
Grade										
	9th	16.8	(13.4 - 21.0)	797	15.9	(12.5 - 20.0)	345	17.5	(11.9 - 24.8)	447
	10th	16.7	(14.5 - 19.2)	932	18.6	(15.7 - 21.8)	469	14.8	(11.6 - 18.7)	458
	11th	18.0	(15.6 - 20.8)	1,003	21.7	(17.7 - 26.2)	483	14.5	(12.3 - 17.0)	517
	12th	17.6	(14.1 - 21.8)	807	21.0	(16.7 - 26.1)	398	14.4	(10.4 - 19.5)	405
Race/E	thnicity									
	Black*	17.4	(15.1 - 20.1)	1,174	17.8	(15.3 - 20.5)	542	17.2	(13.8 - 21.1)	631
	Hispanic/Latino	22.2	(17.7 - 27.5)	343	20.5	(14.6 - 27.9)	167	24.1	(17.5 - 32.3)	175
	White*	17.6	(14.5 - 21.3)	1,463	21.9	(18.6 - 25.6)	728	13.1	(9.3 - 18.2)	732
	All other races*	12.2	(8.8 - 16.6)	314	9.2	(4.8 - 16.9)	162	13.9	(8.4 - 22.1)	145
	Multiple races*	18.3	(13.0 - 25.2)	175	-	-	62	13.8	(9.0 - 20.5)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	12.1	( 10.0 - 14.7 )	3,579	13.3	(10.9 - 16.2)	1,712	10.9	(8.7 - 13.6)	1,839	
Age										
15 or younger	11.3	(8.5 - 14.9)	1,546	10.7	(8.1 - 14.2)	688	11.7	(8.4 - 16.0)	845	
16 or 17	12.4	(10.6 - 14.5)	1,877	14.7	(11.8 - 18.2)	933	10.0	(8.3 - 12.1)	936	
18 or older	17.9	(12.0 - 26.0)	149	-	-	89	-	-	58	
Grade										
9th	11.2	(7.9 - 15.6)	797	9.6	(6.6 - 13.8)	345	12.4	(8.5 - 17.8)	447	
10th	12.5	(10.0 - 15.5)	932	13.5	(10.3 - 17.5)	469	11.4	(8.7 - 14.8)	458	
11th	12.0	(9.6 - 14.9)	1,003	15.0	(11.2 - 19.8)	483	9.1	(7.2 - 11.6)	517	
12th	12.6	(9.6 - 16.2)	807	15.0	(11.2 - 19.8)	398	10.3	(7.1 - 14.6)	405	
Race/Ethnicity										
Black*	13.1	(10.9 - 15.7)	1,174	13.2	(10.7 - 16.1)	542	13.0	(10.0 - 16.8)	631	
Hispanic/Latino	15.7	(11.7 - 20.6)	343	14.5	(9.9 - 20.8)	167	16.9	(11.1 - 24.9)	175	
White*	11.7	(8.3 - 16.2)	1,463	14.7	(10.7 - 19.8)	728	8.7	(5.4 - 13.6)	732	
All other races*	7.1	(4.4 - 11.2)	314	5.2	(1.9 - 13.1)	162	7.7	(4.4 - 13.0)	145	
Multiple races*	13.0	(8.7 - 19.2)	175	-	-	62	11.4	(7.0 - 17.9)	110	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	7.5	(5.8-9.5)	3,579	8.5	(6.5 - 11.1)	1,712	6.3	(4.8 - 8.4)	1,839
Age										
	15 or younger	6.9	(5.0-9.4)	1,546	6.6	(4.7 - 9.3)	688	7.1	(4.8 - 10.2)	845
	16 or 17	7.7	(6.2 - 9.6)	1,877	9.8	(7.5 - 12.8)	933	5.5	(4.2 - 7.2)	936
	18 or older	10.6	(5.6 - 19.4)	149	-	-	89	-	-	58
Grade										
	9th	6.8	(4.3 - 10.6)	797	6.2	(3.7 - 10.1)	345	7.3	(4.1 - 12.5)	447
	10th	8.7	(7.0 - 10.7)	932	9.6	(7.2 - 12.8)	469	7.7	(5.9 - 10.0)	458
	11th	6.6	(4.7 - 9.4)	1,003	8.4	(5.5 - 12.5)	483	4.9	(3.3 - 7.3)	517
	12th	7.3	(5.1 - 10.4)	807	9.7	(6.6 - 13.9)	398	5.0	(2.9 - 8.6)	405
Race/E	thnicity									
	Black*	9.0	(7.1 - 11.3)	1,174	10.2	(7.8 - 13.4)	542	7.9	(6.0 - 10.3)	631
	Hispanic/Latino	10.1	(7.1 - 14.2)	343	9.5	(5.5 - 15.9)	167	10.7	(6.4 - 17.4)	175
	White*	6.3	(4.1 - 9.6)	1,463	7.7	(5.0 - 11.7)	728	4.8	(2.7 - 8.3)	732
	All other races*	5.1	(2.7 - 9.3)	314	4.5	(1.5 - 12.9)	162	4.0	(1.9 - 8.2)	145
	Multiple races*	5.7	(3.0 - 10.5)	175	-	-	62	5.1	(2.2 - 11.2)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	35.4	(31.7 - 39.2)	3,564	41.7	( 36.6 - 46.9 )	1,715	29.1	(26.5 - 31.9)	1,821
Age										
	15 or younger	36.8	(32.0 - 41.9)	1,541	42.6	(36.4 - 48.9)	689	31.5	(27.4 - 35.9)	839
	16 or 17	34.0	(30.6 - 37.5)	1,867	40.6	(35.6 - 45.8)	935	27.4	(24.6 - 30.4)	924
	18 or older	35.2	(25.0 - 46.9)	150	-	-	90	-	-	58
Grade										
	9th	37.3	(31.5 - 43.5)	791	43.1	(35.1 - 51.4)	346	31.9	(27.1 - 37.1)	440
	10th	36.0	(30.9 - 41.4)	933	41.5	(35.2 - 48.0)	470	30.3	(25.3 - 35.8)	457
	11th	32.9	(29.8 - 36.1)	998	38.4	(34.2 - 42.8)	485	27.7	(23.5 - 32.3)	510
	12th	35.0	(30.5 - 39.8)	801	42.6	(36.2 - 49.2)	397	27.2	(22.8 - 32.0)	401
Race/Et	hnicity									
	Black*	33.4	(29.2 - 37.9)	1,172	40.3	(34.3 - 46.6)	546	26.9	(23.1 - 31.1)	625
	Hispanic/Latino	29.6	(24.6 - 35.1)	342	37.8	(30.9 - 45.2)	171	20.3	(15.0 - 26.9)	170
	White*	39.9	(34.7 - 45.4)	1,455	46.5	(39.6 - 53.6)	725	33.2	(29.9 - 36.7)	727
	All other races*	23.1	(19.0 - 27.8)	311	27.0	(20.7 - 34.5)	161	18.1	(13.1 - 24.5)	143
	Multiple races*	38.4	( 30.0 - 47.4 )	176	-	-	61	37.6	(27.7 - 48.8)	112

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	18.8	(16.5 - 21.3)	3,564	15.8	(13.3 - 18.7)	1,715	21.7	(19.2 - 24.5)	1,821	
Age											
	15 or younger	16.5	(13.2 - 20.4)	1,541	13.2	(10.0 - 17.1)	689	19.3	(15.2 - 24.2)	839	
	16 or 17	20.5	(18.5 - 22.6)	1,867	18.2	(15.8 - 20.9)	935	22.9	(20.3 - 25.7)	924	
	18 or older	22.9	(16.2 - 31.4)	150	-	-	90	-	-	58	
Grade											
	9th	14.6	(10.5 - 20.0)	791	13.0	(8.8 - 18.8)	346	15.7	(10.4 - 22.9)	440	
	10th	19.3	(15.8 - 23.4)	933	15.7	(11.0 - 22.0)	470	23.0	(19.1 - 27.5)	457	
	11th	21.8	(19.3 - 24.5)	998	19.3	(16.6 - 22.3)	485	24.2	(20.2 - 28.8)	510	
	12th	19.2	(16.0 - 22.8)	801	15.0	(11.3 - 19.6)	397	23.6	(19.5 - 28.2)	401	
Race/E	hnicity										
	Black*	21.7	(18.6 - 25.1)	1,172	19.1	(16.1 - 22.4)	546	24.1	(19.6 - 29.4)	625	
	Hispanic/Latino	24.8	(21.1 - 28.9)	342	21.9	(17.0 - 27.8)	171	28.1	(22.7 - 34.2)	170	
	White*	14.7	(11.9 - 18.0)	1,455	12.2	(9.2 - 16.1)	725	17.3	(14.2 - 20.9)	727	
	All other races*	23.3	(18.1 - 29.5)	311	17.4	(11.0 - 26.4)	161	30.5	(22.9 - 39.3)	143	
	Multiple races*	17.3	(11.4 - 25.3)	176	-	-	61	20.0	(13.2 - 29.1)	112	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	18.4	(16.0 - 21.2)	3,564	22.8	(19.7 - 26.3)	1,715	14.2	(12.0 - 16.7)	1,821
Age										
	15 or younger	20.0	(16.6 - 24.0)	1,541	23.4	(19.3 - 28.1)	689	17.0	(13.7 - 21.0)	839
	16 or 17	17.2	(15.0 - 19.8)	1,867	22.6	(19.3 - 26.3)	935	11.9	(9.7 - 14.5)	924
	18 or older	16.1	(10.5 - 23.9)	150	-	-	90	-	-	58
Grade										
	9th	20.8	(17.1 - 25.1)	791	23.4	(18.4 - 29.3)	346	18.4	(14.1 - 23.8)	440
	10th	18.7	(15.2 - 22.7)	933	22.7	(18.4 - 27.7)	470	14.7	(11.5 - 18.6)	457
	11th	15.7	(13.8 - 17.8)	998	20.1	(17.4 - 23.2)	485	11.6	(8.7 - 15.4)	510
	12th	18.5	(15.5 - 22.0)	801	24.7	(20.0 - 30.1)	397	12.2	(9.0 - 16.4)	401
Race/E	thnicity									
	Black*	17.6	(14.7 - 20.8)	1,172	21.9	(17.5 - 27.1)	546	13.5	(11.1 - 16.3)	625
	Hispanic/Latino	15.4	(12.3 - 19.0)	342	22.1	(16.3 - 29.4)	171	7.5	(4.6 - 12.0)	170
	White*	21.9	(18.2 - 26.1)	1,455	27.1	(22.9-31.8)	725	16.5	(13.2 - 20.3)	727
	All other races*	9.4	(6.6 - 13.3)	311	9.8	(6.0-15.6)	161	8.8	(5.5 - 13.9)	143
	Multiple races*	18.5	(12.3 - 26.9)	176	-	-	61	19.1	(12.3 - 28.2)	112

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	29.6	(26.1 - 33.4)	3,543	28.4	(24.9 - 32.2)	1,698	30.7	(26.6 - 35.1)	1,817	
Age										
15 or younger	29.7	(25.8 - 34.0)	1,527	29.4	(25.4 - 33.8)	682	29.6	(24.9 - 34.8)	832	
16 or 17	29.4	(25.3 - 33.9)	1,860	27.2	(22.5 - 32.4)	925	31.7	(27.1 - 36.7)	927	
18 or older	31.0	(23.5 - 39.7)	150	-	-	90	-	-	58	
Grade										
9th	29.3	(24.0 - 35.1)	783	29.1	(23.0 - 36.0)	339	29.3	(22.9 - 36.7)	439	
10th	30.2	(25.9 - 34.8)	927	27.4	(22.9 - 32.4)	469	32.5	(27.8 - 37.6)	452	
11th	30.4	(26.5 - 34.7)	995	29.2	(25.1 - 33.7)	479	31.7	(26.3 - 37.6)	513	
12th	28.6	(23.6 - 34.1)	800	27.6	(21.7 - 34.4)	395	29.4	(23.1 - 36.7)	402	
Race/Ethnicity										
Black*	40.1	(37.3 - 43.0)	1,162	39.2	(34.5 - 44.1)	536	40.9	(37.4 - 44.5)	625	
Hispanic/Latino	27.2	(23.0-31.8)	340	34.2	(27.2 - 41.9)	170	19.2	(12.8 - 27.7)	169	
White*	23.2	(19.3 - 27.7)	1,452	22.1	(18.5 - 26.1)	723	24.5	(19.4 - 30.4)	726	
All other races*	14.7	(10.7 - 20.0)	309	10.6	(6.8 - 16.2)	160	18.8	(12.6 - 27.0)	142	
Multiple races*	31.9	(24.0 - 41.1)	175	-	-	61	31.1	(22.0 - 41.9)	111	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	38.4	( 35.9 - 40.9 )	3,556	40.5	( 36.8 - 44.3 )	1,705	36.3	(33.8 - 39.0)	1,823
Age										
	15 or younger	40.3	(36.9 - 43.8)	1,530	42.8	(38.1 - 47.6)	682	38.1	(34.3 - 42.1)	834
	16 or 17	37.2	(34.6 - 39.8)	1,873	39.8	(36.2-43.6)	933	34.3	(31.0 - 37.7)	932
	18 or older	33.3	(25.7 - 42.0)	148	-	-	89	-	-	57
Grade										
	9th	40.6	(36.1 - 45.3)	785	42.7	(35.7 - 50.0)	340	38.8	(33.5 - 44.4)	440
	10th	39.2	(35.4 - 43.2)	928	41.9	(36.1 - 47.9)	468	36.3	(31.6 - 41.3)	454
	11th	38.9	(35.2 - 42.7)	1,004	41.9	(37.6 - 46.3)	486	36.0	(30.9 - 41.4)	515
	12th	34.7	( 30.5 - 39.0 )	801	35.3	(30.7 - 40.3)	395	33.7	(27.9 - 40.0)	402
Race/E	Cthnicity									
	Black*	36.0	(33.1 - 39.1)	1,167	35.5	(33.0 - 38.2)	538	36.4	(31.7 - 41.4)	628
	Hispanic/Latino	37.1	(32.8 - 41.5)	341	38.2	(31.8 - 45.1)	172	35.4	(29.4 - 42.0)	168
	White*	39.4	(34.6 - 44.3)	1,456	44.0	(37.7 - 50.4)	726	34.5	(30.0 - 39.2)	727
	All other races*	43.1	(33.7 - 53.0)	310	43.9	(30.7 - 58.1)	160	42.4	(32.9 - 52.5)	143
	Multiple races*	49.3	(42.1 - 56.5)	176	-	-	62	44.6	(36.5 - 53.1)	111

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	44.4	( 40.9 - 48.0 )	3,518	52.2	(48.3 - 56.1)	1,687	36.3	(31.9 - 40.9)	1,806
Age										
	15 or younger	61.9	(56.2 - 67.3)	1,512	66.0	(59.4 - 72.0)	677	57.6	(50.8 - 64.1)	824
	16 or 17	29.3	(26.1 - 32.7)	1,853	40.5	(36.0 - 45.1)	921	17.9	(14.4 - 22.0)	924
	18 or older	42.3	(34.8 - 50.2)	148	-	-	88	-	-	58
Grade										
	9th	87.1	(78.7 - 92.4)	775	85.6	(76.4 - 91.6)	338	88.4	(79.8 - 93.6)	432
	10th	34.9	(29.2 - 41.1)	916	43.7	(35.6 - 52.1)	461	25.6	(19.0 - 33.6)	450
	11th	25.1	(22.0 - 28.4)	996	37.1	(32.1 - 42.3)	482	13.7	(9.8 - 18.9)	512
	12th	30.9	(26.0 - 36.3)	796	42.5	(36.1 - 49.2)	391	18.9	(14.0 - 25.0)	401
Race/E	thnicity									
	Black*	44.4	(40.0 - 49.0)	1,161	53.8	(49.4 - 58.3)	533	35.8	(30.3 - 41.7)	627
	Hispanic/Latino	46.4	(40.4 - 52.4)	332	53.4	(45.4 - 61.3)	167	38.5	(32.6 - 44.9)	165
	White*	44.1	(39.2 - 49.1)	1,441	51.3	(44.8 - 57.7)	718	36.7	(31.1 - 42.7)	720
	All other races*	41.1	(33.2 - 49.5)	307	46.9	(37.1 - 56.9)	159	32.2	(24.0 - 41.7)	142
	Multiple races*	41.0	(30.1 - 52.9)	171	-	-	61	34.2	(24.9 - 44.9)	107

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	3.8	(2.9-4.9)	3,518	4.9	(3.6-6.4)	1,687	2.7	(1.9 - 4.0)	1,806
Age										
	15 or younger	4.1	(2.7 - 6.2)	1,512	4.3	(2.7 - 6.9)	677	3.9	(2.3 - 6.4)	824
	16 or 17	3.1	(2.4 - 4.1)	1,853	4.7	(3.4 - 6.3)	921	1.6	(1.0 - 2.7)	924
	18 or older	8.0	(4.3 - 14.5)	148	-	-	88	-	-	58
Grade										
	9th	4.2	(2.3 - 7.8)	775	4.3	(2.3 - 7.9)	338	4.2	(2.0 - 8.9)	432
	10th	4.1	(3.0-5.6)	916	4.5	(2.6 - 7.6)	461	3.8	(2.3 - 6.1)	450
	11th	2.7	(2.0-3.6)	996	3.7	(2.4 - 5.9)	482	1.5	(0.8-3.0)	512
	12th	4.2	(2.7 - 6.4)	796	6.9	(4.3 - 10.6)	391	1.5	(0.6-3.6)	401
Race/E	thnicity									
	Black*	4.3	(2.9 - 6.4)	1,161	5.5	(3.8 - 7.9)	533	3.2	(1.7 - 6.0)	627
	Hispanic/Latino	6.1	(3.9 - 9.4)	332	9.0	(5.1 - 15.4)	167	2.8	(1.4 - 5.8)	165
	White*	3.6	(2.5 - 5.2)	1,441	4.8	(3.1 - 7.3)	718	2.4	(1.4 - 4.1)	720
	All other races*	1.0	(0.3 - 2.7)	307	1.2	(0.3 - 4.7)	159	0.3	(0.0-2.2)	142
	Multiple races*	3.6	(1.6 - 8.3)	171	-	-	61	4.3	(1.4 - 12.6)	107

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

#### QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)

		Total			Male		Female			
	Perce	entage 95% confiden interva		Percentag	ge 95% confidence interval	N	Percentage	95% confidence interval	Ν	
Total	14.9	9 (11.5 - 19.	.0) 3,448	14.9	(11.1 - 19.7)	1,652	14.6	(11.4 - 18.5)	1,775	
Age										
15 or you	nger 9.9	9 (7.2 - 13.5	5) 1,484	9.7	(6.7 - 13.7)	661	10.0	(7.2 - 13.8)	815	
16 or 17	18.:	5 (14.9 - 22.	.7) 1,814	18.7	(14.1 - 24.3)	902	18.3	(14.8 - 22.4)	905	
18 or olde	er 22.9	9 (15.8 - 32.	.0) 145	-	-	88	-	-	55	
Grade										
9th	9.2	2 (6.0 - 13.8	8) 765	9.1	(5.7 - 14.3)	334	9.4	(6.0 - 14.4)	428	
10th	12.:	5 (9.0 - 17.0	0) 894	12.7	(8.4 - 18.8)	448	12.0	(8.8 - 16.1)	441	
11th	16.7	7 (13.2 - 20.	.9) 975	18.6	(14.1 - 24.1)	469	15.0	(11.3 - 19.7)	504	
12th	20.3	3 (15.4 - 26.	.2) 782	18.9	(13.1 - 26.4)	388	21.9	(16.2 - 28.9)	392	
Race/Ethnicity										
Black*	18.3	8 (15.3 - 22.	.9) 1,126	20.1	(16.6 - 24.2)	521	17.6	(13.1 - 23.3)	604	
Hispanic/	Latino 18.0	0 (14.5 - 22.	.0) 320	18.2	(13.2 - 24.5)	158	17.8	(12.9 - 24.0)	161	
White*	11.	7 (7.8 - 17.2	2) 1,434	11.3	(7.0 - 17.6)	713	12.1	(8.1 - 17.6)	718	
All other	races* 9.	9 (6.8 - 14.	3) 301	9.0	(5.6 - 14.2)	155	10.6	(6.1 - 17.9)	141	
Multiple	races* 12.0	0 (8.1 - 17.	5) 171	-	-	61	9.9	(6.3 - 15.4)	107	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	74.5	(70.7 - 78.0)	3,517	72.4	( 68.1 - 76.3 )	1,686	77.0	(72.8 - 80.7)	1,806
Age										
	15 or younger	78.0	(74.4 - 81.2)	1,516	77.1	(73.1 - 80.7)	677	79.0	(74.2 - 83.1)	828
	16 or 17	72.9	(68.5 - 76.8)	1,849	69.2	(63.9-74.0)	921	76.8	(72.2 - 80.9)	921
	18 or older	58.7	(50.8 - 66.1)	146	-	-	87	-	-	57
Grade										
	9th	78.9	(74.1 - 83.0)	777	80.1	(74.5 - 84.7)	338	78.0	(71.8 - 83.2)	435
	10th	74.6	(69.4 - 79.2)	919	69.4	(63.7 - 74.5)	464	80.0	(73.5 - 85.2)	450
	11th	74.1	(70.1 - 77.8)	996	70.8	(65.3 - 75.8)	481	77.2	(71.9 - 81.8)	512
	12th	71.4	(65.8 - 76.3)	788	70.1	(64.3 - 75.3)	388	73.1	(66.3 - 78.9)	397
Race/E	thnicity									
	Black*	68.9	(65.4 - 72.2)	1,153	65.5	( 60.9 - 69.8 )	532	72.0	(67.4 - 76.1)	620
	Hispanic/Latino	66.4	(58.8 - 73.2)	337	60.9	(50.5 - 70.4)	170	72.9	(63.8 - 80.4)	166
	White*	81.4	(77.8 - 84.5)	1,442	80.6	(77.0 - 83.8)	715	82.5	(77.1 - 86.9)	724
	All other races*	74.0	(66.5 - 80.4)	306	73.0	(61.8 - 81.8)	161	76.1	(67.6 - 83.0)	141
	Multiple races*	73.9	(65.0 - 81.1)	175	-	-	62	73.8	(64.8 - 81.3)	110

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	26.1	(24.0 - 28.4)	3,463	26.5	(24.0 - 29.2)	1,646	25.8	(23.3 - 28.6)	1,791
Age										
	15 or younger	27.1	(24.2 - 30.2)	1,485	26.2	(23.0 - 29.6)	652	27.9	(23.8 - 32.4)	822
	16 or 17	25.8	(23.5 - 28.2)	1,825	27.0	(23.7 - 30.6)	905	24.7	(22.1 - 27.4)	912
	18 or older	21.3	(14.2 - 30.9)	147	-	-	88	-	-	57
Grade										
	9th	26.7	(22.9 - 30.8)	760	26.0	(21.6 - 30.9)	323	27.2	(22.1 - 33.0)	432
	10th	28.5	(25.9 - 31.2)	902	27.1	(22.9 - 31.8)	451	29.8	(26.8 - 33.0)	446
	11th	26.2	(23.3 - 29.2)	983	28.4	(24.2 - 32.9)	470	24.1	(20.4 - 28.1)	511
	12th	22.4	(18.8 - 26.5)	779	22.9	(18.2 - 28.4)	386	22.1	(18.3 - 26.5)	390
Race/Eth	nnicity									
	Black*	32.8	(28.7 - 37.2)	1,135	34.6	(29.1 - 40.4)	519	31.3	(26.8 - 36.1)	615
	Hispanic/Latino	26.9	(22.4 - 32.1)	330	26.3	(20.6 - 33.0)	161	27.2	(21.9 - 33.3)	168
	White*	22.3	(19.4 - 25.4)	1,429	21.0	(17.6 - 24.8)	706	23.4	(19.3 - 28.1)	720
	All other races*	17.4	(13.7 - 21.9)	306	21.0	(13.9 - 30.4)	160	13.1	(8.1 - 20.5)	139
	Multiple races*	27.0	(20.0 - 35.4)	168	-	-	59	21.1	(14.6 - 29.5)	106

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	24.4	(22.7 - 26.3)	3,497	26.0	(23.7 - 28.5)	1,674	23.1	(21.0 - 25.3)	1,796
Age										
	15 or younger	27.8	(25.2 - 30.5)	1,500	30.6	(27.2 - 34.2)	663	25.4	(22.2 - 28.9)	825
	16 or 17	21.3	(19.1 - 23.8)	1,842	21.9	(19.0 - 25.1)	921	20.9	(18.3 - 23.8)	913
	18 or older	26.8	(19.5 - 35.6)	149	-	-	89	-	-	58
Grade										
	9th	31.8	(29.0 - 34.7)	768	36.7	(32.3 - 41.3)	328	27.4	(23.8 - 31.3)	436
	10th	24.7	(22.3 - 27.2)	909	24.3	(21.0 - 27.9)	458	25.1	(21.4 - 29.2)	446
	11th	20.3	(17.2 - 23.9)	991	19.9	(16.0 - 24.6)	482	20.7	(17.1 - 24.7)	506
	12th	21.6	(17.7 - 26.1)	792	23.8	(18.5 - 30.0)	391	19.6	(15.7 - 24.3)	397
Race/E	thnicity									
	Black*	22.8	(20.7 - 25.0)	1,152	23.3	(19.8 - 27.2)	532	22.3	(19.2 - 25.7)	619
	Hispanic/Latino	23.0	(18.4 - 28.3)	332	22.3	(15.7 - 30.7)	165	23.8	(18.4 - 30.2)	166
	White*	27.4	(24.3 - 30.8)	1,431	29.7	(25.9-33.9)	710	25.2	(21.7 - 29.0)	718
	All other races*	20.6	(15.6 - 26.7)	306	23.4	(16.9 - 31.4)	159	17.5	(10.9 - 26.9)	141
	Multiple races*	18.1	(12.9 - 24.8)	172	-	-	61	20.2	(14.1 - 28.2)	108

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	74.6	( 69.1 - 79.3 )	3,451	71.6	(65.1 - 77.3)	1,653	77.7	(73.0 - 81.8)	1,771
Age										
	15 or younger	75.5	(68.8 - 81.1)	1,482	71.9	(63.4 - 79.2)	661	79.3	(73.5 - 84.0)	808
	16 or 17	74.4	(69.4 - 78.8)	1,823	71.4	(65.6 - 76.7)	905	77.4	(72.5 - 81.5)	910
	18 or older	67.2	(55.1 - 77.4)	140	-	-	85	-	-	53
Grade										
	9th	75.1	(66.5 - 82.2)	755	72.0	(60.6 - 81.1)	330	78.5	(70.7 - 84.6)	420
	10th	71.7	(64.1 - 78.3)	904	68.8	(59.2 - 77.0)	453	74.9	( 68.2 - 80.6 )	446
	11th	75.0	( 69.9 - 79.6 )	974	71.5	(66.5 - 76.0)	467	78.4	(71.4 - 84.1)	504
	12th	77.3	(72.0 - 81.8)	779	74.9	(67.5 - 81.1)	386	79.6	(74.2 - 84.1)	389
Race/E	thnicity									
	Black*	69.2	(64.4 - 73.6)	1,118	63.1	(57.5 - 68.4)	514	74.8	(69.7 - 79.2)	603
	Hispanic/Latino	63.6	(56.2 - 70.4)	331	55.4	(48.3 - 62.3)	165	72.8	(63.3 - 80.6)	165
	White*	79.7	(72.3 - 85.5)	1,423	79.6	(71.6 - 85.8)	711	79.9	(72.5 - 85.8)	709
	All other races*	84.6	(78.5 - 89.1)	305	82.8	(73.8 - 89.1)	156	87.2	(80.9 - 91.7)	143
	Multiple races*	71.4	(62.1 - 79.2)	169	-	-	60	77.8	(66.8 - 85.9)	106

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	61.6	( 55.2 - 67.6 )	3,836	64.0	( 57.0 - 70.4 )	1,859	59.4	( 53.2 - 65.4 )	1,953
Age										
	15 or younger	63.4	(57.5 - 68.9)	1,681	65.9	(60.0 - 71.4)	753	61.1	(54.4 - 67.3)	917
	16 or 17	60.9	(53.2 - 68.0)	1,991	63.4	(54.7 - 71.2)	1,010	58.5	(50.9-65.6)	972
	18 or older	51.7	(40.6 - 62.7)	161	-	-	95	-	-	64
Grade										
	9th	62.9	(56.1 - 69.3)	887	64.9	(58.6 - 70.7)	390	61.2	(53.2 - 68.6)	492
	10th	61.5	(53.9-68.6)	1,017	63.2	(55.2 - 70.6)	516	59.7	(51.3 - 67.6)	495
	11th	61.4	(54.0 - 68.3)	1,057	64.7	(57.8 - 71.1)	520	58.2	(48.7 - 67.2)	535
	12th	61.9	(53.6-69.6)	834	64.0	(52.6-74.0)	415	59.8	(52.8-66.4)	415
Race/E	thnicity									
	Black*	46.5	(41.5 - 51.6)	1,312	48.3	(43.1 - 53.5)	617	44.7	(38.8 - 50.8)	694
	Hispanic/Latino	48.7	(42.3 - 55.2)	371	49.9	(43.0 - 56.8)	184	47.3	(38.0 - 56.8)	186
	White*	78.2	(71.2 - 83.9)	1,515	78.6	(71.7 - 84.2)	761	77.9	(69.8 - 84.3)	751
	All other races*	65.8	(55.1 - 75.0)	326	71.8	(57.7 - 82.6)	172	59.1	(48.6 - 68.9)	148
	Multiple races*	54.9	(45.6-63.9)	196	-	-	71	50.8	(41.4 - 60.1)	122

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN91: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

		Total			Male		Female			
	Percen	tage 95% confidence interval	N	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	6.3	(5.0-7.9)	3,817	6.0	(4.8 - 7.4)	1,847	6.5	(4.9 - 8.6)	1,952	
Age										
15 or youn	ger 5.2	(3.7 - 7.2)	1,674	4.7	(3.4 - 6.6)	749	5.5	(3.6 - 8.3)	918	
16 or 17	6.6	(5.6-7.9)	1,982	6.3	(5.0-7.9)	1,003	7.0	(5.3-9.1)	972	
18 or older	14.7	(9.0-23.3)	157	-	-	94	-	-	62	
Grade										
9th	4.3	(2.8-6.6)	884	3.4	(2.1 - 5.6)	391	5.3	(3.0-9.0)	491	
10th	6.4	(4.6 - 8.9)	1,009	5.8	(3.8 - 8.7)	507	7.0	(4.9 - 10.0)	498	
11th	5.6	(4.3 - 7.2)	1,053	4.8	(3.3-6.9)	518	6.3	(4.5 - 8.8)	533	
12th	8.2	(6.0 - 11.0)	832	9.2	( 6.9 - 12.2 )	413	7.0	(4.4 - 10.9)	416	
Race/Ethnicity										
Black*	7.8	(6.4 - 9.6)	1,311	8.3	(6.7 - 10.3)	613	7.3	(5.2 - 10.3)	697	
Hispanic/L	atino 11.1	(7.8 - 15.7)	366	9.6	(5.2 - 17.2)	180	12.7	(9.0 - 17.6)	185	
White*	4.6	(3.2-6.6)	1,513	3.9	(2.6 - 5.7)	758	5.3	(3.5 - 8.0)	752	
All other ra	aces* 3.0	(1.1 - 7.9)	322	2.1	(0.4 - 10.7)	172	3.9	(1.7 - 8.7)	147	
Multiple ra	ces* 9.4	(5.2 - 16.3)	194	-	-	70	10.5	(6.2 - 17.4)	122	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN92: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	2.2	(1.6 - 3.0)	3,846	2.1	( 1.4 - 3.2 )	1,867	2.0	(1.3 - 3.1)	1,953
Age										
	15 or younger	1.4	(1.0 - 2.1)	1,685	1.2	(0.6 - 2.4)	757	1.4	(0.9 - 2.3)	916
	16 or 17	2.7	(1.8 - 3.9)	1,996	2.7	(1.7 - 4.2)	1,014	2.4	(1.5 - 4.0)	973
	18 or older	4.8	(2.7 - 8.6)	161	-	-	95	-	-	64
Grade										
	9th	1.6	(0.9 - 2.6)	889	2.0	(1.0 - 3.9)	392	0.9	(0.4 - 2.0)	492
	10th	2.1	(1.4 - 3.1)	1,015	1.5	(0.9 - 2.6)	516	2.5	(1.4 - 4.5)	494
	11th	2.0	(1.2 - 3.3)	1,062	2.5	(1.4 - 4.5)	524	1.4	(0.7 - 3.1)	535
	12th	3.1	(2.0 - 5.0)	837	2.4	(1.1 - 5.2)	417	3.5	(2.1 - 5.8)	416
Race/Et	hnicity									
	Black*	2.2	(1.5 - 3.3)	1,314	3.0	(1.8 - 4.7)	620	1.5	(0.7 - 3.2)	693
	Hispanic/Latino	2.6	(1.4 - 4.7)	369	3.5	(1.6 - 7.6)	184	1.6	(0.6-4.5)	184
	White*	1.8	(1.1 - 2.8)	1,517	0.9	(0.4 - 2.1)	762	2.7	(1.6 - 4.5)	752
	All other races*	1.8	(0.8-4.3)	327	1.3	(0.3 - 5.7)	171	0.6	(0.1 - 4.2)	148
	Multiple races*	5.3	(2.7 - 10.2)	196	-	-	71	5.1	(1.9 - 12.5)	122

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN93: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	10.8	(8.7 - 13.2)	3,661	9.8	(7.3 - 13.0)	1,778	11.8	(9.6 - 14.5)	1,866	
Age											
	15 or younger	9.0	(6.6 - 12.1)	1,597	8.1	(5.7 - 11.4)	727	9.9	(7.4 - 13.2)	865	
	16 or 17	12.2	(10.2 - 14.5)	1,907	11.4	(8.4 - 15.3)	959	13.1	(10.7 - 15.9)	942	
	18 or older	13.0	(8.6 - 19.2)	152	-	-	91	-	-	59	
Grade											
	9th	8.4	(5.5 - 12.6)	856	7.5	(4.5 - 12.3)	385	9.4	(6.1 - 14.1)	469	
	10th	11.4	(8.6 - 14.9)	955	11.0	(7.6 - 15.8)	486	11.8	(9.2 - 15.0)	466	
	11th	12.0	(9.9 - 14.5)	1,013	8.6	(6.3 - 11.6)	493	15.3	(11.9 - 19.4)	518	
	12th	11.3	(8.6 - 14.7)	798	11.8	(7.9 - 17.3)	396	10.9	(8.1 - 14.5)	400	
Race/E	thnicity										
	Black*	9.3	(6.9 - 12.3)	1,238	8.4	(5.7 - 12.1)	587	10.2	(7.3 - 14.0)	650	
	Hispanic/Latino	12.9	(9.6 - 17.1)	350	7.4	(4.5 - 11.9)	174	18.8	(13.1 - 26.4)	175	
	White*	12.6	(10.1 - 15.5)	1,470	11.6	(8.5 - 15.7)	736	13.7	(10.8 - 17.3)	731	
	All other races*	6.9	(3.1 - 14.6)	310	6.4	(1.9 - 19.2)	167	7.7	(4.2 - 13.6)	141	
	Multiple races*	11.4	(7.3 - 17.5)	188	-	-	67	12.2	(6.7 - 21.2)	118	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN94: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	38.6	( 34.5 - 42.9 )	734	38.9	( 34.0 - 44.1 )	364	37.8	( 31.9 - 44.1 )	360
Age										
	15 or younger	40.4	(34.8 - 46.2)	239	40.4	(31.2 - 50.4)	105	38.8	(28.8 - 49.9)	131
	16 or 17	37.8	(32.3 - 43.6)	448	38.9	(31.9 - 46.2)	234	36.4	(30.2 - 43.0)	211
	18 or older	-	-	45	-	-	25	-	-	18
Grade										
	9th	45.7	(36.9 - 54.8)	110	-	-	46	-	-	64
	10th	38.8	(30.5 - 47.8)	181	-	-	92	-	-	88
	11th	38.8	(31.6 - 46.6)	222	35.6	(25.7 - 46.9)	111	42.0	(33.6 - 50.9)	111
	12th	34.1	(27.1 - 41.9)	201	37.7	(27.8 - 48.8)	107	-	-	92
Race/E	Cthnicity									
	Black*	45.0	(38.9 - 51.1)	205	47.1	(38.5 - 55.9)	107	-	-	98
	Hispanic/Latino	-	-	85	-	-	38	-	-	47
	White*	30.1	(24.8 - 36.1)	324	30.8	(23.9 - 38.7)	164	29.6	(23.5 - 36.7)	159
	All other races*	-	-	50	-	-	22	-	-	25
	Multiple races*	-	-	41	-	-	17	-	-	23

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN95: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, little cigars, or flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

		Total		Male			Female			
	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Total	11.0	(9.2 - 13.0)	3,708	11.4	(9.4 - 13.9)	1,787	10.5	(8.5 - 12.8)	1,899	
Age										
15 or younger	8.3	(6.5 - 10.5)	1,626	8.9	(6.7 - 11.6)	725	7.8	(5.7 - 10.5)	893	
16 or 17	13.1	(11.2 - 15.2)	1,921	13.7	(11.2 - 16.6)	968	12.5	(10.4 - 14.8)	944	
18 or older	14.9	(11.0 - 19.9)	155	-	-	92	-	-	62	
Grade										
9th	7.0	(4.4 - 11.0)	859	6.7	(4.0 - 11.1)	377	7.5	(4.6 - 12.0)	477	
10th	10.0	(7.9 - 12.5)	982	10.2	(7.4 - 14.0)	497	9.6	(6.8 - 13.4)	481	
11th	11.7	(9.9 - 13.8)	1,020	12.3	(9.5 - 15.8)	497	11.1	(8.5 - 14.4)	521	
12th	14.9	(11.9 - 18.4)	810	16.5	(11.7 - 22.7)	401	13.2	(10.0 - 17.3)	406	
Race/Ethnicity										
Black*	9.4	(8.1 - 11.0)	1,261	9.6	(7.7 - 11.9)	589	9.3	(7.3 - 11.7)	671	
Hispanic/Latino	15.1	(12.1 - 18.6)	350	12.3	(7.4 - 19.6)	173	18.1	(13.5 - 23.9)	176	
White*	12.3	(9.8 - 15.4)	1,480	13.5	(10.7 - 16.9)	739	11.1	(8.2 - 14.8)	739	
All other races*	7.6	(4.2 - 13.1)	314	4.7	(1.4 - 14.1)	164	9.6	(6.3 - 14.5)	144	
Multiple races*	12.9	(7.0 - 22.7)	189	-	-	69	12.9	(6.4 - 24.2)	117	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN96: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	3.2	(2.4 - 4.4)	3,821	3.2	(2.2 - 4.8)	1,855	3.2	(2.3 - 4.5)	1,937	
Age											
	15 or younger	1.4	(0.9 - 2.3)	1,679	1.2	(0.7 - 2.2)	756	1.7	(1.0 - 2.8)	909	
	16 or 17	4.6	(3.3 - 6.3)	1,977	4.6	(3.1-6.9)	1,003	4.6	(3.1 - 6.8)	965	
	18 or older	6.0	(2.9 - 12.0)	159	-	-	94	-	-	63	
Grade											
	9th	0.6	(0.3 - 1.4)	881	0.6	(0.1 - 2.2)	389	0.7	(0.3 - 1.8)	487	
	10th	3.3	(2.1 - 5.1)	1,015	3.4	(1.9 - 6.2)	516	3.1	(1.9 - 5.0)	493	
	11th	3.5	(2.2 - 5.4)	1,055	4.4	(2.6 - 7.5)	520	2.5	(1.5 - 4.2)	532	
	12th	5.5	(3.8 - 7.8)	826	4.5	(2.8-7.4)	411	6.5	(4.4 - 9.5)	411	
Race/Et	hnicity										
	Black*	0.8	(0.4 - 1.5)	1,304	1.5	(0.8 - 2.8)	616	0.1	(0.0-0.8)	687	
	Hispanic/Latino	4.4	(1.9 - 9.5)	364	4.8	(1.8 - 12.3)	182	3.9	(1.3 - 11.4)	181	
	White*	5.6	(4.0 - 7.7)	1,507	4.8	(3.2 - 7.1)	752	6.4	(4.3 - 9.4)	752	
	All other races*	3.0	(1.6 - 5.4)	323	2.6	(1.0 - 6.5)	172	3.6	(1.6 - 8.1)	143	
	Multiple races*	2.4	(1.0 - 5.5)	195	-	-	71	3.2	(1.3 - 7.9)	121	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN97: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	Percentage	95% confidence interval	Ν
	Total	36.9	(32.3 - 41.9)	226	40.5	( 32.0 - 49.6 )	123	31.9	(24.5 - 40.2)	100
Age										
	15 or younger	-	-	59	-	-	31	-	-	28
	16 or 17	39.4	(31.9 - 47.4)	138	-	-	79	-	-	57
	18 or older	-	-	28	-	-	13	-	-	15
Grade										
	9th	-	-	25	-	-	17	-	-	7
	10th	-	-	55	-	-	29	-	-	26
	11th	-	-	62	-	-	39	-	-	23
	12th	-	-	79	-	-	37	-	-	41
Race/E	thnicity									
	Black*	-	-	49	-	-	33	-	-	16
	Hispanic/Latino	-	-	30	-	-	16	-	-	14
	White*	33.1	(23.9 - 43.9)	109	-	-	53	-	-	56
	All other races*	-	-	18	-	-	10	-	-	6
	Multiple races*	-	-	12	-	-	6	-	-	6

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN98: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	36.1	(31.3 - 41.3)	380	40.1	( 31.5 - 49.3 )	200	30.3	(24.0 - 37.4)	170
Age										
	15 or younger	33.3	(27.7 - 39.4)	132	-	-	68	-	-	61
	16 or 17	40.1	(32.0 - 48.7)	210	44.2	(31.8 - 57.3)	116	-	-	90
	18 or older	-	-	37	-	-	16	-	-	19
Grade										
	9th	-	-	58	-	-	34	-	-	23
	10th	39.9	(33.3 - 47.0)	115	-	-	61	-	-	52
	11th	-	-	90	-	-	55	-	-	34
	12th	31.0	(22.4 - 41.1)	103	-	-	47	-	-	55
Race/E	thnicity									
	Black*	29.8	(21.2 - 40.2)	102	-	-	62	-	-	40
	Hispanic/Latino	-	-	62	-	-	30	-	-	32
	White*	40.1	(31.7 - 49.1)	146	-	-	68	-	-	77
	All other races*	-	-	30	-	-	17	-	-	8
	Multiple races*	-	-	21	-	-	11	-	-	9

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

#### QN99: Percentage of students who live with someone who now smokes cigarettes or cigars

		Total			Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
Tota	l	38.1	( 34.5 - 41.8 )	3,725	37.0	(33.5 - 40.7)	1,796	39.1	(35.0 - 43.4)	1,912	
Age											
15 or	younger	38.6	(34.5 - 42.9)	1,630	37.4	(32.8 - 42.3)	725	39.9	(35.2 - 44.7)	899	
16 or	: 17	37.1	(33.2 - 41.2)	1,934	36.0	(31.8 - 40.5)	976	38.0	(33.5 - 42.8)	952	
18 or	older	43.9	(36.2 - 51.8)	156	-	-	94	-	-	61	
Grade											
9th		38.5	(33.5 - 43.7)	855	34.2	(28.2 - 40.7)	373	42.9	(36.4 - 49.7)	479	
10th		38.3	(34.4 - 42.4)	985	38.8	(34.4 - 43.4)	496	38.0	(32.8 - 43.4)	486	
11th		37.7	(32.6 - 43.1)	1,033	37.5	(31.5 - 43.9)	505	38.0	(32.5 - 43.9)	526	
12th		37.2	(32.3 - 42.4)	814	37.5	(31.8 - 43.5)	404	36.6	(29.5 - 44.4)	408	
Race/Ethnicit	y										
Blac	k*	35.5	(31.7 - 39.5)	1,259	34.5	(29.7 - 39.7)	586	36.3	(32.3 - 40.5)	672	
Hisp	anic/Latino	38.4	(34.1 - 42.8)	350	36.9	(29.3 - 45.2)	171	40.0	(32.3 - 48.3)	178	
Whit	e*	41.7	(35.3 - 48.4)	1,501	40.8	(33.9 - 48.0)	751	42.6	(36.0 - 49.5)	748	
All c	ther races*	29.9	(25.4 - 34.8)	313	27.7	(21.2 - 35.3)	167	33.4	(24.9 - 43.2)	142	
Mult	iple races*	38.1	(31.2 - 45.6)	194	-	-	69	37.5	(28.4 - 47.5)	122	

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN100: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	81.6	(78.9 - 84.0)	3,740	82.3	( 79.9 - 84.4 )	1,808	81.3	( 77.9 - 84.4 )	1,909
Age										
	15 or younger	81.9	(78.9 - 84.5)	1,638	82.0	(78.8 - 84.8)	735	82.2	(78.6 - 85.3)	894
	16 or 17	81.3	(78.2 - 84.1)	1,939	82.1	(78.7 - 85.0)	977	80.8	(76.6 - 84.4)	954
	18 or older	82.2	(73.6 - 88.4)	158	-	-	95	-	-	61
Grade										
	9th	82.5	(78.3 - 85.9)	861	81.0	(76.1 - 85.1)	379	84.3	(79.0 - 88.5)	478
	10th	80.0	(76.9 - 82.8)	980	81.9	(77.8 - 85.4)	501	78.2	(73.1 - 82.5)	475
	11th	83.1	(79.8 - 85.9)	1,038	83.0	(78.5 - 86.8)	507	83.2	(79.6 - 86.2)	530
	12th	81.4	(77.0 - 85.1)	818	83.1	(78.6 - 86.8)	403	80.3	(73.9 - 85.4)	412
Race/Et	hnicity									
	Black*	83.3	(80.1 - 86.0)	1,263	83.9	(80.4 - 86.9)	589	82.7	(78.5 - 86.1)	673
	Hispanic/Latino	86.1	(82.6 - 89.0)	361	87.8	(82.1 - 91.9)	180	84.2	(78.0 - 89.0)	180
	White*	79.1	(74.6 - 83.0)	1,496	79.3	(73.8 - 83.9)	751	79.2	(74.1 - 83.4)	742
	All other races*	85.5	(78.4 - 90.5)	317	85.6	(76.1 - 91.8)	169	84.9	(75.6 - 91.0)	144
	Multiple races*	84.8	(78.3 - 89.6)	189	-	-	67	82.0	(75.1 - 87.4)	119

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN101: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	29.9	(27.2 - 32.7)	3,789	26.8	(24.5 - 29.3)	1,837	32.5	(28.9 - 36.3)	1,922
Age										
	15 or younger	28.4	(25.2 - 31.8)	1,669	25.0	(21.1 - 29.2)	751	31.2	(26.9-35.8)	904
	16 or 17	31.5	(28.6 - 34.6)	1,953	28.8	(25.9-31.9)	989	34.0	(30.2 - 38.1)	955
	18 or older	25.2	(19.5 - 31.9)	161	-	-	96	-	-	63
Grade										
	9th	27.4	(22.2 - 33.3)	870	24.5	(19.5 - 30.4)	385	30.0	(23.2 - 37.8)	480
	10th	29.5	(26.3 - 32.9)	1,005	26.7	(22.4 - 31.4)	512	32.2	(27.5 - 37.3)	487
	11th	32.1	(28.8 - 35.6)	1,041	31.0	(26.6 - 35.7)	509	33.2	(29.1 - 37.5)	529
	12th	30.3	(26.6 - 34.2)	828	25.5	(21.1 - 30.4)	412	34.4	(29.3 - 40.0)	412
Race/E	thnicity									
	Black*	24.4	(22.1 - 27.0)	1,274	22.7	(20.0 - 25.7)	599	25.9	(22.7 - 29.5)	674
	Hispanic/Latino	24.4	(20.0 - 29.4)	362	19.9	(15.3 - 25.5)	183	29.5	(23.0-37.0)	178
	White*	36.6	(31.8 - 41.6)	1,511	32.7	(28.2 - 37.7)	758	40.6	(34.8 - 46.7)	750
	All other races*	22.3	(18.3 - 27.0)	325	19.3	(14.2 - 25.6)	171	24.0	(18.5 - 30.6)	146
	Multiple races*	29.9	(24.3 - 36.2)	193	-	-	69	33.6	(26.9-41.0)	121

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN102: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	92.8	(90.7 - 94.5)	1,319	91.3	(87.6 - 94.0)	619	94.6	(91.9 - 96.5)	688	
Age											
	15 or younger	91.2	(87.5 - 93.9)	493	89.3	(83.9 - 93.1)	205	92.7	(87.7 - 95.8)	282	
	16 or 17	94.1	(92.2 - 95.7)	771	92.3	(88.0-95.1)	382	96.4	(94.6 - 97.7)	386	
	18 or older	-	-	53	-	-	32	-	-	20	
Grade											
	9th	90.0	(84.2 - 93.9)	233	-	-	91	92.4	(85.2 - 96.2)	139	
	10th	91.4	(87.1 - 94.4)	334	88.6	(82.9 - 92.6)	164	94.0	(87.7 - 97.2)	168	
	11th	93.8	(91.3 - 95.6)	420	93.0	(88.7 - 95.8)	202	94.5	(90.7 - 96.7)	217	
	12th	95.7	(92.6 - 97.6)	313	94.0	(86.6 - 97.4)	155	97.8	(94.4 - 99.1)	155	
Race/E	thnicity										
	Black*	90.8	(86.6 - 93.8)	409	88.4	(83.6 - 91.9)	198	93.2	(88.1 - 96.2)	210	
	Hispanic/Latino	95.1	(90.3 - 97.6)	140	-	-	64	-	-	76	
	White*	94.8	(92.3 - 96.5)	548	93.5	(89.1 - 96.2)	260	95.9	(92.9 - 97.7)	287	
	All other races*	-	-	86	-	-	39	-	-	42	
	Multiple races*	-	-	80	-	-	29	-	-	51	

Note: 2,573 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN103: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

		Total			Male			Female		
	Percenta	ge 95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	N	
Total	8.2	(7.0-9.6)	3,683	8.6	(7.0 - 10.6)	1,783	7.1	( 6.1 - 8.3 )	1,874	
Age										
15 or youn	ger 6.8	(5.3 - 8.7)	1,610	6.9	(5.0-9.3)	723	5.9	(4.4 - 7.8)	873	
16 or 17	9.4	(8.1 - 10.9)	1,913	10.3	(8.4 - 12.7)	966	8.0	(6.7 - 9.4)	940	
18 or older	9.0	(5.6 - 14.1)	154	-	-	92	-	-	61	
Grade										
9th	5.7	(3.9 - 8.1)	832	5.6	(3.4 - 8.9)	368	5.3	(3.5 - 8.0)	459	
10th	7.7	(6.1 - 9.8)	981	8.7	(6.2 - 12.0)	497	6.2	(4.6 - 8.3)	478	
11th	9.3	(7.3 - 11.7)	1,019	9.3	(6.8 - 12.6)	498	9.1	(6.7 - 12.4)	519	
12th	9.4	(7.3 - 12.2)	815	10.7	(7.4 - 15.2)	403	7.3	(5.2 - 10.2)	408	
Race/Ethnicity										
Black*	7.8	(6.4 - 9.5)	1,233	9.6	(7.5 - 12.3)	581	6.0	(4.5 - 8.0)	651	
Hispanic/L	atino 14.0	(9.9 - 19.3)	354	14.8	(10.4 - 20.6)	178	12.7	(6.9-22.2)	175	
White*	6.8	(5.6 - 8.2)	1,484	5.7	(4.0 - 7.9)	741	7.7	(5.9 - 10.0)	741	
All other ra	aces* 8.1	(5.7 - 11.4)	312	6.9	(3.9 - 11.8)	164	6.4	(3.6 - 11.2)	142	
Multiple ra	ces* 9.2	(5.7 - 14.5)	184	-	-	65	6.4	(2.9 - 13.4)	116	

Note: 209 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN104: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	65.7	( 61.0 - 70.2 )	3,443	67.7	( 62.8 - 72.2 )	1,638	63.9	(58.8 - 68.7)	1,784	
Age											
	15 or younger	65.9	(60.5 - 70.9)	1,483	67.2	(61.0 - 72.9)	654	64.8	(59.3 - 70.0)	821	
	16 or 17	66.2	(61.0-71.0)	1,809	68.3	(62.9-73.2)	894	64.1	(58.4 - 69.4)	908	
	18 or older	58.1	(47.8 - 67.8)	146	-	-	89	-	-	55	
Grade											
	9th	65.7	(58.9 - 71.9)	762	68.6	(59.9 - 76.1)	330	62.9	(56.7 - 68.8)	429	
	10th	64.1	(57.0 - 70.5)	892	63.1	(54.7 - 70.7)	442	65.2	(56.9 - 72.6)	446	
	11th	65.9	(61.7 - 69.9)	977	66.9	(61.5 - 72.0)	471	65.0	(60.3 - 69.4)	505	
	12th	67.2	( 60.2 - 73.4 )	776	71.4	(64.6-77.4)	379	62.7	(54.0 - 70.7)	393	
Race/E	thnicity										
	Black*	64.1	(60.3 - 67.7)	1,123	68.3	(63.9 - 72.4)	509	60.3	(55.8 - 64.7)	613	
	Hispanic/Latino	54.8	(48.4 - 61.1)	325	56.7	(48.4 - 64.7)	164	52.7	(45.7 - 59.6)	161	
	White*	68.5	(61.4 - 74.8)	1,429	69.3	(61.9 - 75.7)	708	67.7	(59.8 - 74.7)	718	
	All other races*	69.5	(62.8 - 75.5)	301	68.0	(59.1 - 75.7)	158	71.5	(63.5 - 78.3)	140	
	Multiple races*	64.7	( 57.9 - 71.0 )	170	-	-	58	62.4	(52.5 - 71.3)	109	

Note: 449 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN105: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	55.5	( 52.7 - 58.3 )	3,481	57.0	(53.6 - 60.3)	1,662	54.2	(51.2 - 57.2)	1,797	
Age											
	15 or younger	60.3	(55.1 - 65.4)	1,495	61.5	(55.8 - 66.9)	664	59.6	(53.6-65.2)	822	
	16 or 17	50.5	(47.4 - 53.7)	1,837	52.4	(49.4 - 55.4)	910	48.8	(44.2 - 53.5)	920	
	18 or older	64.6	( 54.8 - 73.4 )	144	-	-	87	-	-	55	
Grade											
	9th	77.0	(71.8 - 81.4)	765	75.1	(68.3 - 80.9)	331	79.1	(73.6 - 83.6)	430	
	10th	41.5	(38.1 - 44.9)	909	45.5	(41.1 - 50.0)	454	37.6	(33.3 - 42.0)	450	
	11th	44.5	(40.5 - 48.6)	992	46.6	(42.9 - 50.4)	480	42.5	(36.2 - 49.2)	511	
	12th	59.6	(55.9-63.2)	778	60.6	(57.0-64.1)	382	58.7	(52.6-64.5)	394	
Race/Eth	nicity										
	Black*	53.8	(49.7 - 57.8)	1,133	54.3	(48.8 - 59.7)	515	53.5	(48.7 - 58.2)	617	
	Hispanic/Latino	53.6	(48.4 - 58.8)	333	54.1	(46.4 - 61.6)	166	52.9	(45.4 - 60.3)	166	
	White*	56.9	(53.1 - 60.7)	1,438	59.1	(54.2 - 63.8)	716	54.5	(50.4 - 58.5)	719	
	All other races*	57.5	(50.2 - 64.5)	303	59.5	(50.2 - 68.2)	158	56.4	(47.2 - 65.2)	141	
	Multiple races*	57.9	(50.6 - 64.9)	174	-	-	61	56.1	(47.1 - 64.7)	110	

Note: 411 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	38.5	(32.3 - 45.1)	3,430	39.0	(32.6 - 45.9)	1,636	37.8	(31.5 - 44.5)	1,773
Age										
	15 or younger	38.5	(30.2 - 47.5)	1,481	36.4	(28.1 - 45.7)	659	40.4	(32.1 - 49.3)	814
	16 or 17	37.7	(32.5 - 43.2)	1,804	40.4	(34.7 - 46.4)	890	34.9	(29.2 - 41.0)	906
	18 or older	46.6	(37.0 - 56.5)	141	-	-	86	-	-	53
Grade										
	9th	36.4	(26.4 - 47.7)	757	32.0	(22.8 - 42.9)	326	40.6	(29.8 - 52.3)	426
	10th	40.3	(33.8 - 47.2)	900	40.4	(32.9 - 48.3)	451	40.2	(33.2 - 47.5)	445
	11th	40.6	(35.7 - 45.6)	967	42.0	(36.6-47.6)	461	39.2	(33.2 - 45.7)	505
	12th	36.1	(29.1 - 43.7)	772	41.4	(33.7 - 49.5)	382	30.6	(23.6 - 38.8)	387
Race/E	thnicity									
	Black*	49.9	(44.6 - 55.1)	1,116	51.9	(46.2 - 57.6)	507	47.9	(41.9 - 54.1)	608
	Hispanic/Latino	45.8	(40.0 - 51.6)	326	45.5	(37.7 - 53.4)	161	46.3	(40.0 - 52.8)	164
	White*	27.9	(22.0 - 34.7)	1,416	29.0	(22.9 - 35.9)	705	26.9	(20.5 - 34.5)	708
	All other races*	33.5	(25.0-43.2)	305	31.0	(21.4 - 42.6)	158	36.3	(25.8 - 48.2)	142
	Multiple races*	37.9	( 30.0 - 46.4 )	170	-	-	59	38.1	(28.7 - 48.4)	108

Note: 462 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	21.3	( 17.2 - 26.2 )	3,453	23.9	(18.7 - 30.1)	1,646	18.5	(15.1 - 22.5)	1,781
Age										
	15 or younger	21.7	(15.7 - 29.1)	1,477	22.6	(15.7 - 31.3)	653	20.6	(15.3 - 27.2)	813
	16 or 17	20.5	(17.4 - 23.9)	1,824	24.6	(20.2 - 29.6)	904	16.2	(13.3 - 19.7)	912
	18 or older	27.2	(18.1 - 38.9)	146	-	-	88	-	-	56
Grade										
	9th	19.6	(12.9 - 28.6)	754	19.5	(13.2 - 27.8)	324	19.4	(12.0 - 29.8)	426
	10th	23.6	(18.5 - 29.6)	899	25.6	(17.8 - 35.4)	449	21.3	(17.4 - 25.8)	444
	11th	18.8	(15.2 - 22.9)	984	21.8	(17.2 - 27.3)	474	15.9	(12.2 - 20.6)	509
	12th	22.1	(17.8 - 27.1)	778	27.9	(21.9 - 34.9)	383	16.4	(12.7 - 20.9)	391
Race/E	thnicity									
	Black*	25.7	(22.0 - 29.8)	1,132	30.8	(25.7 - 36.4)	518	21.2	(17.2 - 25.8)	613
	Hispanic/Latino	23.8	(19.4 - 28.8)	323	25.1	(18.9 - 32.5)	158	22.0	(16.6 - 28.6)	164
	White*	16.7	(12.2 - 22.4)	1,425	19.1	(13.5 - 26.4)	708	14.2	(10.5 - 19.0)	714
	All other races*	20.1	(13.1 - 29.4)	306	17.4	(8.7 - 31.9)	159	22.5	(16.3 - 30.2)	142
	Multiple races*	20.6	(16.1 - 25.9)	166	-	-	58	18.8	(13.4 - 25.7)	105

Note: 439 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN108: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	62.0	( 57.1 - 66.7 )	3,467	56.1	( 50.8 - 61.2 )	1,659	68.4	(63.0 - 73.3)	1,779
Age										
	15 or younger	63.7	(56.9 - 69.9)	1,495	59.5	(53.0-65.6)	665	67.9	(60.0 - 74.9)	816
	16 or 17	61.3	(57.1 - 65.3)	1,821	54.4	(49.6 - 59.2)	905	68.7	(64.0 - 72.9)	908
	18 or older	53.7	(46.2 - 60.9)	145	-	-	88	-	-	55
Grade										
	9th	64.8	(56.3 - 72.3)	759	62.7	(55.1 - 69.7)	327	67.2	(56.3 - 76.5)	427
	10th	61.4	(55.6 - 66.8)	908	55.8	(48.9 - 62.5)	458	67.4	(61.3 - 72.9)	444
	11th	61.6	(57.7 - 65.3)	979	53.8	(49.3 - 58.2)	470	68.9	(64.4 - 73.1)	506
	12th	61.6	(55.4 - 67.4)	784	53.3	(46.5 - 59.9)	388	70.4	( 62.9 - 77.0 )	392
Race/E	thnicity									
	Black*	58.0	(53.0 - 62.8)	1,131	48.3	(43.2 - 53.5)	520	66.9	(61.5 - 71.9)	610
	Hispanic/Latino	55.4	(49.6 - 61.1)	325	51.7	(41.5 - 61.7)	161	59.7	(52.6-66.5)	163
	White*	66.3	(61.4 - 70.8)	1,433	63.1	(58.5 - 67.5)	713	69.8	(62.7 - 76.0)	717
	All other races*	65.7	(56.0-74.2)	306	58.9	(42.7 - 73.5)	158	75.9	(66.7 - 83.1)	141
	Multiple races*	63.7	(54.9 - 71.7)	169	-	-	60	67.3	(56.6-76.5)	106

Note: 425 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN109: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	75.5	(71.4 - 79.3)	3,414	71.3	( 66.4 - 75.7 )	1,638	80.0	(75.9 - 83.5)	1,751
Age										
	15 or younger	77.4	(71.5 - 82.3)	1,468	73.2	(66.0 - 79.4)	652	81.4	(75.9 - 85.9)	805
	16 or 17	75.0	(71.3 - 78.3)	1,798	70.8	(66.5 - 74.7)	899	79.1	(75.0 - 82.7)	892
	18 or older	65.4	(56.9-73.0)	142	-	-	86	-	-	54
Grade										
	9th	79.1	(70.5 - 85.7)	745	75.1	(65.1 - 82.9)	321	83.1	(74.7 - 89.1)	420
	10th	73.5	(68.1 - 78.3)	891	68.3	(61.0 - 74.9)	451	79.0	(73.8 - 83.5)	435
	11th	75.2	(71.3 - 78.8)	971	68.9	(63.2 - 74.0)	470	81.2	(76.0 - 85.6)	499
	12th	75.2	(69.1 - 80.5)	771	73.2	(65.8 - 79.5)	380	77.2	(70.5 - 82.8)	387
Race/Et	hnicity									
	Black*	75.8	(71.9 - 79.3)	1,112	71.4	(66.8 - 75.5)	509	79.7	(75.4 - 83.4)	602
	Hispanic/Latino	68.1	(62.5 - 73.2)	320	63.8	(56.1 - 70.8)	163	73.5	(66.8 - 79.2)	156
	White*	76.0	(70.4 - 80.7)	1,416	71.8	(65.2 - 77.6)	706	80.4	(74.3 - 85.3)	707
	All other races*	80.9	(70.1 - 88.4)	298	78.4	(62.7 - 88.7)	158	83.8	(76.1 - 89.4)	136
	Multiple races*	75.5	(66.5 - 82.7)	167	-	-	57	78.3	( 68.9 - 85.4 )	107

Note: 478 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN110: Percentage of students who have an adult outside of school they can talk to about things that are important to them

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	85.1	( 82.5 - 87.4 )	3,405	85.7	( 82.4 - 88.5 )	1,616	84.7	(82.3 - 86.8)	1,767	
Age											
	15 or younger	86.5	(83.5 - 89.1)	1,464	86.5	(81.9 - 90.0)	648	86.8	(84.1 - 89.1)	807	
	16 or 17	84.2	(81.9 - 86.2)	1,795	85.2	(82.4 - 87.7)	882	83.3	(80.6 - 85.7)	906	
	18 or older	81.6	(71.4 - 88.7)	140	-	-	85	-	-	54	
Grade											
	9th	87.0	(83.4 - 89.9)	751	86.6	(80.8 - 90.9)	321	87.6	(84.6 - 90.0)	426	
	10th	85.9	(82.4 - 88.9)	878	85.7	(81.3 - 89.2)	438	86.3	(81.8 - 89.9)	436	
	11th	83.9	(80.9 - 86.5)	970	86.8	(82.7 - 90.0)	464	81.4	(77.8 - 84.5)	504	
	12th	83.8	(80.3 - 86.8)	770	83.9	(79.2 - 87.7)	377	83.9	(80.2 - 87.0)	390	
Race/Eth	nnicity										
	Black*	83.7	(80.9 - 86.3)	1,108	84.0	(79.7 - 87.6)	501	83.5	(80.7 - 85.9)	606	
	Hispanic/Latino	74.7	(69.0 - 79.6)	322	72.5	(64.0 - 79.6)	161	77.0	(70.8 - 82.2)	160	
	White*	89.3	(86.0 - 91.8)	1,413	90.0	(86.8 - 92.5)	701	88.5	(84.6 - 91.5)	710	
	All other races*	80.1	(73.5 - 85.3)	299	83.1	(74.6 - 89.2)	153	76.4	( 68.2 - 82.9 )	141	
	Multiple races*	82.2	(76.7 - 86.6)	168	-	-	59	81.6	(75.0 - 86.8)	106	

Note: 487 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN111: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

		Total		Male			Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	79.1	(76.5 - 81.4)	3,484	78.3	(75.0 - 81.2)	1,670	79.7	(76.9 - 82.2)	1,789
Age										
	15 or younger	78.5	(75.4 - 81.3)	1,494	77.1	(72.6 - 81.1)	664	79.6	(76.3 - 82.5)	819
	16 or 17	79.6	(76.7 - 82.2)	1,840	78.9	(75.1 - 82.3)	918	80.1	(76.4 - 83.4)	915
	18 or older	78.5	(68.1 - 86.2)	144	-	-	87	-	-	55
Grade										
	9th	79.7	(75.3 - 83.5)	764	78.2	(72.7 - 82.9)	330	81.3	(76.6 - 85.2)	429
	10th	76.9	(72.8 - 80.5)	908	74.8	(67.8 - 80.7)	455	78.9	(75.2 - 82.1)	448
	11th	78.7	(75.5 - 81.6)	989	80.5	(76.8 - 83.7)	480	76.9	(71.4 - 81.7)	507
	12th	81.5	(77.1 - 85.2)	785	80.1	(73.9 - 85.2)	389	82.6	(78.8 - 85.9)	393
Race/E	thnicity									
	Black*	77.3	(74.3 - 80.1)	1,134	76.3	(71.7 - 80.3)	522	78.2	(73.1 - 82.6)	611
	Hispanic/Latino	69.0	(64.1 - 73.5)	336	67.0	(60.2 - 73.1)	168	71.0	(62.9 - 78.0)	167
	White*	83.3	(80.7 - 85.7)	1,430	83.2	(79.7 - 86.1)	712	83.4	(80.6 - 85.9)	715
	All other races*	73.0	(67.3 - 78.0)	307	70.2	(62.1 - 77.1)	160	75.5	(67.4 - 82.1)	142
	Multiple races*	72.5	( 64.9 - 78.9 )	172	-	-	61	71.8	(62.3 - 79.7)	108

Note: 408 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν
	Total	35.4	( 32.9 - 37.9 )	3,363	31.2	(28.2 - 34.3)	1,596	39.2	(36.5 - 41.9)	1,747
Age										
	15 or younger	33.2	(30.4 - 36.0)	1,446	27.9	(24.5 - 31.6)	640	38.0	(34.8 - 41.2)	797
	16 or 17	37.0	(34.3 - 39.8)	1,774	33.4	(30.0 - 37.0)	873	40.4	(36.9-43.9)	895
	18 or older	37.9	(29.2 - 47.5)	138	-	-	82	-	-	55
Grade										
	9th	31.9	(28.8 - 35.1)	738	26.1	(21.4 - 31.4)	320	37.6	(33.3 - 42.1)	416
	10th	34.5	(30.9 - 38.2)	872	30.9	(27.1 - 35.0)	434	37.7	(31.9 - 43.9)	433
	11th	35.9	(31.5 - 40.5)	958	33.9	(28.1 - 40.2)	451	37.4	(32.4 - 42.8)	505
	12th	39.5	(35.8 - 43.2)	758	34.1	(29.2 - 39.3)	375	44.5	(38.9 - 50.3)	381
Race/E	thnicity									
	Black*	33.9	(30.8 - 37.1)	1,090	30.9	(27.4 - 34.7)	492	36.4	(32.8 - 40.2)	597
	Hispanic/Latino	38.2	(33.0 - 43.8)	323	34.1	(26.9-42.0)	159	42.9	(36.8 - 49.2)	163
	White*	37.2	(32.8 - 41.7)	1,399	32.8	(27.5 - 38.6)	693	41.4	(37.5 - 45.4)	703
	All other races*	29.4	(25.1 - 34.1)	296	21.2	(15.6 - 28.1)	154	39.1	(32.9 - 45.7)	138
	Multiple races*	39.3	(30.6 - 48.7)	164	-	-	58	41.7	( 30.0 - 54.4 )	104

Note: 529 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.

# **Maryland High School Survey**

**Baltimore County** 

**Summary Tables - Weighted Data** 

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

		Total				Male		Female			
		Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	Percentage	95% confidence interval	Ν	
	Total	52.7	(50.6 - 54.8)	3,476	57.8	( 54.7 - 60.9 )	1,669	47.6	(44.9 - 50.2)	1,783	
Age											
	15 or younger	50.0	(46.7 - 53.3)	1,490	55.5	(51.0-59.9)	665	44.7	(40.6 - 48.9)	815	
	16 or 17	54.8	(52.6-57.1)	1,837	59.2	(55.9-62.5)	916	50.4	(46.4 - 54.4)	913	
	18 or older	55.7	(46.8 - 64.3)	144	-	-	87	-	-	55	
Grade											
	9th	52.4	(48.2 - 56.5)	761	58.6	(52.5 - 64.4)	333	46.0	(41.4 - 50.8)	424	
	10th	48.3	(44.2 - 52.4)	911	53.1	(48.7 - 57.5)	458	43.3	(37.6 - 49.2)	448	
	11th	48.0	(44.6 - 51.4)	987	54.1	(49.1 - 59.0)	477	42.2	(38.3 - 46.3)	509	
	12th	63.0	(59.1-66.9)	779	66.5	(61.4 - 71.1)	385	59.9	(52.8-66.6)	390	
Race/E	thnicity										
	Black*	51.4	(47.8 - 55.1)	1,131	57.3	(51.6-62.9)	521	46.1	(41.5 - 50.8)	609	
	Hispanic/Latino	47.7	(42.6 - 52.8)	335	51.8	(43.7 - 59.8)	167	43.6	(37.6 - 49.7)	167	
	White*	53.9	(50.4 - 57.4)	1,428	59.4	(55.3 - 63.4)	714	48.2	(43.4 - 53.1)	711	
	All other races*	59.2	(54.1 - 64.0)	307	59.3	(52.8-65.5)	158	58.8	(51.3-66.0)	143	
	Multiple races*	45.4	(36.7 - 54.4)	170	-	-	60	38.8	(29.4 - 49.1)	107	

Note: 416 students were excluded from this analysis. \*Non-Hispanic. N = Number of students in this subgroup. - = Fewer than 100 students in this subgroup.