# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	20.1	(18.6 - 21.6)	2,891	18.7	( 16.5 - 21.1 )	1,358	20.6	(18.7 - 22.6)	1,506	
Age											
	15 or younger	19.3	(17.2 - 21.7)	1,244	16.7	(13.9 - 19.9)	560	20.8	(18.0 - 24.0)	669	
	16 or 17	20.1	(18.0 - 22.3)	1,524	19.5	(16.6 - 22.9)	716	20.3	(17.6 - 23.3)	800	
	18 or older	28.4	( 20.1 - 38.4 )	119	-	-	81	-	-	37	
Grade											
	9th	17.0	( 14.7 - 19.7 )	648	16.1	(12.8 - 20.2)	306	18.0	(14.8 - 21.7)	342	
	10th	20.9	(18.1 - 24.0)	633	17.1	(12.6 - 22.8)	284	23.7	(19.9 - 28.0)	344	
	11th	20.1	(17.6 - 22.9)	797	18.4	(14.4 - 23.1)	375	21.1	(17.2 - 25.6)	416	
	12th	20.9	(18.1 - 24.1)	762	21.7	(17.7 - 26.4)	369	19.7	(16.2 - 23.8)	389	
Race/E	thnicity										
	Black*	17.3	(15.4 - 19.4)	1,242	15.9	(12.9 - 19.4)	588	18.6	(16.2 - 21.2)	651	
	Hispanic/Latino	26.5	(21.2 - 32.6)	251	30.7	( 22.4 - 40.5 )	119	21.2	(15.0 - 29.0)	126	
	White*	22.3	(19.8 - 25.0)	845	19.3	(15.5 - 23.8)	415	25.3	( 22.3 - 28.5 )	429	
	All other races*	20.1	(14.0 - 28.1)	173	-	-	78	-	-	94	
	Multiple races*	19.0	( 14.6 - 24.3 )	287	21.1	( 14.7 - 29.4 )	117	17.4	(11.9 - 24.6)	169	

Note: 21 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tota	1	6.3	(5.0 - 7.8)	1,264	8.2	( 6.3 - 10.7 )	640	3.1	(2.1 - 4.6)	615
Age										
15 or	r younger	6.8	(4.4 - 10.4)	297	9.6	(5.8 - 15.6)	151	2.8	(1.2 - 6.4)	142
16 or	-	5.3	(3.9 - 7.1)	882	6.6	(4.4 - 9.7)	431	3.1	(2.0 - 4.9)	448
18 or	r older	-	-	84	-	-	58	-	-	25
Grade										
9th		6.0	(3.2 - 11.0)	157	_	_	84	_	-	73
10th		7.1	(3.9 - 12.3)	161	-	-	88	-	-	70
11th		3.3	(2.0 - 5.4)	425	4.5	(2.4 - 8.1)	202	2.1	(0.9 - 5.0)	220
12th		6.7	(4.7 - 9.4)	497	8.9	(5.9 - 13.2)	252	4.2	(2.5 - 7.2)	245
Race/Ethnicit	$\mathbf{y}$									
Blac	k*	4.8	(3.1 - 7.1)	515	6.7	(4.2 - 10.6)	264	1.4	(0.6 - 3.6)	248
Hisp	anic/Latino	13.3	(7.9 - 21.6)	117	-	-	57	-	-	59
Whit	te*	6.4	(4.3 - 9.3)	400	8.0	(5.1 - 12.5)	207	4.4	(2.4 - 8.1)	193
All	other races*	-	-	81	-	-	37	-	-	43
Mult	tiple races*	5.3	( 2.4 - 11.0 )	117	-	-	54	-	-	63

Note: 1,648 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	27.1	(23.7 - 30.8)	1,289	28.8	(24.7 - 33.2)	653	23.9	( 19.5 - 28.9 )	621
Age										
	15 or younger	16.6	(12.6 - 21.6)	302	19.2	(13.5 - 26.5)	154	10.3	( 6.1 - 16.9 )	141
	16 or 17	30.5	( 26.5 - 34.9 )	897	32.6	(27.6 - 38.0)	439	28.1	( 22.5 - 34.5 )	453
	18 or older	-	-	88	-	-	60	-	-	27
Grade										
	9th	16.4	(11.2 - 23.2)	158	-	-	86	-	-	71
	10th	13.1	(8.2 - 20.3)	163	-	-	87	-	-	73
	11th	21.0	(16.7 - 25.9)	429	26.9	( 20.5 - 34.4 )	206	13.3	(9.3 - 18.6)	220
	12th	39.2	( 33.2 - 45.6 )	513	38.3	(31.4 - 45.7)	259	39.7	(31.5 - 48.6)	251
Race/E	Ethnicity									
	Black*	22.9	(18.8 - 27.5)	524	24.4	(19.0 - 30.6)	269	20.9	(15.8 - 27.1)	252
	Hispanic/Latino	33.1	(25.3 - 41.9)	124	-	-	59	-	-	63
	White*	28.8	(23.6 - 34.6)	399	29.8	(23.9 - 36.4)	207	27.7	( 19.9 - 37.0 )	192
	All other races*	-	-	83	-	-	39	-	-	43
	Multiple races*	30.1	( 22.6 - 38.8 )	117	-	-	56	-	-	61

Note: 1,623 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
	Per	rcentage c	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	10	6.5 (1:	5.1 - 18.1 )	2,854	23.9	(21.4 - 26.5)	1,331	8.2	(6.8 - 9.9)	1,503	
Age											
15 or you	nger 10	6.0 (14	4.0 - 18.3 )	1,227	23.8	( 20.3 - 27.8 )	548	7.8	(5.8 - 10.5)	670	
16 or 17	10	6.4 (14	4.4 - 18.6 )	1,505	23.9	( 20.7 - 27.6 )	701	8.3	(6.5 - 10.6)	796	
18 or olde	r 20	0.7 (14	4.1 - 29.2 )	118	-	-	81	-	-	37	
Grade											
9th	1:	5.2 (12	2.5 - 18.4 )	650	22.1	(17.8 - 27.1)	305	7.2	(4.5 - 11.3)	344	
10th	1'	7.3 (14	4.6 - 20.5 )	624	26.4	(21.4 - 32.2)	276	8.7	(6.0 - 12.3)	344	
11th	10	6.7 (14	4.1 - 19.7 )	784	24.6	( 20.0 - 29.9 )	369	8.0	(5.7 - 11.2)	411	
12th	1:	5.2 (12	2.3 - 18.7 )	750	21.3	(16.7 - 26.8)	359	8.7	(5.9 - 12.8)	389	
Race/Ethnicity											
Black*	13	3.0 (1)	1.1 - 15.2 )	1,226	19.3	(16.0 - 23.0)	574	6.4	(4.8 - 8.6)	648	
Hispanic/	Latino 20	0.7 (10	6.0 - 26.3 )	243	26.2	(18.5 - 35.6)	110	13.8	(8.9 - 20.8)	127	
White*	20	0.1 (1)	7.5 - 23.0 )	845	28.9	( 24.4 - 34.0 )	415	10.6	(7.6 - 14.4)	429	
All other	aces*	9.2 (1.	3.8 - 26.0 )	170	-	-	76	-	-	93	
Multiple r	aces* 10	6.8 (12)	2.9 - 21.6)	285	28.5	(21.5 - 36.8)	116	7.6	(4.5 - 12.5)	169	

Note: 58 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	4.5	(3.7 - 5.5)	2,845	5.8	(4.6 - 7.3)	1,326	2.6	(1.9 - 3.7)	1,498	
Age										
15 or younger	3.4	(2.5 - 4.6)	1,223	4.5	(3.2 - 6.4)	547	1.8	(1.0 - 3.1)	668	
16 or 17	4.9	(3.7 - 6.5)	1,502	6.7	(4.7 - 9.3)	700	3.0	(1.9 - 4.8)	793	
18 or older	10.6	( 6.2 - 17.6 )	115	-	-	78	-	-	37	
Grade										
9th	2.4	(1.4 - 3.9)	647	3.9	(2.2 - 6.6)	304	0.7	(0.3 - 2.0)	342	
10th	4.0	(2.7 - 5.7)	622	4.9	(3.0 - 8.1)	275	2.8	(1.4 - 5.4)	343	
11th	4.6	(3.2 - 6.6)	780	6.0	(3.8 - 9.3)	365	2.7	(1.4 - 5.1)	410	
12th	6.2	(4.4 - 8.6)	749	7.8	(5.2 - 11.4)	359	4.2	(2.4 - 7.3)	388	
Race/Ethnicity										
Black*	4.3	(3.2 - 5.7)	1,218	5.6	(4.0 - 7.9)	569	2.8	(1.7 - 4.4)	645	
Hispanic/Latino	8.1	(5.1 - 12.6)	244	11.6	( 6.6 - 19.6 )	112	3.4	(1.2 - 8.8)	126	
White*	2.8	(1.8 - 4.2)	844	3.5	(2.1 - 5.8)	414	2.0	(1.0 - 4.2)	429	
All other races*	7.9	(4.2 - 14.4)	169	-	-	76	-	-	93	
Multiple races*	4.5	( 2.4 - 8.0 )	286	6.7	(3.3 - 13.1)	116	2.3	(0.8 - 6.1)	169	

Note: 67 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.4	(5.3 - 7.6)	2,875	6.7	(5.2 - 8.6)	1,346	5.2	(4.2 - 6.5)	1,500
Age										
	15 or younger	6.3	(4.9 - 8.0)	1,239	6.1	(4.1 - 8.9)	556	5.7	(4.1 - 7.8)	669
	16 or 17	5.4	(4.2 - 6.8)	1,513	6.2	(4.6 - 8.3)	709	4.4	(3.1 - 6.1)	794
	18 or older	15.4	( 9.2 - 24.7 )	118	-	-	80	-	-	37
Grade	•									
	9th	6.1	(4.4 - 8.6)	648	5.8	(3.5 - 9.7)	303	6.5	(4.3 - 9.8)	344
	10th	4.6	(3.1 - 6.9)	632	5.5	(2.9 - 10.2)	285	3.9	(2.4 - 6.2)	342
	11th	6.1	(4.4 - 8.4)	789	6.3	(4.4 - 9.1)	371	5.1	(3.2 - 8.0)	411
	12th	6.3	(4.5 - 8.8)	754	6.9	(4.3 - 11.0)	362	5.1	(3.2 - 8.0)	388
Race/I	Ethnicity									
	Black*	5.3	(4.0 - 7.2)	1,232	6.5	(4.4 - 9.5)	581	4.2	(2.8 - 6.1)	647
	Hispanic/Latino	11.8	(8.4 - 16.3)	247	14.5	(9.3 - 21.8)	115	6.7	(3.4 - 12.5)	126
	White*	5.4	(4.0 - 7.3)	843	4.6	(2.9 - 7.2)	414	6.4	(4.3 - 9.4)	428
	All other races*	8.2	(4.9 - 13.4)	172	-	-	78	-	-	94
	Multiple races*	5.3	(3.3 - 8.3)	288	4.9	( 2.3 - 10.0 )	118	5.2	(2.7 - 9.8)	169

Note: 37 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	8.0	(6.9 - 9.3)	2,898	9.5	(7.7 - 11.6)	1,361	5.7	(4.6 - 7.2)	1,508	
Age										
15 or younger	9.5	(7.9 - 11.4)	1,249	10.5	(7.9 - 13.7)	562	8.0	(6.1 - 10.4)	672	
16 or 17	6.0	(4.7 - 7.5)	1,525	8.2	(6.0 - 11.0)	716	3.2	(2.1 - 5.0)	799	
18 or older	13.9	(8.6 - 21.6)	121	-	-	83	-	-	37	
Grade										
9th	10.6	(8.2 - 13.6)	655	11.2	(7.7 - 16.0)	309	9.5	(6.7 - 13.3)	345	
10th	6.1	(4.4 - 8.5)	631	6.3	(3.5 - 11.0)	282	5.3	(3.4 - 8.3)	344	
11th	6.2	(4.5 - 8.5)	797	8.3	(5.5 - 12.4)	376	3.9	(2.3 - 6.6)	414	
12th	7.5	(5.4 - 10.3)	763	10.5	(7.0 - 15.3)	369	3.8	(2.3 - 6.1)	390	
Race/Ethnicity										
Black*	7.7	(6.2 - 9.6)	1,246	10.0	(7.7 - 13.1)	590	5.3	(3.8 - 7.2)	652	
Hispanic/Latino	16.4	(12.1 - 21.9)	251	20.8	(14.0 - 29.6)	119	10.7	(6.3 - 17.7)	126	
White*	5.5	(4.1 - 7.5)	848	5.8	(3.6 - 9.0)	417	5.3	(3.4 - 8.2)	430	
All other races*	7.6	(4.0 - 13.9)	173	-	-	78	-	-	94	
Multiple races*	6.5	(4.1 - 10.0)	287	9.0	(5.0 - 15.8)	117	4.5	(2.3 - 8.6)	169	

Note: 14 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	12.5	(11.1 - 14.1)	2,892	15.6	( 13.4 - 18.0 )	1,360	8.2	(6.9 - 9.7)	1,503
Age										
	15 or younger	13.5	(11.3 - 16.0)	1,247	16.9	(13.8 - 20.5)	564	8.8	(6.9 - 11.3)	668
	16 or 17	11.0	(9.2 - 13.2)	1,522	14.5	(11.6 - 18.1)	714	6.9	(5.2 - 9.0)	798
	18 or older	17.6	(11.6 - 25.8)	119	-	-	81	-	-	37
Grade										
	9th	13.8	(11.0 - 17.2)	655	17.3	(13.6 - 21.8)	309	9.5	(6.6 - 13.4)	345
	10th	12.5	(9.8 - 15.8)	631	15.6	(11.4 - 20.9)	286	8.8	(6.3 - 12.3)	340
	11th	11.5	(9.1 - 14.5)	795	13.5	(10.0 - 18.1)	375	8.4	(5.9 - 11.7)	413
	12th	10.3	(7.9 - 13.5)	760	13.9	(10.1 - 18.8)	366	5.9	(3.7 - 9.4)	390
Race/E	thnicity									
	Black*	13.1	(11.1 - 15.3)	1,242	16.1	( 13.0 - 19.9 )	588	9.7	(7.8 - 11.9)	650
	Hispanic/Latino	18.9	(14.3 - 24.4)	251	21.3	(14.6 - 29.8)	118	15.8	(10.3 - 23.5)	127
	White*	8.7	(6.7 - 11.2)	846	12.7	(9.6 - 16.6)	416	4.4	(2.9 - 6.7)	429
	All other races*	14.0	(8.6 - 21.9)	173	-	-	78	-	-	94
	Multiple races*	10.8	(7.8 - 14.9)	288	18.2	(12.2 - 26.3)	119	4.5	(2.3 - 8.6)	168

Note: 20 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.5	(7.5 - 9.7)	2,832	6.4	(5.0 - 8.1)	1,335	10.3	(8.8 - 12.0)	1,479
Age										
	15 or younger	8.3	(6.7 - 10.2)	1,217	6.3	(4.3 - 9.2)	552	10.0	(7.9 - 12.6)	658
	16 or 17	8.4	(7.0 - 10.0)	1,498	5.7	(4.1 - 8.0)	703	10.7	(8.7 - 13.0)	787
	18 or older	12.1	(7.4 - 19.2)	113	-	-	79	-	-	34
Grade										
	9th	8.2	(6.0 - 11.0)	644	6.0	(3.4 - 10.2)	303	10.7	(7.9 - 14.3)	341
	10th	7.5	(5.6 - 10.1)	624	5.6	(3.0 - 9.9)	284	8.4	(5.6 - 12.3)	335
	11th	8.7	(6.6 - 11.4)	773	6.4	(3.9 - 10.2)	366	11.2	(8.4 - 14.9)	403
	12th	8.6	( 6.9 - 10.7 )	745	6.5	(4.4 - 9.5)	359	10.7	(8.1 - 14.0)	385
Race/E	thnicity									
	Black*	9.0	(7.4 - 10.8)	1,217	6.8	(4.7 - 9.6)	576	10.9	(8.9 - 13.4)	637
	Hispanic/Latino	13.6	(9.7 - 18.7)	239	8.4	(4.5 - 15.4)	112	19.6	(13.3 - 28.0)	122
	White*	5.7	(4.3 - 7.6)	840	4.2	(2.6 - 6.6)	414	7.5	(5.1 - 10.7)	425
	All other races*	12.0	(7.7 - 18.2)	170	-	-	76	-	-	94
	Multiple races*	9.5	(6.6 - 13.4)	285	10.0	(5.7 - 16.8)	117	9.1	(5.7 - 14.3)	167

Note: 80 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.5	( 10.0 - 13.3 )	1,909	9.0	(7.0 - 11.7)	885	13.3	(11.1 - 15.9)	1,007
Age										
	15 or younger	11.4	(9.1 - 14.1)	777	8.0	(5.4 - 11.6)	348	13.8	(10.6 - 17.7)	420
	16 or 17	11.0	(8.9 - 13.5)	1,039	8.6	(6.0 - 12.4)	475	13.0	(10.0 - 16.7)	559
	18 or older	-	-	91	-	-	62	-	-	28
Grade										
	9th	10.5	(7.5 - 14.7)	392	7.0	(3.8 - 12.6)	184	14.3	(9.6 - 20.7)	208
	10th	9.8	(7.1 - 13.4)	409	5.4	(2.8 - 10.1)	184	12.8	(8.7 - 18.5)	222
	11th	11.2	(8.1 - 15.2)	533	10.1	(6.1 - 16.1)	242	11.5	(7.8 - 16.7)	287
	12th	13.2	( 10.4 - 16.6 )	540	11.7	(8.3 - 16.2)	256	14.4	(10.3 - 19.8)	281
Race/E	thnicity									
	Black*	11.0	(8.9 - 13.5)	815	8.5	(5.8 - 12.4)	380	13.1	(10.2 - 16.6)	432
	Hispanic/Latino	14.5	(9.4 - 21.7)	163	-	-	84	-	-	74
	White*	10.2	(8.1 - 12.9)	575	6.9	(4.4 - 10.5)	272	13.6	(10.2 - 18.0)	303
	All other races*	-	-	91	-	-	33	-	-	57
	Multiple races*	11.1	(7.7 - 15.8)	204	-	-	87	13.7	(8.7 - 20.8)	117

Note: 1,003 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	10.8	( 9.4 - 12.2 )	1,910	8.1	( 6.4 - 10.3 )	887	12.4	( 10.4 - 14.7 )	1,005
Age										
	15 or younger	11.3	(9.3 - 13.7)	778	7.6	(5.2 - 11.0)	350	14.2	(11.0 - 18.1)	419
	16 or 17	9.4	(7.8 - 11.3)	1,039	7.9	(5.8 - 10.6)	476	10.5	(8.1 - 13.3)	558
	18 or older	-	-	90	-	-	61	-	-	28
Grade										
	9th	10.5	(7.8 - 14.0)	395	6.1	(3.4 - 10.8)	186	15.2	(10.3 - 21.9)	209
	10th	9.7	(7.1 - 13.2)	408	6.3	(3.2 - 12.0)	185	12.6	(8.7 - 18.0)	220
	11th	10.2	(7.9 - 13.1)	532	10.0	(6.8 - 14.3)	242	10.2	(7.3 - 13.9)	286
	12th	11.0	(8.3 - 14.4)	540	9.3	(5.8 - 14.5)	256	11.7	(8.2 - 16.3)	281
Race/E	thnicity									
	Black*	9.0	(7.2 - 11.1)	818	7.3	(5.0 - 10.6)	383	10.5	(7.7 - 14.0)	432
	Hispanic/Latino	15.3	(10.2 - 22.5)	162	-	-	83	-	-	74
	White*	11.2	(8.9 - 14.0)	574	6.2	(3.9 - 9.6)	272	16.3	(12.5 - 21.1)	302
	All other races*	-	-	91	-	-	33	-	-	57
	Multiple races*	10.3	(7.1 - 14.6)	204	-	-	87	12.7	(8.3 - 18.9)	117

Note: 1,002 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	18.6	( 17.0 - 20.4 )	2,830	16.1	( 14.0 - 18.4 )	1,323	21.0	(18.6 - 23.6)	1,488
Age										
	15 or younger	22.5	( 20.1 - 25.1 )	1,216	18.6	(15.4 - 22.3)	546	26.2	( 22.5 - 30.3 )	660
	16 or 17	14.9	( 13.1 - 16.9 )	1,499	13.0	( 10.5 - 16.0 )	700	16.4	(13.8 - 19.4)	792
	18 or older	16.2	(9.9 - 25.2)	112	-	-	76	-	-	36
Grade										
	9th	24.2	(20.6 - 28.2)	643	20.7	(16.0 - 26.3)	304	28.1	(22.4 - 34.5)	339
	10th	19.0	(16.3 - 22.1)	618	15.3	(11.9 - 19.5)	276	22.3	(18.4 - 26.8)	338
	11th	16.0	(13.3 - 19.2)	783	13.6	(10.3 - 17.8)	368	17.9	(13.9 - 22.8)	410
	12th	14.3	(11.8 - 17.2)	740	13.2	(10.0 - 17.2)	353	15.1	(11.6 - 19.5)	386
Race/E	thnicity									
	Black*	14.6	( 12.6 - 16.9 )	1,213	13.6	(11.0 - 16.6)	567	15.5	( 12.6 - 18.9 )	642
	Hispanic/Latino	25.0	(19.2 - 31.8)	244	20.4	(13.7 - 29.4)	113	28.7	(20.8 - 38.2)	125
	White*	23.3	( 20.6 - 26.4 )	838	19.2	(15.5 - 23.6)	411	27.8	(23.5 - 32.7)	426
	All other races*	20.3	(14.8 - 27.3)	171	-	-	77	-	-	93
	Multiple races*	17.3	(13.1 - 22.4)	285	15.0	(9.7 - 22.4)	118	19.1	(13.4 - 26.5)	167

Note: 82 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.2	(11.8 - 14.7)	2,860	9.9	(8.2 - 11.9)	1,341	16.1	( 14.2 - 18.1 )	1,495
Age										
	15 or younger	13.6	(11.7 - 15.7)	1,233	8.2	(6.0 - 11.1)	556	18.8	(15.9 - 22.0)	665
	16 or 17	12.5	(10.7 - 14.6)	1,508	10.6	(8.4 - 13.3)	704	13.7	(11.3 - 16.5)	795
	18 or older	14.9	(9.2 - 23.2)	115	-	-	80	-	-	35
Grade										
	9th	13.1	(10.6 - 15.9)	647	7.3	(4.4 - 11.9)	304	19.1	(15.6 - 23.3)	342
	10th	13.1	(10.8 - 15.8)	630	9.1	(6.3 - 12.8)	284	16.7	(13.0 - 21.1)	341
	11th	11.8	(9.4 - 14.8)	782	10.3	(7.5 - 14.1)	368	12.9	( 9.9 - 16.7 )	409
	12th	13.7	(11.2 - 16.8)	751	12.3	( 8.9 - 16.9 )	360	14.6	(11.3 - 18.6)	388
Race/Etl	nnicity									
	Black*	10.6	(8.9 - 12.7)	1,225	8.9	(6.6 - 11.9)	578	12.2	(9.7 - 15.2)	643
	Hispanic/Latino	17.9	(13.0 - 24.3)	246	14.7	(8.9 - 23.2)	115	22.1	(15.2 - 31.1)	126
	White*	16.2	( 13.9 - 18.9 )	842	10.5	(7.8 - 14.1)	413	22.4	(18.7 - 26.6)	428
	All other races*	12.9	(8.6 - 18.7)	171	-	-	76	-	-	94
	Multiple races*	12.9	(9.6 - 17.2)	286	10.5	( 6.1 - 17.3 )	118	14.8	( 10.4 - 20.7 )	168

Note: 52 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		25.0	(23.2 - 26.8)	2,862	17.7	( 15.7 - 20.0 )	1,343	32.3	( 29.6 - 35.1 )	1,500
Age										
15 or	younger	25.6	(23.1 - 28.4)	1,237	15.4	(12.8 - 18.4)	559	35.5	(31.2 - 40.0)	667
16 or	17	24.4	( 22.1 - 26.9 )	1,506	18.9	(16.0 - 22.3)	702	29.7	(26.8 - 32.8)	797
18 or 6	older	23.9	(16.0 - 34.1)	117	-	-	81	-	-	36
Grade										
9th		24.6	(21.1 - 28.5)	648	14.2	(10.9 - 18.4)	305	36.1	(30.6 - 42.0)	343
10th		25.3	(21.8 - 29.2)	630	17.6	(13.2 - 23.2)	285	32.2	(26.6 - 38.3)	340
11th		24.9	(21.5 - 28.6)	786	16.1	(12.5 - 20.4)	369	34.2	(29.5 - 39.2)	413
12th		24.6	(21.6 - 27.8)	752	22.0	(17.4 - 27.3)	361	27.1	( 23.7 - 30.9 )	389
Race/Ethnicity										
Black	*	22.0	( 19.7 - 24.5 )	1,236	15.1	(12.4 - 18.3)	585	29.0	(25.4 - 32.8)	647
Hispar	nic/Latino	34.1	( 28.5 - 40.1 )	244	26.0	(18.7 - 35.0)	113	42.4	( 34.5 - 50.7 )	125
White	*	27.3	( 24.1 - 30.7 )	840	19.4	(15.8 - 23.6)	410	35.7	(31.1 - 40.6)	429
All otl	ner races*	24.3	(17.6 - 32.4)	172	-	-	77	-	-	94
Multip	ole races*	29.4	( 24.4 - 35.0 )	286	21.0	( 14.7 - 29.0 )	118	36.2	( 29.1 - 43.9 )	168

Note: 50 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	15.2	( 13.7 - 16.8 )	2,836	11.0	(9.3 - 12.9)	1,330	19.3	(16.9 - 21.9)	1,486	
Age											
	15 or younger	16.5	(14.2 - 19.0)	1,219	11.1	(8.7 - 14.2)	551	21.6	(18.4 - 25.3)	658	
	16 or 17	14.3	(12.4 - 16.5)	1,499	10.5	(8.2 - 13.3)	699	17.7	(14.6 - 21.2)	791	
	18 or older	10.4	( 6.0 - 17.3 )	116	-	-	79	-	-	37	
Grade											
	9th	17.0	( 14.4 - 19.9 )	636	10.9	(7.9 - 14.9)	299	23.9	(20.1 - 28.2)	336	
	10th	15.9	(12.7 - 19.6)	627	12.7	(9.0 - 17.6)	283	18.3	(13.9 - 23.8)	340	
	11th	14.9	(12.1 - 18.2)	779	8.1	(5.8 - 11.1)	362	21.6	(17.2 - 26.8)	412	
	12th	12.0	( 9.8 - 14.5 )	748	10.4	(7.6 - 14.2)	362	13.5	(9.9 - 18.1)	385	
Race/	Ethnicity										
	Black*	13.6	(11.7 - 15.7)	1,223	8.8	(6.9 - 11.3)	577	18.1	(15.2 - 21.5)	642	
	Hispanic/Latino	21.9	(17.0 - 27.9)	242	16.7	(10.6 - 25.2)	113	27.4	( 20.2 - 36.0 )	124	
	White*	17.5	(15.0 - 20.4)	833	13.6	(10.5 - 17.4)	407	21.8	(17.5 - 26.8)	425	
	All other races*	11.0	( 6.8 - 17.2 )	168	-	-	76	-	-	91	
	Multiple races*	14.7	(11.1 - 19.4)	287	11.8	(7.3 - 18.5)	118	16.8	(11.4 - 23.9)	168	

Note: 76 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	tal	12.1	( 10.7 - 13.6 )	2,852	9.2	(7.6 - 11.2)	1,340	14.4	( 12.5 - 16.6 )	1,490
Age										
15	or younger	13.1	(11.1 - 15.4)	1,225	9.1	(6.7 - 12.3)	556	16.6	(13.9 - 19.8)	659
16	or 17	11.1	(9.5 - 13.0)	1,504	8.9	(7.0 - 11.4)	701	12.8	(10.4 - 15.6)	794
18	or older	8.8	(4.6 - 16.3)	120	-	-	82	-	-	37
Grade										
9th	1	13.0	(10.8 - 15.5)	640	7.8	(4.9 - 12.2)	305	18.9	(15.5 - 22.9)	335
100	th	12.6	(9.6 - 16.4)	628	11.2	(7.6 - 16.3)	283	13.7	(9.9 - 18.7)	341
111	th	12.1	(9.6 - 15.1)	782	7.1	(4.9 - 10.2)	365	16.5	(12.9 - 21.0)	411
121	th	9.5	(7.4 - 12.1)	753	10.3	(7.3 - 14.4)	363	8.5	(6.0 - 11.8)	388
Race/Ethnic	city									
Bla	ack*	10.2	(8.6 - 12.1)	1,230	7.5	(5.6 - 10.1)	581	12.8	(10.5 - 15.5)	645
His	spanic/Latino	17.7	(13.4 - 23.1)	246	13.1	(7.9 - 21.0)	115	22.7	(16.2 - 30.9)	125
Wł	hite*	13.6	(11.2 - 16.4)	837	10.9	(8.1 - 14.4)	410	16.5	(12.9 - 20.8)	426
All	l other races*	10.5	( 6.5 - 16.5 )	168	-	-	77	-	-	91
Mι	ultiple races*	9.7	( 6.9 - 13.6 )	286	9.0	(5.0 - 16.0)	118	9.9	(6.3 - 15.4)	167

Note: 60 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

16

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	7.7	(6.5 - 9.1)	2,827	8.7	( 6.9 - 10.9 )	1,325	5.9	(4.7 - 7.5)	1,477	
Age										
15 or younger	8.1	(6.6 - 9.9)	1,216	8.3	(6.1 - 11.2)	548	7.0	(5.1 - 9.6)	656	
16 or 17	6.4	(5.0 - 8.2)	1,487	8.1	(5.9 - 11.0)	694	4.4	(3.0 - 6.4)	784	
18 or older	16.0	(10.2 - 24.1)	120	-	-	82	-	-	37	
Grade										
9th	9.4	(7.3 - 11.9)	639	9.5	(6.4 - 13.7)	302	8.9	(6.1 - 12.8)	336	
10th	5.6	(3.8 - 8.2)	612	5.5	(3.1 - 9.6)	271	5.1	(3.1 - 8.0)	336	
11th	7.4	(5.4 - 10.2)	780	9.2	(6.5 - 12.9)	367	4.7	(2.8 - 7.8)	408	
12th	6.9	(4.7 - 10.1)	746	8.5	(5.0 - 14.0)	360	4.8	(3.0 - 7.7)	382	
Race/Ethnicity										
Black*	7.6	(5.9 - 9.7)	1,212	9.1	(6.4 - 12.8)	570	5.9	(4.1 - 8.4)	638	
Hispanic/Latino	14.3	(10.1 - 19.8)	244	16.6	(10.5 - 25.3)	117	10.7	(6.3 - 17.5)	122	
White*	5.2	(3.9 - 7.1)	835	5.4	(3.6 - 8.1)	410	5.1	(3.3 - 7.7)	424	
All other races*	7.9	(4.0 - 15.1)	168	-	-	74	-	-	93	
Multiple races*	8.6	(5.7 - 12.8)	278	13.3	(8.3 - 20.7)	115	4.8	(2.4 - 9.7)	163	

Note: 85 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.2	(8.0 - 10.7)	2,731	9.8	(8.0 - 12.0)	1,276	8.3	( 6.9 - 10.0 )	1,438
15 or younger	6.8	(5.4 - 8.6)	1,177	6.1	(4.3 - 8.4)	529	6.9	(5.1 - 9.2)	639
16 or 17	10.8	(9.1 - 12.9)	1,443	12.0	(9.4 - 15.2)	671	9.6	(7.6 - 12.1)	765
18 or older	19.5	(13.3 - 27.8)	109	-	-	75	-	-	34
9th	5.1	(3.5 - 7.3)	617	5.6	(3.5 - 8.9)	291	4.5	(2.8 - 7.1)	326
10th	7.6	(5.7 - 10.1)	597	6.3	(4.0 - 9.8)	265	8.5	(5.7 - 12.6)	328
11th	12.0	(9.6 - 15.0)	763	11.1	(8.0 - 15.1)	358	12.4	(9.2 - 16.7)	401
12th	12.2	(9.3 - 15.8)	715	15.7	(11.3 - 21.4)	342	8.2	(5.6 - 11.9)	371
thnicity									
Black*	6.3	(4.8 - 8.3)	1,178	7.7	(5.4 - 10.9)	549	4.9	(3.3 - 7.1)	625
Hispanic/Latino	12.3	(8.8 - 16.9)	232	11.5	( 6.9 - 18.6 )	105	11.7	(7.3 - 18.1)	122
White*	12.8	( 10.5 - 15.5 )	812	11.2	(8.3 - 14.8)	401	14.5	(11.3 - 18.5)	410
All other races*	10.8	(6.3 - 17.8)	161	-	-	74	-	-	87
Multiple races*	10.2	(7.0 - 14.7)	271	12.5	(7.4 - 20.2)	110	8.4	(4.9 - 14.1)	161
	15 or younger 16 or 17 18 or older  9th 10th 11th 12th thnicity Black* Hispanic/Latino White* All other races*	Total 9.2  15 or younger 6.8 16 or 17 10.8 18 or older 19.5  9th 5.1 10th 7.6 11th 12.0 12th 12.2 thnicity  Black* 6.3 Hispanic/Latino 12.3 White* 12.8 All other races* 10.8	Percentage 95% confidence interval  Total 9.2 (8.0 - 10.7)  15 or younger 6.8 (5.4 - 8.6) 16 or 17 10.8 (9.1 - 12.9) 18 or older 19.5 (13.3 - 27.8)  9th 5.1 (3.5 - 7.3) 10th 7.6 (5.7 - 10.1) 11th 12.0 (9.6 - 15.0) 12th 12.2 (9.3 - 15.8)  thnicity  Black* 6.3 (4.8 - 8.3) Hispanic/Latino 12.3 (8.8 - 16.9) White* 12.8 (10.5 - 15.5) All other races* 10.8 (6.3 - 17.8)	Percentage         95% confidence interval         N           Total         9.2         (8.0 - 10.7)         2,731           15 or younger         6.8         (5.4 - 8.6)         1,177           16 or 17         10.8         (9.1 - 12.9)         1,443           18 or older         19.5         (13.3 - 27.8)         109           9th         5.1         (3.5 - 7.3)         617           10th         7.6         (5.7 - 10.1)         597           11th         12.0         (9.6 - 15.0)         763           12th         12.2         (9.3 - 15.8)         715           thnicity           Black*         6.3         (4.8 - 8.3)         1,178           Hispanic/Latino         12.3         (8.8 - 16.9)         232           White*         12.8         (10.5 - 15.5)         812           All other races*         10.8         (6.3 - 17.8)         161	Percentage         95% confidence interval         N         Percentage           Total         9.2         (8.0 - 10.7)         2,731         9.8           15 or younger         6.8         (5.4 - 8.6)         1,177         6.1           16 or 17         10.8         (9.1 - 12.9)         1,443         12.0           18 or older         19.5         (13.3 - 27.8)         109         -           9th         5.1         (3.5 - 7.3)         617         5.6           10th         7.6         (5.7 - 10.1)         597         6.3           11th         12.0         (9.6 - 15.0)         763         11.1           12th         12.2         (9.3 - 15.8)         715         15.7           thnicity           Black*         6.3         (4.8 - 8.3)         1,178         7.7           Hispanic/Latino         12.3         (8.8 - 16.9)         232         11.5           White*         12.8         (10.5 - 15.5)         812         11.2           All other races*         10.8         (6.3 - 17.8)         161         -	Percentage         95% confidence interval         N         Percentage confidence confidence interval           Total         9.2         (8.0 - 10.7)         2,731         9.8         (8.0 - 12.0)           15 or younger         6.8         (5.4 - 8.6)         1,177         6.1         (4.3 - 8.4)           16 or 17         10.8         (9.1 - 12.9)         1,443         12.0         (9.4 - 15.2)           18 or older         19.5         (13.3 - 27.8)         109         -         -           9th         5.1         (3.5 - 7.3)         617         5.6         (3.5 - 8.9)           10th         7.6         (5.7 - 10.1)         597         6.3         (4.0 - 9.8)           11th         12.0         (9.6 - 15.0)         763         11.1         (8.0 - 15.1)           12th         12.2         (9.3 - 15.8)         715         15.7         (11.3 - 21.4)           thincity           Black*         6.3         (4.8 - 8.3)         1,178         7.7         (5.4 - 10.9)           Hispanic/Latino         12.3         (8.8 - 16.9)         232         11.5         (6.9 - 18.6)           White*         12.8         (10.5 - 15.5)         812         11.2         (8.3 -	Percentage	Percentage confidence interval   Percentage	Percentage

Note: 181 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	1.7	(1.3 - 2.3)	2,731	2.5	(1.8 - 3.4)	1,276	0.9	(0.5 - 1.6)	1,438	
Age											
	15 or younger	1.1	(0.7 - 2.0)	1,177	1.7	(0.9 - 3.2)	529	0.6	(0.2 - 1.7)	639	
	16 or 17	1.6	(1.1 - 2.4)	1,443	2.2	(1.3 - 3.5)	671	1.1	(0.5 - 2.3)	765	
	18 or older	9.5	(5.5 - 16.0)	109	-	-	75	-	-	34	
Grade											
	9th	0.7	(0.3 - 1.9)	617	1.4	(0.5 - 3.7)	291	0.0	-	326	
	10th	1.0	(0.4 - 2.4)	597	1.3	(0.4 - 3.7)	265	0.8	(0.2 - 3.4)	328	
	11th	1.5	(0.9 - 2.7)	763	1.8	(0.9 - 3.5)	358	1.3	(0.5 - 3.6)	401	
	12th	3.1	(2.1 - 4.8)	715	4.7	( 2.9 - 7.6 )	342	1.6	(0.8 - 3.3)	371	
Race/E	thnicity										
	Black*	0.9	(0.5 - 1.7)	1,178	1.3	(0.6 - 2.8)	549	0.4	(0.1 - 1.4)	625	
	Hispanic/Latino	4.1	(2.1 - 8.1)	232	6.3	(3.0 - 13.0)	105	2.2	(0.7 - 6.3)	122	
	White*	2.2	(1.4 - 3.5)	812	2.6	(1.5 - 4.5)	401	1.7	(0.8 - 3.8)	410	
	All other races*	3.7	(1.3 - 10.2)	161	-	-	74	-	-	87	
	Multiple races*	1.9	(0.8 - 4.6)	271	3.5	(1.3 - 9.2)	110	0.7	(0.1 - 4.6)	161	

Note: 181 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	1.2	(0.8 - 1.7)	2,731	1.6	(1.1 - 2.5)	1,276	0.7	(0.3 - 1.3)	1,438
Age										
	15 or younger	0.9	(0.5 - 1.7)	1,177	1.2	(0.5 - 2.5)	529	0.6	(0.2 - 1.7)	639
	16 or 17	0.9	(0.5 - 1.6)	1,443	1.2	(0.6 - 2.5)	671	0.6	(0.2 - 1.6)	765
	18 or older	7.9	(4.3 - 13.9)	109	-	-	75	-	-	34
Grad	e									
	9th	0.5	(0.2 - 1.7)	617	1.0	(0.3 - 3.2)	291	0.0	-	326
	10th	0.9	(0.3 - 2.3)	597	0.9	(0.2 - 3.6)	265	0.8	(0.2 - 3.4)	328
	11th	0.9	(0.4 - 1.9)	763	1.3	(0.5 - 3.0)	358	0.4	(0.1 - 3.0)	401
	12th	1.9	(1.1 - 3.3)	715	2.5	(1.3 - 4.7)	342	1.4	(0.6 - 2.9)	371
Race/	Ethnicity									
	Black*	0.7	(0.3 - 1.4)	1,178	1.0	(0.5 - 2.3)	549	0.3	(0.1 - 1.3)	625
	Hispanic/Latino	3.1	(1.4 - 6.7)	232	4.8	(2.0 - 11.1)	105	1.5	(0.4 - 5.6)	122
	White*	1.1	(0.5 - 2.4)	812	1.1	(0.5 - 2.7)	401	1.2	(0.4 - 3.1)	410
	All other races*	3.1	(1.0 - 9.0)	161	-	-	74	-	-	87
	Multiple races*	1.9	(0.8 - 4.6)	271	3.5	(1.3 - 9.2)	110	0.7	(0.1 - 4.6)	161

Note: 181 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	7.3	(4.5 - 11.5)	259	10.9	( 6.5 - 17.7 )	131	2.2	(0.8 - 6.2)	123
Age										
	15 or younger	-	-	80	-	-	31	-	-	45
	16 or 17	3.8	(1.7 - 8.4)	155	-	-	80	-	-	74
	18 or older	-	-	24	-	-	20	-	-	4
Grade										
	9th	-	-	32	-	-	16	_	-	16
	10th	-	-	41	-	-	13	-	-	27
	11th	-	-	91	-	-	42	-	-	47
	12th	-	-	90	-	-	55	-	-	33
Race/Eth	nicity									
	Black*	-	-	68	-	-	39	-	-	28
	Hispanic/Latino	-	-	28	-	-	13	-	-	14
	White*	1.7	(0.4 - 6.3)	104	-	-	45	-	-	59
	All other races*	-	-	18	-	-	12	-	-	6
	Multiple races*	-	-	30	-	-	15	-	-	15

Note: 2,653 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.7	( 9.5 - 19.2 )	223	16.8	(10.8 - 25.2)	105	9.8	(4.8 - 18.9)	113
Age										
	15 or younger	-	-	76	-	-	29	-	-	43
	16 or 17	15.3	(9.7 - 23.3)	147	-	-	76	-	-	70
	18 or older	-	-	0	-	-	0	-	-	0
Grade										
	9th	-	-	30	-	-	14	-	-	16
	10th	-	-	38	-	-	12	-	-	25
	11th	-	-	84	-	-	37	-	-	45
	12th	-	-	66	-	-	37	-	-	27
Race/E	thnicity									
	Black*	-	-	55	-	-	28	-	-	26
	Hispanic/Latino	-	-	23	-	-	10	-	-	12
	White*	-	-	93	-	-	39	-	-	54
	All other races*	-	-	15	-	-	9	-	-	6
	Multiple races*	-	-	27	-	-	13	-	-	14

Note: 2,689 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNCIGINT: Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Т	otal	4.0	(1.9 - 8.4)	223	4.2	(1.4 - 12.3)	105	2.9	(0.9 - 8.9)	113
Age										
1	5 or younger	-	-	76	-	-	29	-	-	43
1	6 or 17	1.5	(0.2 - 10.0)	147	-	-	76	-	-	70
1	8 or older	-	-	0	-	-	0	-	-	0
Grade										
9	rth	-	-	30	-	-	14	-	-	16
1	Oth	-	-	38	-	-	12	-	-	25
1	1th	-	-	84	-	-	37	-	-	45
1	2th	-	-	66	-	-	37	-	-	27
Race/Ethn	icity									
В	Black*	-	-	55	-	-	28	-	-	26
H	Hispanic/Latino	-	-	23	-	-	10	-	-	12
V	Vhite*	-	-	93	-	-	39	-	-	54
A	All other races*	-	-	15	-	-	9	-	-	6
N	Aultiple races*	-	-	27	-	-	13	-	-	14

Note: 2,689 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.7	(5.5 - 8.1)	2,770	9.9	(8.1 - 12.1)	1,285	2.0	(1.4 - 3.0)	1,457
Age										
	15 or younger	6.3	(4.9 - 8.2)	1,192	8.5	(6.3 - 11.4)	533	2.8	(1.8 - 4.5)	644
	16 or 17	5.6	(4.3 - 7.1)	1,458	9.8	(7.5 - 12.7)	672	1.1	(0.6 - 2.1)	778
	18 or older	19.4	( 12.4 - 28.9 )	115	-	-	79	-	-	35
Grade										
	9th	5.7	(4.0 - 8.0)	620	7.9	(5.2 - 12.0)	290	2.8	(1.6 - 5.1)	329
	10th	4.4	(2.9 - 6.7)	604	6.7	(4.0 - 10.9)	265	1.8	(0.8 - 3.9)	334
	11th	7.1	(5.1 - 9.8)	766	10.2	(7.2 - 14.3)	362	2.7	(1.4 - 5.3)	398
	12th	7.1	(5.3 - 9.5)	731	13.0	(9.6 - 17.3)	345	0.7	(0.2 - 2.4)	383
Race/E	thnicity									
	Black*	4.6	(3.2 - 6.5)	1,183	7.8	(5.3 - 11.2)	549	1.2	(0.6 - 2.7)	631
	Hispanic/Latino	12.3	(8.3 - 17.6)	243	15.0	(9.2 - 23.5)	114	8.0	(3.8 - 15.9)	123
	White*	7.9	(6.1 - 10.1)	817	12.7	(9.9 - 16.1)	401	2.7	(1.5 - 4.9)	415
	All other races*	7.1	(3.7 - 13.2)	161	-	-	70	-	-	90
	Multiple races*	4.0	(2.1 - 7.3)	279	6.8	(3.2 - 13.7)	113	1.4	(0.3 - 5.5)	165

Note: 142 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
	Percenta	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	10.5	( 9.2 - 12.0 )	2,864	12.5	( 10.5 - 14.9 )	1,339	7.6	(6.2 - 9.2)	1,496	
Age										
15 or young	ger 8.9	(7.3 - 10.8)	1,230	10.7	(8.1 - 14.1)	551	6.1	(4.4 - 8.3)	664	
16 or 17	11.0	(9.3 - 13.1)	1,511	12.9	(10.2 - 16.2)	706	8.9	(6.9 - 11.6)	796	
18 or older	20.5	( 14.9 - 27.5 )	118	-	-	81	-	-	36	
Grade										
9th	7.4	(5.2 - 10.3)	639	10.0	(6.6 - 14.8)	299	4.5	(2.4 - 8.2)	339	
10th	9.4	(7.2 - 12.2)	626	11.1	(7.6 - 15.9)	280	6.9	(4.7 - 9.9)	341	
11th	11.5	(8.9 - 14.9)	792	13.5	(9.9 - 18.2)	374	8.7	(5.8 - 12.9)	412	
12th	12.7	( 10.0 - 15.9 )	756	14.8	( 10.8 - 20.0 )	362	10.1	(7.0 - 14.3)	390	
Race/Ethnicity										
Black*	10.3	(8.5 - 12.4)	1,227	12.9	(9.9 - 16.8)	580	7.4	(5.4 - 9.9)	644	
Hispanic/La	atino 15.2	(11.1 - 20.4)	250	16.4	(10.7 - 24.3)	117	13.1	(7.7 - 21.6)	127	
White*	8.3	(6.6 - 10.4)	841	10.3	(7.6 - 13.7)	412	6.3	(4.4 - 8.8)	428	
All other ra	ces* 9.7	(6.2 - 14.8)	170	-	-	75	-	-	94	
Multiple ra	ces* 12.0	(8.0 - 17.8)	283	13.7	(8.6 - 21.2)	115	10.4	(5.0 - 20.1)	167	

Note: 48 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	al	40.9	( 38.8 - 43.1 )	2,741	40.0	( 36.9 - 43.1 )	1,274	41.8	( 39.3 - 44.3 )	1,452
Age										
15 (	or younger	36.8	( 33.9 - 39.9 )	1,174	33.8	( 29.5 - 38.4 )	526	39.6	( 36.0 - 43.4 )	643
16 0	or 17	44.7	(42.1 - 47.3)	1,455	45.9	( 42.1 - 49.7 )	674	43.3	( 39.9 - 46.8 )	774
18 (	or older	45.1	( 35.2 - 55.4 )	108	-	-	73	-	-	35
Grade										
9th		32.8	(28.9 - 37.0)	617	30.0	(24.6 - 36.0)	289	35.9	( 30.6 - 41.5 )	328
10tl	h	42.0	( 37.8 - 46.4 )	604	41.9	( 35.1 - 48.9 )	268	41.9	(37.2 - 46.8)	333
11tl	h	40.5	( 37.4 - 43.7 )	757	40.8	( 36.1 - 45.6 )	355	40.3	(35.7 - 45.0)	400
12tl	n	48.5	( 44.1 - 52.9 )	720	48.1	( 42.2 - 54.0 )	341	48.7	( 43.5 - 53.9 )	378
Race/Ethnici	ty									
Bla	ck*	38.5	( 35.7 - 41.4 )	1,168	37.3	( 33.3 - 41.5 )	541	39.6	( 36.1 - 43.2 )	624
His	panic/Latino	46.4	(39.8 - 53.2)	234	48.8	(38.9 - 58.8)	109	44.0	(34.8 - 53.6)	122
Wh	ite*	43.6	( 40.0 - 47.4 )	825	42.4	( 37.1 - 47.9 )	404	44.8	(40.1 - 49.7)	420
All	other races*	40.9	( 33.2 - 49.0 )	162	-	-	71	-	-	91
Mu	ltiple races*	42.2	( 35.8 - 48.9 )	275	40.7	( 32.3 - 49.7 )	114	43.4	( 34.8 - 52.4 )	161

Note: 171 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	23.1	(21.4 - 24.8)	2,770	23.9	(21.3 - 26.7)	1,288	21.8	( 20.0 - 23.8 )	1,459	
Age											
	15 or younger	19.6	(17.3 - 22.1)	1,188	17.8	(14.3 - 22.1)	531	20.9	(18.1 - 24.1)	646	
	16 or 17	25.7	(23.3 - 28.4)	1,464	29.4	(25.7 - 33.4)	678	22.2	(19.4 - 25.2)	777	
	18 or older	29.7	(21.4 - 39.7)	114	-	-	78	-	-	36	
Grade											
	9th	17.3	(14.2 - 21.0)	620	17.0	(12.4 - 22.9)	291	17.7	(13.5 - 22.9)	329	
	10th	22.7	(19.3 - 26.4)	607	22.2	(16.7 - 28.9)	270	23.2	(19.5 - 27.2)	332	
	11th	24.4	(21.6 - 27.5)	770	26.2	(22.1 - 30.8)	358	22.0	(18.3 - 26.3)	408	
	12th	26.8	(22.6 - 31.3)	727	29.3	(23.7 - 35.7)	346	24.3	( 19.7 - 29.4 )	377	
Race/E	Ethnicity										
	Black*	19.0	(16.8 - 21.3)	1,185	20.7	(17.4 - 24.4)	551	17.1	(14.6 - 19.8)	630	
	Hispanic/Latino	26.0	( 20.5 - 32.3 )	239	31.8	(23.7 - 41.2)	114	20.8	(13.9 - 29.8)	121	
	White*	28.5	(25.2 - 32.0)	824	27.5	(23.0 - 32.4)	402	29.7	( 25.2 - 34.7 )	421	
	All other races*	21.7	(16.1 - 28.7)	162	-	-	71	-	-	90	
	Multiple races*	26.3	( 20.8 - 32.6 )	276	27.4	( 19.4 - 37.2 )	113	25.5	(18.8 - 33.7)	162	

Note: 142 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	31.8	( 29.5 - 34.2 )	2,714	33.2	( 29.8 - 36.9 )	1,265	29.4	(27.1 - 31.8)	1,420
Age										
	15 or younger	27.1	(24.1 - 30.2)	1,162	25.6	(21.3 - 30.5)	520	27.3	(23.9 - 31.0)	627
	16 or 17	35.0	( 32.1 - 38.0 )	1,433	39.0	( 34.6 - 43.6 )	665	30.7	( 27.5 - 34.0 )	759
	18 or older	47.9	( 37.7 - 58.2 )	114	-	-	79	-	-	34
Grade										
	9th	22.8	(19.0 - 27.1)	597	22.4	(17.0 - 28.9)	283	23.0	(18.0 - 28.8)	313
	10th	31.8	(27.6 - 36.3)	593	32.9	( 26.3 - 40.3 )	259	30.3	(26.0 - 34.9)	329
	11th	33.9	( 30.5 - 37.5 )	766	35.1	( 30.2 - 40.3 )	360	31.6	(27.3 - 36.2)	399
	12th	37.3	( 32.5 - 42.4 )	709	41.8	( 35.2 - 48.7 )	340	32.3	( 26.8 - 38.2 )	366
Race/E	thnicity									
	Black*	27.9	(25.0 - 31.0)	1,150	30.7	(26.0 - 35.8)	536	24.9	(21.9 - 28.2)	610
	Hispanic/Latino	35.2	( 28.8 - 42.2 )	240	39.4	( 29.8 - 49.9 )	115	29.9	(22.1 - 39.1)	119
	White*	35.8	( 32.2 - 39.5 )	806	35.4	( 30.5 - 40.7 )	397	36.3	(31.4 - 41.4)	408
	All other races*	32.9	( 25.5 - 41.4 )	162	-	-	71	-	-	90
	Multiple races*	33.8	( 27.5 - 40.8 )	270	35.0	( 26.2 - 45.0 )	109	32.5	( 24.6 - 41.6 )	160

Note: 198 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.9	( 15.9 - 20.1 )	2,721	20.3	( 17.3 - 23.6 )	1,270	14.3	( 12.3 - 16.5 )	1,423
Age										
	15 or younger	14.9	(12.5 - 17.6)	1,172	16.5	(13.2 - 20.4)	527	11.9	(9.5 - 14.9)	630
	16 or 17	19.1	(16.6 - 21.9)	1,433	21.6	(17.9 - 26.0)	664	16.2	(13.5 - 19.2)	761
	18 or older	36.7	( 27.5 - 46.9 )	111	-	-	78	-	-	32
Grade										
	9th	12.9	(10.1 - 16.4)	606	15.8	(11.6 - 21.2)	287	9.2	(6.4 - 13.0)	318
	10th	15.4	(12.5 - 18.8)	591	16.1	(11.8 - 21.7)	258	13.8	(10.7 - 17.8)	328
	11th	19.8	(16.2 - 24.0)	760	20.5	(15.7 - 26.2)	358	18.1	(14.0 - 23.0)	396
	12th	21.7	(17.9 - 26.1)	717	26.8	(21.2 - 33.4)	344	16.0	(11.9 - 21.1)	370
Race/E	thnicity									
	Black*	14.5	(12.0 - 17.3)	1,160	17.4	(13.4 - 22.2)	539	11.4	(9.0 - 14.3)	618
	Hispanic/Latino	23.7	(18.4 - 29.9)	240	26.9	( 19.2 - 36.3 )	114	18.8	(12.4 - 27.5)	120
	White*	20.4	(17.5 - 23.6)	804	22.5	(18.4 - 27.3)	400	18.0	(14.5 - 22.1)	403
	All other races*	19.1	(13.1 - 26.8)	159	-	-	71	-	-	87
	Multiple races*	19.6	( 14.5 - 26.0 )	274	21.2	( 14.3 - 30.2 )	109	18.0	(11.5 - 27.2)	164

Note: 191 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tota	ıl	15.2	( 13.4 - 17.2 )	2,760	16.2	( 13.7 - 19.1 )	1,292	13.3	(11.4 - 15.3)	1,444
Age										
15 o	or younger	12.1	( 10.0 - 14.5 )	1,191	12.2	(9.3 - 15.8)	534	10.7	(8.5 - 13.5)	643
16 o	or 17	17.1	(14.7 - 19.8)	1,455	18.3	(14.9 - 22.3)	680	15.6	(13.0 - 18.6)	768
18 o	or older	28.3	(21.2 - 36.6)	110	-	-	77	-	-	33
Grade										
9th		9.3	( 6.9 - 12.5 )	617	10.8	(7.3 - 15.8)	291	7.7	(5.1 - 11.4)	326
10th	ı	13.6	(10.9 - 16.9)	604	13.4	(9.5 - 18.5)	269	12.8	(9.8 - 16.7)	330
11th	ı	18.1	(14.6 - 22.1)	772	17.8	(13.5 - 23.1)	364	17.3	(13.4 - 22.0)	402
12th	ı	19.0	(15.5 - 23.0)	722	21.9	( 16.7 - 28.1 )	345	15.5	(11.7 - 20.2)	374
Race/Ethnicit	ty									
Blac	ck*	13.0	(10.8 - 15.5)	1,187	15.1	(11.5 - 19.5)	557	10.6	(8.3 - 13.4)	627
Hisp	panic/Latino	19.4	(14.7 - 25.1)	239	20.0	(13.6 - 28.5)	110	17.2	(11.1 - 25.5)	123
Whi	te*	16.2	(13.6 - 19.3)	814	15.6	(12.2 - 19.8)	403	16.9	(13.6 - 20.9)	410
All	other races*	16.5	(11.1 - 23.7)	162	-	-	73	-	-	89
Mul	tiple races*	18.2	(13.3 - 24.3)	275	19.5	(13.3 - 27.7)	111	16.7	( 10.3 - 26.0 )	163

Note: 152 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
	Pero	centage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	72	2.9 (7	70.9 - 74.9 )	2,542	72.5	( 69.2 - 75.5 )	1,166	73.6	(71.3 - 75.8)	1,361	
Age											
15 or you	iger 77	7.9 (7	75.1 - 80.4 )	1,089	80.1	( 75.6 - 84.0 )	482	76.3	(72.8 - 79.4)	599	
16 or 17	69	0.0 (6	66.2 - 71.8 )	1,351	66.3	( 62.0 - 70.3 )	615	71.7	( 68.3 - 74.9 )	730	
18 or olde	r 59	0.6 (4	18.3 - 70.0 )	100	-	-	68	-	-	32	
Grade											
9th	82	2.1 (7	78.4 - 85.2 )	564	83.3	(77.6 - 87.8)	264	80.7	(75.0 - 85.3)	300	
10th	72	2.5 (6	58.2 - 76.4 )	558	72.7	(65.4 - 79.0)	240	72.6	(68.0 - 76.8)	314	
11th	70	).6 (6	57.1 - 73.8 )	721	69.9	( 64.9 - 74.5 )	336	71.5	(66.8 - 75.8)	383	
12th	66	5.6 (6	51.7 - 71.2 )	665	63.9	( 57.1 - 70.1 )	309	69.5	( 63.7 - 74.8 )	354	
Race/Ethnicity											
Black*	76	5.6 (7	73.9 - 79.1 )	1,086	76.2	(71.6 - 80.2)	489	77.2	(74.0 - 80.2)	594	
Hispanic/l	Latino 73	3.1 (6	66.5 - 78.9 )	218	70.9	( 60.0 - 79.9 )	100	75.4	( 66.6 - 82.5 )	114	
White*	67	7.4 (6	53.7 - 70.9 )	768	67.7	(62.5 - 72.5)	379	66.9	(61.8 - 71.7)	388	
All other i	aces* 74	1.5 (6	55.8 - 81.5 )	146	-	-	64	-	-	82	
Multiple r	aces* 69	).7 (6	52.7 - 75.9 )	258	68.8	( 58.6 - 77.4 )	104	70.4	(61.0 - 78.4)	154	

Note: 370 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	85.6	(83.8 - 87.2)	2,617	84.0	(81.3 - 86.4)	1,207	87.5	(85.5 - 89.3)	1,394
Age										
	15 or younger	88.9	(86.9 - 90.7)	1,124	88.1	(85.1 - 90.5)	500	90.4	(87.9 - 92.5)	615
	16 or 17	83.6	(81.0 - 85.8)	1,388	82.1	(78.1 - 85.5)	635	85.2	(82.3 - 87.7)	747
	18 or older	68.6	(58.2 - 77.4)	103	-	-	71	-	-	32
Grade										
	9th	90.8	(88.2 - 92.9)	584	88.7	(84.3 - 92.0)	273	93.1	(89.9 - 95.4)	311
	10th	87.0	(83.9 - 89.7)	574	87.0	(81.9 - 90.8)	249	87.7	(84.0 - 90.6)	321
	11th	83.1	(79.4 - 86.2)	736	82.8	(77.6 - 86.9)	346	84.0	(79.5 - 87.7)	387
	12th	81.5	(77.6 - 84.9)	688	78.2	(72.1 - 83.3)	321	85.1	(80.3 - 88.8)	365
Race/E	thnicity									
	Black*	88.5	(86.2 - 90.5)	1,125	87.3	(83.4 - 90.4)	512	89.9	(87.2 - 92.1)	610
	Hispanic/Latino	83.2	(78.0 - 87.4)	224	83.8	(75.1 - 89.8)	101	84.0	(76.2 - 89.6)	118
	White*	81.9	(78.9 - 84.6)	783	80.2	(75.7 - 84.0)	387	83.8	(79.9 - 87.0)	395
	All other races*	85.5	(78.2 - 90.7)	151	-	-	67	-	-	84
	Multiple races*	83.4	(77.1 - 88.2)	265	80.6	(71.7 - 87.2)	107	85.5	(76.2 - 91.6)	158

Note: 295 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	86.7	(85.0 - 88.2)	2,704	86.3	(83.7 - 88.5)	1,256	87.5	(85.6 - 89.2)	1,432
Age										
	15 or younger	90.1	(88.1 - 91.8)	1,164	90.4	(87.7 - 92.6)	519	90.4	(87.9 - 92.4)	636
	16 or 17	84.3	(81.8 - 86.5)	1,432	83.9	(80.1 - 87.1)	663	84.9	(82.1 - 87.4)	763
	18 or older	74.3	(65.9 - 81.2)	106	-	-	73	-	-	33
Grade										
	9th	92.4	(89.9 - 94.4)	606	91.7	(87.8 - 94.4)	283	93.3	(90.3 - 95.4)	323
	10th	87.8	(84.8 - 90.3)	595	88.7	(84.3 - 92.0)	263	87.6	(83.9 - 90.5)	328
	11th	83.8	(80.2 - 86.9)	758	84.6	(79.8 - 88.3)	356	83.6	(79.0 - 87.3)	399
	12th	82.6	(78.8 - 85.8)	708	80.3	(74.2 - 85.3)	335	85.2	(80.7 - 88.7)	371
Race/E	Ethnicity									
	Black*	88.9	(86.6 - 90.8)	1,165	87.9	(84.0 - 90.9)	540	90.2	(87.5 - 92.3)	622
	Hispanic/Latino	84.5	(79.6 - 88.4)	230	85.7	(77.7 - 91.2)	103	84.7	(77.1 - 90.1)	122
	White*	84.6	(81.7 - 87.2)	806	85.6	(81.5 - 88.9)	397	83.5	(79.7 - 86.8)	408
	All other races*	85.2	(77.9 - 90.4)	159	-	-	72	-	-	87
	Multiple races*	83.6	(77.7 - 88.2)	270	82.3	(74.3 - 88.2)	109	84.7	(75.6 - 90.7)	161

Note: 208 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	53.8	(51.5 - 56.1)	2,704	49.9	( 46.8 - 53.1 )	1,247	57.3	( 54.6 - 60.0 )	1,435	
Age											
	15 or younger	48.1	(45.2 - 51.1)	1,175	45.0	(40.7 - 49.4)	517	50.7	(47.2 - 54.2)	648	
	16 or 17	58.8	(55.9 - 61.6)	1,421	53.9	(49.4 - 58.3)	657	63.4	(59.9 - 66.8)	756	
	18 or older	63.1	(52.2 - 72.8)	103	-	-	72	-	-	31	
Grade											
	9th	42.6	(39.3 - 46.0)	612	42.0	( 37.1 - 47.1 )	283	42.9	(38.7 - 47.3)	328	
	10th	52.8	(47.9 - 57.5)	600	47.7	(39.7 - 55.7)	264	57.3	(52.2 - 62.2)	332	
	11th	56.5	(52.4 - 60.5)	740	50.5	(44.9 - 56.1)	346	62.2	(56.5 - 67.6)	390	
	12th	63.7	( 59.1 - 68.1 )	707	59.6	(52.6 - 66.3)	333	67.5	( 62.0 - 72.5 )	372	
Race/	Ethnicity										
	Black*	47.5	(44.2 - 50.8)	1,146	43.1	(38.7 - 47.7)	526	51.5	(47.7 - 55.3)	616	
	Hispanic/Latino	57.6	(50.9 - 64.1)	233	56.3	(46.6 - 65.6)	108	59.2	(49.6 - 68.1)	120	
	White*	64.1	( 60.9 - 67.3 )	822	60.1	(54.7 - 65.3)	401	68.6	(64.4 - 72.6)	420	
	All other races*	44.8	( 36.0 - 54.0 )	151	-	-	64	-	-	87	
	Multiple races*	53.0	(47.0 - 58.8)	269	52.9	(43.0 - 62.5)	109	53.1	(45.5 - 60.5)	160	

Note: 208 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	19.5	(17.9 - 21.3)	2,780	19.6	( 17.3 - 22.1 )	1,283	18.9	( 16.8 - 21.1 )	1,470	
Age											
	15 or younger	21.4	(18.8 - 24.3)	1,193	19.0	(15.5 - 23.0)	527	23.3	(20.1 - 26.9)	652	
	16 or 17	17.2	(15.1 - 19.5)	1,473	19.5	(16.4 - 23.0)	680	14.3	(11.8 - 17.3)	783	
	18 or older	24.2	(15.2 - 36.2)	110	-	-	75	-	-	35	
Grade	e										
	9th	23.8	(20.1 - 27.9)	623	20.1	(15.4 - 25.6)	293	27.6	(23.4 - 32.3)	329	
	10th	17.5	(14.3 - 21.2)	609	17.6	(13.2 - 23.2)	265	16.9	(12.7 - 22.2)	339	
	11th	17.3	(14.3 - 20.8)	774	16.8	(13.1 - 21.4)	358	17.0	(13.4 - 21.3)	410	
	12th	17.6	(14.5 - 21.1)	728	21.5	(17.3 - 26.5)	346	13.3	(9.6 - 18.2)	378	
Race/	Ethnicity										
	Black*	18.5	(16.3 - 21.1)	1,189	18.7	(15.6 - 22.3)	550	18.0	(15.1 - 21.3)	635	
	Hispanic/Latino	21.6	(16.8 - 27.4)	240	17.8	(12.0 - 25.6)	112	25.0	(18.3 - 33.2)	122	
	White*	18.8	(16.0 - 22.0)	828	19.4	(15.7 - 23.6)	404	18.2	(14.4 - 22.8)	423	
	All other races*	19.2	(13.2 - 27.1)	163	-	-	69	-	-	93	
	Multiple races*	20.7	(16.4 - 25.8)	273	23.4	(16.7 - 31.8)	110	18.3	(13.0 - 25.1)	162	

Note: 132 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	26.2	( 24.0 - 28.5 )	2,565	23.2	( 20.5 - 26.0 )	1,185	28.8	( 26.1 - 31.6 )	1,366	
Age											
	15 or younger	19.8	(17.2 - 22.8)	1,108	15.6	(12.4 - 19.3)	491	23.6	(20.1 - 27.5)	611	
	16 or 17	30.9	(28.2 - 33.9)	1,358	28.8	(25.1 - 32.9)	628	32.7	(29.2 - 36.4)	724	
	18 or older	-	-	97	-	-	65	-	-	31	
Grade											
	9th	16.8	(13.9 - 20.3)	585	14.7	(10.9 - 19.5)	274	19.2	(15.0 - 24.2)	311	
	10th	23.1	(19.5 - 27.1)	561	17.6	(12.7 - 23.9)	246	27.4	(23.5 - 31.6)	311	
	11th	27.7	(24.3 - 31.4)	713	23.6	(19.8 - 27.9)	335	31.5	(26.3 - 37.2)	376	
	12th	36.7	( 32.5 - 41.0 )	668	35.8	( 30.1 - 42.0 )	312	37.2	(31.9 - 42.9)	355	
Race/	Ethnicity										
	Black*	18.5	(16.1 - 21.1)	1,093	15.4	(12.4 - 19.1)	504	21.1	(18.0 - 24.6)	586	
	Hispanic/Latino	33.3	(26.6 - 40.8)	217	33.8	(24.9 - 43.9)	101	33.2	(24.1 - 43.8)	113	
	White*	37.6	(33.8 - 41.5)	777	34.4	(29.5 - 39.6)	379	41.2	( 36.1 - 46.4 )	397	
	All other races*	21.6	(15.7 - 29.1)	145	-	-	60	-	-	85	
	Multiple races*	27.4	(22.1 - 33.4)	261	22.0	(14.6 - 31.8)	106	31.6	(24.6 - 39.6)	155	

Note: 347 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		12.6	(11.2 - 14.2)	2,716	11.9	( 10.1 - 14.0 )	1,259	12.9	(11.1 - 15.0)	1,441
Age										
15 or y	younger	8.8	(7.2 - 10.6)	1,174	7.3	(5.3 - 10.0)	524	9.9	(7.7 - 12.6)	642
16 or	17	15.4	(13.4 - 17.6)	1,438	14.9	(12.1 - 18.0)	666	15.5	(12.9 - 18.5)	766
18 or 6	older	27.3	( 19.5 - 36.8 )	102	-	-	68	-	-	33
Grade										
9th		7.1	(5.5 - 9.2)	611	7.2	(4.9 - 10.4)	287	7.0	(4.6 - 10.6)	324
10th		9.2	(7.1 - 11.9)	602	6.3	(3.5 - 11.0)	264	11.2	(8.1 - 15.3)	333
11th		14.7	(12.2 - 17.7)	760	12.5	(9.4 - 16.4)	359	16.6	(12.9 - 21.1)	398
12th		18.8	(15.4 - 22.7)	703	20.6	(16.1 - 26.1)	329	17.1	(13.1 - 22.2)	373
Race/Ethnicity										
Black <sup>3</sup>	*	7.8	(6.4 - 9.5)	1,159	7.4	(5.5 - 9.9)	535	7.8	(5.9 - 10.3)	621
Hispai	nic/Latino	19.0	(14.2 - 25.0)	228	20.4	(13.5 - 29.5)	106	18.4	(12.0 - 27.3)	118
White	*	19.6	(16.5 - 23.2)	821	17.8	( 14.0 - 22.4 )	402	21.7	(17.4 - 26.6)	418
All oth	ner races*	9.8	(5.9 - 15.8)	160	-	-	68	-	-	91
Multip	ole races*	11.8	(8.6 - 16.1)	273	10.9	( 6.6 - 17.5 )	112	12.6	(8.7 - 17.9)	161

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)

		Total		Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	48.4	( 44.4 - 52.4 )	692	40.2	( 33.8 - 46.9 )	287	56.2	(51.2 - 61.0)	397
Age									
15 or younger	48.7	( 42.5 - 54.9 )	227	-	-	79	57.5	(50.4 - 64.3)	145
16 or 17	48.7	(43.4 - 54.0)	418	42.0	( 34.2 - 50.3 )	181	55.4	(48.6 - 62.1)	233
18 or older	-	-	47	-	-	27	-	-	19
Grade									
9th	43.6	(33.8 - 54.0)	101	-	-	40	-	-	61
10th	54.6	(46.5 - 62.5)	134	-	-	46	-	-	86
11th	49.2	(42.2 - 56.3)	202	-	-	85	55.7	(46.3 - 64.7)	115
12th	47.3	( 39.8 - 54.9 )	240	41.4	( 30.9 - 52.8 )	106	52.8	(44.2 - 61.3)	133
Race/Ethnicity									
Black*	52.9	(46.0 - 59.7)	201	-	-	77	67.8	(59.1 - 75.4)	122
Hispanic/Latino	-	-	71	-	-	35	-	-	35
White*	48.5	(42.8 - 54.2)	291	47.0	(38.0 - 56.3)	132	49.8	(42.4 - 57.2)	159
All other races*	-	-	34	-	-	10	-	-	24
Multiple races*	-	-	72	-	-	24	-	-	48

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN47: Percentage of students who ever used marijuana (one or more times during their life)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	35.3	( 32.7 - 37.9 )	2,716	34.4	(31.0 - 38.0)	1,257	35.5	( 32.4 - 38.6 )	1,435	
Age											
	15 or younger	25.5	( 22.7 - 28.6 )	1,171	23.8	( 20.1 - 28.0 )	516	26.5	(23.1 - 30.3)	643	
	16 or 17	43.2	( 40.2 - 46.2 )	1,435	42.9	( 38.4 - 47.6 )	667	43.1	(39.0 - 47.2)	760	
	18 or older	55.5	( 43.7 - 66.7 )	105	-	-	73	-	-	32	
Grade											
	9th	21.9	(18.6 - 25.6)	610	20.9	(16.5 - 26.1)	284	22.9	(18.8 - 27.5)	326	
	10th	32.3	(27.8 - 37.1)	601	32.1	(26.0 - 39.0)	267	31.9	(26.7 - 37.5)	329	
	11th	38.5	( 34.9 - 42.2 )	755	38.1	(32.6 - 43.9)	353	38.4	(33.1 - 44.0)	397	
	12th	48.2	(43.4 - 53.0)	707	47.1	(40.5 - 53.8)	332	48.6	( 42.7 - 54.6 )	371	
Race/I	Ethnicity										
	Black*	36.3	(32.9 - 39.8)	1,156	34.9	(30.3 - 39.9)	532	37.3	(33.4 - 41.4)	620	
	Hispanic/Latino	37.8	(31.3 - 44.8)	225	39.1	(29.6 - 49.5)	103	36.9	( 27.9 - 46.9 )	116	
	White*	31.8	(28.1 - 35.7)	829	31.4	( 26.7 - 36.6 )	406	32.3	(27.3 - 37.7)	422	
	All other races*	29.6	( 22.2 - 38.3 )	154	-	-	67	-	-	86	
	Multiple races*	38.4	(31.7 - 45.5)	272	37.2	( 27.8 - 47.7 )	111	39.3	( 30.7 - 48.6 )	161	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN48: Percentage of students who tried marijuana before age 13 years (for the first time)

			Total		Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.6	(7.3 - 10.1)	2,729	10.5	(8.6 - 12.7)	1,256	5.8	(4.5 - 7.5)	1,450
Age										
	15 or younger	8.8	(6.9 - 11.2)	1,176	10.0	(7.4 - 13.3)	517	6.8	(4.6 - 9.8)	647
	16 or 17	7.6	(6.1 - 9.4)	1,442	10.3	(8.0 - 13.2)	665	4.7	(3.3 - 6.6)	769
	18 or older	14.9	(8.9 - 23.7)	107	-	-	73	-	-	34
Grade										
	9th	10.7	(8.0 - 14.3)	617	12.1	(8.6 - 16.7)	288	9.3	(6.0 - 14.2)	329
	10th	6.3	(4.2 - 9.5)	601	8.0	(4.9 - 12.7)	265	4.2	(2.3 - 7.8)	331
	11th	7.3	(5.5 - 9.8)	764	8.8	(6.0 - 12.7)	355	5.3	(3.2 - 8.7)	404
	12th	8.5	(6.4 - 11.2)	706	11.5	(8.1 - 16.0)	329	4.6	(2.8 - 7.4)	373
Race/I	Ethnicity									
	Black*	9.3	(7.3 - 11.7)	1,160	12.6	(9.7 - 16.2)	531	5.9	(4.0 - 8.8)	625
	Hispanic/Latino	13.0	(9.3 - 17.8)	230	12.3	(7.2 - 20.4)	104	12.6	(7.9 - 19.6)	120
	White*	5.0	(3.7 - 6.8)	828	6.0	(4.0 - 9.0)	404	4.0	(2.4 - 6.5)	423
	All other races*	7.5	(4.2 - 13.2)	157	-	-	67	-	-	89
	Multiple races*	9.5	( 6.4 - 13.9 )	277	12.3	(7.5 - 19.4)	114	7.3	(3.9 - 13.3)	163

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	20.4	(18.6 - 22.5)	2,717	20.3	( 17.7 - 23.2 )	1,258	20.2	( 17.9 - 22.6 )	1,435
Age										
	15 or younger	14.8	(12.5 - 17.5)	1,168	14.5	(11.4 - 18.3)	518	14.9	(12.2 - 18.0)	637
	16 or 17	25.1	(22.6 - 27.8)	1,437	25.1	(21.6 - 29.0)	665	24.9	(21.6 - 28.5)	764
	18 or older	29.1	( 22.4 - 36.8 )	108	-	-	74	-	-	34
Grade										
	9th	13.0	(10.2 - 16.5)	609	13.9	(10.1 - 18.8)	285	12.1	(9.0 - 16.1)	324
	10th	18.1	(15.0 - 21.5)	596	17.3	(12.8 - 22.9)	264	18.7	(15.1 - 22.9)	327
	11th	22.9	(19.6 - 26.6)	762	20.9	(16.8 - 25.8)	357	24.3	(19.5 - 29.8)	400
	12th	27.3	(23.8 - 31.1)	707	28.8	( 23.6 - 34.8 )	332	25.7	(21.4 - 30.4)	371
Race/E	thnicity									
	Black*	20.3	(17.9 - 22.9)	1,152	20.6	(17.2 - 24.4)	533	19.9	(16.9 - 23.3)	615
	Hispanic/Latino	24.4	(19.2 - 30.4)	226	26.6	( 18.6 - 36.6 )	103	21.7	(14.9 - 30.6)	117
	White*	19.7	(16.7 - 23.2)	828	18.8	(14.7 - 23.7)	405	20.8	(16.9 - 25.2)	422
	All other races*	15.8	(10.1 - 24.0)	157	-	-	68	-	-	88
	Multiple races*	21.2	(16.0 - 27.4)	273	17.0	(10.6 - 26.2)	113	24.5	(17.6 - 33.1)	160

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)

			Total		Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.3	(4.4 - 6.5)	2,790	7.0	(5.4 - 9.1)	1,291	2.8	(2.1 - 3.8)	1,472
Age										
	15 or younger	5.1	(3.7 - 7.1)	1,200	6.1	(4.0 - 9.1)	528	3.2	(2.0 - 5.0)	658
	16 or 17	4.8	(3.7 - 6.2)	1,472	6.9	(5.0 - 9.5)	684	2.3	(1.5 - 3.5)	779
	18 or older	13.0	(7.7 - 21.2)	114	-	-	78	-	-	35
Grad	e									
	9th	4.5	(2.6 - 7.7)	622	4.8	(2.3 - 9.7)	289	3.7	(2.0 - 6.8)	332
	10th	4.1	(2.7 - 6.2)	617	6.0	(3.7 - 9.8)	271	1.7	(0.7 - 3.9)	341
	11th	5.1	(3.6 - 7.1)	770	5.9	(3.9 - 8.8)	358	3.3	(1.9 - 5.7)	407
	12th	6.4	(4.6 - 8.9)	732	9.5	( 6.3 - 14.3 )	349	2.7	(1.6 - 4.6)	379
Race/	Ethnicity									
	Black*	4.8	(3.3 - 6.7)	1,189	7.2	(4.8 - 10.8)	548	2.2	(1.3 - 3.8)	638
	Hispanic/Latino	10.1	(6.5 - 15.4)	238	12.9	(7.2 - 22.0)	111	7.8	(4.2 - 14.3)	122
	White*	3.5	(2.5 - 4.9)	833	4.8	(3.2 - 7.2)	407	2.2	(1.1 - 4.1)	425
	All other races*	7.1	(3.9 - 12.7)	166	-	-	73	-	-	92
	Multiple races*	6.5	(4.1 - 10.2)	274	10.6	(6.2 - 17.6)	113	2.8	(1.2 - 6.7)	160

Note: 122 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		9.8	(8.5 - 11.3)	2,772	9.7	(7.8 - 11.9)	1,282	9.2	(7.7 - 11.0)	1,466
Age										
15 or	younger	11.5	(9.6 - 13.6)	1,192	10.1	(7.6 - 13.4)	524	12.2	(9.8 - 15.0)	656
16 or	17	7.7	(6.2 - 9.7)	1,464	8.7	(6.5 - 11.7)	681	6.3	(4.6 - 8.5)	775
18 or	older	12.3	(7.2 - 20.5)	112	-	-	76	-	-	35
Grade										
9th		12.6	(9.9 - 16.0)	620	11.8	(8.2 - 16.8)	287	13.1	(9.6 - 17.8)	332
10th		8.4	(6.5 - 10.8)	612	6.3	(3.7 - 10.4)	270	10.1	(7.4 - 13.7)	337
11th		8.0	( 6.0 - 10.5 )	766	7.6	(5.2 - 11.1)	358	8.4	(5.8 - 11.9)	405
12th		8.4	(6.1 - 11.5)	728	10.7	(7.2 - 15.6)	345	5.1	(3.2 - 8.2)	379
Race/Ethnicity	,									
Black	*	10.2	(8.2 - 12.4)	1,185	10.6	(7.8 - 14.4)	547	9.6	(7.4 - 12.3)	635
Hispa	nic/Latino	15.6	(11.4 - 21.0)	235	11.7	(6.8 - 19.5)	108	19.1	(12.8 - 27.7)	122
White	<u>*</u>	6.4	(5.1 - 8.1)	831	6.6	(4.5 - 9.4)	405	6.3	(4.5 - 8.9)	425
All of	ther races*	11.4	(7.3 - 17.4)	164	-	-	72	-	-	91
Multi	ple races*	11.1	(8.0 - 15.2)	271	13.2	(8.2 - 20.7)	113	9.3	(5.8 - 14.6)	158

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.1	(4.1 - 6.4)	2,661	7.0	(5.2 - 9.2)	1,224	2.2	(1.5 - 3.1)	1,411
Age										
	15 or younger	5.1	(3.7 - 6.9)	1,153	6.1	(4.0 - 9.4)	505	2.6	(1.5 - 4.4)	634
	16 or 17	4.3	(3.1 - 5.9)	1,398	6.3	(4.2 - 9.4)	647	1.7	(0.9 - 3.0)	742
	18 or older	14.7	(8.8 - 23.5)	107	-	-	71	-	-	35
Grade										
	9th	4.3	(2.5 - 7.3)	596	5.3	(2.5 - 10.6)	279	2.9	(1.4 - 6.1)	316
	10th	4.3	(2.8 - 6.5)	588	6.6	(4.0 - 10.7)	254	1.6	(0.7 - 3.7)	329
	11th	4.6	(3.1 - 6.8)	734	5.4	(3.3 - 9.0)	341	2.7	(1.4 - 5.2)	387
	12th	5.7	(3.8 - 8.3)	698	9.3	(5.9 - 14.3)	328	1.1	(0.5 - 2.4)	366
Race/E	thnicity									
	Black*	4.9	(3.5 - 6.8)	1,123	8.2	(5.5 - 12.1)	508	1.6	(0.8 - 3.1)	612
	Hispanic/Latino	9.5	( 6.0 - 14.8 )	223	10.0	(5.3 - 18.0)	103	7.6	(3.4 - 16.2)	115
	White*	2.8	(1.9 - 4.1)	809	3.9	(2.5 - 6.2)	394	1.6	(0.8 - 3.6)	414
	All other races*	7.7	(4.2 - 13.6)	158	-	-	71	-	-	86
	Multiple races*	4.7	(2.8 - 8.0)	264	8.4	(4.5 - 15.1)	111	1.2	(0.3 - 4.8)	152

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	4.4	(3.4 - 5.6)	2,778	5.9	(4.2 - 8.1)	1,283	2.2	(1.5 - 3.2)	1,468	
Age										
15 or younger	3.9	(2.7 - 5.6)	1,195	5.2	(3.2 - 8.5)	523	2.0	(1.1 - 3.5)	657	
16 or 17	4.4	(3.1 - 6.1)	1,466	5.9	(3.9 - 8.7)	682	2.3	(1.4 - 3.8)	776	
18 or older	9.3	(5.1 - 16.5)	113	-	-	77	-	-	35	
Grade										
9th	4.0	(2.3 - 6.6)	620	5.7	(3.0 - 10.5)	288	1.7	(0.7 - 4.2)	331	
10th	3.1	(1.8 - 5.5)	613	4.0	(1.8 - 8.7)	268	2.1	(1.0 - 4.3)	340	
11th	4.1	(2.8 - 5.9)	772	4.6	(2.7 - 7.6)	358	3.1	(1.7 - 5.5)	408	
12th	4.8	( 2.9 - 7.7 )	724	7.4	(4.5 - 11.9)	345	1.8	(0.8 - 3.9)	376	
Race/Ethnicity										
Black*	4.9	(3.3 - 7.0)	1,185	7.0	(4.5 - 11.0)	545	2.6	(1.6 - 4.3)	637	
Hispanic/Latino	8.3	(5.1 - 13.4)	238	8.3	(4.1 - 15.9)	111	7.8	(3.6 - 16.1)	121	
White*	1.4	(0.9 - 2.4)	831	2.3	(1.3 - 4.1)	404	0.6	(0.2 - 1.9)	426	
All other races*	4.3	(2.1 - 8.6)	165	-	-	72	-	-	92	
Multiple races*	4.5	(2.5 - 7.8)	270	10.0	(5.6 - 17.0)	112	0.0	-	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

			Total		Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.8	(5.6 - 8.1)	2,770	8.6	(6.8 - 11.0)	1,280	3.8	(2.9 - 5.0)	1,462
Age										
	15 or younger	5.4	(4.0 - 7.3)	1,190	6.7	(4.5 - 10.1)	522	2.7	(1.7 - 4.3)	653
	16 or 17	7.0	(5.7 - 8.6)	1,463	9.3	(7.1 - 12.1)	680	4.4	(3.2 - 6.1)	774
	18 or older	19.0	(12.7 - 27.5)	113	-	-	77	-	-	35
Grad	e									
	9th	5.2	(3.3 - 8.2)	615	7.5	(4.4 - 12.5)	286	2.8	(1.5 - 5.2)	328
	10th	4.0	(2.5 - 6.4)	612	5.1	(2.6 - 9.6)	268	2.8	(1.5 - 5.1)	339
	11th	7.3	(5.6 - 9.6)	769	8.0	(5.5 - 11.5)	356	5.7	(3.8 - 8.4)	407
	12th	8.3	(6.3 - 11.0)	725	11.6	(8.3 - 15.9)	346	4.3	(2.5 - 7.2)	375
Race/	Ethnicity									
	Black*	6.3	(4.7 - 8.3)	1,180	9.7	( 6.9 - 13.5 )	542	3.0	(1.9 - 4.6)	635
	Hispanic/Latino	10.2	(6.8 - 15.2)	236	12.9	(7.3 - 21.8)	109	7.5	(4.0 - 13.6)	121
	White*	4.2	(3.1 - 5.7)	829	4.8	(3.1 - 7.1)	405	3.6	(2.3 - 5.8)	423
	All other races*	8.4	(4.7 - 14.6)	164	-	-	72	-	-	91
	Multiple races*	9.2	(6.0 - 13.8)	270	13.6	(8.6 - 20.9)	112	5.2	(2.4 - 10.9)	157

Note: 142 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.5	( 10.0 - 13.1 )	2,757	13.0	( 10.8 - 15.4 )	1,275	8.9	(7.4 - 10.7)	1,453
Age										
	15 or younger	9.6	(7.8 - 11.8)	1,184	10.8	(8.1 - 14.1)	521	7.4	(5.4 - 9.9)	648
	16 or 17	11.9	(9.9 - 14.2)	1,458	13.6	( 10.8 - 17.0 )	678	9.7	(7.6 - 12.3)	771
	18 or older	27.6	( 19.6 - 37.4 )	110	-	-	75	-	-	34
Grade										
	9th	8.8	(6.4 - 11.8)	614	9.3	(6.0 - 14.2)	288	7.8	(5.4 - 11.1)	325
	10th	9.5	(7.3 - 12.2)	609	12.1	(8.3 - 17.3)	267	6.6	(4.5 - 9.7)	337
	11th	11.3	(8.9 - 14.3)	767	12.8	(9.4 - 17.3)	356	8.9	(6.1 - 12.9)	405
	12th	15.0	(11.9 - 18.6)	719	16.7	(12.5 - 22.0)	342	12.3	(9.2 - 16.1)	373
Race/E	thnicity									
	Black*	10.5	(8.5 - 12.7)	1,171	13.6	(10.5 - 17.5)	541	7.3	(5.5 - 9.6)	627
	Hispanic/Latino	15.8	(11.4 - 21.5)	235	13.1	(7.6 - 21.7)	107	17.6	(11.5 - 26.1)	122
	White*	10.3	(8.2 - 12.8)	829	10.3	(7.5 - 13.9)	405	10.2	(7.6 - 13.5)	423
	All other races*	9.4	(5.6 - 15.4)	163	-	-	71	-	-	91
	Multiple races*	13.4	( 9.6 - 18.3 )	268	18.6	(12.8 - 26.3)	112	8.7	(5.1 - 14.4)	155

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	4.5	(3.6 - 5.6)	2,798	6.0	(4.6 - 7.9)	1,297	2.3	(1.7 - 3.2)	1,474	
Age										
15 or younger	4.1	(3.0 - 5.7)	1,202	5.2	(3.3 - 7.9)	530	2.3	(1.4 - 3.8)	658	
16 or 17	4.2	(3.1 - 5.6)	1,477	6.0	(4.2 - 8.6)	689	2.2	(1.3 - 3.4)	780	
18 or older	10.9	( 6.4 - 17.8 )	114	-	-	77	-	-	36	
Grade										
9th	3.8	(2.4 - 6.2)	623	4.6	(2.2 - 9.3)	291	2.5	(1.3 - 4.9)	331	
10th	3.5	(2.2 - 5.5)	615	5.6	(3.2 - 9.7)	270	1.2	(0.5 - 3.0)	340	
11th	4.6	(3.1 - 6.7)	781	4.7	(2.8 - 7.6)	364	4.1	(2.5 - 6.6)	412	
12th	5.0	(3.5 - 7.3)	729	7.9	(5.1 - 12.1)	348	1.7	(0.8 - 3.3)	377	
Race/Ethnicity										
Black*	4.1	(3.0 - 5.7)	1,192	6.6	(4.5 - 9.5)	551	1.7	(1.0 - 3.0)	638	
Hispanic/Latino	7.7	(4.8 - 12.2)	242	10.3	(5.7 - 18.0)	112	4.9	(2.0 - 11.2)	124	
White*	3.0	(2.1 - 4.3)	834	2.9	(1.7 - 5.0)	407	3.1	(1.9 - 5.0)	426	
All other races*	7.3	(3.7 - 13.6)	166	-	-	73	-	-	92	
Multiple races*	4.8	(2.8 - 7.9)	273	8.3	(4.5 - 14.8)	114	1.9	(0.6 - 5.6)	159	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)

		Total		Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	14.8	(13.3 - 16.4)	2,763	15.3	( 13.0 - 17.9 )	1,273	13.3	(11.7 - 15.1)	1,462	
Age											
	15 or younger	12.0	(10.0 - 14.2)	1,190	11.5	(8.9 - 14.7)	522	11.2	(8.9 - 14.1)	653	
	16 or 17	16.3	(14.3 - 18.6)	1,457	17.5	(14.4 - 21.2)	675	14.9	(12.7 - 17.3)	774	
	18 or older	28.1	( 20.1 - 37.7 )	111	-	-	75	-	-	35	
Grade											
	9th	11.1	(8.6 - 14.2)	615	12.4	(9.0 - 16.9)	286	9.8	(6.8 - 13.9)	328	
	10th	12.0	(9.4 - 15.2)	609	11.2	(7.4 - 16.5)	266	12.2	(9.2 - 16.1)	338	
	11th	14.0	(11.4 - 17.2)	768	12.7	(9.3 - 17.2)	355	14.5	(11.5 - 18.1)	408	
	12th	20.4	(17.5 - 23.6)	722	23.8	(19.5 - 28.7)	343	16.4	(13.2 - 20.3)	375	
Race/E	thnicity										
	Black*	13.9	(11.7 - 16.4)	1,177	15.4	(12.0 - 19.4)	538	12.4	(10.0 - 15.2)	636	
	Hispanic/Latino	20.0	(15.1 - 25.9)	236	17.1	(10.7 - 26.2)	109	22.3	(15.3 - 31.1)	121	
	White*	13.8	(11.6 - 16.5)	829	15.0	(11.6 - 19.3)	404	12.6	(9.9 - 15.8)	424	
	All other races*	12.0	(7.5 - 18.7)	162	-	-	71	-	-	90	
	Multiple races*	14.9	(11.0 - 19.8)	267	12.4	(7.6 - 19.6)	111	16.9	(11.7 - 23.8)	156	

Note: 149 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	3.9	(3.0 - 5.1)	2,760	4.9	(3.6 - 6.7)	1,275	2.4	(1.6 - 3.5)	1,460	
Age										
15 or younger	3.7	(2.6 - 5.2)	1,187	4.4	(2.8 - 6.9)	525	2.4	(1.3 - 4.3)	650	
16 or 17	3.8	(2.7 - 5.3)	1,460	5.0	(3.3 - 7.7)	676	2.0	(1.2 - 3.3)	775	
18 or older	8.0	(3.8 - 16.2)	109	-	-	73	-	-	35	
Grade										
9th	3.4	(2.1 - 5.6)	613	4.0	(2.2 - 7.3)	287	2.4	(1.1 - 5.3)	325	
10th	3.1	(1.8 - 5.3)	611	4.2	(2.0 - 8.7)	269	1.5	(0.5 - 4.2)	337	
11th	3.9	(2.5 - 6.1)	772	5.0	(2.8 - 8.8)	359	2.7	(1.4 - 5.2)	408	
12th	3.9	(2.5 - 5.9)	715	5.0	(3.1 - 8.0)	337	2.3	(1.0 - 4.9)	376	
Race/Ethnicity										
Black*	3.9	(2.7 - 5.5)	1,173	5.3	(3.3 - 8.4)	537	2.3	(1.3 - 4.1)	633	
Hispanic/Latino	10.5	(6.8 - 16.0)	235	12.2	(7.1 - 20.2)	109	7.7	(3.2 - 17.3)	120	
White*	1.8	(1.1 - 3.1)	830	2.3	(1.2 - 4.3)	406	1.4	(0.6 - 3.1)	423	
All other races*	6.6	(3.2 - 13.2)	166	-	-	73	-	-	92	
Multiple races*	2.9	(1.4 - 5.7)	269	5.8	( 2.7 - 12.0 )	111	0.5	(0.1 - 3.4)	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

		Total		Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	24.9	( 23.0 - 26.8 )	2,721	27.8	( 25.1 - 30.7 )	1,246	21.8	( 19.6 - 24.3 )	1,455	
Age											
	15 or younger	23.5	( 20.9 - 26.4 )	1,171	25.6	( 22.0 - 29.6 )	514	21.6	(18.0 - 25.7)	648	
	16 or 17	26.1	( 23.5 - 28.9 )	1,440	30.1	( 26.3 - 34.1 )	661	22.1	(19.2 - 25.3)	772	
	18 or older	24.3	(15.9 - 35.4)	107	-	-	71	-	-	35	
Grade											
	9th	22.8	(18.9 - 27.2)	606	23.0	(18.4 - 28.3)	281	22.3	(17.3 - 28.3)	324	
	10th	26.0	(22.3 - 30.1)	604	31.6	(25.6 - 38.1)	262	21.2	(16.5 - 26.7)	339	
	11th	25.8	(22.6 - 29.2)	761	28.6	(24.3 - 33.3)	352	22.9	(18.8 - 27.6)	404	
	12th	25.0	( 20.9 - 29.7 )	707	29.5	( 23.8 - 36.0 )	332	20.8	(16.8 - 25.5)	375	
Race/I	Ethnicity										
	Black*	22.2	( 19.6 - 24.9 )	1,158	25.7	(21.9 - 29.9)	526	18.8	(15.8 - 22.2)	629	
	Hispanic/Latino	32.2	(26.8 - 38.2)	230	31.5	(23.3 - 41.0)	105	32.7	( 24.9 - 41.7 )	120	
	White*	27.0	(23.9 - 30.4)	820	30.8	( 26.4 - 35.6 )	396	23.1	( 19.4 - 27.3 )	424	
	All other races*	24.0	(18.3 - 30.9)	164	-	-	73	-	-	91	
	Multiple races*	25.8	(21.0 - 31.3)	268	29.2	(21.0 - 38.9)	110	23.3	(17.8 - 29.8)	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN60: Percentage of students who ever had sexual intercourse

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	38.5	( 35.5 - 41.6 )	2,312	40.4	( 36.7 - 44.3 )	1,024	36.7	( 33.3 - 40.3 )	1,279	
Age											
	15 or younger	24.4	(21.7 - 27.3)	987	26.2	( 22.2 - 30.7 )	417	22.8	(19.7 - 26.3)	568	
	16 or 17	50.5	(46.8 - 54.2)	1,242	51.7	(46.8 - 56.6)	552	49.1	(44.8 - 53.3)	685	
	18 or older	-	-	80	-	-	54	-	-	26	
Grade											
	9th	20.2	(17.1 - 23.9)	519	21.4	(16.9 - 26.6)	229	19.2	(15.2 - 23.8)	290	
	10th	33.7	(28.7 - 39.1)	515	38.9	(31.7 - 46.6)	217	29.0	(23.5 - 35.2)	296	
	11th	41.6	( 37.2 - 46.1 )	646	44.1	(37.5 - 50.9)	287	39.2	( 33.7 - 44.9 )	358	
	12th	59.4	(54.1 - 64.5)	597	58.4	(51.2 - 65.3)	274	60.3	(53.6 - 66.7)	323	
Race/Et	hnicity										
	Black*	40.7	( 36.6 - 44.8 )	964	44.0	( 38.6 - 49.6 )	413	37.5	( 32.8 - 42.4 )	548	
	Hispanic/Latino	36.7	( 30.1 - 43.8 )	194	-	-	86	30.9	( 22.9 - 40.4 )	105	
	White*	36.3	( 32.1 - 40.7 )	731	34.5	( 29.5 - 40.0 )	352	38.1	( 32.5 - 44.1 )	379	
	All other races*	25.6	(18.5 - 34.1)	133	-	-	57	-	-	76	
	Multiple races*	39.5	( 32.0 - 47.4 )	231	-	-	90	34.0	( 25.2 - 44.0 )	141	

Note: 600 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

		Total		Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	6.1	(5.0 - 7.4)	2,321	9.4	(7.6 - 11.6)	1,031	3.1	(2.1 - 4.4)	1,281	
Age											
	15 or younger	6.7	(5.2 - 8.7)	988	9.6	(7.0 - 13.0)	417	4.3	(2.7 - 6.7)	569	
	16 or 17	4.9	(3.6 - 6.6)	1,247	7.9	(5.5 - 11.2)	557	2.0	(1.0 - 3.9)	685	
	18 or older	-	-	83	-	-	56	-	-	27	
Grade											
	9th	7.5	(5.5 - 10.2)	517	9.6	(6.5 - 13.9)	227	5.4	(3.2 - 9.0)	290	
	10th	6.3	(4.3 - 9.2)	520	9.8	(6.0 - 15.6)	219	3.1	(1.6 - 5.9)	299	
	11th	4.0	(2.5 - 6.3)	651	5.5	(3.0 - 9.7)	291	2.7	(1.2 - 5.9)	359	
	12th	5.5	(3.8 - 7.8)	599	10.2	( 6.8 - 15.0 )	277	1.2	(0.5 - 3.0)	322	
Race/I	Ethnicity										
	Black*	7.8	(6.1 - 9.9)	971	12.4	(9.4 - 16.2)	417	3.7	(2.3 - 6.0)	551	
	Hispanic/Latino	6.4	(3.7 - 10.7)	193	-	-	85	1.8	(0.5 - 7.1)	105	
	White*	3.5	(2.2 - 5.5)	731	4.5	(2.7 - 7.4)	352	2.5	(1.2 - 4.8)	379	
	All other races*	4.0	(1.7 - 9.4)	134	-	-	58	-	-	76	
	Multiple races*	5.6	(3.2 - 9.6)	234	-	-	93	0.0	-	141	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	9.5	(8.1 - 11.1)	2,317	12.8	( 10.8 - 15.3 )	1,028	6.3	(5.0 - 8.0)	1,280	
Age											
	15 or younger	4.5	(3.4 - 6.0)	990	7.0	(5.0 - 9.7)	416	2.4	(1.4 - 3.9)	572	
	16 or 17	13.4	(11.3 - 15.7)	1,241	17.0	(13.8 - 20.9)	555	9.8	(7.6 - 12.5)	681	
	18 or older	-	-	83	-	-	56	-	-	27	
Grade											
	9th	4.2	(2.8 - 6.1)	517	6.2	(3.8 - 10.0)	226	2.1	(1.0 - 4.3)	291	
	10th	5.7	(4.0 - 8.3)	518	9.1	(6.2 - 13.4)	217	2.6	(1.3 - 5.1)	299	
	11th	10.5	(8.2 - 13.3)	651	13.7	(10.0 - 18.5)	292	7.6	(5.2 - 10.8)	358	
	12th	17.1	(13.7 - 21.1)	595	21.4	( 16.1 - 27.9 )	275	13.2	(9.7 - 17.8)	320	
Race/E	thnicity										
	Black*	11.1	(8.9 - 13.6)	965	15.7	(12.2 - 19.9)	412	7.1	(5.2 - 9.5)	550	
	Hispanic/Latino	11.0	(7.3 - 16.4)	194	-	-	86	8.1	(4.2 - 14.9)	105	
	White*	6.9	(5.2 - 9.1)	731	8.0	(5.6 - 11.3)	352	5.8	(3.6 - 9.3)	379	
	All other races*	3.3	(1.4 - 7.6)	135	-	-	58	-	-	77	
	Multiple races*	8.3	(5.4 - 12.4)	233	-	-	93	4.3	(2.0 - 9.2)	140	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	27.1	( 24.4 - 30.0 )	2,316	26.8	( 23.2 - 30.6 )	1,025	27.5	( 24.5 - 30.7 )	1,282	
Age											
	15 or younger	14.4	(12.3 - 16.8)	984	13.1	(10.2 - 16.8)	413	15.6	(12.9 - 18.6)	569	
	16 or 17	37.6	( 34.3 - 41.0 )	1,247	37.5	( 32.9 - 42.3 )	556	37.7	( 33.8 - 41.9 )	686	
	18 or older	-	-	82	-	-	55	-	-	27	
Grade											
	9th	10.7	(8.2 - 13.7)	514	10.0	(6.6 - 14.8)	226	11.3	(8.0 - 15.9)	288	
	10th	20.4	(16.9 - 24.5)	516	20.2	(14.7 - 27.2)	215	20.4	(16.4 - 25.1)	299	
	11th	30.2	( 26.7 - 34.0 )	651	32.0	(26.2 - 38.3)	293	28.7	(24.0 - 33.9)	357	
	12th	47.2	(42.1 - 52.5)	600	44.5	( 37.5 - 51.7 )	274	49.7	(43.2 - 56.2)	326	
Race/I	Ethnicity										
	Black*	27.6	(24.3 - 31.3)	968	29.4	(24.7 - 34.6)	414	26.1	(22.4 - 30.1)	551	
	Hispanic/Latino	23.9	(18.4 - 30.4)	191	-	-	84	19.9	(13.8 - 27.6)	104	
	White*	27.2	(23.2 - 31.5)	731	21.7	(17.6 - 26.4)	351	32.8	(27.1 - 39.1)	380	
	All other races*	17.3	(11.7 - 24.9)	133	-	-	57	-	-	76	
	Multiple races*	26.9	( 20.2 - 34.7 )	234	-	-	92	23.9	(16.0 - 34.1)	142	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	19.4	( 16.3 - 22.9 )	625	21.4	( 16.9 - 26.6 )	276	17.4	(13.7 - 21.9)	347	
Age											
	15 or younger	19.7	(13.2 - 28.4)	143	_	_	55	_	-	88	
	16 or 17	17.9	(14.5 - 22.0)	439	17.6	(12.4 - 24.3)	194	17.9	(13.7 - 22.9)	243	
	18 or older	-	-	43	-	-	27	-	-	16	
Grade	e										
	9th	-	-	55	_	_	23	_	-	32	
	10th	-	-	99	-	-	40	-	-	58	
	11th	18.0	(13.3 - 23.9)	187	-	-	88	-	-	99	
	12th	21.4	(16.9 - 26.8)	270	22.7	(15.7 - 31.6)	115	20.4	(15.3 - 26.8)	155	
Race/	Ethnicity										
	Black*	17.0	(12.9 - 22.2)	270	20.3	(13.8 - 28.8)	123	13.4	(9.0 - 19.4)	146	
	Hispanic/Latino	-	-	44	-	<u>-</u>	23	-	-	20	
	White*	23.3	(18.0 - 29.5)	204	-	-	80	23.9	(17.5 - 31.9)	124	
	All other races*	-	-	24	-	-	9	-	-	15	
	Multiple races*	-	-	64	-	-	30	-	-	34	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	58.4	( 54.1 - 62.6 )	603	66.1	( 59.1 - 72.6 )	273	51.6	( 46.0 - 57.2 )	328	
Age											
	15 or younger	53.2	(44.8 - 61.3)	137	-	-	53	-	-	84	
	16 or 17	60.7	(55.6 - 65.6)	426	70.5	(62.2 - 77.7)	193	52.0	(45.0 - 59.0)	231	
	18 or older	-	-	40	-	-	27	-	-	13	
Grad	e										
	9th	-	-	50	-	-	22	-	-	28	
	10th	-	-	96	-	-	39	-	-	56	
	11th	65.7	(58.6 - 72.2)	186	-	-	89	-	-	97	
	12th	57.2	( 50.6 - 63.5 )	259	63.4	(52.5 - 73.1)	115	51.9	( 43.0 - 60.7 )	144	
Race/	Ethnicity										
	Black*	58.7	(52.2 - 65.0)	254	68.3	(58.3 - 76.9)	121	49.4	(40.2 - 58.7)	132	
	Hispanic/Latino	-	-	42	_	<u>-</u>	22	-	-	19	
	White*	58.3	(51.8 - 64.6)	204	-	-	81	52.4	(44.4 - 60.2)	123	
	All other races*	-	-	23	-	-	8	-	-	15	
	Multiple races*	-	-	62	-	-	30	-	-	32	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	15.0	(12.1 - 18.6)	608	11.1	(7.4 - 16.4)	272	18.6	(14.5 - 23.6)	334	
Age											
	15 or younger	7.7	(4.4 - 12.9)	140	-	-	54	-	-	86	
	16 or 17	17.1	(13.4 - 21.6)	426	11.7	(7.5 - 17.8)	191	22.1	(16.7 - 28.7)	233	
	18 or older	-	-	42	-	-	27	-	-	15	
Grade											
	9th	-	-	54	-	_	22	-	-	32	
	10th	-	-	95	_	-	39	-	-	55	
	11th	11.9	(7.9 - 17.6)	184	-	-	88	-	-	96	
	12th	22.6	(17.1 - 29.1)	262	18.7	(11.7 - 28.5)	114	25.7	( 18.6 - 34.4 )	148	
Race/Et	hnicity										
	Black*	8.2	(5.4 - 12.2)	258	6.4	(3.3 - 12.2)	120	10.1	(6.3 - 15.6)	137	
	Hispanic/Latino	-	-	45	-	-	23	-	-	21	
	White*	26.4	( 20.4 - 33.5 )	203	-	-	81	29.6	(21.2 - 39.5)	122	
	All other races*	-	-	22	-	-	8	-	-	14	
	Multiple races*	-	-	61	-	-	29	-	-	32	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	1.8	(1.0 - 3.2)	608	0.5	(0.1 - 2.2)	272	2.9	(1.5 - 5.7)	334
Age										
	15 or younger	1.0	(0.2 - 4.0)	140	-	-	54	-	-	86
	16 or 17	2.1	(1.0 - 4.2)	426	0.0	-	191	4.0	(2.0 - 8.0)	233
	18 or older	-	-	42	-	-	27	-	-	15
Grade										
	9th	-	-	54	-	-	22	-	-	32
	10th	-	-	95	-	-	39	-	-	55
	11th	1.2	(0.3 - 4.7)	184	-	-	88	-	-	96
	12th	2.7	(1.2 - 5.7)	262	0.5	(0.1 - 3.3)	114	4.4	( 2.0 - 9.7 )	148
Race/E	thnicity									
	Black*	1.6	(0.6 - 4.4)	258	0.0	-	120	3.2	(1.1 - 8.6)	137
	Hispanic/Latino	-	-	45	-	-	23	-	-	21
	White*	1.8	(0.7 - 4.7)	203	-	-	81	3.1	(1.1 - 8.1)	122
	All other races*	-	-	22	-	-	8	-	-	14
	Multiple races*	-	-	61	-	-	29	-	-	32

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

		Total			Male			Female			
	Pe	ercentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total		3.2	1.9 - 5.4 )	608	1.7	(0.6 - 4.3)	272	4.6	(2.7 - 7.8)	334	
Age											
15 or young	er	1.7 (	(0.6 - 5.3)	140	-	-	54	-	-	86	
16 or 17		3.7 (	2.1 - 6.5 )	426	2.2	(0.8 - 6.2)	191	5.1	(2.8 - 9.3)	233	
18 or older		-	-	42	-	-	27	-	-	15	
Grade											
9th		-	_	54	-	-	22	-	-	32	
10th		-	-	95	-	-	39	-	-	55	
11th		2.3 (	0.8 - 6.6)	184	-	-	88	-	-	96	
12th		4.7 (	2.6 - 8.4 )	262	3.4	(1.5 - 7.6)	114	5.8	(2.9 - 11.3)	148	
Race/Ethnicity											
Black*		0.3	(0.0 - 2.3)	258	0.0	-	120	0.7	(0.1 - 4.5)	137	
Hispanic/La	tino	-	-	45	-	-	23	-	-	21	
White*		7.3 (	4.2 - 12.6)	203	-	-	81	10.0	(5.4 - 17.7)	122	
All other rac	es*	-	-	22	-	-	8	-	-	14	
Multiple rac	es*	-	-	61	-	-	29	-	-	32	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
,	Total	20.0	(16.6 - 23.9)	608	13.4	(9.2 - 18.9)	272	26.1	(21.5 - 31.3)	334
Age										
	15 or younger	10.4	(6.5 - 16.0)	140	-	-	54	-	-	86
	16 or 17	23.0	(18.9 - 27.7)	426	13.9	(9.1 - 20.6)	191	31.3	(25.2 - 38.0)	233
	18 or older	-	-	42	-	-	27	-	-	15
Grade										
9	9th	-	-	54	-	-	22	-	-	32
	10th	-	-	95	-	-	39	-	-	55
	11th	15.4	(10.6 - 21.8)	184	-	-	88	-	-	96
	12th	29.9	(23.7 - 37.0)	262	22.6	(15.0 - 32.5)	114	35.9	( 27.9 - 44.8 )	148
Race/Ethi	nicity									
]	Black*	10.1	(7.0 - 14.5)	258	6.4	(3.3 - 12.2)	120	13.9	(9.1 - 20.7)	137
]	Hispanic/Latino	-	-	45	-	-	23	-	-	21
,	White*	35.6	(29.0 - 42.8)	203	-	-	81	42.6	(33.9 - 51.8)	122
	All other races*	-	-	22	-	-	8	-	-	14
]	Multiple races*	-	-	61	-	-	29	-	-	32

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.6	(4.1 - 7.6)	592	3.4	(1.6 - 7.1)	269	7.7	(5.3 - 11.0)	321
Age										
	15 or younger	2.0	(0.7 - 5.3)	135	-	-	52	-	-	83
	16 or 17	6.9	(4.9 - 9.6)	417	3.8	(1.5 - 9.0)	190	9.8	( 6.7 - 14.3 )	225
	18 or older	-	-	40	-	-	27	-	-	13
Grade										
	9th	-	-	50	-	-	22	-	-	28
	10th	-	-	94	-	-	38	-	-	55
	11th	6.2	( 3.4 - 10.9 )	181	-	-	87	-	-	94
	12th	7.7	(5.1 - 11.3)	255	5.0	( 2.0 - 11.7 )	114	9.9	( 6.0 - 15.9 )	141
Race/E	thnicity									
	Black*	2.3	(1.1 - 4.6)	251	0.7	(0.1 - 4.8)	120	3.9	(1.8 - 8.5)	130
	Hispanic/Latino	-	-	41	-	-	21	-	-	19
	White*	9.4	( 6.4 - 13.6 )	201	-	-	81	11.7	(7.3 - 18.2)	120
	All other races*	-	-	22	-	-	8	-	-	14
	Multiple races*	-	-	60	-	-	29	-	-	31

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	16.7	(13.7 - 20.2)	608	15.4	(11.4 - 20.5)	272	17.5	(13.6 - 22.1)	334
Age										
	15 or younger	29.0	( 22.4 - 36.7 )	140	-	-	54	-	-	86
	16 or 17	13.0	( 10.1 - 16.5 )	426	12.6	(8.6 - 18.2)	191	12.8	(9.0 - 17.8)	233
	18 or older	-	-	42	-	-	27	-	-	15
Grade										
	9th	-	-	54	-	-	22	-	-	32
	10th	-	-	95	-	-	39	-	-	55
	11th	12.6	(8.3 - 18.7)	184	-	-	88	-	-	96
	12th	11.5	(8.2 - 15.9)	262	11.3	(6.7 - 18.4)	114	11.7	(7.0 - 19.1)	148
Race/E	thnicity									
	Black*	21.9	(17.0 - 27.7)	258	17.4	(11.4 - 25.6)	120	25.6	(19.0 - 33.7)	137
	Hispanic/Latino	-	-	45	-	-	23	-	-	21
	White*	7.9	(4.9 - 12.5)	203	-	-	81	8.9	(4.9 - 15.7)	122
	All other races*	-	-	22	-	-	8	-	-	14
	Multiple races*	-	-	61	-	-	29	-	-	32

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	12.3	(11.0 - 13.9)	2,698	14.9	(12.8 - 17.3)	1,289	9.7	(8.0 - 11.6)	1,409
Age										
	15 or younger	13.3	(11.2 - 15.8)	1,135	16.3	(13.0 - 20.1)	523	10.4	(8.1 - 13.3)	612
	16 or 17	11.6	(9.9 - 13.4)	1,453	14.2	(11.6 - 17.2)	691	8.9	(6.9 - 11.4)	762
	18 or older	10.4	( 6.4 - 16.5 )	110	-	-	75	-	-	35
Grade										
	9th	16.2	(13.0 - 20.0)	596	19.9	(15.1 - 25.7)	284	12.0	(8.6 - 16.5)	312
	10th	10.3	(8.0 - 13.2)	593	11.4	(7.9 - 16.1)	273	9.2	(6.2 - 13.4)	320
	11th	10.9	(8.8 - 13.5)	753	13.4	( 9.8 - 18.1 )	359	8.3	(5.8 - 11.9)	394
	12th	11.3	(8.9 - 14.2)	727	13.6	(9.8 - 18.6)	356	8.9	(6.2 - 12.6)	371
Race/E	thnicity									
	Black*	12.9	(10.9 - 15.2)	1,180	15.8	(12.6 - 19.5)	566	9.9	(7.7 - 12.5)	614
	Hispanic/Latino	14.5	( 10.3 - 20.0 )	224	12.3	(7.6 - 19.4)	110	16.9	(10.7 - 25.8)	114
	White*	10.6	(8.7 - 12.8)	796	13.6	( 10.3 - 17.7 )	386	7.4	(5.3 - 10.3)	410
	All other races*	12.1	(7.6 - 18.9)	160	-	-	74	-	-	86
	Multiple races*	15.5	(11.3 - 20.9)	269	19.8	( 13.4 - 28.5 )	116	11.8	(7.1 - 18.9)	153

Note: 214 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.3	( 12.9 - 15.9 )	2,698	11.7	( 9.9 - 13.8 )	1,289	17.0	( 15.0 - 19.3 )	1,409
Age										
	15 or younger	12.9	(10.7 - 15.4)	1,135	10.9	(8.2 - 14.5)	523	14.8	(12.1 - 18.1)	612
	16 or 17	16.1	( 14.3 - 18.1 )	1,453	12.9	(10.7 - 15.5)	691	19.4	(16.4 - 22.8)	762
	18 or older	9.0	(4.2 - 18.2)	110	-	-	75	-	-	35
Grade										
	9th	13.9	(11.2 - 17.1)	596	10.4	(7.1 - 15.0)	284	17.8	(14.1 - 22.3)	312
	10th	13.4	(10.2 - 17.3)	593	13.4	(9.1 - 19.1)	273	13.3	(9.6 - 18.2)	320
	11th	15.0	(12.6 - 17.7)	753	11.5	(8.7 - 15.1)	359	18.5	(14.2 - 23.7)	394
	12th	15.2	( 12.4 - 18.5 )	727	12.2	( 9.0 - 16.3 )	356	18.3	( 14.4 - 23.0 )	371
Race/E	thnicity									
	Black*	15.2	(13.1 - 17.7)	1,180	12.3	(9.6 - 15.5)	566	18.3	(15.3 - 21.8)	614
	Hispanic/Latino	14.2	(10.5 - 18.9)	224	14.0	(8.9 - 21.5)	110	14.3	(9.4 - 21.3)	114
	White*	12.0	(9.6 - 14.9)	796	10.4	(7.6 - 14.2)	386	13.6	(10.2 - 17.9)	410
	All other races*	11.5	(7.3 - 17.7)	160	-	-	74	-	-	86
	Multiple races*	16.6	(12.6 - 21.5)	269	14.3	(9.2 - 21.4)	116	18.7	(13.4 - 25.5)	153

Note: 214 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN69: Percentage of students who described themselves as slightly or very overweight

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	26.5	( 24.8 - 28.2 )	2,741	21.9	( 19.7 - 24.2 )	1,263	31.0	(28.5 - 33.5)	1,451	
Age											
	15 or younger	25.6	(23.2 - 28.3)	1,185	22.4	( 19.1 - 26.0 )	517	28.7	(25.2 - 32.6)	653	
	16 or 17	27.5	(25.2 - 30.0)	1,446	21.3	(18.1 - 24.9)	676	33.6	(30.1 - 37.3)	762	
	18 or older	25.3	(18.1 - 34.3)	106	-	-	69	-	-	36	
Grade											
	9th	26.9	(23.8 - 30.4)	613	26.2	(22.1 - 30.8)	281	27.9	(22.7 - 33.7)	331	
	10th	25.7	(22.0 - 29.7)	604	20.9	(16.2 - 26.6)	265	29.9	(25.1 - 35.1)	335	
	11th	25.8	(23.0 - 28.8)	768	18.3	(14.7 - 22.5)	361	33.8	(28.8 - 39.1)	401	
	12th	26.8	( 23.4 - 30.5 )	707	21.3	(16.5 - 27.0)	333	32.0	( 27.6 - 36.8 )	370	
Race/	Ethnicity										
	Black*	24.9	(22.6 - 27.4)	1,154	20.9	(17.9 - 24.3)	529	28.7	(25.1 - 32.6)	622	
	Hispanic/Latino	28.5	(22.8 - 35.0)	239	26.1	(18.3 - 35.8)	110	31.2	(23.5 - 40.1)	123	
	White*	28.5	(25.5 - 31.6)	822	23.1	(18.9 - 27.8)	399	34.1	(29.7 - 38.7)	423	
	All other races*	21.2	(15.4 - 28.5)	167	-	-	73	-	-	93	
	Multiple races*	31.4	(25.9 - 37.4)	270	26.4	(19.1 - 35.4)	112	35.5	(28.2 - 43.6)	157	

Note: 171 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	24.4	( 22.5 - 26.3 )	2,747	24.1	(21.6 - 26.8)	1,268	24.6	( 22.2 - 27.1 )	1,450	
Age											
	15 or younger	24.5	(22.0 - 27.2)	1,190	24.1	( 20.7 - 27.9 )	523	24.9	(21.5 - 28.7)	652	
	16 or 17	23.7	(21.2 - 26.4)	1,444	23.7	( 20.4 - 27.4 )	672	23.6	( 20.5 - 27.0 )	762	
	18 or older	30.5	(21.6 - 41.0)	109	-	-	72	-	-	36	
Grade											
	9th	24.6	(21.2 - 28.3)	618	25.0	(20.5 - 30.0)	287	24.3	(19.8 - 29.5)	330	
	10th	25.2	(21.7 - 29.1)	607	24.7	(19.8 - 30.3)	266	25.8	(21.5 - 30.5)	336	
	11th	23.1	( 20.0 - 26.5 )	768	23.8	( 19.3 - 29.0 )	358	22.4	(18.2 - 27.3)	403	
	12th	24.7	(21.3 - 28.6)	706	22.9	(18.0 - 28.7)	334	26.4	(22.2 - 31.1)	368	
Race/E	thnicity										
	Black*	22.2	(19.7 - 25.0)	1,160	22.5	(18.9 - 26.6)	534	21.9	(18.6 - 25.6)	622	
	Hispanic/Latino	25.7	(20.0 - 32.4)	238	22.2	( 15.4 - 30.9 )	112	29.1	( 20.4 - 39.6 )	120	
	White*	27.0	( 24.0 - 30.3 )	824	26.2	( 22.2 - 30.8 )	397	27.9	(24.0 - 32.1)	426	
	All other races*	31.4	( 24.3 - 39.6 )	168	-	-	74	-	-	93	
	Multiple races*	22.2	(17.7 - 27.4)	269	20.4	(13.9 - 28.8)	111	23.3	( 17.4 - 30.5 )	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	18.6	( 16.9 - 20.4 )	2,732	19.9	( 17.2 - 22.8 )	1,254	17.1	( 14.9 - 19.5 )	1,449	
Age											
	15 or younger	18.7	(16.3 - 21.4)	1,183	20.4	(16.6 - 24.9)	517	17.0	(13.8 - 20.6)	651	
	16 or 17	18.9	(16.5 - 21.6)	1,438	20.2	(16.6 - 24.3)	666	17.1	(14.5 - 20.1)	762	
	18 or older	13.9	(8.4 - 22.0)	107	-	-	70	-	-	36	
Grade											
	9th	19.6	(16.1 - 23.7)	613	21.1	(15.9 - 27.5)	282	17.7	(13.7 - 22.6)	330	
	10th	17.7	(14.8 - 20.9)	605	19.7	(15.1 - 25.4)	265	15.4	(11.3 - 20.7)	335	
	11th	17.9	(14.8 - 21.6)	765	18.7	(13.8 - 24.8)	355	16.9	(13.3 - 21.1)	403	
	12th	19.1	( 16.2 - 22.4 )	702	19.6	(15.0 - 25.1)	330	18.6	(15.0 - 22.8)	368	
Race/E	thnicity										
	Black*	20.5	(18.2 - 23.0)	1,154	21.7	(18.1 - 25.9)	530	19.3	(16.3 - 22.7)	620	
	Hispanic/Latino	19.3	(14.4 - 25.4)	234	19.0	(12.4 - 27.9)	107	17.5	(11.2 - 26.2)	121	
	White*	15.7	(12.8 - 18.9)	821	17.9	(13.9 - 22.7)	395	13.1	(9.9 - 17.2)	425	
	All other races*	21.1	(15.0 - 28.8)	166	-	-	72	-	-	93	
	Multiple races*	13.5	(9.8 - 18.4)	269	12.0	( 6.9 - 19.9 )	111	14.9	(9.9 - 21.7)	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	8.4	(7.3 - 9.8)	2,726	9.7	(7.9 - 11.8)	1,251	7.3	(5.9 - 9.0)	1,446	
Age										
15 or younger	7.8	(6.2 - 9.8)	1,181	8.6	(6.2 - 11.7)	516	7.1	(5.1 - 9.8)	650	
16 or 17	9.0	(7.5 - 10.9)	1,434	10.7	(8.3 - 13.6)	664	7.4	(5.6 - 9.7)	760	
18 or older	9.4	(4.6 - 18.2)	107	-	-	70	-	-	36	
Grade										
9th	7.4	(5.4 - 10.1)	613	8.0	(5.1 - 12.4)	282	6.8	(4.2 - 10.7)	330	
10th	8.1	(6.1 - 10.7)	603	9.5	(6.5 - 13.7)	264	6.9	(4.4 - 10.7)	334	
11th	9.7	(7.6 - 12.4)	763	11.4	(8.1 - 15.8)	354	8.0	(5.5 - 11.4)	402	
12th	8.8	(6.7 - 11.4)	700	9.6	( 6.5 - 13.9 )	329	7.7	(5.4 - 11.1)	367	
Race/Ethnicity										
Black*	8.3	(6.6 - 10.4)	1,151	9.7	(7.3 - 12.7)	528	7.1	(5.1 - 9.8)	619	
Hispanic/Latino	9.7	( 6.0 - 15.4 )	233	7.6	(3.9 - 14.2)	107	11.3	(6.0 - 20.2)	120	
White*	7.7	(5.8 - 10.2)	821	8.9	(6.1 - 12.8)	395	6.6	(4.5 - 9.5)	425	
All other races*	15.2	(10.2 - 22.1)	166	-	-	72	-	-	93	
Multiple races*	6.1	(3.9 - 9.5)	268	6.0	( 2.8 - 12.4 )	110	6.3	( 3.5 - 10.9 )	157	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	54.3	( 52.4 - 56.3 )	2,726	57.9	( 54.9 - 60.9 )	1,251	50.9	(48.1 - 53.8)	1,446
Age										
	15 or younger	53.7	(50.7 - 56.7)	1,181	59.1	(55.0 - 63.1)	516	48.7	(44.0 - 53.4)	650
	16 or 17	54.2	(51.5 - 56.9)	1,434	56.2	(52.1 - 60.2)	664	52.8	(49.4 - 56.2)	760
	18 or older	62.1	(53.2 - 70.3)	107	-	-	70	-	-	36
Grade										
	9th	53.6	(49.3 - 57.9)	613	58.5	(53.3 - 63.5)	282	48.7	(41.8 - 55.6)	330
	10th	53.6	(49.6 - 57.6)	603	60.0	( 52.9 - 66.7 )	264	48.6	(42.8 - 54.4)	334
	11th	56.0	(52.8 - 59.1)	763	57.1	(51.7 - 62.3)	354	54.8	(50.2 - 59.2)	402
	12th	52.8	( 48.9 - 56.6 )	700	55.1	(48.7 - 61.3)	329	50.5	(45.9 - 55.1)	367
Race/I	Ethnicity									
	Black*	55.0	(51.9 - 58.1)	1,151	59.9	(55.4 - 64.2)	528	50.5	(46.1 - 55.0)	619
	Hispanic/Latino	62.0	(54.8 - 68.8)	233	63.3	(53.0 - 72.6)	107	63.6	(53.7 - 72.4)	120
	White*	51.1	(48.0 - 54.2)	821	53.4	(48.6 - 58.2)	395	48.9	(44.5 - 53.2)	425
	All other races*	53.0	( 44.8 - 61.0 )	166	-	-	72	-	-	93
	Multiple races*	58.8	( 52.4 - 64.9 )	268	62.9	(53.2 - 71.6)	110	55.8	(48.0 - 63.3)	157

Note: 186 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	28.6	( 26.9 - 30.4 )	2,726	30.4	( 27.9 - 33.0 )	1,251	26.7	( 24.5 - 29.1 )	1,446
Age										
	15 or younger	28.1	(25.5 - 30.9)	1,181	31.1	(27.5 - 35.0)	516	25.5	(22.3 - 29.1)	650
	16 or 17	28.5	(26.2 - 31.1)	1,434	29.5	(26.1 - 33.2)	664	27.7	(24.6 - 31.0)	760
	18 or older	33.0	(25.7 - 41.3)	107	-	-	70	-	-	36
Grade	2									
	9th	28.6	(25.3 - 32.2)	613	32.6	(27.9 - 37.6)	282	24.5	( 20.4 - 29.1 )	330
	10th	27.5	(24.1 - 31.3)	603	28.0	(22.8 - 33.8)	264	27.2	(22.8 - 32.2)	334
	11th	28.8	(25.5 - 32.4)	763	30.8	( 26.4 - 35.5 )	354	26.9	(22.7 - 31.6)	402
	12th	27.8	( 24.3 - 31.6 )	700	29.3	( 24.1 - 35.1 )	329	26.7	( 22.0 - 32.0 )	367
Race/	Ethnicity									
	Black*	30.3	(27.6 - 33.2)	1,151	32.1	(28.4 - 36.1)	528	28.7	(25.1 - 32.5)	619
	Hispanic/Latino	34.7	(28.1 - 42.0)	233	38.6	(29.3 - 48.7)	107	32.8	( 24.0 - 42.9 )	120
	White*	23.3	( 20.6 - 26.2 )	821	25.2	(21.3 - 29.5)	395	21.4	(17.8 - 25.5)	425
	All other races*	28.9	( 22.2 - 36.8 )	166	-	-	72	-	-	93
	Multiple races*	32.0	( 26.2 - 38.3 )	268	33.7	(25.1 - 43.4)	110	30.8	(23.5 - 39.1)	157

Note: 186 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		19.4	(18.0 - 20.9)	2,726	21.0	(18.8 - 23.4)	1,251	17.5	( 15.7 - 19.5 )	1,446
Age										
15 or y	ounger	18.8	(16.7 - 21.2)	1,181	20.2	(17.0 - 23.9)	516	17.5	(14.9 - 20.6)	650
16 or 1	17	19.9	(17.9 - 22.1)	1,434	21.9	(18.8 - 25.4)	664	17.9	(15.2 - 20.9)	760
18 or 6	older	18.5	(12.5 - 26.6)	107	-	-	70	-	-	36
Grade										
9th		18.1	(15.4 - 21.1)	613	19.6	(15.7 - 24.2)	282	16.5	(13.3 - 20.4)	330
10th		19.4	(16.6 - 22.6)	603	20.2	(15.7 - 25.5)	264	18.7	(15.0 - 23.2)	334
11th		21.2	(18.4 - 24.4)	763	24.5	( 20.7 - 28.8 )	354	17.9	(14.1 - 22.4)	402
12th		17.8	(15.0 - 21.0)	700	19.7	(15.2 - 25.2)	329	16.2	(12.5 - 20.8)	367
Race/Ethnicity										
Black'	*	21.2	(19.0 - 23.6)	1,151	22.6	( 19.2 - 26.4 )	528	19.9	(17.1 - 22.9)	619
Hispar	nic/Latino	24.1	(18.8 - 30.3)	233	27.1	(19.6 - 36.2)	107	22.5	(15.4 - 31.6)	120
White	*	14.6	(12.7 - 16.7)	821	16.2	(13.2 - 19.7)	395	12.9	(10.2 - 16.3)	425
All oth	ner races*	14.3	(9.7 - 20.6)	166	-	-	72	-	-	93
Multip	le races*	21.7	(16.7 - 27.7)	268	25.3	( 17.7 - 34.7 )	110	19.0	(13.2 - 26.4)	157

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN73: Percentage of students who did not eat salad (during the 7 days before the survey)

		Total		Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	45.3	( 43.1 - 47.5 )	2,713	49.3	( 46.4 - 52.2 )	1,247	41.6	( 38.7 - 44.5 )	1,439	
Age											
	15 or younger	45.7	( 42.5 - 48.9 )	1,177	48.7	(44.4 - 53.0)	516	42.9	(38.5 - 47.4)	647	
	16 or 17	45.5	(42.8 - 48.1)	1,428	50.7	(47.0 - 54.5)	662	40.3	( 36.9 - 43.9 )	757	
	18 or older	40.7	(31.1 - 51.1)	104	-	-	68	-	-	35	
Grade											
	9th	46.0	(41.2 - 50.8)	608	49.2	(43.5 - 54.9)	282	42.6	(35.9 - 49.7)	325	
	10th	45.1	(41.3 - 49.0)	604	47.1	(40.3 - 54.1)	263	43.5	(38.7 - 48.4)	336	
	11th	45.4	(41.6 - 49.2)	760	52.0	(46.7 - 57.3)	355	38.4	(33.6 - 43.5)	399	
	12th	45.2	( 40.9 - 49.5 )	697	48.8	( 43.3 - 54.4 )	326	41.6	( 36.0 - 47.4 )	367	
Race/I	Ethnicity										
	Black*	50.4	(47.3 - 53.5)	1,142	54.4	(49.8 - 58.9)	525	46.7	(42.5 - 51.0)	614	
	Hispanic/Latino	42.6	( 36.8 - 48.7 )	234	36.7	(28.2 - 46.2)	107	46.3	(38.5 - 54.4)	121	
	White*	38.0	( 34.6 - 41.6 )	814	43.3	( 38.1 - 48.6 )	391	32.4	(28.1 - 37.0)	422	
	All other races*	39.1	(31.4 - 47.4)	164	-	-	72	-	-	92	
	Multiple races*	43.6	( 37.4 - 50.0 )	271	52.7	(43.7 - 61.5)	113	35.8	( 28.0 - 44.3 )	157	

Note: 199 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)

		Total		Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	43.1	(41.0 - 45.1)	2,716	42.8	( 39.6 - 46.1 )	1,248	43.1	( 40.4 - 45.9 )	1,441	
Age											
	15 or younger	44.9	(41.7 - 48.0)	1,175	45.3	(40.1 - 50.6)	514	44.2	(40.0 - 48.3)	647	
	16 or 17	42.0	(39.1 - 45.0)	1,430	41.4	( 37.2 - 45.8 )	663	42.4	(38.7 - 46.1)	758	
	18 or older	36.2	( 27.5 - 45.8 )	107	-	-	70	-	-	36	
Grade											
	9th	48.2	(43.5 - 53.0)	609	49.5	(42.6 - 56.4)	281	47.0	(41.3 - 52.9)	327	
	10th	41.4	( 37.5 - 45.5 )	604	40.4	( 34.2 - 46.9 )	265	42.1	( 36.0 - 48.3 )	334	
	11th	42.6	(38.3 - 47.1)	759	42.4	( 36.4 - 48.6 )	354	42.3	( 36.3 - 48.5 )	399	
	12th	39.7	( 36.4 - 43.1 )	700	38.3	( 32.5 - 44.5 )	328	40.9	( 36.5 - 45.4 )	368	
Race/I	Ethnicity										
	Black*	48.6	(45.3 - 51.9)	1,142	47.1	( 42.4 - 51.9 )	523	49.9	(45.8 - 54.0)	616	
	Hispanic/Latino	43.0	( 36.8 - 49.4 )	236	37.2	( 29.2 - 46.0 )	110	46.6	( 36.9 - 56.5 )	120	
	White*	35.1	(32.1 - 38.2)	819	36.8	(32.0 - 41.9)	394	33.1	(28.8 - 37.7)	424	
	All other races*	46.6	(38.7 - 54.7)	167	-	-	73	-	-	93	
	Multiple races*	38.6	( 33.3 - 44.1 )	265	37.9	( 29.7 - 46.9 )	109	38.8	( 32.2 - 45.9 )	155	

Note: 196 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	60.4	( 58.3 - 62.4 )	2,700	58.0	( 54.8 - 61.1 )	1,239	63.3	( 60.4 - 66.1 )	1,434	
Age											
	15 or younger	60.7	(57.9 - 63.5)	1,167	58.5	(54.0 - 62.8)	510	63.6	(59.5 - 67.6)	643	
	16 or 17	61.0	( 57.9 - 63.9 )	1,422	59.2	(54.5 - 63.6)	657	62.9	( 58.9 - 66.8 )	756	
	18 or older	50.9	( 40.6 - 61.1 )	107	-	-	71	-	-	35	
Grade											
	9th	62.1	(58.2 - 65.9)	605	59.5	(54.2 - 64.5)	278	64.7	( 58.1 - 70.9 )	326	
	10th	61.4	(57.2 - 65.4)	598	57.5	(50.2 - 64.5)	262	65.3	(60.0 - 70.3)	331	
	11th	59.3	(55.0 - 63.4)	757	59.2	(52.7 - 65.4)	351	59.9	(54.0 - 65.5)	400	
	12th	59.9	(55.7 - 63.9)	695	56.8	(50.7 - 62.6)	327	63.6	( 58.2 - 68.6 )	364	
Race/I	Ethnicity										
	Black*	66.4	(63.2 - 69.5)	1,135	65.1	( 60.1 - 69.8 )	520	67.9	(63.8 - 71.8)	612	
	Hispanic/Latino	56.8	(50.3 - 63.2)	232	49.7	(39.6 - 59.9)	106	63.2	(53.5 - 71.9)	120	
	White*	52.2	(48.8 - 55.6)	815	49.7	(44.2 - 55.1)	392	54.7	(49.7 - 59.7)	422	
	All other races*	60.6	(52.5 - 68.2)	165	-	-	72	-	-	92	
	Multiple races*	61.2	(55.7 - 66.5)	265	52.5	(43.7 - 61.2)	109	68.6	(61.2 - 75.1)	155	

Note: 212 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)

		Total			Male		Female			
	Percent	age 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	20.1	(18.1 - 22.3)	2,687	23.4	( 20.6 - 26.4 )	1,233	16.7	( 14.3 - 19.3 )	1,427	
Age										
15 or your	ger 18.6	(15.8 - 21.9)	1,157	21.5	(17.6 - 26.1)	506	15.5	(12.1 - 19.6)	637	
16 or 17	21.3	(18.6 - 24.2)	1,421	24.3	(20.8 - 28.2)	657	18.1	(15.1 - 21.6)	755	
18 or older	26.4	(18.8 - 35.9)	105	-	-	69	-	-	35	
Grade										
9th	19.6	(15.4 - 24.6)	600	21.3	(16.4 - 27.3)	274	17.9	(12.7 - 24.6)	325	
10th	18.1	(14.6 - 22.2)	597	22.8	(17.2 - 29.5)	265	13.5	(9.6 - 18.7)	327	
11th	21.6	(18.4 - 25.2)	757	25.1	(20.2 - 30.7)	351	17.7	(14.0 - 22.2)	400	
12th	20.4	(16.7 - 24.7)	691	24.2	( 19.4 - 29.9 )	324	16.9	(13.0 - 21.6)	363	
Race/Ethnicity										
Black*	23.4	(20.6 - 26.4)	1,128	26.5	( 22.8 - 30.6 )	518	20.2	(17.0 - 23.9)	607	
Hispanic/I	atino 25.3	(19.8 - 31.7)	233	21.7	(15.0 - 30.3)	107	26.2	(18.4 - 35.7)	120	
White*	14.2	(11.7 - 17.2)	812	18.7	(14.8 - 23.3)	390	9.4	(6.7 - 13.0)	421	
All other r	aces* 22.0	(15.7 - 29.9)	164	-	-	71	-	-	92	
Multiple ra	nces* 14.7	(10.8 - 19.8)	263	18.6	(11.6 - 28.3)	108	11.7	(7.8 - 17.3)	154	

Note: 225 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	9.3	(8.0 - 10.8)	2,638	11.7	(9.8 - 13.9)	1,200	7.0	(5.4 - 8.9)	1,413
Age										
	15 or younger	8.1	(6.4 - 10.2)	1,137	9.5	(7.1 - 12.6)	493	6.8	(4.7 - 9.8)	632
	16 or 17	10.4	(8.6 - 12.6)	1,397	13.5	(10.7 - 16.7)	641	7.4	(5.4 - 10.1)	747
	18 or older	10.3	(5.2 - 19.5)	100	-	-	65	-	-	34
Grade										
	9th	8.0	(5.6 - 11.3)	590	9.5	(6.3 - 14.1)	269	6.4	(3.7 - 10.8)	320
	10th	8.8	(6.6 - 11.7)	587	10.7	(7.4 - 15.3)	255	6.9	(4.2 - 11.2)	327
	11th	10.6	(8.3 - 13.5)	746	14.1	(10.3 - 18.9)	345	7.2	(4.8 - 10.7)	395
	12th	9.5	(7.3 - 12.4)	677	12.1	(8.7 - 16.6)	313	7.3	(4.7 - 11.1)	360
Race/E	thnicity									
	Black*	10.6	(8.8 - 12.8)	1,106	12.4	(9.8 - 15.6)	503	9.1	(6.8 - 11.9)	600
	Hispanic/Latino	11.8	(7.9 - 17.2)	228	8.8	(4.5 - 16.5)	103	12.2	(7.3 - 19.9)	119
	White*	6.9	(5.1 - 9.2)	800	10.3	(7.3 - 14.4)	383	3.1	(1.8 - 5.4)	416
	All other races*	10.9	( 6.6 - 17.5 )	161	-	-	70	-	-	91
	Multiple races*	4.9	(2.8 - 8.4)	261	7.6	( 3.8 - 14.9 )	106	2.7	(1.1 - 6.8)	154

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	55.4	(53.4 - 57.4)	2,638	55.1	(51.9 - 58.3)	1,200	55.1	( 52.4 - 57.8 )	1,413	
Age											
	15 or younger	56.9	(53.9 - 59.8)	1,137	55.8	(50.8 - 60.7)	493	57.3	(53.3 - 61.3)	632	
	16 or 17	53.1	(50.4 - 55.9)	1,397	53.1	(49.0 - 57.2)	641	52.9	(49.2 - 56.5)	747	
	18 or older	63.8	(55.0 - 71.7)	100	-	-	65	-	-	34	
Grade											
	9th	56.1	(52.0 - 60.0)	590	56.4	(50.0 - 62.6)	269	55.6	(49.8 - 61.2)	320	
	10th	56.6	(51.8 - 61.1)	587	54.8	(46.9 - 62.5)	255	57.9	(51.8 - 63.8)	327	
	11th	53.2	(49.6 - 56.8)	746	52.5	(46.5 - 58.4)	345	53.5	(48.5 - 58.4)	395	
	12th	54.7	(51.0 - 58.3)	677	55.8	(50.3 - 61.2)	313	53.1	(48.1 - 58.0)	360	
Race/E	Ethnicity										
	Black*	51.4	(48.1 - 54.6)	1,106	52.6	(47.8 - 57.4)	503	50.1	(45.9 - 54.4)	600	
	Hispanic/Latino	57.3	(50.2 - 64.1)	228	66.9	(56.6 - 75.8)	103	48.6	(39.0 - 58.3)	119	
	White*	60.0	( 56.5 - 63.4 )	800	57.8	(51.9 - 63.5)	383	62.4	( 57.8 - 66.9 )	416	
	All other races*	56.4	( 49.0 - 63.6 )	161	-	-	70	-	-	91	
	Multiple races*	59.7	(53.9 - 65.3)	261	57.2	( 47.9 - 66.1 )	106	61.5	(54.3 - 68.2)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	21.5	( 19.8 - 23.3 )	2,638	23.4	( 20.7 - 26.2 )	1,200	19.1	(17.1 - 21.2)	1,413	
Age											
	15 or younger	20.4	(17.9 - 23.0)	1,137	22.2	(18.5 - 26.4)	493	18.3	(15.4 - 21.6)	632	
	16 or 17	21.5	(19.5 - 23.7)	1,397	23.3	(20.1 - 26.8)	641	19.6	(16.8 - 22.6)	747	
	18 or older	33.5	( 25.2 - 42.9 )	100	-	-	65	-	-	34	
Grade											
	9th	21.5	(18.1 - 25.4)	590	23.6	(19.3 - 28.6)	269	19.4	(14.8 - 25.1)	320	
	10th	18.9	(15.8 - 22.5)	587	20.8	(15.2 - 27.7)	255	16.9	(13.2 - 21.3)	327	
	11th	21.5	(18.6 - 24.7)	746	23.3	(18.8 - 28.5)	345	19.9	(16.0 - 24.5)	395	
	12th	21.9	( 19.0 - 25.0 )	677	23.7	( 19.3 - 28.9 )	313	19.4	(15.8 - 23.5)	360	
Race/E	thnicity										
	Black*	19.9	(17.4 - 22.7)	1,106	23.0	(19.0 - 27.6)	503	16.9	(14.1 - 20.1)	600	
	Hispanic/Latino	23.9	(18.6 - 30.1)	228	28.3	(19.7 - 38.9)	103	20.1	( 14.1 - 27.7 )	119	
	White*	21.5	(19.0 - 24.3)	800	21.4	(17.7 - 25.7)	383	21.7	(18.4 - 25.3)	416	
	All other races*	25.8	(19.5 - 33.2)	161	-	-	70	-	-	91	
	Multiple races*	21.7	(17.2 - 27.2)	261	26.9	( 19.2 - 36.3 )	106	17.7	(12.5 - 24.4)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	10.9	(9.7 - 12.3)	2,638	12.2	( 10.2 - 14.6 )	1,200	9.3	(7.8 - 10.9)	1,413	
Age											
	15 or younger	10.0	(8.4 - 11.8)	1,137	11.8	(9.2 - 15.0)	493	8.2	(6.3 - 10.7)	632	
	16 or 17	10.9	(9.4 - 12.5)	1,397	11.8	(9.3 - 14.8)	641	9.9	(8.0 - 12.3)	747	
	18 or older	21.7	(13.8 - 32.4)	100	-	-	65	-	-	34	
Grade											
	9th	8.6	(6.7 - 11.0)	590	10.0	(7.3 - 13.6)	269	7.3	(4.8 - 10.8)	320	
	10th	11.5	(9.0 - 14.7)	587	15.0	(10.1 - 21.6)	255	8.7	(6.0 - 12.6)	327	
	11th	10.0	(8.1 - 12.3)	746	10.2	(7.5 - 13.7)	345	9.9	(7.2 - 13.3)	395	
	12th	11.9	( 9.5 - 14.7 )	677	13.2	(9.5 - 17.9)	313	10.5	(7.7 - 14.2)	360	
Race/E	Ethnicity										
	Black*	10.3	(8.5 - 12.5)	1,106	12.3	(9.3 - 16.1)	503	8.5	(6.5 - 11.0)	600	
	Hispanic/Latino	14.5	(10.3 - 20.0)	228	16.8	(10.4 - 25.9)	103	12.3	(7.6 - 19.3)	119	
	White*	9.8	(8.1 - 11.8)	800	10.6	(7.9 - 14.1)	383	9.0	(6.6 - 12.2)	416	
	All other races*	12.5	(8.3 - 18.4)	161	-	-	70	-	-	91	
	Multiple races*	11.9	(8.7 - 16.3)	261	14.5	(9.1 - 22.4)	106	9.9	(6.2 - 15.5)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	30.6	(28.8 - 32.5)	2,695	30.9	( 28.0 - 34.0 )	1,234	30.1	( 27.7 - 32.5 )	1,433	
Age											
	15 or younger	29.4	( 26.8 - 32.2 )	1,159	30.4	(25.9 - 35.4)	504	28.4	(24.7 - 32.4)	640	
	16 or 17	30.9	(28.5 - 33.4)	1,428	30.4	( 26.8 - 34.3 )	660	31.3	( 28.4 - 34.3 )	759	
	18 or older	42.2	( 32.0 - 53.0 )	104	-	-	69	-	-	34	
Grade											
	9th	29.2	( 26.0 - 32.7 )	602	29.4	(23.8 - 35.8)	275	28.7	(24.3 - 33.6)	326	
	10th	31.7	(27.7 - 36.1)	597	34.4	(27.4 - 42.0)	263	29.7	(24.1 - 35.9)	329	
	11th	31.0	(27.5 - 34.8)	762	32.6	(27.3 - 38.5)	355	29.1	(24.8 - 33.8)	401	
	12th	30.6	( 27.5 - 33.8 )	689	27.4	( 22.8 - 32.5 )	321	33.6	( 29.6 - 37.9 )	364	
Race/I	Ethnicity										
	Black*	33.8	(31.2 - 36.5)	1,129	37.3	(33.0 - 41.8)	516	30.6	(27.2 - 34.1)	610	
	Hispanic/Latino	33.3	(27.0 - 40.1)	231	35.1	( 26.7 - 44.6 )	106	32.3	(23.8 - 42.1)	119	
	White*	25.3	(22.3 - 28.5)	819	21.7	(17.9 - 26.0)	393	28.8	( 24.4 - 33.6 )	425	
	All other races*	36.2	( 29.3 - 43.7 )	164	-	-	71	-	-	92	
	Multiple races*	24.4	( 19.4 - 30.2 )	262	22.4	(15.5 - 31.3)	107	25.7	( 19.6 - 33.0 )	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	15.5	( 14.2 - 17.0 )	2,695	16.6	( 14.5 - 18.9 )	1,234	14.7	( 13.0 - 16.6 )	1,433	
Age											
	15 or younger	15.0	(13.2 - 17.0)	1,159	15.6	(12.9 - 18.8)	504	14.8	(12.3 - 17.6)	640	
	16 or 17	15.9	( 13.9 - 18.3 )	1,428	17.6	( 14.6 - 21.1 )	660	14.4	(11.9 - 17.3)	759	
	18 or older	17.8	(10.7 - 28.1)	104	-	-	69	-	-	34	
Grade											
	9th	15.6	(13.0 - 18.7)	602	16.8	(13.0 - 21.5)	275	14.4	(10.8 - 18.9)	326	
	10th	13.5	(11.4 - 15.9)	597	11.6	(8.3 - 16.0)	263	15.0	(12.2 - 18.5)	329	
	11th	15.8	(13.0 - 19.0)	762	19.5	(15.3 - 24.6)	355	12.1	(9.1 - 15.9)	401	
	12th	17.4	( 14.4 - 20.8 )	689	18.0	( 13.3 - 23.9 )	321	17.0	(13.5 - 21.3)	364	
Race/I	Ethnicity										
	Black*	14.6	(12.7 - 16.8)	1,129	14.4	(11.5 - 17.9)	516	14.7	(12.2 - 17.6)	610	
	Hispanic/Latino	12.3	(8.7 - 17.2)	231	13.1	(7.7 - 21.6)	106	12.2	(7.7 - 18.9)	119	
	White*	17.7	(15.1 - 20.5)	819	19.2	(15.3 - 23.8)	393	16.2	(13.3 - 19.6)	425	
	All other races*	9.5	(5.7 - 15.5)	164	-	-	71	-	-	92	
	Multiple races*	15.8	(11.8 - 20.7)	262	20.8	( 13.8 - 30.0 )	107	11.8	(7.8 - 17.5)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	10.2	(9.1 - 11.5)	2,695	10.7	(9.0 - 12.7)	1,234	9.9	(8.4 - 11.6)	1,433	
Age											
	15 or younger	10.4	(8.8 - 12.3)	1,159	10.7	(8.4 - 13.6)	504	10.3	(8.2 - 13.0)	640	
	16 or 17	9.8	(8.2 - 11.7)	1,428	10.4	(8.1 - 13.2)	660	9.2	(7.1 - 11.9)	759	
	18 or older	13.6	(8.5 - 21.1)	104	-	-	69	-	-	34	
Grade											
	9th	10.8	(8.4 - 13.8)	602	11.5	(8.1 - 16.0)	275	10.2	(7.3 - 13.9)	326	
	10th	9.9	(7.8 - 12.4)	597	8.8	(5.7 - 13.3)	263	10.6	(7.8 - 14.3)	329	
	11th	9.5	(7.4 - 12.2)	762	10.3	(7.2 - 14.6)	355	8.8	(6.1 - 12.5)	401	
	12th	10.6	(8.3 - 13.5)	689	11.5	(7.8 - 16.5)	321	9.9	(7.1 - 13.6)	364	
Race/I	Ethnicity										
	Black*	9.7	(8.2 - 11.4)	1,129	9.1	(6.9 - 11.9)	516	10.2	(8.2 - 12.7)	610	
	Hispanic/Latino	9.0	(5.9 - 13.4)	231	10.6	(5.8 - 18.9)	106	7.8	(4.3 - 13.5)	119	
	White*	11.0	(9.0 - 13.4)	819	11.6	(8.8 - 15.2)	393	10.3	(7.6 - 13.9)	425	
	All other races*	6.2	(3.4 - 11.1)	164	-	-	71	-	-	92	
	Multiple races*	12.1	(8.5 - 16.9)	262	17.4	(10.8 - 26.8)	107	7.8	(4.7 - 12.8)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	5.4	(4.6 - 6.4)	2,695	5.6	(4.4 - 7.1)	1,234	5.4	(4.3 - 6.8)	1,433	
Age										
15 or younger	5.4	(4.2 - 6.9)	1,159	4.7	(3.2 - 6.9)	504	6.2	(4.6 - 8.3)	640	
16 or 17	5.2	(4.2 - 6.5)	1,428	6.1	(4.4 - 8.3)	660	4.5	(3.1 - 6.3)	759	
18 or older	9.1	(5.1 - 15.6)	104	-	-	69	-	-	34	
Grade										
9th	5.2	(3.8 - 7.2)	602	4.3	(2.4 - 7.7)	275	6.2	(4.3 - 8.8)	326	
10th	5.6	(4.1 - 7.7)	597	4.3	(2.5 - 7.5)	263	6.9	(4.6 - 10.2)	329	
11th	5.5	(3.9 - 7.7)	762	7.2	(4.7 - 10.8)	355	3.8	(2.2 - 6.6)	401	
12th	5.3	(3.8 - 7.3)	689	6.2	(3.6 - 10.3)	321	4.6	(2.8 - 7.3)	364	
Race/Ethnicity										
Black*	5.4	(4.2 - 6.8)	1,129	5.4	(3.7 - 7.7)	516	5.4	(3.9 - 7.5)	610	
Hispanic/Latino	5.1	(2.9 - 8.8)	231	5.2	(2.2 - 11.9)	106	5.4	(2.6 - 10.8)	119	
White*	5.1	(3.8 - 6.8)	819	4.8	(3.2 - 7.3)	393	5.4	(3.5 - 8.3)	425	
All other races*	3.5	(1.6 - 7.6)	164	-	-	71	-	-	92	
Multiple races*	7.4	(4.7 - 11.5)	262	12.1	( 6.9 - 20.2 )	107	3.7	(1.7 - 8.2)	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	34.2	( 32.1 - 36.3 )	2,675	44.5	(41.2 - 47.8)	1,228	24.4	( 22.1 - 26.9 )	1,419	
Age											
	15 or younger	35.2	( 32.1 - 38.5 )	1,143	46.9	( 42.4 - 51.5 )	497	25.1	(21.6 - 29.1)	631	
	16 or 17	32.7	(30.1 - 35.5)	1,421	42.7	(38.6 - 46.9)	659	22.9	(19.8 - 26.2)	753	
	18 or older	38.3	( 28.9 - 48.5 )	107	-	-	71	-	-	35	
Grade											
	9th	36.1	(31.2 - 41.4)	585	47.8	(41.2 - 54.4)	268	23.9	(18.6 - 30.0)	316	
	10th	33.4	(29.9 - 37.2)	593	43.1	(37.2 - 49.2)	260	25.2	(21.3 - 29.7)	328	
	11th	31.6	(27.9 - 35.5)	761	41.0	(35.5 - 46.7)	356	22.4	(18.3 - 27.2)	399	
	12th	34.5	( 30.6 - 38.6 )	691	44.7	(38.5 - 51.1)	324	24.9	( 20.3 - 30.2 )	363	
Race/E	thnicity										
	Black*	29.8	(27.1 - 32.7)	1,120	39.8	( 35.2 - 44.5 )	514	20.3	(17.0 - 24.0)	603	
	Hispanic/Latino	29.2	(23.6 - 35.5)	233	37.2	(28.5 - 46.8)	107	22.9	(16.4 - 31.0)	120	
	White*	41.4	(37.7 - 45.2)	809	52.6	(47.4 - 57.9)	390	29.9	(25.6 - 34.6)	418	
	All other races*	28.5	(21.4 - 36.8)	162	-	-	71	-	-	90	
	Multiple races*	42.5	( 36.5 - 48.8 )	263	54.0	(44.3 - 63.5)	107	33.6	( 26.2 - 41.9 )	155	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	22.4	( 20.6 - 24.4 )	2,675	18.3	( 15.7 - 21.2 )	1,228	26.4	( 24.0 - 28.9 )	1,419
Age										
	15 or younger	21.1	(18.4 - 23.9)	1,143	16.5	(13.1 - 20.6)	497	25.5	(22.2 - 29.1)	631
	16 or 17	23.8	(21.3 - 26.5)	1,421	19.4	(16.0 - 23.2)	659	27.8	(24.3 - 31.6)	753
	18 or older	23.0	( 14.9 - 33.8 )	107	-	-	71	-	-	35
Grade										
	9th	21.6	(18.1 - 25.6)	585	16.0	(11.5 - 21.8)	268	27.7	(23.4 - 32.5)	316
	10th	22.2	(18.1 - 26.8)	593	19.8	(14.7 - 26.2)	260	23.5	(19.0 - 28.8)	328
	11th	22.8	( 19.7 - 26.2 )	761	17.7	(13.9 - 22.2)	356	28.0	(23.6 - 32.9)	399
	12th	23.6	( 19.8 - 27.9 )	691	20.3	(15.2 - 26.7)	324	27.0	( 22.1 - 32.6 )	363
Race/E	Ethnicity									
	Black*	25.5	( 22.9 - 28.4 )	1,120	21.4	(17.5 - 25.8)	514	29.3	(25.9 - 32.9)	603
	Hispanic/Latino	24.7	( 19.4 - 30.9 )	233	19.3	(12.9 - 27.9)	107	29.8	(22.2 - 38.7)	120
	White*	17.3	(14.8 - 20.2)	809	13.9	(10.7 - 17.8)	390	20.7	(17.0 - 25.0)	418
	All other races*	24.8	(18.8 - 32.1)	162	-	-	71	-	-	90
	Multiple races*	18.2	(13.9 - 23.6)	263	11.0	( 6.5 - 18.0 )	107	23.6	(17.3 - 31.3)	155

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	19.0	(17.5 - 20.7)	2,675	26.0	( 23.5 - 28.7 )	1,228	12.3	( 10.6 - 14.3 )	1,419
Age										
	15 or younger	20.0	(17.6 - 22.6)	1,143	27.7	(24.0 - 31.8)	497	13.2	(10.7 - 16.3)	631
	16 or 17	18.3	(16.3 - 20.5)	1,421	25.6	( 22.4 - 29.1 )	659	10.9	(8.8 - 13.6)	753
	18 or older	16.7	( 10.8 - 24.8 )	107	-	-	71	-	-	35
Grade										
	9th	21.6	(18.2 - 25.6)	585	29.5	(24.3 - 35.2)	268	13.4	(10.1 - 17.6)	316
	10th	18.7	(15.9 - 21.8)	593	24.9	(20.3 - 30.1)	260	13.3	(9.7 - 17.9)	328
	11th	17.5	(15.0 - 20.4)	761	24.7	(20.3 - 29.8)	356	10.4	(7.5 - 14.3)	399
	12th	17.3	( 14.4 - 20.6 )	691	23.7	(18.8 - 29.4)	324	11.4	(8.5 - 15.2)	363
Race/E	Ethnicity									
	Black*	15.5	( 13.4 - 18.0 )	1,120	21.7	(18.2 - 25.6)	514	9.6	(7.3 - 12.5)	603
	Hispanic/Latino	16.4	(12.2 - 21.7)	233	20.1	(14.0 - 28.0)	107	13.7	(8.3 - 21.7)	120
	White*	24.9	(21.8 - 28.3)	809	33.8	( 29.4 - 38.6 )	390	15.7	(12.4 - 19.7)	418
	All other races*	13.5	(8.6 - 20.7)	162	-	-	71	-	-	90
	Multiple races*	23.3	(18.4 - 28.9)	263	32.0	(23.7 - 41.7)	107	16.4	(11.3 - 23.3)	155

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	32.7	( 30.4 - 35.0 )	2,669	30.3	( 27.3 - 33.5 )	1,217	35.0	( 32.1 - 38.0 )	1,425	
Age											
	15 or younger	33.8	( 30.2 - 37.6 )	1,146	31.4	( 26.8 - 36.4 )	494	36.1	(31.8 - 40.7)	637	
	16 or 17	31.9	(29.0 - 34.9)	1,413	30.1	( 25.9 - 34.7 )	652	33.5	(29.9 - 37.2)	753	
	18 or older	28.2	( 20.9 - 36.9 )	106	-	-	70	-	-	35	
Grade											
	9th	34.1	(29.1 - 39.5)	592	30.2	(24.9 - 36.0)	269	38.4	( 32.1 - 45.2 )	322	
	10th	31.4	(27.0 - 36.1)	593	28.1	(21.9 - 35.3)	260	34.1	(28.6 - 40.1)	328	
	11th	31.4	(27.5 - 35.5)	752	30.9	(25.3 - 37.2)	348	32.1	(27.5 - 37.0)	399	
	12th	33.8	( 29.6 - 38.3 )	688	32.7	( 27.0 - 38.9 )	321	34.9	( 30.0 - 40.1 )	363	
Race/I	Ethnicity										
	Black*	38.7	( 35.5 - 42.1 )	1,111	36.3	(31.8 - 41.0)	505	41.0	( 36.7 - 45.4 )	603	
	Hispanic/Latino	26.5	(21.2 - 32.6)	232	22.6	(15.6 - 31.6)	106	29.5	(21.8 - 38.6)	120	
	White*	24.6	(21.6 - 28.0)	814	22.9	(19.0 - 27.4)	390	26.5	( 22.5 - 30.8 )	423	
	All other races*	25.3	(18.7 - 33.2)	162	-	-	70	-	-	91	
	Multiple races*	36.3	( 30.4 - 42.5 )	262	34.8	( 25.3 - 45.6 )	107	37.5	( 30.5 - 45.0 )	155	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	39.5	( 37.3 - 41.8 )	2,683	38.4	( 35.2 - 41.7 )	1,231	41.3	( 38.3 - 44.3 )	1,426	
Age											
	15 or younger	44.2	( 40.8 - 47.6 )	1,149	41.1	( 35.9 - 46.6 )	499	47.8	(43.5 - 52.1)	636	
	16 or 17	35.7	( 33.0 - 38.4 )	1,423	36.4	( 32.8 - 40.2 )	660	35.2	(31.7 - 38.9)	755	
	18 or older	30.9	( 22.9 - 40.2 )	107	-	-	71	-	-	35	
Grade											
	9th	44.3	(40.1 - 48.6)	592	42.2	( 35.7 - 49.1 )	269	46.7	(41.1 - 52.3)	322	
	10th	42.8	(37.8 - 48.0)	593	37.2	( 30.3 - 44.6 )	262	48.1	(42.0 - 54.4)	327	
	11th	37.4	( 34.0 - 40.9 )	758	38.0	( 33.6 - 42.7 )	353	37.2	( 32.1 - 42.6 )	400	
	12th	34.8	(31.0 - 38.8)	693	36.7	(31.4 - 42.5)	325	33.4	( 28.8 - 38.4 )	364	
Race/E	thnicity										
	Black*	42.0	(38.7 - 45.3)	1,117	38.8	( 34.3 - 43.6 )	512	45.0	(40.8 - 49.2)	603	
	Hispanic/Latino	37.1	(31.0 - 43.6)	234	41.1	( 32.7 - 50.1 )	109	35.1	(26.1 - 45.2)	119	
	White*	35.7	( 32.2 - 39.4 )	817	35.6	( 30.9 - 40.7 )	391	35.8	( 30.7 - 41.4 )	425	
	All other races*	38.7	(31.1 - 46.8)	163	-	-	71	-	-	91	
	Multiple races*	49.3	(43.2 - 55.3)	265	50.9	( 40.9 - 60.8 )	109	48.1	(41.2 - 55.1)	155	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total		37.2	( 33.8 - 40.7 )	2,663	47.6	( 43.7 - 51.6 )	1,223	26.7	( 22.9 - 30.9 )	1,415	
Age											
15 or	younger	42.0	( 36.8 - 47.3 )	1,144	49.5	(43.5 - 55.5)	500	35.1	(29.1 - 41.6)	630	
16 or	17	32.0	(28.5 - 35.7)	1,410	45.7	(41.2 - 50.3)	652	18.4	(15.1 - 22.2)	750	
18 or	older	41.8	(31.5 - 52.8)	106	-	-	70	-	-	35	
Grade											
9th		55.1	(49.0 - 61.1)	591	56.9	(49.5 - 64.1)	272	53.0	(46.2 - 59.7)	318	
10th		29.2	(25.0 - 33.8)	592	42.2	(35.2 - 49.5)	262	18.1	(14.0 - 23.2)	326	
11th		29.3	(25.3 - 33.6)	749	41.7	( 35.8 - 47.8 )	349	16.1	(11.9 - 21.3)	395	
12th		33.5	( 28.6 - 38.8 )	689	48.1	(41.4 - 54.9)	322	19.8	(15.3 - 25.3)	363	
Race/Ethnicity											
Black	*	38.4	( 34.3 - 42.6 )	1,112	49.3	(44.2 - 54.5)	514	27.8	(23.0 - 33.2)	596	
Hispa	nic/Latino	34.7	(28.4 - 41.6)	229	44.2	( 34.6 - 54.1 )	104	25.4	(18.0 - 34.5)	119	
White	*	35.1	( 30.0 - 40.5 )	814	45.3	(39.2 - 51.5)	389	24.7	( 19.5 - 30.9 )	424	
All of	her races*	30.1	(23.2 - 38.0)	162	-	-	70	-	-	91	
Multi	ple races*	36.5	( 30.0 - 43.5 )	263	49.1	( 39.7 - 58.5 )	109	25.9	(17.8 - 36.0)	153	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
To	otal	17.8	( 15.3 - 20.6 )	2,663	23.7	( 20.7 - 27.0 )	1,223	12.3	(9.5 - 15.9)	1,415	
Age											
15	5 or younger	21.9	(17.6 - 27.0)	1,144	25.6	( 20.7 - 31.1 )	500	18.9	(13.9 - 25.2)	630	
16	6 or 17	13.8	(11.3 - 16.7)	1,410	21.9	(17.7 - 26.7)	652	6.0	(4.2 - 8.6)	750	
18	8 or older	17.8	(11.2 - 27.2)	106	-	-	70	-	-	35	
Grade											
9t	th	30.3	(23.5 - 38.1)	591	29.0	(21.9 - 37.3)	272	31.8	( 24.0 - 40.9 )	318	
10	0th	13.8	(10.5 - 18.0)	592	22.7	(16.8 - 30.1)	262	6.1	(3.7 - 9.7)	326	
11	1th	11.1	(8.3 - 14.8)	749	17.0	(12.1 - 23.4)	349	5.4	(3.1 - 9.1)	395	
12	2th	15.1	(11.7 - 19.3)	689	24.9	(19.2 - 31.6)	322	6.1	(3.9 - 9.5)	363	
Race/Ethni	icity										
В	lack*	15.0	(12.5 - 17.9)	1,112	19.7	(16.2 - 23.7)	514	10.4	(7.4 - 14.4)	596	
Н	lispanic/Latino	13.1	(8.9 - 18.9)	229	17.4	(10.8 - 26.7)	104	9.7	(5.2 - 17.2)	119	
W	Vhite*	22.1	(17.6 - 27.4)	814	30.4	( 24.9 - 36.6 )	389	13.7	(9.3 - 19.8)	424	
A	ll other races*	13.9	(9.1 - 20.8)	162	-	-	70	-	-	91	
M	fultiple races*	21.1	(15.7 - 27.7)	263	25.1	( 17.6 - 34.5 )	109	17.9	(10.7 - 28.3)	153	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.4	(12.7 - 16.4)	2,606	15.5	(13.1 - 18.3)	1,191	12.9	(11.0 - 15.2)	1,392
Age										
	15 or younger	10.4	(8.3 - 13.0)	1,116	12.1	(9.1 - 16.1)	488	8.3	(6.1 - 11.2)	616
	16 or 17	17.4	(14.9 - 20.4)	1,383	17.8	(14.3 - 21.9)	634	16.8	(13.9 - 20.3)	741
	18 or older	26.8	(18.4 - 37.2)	104	-	-	68	-	-	35
Grade										
	9th	10.4	(7.6 - 14.1)	575	11.1	(7.6 - 16.0)	265	9.7	(6.3 - 14.7)	310
	10th	11.3	(8.5 - 15.0)	582	15.3	(10.4 - 21.9)	258	7.1	(4.8 - 10.4)	320
	11th	15.9	(13.1 - 19.3)	735	15.9	(11.8 - 21.1)	340	16.0	(12.1 - 20.9)	390
	12th	19.6	(15.8 - 24.1)	671	19.7	( 14.9 - 25.5 )	308	19.1	( 14.7 - 24.5 )	359
Race/I	Ethnicity									
	Black*	15.6	(13.2 - 18.2)	1,085	18.2	(14.7 - 22.3)	495	12.9	(10.3 - 16.2)	587
	Hispanic/Latino	16.7	(12.3 - 22.4)	220	-	-	98	15.4	(9.5 - 23.8)	117
	White*	11.6	(9.1 - 14.5)	804	11.3	(8.4 - 15.0)	388	11.9	(8.8 - 15.8)	415
	All other races*	15.1	(9.8 - 22.5)	160	-	-	70	-	-	89
	Multiple races*	11.0	(7.7 - 15.3)	255	10.4	(5.9 - 17.8)	103	11.4	(7.2 - 17.6)	151

Note: 306 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)

		Total				Male	Female			
	F	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		73.4	(71.4 - 75.3)	2,676	72.9	( 69.8 - 75.7 )	1,226	74.4	(71.8 - 76.9)	1,425
Age										
15 or you	nger	74.0	(70.9 - 76.8)	1,151	71.0	(66.7 - 75.0)	501	77.4	(73.4 - 81.0)	636
16 or 17		73.2	(70.5 - 75.7)	1,416	74.8	(70.7 - 78.5)	654	71.8	( 68.3 - 75.0 )	754
18 or olde	r	68.0	(58.3 - 76.4)	106	-	-	70	-	-	35
Grade										
9th		71.9	(67.3 - 76.2)	592	69.3	( 63.4 - 74.7 )	270	75.0	(68.8 - 80.3)	321
10th		75.4	(70.5 - 79.7)	593	71.8	( 64.4 - 78.1 )	261	79.0	(72.9 - 83.9)	328
11th		74.0	(70.7 - 77.0)	758	75.7	(71.5 - 79.5)	351	72.5	( 67.8 - 76.7 )	400
12th		72.9	( 68.8 - 76.5 )	690	75.1	( 68.5 - 80.7 )	324	71.1	(65.6 - 76.1)	363
Race/Ethnicity										
Black*		69.6	(67.0 - 72.2)	1,119	68.5	( 64.2 - 72.5 )	512	70.7	( 66.7 - 74.4 )	604
Hispanic/	Latino	68.4	(61.3 - 74.7)	232	65.7	(55.7 - 74.5)	106	71.1	( 60.9 - 79.6 )	120
White*		80.4	(77.5 - 83.0)	817	81.3	(77.1 - 84.9)	391	79.4	(75.4 - 83.0)	425
All other	races*	74.6	(67.2 - 80.8)	160	-	-	71	-	-	89
Multiple	aces*	79.0	(73.4 - 83.7)	262	76.7	( 66.9 - 84.3 )	107	80.7	(74.7 - 85.6)	154

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	27.9	( 26.2 - 29.7 )	2,627	29.6	( 27.1 - 32.2 )	1,199	26.3	(23.8 - 28.9)	1,404	
Age											
	15 or younger	28.0	(25.1 - 31.0)	1,128	29.2	(25.2 - 33.4)	487	26.8	(23.1 - 30.9)	628	
	16 or 17	28.1	(25.5 - 30.8)	1,392	30.2	( 26.7 - 34.0 )	643	25.9	( 22.4 - 29.8 )	741	
	18 or older	26.5	( 19.3 - 35.4 )	104	-	-	68	-	-	35	
Grade											
	9th	29.9	(25.8 - 34.4)	575	27.1	(21.9 - 33.1)	260	32.5	(27.1 - 38.5)	314	
	10th	25.3	(22.0 - 29.0)	587	28.8	(24.1 - 34.1)	257	22.3	(17.8 - 27.5)	326	
	11th	24.8	(21.5 - 28.4)	743	28.7	(23.3 - 34.8)	345	21.3	(17.2 - 25.9)	392	
	12th	31.3	( 28.0 - 34.9 )	679	33.8	(29.0 - 39.1)	317	28.7	(23.8 - 34.2)	359	
Race/I	Ethnicity										
	Black*	30.8	(28.2 - 33.6)	1,093	33.8	(29.9 - 37.9)	496	28.1	(24.5 - 31.9)	594	
	Hispanic/Latino	32.3	(25.7 - 39.8)	227	32.0	(22.8 - 43.0)	103	32.5	( 24.1 - 42.2 )	118	
	White*	22.7	(19.8 - 25.8)	805	23.9	(19.9 - 28.5)	389	21.4	(17.6 - 25.8)	415	
	All other races*	24.3	(17.5 - 32.7)	159	-	-	69	-	-	90	
	Multiple races*	31.8	( 26.6 - 37.6 )	259	33.8	(25.1 - 43.8)	104	30.4	( 24.1 - 37.7 )	154	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	23.9	( 22.0 - 25.9 )	2,650	26.4	(23.7 - 29.3)	1,205	21.7	( 19.3 - 24.2 )	1,417	
Age											
	15 or younger	28.9	( 26.4 - 31.6 )	1,134	35.0	( 30.9 - 39.3 )	490	24.0	(20.9 - 27.4)	629	
	16 or 17	19.3	(16.9 - 21.9)	1,407	18.8	(15.9 - 22.0)	645	19.7	(16.3 - 23.6)	753	
	18 or older	19.9	(13.1 - 29.2)	105	-	-	69	-	-	35	
Grade											
	9th	30.8	(27.6 - 34.2)	584	36.4	(31.0 - 42.1)	265	25.1	(21.0 - 29.8)	318	
	10th	28.6	(25.0 - 32.5)	584	34.2	(29.3 - 39.4)	256	23.8	(18.8 - 29.6)	324	
	11th	20.8	(17.4 - 24.7)	750	20.4	(16.5 - 24.9)	345	21.4	(16.6 - 27.2)	398	
	12th	15.3	(12.6 - 18.4)	686	13.9	( 10.6 - 18.0 )	318	16.3	(12.4 - 21.2)	364	
Race/I	Ethnicity										
	Black*	21.1	(18.8 - 23.7)	1,102	23.3	(19.7 - 27.3)	500	19.1	(16.0 - 22.5)	599	
	Hispanic/Latino	21.8	(16.6 - 28.2)	229	25.0	(17.1 - 35.1)	104	20.0	(13.2 - 29.1)	119	
	White*	29.3	( 26.4 - 32.5 )	812	31.8	( 27.5 - 36.3 )	386	27.0	(22.9 - 31.5)	425	
	All other races*	18.4	(12.6 - 25.9)	159	-	-	69	-	-	89	
	Multiple races*	21.0	(16.7 - 26.0)	263	19.1	(12.8 - 27.6)	107	22.5	(17.3 - 28.7)	155	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	73.7	(71.2 - 76.0)	2,598	69.2	( 65.7 - 72.6 )	1,191	78.4	(75.7 - 80.8)	1,380	
Age											
	15 or younger	73.7	(70.3 - 76.9)	1,113	69.7	( 64.6 - 74.3 )	481	77.3	(73.2 - 81.0)	618	
	16 or 17	74.3	(70.7 - 77.5)	1,379	69.4	(64.4 - 74.0)	641	79.8	(76.2 - 83.0)	729	
	18 or older	66.2	(55.6 - 75.3)	102	-	-	68	-	-	33	
Grade	e										
	9th	73.3	( 68.0 - 78.0 )	568	71.5	( 64.7 - 77.5 )	255	75.4	( 69.5 - 80.5 )	312	
	10th	71.1	(66.9 - 75.1)	586	63.9	(57.2 - 70.1)	260	78.4	(72.6 - 83.3)	322	
	11th	73.0	(68.3 - 77.1)	721	69.9	(63.0 - 76.0)	334	76.0	(70.8 - 80.6)	381	
	12th	78.5	(74.1 - 82.2)	680	73.1	( 67.3 - 78.3 )	322	83.7	(78.5 - 87.8)	354	
Race/	Ethnicity										
	Black*	71.9	( 68.6 - 75.0 )	1,070	68.0	(62.8 - 72.9)	489	75.9	(72.3 - 79.1)	578	
	Hispanic/Latino	72.1	(65.5 - 77.8)	228	75.3	(65.2 - 83.2)	108	68.1	(59.0 - 76.0)	115	
	White*	75.5	(71.5 - 79.1)	802	69.9	(63.9 - 75.2)	385	81.5	(77.6 - 85.0)	416	
	All other races*	83.4	(76.3 - 88.7)	158	-	-	69	-	-	88	
	Multiple races*	77.3	(70.8 - 82.8)	257	67.6	(56.5 - 77.1)	104	84.8	(77.9 - 89.8)	152	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	71.6	( 69.6 - 73.5 )	2,875	74.1	(71.4 - 76.6)	1,356	69.2	( 66.5 - 71.9 )	1,498	
Age											
	15 or younger	72.8	( 69.9 - 75.5 )	1,232	75.9	(71.6 - 79.7)	557	70.3	( 66.3 - 74.0 )	664	
	16 or 17	71.2	(68.2 - 73.9)	1,522	74.4	(70.5 - 78.0)	716	68.0	(64.1 - 71.6)	797	
	18 or older	61.3	(49.9 - 71.6)	119	-	-	82	-	-	37	
Grade	e										
	9th	74.4	(70.4 - 78.0)	647	80.2	(74.9 - 84.6)	306	67.8	(61.8 - 73.3)	341	
	10th	70.6	(66.3 - 74.7)	628	69.1	(62.3 - 75.1)	282	72.7	(67.3 - 77.6)	341	
	11th	71.4	(67.8 - 74.7)	793	74.4	(69.0 - 79.1)	376	68.1	(63.6 - 72.3)	412	
	12th	70.5	(65.7 - 74.9)	761	72.5	( 66.4 - 77.9 )	368	68.6	(62.5 - 74.2)	389	
Race/	Ethnicity										
	Black*	66.2	( 63.3 - 68.9 )	1,237	69.4	(65.1 - 73.3)	586	63.0	(59.2 - 66.6)	647	
	Hispanic/Latino	61.7	(55.3 - 67.7)	248	62.7	(53.2 - 71.4)	118	62.7	(53.5 - 71.1)	126	
	White*	82.9	(80.1 - 85.3)	847	84.5	(80.6 - 87.6)	416	81.1	(77.0 - 84.6)	430	
	All other races*	77.7	(70.2 - 83.7)	172	-	-	77	-	-	94	
	Multiple races*	68.7	( 62.9 - 74.0 )	287	69.5	(60.2 - 77.5)	118	68.4	(60.4 - 75.4)	168	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN91: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

		Total				Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.1	(5.1 - 7.3)	2,842	6.8	(5.2 - 8.7)	1,343	5.2	(4.1 - 6.6)	1,486
Age									
15 or younger	4.7	(3.5 - 6.2)	1,216	4.6	(2.9 - 7.2)	551	4.6	(3.2 - 6.6)	659
16 or 17	6.9	(5.4 - 8.7)	1,508	7.6	(5.6 - 10.3)	711	5.8	(4.2 - 7.9)	791
18 or older	14.1	(8.3 - 22.9)	116	-	-	80	-	-	36
Grade									
9th	5.4	(3.8 - 7.7)	645	4.7	(2.5 - 8.9)	305	6.2	(4.2 - 9.2)	340
10th	4.6	(3.1 - 6.9)	620	6.1	(3.7 - 10.0)	280	2.9	(1.6 - 5.2)	337
11th	5.9	(4.2 - 8.3)	782	5.4	(3.2 - 8.8)	371	6.6	(4.3 - 9.9)	408
12th	7.1	(5.4 - 9.3)	752	8.8	( 6.2 - 12.3 )	364	5.4	(3.6 - 7.9)	386
Race/Ethnicity									
Black*	5.8	(4.4 - 7.5)	1,226	6.7	(4.6 - 9.5)	581	4.7	(3.3 - 6.7)	642
Hispanic/Latino	12.5	(8.6 - 17.7)	244	13.4	(8.0 - 21.6)	117	11.9	(7.3 - 19.0)	123
White*	4.9	(3.6 - 6.6)	844	5.6	(3.7 - 8.3)	415	4.2	(2.7 - 6.4)	429
All other races*	8.7	(4.6 - 16.1)	167	-	-	75	-	-	92
Multiple races*	5.9	(3.8 - 9.0)	284	5.8	(3.0 - 11.1)	117	6.0	(3.5 - 10.2)	167

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN92: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	2.4	(1.9 - 3.1)	2,879	2.4	(1.7 - 3.5)	1,358	2.3	(1.6 - 3.3)	1,497	
Age										
15 or younger	2.2	(1.5 - 3.3)	1,237	2.1	(1.2 - 3.8)	560	2.2	(1.2 - 3.9)	664	
16 or 17	2.6	(1.8 - 3.7)	1,521	2.4	(1.5 - 4.0)	716	2.6	(1.7 - 4.0)	797	
18 or older	3.4	(1.1 - 10.2)	118	-	-	81	-	-	36	
Grade										
9th	2.1	(1.1 - 3.7)	649	1.7	(0.7 - 4.0)	308	2.5	(1.1 - 5.8)	341	
10th	2.3	(1.3 - 4.0)	629	2.4	(1.1 - 5.3)	284	1.8	(0.9 - 3.9)	341	
11th	2.2	(1.4 - 3.7)	792	2.4	(1.2 - 4.8)	374	2.2	(1.1 - 4.4)	412	
12th	2.5	(1.6 - 4.1)	759	2.4	(1.2 - 4.6)	367	2.6	(1.4 - 4.9)	388	
Race/Ethnicity										
Black*	2.7	(1.9 - 3.8)	1,238	2.8	(1.8 - 4.5)	590	2.4	(1.4 - 4.2)	644	
Hispanic/Latino	4.6	(2.5 - 8.3)	248	4.1	(1.5 - 10.8)	119	4.2	(1.8 - 9.3)	125	
White*	2.1	(1.4 - 3.3)	845	1.7	(0.8 - 3.5)	415	2.7	(1.5 - 4.7)	430	
All other races*	1.0	(0.2 - 3.6)	172	-	-	77	-	-	94	
Multiple races*	0.0	-	287	0.0	-	118	0.0	-	168	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN93: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

		Total			Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	12.9	(11.5 - 14.3)	2,775	11.5	(9.7 - 13.6)	1,309	14.2	( 12.3 - 16.2 )	1,446
Age									
15 or younger	12.5	( 10.6 - 14.6 )	1,199	9.7	(7.4 - 12.5)	544	15.0	( 12.4 - 18.0 )	646
16 or 17	12.4	(10.8 - 14.2)	1,458	11.6	(9.3 - 14.4)	685	13.2	(10.9 - 16.0)	764
18 or older	23.4	(14.8 - 35.1)	115	-	-	79	-	-	36
Grade									
9th	10.8	(8.3 - 13.8)	632	7.4	(4.8 - 11.2)	297	14.5	(11.0 - 19.0)	334
10th	13.6	(11.0 - 16.7)	618	11.7	(8.2 - 16.3)	280	15.2	(11.6 - 19.7)	333
11th	10.8	(8.6 - 13.5)	760	9.2	(6.6 - 12.6)	360	12.5	(9.6 - 16.1)	395
12th	16.2	( 13.4 - 19.4 )	723	17.4	( 13.4 - 22.1 )	350	14.4	( 10.8 - 19.0 )	371
Race/Ethnicity									
Black*	11.1	(9.3 - 13.1)	1,197	9.1	(6.8 - 11.9)	568	13.0	( 10.5 - 16.0 )	625
Hispanic/Latino	12.4	(8.4 - 17.9)	235	15.0	(9.4 - 23.1)	112	10.1	(5.3 - 18.3)	119
White*	16.8	( 14.3 - 19.6 )	829	15.7	(12.2 - 20.0)	405	18.0	(14.6 - 22.0)	423
All other races*	10.3	( 6.6 - 15.7 )	160	-	-	74	-	-	86
Multiple races*	9.6	( 6.8 - 13.5 )	272	8.4	(4.6 - 14.6)	113	10.7	( 6.8 - 16.3 )	158

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN94: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

		Total				Male	Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	43.0	( 38.9 - 47.2 )	613	43.5	( 37.4 - 49.8 )	293	42.4	( 36.8 - 48.2 )	311
Age										
	15 or younger	43.8	( 36.9 - 50.9 )	235	42.4	( 32.8 - 52.5 )	101	44.3	( 36.3 - 52.7 )	127
	16 or 17	45.1	(40.1 - 50.2)	333	49.0	(40.8 - 57.2)	160	41.4	( 34.0 - 49.3 )	171
	18 or older	-	-	45	-	-	32	-	-	13
Grade										
	9th	39.8	( 30.0 - 50.5 )	110	-	-	47	-	-	63
	10th	47.1	(38.8 - 55.6)	126	-	-	59	-	-	66
	11th	44.5	( 36.9 - 52.3 )	165	-	-	78	-	-	83
	12th	41.7	( 35.4 - 48.4 )	200	42.1	( 32.0 - 52.9 )	102	-	-	96
Race/E	thnicity									
	Black*	48.5	(42.0 - 55.0)	220	46.0	(36.5 - 55.7)	103	51.6	( 42.9 - 60.2 )	116
	Hispanic/Latino	-	-	65	-	-	28	-	-	36
	White*	39.4	( 32.8 - 46.4 )	218	44.1	( 34.3 - 54.5 )	111	34.0	( 24.8 - 44.7 )	107
	All other races*	-	-	34	-	-	18	-	-	16
	Multiple races*	-	-	58	-	-	25	-	-	32

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN95: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, little cigars, or flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total		13.7	(12.3 - 15.1)	2,795	15.4	( 13.3 - 17.9 )	1,311	11.6	(10.0 - 13.3)	1,463	
Age											
15 or yo	unger	10.7	(9.1 - 12.6)	1,206	11.6	(9.0 - 14.7)	546	9.4	(7.4 - 11.8)	650	
16 or 17		15.4	( 13.6 - 17.4 )	1,470	17.6	( 14.8 - 20.9 )	685	13.0	(10.6 - 15.7)	776	
18 or old	ler	28.9	( 20.5 - 39.1 )	116	-	-	79	-	-	37	
Grade											
9th		9.7	(7.5 - 12.4)	633	10.2	(7.0 - 14.8)	299	9.1	(6.3 - 12.9)	333	
10th		11.6	(9.3 - 14.4)	613	13.1	(9.2 - 18.4)	276	9.9	(7.0 - 13.9)	334	
11th		13.4	(11.1 - 16.1)	774	14.9	(11.4 - 19.3)	367	11.6	(8.6 - 15.4)	402	
12th		19.1	(15.8 - 22.9)	730	22.2	(17.4 - 27.8)	346	15.4	(11.9 - 19.6)	381	
Race/Ethnicity											
Black*		11.9	(10.2 - 13.8)	1,199	13.3	( 10.4 - 16.9 )	566	10.4	(8.3 - 12.9)	630	
Hispanio	/Latino	16.2	(11.7 - 22.1)	238	15.9	(10.0 - 24.5)	113	16.2	(10.2 - 24.8)	121	
White*		15.3	(12.9 - 18.1)	828	17.9	( 14.4 - 22.0 )	402	12.6	(9.6 - 16.4)	425	
All other	races*	14.1	(9.3 - 20.8)	168	-	-	76	-	-	92	
Multiple	races*	15.6	(11.5 - 20.7)	278	16.0	(10.2 - 24.2)	115	14.9	(9.8 - 21.8)	162	

Note: 117 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN96: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

			Total			Male	Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	2.6	(2.0 - 3.2)	2,869	3.4	(2.6 - 4.5)	1,344	1.7	(1.2 - 2.5)	1,497
Age										
	15 or younger	1.4	(0.8 - 2.2)	1,235	1.6	(0.9 - 3.0)	557	1.1	(0.5 - 2.4)	663
	16 or 17	3.1	(2.3 - 4.3)	1,511	4.1	(2.8 - 5.9)	705	2.2	(1.4 - 3.6)	797
	18 or older	10.1	( 6.3 - 15.7 )	119	-	-	81	-	-	37
Grad	e									
	9th	0.8	(0.4 - 1.8)	646	1.3	(0.5 - 3.2)	304	0.3	(0.0 - 1.9)	341
	10th	2.0	(1.1 - 3.5)	624	2.0	(0.9 - 4.5)	280	2.0	(0.8 - 4.4)	340
	11th	2.2	(1.4 - 3.5)	790	2.6	(1.5 - 4.7)	370	1.9	(0.8 - 4.3)	413
	12th	4.7	(3.3 - 6.8)	757	6.6	(4.2 - 10.3)	365	2.9	(1.7 - 5.0)	388
Race/	Ethnicity									
	Black*	1.1	(0.6 - 1.9)	1,229	1.5	(0.8 - 3.1)	581	0.6	(0.2 - 1.5)	644
	Hispanic/Latino	3.9	(2.1 - 7.3)	248	5.9	(2.8 - 11.8)	116	2.1	(0.7 - 6.1)	126
	White*	4.5	(3.3 - 6.2)	842	5.0	(3.3 - 7.4)	412	4.0	(2.5 - 6.4)	430
	All other races*	3.4	(1.3 - 8.7)	171	-	-	77	-	-	93
	Multiple races*	3.0	(1.4 - 6.2)	286	5.4	(2.5 - 11.1)	117	1.1	(0.3 - 4.3)	168

Note: 43 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN97: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	42.2	( 32.6 - 52.3 )	147	-	-	99	-	-	41	
Age										
15 or younger	-	-	43	-	-	26	-	-	13	
16 or 17	-	-	70	-	-	48	-	-	21	
18 or older	-	-	32	-	-	25	-	-	7	
Grade										
9th	-	-	18	-	-	13	-	-	5	
10th	-	-	20	-	-	13	-	-	6	
11th	-	-	33	-	-	22	-	-	10	
12th	-	-	65	-	-	45	-	-	19	
Race/Ethnicity										
Black*	-	-	56	-	-	40	-	-	15	
Hispanic/Latino	-	-	18	-	-	11	-	-	7	
White*	-	-	38	-	-	28	-	-	10	
All other races*	-	-	8	-	-	5	-	-	2	
Multiple races*	-	-	13	-	-	9	-	-	4	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN98: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

			Total	Male				Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	33.6	( 27.4 - 40.4 )	244	33.9	( 26.0 - 42.8 )	149	-	-	85	
Age											
	15 or younger	-	-	91	-	-	50	-	-	32	
	16 or 17	34.1	( 24.8 - 44.9 )	114	-	-	70	-	-	43	
	18 or older	-	-	39	-	-	29	-	-	10	
Grade											
	9th	-	-	39	-	-	25	-	-	14	
	10th	-	-	39	-	-	21	-	-	16	
	11th	-	-	63	-	-	40	-	-	20	
	12th	-	-	89	-	-	55	-	-	32	
Race/Eth	nicity										
	Black*	-	-	98	-	-	61	-	-	36	
	Hispanic/Latino	-	-	37	-	-	23	-	-	11	
	White*	-	-	57	-	-	34	-	-	23	
	All other races*	-	-	13	-	-	8	-	-	4	
	Multiple races*	-	-	20	-	-	13	-	-	7	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN99: Percentage of students who live with someone who now smokes cigarettes or cigars

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	40.6	( 38.5 - 42.7 )	2,801	38.8	( 35.8 - 41.9 )	1,302	42.4	( 39.8 - 45.1 )	1,478	
Age										
15 or younger	40.2	( 37.2 - 43.3 )	1,207	39.9	( 35.2 - 44.7 )	542	40.4	( 36.6 - 44.3 )	654	
16 or 17	41.5	( 38.5 - 44.6 )	1,477	38.2	( 34.4 - 42.1 )	682	44.7	(40.7 - 48.7)	788	
18 or older	35.8	( 27.3 - 45.3 )	114	-	-	77	-	-	36	
Grade										
9th	42.3	( 37.7 - 47.0 )	632	42.5	( 36.1 - 49.2 )	296	42.0	( 35.7 - 48.6 )	336	
10th	41.5	( 37.4 - 45.7 )	617	40.3	(33.6 - 47.3)	275	41.9	( 37.3 - 46.5 )	337	
11th	38.9	( 35.2 - 42.8 )	773	36.1	( 30.7 - 42.0 )	365	42.0	( 37.1 - 47.1 )	404	
12th	39.2	( 34.7 - 43.8 )	736	34.3	( 29.5 - 39.5 )	345	43.7	( 37.7 - 49.9 )	388	
Race/Ethnicity										
Black*	37.1	( 34.2 - 40.0 )	1,200	35.2	(31.1 - 39.6)	559	38.7	( 34.7 - 42.9 )	638	
Hispanic/Latino	39.8	( 34.1 - 45.8 )	242	37.9	(29.6 - 47.0)	113	42.4	(33.9 - 51.4)	123	
White*	47.5	(44.1 - 51.0)	836	43.5	( 38.9 - 48.2 )	409	51.8	(46.8 - 56.6)	426	
All other races*	32.0	( 24.8 - 40.3 )	162	-	-	71	-	-	91	
Multiple races*	37.7	( 32.5 - 43.3 )	281	42.1	(33.5 - 51.3)	115	34.4	( 27.9 - 41.5 )	165	

Note: 111 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN100: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	82.0	(80.2 - 83.6)	2,816	81.9	( 79.1 - 84.4 )	1,308	82.5	(80.3 - 84.4)	1,484	
Age											
	15 or younger	81.8	(78.7 - 84.5)	1,206	81.2	(76.7 - 85.0)	539	83.1	(79.6 - 86.2)	653	
	16 or 17	82.1	(79.8 - 84.2)	1,492	82.7	(78.9 - 85.9)	689	81.7	(78.7 - 84.4)	795	
	18 or older	82.1	(72.7 - 88.7)	116	-	-	79	-	-	36	
Grade											
	9th	81.1	(76.4 - 85.0)	628	78.9	(72.5 - 84.2)	292	83.4	(78.1 - 87.6)	335	
	10th	82.3	(78.8 - 85.4)	617	81.3	(75.2 - 86.3)	276	83.7	(79.4 - 87.3)	336	
	11th	82.6	(79.4 - 85.3)	779	84.6	(79.9 - 88.4)	365	81.1	(76.7 - 84.8)	409	
	12th	82.8	(79.4 - 85.7)	747	84.1	(79.4 - 87.9)	353	82.2	(77.1 - 86.3)	390	
Race/	Ethnicity										
	Black*	83.5	(80.9 - 85.8)	1,207	83.0	(78.6 - 86.7)	564	84.0	(81.0 - 86.7)	640	
	Hispanic/Latino	82.8	(77.5 - 87.1)	243	83.9	(75.9 - 89.5)	112	83.5	(75.1 - 89.4)	125	
	White*	80.6	(77.6 - 83.2)	836	81.5	(77.3 - 85.1)	409	79.5	(75.0 - 83.4)	426	
	All other races*	82.1	(74.2 - 88.0)	167	-	-	73	-	-	94	
	Multiple races*	80.7	(75.6 - 85.0)	278	77.5	( 68.2 - 84.7 )	114	83.3	(77.6 - 87.8)	164	

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN101: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

		Total	Male			Female			
	Percentag	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.2	(27.2 - 31.1)	2,854	26.9	( 24.2 - 29.8 )	1,333	30.9	( 28.6 - 33.2 )	1,493
Age									
15 or youn	ger 27.8	(24.8 - 31.0)	1,230	24.4	(20.7 - 28.4)	549	30.3	( 26.3 - 34.5 )	666
16 or 17	29.7	(27.0 - 32.4)	1,502	27.8	(24.2 - 31.8)	702	31.4	( 28.3 - 34.6 )	791
18 or older	37.0	( 28.1 - 46.8 )	118	-	-	81	-	-	36
Grade									
9th	26.6	(22.6 - 31.1)	638	23.8	(19.1 - 29.3)	297	29.4	(23.7 - 35.9)	340
10th	29.8	(26.1 - 33.8)	627	27.9	( 22.5 - 34.1 )	280	31.3	( 26.5 - 36.5 )	342
11th	28.8	(25.2 - 32.6)	786	26.0	(21.6 - 31.1)	370	31.2	(26.6 - 36.3)	410
12th	30.7	( 26.7 - 34.9 )	752	29.1	( 23.7 - 35.1 )	361	31.8	( 27.3 - 36.6 )	387
Race/Ethnicity									
Black*	22.1	( 19.7 - 24.7 )	1,225	20.7	(17.4 - 24.4)	578	23.5	( 20.5 - 26.7 )	644
Hispanic/L	atino 27.5	(22.5 - 33.1)	246	28.6	(21.5 - 37.1)	115	24.3	(17.6 - 32.6)	125
White*	39.7	( 35.8 - 43.7 )	839	34.6	( 29.3 - 40.3 )	410	45.2	(40.8 - 49.6)	428
All other r	aces* 26.5	( 19.9 - 34.4 )	169	-	-	74	-	-	94
Multiple ra	ces* 31.9	( 26.7 - 37.6 )	283	31.8	( 23.8 - 40.9 )	116	32.2	( 26.0 - 39.0 )	166

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN102: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	92.9	( 90.8 - 94.5 )	1,071	90.4	(86.8 - 93.2)	491	96.8	( 94.8 - 98.0 )	565	
Age											
	15 or younger	94.0	( 90.9 - 96.1 )	408	93.6	(88.7 - 96.5)	163	96.2	(92.4 - 98.2)	236	
	16 or 17	92.7	( 90.0 - 94.6 )	606	89.3	(84.7 - 92.6)	294	97.1	( 94.4 - 98.5 )	309	
	18 or older	-	-	55	-	-	34	-	-	20	
Grade											
	9th	94.2	(89.4 - 96.8)	170	-	-	67	94.0	(87.1 - 97.4)	103	
	10th	92.6	(87.9 - 95.6)	238	89.7	(81.5 - 94.6)	103	97.9	(92.0 - 99.5)	132	
	11th	91.4	(86.6 - 94.6)	306	88.3	(80.0 - 93.4)	145	96.6	(91.2 - 98.7)	155	
	12th	93.8	( 90.3 - 96.1 )	333	90.3	(84.0 - 94.3)	162	97.8	( 94.4 - 99.2 )	170	
Race/E	thnicity										
	Black*	92.7	(89.3 - 95.1)	406	89.1	(82.8 - 93.3)	184	97.0	(93.4 - 98.6)	219	
	Hispanic/Latino	92.6	(85.6 - 96.3)	100	-	-	50	-	-	47	
	White*	94.9	(92.1 - 96.7)	349	93.0	(87.8 - 96.1)	164	96.6	(92.9 - 98.4)	185	
	All other races*	-	-	64	-	-	30	-	-	34	
	Multiple races*	95.3	(89.1 - 98.0)	113	-	-	46	-	-	67	

Note: 1,841 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN103: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	8.7	(7.5 - 10.2)	2,779	10.5	(8.5 - 13.0)	1,283	5.8	(4.7 - 7.1)	1,467	
Age											
	15 or younger	7.4	(5.8 - 9.3)	1,198	9.4	(7.0 - 12.5)	527	4.4	(3.1 - 6.3)	656	
	16 or 17	9.0	(7.4 - 11.1)	1,466	10.5	(7.8 - 14.0)	681	7.0	(5.4 - 8.9)	776	
	18 or older	19.8	(12.7 - 29.5)	110	-	-	74	-	-	35	
Grade											
	9th	7.8	(5.4 - 10.9)	620	10.2	(6.8 - 15.0)	289	4.7	(2.8 - 7.8)	330	
	10th	6.0	(4.4 - 8.3)	612	8.1	(5.1 - 12.7)	268	3.6	(2.2 - 5.8)	339	
	11th	8.0	(6.1 - 10.4)	775	8.0	(5.3 - 12.0)	359	7.5	(5.3 - 10.4)	410	
	12th	11.1	(8.5 - 14.3)	721	14.1	( 10.0 - 19.6 )	343	7.4	(5.3 - 10.2)	374	
Race/E	thnicity										
	Black*	8.0	( 6.3 - 10.0 )	1,184	11.3	(8.3 - 15.1)	545	4.6	(3.3 - 6.5)	636	
	Hispanic/Latino	12.7	(8.5 - 18.5)	241	10.1	(5.4 - 18.3)	111	14.3	(8.6 - 22.9)	124	
	White*	7.0	(5.3 - 9.2)	828	8.2	(5.7 - 11.6)	404	5.8	(4.0 - 8.4)	423	
	All other races*	9.5	(5.4 - 16.2)	164	-	-	71	-	-	92	
	Multiple races*	10.2	(7.2 - 14.3)	272	12.8	(8.0 - 19.9)	113	8.2	(4.9 - 13.4)	158	

Note: 133 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN104: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	69.3	( 66.7 - 71.8 )	2,584	71.1	( 67.9 - 74.1 )	1,171	67.7	( 64.2 - 70.9 )	1,393	
Age											
	15 or younger	69.6	(65.5 - 73.4)	1,107	73.3	( 68.3 - 77.7 )	481	66.6	(61.1 - 71.7)	618	
	16 or 17	69.7	(66.6 - 72.7)	1,379	70.4	(65.9 - 74.5)	628	69.1	(65.1 - 72.9)	742	
	18 or older	-	-	94	-	-	61	-	-	33	
Grade											
	9th	67.1	(61.0 - 72.7)	572	73.7	(66.9 - 79.6)	259	60.5	(52.5 - 68.0)	312	
	10th	70.2	( 64.9 - 75.0 )	580	68.5	(61.4 - 74.8)	253	72.0	(65.4 - 77.8)	323	
	11th	71.3	(67.0 - 75.3)	726	71.5	(65.6 - 76.7)	335	70.9	(65.1 - 76.1)	387	
	12th	69.5	( 65.4 - 73.3 )	664	71.9	(65.8 - 77.2)	304	67.2	(61.6 - 72.4)	359	
Race/I	Ethnicity										
	Black*	68.3	(65.0 - 71.3)	1,063	70.9	(66.5 - 75.0)	477	65.8	(61.3 - 70.0)	583	
	Hispanic/Latino	68.0	(61.5 - 73.9)	221	70.0	(60.2 - 78.2)	102	67.0	( 57.9 - 74.9 )	115	
	White*	71.5	(67.6 - 75.0)	804	72.7	(67.5 - 77.4)	383	70.2	( 64.7 - 75.1 )	420	
	All other races*	70.2	(61.9 - 77.4)	158	-	-	68	-	-	90	
	Multiple races*	68.2	(61.2 - 74.5)	259	70.7	(59.6 - 79.8)	104	66.1	( 57.0 - 74.1 )	154	

Note: 328 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN105: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Tota	I	58.0	( 54.8 - 61.1 )	2,637	58.9	( 55.4 - 62.4 )	1,202	57.7	( 53.8 - 61.5 )	1,408	
Age											
15 or	younger	74.2	(71.2 - 77.0)	1,129	74.5	(70.1 - 78.4)	488	74.8	(71.0 - 78.2)	627	
16 oı	: 17	43.2	(40.2 - 46.2)	1,400	45.6	(41.8 - 49.5)	645	41.0	( 37.1 - 44.9 )	747	
18 oı	older	46.8	( 36.1 - 57.8 )	103	-	-	68	-	-	34	
Grade											
9th		76.6	(72.7 - 80.1)	580	77.7	(72.7 - 82.0)	263	75.4	( 69.5 - 80.4 )	316	
10th		72.0	(67.6 - 76.0)	589	69.2	(62.2 - 75.4)	258	75.1	(70.4 - 79.4)	327	
11th		46.0	( 42.5 - 49.5 )	743	48.4	(43.5 - 53.3)	344	44.1	( 38.9 - 49.4 )	393	
12th		37.6	( 33.3 - 42.1 )	681	40.0	( 34.3 - 46.0 )	318	35.8	( 30.3 - 41.8 )	359	
Race/Ethnicity	y										
Black	k*	57.0	(53.0 - 60.8)	1,098	58.4	(53.8 - 62.8)	498	56.0	(50.8 - 61.0)	597	
Hisp	anic/Latino	58.2	(51.2 - 64.8)	224	59.5	(49.7 - 68.7)	102	56.2	(47.5 - 64.6)	116	
Whit	e*	59.0	(54.1 - 63.8)	813	58.3	(52.7 - 63.8)	389	59.9	(54.0 - 65.6)	423	
Allo	ther races*	61.4	( 54.3 - 68.1 )	161	-	-	70	-	-	90	
Mult	iple races*	61.2	(54.2 - 67.7)	258	60.3	(50.2 - 69.7)	106	61.9	(52.8 - 70.1)	152	

Note: 275 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	43.7	(41.1 - 46.2)	2,589	45.1	(41.7 - 48.6)	1,182	42.0	(38.9 - 45.2)	1,379	
Age											
	15 or younger	42.7	( 39.0 - 46.5 )	1,112	42.3	( 37.4 - 47.4 )	483	42.8	(38.1 - 47.6)	614	
	16 or 17	44.1	(40.4 - 47.9)	1,368	47.0	(42.1 - 52.1)	630	41.3	(37.1 - 45.6)	730	
	18 or older	48.4	( 36.8 - 60.1 )	104	-	-	68	-	-	35	
Grade											
	9th	41.0	( 36.7 - 45.5 )	571	39.8	( 34.0 - 46.0 )	260	42.4	( 36.9 - 48.2 )	310	
	10th	44.8	(39.0 - 50.7)	577	45.4	(38.3 - 52.7)	252	43.9	(36.2 - 52.0)	322	
	11th	43.8	(39.0 - 48.8)	727	44.7	(39.2 - 50.4)	336	43.0	( 36.8 - 49.5 )	384	
	12th	44.4	( 39.7 - 49.3 )	669	49.5	(43.0 - 56.1)	314	39.5	( 33.9 - 45.5 )	351	
Race/	Ethnicity										
	Black*	53.7	(50.3 - 57.1)	1,068	55.9	(50.8 - 60.9)	486	51.6	(47.5 - 55.8)	579	
	Hispanic/Latino	48.1	(41.3 - 55.0)	226	49.3	(40.1 - 58.5)	104	46.4	( 37.4 - 55.7 )	116	
	White*	28.8	(25.3 - 32.6)	800	29.3	( 24.4 - 34.7 )	382	28.3	(23.3 - 33.9)	418	
	All other races*	42.9	(35.2 - 51.0)	155	-	-	69	-	-	85	
	Multiple races*	37.1	(31.2 - 43.5)	256	37.9	(29.2 - 47.4)	104	36.2	( 28.6 - 44.5 )	151	

Note: 323 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	26.5	( 24.1 - 29.0 )	2,607	29.0	( 25.8 - 32.5 )	1,184	23.2	( 20.6 - 26.2 )	1,398	
Age											
	15 or younger	25.7	( 22.2 - 29.6 )	1,110	26.4	(21.9 - 31.4)	477	24.8	( 20.2 - 30.0 )	621	
	16 or 17	26.5	(23.4 - 29.8)	1,391	30.8	( 26.5 - 35.5 )	641	21.8	(18.7 - 25.3)	742	
	18 or older	32.5	( 23.9 - 42.5 )	101	-	-	65	-	-	35	
Grade											
	9th	26.2	(21.8 - 31.0)	573	27.5	(22.0 - 33.8)	257	24.5	(18.7 - 31.4)	315	
	10th	24.8	(20.0 - 30.2)	579	25.4	(18.9 - 33.1)	251	23.9	(18.3 - 30.5)	324	
	11th	26.0	(21.7 - 30.8)	731	28.4	(22.5 - 35.1)	338	23.1	(18.7 - 28.2)	388	
	12th	27.2	(23.8 - 31.0)	679	33.3	( 28.0 - 39.0 )	318	21.3	(17.3 - 25.9)	358	
Race/I	Ethnicity										
	Black*	32.2	(29.0 - 35.5)	1,086	36.4	(31.8 - 41.2)	490	28.1	(24.3 - 32.2)	593	
	Hispanic/Latino	28.3	(22.5 - 35.0)	227	24.9	(17.4 - 34.3)	104	30.2	(22.5 - 39.2)	118	
	White*	17.2	(14.4 - 20.6)	805	19.1	(15.0 - 24.0)	385	15.1	(11.7 - 19.2)	419	
	All other races*	20.1	(14.3 - 27.4)	154	-	-	68	-	-	86	
	Multiple races*	24.1	(18.9 - 30.2)	254	31.0	( 22.0 - 41.7 )	102	18.4	(13.4 - 24.8)	151	

Note: 305 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN108: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

			Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	58.3	( 55.7 - 60.8 )	2,634	54.8	(51.1 - 58.4)	1,200	62.1	(59.2 - 64.8)	1,405	
Age											
	15 or younger	60.5	(56.8 - 64.0)	1,126	60.2	( 54.7 - 65.5 )	486	61.0	(56.6 - 65.2)	625	
	16 or 17	57.2	(53.8 - 60.5)	1,400	50.9	(46.6 - 55.3)	645	63.6	( 59.5 - 67.6 )	746	
	18 or older	44.7	( 36.3 - 53.4 )	103	-	-	68	-	-	34	
Grade											
	9th	62.7	(57.6 - 67.6)	577	62.6	(55.1 - 69.5)	263	63.1	(56.3 - 69.4)	313	
	10th	57.9	(52.7 - 62.8)	588	57.0	(49.9 - 63.8)	256	58.8	(52.4 - 64.8)	328	
	11th	58.6	(53.8 - 63.2)	743	53.9	(47.4 - 60.4)	342	64.0	(58.2 - 69.3)	394	
	12th	55.3	(50.9 - 59.6)	681	46.7	(40.8 - 52.7)	319	63.1	( 57.6 - 68.3 )	358	
Race/I	Ethnicity										
	Black*	55.2	(51.8 - 58.5)	1,094	51.7	(46.7 - 56.7)	496	58.7	(54.4 - 62.9)	595	
	Hispanic/Latino	58.5	(51.7 - 65.0)	227	55.3	(44.9 - 65.2)	104	61.0	(52.1 - 69.3)	117	
	White*	63.6	(59.7 - 67.4)	806	59.2	(53.8 - 64.5)	386	68.0	(63.2 - 72.5)	419	
	All other races*	62.1	(53.5 - 70.0)	162	-	-	72	-	-	89	
	Multiple races*	58.7	( 52.8 - 64.4 )	259	57.3	( 48.4 - 65.7 )	105	60.1	( 52.6 - 67.1 )	153	

Note: 278 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN109: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

			Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	74.6	(72.0 - 77.0)	2,585	70.9	( 67.1 - 74.4 )	1,181	78.5	(75.8 - 81.0)	1,378	
Age											
	15 or younger	77.2	(73.9 - 80.1)	1,102	77.3	(72.7 - 81.3)	479	77.5	(73.6 - 80.9)	609	
	16 or 17	73.1	( 69.7 - 76.3 )	1,378	66.8	(62.0 - 71.3)	635	79.9	(76.3 - 83.1)	734	
	18 or older	59.8	( 47.9 - 70.6 )	102	-	-	66	-	-	35	
Grade											
	9th	78.0	(72.9 - 82.4)	566	79.6	(73.3 - 84.7)	259	76.7	( 69.8 - 82.3 )	306	
	10th	75.6	(70.8 - 79.9)	575	73.8	(66.3 - 80.1)	251	78.0	(72.7 - 82.5)	320	
	11th	73.9	( 69.9 - 77.6 )	731	68.4	(62.3 - 73.8)	337	80.1	(75.4 - 84.0)	388	
	12th	71.4	(66.6 - 75.8)	669	62.0	(55.6 - 68.0)	313	79.9	(74.3 - 84.5)	352	
Race/E	Ethnicity										
	Black*	74.5	(70.8 - 77.9)	1,074	70.0	( 64.4 - 75.0 )	486	79.1	(75.0 - 82.6)	585	
	Hispanic/Latino	76.0	(69.1 - 81.7)	222	71.0	( 60.7 - 79.5 )	101	80.7	(72.0 - 87.1)	116	
	White*	75.5	(72.1 - 78.7)	800	73.0	(67.9 - 77.6)	383	78.4	(74.2 - 82.0)	416	
	All other races*	73.1	( 64.8 - 80.0 )	153	-	-	69	-	-	83	
	Multiple races*	75.5	( 69.6 - 80.6 )	255	68.2	(59.2 - 76.1)	105	81.8	(74.3 - 87.5)	149	

Note: 327 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN110: Percentage of students who have an adult outside of school they can talk to about things that are important to them

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	83.1	(81.5 - 84.5)	2,575	83.7	(81.2 - 86.0)	1,169	82.3	(80.3 - 84.2)	1,383	
Age											
	15 or younger	84.1	(81.9 - 86.2)	1,104	85.7	(82.1 - 88.8)	478	82.7	(79.9 - 85.3)	615	
	16 or 17	82.0	(79.7 - 84.0)	1,372	82.5	(78.7 - 85.8)	627	81.3	(78.3 - 84.0)	736	
	18 or older	-	-	96	-	-	63	-	-	32	
Grade											
	9th	85.2	(82.0 - 88.0)	567	87.2	(82.0 - 91.0)	258	83.2	(79.1 - 86.6)	308	
	10th	82.3	(78.8 - 85.4)	581	81.6	(76.1 - 86.0)	253	82.7	(78.3 - 86.3)	324	
	11th	82.3	(79.1 - 85.0)	724	84.3	(79.7 - 88.1)	334	80.2	(75.8 - 84.0)	385	
	12th	83.5	(80.2 - 86.3)	662	83.2	( 78.5 - 87.0 )	304	83.8	(79.5 - 87.3)	355	
Race/I	Ethnicity										
	Black*	82.9	(80.6 - 85.1)	1,064	84.0	(80.4 - 87.1)	478	81.8	(78.8 - 84.5)	583	
	Hispanic/Latino	82.4	(76.6 - 86.9)	220	84.5	(75.9 - 90.4)	101	81.0	(72.9 - 87.2)	113	
	White*	84.8	(82.0 - 87.2)	803	84.0	(79.7 - 87.5)	385	85.5	(81.7 - 88.7)	417	
	All other races*	80.0	(73.1 - 85.5)	154	-	-	66	-	-	88	
	Multiple races*	79.6	(74.0 - 84.2)	257	82.4	(74.2 - 88.4)	104	77.3	(70.0 - 83.2)	152	

Note: 337 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN111: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	al	77.5	(75.4 - 79.4)	2,634	77.2	( 74.1 - 80.0 )	1,194	78.2	( 75.8 - 80.4 )	1,412
Age										
15 (	or younger	77.6	(74.8 - 80.1)	1,125	77.7	(73.6 - 81.3)	482	77.5	(74.1 - 80.6)	629
16 0	or 17	77.8	(74.9 - 80.4)	1,401	77.8	(73.5 - 81.6)	643	78.5	(75.0 - 81.5)	749
18 0	or older	72.2	( 62.8 - 80.1 )	103	-	-	68	-	-	34
Grade										
9th		79.9	(76.4 - 82.9)	575	80.4	(75.1 - 84.8)	256	79.7	(75.5 - 83.4)	318
10tl	h	73.5	(69.3 - 77.2)	588	71.8	(66.1 - 76.9)	258	75.3	(70.0 - 79.9)	326
11tl	h	77.4	(73.5 - 80.8)	744	78.7	(72.7 - 83.6)	342	75.8	(71.0 - 80.1)	395
12tl	h	80.5	(77.0 - 83.5)	682	78.4	(72.9 - 83.1)	317	82.7	(78.2 - 86.3)	361
Race/Ethnici	ty									
Bla	ck*	75.8	(73.0 - 78.5)	1,091	75.1	(70.8 - 78.9)	493	76.8	(73.3 - 80.0)	595
His	panic/Latino	76.5	(70.1 - 81.8)	226	80.0	(71.0 - 86.7)	102	75.6	(66.7 - 82.7)	118
Wh	ite*	81.7	(78.6 - 84.5)	811	80.9	(76.4 - 84.7)	387	82.5	(78.4 - 86.0)	423
All	other races*	75.5	(68.1 - 81.7)	158	-	-	69	-	-	89
Mu	ltiple races*	77.1	(70.4 - 82.6)	262	75.8	( 65.9 - 83.5 )	106	78.0	( 69.6 - 84.6 )	155

Note: 278 students were excluded from this analysis. \*Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

			Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
	Total	36.8	( 34.6 - 39.0 )	2,513	29.5	( 26.5 - 32.8 )	1,138	43.6	( 40.6 - 46.7 )	1,357		
Age												
	15 or younger	35.8	(32.6 - 39.2)	1,075	26.6	(22.6 - 31.1)	460	44.2	( 39.5 - 49.0 )	609		
	16 or 17	37.2	(34.1 - 40.3)	1,340	31.2	(26.7 - 36.1)	614	42.9	( 38.9 - 46.9 )	718		
	18 or older	-	-	94	-	-	63	-	-	30		
Grade												
	9th	37.2	( 32.7 - 42.0 )	553	25.9	(20.3 - 32.5)	244	48.6	( 42.6 - 54.6 )	308		
	10th	34.5	(30.7 - 38.6)	568	28.9	(23.8 - 34.6)	248	39.7	(33.9 - 45.7)	316		
	11th	34.0	(30.2 - 38.1)	704	28.4	(23.2 - 34.3)	325	39.8	( 34.3 - 45.6 )	375		
	12th	41.6	( 37.3 - 46.0 )	652	35.7	( 29.3 - 42.5 )	304	46.9	(41.6 - 52.3)	348		
Race/	Ethnicity											
	Black*	35.4	(32.1 - 38.8)	1,024	27.2	(23.0 - 32.0)	459	43.1	(38.5 - 47.8)	562		
	Hispanic/Latino	38.3	(31.6 - 45.6)	214	-	-	99	41.7	(31.4 - 52.8)	111		
	White*	37.9	( 34.4 - 41.4 )	795	30.7	(26.0 - 35.8)	379	45.0	(40.3 - 49.7)	415		
	All other races*	32.5	(25.0 - 41.1)	154	-	-	67	-	-	87		
	Multiple races*	40.2	( 34.3 - 46.5 )	255	35.7	( 26.3 - 46.4 )	102	43.4	(35.7 - 51.6)	152		

Note: 399 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

# **Maryland High School Survey Charles County Summary Tables - Weighted Data**

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	49.1	(46.8 - 51.3)	2,612	51.5	(48.1 - 54.8)	1,199	46.5	( 43.5 - 49.6 )	1,388
Age										
	15 or younger	46.3	(43.4 - 49.2)	1,120	49.6	(44.6 - 54.6)	486	43.1	(38.8 - 47.5)	622
	16 or 17	51.1	(47.8 - 54.4)	1,384	52.6	(48.2 - 57.0)	643	49.6	(45.3 - 54.0)	732
	18 or older	57.6	(47.3 - 67.2)	104	-	-	69	-	-	34
Grade										
	9th	48.9	(45.3 - 52.5)	573	54.1	(47.2 - 60.8)	258	43.4	( 37.4 - 49.5 )	314
	10th	45.5	(41.0 - 50.0)	589	46.9	(40.5 - 53.3)	262	44.6	(38.9 - 50.4)	323
	11th	45.4	(40.5 - 50.3)	725	48.9	(42.3 - 55.6)	335	41.7	( 35.9 - 47.7 )	384
	12th	56.5	( 52.0 - 60.9 )	684	56.1	(50.3 - 61.6)	325	56.7	(51.0 - 62.2)	355
Race/I	Ethnicity									
	Black*	47.7	(44.6 - 50.8)	1,076	51.6	(46.9 - 56.4)	492	44.3	(40.1 - 48.6)	581
	Hispanic/Latino	43.2	( 37.1 - 49.4 )	230	48.0	( 39.5 - 56.7 )	109	37.3	( 28.8 - 46.7 )	116
	White*	51.1	(47.3 - 54.9)	808	51.7	(46.6 - 56.8)	387	50.3	(45.3 - 55.3)	420
	All other races*	53.5	( 45.4 - 61.5 )	155	-	-	69	-	-	86
	Multiple races*	48.1	( 42.1 - 54.2 )	260	52.0	(42.7 - 61.2)	105	44.8	( 37.4 - 52.5 )	154

Note: 300 students were excluded from this analysis.

<sup>\*</sup>Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.