Maryland High School Survey Summary Tables - Weighted Data

QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tota	1	18.2	(17.8 - 18.7)	55,207	17.6	(17.0 - 18.2)	26,907	18.6	(18.0 - 19.2)	27,890
Age										
15 o	r younger	17.6	(17.0 - 18.1)	27,771	16.1	(15.3 - 17.0)	13,365	18.6	(17.8 - 19.4)	14,198
16 o	r 17	18.5	(17.8 - 19.2)	25,314	18.6	(17.7 - 19.4)	12,319	18.3	(17.4 - 19.1)	12,867
18 o	r older	23.2	(21.1 - 25.6)	2,030	22.7	(20.0 - 25.8)	1,195	23.5	(20.0 - 27.3)	816
Grade										
9th		16.7	(15.9 - 17.6)	15,549	15.8	(14.6 - 17.0)	7,650	17.6	(16.5 - 18.8)	7,830
10th		18.2	(17.4 - 19.1)	14,015	16.8	(15.7 - 17.9)	6,885	19.3	(18.1 - 20.6)	7,055
11th		18.1	(17.2 - 19.0)	13,275	17.8	(16.6 - 19.0)	6,410	18.2	(17.0 - 19.4)	6,807
12th		19.2	(18.1 - 20.2)	11,587	19.6	(18.2 - 21.1)	5,590	18.6	(17.4 - 19.9)	5,949
Race/Ethnicit	y									
Blac	k*	16.4	(15.7 - 17.2)	12,300	16.2	(15.1 - 17.3)	5,851	16.6	(15.6 - 17.7)	6,417
Hisp	panic/Latino	21.2	(20.0 - 22.5)	6,066	21.5	(19.8 - 23.3)	2,955	20.4	(18.4 - 22.5)	3,042
Whi	te*	18.7	(18.1 - 19.3)	28,147	17.4	(16.6 - 18.2)	13,933	20.1	(19.3 - 20.9)	14,144
All	other races*	14.5	(12.8 - 16.2)	3,741	15.1	(12.9 - 17.6)	1,917	13.1	(11.3 - 15.1)	1,787
Mul	tiple races*	19.3	(17.8 - 21.0)	3,174	18.9	(16.5 - 21.6)	1,366	19.5	(17.4 - 21.9)	1,792

Note: 389 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	7.1	(6.6 - 7.6)	22,795	8.6	(8.0 - 9.3)	11,421	5.0	(4.5 - 5.6)	11,218
Age										
	15 or younger	7.1	(6.3 - 7.9)	6,153	8.2	(7.1 - 9.4)	3,171	4.7	(3.9 - 5.7)	2,913
	16 or 17	6.6	(6.1 - 7.2)	15,378	8.3	(7.5 - 9.1)	7,507	4.8	(4.2 - 5.5)	7,809
	18 or older	12.0	(10.1 - 14.1)	1,237	13.7	(11.2 - 16.6)	735	9.3	(7.0 - 12.3)	493
Grade										
	9th	6.0	(5.0 - 7.1)	3,044	6.7	(5.4 - 8.4)	1,602	4.7	(3.4 - 6.3)	1,418
	10th	5.7	(4.9 - 6.7)	4,009	7.2	(6.0 - 8.7)	2,162	3.4	(2.6 - 4.5)	1,818
	11th	5.0	(4.4 - 5.6)	7,570	6.7	(5.7 - 7.8)	3,663	3.2	(2.6 - 3.9)	3,883
	12th	8.9	(8.1 - 9.8)	7,822	11.0	(9.9 - 12.2)	3,811	6.8	(5.9 - 7.8)	3,990
Race/E	thnicity									
	Black*	4.2	(3.6 - 4.9)	4,775	5.5	(4.6 - 6.6)	2,316	2.7	(2.1 - 3.6)	2,444
	Hispanic/Latino	11.4	(9.9 - 13.0)	2,415	13.8	(11.7 - 16.2)	1,233	8.0	(6.5 - 9.8)	1,151
	White*	7.2	(6.6 - 7.9)	12,374	8.9	(8.1 - 9.8)	6,264	5.5	(4.8 - 6.3)	6,096
	All other races*	6.9	(5.4 - 8.7)	1,331	7.1	(5.4 - 9.4)	707	5.4	(3.1 - 9.0)	607
	Multiple races*	8.3	(6.5 - 10.4)	1,166	11.8	(8.8 - 15.5)	539	5.0	(3.3 - 7.5)	624

Note: 32,801 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	26.1	(25.2 - 27.1)	23,317	28.6	(27.5 - 29.8)	11,760	22.6	(21.5 - 23.8)	11,345
Age										
	15 or younger	15.0	(13.9 - 16.3)	6,368	17.4	(15.9 - 19.0)	3,310	9.8	(8.5 - 11.3)	2,962
	16 or 17	29.4	(28.3 - 30.6)	15,623	32.0	(30.6 - 33.4)	7,673	26.6	(25.1 - 28.0)	7,867
	18 or older	40.0	(36.7 - 43.4)	1,293	42.8	(38.6 - 47.2)	767	35.0	(30.4 - 39.9)	513
Grade										
	9th	13.5	(11.8 - 15.4)	3,140	16.0	(13.8 - 18.5)	1,677	9.0	(7.2 - 11.4)	1,435
	10th	14.3	(12.8 - 15.8)	4,099	17.5	(15.5 - 19.8)	2,221	9.0	(7.6 - 10.7)	1,840
	11th	19.5	(18.3 - 20.7)	7,693	22.8	(21.0 - 24.8)	3,753	15.6	(14.3 - 17.0)	3,905
	12th	41.4	(39.8 - 43.0)	7,965	44.2	(42.1 - 46.3)	3,901	38.4	(36.1 - 40.7)	4,031
Race/Et	hnicity									
	Black*	16.9	(15.7 - 18.2)	4,880	20.0	(18.0 - 22.2)	2,382	13.6	(12.2 - 15.3)	2,480
	Hispanic/Latino	29.6	(27.1 - 32.1)	2,546	34.4	(31.4 - 37.6)	1,312	23.4	(20.5 - 26.7)	1,197
	White*	30.6	(29.2 - 32.0)	12,498	31.6	(30.1 - 33.2)	6,360	29.4	(27.6 - 31.3)	6,118
	All other races*	27.0	(23.4 - 31.0)	1,389	30.3	(24.8 - 36.4)	747	20.7	(16.7 - 25.4)	621
	Multiple races*	24.5	(21.7 - 27.6)	1,192	30.9	(26.5 - 35.6)	558	18.6	(15.3 - 22.3)	629

Note: 32,279 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.9	(14.4 - 15.3)	54,491	20.9	(20.2 - 21.6)	26,461	8.3	(7.9 - 8.8)	27,684
Age										
	15 or younger	13.8	(13.1 - 14.4)	27,433	19.2	(18.2 - 20.2)	13,167	7.9	(7.3 - 8.5)	14,105
	16 or 17	15.4	(14.8 - 16.0)	24,970	22.4	(21.4 - 23.4)	12,095	8.3	(7.6 - 8.9)	12,763
	18 or older	21.2	(19.2 - 23.4)	1,996	24.5	(21.5 - 27.7)	1,170	15.5	(13.1 - 18.3)	807
Grade										
	9th	13.5	(12.7 - 14.4)	15,410	19.0	(17.7 - 20.3)	7,552	7.5	(6.7 - 8.3)	7,792
	10th	14.6	(13.8 - 15.5)	13,878	20.4	(19.2 - 21.7)	6,797	8.4	(7.6 - 9.3)	7,019
	11th	14.5	(13.6 - 15.4)	13,080	21.5	(20.2 - 22.8)	6,284	7.4	(6.6 - 8.3)	6,751
	12th	16.0	(15.1 - 16.9)	11,400	22.6	(21.2 - 24.0)	5,474	9.3	(8.2 - 10.4)	5,889
Race/Et	chnicity									
	Black*	12.2	(11.4 - 13.0)	12,098	16.8	(15.6 - 18.0)	5,708	7.6	(6.8 - 8.4)	6,359
	Hispanic/Latino	14.1	(12.7 - 15.7)	5,918	19.1	(16.9 - 21.6)	2,877	8.8	(7.6 - 10.2)	2,987
	White*	17.0	(16.3 - 17.6)	27,994	25.0	(24.1 - 26.0)	13,815	8.5	(7.9 - 9.1)	14,106
	All other races*	10.3	(9.0 - 11.7)	3,670	12.7	(11.1 - 14.5)	1,880	6.8	(5.5 - 8.3)	1,758
	Multiple races*	17.0	(15.2 - 18.9)	3,151	26.0	(22.9 - 29.4)	1,354	9.5	(7.9 - 11.3)	1,783

Note: 1,105 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	4.3	(4.0 - 4.5)	54,494	5.4	(5.0 - 5.8)	26,475	2.8	(2.5 - 3.1)	27,675
Age										
	15 or younger	3.4	(3.1 - 3.7)	27,428	4.3	(3.9 - 4.8)	13,175	2.1	(1.8 - 2.5)	14,098
	16 or 17	4.7	(4.3 - 5.2)	24,982	6.1	(5.5 - 6.7)	12,107	3.2	(2.8 - 3.6)	12,762
	18 or older	8.6	(7.2 - 10.2)	1,991	9.4	(7.6 - 11.5)	1,167	7.0	(5.2 - 9.3)	806
Grade										
	9th	2.8	(2.5 - 3.2)	15,416	3.7	(3.2 - 4.3)	7,559	1.8	(1.4 - 2.2)	7,792
	10th	3.9	(3.5 - 4.4)	13,876	5.1	(4.5 - 5.8)	6,800	2.4	(1.9 - 3.0)	7,015
	11th	4.2	(3.7 - 4.7)	13,075	5.7	(4.9 - 6.5)	6,285	2.6	(2.1 - 3.1)	6,747
	12th	5.5	(5.0 - 6.1)	11,408	6.8	(6.0 - 7.7)	5,478	4.1	(3.4 - 4.9)	5,891
Race/E	thnicity									
	Black*	4.5	(4.0 - 5.0)	12,088	5.6	(4.9 - 6.4)	5,708	3.3	(2.8 - 3.9)	6,349
	Hispanic/Latino	5.4	(4.7 - 6.3)	5,919	7.0	(5.8 - 8.5)	2,879	3.5	(2.8 - 4.5)	2,986
	White*	3.2	(2.9 - 3.5)	28,023	4.3	(3.9 - 4.8)	13,835	1.9	(1.7 - 2.2)	14,115
	All other races*	3.9	(3.1 - 4.9)	3,658	4.5	(3.6 - 5.7)	1,875	2.7	(1.7 - 4.1)	1,752
	Multiple races*	4.8	(4.0 - 5.8)	3,154	7.3	(5.8 - 9.1)	1,356	2.7	(1.9 - 3.7)	1,783

Note: 1,102 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.0	(5.7 - 6.4)	54,931	6.0	(5.6 - 6.4)	26,763	5.5	(5.1 - 6.0)	27,773
Age										
	15 or younger	6.0	(5.6 - 6.5)	27,614	5.7	(5.3 - 6.3)	13,290	5.8	(5.2 - 6.4)	14,132
	16 or 17	5.6	(5.2 - 6.0)	25,208	5.7	(5.2 - 6.3)	12,259	5.0	(4.6 - 5.6)	12,821
	18 or older	10.5	(9.0 - 12.2)	2,015	11.3	(9.4 - 13.5)	1,185	8.5	(6.5 - 11.1)	811
Grade										
	9th	6.0	(5.5 - 6.7)	15,476	5.9	(5.2 - 6.8)	7,606	5.9	(5.2 - 6.8)	7,800
	10th	5.7	(5.2 - 6.3)	13,966	5.7	(4.9 - 6.5)	6,872	5.5	(4.9 - 6.2)	7,025
	11th	5.8	(5.2 - 6.4)	13,203	5.8	(5.1 - 6.6)	6,365	5.4	(4.6 - 6.2)	6,783
	12th	5.4	(4.9 - 6.0)	11,529	5.8	(5.0 - 6.6)	5,557	4.7	(4.1 - 5.4)	5,925
Race/E	thnicity									
	Black*	5.8	(5.2 - 6.4)	12,206	6.3	(5.5 - 7.2)	5,801	5.2	(4.6 - 5.9)	6,372
	Hispanic/Latino	9.8	(8.9 - 10.7)	6,026	10.6	(9.2 - 12.2)	2,947	8.3	(7.2 - 9.6)	3,016
	White*	4.2	(3.9 - 4.6)	28,096	3.9	(3.5 - 4.3)	13,896	4.5	(4.1 - 5.1)	14,126
	All other races*	5.6	(4.6 - 6.8)	3,719	5.2	(3.8 - 7.1)	1,902	5.3	(4.2 - 6.6)	1,780
	Multiple races*	6.3	(5.3 - 7.4)	3,160	7.4	(5.9 - 9.2)	1,361	5.3	(4.2 - 6.7)	1,783

Note: 665 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	7.2	(6.9 - 7.6)	55,412	8.7	(8.2 - 9.2)	27,018	5.3	(4.9 - 5.7)	27,960
Age										
	15 or younger	7.6	(7.1 - 8.0)	27,867	8.7	(8.0 - 9.4)	13,419	5.7	(5.2 - 6.2)	14,233
	16 or 17	6.6	(6.2 - 7.1)	25,396	8.5	(7.8 - 9.1)	12,370	4.5	(4.0 - 5.1)	12,888
	18 or older	10.2	(8.9 - 11.8)	2,052	10.3	(8.6 - 12.4)	1,200	9.4	(7.4 - 11.9)	830
Grade										
	9th	7.1	(6.6 - 7.7)	15,604	8.6	(7.8 - 9.5)	7,676	5.3	(4.6 - 6.0)	7,854
	10th	7.5	(6.9 - 8.1)	14,062	8.6	(7.8 - 9.6)	6,914	5.8	(5.1 - 6.6)	7,069
	11th	6.5	(6.0 - 7.1)	13,312	8.4	(7.6 - 9.3)	6,433	4.3	(3.8 - 5.0)	6,817
	12th	6.4	(5.8 - 7.1)	11,630	8.0	(7.2 - 9.0)	5,614	4.6	(3.9 - 5.5)	5,966
Race/E	thnicity									
	Black*	6.9	(6.4 - 7.4)	12,352	8.6	(7.8 - 9.4)	5,873	5.0	(4.4 - 5.8)	6,446
	Hispanic/Latino	10.3	(9.3 - 11.4)	6,099	12.3	(10.9 - 13.9)	2,983	7.7	(6.3 - 9.3)	3,048
	White*	5.5	(5.2 - 5.9)	28,207	6.7	(6.2 - 7.3)	13,965	4.3	(3.9 - 4.6)	14,168
	All other races*	6.8	(5.8 - 8.1)	3,749	7.7	(6.5 - 9.2)	1,918	5.0	(3.6 - 6.9)	1,792
	Multiple races*	8.0	(7.0 - 9.1)	3,183	11.6	(9.7 - 13.6)	1,374	5.0	(4.0 - 6.3)	1,793

Note: 184 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	12.2	(11.6 - 12.8)	55,336	15.1	(14.4 - 15.9)	26,978	8.5	(7.9 - 9.1)	27,924
Age										
	15 or younger	13.4	(12.6 - 14.3)	27,834	16.6	(15.5 - 17.7)	13,406	9.3	(8.5 - 10.3)	14,212
	16 or 17	10.6	(10.0 - 11.3)	25,355	13.4	(12.5 - 14.4)	12,346	7.5	(6.8 - 8.2)	12,874
	18 or older	14.5	(12.9 - 16.4)	2,046	16.6	(14.1 - 19.4)	1,196	10.5	(8.5 - 12.9)	829
Grade										
	9th	14.4	(13.3 - 15.7)	15,581	17.9	(16.6 - 19.4)	7,665	10.3	(9.1 - 11.7)	7,843
	10th	12.3	(11.4 - 13.2)	14,053	15.4	(14.2 - 16.8)	6,915	8.4	(7.4 - 9.5)	7,060
	11th	10.9	(10.0 - 11.7)	13,293	13.7	(12.4 - 15.0)	6,425	7.6	(6.7 - 8.7)	6,808
	12th	9.1	(8.3 - 9.9)	11,606	11.4	(10.3 - 12.6)	5,594	6.4	(5.6 - 7.3)	5,962
Race/Et	thnicity									
	Black*	16.4	(15.5 - 17.4)	12,321	19.9	(18.7 - 21.3)	5,856	12.8	(11.8 - 13.9)	6,432
	Hispanic/Latino	15.2	(13.9 - 16.6)	6,089	17.7	(15.7 - 19.7)	2,977	12.1	(10.8 - 13.7)	3,044
	White*	7.0	(6.5 - 7.4)	28,183	9.8	(9.1 - 10.5)	13,950	3.9	(3.5 - 4.4)	14,161
	All other races*	9.4	(8.1 - 10.8)	3,747	12.3	(10.6 - 14.3)	1,916	5.2	(3.9 - 7.0)	1,792
	Multiple races*	12.2	(10.9 - 13.7)	3,179	17.9	(15.3 - 20.7)	1,373	7.2	(6.0 - 8.7)	1,790

Note: 260 students were excluded from this analysis. *Non-Hispanic. N=Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	tal	8.1	(7.8 - 8.5)	54,394	6.2	(5.8 - 6.7)	26,504	9.9	(9.4 - 10.4)	27,578
Age										
15	or younger	7.2	(6.8 - 7.7)	27,369	5.4	(5.0 - 6.0)	13,173	8.9	(8.2 - 9.5)	14,057
16	or 17	8.5	(8.0 - 9.0)	24,956	6.4	(5.9 - 7.0)	12,137	10.4	(9.7 - 11.1)	12,711
18	or older	14.2	(12.6 - 16.0)	1,982	11.8	(9.9 - 14.1)	1,166	17.2	(14.2 - 20.8)	802
Grade										
9th		6.9	(6.4 - 7.5)	15,368	5.2	(4.6 - 5.9)	7,540	8.7	(7.8 - 9.6)	7,769
10t	h	7.1	(6.5 - 7.7)	13,849	5.5	(4.8 - 6.3)	6,823	8.6	(7.7 - 9.5)	6,971
11t	h	8.0	(7.4 - 8.6)	13,067	5.9	(5.2 - 6.6)	6,302	9.9	(9.1 - 10.8)	6,723
12t	h	10.0	(9.3 - 10.8)	11,406	8.0	(7.1 - 8.9)	5,494	11.9	(10.9 - 13.0)	5,881
Race/Ethnici	ity									
Bla	ick*	8.0	(7.4 - 8.7)	12,082	6.8	(6.0 - 7.7)	5,725	9.2	(8.5 - 10.0)	6,325
His	spanic/Latino	12.3	(11.3 - 13.5)	5,894	9.3	(7.8 - 11.1)	2,870	15.1	(13.7 - 16.6)	2,971
Wh	nite*	6.6	(6.2 - 7.0)	27,995	4.4	(4.0 - 4.8)	13,849	8.8	(8.2 - 9.5)	14,075
All	other races*	7.4	(6.4 - 8.5)	3,682	6.4	(5.2 - 7.9)	1,886	8.3	(6.9 - 10.0)	1,770
Mu	ltiple races*	9.8	(8.6 - 11.3)	3,132	8.1	(6.5 - 10.0)	1,350	11.1	(9.4 - 13.0)	1,769

Note: 1,202 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	10.1	(9.7 - 10.6)	33,884	8.5	(7.9 - 9.1)	16,256	11.2	(10.6 - 11.9)	17,397
Age										
	15 or younger	9.4	(8.8 - 10.1)	15,623	7.7	(6.9 - 8.6)	7,457	10.7	(9.8 - 11.6)	8,058
	16 or 17	10.3	(9.7 - 11.0)	16,825	8.7	(7.9 - 9.6)	7,984	11.5	(10.7 - 12.3)	8,761
	18 or older	14.2	(12.3 - 16.5)	1,387	12.8	(10.5 - 15.6)	797	15.1	(12.3 - 18.5)	573
Grade										
	9th	8.4	(7.5 - 9.3)	8,490	7.3	(6.2 - 8.6)	4,231	9.5	(8.3 - 10.9)	4,231
	10th	9.5	(8.6 - 10.4)	8,392	7.5	(6.6 - 8.5)	4,034	11.0	(9.7 - 12.4)	4,316
	11th	10.0	(9.2 - 10.8)	8,526	8.0	(7.0 - 9.2)	3,951	11.4	(10.3 - 12.5)	4,538
	12th	11.3	(10.4 - 12.2)	7,967	10.2	(9.0 - 11.4)	3,793	12.0	(10.8 - 13.3)	4,146
Race/I	Ethnicity									
	Black*	9.2	(8.4 - 10.0)	7,786	8.2	(7.2 - 9.2)	3,725	10.1	(9.0 - 11.4)	4,040
	Hispanic/Latino	13.8	(12.2 - 15.6)	3,763	11.9	(9.7 - 14.5)	1,825	15.0	(13.0 - 17.2)	1,899
	White*	8.7	(8.2 - 9.3)	17,639	6.7	(6.1 - 7.4)	8,500	10.6	(9.8 - 11.4)	9,103
	All other races*	10.1	(8.2 - 12.2)	1,645	9.5	(7.4 - 12.0)	858	9.7	(7.3 - 12.8)	766
	Multiple races*	13.0	(11.4 - 14.7)	1,998	11.3	(9.0 - 14.0)	831	13.9	(11.9 - 16.2)	1,161

Note: 21,712 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	otal	10.3	(9.8 - 10.7)	33,842	6.9	(6.4 - 7.5)	16,225	13.1	(12.4 - 13.7)	17,387
Age										
15	5 or younger	10.7	(10.0 - 11.4)	15,613	6.6	(5.8 - 7.5)	7,445	14.2	(13.2 - 15.2)	8,060
16	6 or 17	9.5	(9.0 - 10.1)	16,800	6.6	(5.9 - 7.3)	7,971	11.9	(11.2 - 12.8)	8,751
18	8 or older	13.6	(11.7 - 15.8)	1,380	11.6	(9.1 - 14.6)	793	15.4	(12.4 - 18.9)	571
Grade										
9t	:h	10.3	(9.4 - 11.3)	8,490	6.6	(5.6 - 7.8)	4,226	14.3	(12.8 - 15.9)	4,236
10	Oth	9.5	(8.7 - 10.3)	8,384	5.7	(4.9 - 6.7)	4,028	12.8	(11.5 - 14.2)	4,315
11	lth	9.6	(8.9 - 10.4)	8,515	6.7	(5.8 - 7.8)	3,948	11.9	(10.8 - 13.1)	4,533
12	2th	10.5	(9.6 - 11.4)	7,952	7.7	(6.6 - 9.0)	3,782	12.7	(11.6 - 14.0)	4,139
Race/Ethni	city									
В	lack*	7.8	(7.1 - 8.5)	7,780	6.6	(5.7 - 7.7)	3,722	8.9	(8.0 - 9.9)	4,036
H	ispanic/Latino	14.3	(12.9 - 15.9)	3,753	10.0	(8.3 - 12.0)	1,815	17.6	(15.5 - 19.9)	1,897
W	/hite*	10.1	(9.5 - 10.6)	17,629	5.0	(4.5 - 5.7)	8,489	14.9	(14.1 - 15.8)	9,104
A	ll other races*	11.2	(9.4 - 13.3)	1,639	9.2	(7.0 - 12.1)	856	12.3	(9.9 - 15.2)	763
M	Iultiple races*	12.9	(11.0 - 15.0)	1,998	9.2	(7.1 - 11.9)	831	15.5	(12.9 - 18.4)	1,161

Note: 21,754 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.7	(17.3 - 18.2)	54,219	15.5	(15.0 - 16.1)	26,352	19.8	(19.2 - 20.4)	27,551
Age										
	15 or younger	20.1	(19.4 - 20.8)	27,279	17.6	(16.7 - 18.6)	13,098	22.5	(21.6 - 23.4)	14,038
	16 or 17	15.5	(14.9 - 16.0)	24,887	13.6	(12.9 - 14.4)	12,073	17.2	(16.4 - 18.0)	12,707
	18 or older	15.2	(13.2 - 17.4)	1,963	13.1	(10.6 - 16.2)	1,152	18.1	(15.3 - 21.3)	798
Grade										
	9th	21.1	(20.3 - 21.9)	15,309	18.3	(17.1 - 19.6)	7,509	23.9	(22.7 - 25.2)	7,739
	10th	18.4	(17.5 - 19.3)	13,810	16.3	(15.2 - 17.3)	6,767	20.6	(19.4 - 21.9)	6,986
	11th	16.2	(15.4 - 17.1)	13,030	14.2	(13.3 - 15.3)	6,267	18.1	(17.0 - 19.2)	6,721
	12th	13.6	(12.9 - 14.4)	11,375	12.0	(10.9 - 13.1)	5,473	15.1	(14.1 - 16.2)	5,871
Race/Et	hnicity									
	Black*	13.1	(12.4 - 13.8)	12,031	11.7	(10.8 - 12.7)	5,685	14.4	(13.4 - 15.4)	6,316
	Hispanic/Latino	19.1	(17.9 - 20.5)	5,895	15.7	(14.1 - 17.5)	2,868	22.4	(20.5 - 24.4)	2,973
	White*	20.6	(20.1 - 21.2)	27,907	17.6	(16.9 - 18.4)	13,770	23.7	(22.9 - 24.6)	14,068
	All other races*	16.3	(15.1 - 17.6)	3,668	16.2	(14.4 - 18.1)	1,884	16.1	(14.2 - 18.1)	1,757
	Multiple races*	20.2	(18.6 - 22.0)	3,112	18.3	(16.0 - 20.8)	1,335	21.7	(19.5 - 24.0)	1,765

Note: 1,377 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Т	otal	13.8	(13.4 - 14.2)	54,823	10.2	(9.8 - 10.7)	26,678	17.2	(16.6 - 17.8)	27,804
Age										
1:	5 or younger	14.6	(14.1 - 15.1)	27,592	10.2	(9.4 - 10.9)	13,266	18.8	(17.9 - 19.7)	14,163
10	6 or 17	13.0	(12.5 - 13.6)	25,149	10.2	(9.5 - 10.9)	12,213	15.7	(15.0 - 16.4)	12,824
18	8 or older	13.1	(11.4 - 14.9)	1,995	11.6	(9.8 - 13.8)	1,172	14.7	(12.1 - 17.8)	810
Grade										
91	th	14.7	(14.0 - 15.3)	15,485	9.8	(9.0 - 10.7)	7,601	19.9	(18.7 - 21.1)	7,822
10	Oth	14.1	(13.4 - 14.9)	13,963	10.6	(9.7 - 11.6)	6,862	17.6	(16.6 - 18.6)	7,038
1	1th	12.9	(12.2 - 13.6)	13,164	9.8	(8.9 - 10.7)	6,337	15.8	(14.9 - 16.8)	6,779
12	2th	12.5	(11.8 - 13.3)	11,485	10.2	(9.4 - 11.1)	5,527	14.6	(13.5 - 15.8)	5,924
Race/Ethni	icity									
В	Black*	9.7	(9.2 - 10.3)	12,216	8.2	(7.3 - 9.1)	5,777	11.2	(10.5 - 12.0)	6,408
Н	Iispanic/Latino	16.2	(15.0 - 17.5)	5,983	12.0	(10.4 - 13.9)	2,923	20.0	(18.2 - 22.0)	3,006
W	Vhite*	16.0	(15.5 - 16.5)	28,106	10.6	(9.9 - 11.3)	13,894	21.6	(20.8 - 22.4)	14,142
A	all other races*	12.5	(11.4 - 13.6)	3,705	11.1	(9.8 - 12.5)	1,897	13.7	(11.9 - 15.7)	1,777
N	Aultiple races*	15.5	(13.9 - 17.3)	3,152	11.9	(9.9 - 14.2)	1,356	18.3	(16.1 - 20.6)	1,782

Note: 773 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		26.8	(26.3 - 27.4)	54,595	18.7	(18.1 - 19.3)	26,566	35.0	(34.2 - 35.9)	27,722
Age										
15 or	younger	25.4	(24.8 - 26.1)	27,469	16.4	(15.6 - 17.3)	13,206	34.3	(33.4 - 35.3)	14,123
16 or	17	28.1	(27.2 - 29.0)	25,053	20.4	(19.5 - 21.4)	12,165	35.5	(34.2 - 36.8)	12,780
18 or	older	29.9	(27.3 - 32.6)	1,988	24.6	(21.6 - 27.9)	1,166	37.8	(33.5 - 42.2)	810
Grade										
9th		24.8	(23.9 - 25.8)	15,412	16.1	(15.0 - 17.3)	7,559	33.9	(32.7 - 35.2)	7,797
10th		26.9	(25.9 - 27.9)	13,895	18.3	(17.1 - 19.4)	6,829	35.7	(34.2 - 37.2)	7,012
11th		27.5	(26.4 - 28.5)	13,133	19.6	(18.5 - 20.7)	6,325	35.1	(33.6 - 36.7)	6,765
12th		28.3	(27.1 - 29.6)	11,446	21.3	(19.7 - 23.0)	5,501	35.2	(33.5 - 36.8)	5,910
Race/Ethnicity										
Black	*	24.7	(23.7 - 25.7)	12,158	17.4	(16.3 - 18.6)	5,760	31.8	(30.6 - 33.1)	6,370
Hispa	nic/Latino	34.6	(33.2 - 36.1)	5,947	25.5	(23.5 - 27.7)	2,895	43.6	(41.5 - 45.7)	3,000
White	*	25.9	(25.1 - 26.8)	28,032	17.3	(16.4 - 18.2)	13,846	34.8	(33.5 - 36.1)	14,117
All ot	her races*	24.9	(23.1 - 26.6)	3,685	18.0	(16.1 - 20.0)	1,888	32.4	(29.8 - 35.1)	1,772
Multi	ple races*	32.2	(30.1 - 34.3)	3,147	22.0	(19.5 - 24.7)	1,353	40.3	(37.5 - 43.2)	1,780

Note: 1,001 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.9	(15.4 - 16.3)	54,379	10.9	(10.4 - 11.4)	26,453	20.7	(20.1 - 21.3)	27,609
Age										
	15 or younger	15.7	(15.2 - 16.2)	27,349	10.0	(9.4 - 10.7)	13,144	21.1	(20.3 - 21.9)	14,059
	16 or 17	15.9	(15.3 - 16.5)	24,963	11.4	(10.7 - 12.2)	12,118	20.3	(19.4 - 21.2)	12,736
	18 or older	16.7	(14.6 - 19.1)	1,981	13.9	(11.1 - 17.3)	1,164	21.1	(18.0 - 24.5)	806
Grade										
	9th	15.0	(14.3 - 15.8)	15,334	9.4	(8.5 - 10.4)	7,523	20.8	(19.8 - 21.9)	7,749
	10th	16.3	(15.5 - 17.0)	13,870	11.0	(10.2 - 11.9)	6,809	21.5	(20.3 - 22.7)	7,002
	11th	15.6	(14.7 - 16.5)	13,086	10.9	(10.0 - 11.9)	6,302	20.0	(18.7 - 21.4)	6,741
	12th	16.1	(15.3 - 17.0)	11,390	12.0	(11.0 - 13.2)	5,474	19.9	(18.7 - 21.1)	5,885
Race/Et	chnicity									
	Black*	13.7	(13.0 - 14.4)	12,108	8.9	(8.2 - 9.8)	5,729	18.3	(17.3 - 19.4)	6,353
	Hispanic/Latino	20.0	(18.6 - 21.5)	5,914	14.9	(13.4 - 16.6)	2,881	24.9	(23.1 - 26.7)	2,983
	White*	15.8	(15.3 - 16.3)	27,946	10.8	(10.2 - 11.5)	13,809	20.9	(20.0 - 21.8)	14,069
	All other races*	14.5	(13.1 - 16.1)	3,660	9.5	(8.0 - 11.2)	1,875	19.8	(17.8 - 22.0)	1,757
	Multiple races*	21.8	(20.1 - 23.6)	3,137	15.1	(13.1 - 17.4)	1,348	26.9	(24.5 - 29.5)	1,774

Note: 1,217 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	12.7	(12.3 - 13.1)	54,619	9.4	(8.9 - 9.9)	26,606	15.9	(15.3 - 16.4)	27,685
Age										
	15 or younger	12.7	(12.2 - 13.2)	27,444	8.6	(7.9 - 9.4)	13,213	16.5	(15.7 - 17.3)	14,083
	16 or 17	12.5	(12.0 - 13.1)	25,079	9.8	(9.2 - 10.4)	12,186	15.1	(14.3 - 16.0)	12,781
	18 or older	14.4	(12.6 - 16.5)	2,007	12.3	(10.1 - 14.8)	1,177	17.2	(14.0 - 20.8)	813
Grade										
	9th	12.6	(11.9 - 13.4)	15,395	8.7	(7.7 - 9.8)	7,578	16.7	(15.6 - 17.9)	7,761
	10th	12.5	(11.8 - 13.3)	13,900	9.0	(8.2 - 10.0)	6,831	15.9	(15.0 - 17.0)	7,008
	11th	12.4	(11.6 - 13.2)	13,129	8.9	(8.1 - 9.8)	6,319	15.7	(14.5 - 17.0)	6,767
	12th	12.6	(11.9 - 13.3)	11,475	10.6	(9.7 - 11.6)	5,525	14.2	(13.2 - 15.3)	5,914
Race/E	thnicity									
	Black*	11.3	(10.7 - 11.9)	12,179	8.2	(7.5 - 9.1)	5,773	14.3	(13.4 - 15.2)	6,375
	Hispanic/Latino	16.8	(15.5 - 18.2)	5,974	12.9	(11.3 - 14.7)	2,922	20.5	(18.7 - 22.4)	2,993
	White*	11.9	(11.5 - 12.4)	28,008	8.6	(8.0 - 9.2)	13,839	15.3	(14.5 - 16.1)	14,099
	All other races*	12.5	(11.3 - 13.8)	3,686	9.5	(7.8 - 11.5)	1,894	15.7	(14.1 - 17.5)	1,765
	Multiple races*	16.2	(14.8 - 17.8)	3,146	12.0	(10.1 - 14.2)	1,357	19.4	(17.2 - 21.8)	1,773

Note: 977 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	7.1	(6.7 - 7.5)	54,150	8.5	(8.0 - 9.0)	26,289	5.2	(4.9 - 5.6)	27,487
Age										
	15 or younger	6.9	(6.5 - 7.4)	27,216	7.9	(7.3 - 8.6)	13,060	5.3	(4.8 - 5.9)	13,982
	16 or 17	6.8	(6.3 - 7.3)	24,848	8.5	(7.9 - 9.3)	12,033	4.8	(4.4 - 5.3)	12,691
	18 or older	12.2	(10.8 - 13.7)	1,990	13.5	(11.5 - 15.8)	1,165	9.8	(8.0 - 12.1)	805
Grade										
	9th	6.8	(6.3 - 7.5)	15,258	7.6	(6.9 - 8.5)	7,475	5.8	(5.1 - 6.6)	7,719
	10th	6.8	(6.2 - 7.4)	13,752	8.4	(7.5 - 9.4)	6,737	4.8	(4.2 - 5.4)	6,944
	11th	6.4	(5.9 - 7.0)	13,015	8.2	(7.3 - 9.2)	6,251	4.4	(3.8 - 5.1)	6,712
	12th	7.2	(6.5 - 7.9)	11,394	9.0	(8.0 - 10.3)	5,476	5.1	(4.5 - 5.7)	5,874
Race/Et	thnicity									
	Black*	6.0	(5.5 - 6.6)	11,978	7.7	(6.9 - 8.6)	5,640	4.3	(3.7 - 4.9)	6,306
	Hispanic/Latino	10.1	(9.1 - 11.1)	5,877	11.8	(10.2 - 13.6)	2,857	7.9	(6.9 - 9.0)	2,967
	White*	6.3	(5.9 - 6.7)	27,812	7.6	(7.0 - 8.2)	13,732	4.9	(4.5 - 5.4)	14,008
	All other races*	5.8	(4.7 - 7.0)	3,682	6.8	(5.5 - 8.4)	1,872	3.8	(2.8 - 5.1)	1,776
	Multiple races*	8.9	(7.8 - 10.2)	3,116	11.3	(9.4 - 13.6)	1,346	6.8	(5.6 - 8.2)	1,754

Note: 1,446 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	8.7	(8.2 - 9.1)	52,911	9.3	(8.8 - 9.8)	25,596	7.7	(7.1 - 8.2)	26,985
Age									
15 or younger	6.3	(5.9 - 6.8)	26,721	6.3	(5.7 - 6.9)	12,787	5.8	(5.3 - 6.5)	13,777
16 or 17	10.2	(9.7 - 10.9)	24,249	11.3	(10.6 - 12.1)	11,705	9.0	(8.3 - 9.8)	12,441
18 or older	18.7	(16.6 - 20.9)	1,851	20.0	(17.3 - 23.1)	1,076	16.0	(13.2 - 19.2)	759
Grade									
9th	5.4	(4.9 - 6.0)	14,998	5.4	(4.7 - 6.2)	7,337	5.2	(4.6 - 6.0)	7,606
10th	7.5	(6.8 - 8.2)	13,477	8.1	(7.3 - 9.0)	6,581	6.5	(5.8 - 7.3)	6,838
11th	9.7	(9.0 - 10.4)	12,748	10.4	(9.4 - 11.6)	6,113	8.5	(7.6 - 9.6)	6,587
12th	11.9	(11.0 - 13.0)	11,013	13.6	(12.3 - 15.0)	5,242	10.2	(9.1 - 11.4)	5,738
Race/Ethnicity									
Black*	5.1	(4.5 - 5.7)	11,706	6.5	(5.7 - 7.4)	5,469	3.7	(3.0 - 4.4)	6,209
Hispanic/Latino	10.2	(9.2 - 11.3)	5,650	10.7	(9.5 - 12.1)	2,723	9.1	(7.8 - 10.6)	2,879
White*	10.8	(10.3 - 11.4)	27,336	10.9	(10.2 - 11.6)	13,467	10.8	(10.0 - 11.6)	13,802
All other races*	5.9	(5.0 - 7.0)	3,587	6.4	(5.3 - 7.7)	1,834	5.0	(3.9 - 6.4)	1,729
Multiple races*	9.2	(8.1 - 10.4)	3,028	9.5	(7.9 - 11.4)	1,298	8.6	(7.2 - 10.4)	1,716

Note: 2,685 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNFRCIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	2.4	(2.2 - 2.6)	52,911	2.8	(2.5 - 3.1)	25,596	1.9	(1.7 - 2.2)	26,985
Age										
	15 or younger	1.5	(1.4 - 1.8)	26,721	1.7	(1.5 - 2.0)	12,787	1.2	(1.0 - 1.5)	13,777
	16 or 17	2.9	(2.6 - 3.2)	24,249	3.3	(2.9 - 3.7)	11,705	2.4	(2.1 - 2.8)	12,441
	18 or older	7.2	(6.0 - 8.5)	1,851	8.1	(6.5 - 10.1)	1,076	5.5	(4.2 - 7.2)	759
Grade										
	9th	1.2	(1.0 - 1.4)	14,998	1.4	(1.1 - 1.7)	7,337	0.9	(0.7 - 1.2)	7,606
	10th	1.9	(1.6 - 2.2)	13,477	2.3	(1.9 - 2.7)	6,581	1.5	(1.2 - 1.9)	6,838
	11th	2.7	(2.4 - 3.1)	12,748	3.2	(2.8 - 3.8)	6,113	2.1	(1.7 - 2.6)	6,587
	12th	3.7	(3.2 - 4.2)	11,013	4.3	(3.6 - 5.1)	5,242	3.1	(2.6 - 3.6)	5,738
Race/Etl	hnicity									
	Black*	0.9	(0.7 - 1.2)	11,706	1.3	(1.0 - 1.7)	5,469	0.6	(0.4 - 0.9)	6,209
	Hispanic/Latino	2.6	(2.2 - 3.1)	5,650	3.0	(2.4 - 3.7)	2,723	2.3	(1.8 - 2.8)	2,879
	White*	3.4	(3.1 - 3.7)	27,336	3.6	(3.2 - 4.1)	13,467	3.1	(2.7 - 3.5)	13,802
	All other races*	1.9	(1.4 - 2.5)	3,587	2.6	(1.9 - 3.5)	1,834	1.1	(0.6 - 2.0)	1,729
	Multiple races*	2.8	(2.2 - 3.6)	3,028	3.9	(2.8 - 5.3)	1,298	1.8	(1.3 - 2.7)	1,716

Note: 2,685 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	1.8	(1.6 - 1.9)	52,911	2.1	(1.9 - 2.4)	25,596	1.4	(1.2 - 1.5)	26,985
Age										
	15 or younger	1.1	(1.0 - 1.3)	26,721	1.3	(1.1 - 1.6)	12,787	0.9	(0.7 - 1.1)	13,777
	16 or 17	2.1	(1.8 - 2.3)	24,249	2.5	(2.2 - 2.8)	11,705	1.6	(1.4 - 1.9)	12,441
	18 or older	6.2	(5.1 - 7.4)	1,851	7.0	(5.5 - 9.0)	1,076	4.7	(3.4 - 6.5)	759
Grade										
	9th	0.9	(0.7 - 1.1)	14,998	1.1	(0.8 - 1.4)	7,337	0.7	(0.5 - 0.9)	7,606
	10th	1.3	(1.1 - 1.6)	13,477	1.6	(1.3 - 2.0)	6,581	1.0	(0.8 - 1.3)	6,838
	11th	1.9	(1.7 - 2.2)	12,748	2.3	(1.9 - 2.7)	6,113	1.4	(1.1 - 1.8)	6,587
	12th	2.8	(2.4 - 3.2)	11,013	3.4	(2.9 - 4.1)	5,242	2.1	(1.8 - 2.6)	5,738
Race/Et	hnicity									
	Black*	0.7	(0.6 - 0.9)	11,706	1.0	(0.7 - 1.3)	5,469	0.5	(0.3 - 0.7)	6,209
	Hispanic/Latino	2.2	(1.8 - 2.6)	5,650	2.6	(2.0 - 3.3)	2,723	1.8	(1.3 - 2.3)	2,879
	White*	2.4	(2.2 - 2.7)	27,336	2.8	(2.4 - 3.1)	13,467	2.1	(1.8 - 2.4)	13,802
	All other races*	1.4	(1.0 - 2.0)	3,587	1.9	(1.4 - 2.7)	1,834	0.8	(0.4 - 1.7)	1,729
	Multiple races*	2.0	(1.5 - 2.7)	3,028	2.8	(1.9 - 4.1)	1,298	1.3	(0.8 - 2.1)	1,716

Note: 2,685 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.3	(10.3 - 12.5)	5,333	14.4	(12.8 - 16.2)	2,731	7.4	(6.0 - 9.1)	2,489
Age										
	15 or younger	12.9	(11.0 - 15.1)	1,989	16.4	(13.5 - 19.7)	921	10.0	(7.5 - 13.1)	1,002
	16 or 17	9.0	(7.9 - 10.4)	2,921	12.4	(10.5 - 14.5)	1,555	4.9	(3.5 - 6.8)	1,336
	18 or older	17.8	(14.3 - 21.9)	410	18.7	(14.0 - 24.6)	254	13.9	(8.5 - 21.8)	150
Grade										
	9th	11.9	(9.7 - 14.6)	960	15.4	(11.8 - 19.7)	456	8.6	(5.7 - 12.6)	490
	10th	9.5	(7.6 - 11.8)	1,190	11.5	(9.0 - 14.5)	597	7.4	(4.7 - 11.6)	574
	11th	9.4	(7.6 - 11.7)	1,442	13.6	(10.6 - 17.2)	742	4.8	(3.2 - 7.2)	676
	12th	10.2	(8.7 - 11.8)	1,548	13.7	(11.4 - 16.4)	850	5.5	(3.8 - 7.9)	682
Race/E	thnicity									
	Black*	10.9	(8.3 - 14.1)	632	11.7	(8.5 - 15.9)	373	9.3	(5.3 - 15.8)	252
	Hispanic/Latino	18.3	(14.4 - 22.9)	703	20.3	(15.3 - 26.5)	350	16.4	(11.5 - 22.9)	333
	White*	7.9	(6.9 - 9.1)	3,173	11.5	(9.9 - 13.3)	1,589	3.8	(2.8 - 5.2)	1,576
	All other races*	18.9	(13.7 - 25.4)	270	23.9	(17.2 - 32.2)	160	12.8	(6.0 - 25.2)	102
	Multiple races*	12.8	(8.6 - 18.5)	303	19.8	(12.5 - 30.0)	138	6.9	(3.3 - 14.1)	161

Note: 50,263 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.4	(16.0 - 18.9)	4,668	23.9	(21.6 - 26.3)	2,359	10.4	(8.9 - 12.2)	2,219
Age										
	15 or younger	11.6	(9.8 - 13.8)	1,874	16.4	(13.3 - 20.2)	872	6.6	(4.8 - 8.9)	939
	16 or 17	21.0	(19.0 - 23.1)	2,794	28.1	(25.3 - 31.1)	1,487	12.9	(10.6 - 15.5)	1,280
	18 or older	-	-	0	-	-	0	-	-	0
Grade										
	9th	13.1	(9.9 - 17.1)	880	18.9	(13.7 - 25.5)	414	7.1	(4.5 - 11.2)	455
	10th	11.7	(9.3 - 14.7)	1,105	15.9	(12.1 - 20.4)	556	7.2	(4.6 - 11.0)	532
	11th	18.2	(15.3 - 21.5)	1,348	26.1	(21.8 - 30.8)	689	9.7	(6.9 - 13.5)	638
	12th	24.5	(21.5 - 27.7)	1,195	31.9	(27.7 - 36.3)	633	16.4	(12.6 - 20.9)	546
Race/E	thnicity									
	Black*	24.7	(20.2 - 29.9)	512	30.0	(23.4 - 37.5)	295	17.2	(11.4 - 25.1)	210
	Hispanic/Latino	15.9	(12.8 - 19.6)	566	23.3	(18.2 - 29.3)	276	8.9	(5.5 - 13.9)	274
	White*	15.5	(13.9 - 17.4)	2,884	22.5	(19.8 - 25.4)	1,425	8.7	(7.0 - 10.9)	1,452
	All other races*	22.0	(15.2 - 30.7)	233	21.8	(14.3 - 31.6)	137	-	-	88
	Multiple races*	15.9	(11.1 - 22.5)	260	22.5	(14.3 - 33.6)	117	10.6	(6.0 - 18.1)	140

Note: 50,928 students were excluded from this analysis.

^{*}Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNCIGINT: Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	4.9	(4.0 - 6.0)	4,668	5.6	(4.3 - 7.2)	2,359	2.8	(2.0 - 3.9)	2,219	
Age											
	15 or younger	5.9	(4.4 - 7.9)	1,874	6.7	(4.5 - 9.9)	872	2.8	(1.7 - 4.6)	939	
	16 or 17	4.3	(3.4 - 5.4)	2,794	4.9	(3.7 - 6.6)	1,487	2.8	(1.9 - 4.3)	1,280	
	18 or older	-	-	0	-	-	0	-	-	0	
Grade											
	9th	6.1	(3.8 - 9.7)	880	7.3	(4.0 - 13.1)	414	3.5	(1.7 - 6.8)	455	
	10th	3.9	(2.6 - 5.9)	1,105	4.0	(2.3 - 7.0)	556	1.8	(0.9 - 3.7)	532	
	11th	3.7	(2.4 - 5.6)	1,348	5.7	(3.6 - 8.9)	689	1.4	(0.6 - 3.3)	638	
	12th	4.8	(3.4 - 6.7)	1,195	4.9	(3.2 - 7.6)	633	3.9	(2.2 - 6.9)	546	
Race/E	thnicity										
	Black*	7.9	(5.4 - 11.4)	512	10.0	(6.4 - 15.4)	295	4.2	(1.9 - 9.3)	210	
	Hispanic/Latino	5.4	(3.3 - 8.7)	566	3.8	(1.6 - 8.6)	276	5.3	(2.9 - 9.4)	274	
	White*	2.2	(1.6 - 3.0)	2,884	2.9	(2.0 - 4.3)	1,425	1.4	(0.8 - 2.5)	1,452	
	All other races*	7.1	(4.7 - 10.8)	233	7.0	(3.7 - 13.0)	137	-	-	88	
	Multiple races*	2.9	(1.2 - 6.8)	260	5.8	(2.3 - 14.1)	117	0.4	(0.1 - 2.6)	140	

Note: 50,928 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.8	(5.4 - 6.1)	53,211	8.3	(7.7 - 8.8)	25,833	2.7	(2.4 - 2.9)	26,968
Age										
	15 or younger	5.2	(4.7 - 5.6)	26,685	6.8	(6.1 - 7.5)	12,795	2.7	(2.3 - 3.0)	13,687
	16 or 17	5.9	(5.4 - 6.4)	24,490	9.1	(8.3 - 9.8)	11,878	2.4	(2.1 - 2.8)	12,483
	18 or older	11.4	(10.0 - 13.0)	1,937	14.8	(12.7 - 17.2)	1,131	5.7	(4.1 - 7.8)	789
Grade										
	9th	4.4	(4.0 - 5.0)	14,909	5.9	(5.1 - 6.8)	7,296	2.6	(2.1 - 3.1)	7,539
	10th	5.0	(4.5 - 5.6)	13,494	7.4	(6.5 - 8.4)	6,618	2.1	(1.7 - 2.5)	6,801
	11th	5.8	(5.3 - 6.4)	12,837	8.8	(7.9 - 9.8)	6,178	2.5	(2.0 - 3.0)	6,605
	12th	6.8	(6.1 - 7.6)	11,238	10.6	(9.5 - 11.8)	5,397	2.7	(2.2 - 3.3)	5,792
Race/Et	thnicity									
	Black*	3.9	(3.5 - 4.5)	11,581	6.0	(5.2 - 6.9)	5,425	1.9	(1.5 - 2.3)	6,125
	Hispanic/Latino	6.8	(6.0 - 7.8)	5,780	8.4	(6.9 - 10.1)	2,829	4.8	(4.0 - 5.8)	2,888
	White*	6.2	(5.8 - 6.6)	27,492	9.8	(9.1 - 10.5)	13,583	2.4	(2.1 - 2.7)	13,838
	All other races*	4.6	(3.8 - 5.5)	3,617	5.5	(4.5 - 6.7)	1,852	2.6	(1.8 - 3.7)	1,726
	Multiple races*	4.9	(4.0 - 5.9)	3,042	8.5	(6.9 - 10.4)	1,307	1.6	(1.1 - 2.5)	1,718

Note: 2,385 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total		10.3	(9.9 - 10.8)	54,795	12.3	(11.7 - 12.9)	26,640	7.8	(7.3 - 8.4)	27,731	
Age											
15 or yo	inger	7.7	(7.2 - 8.2)	27,523	8.8	(8.0 - 9.6)	13,210	6.0	(5.4 - 6.6)	14,109	
16 or 17		12.1	(11.5 - 12.7)	25,152	14.8	(14.0 - 15.7)	12,223	9.1	(8.5 - 9.9)	12,794	
18 or old	er	20.4	(18.5 - 22.5)	2,018	23.0	(20.0 - 26.3)	1,177	16.0	(13.4 - 19.0)	819	
Grade											
9th		6.8	(6.1 - 7.5)	15,390	7.9	(7.0 - 9.0)	7,544	5.3	(4.6 - 6.1)	7,775	
10th		8.4	(7.7 - 9.2)	13,901	9.8	(8.9 - 10.8)	6,814	6.7	(5.8 - 7.6)	7,009	
11th		11.1	(10.3 - 11.9)	13,199	13.6	(12.5 - 14.8)	6,365	8.1	(7.3 - 9.1)	6,774	
12th		14.8	(13.7 - 16.0)	11,522	18.5	(17.0 - 20.0)	5,549	10.9	(9.8 - 12.2)	5,926	
Race/Ethnicity											
Black*		10.0	(9.2 - 10.8)	12,080	11.7	(10.6 - 12.9)	5,711	8.3	(7.4 - 9.2)	6,338	
Hispanic	/Latino	11.8	(10.8 - 12.8)	6,014	12.7	(11.2 - 14.4)	2,933	10.3	(9.2 - 11.6)	3,016	
White*		9.9	(9.3 - 10.4)	28,057	12.6	(12.0 - 13.4)	13,858	6.9	(6.3 - 7.6)	14,127	
All other	races*	6.7	(5.8 - 7.8)	3,718	7.6	(6.4 - 8.9)	1,901	4.8	(3.7 - 6.2)	1,777	
Multiple	races*	10.4	(9.1 - 11.9)	3,147	11.4	(9.5 - 13.8)	1,354	9.2	(7.7 - 11.1)	1,775	

Note: 801 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	37.6	(36.8 - 38.3)	52,817	38.0	(37.0 - 39.0)	25,514	37.0	(36.1 - 38.0)	27,030	
Age											
	15 or younger	32.0	(31.0 - 32.9)	26,546	31.7	(30.6 - 32.9)	12,688	32.0	(31.0 - 33.1)	13,741	
	16 or 17	43.0	(42.0 - 44.1)	24,304	44.1	(42.7 - 45.6)	11,700	41.9	(40.6 - 43.2)	12,509	
	18 or older	41.7	(38.8 - 44.6)	1,877	42.3	(38.7 - 45.9)	1,095	40.9	(36.7 - 45.1)	772	
Grade											
	9th	29.1	(27.8 - 30.4)	14,909	29.3	(27.6 - 31.0)	7,278	28.8	(27.3 - 30.5)	7,578	
	10th	36.4	(35.2 - 37.6)	13,426	36.5	(34.9 - 38.1)	6,538	36.2	(34.7 - 37.7)	6,842	
	11th	41.1	(39.7 - 42.4)	12,748	41.7	(39.8 - 43.5)	6,083	40.4	(38.6 - 42.2)	6,631	
	12th	45.1	(43.5 - 46.7)	11,104	46.5	(44.6 - 48.4)	5,302	43.7	(41.7 - 45.7)	5,771	
Race/Eth	nnicity										
	Black*	35.1	(33.8 - 36.4)	11,584	35.7	(33.9 - 37.5)	5,402	34.5	(33.1 - 36.0)	6,155	
	Hispanic/Latino	43.9	(42.3 - 45.6)	5,672	43.6	(41.2 - 46.1)	2,746	44.2	(41.8 - 46.7)	2,884	
	White*	38.9	(37.9 - 39.9)	27,455	39.4	(38.2 - 40.6)	13,495	38.4	(37.0 - 39.7)	13,894	
	All other races*	25.0	(22.8 - 27.4)	3,578	26.3	(23.6 - 29.3)	1,827	23.4	(20.9 - 26.1)	1,728	
	Multiple races*	42.7	(40.9 - 44.7)	3,046	43.5	(40.4 - 46.5)	1,300	42.3	(39.9 - 44.7)	1,732	

Note: 2,779 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	20.0	(19.4 - 20.6)	53,264	20.8	(20.1 - 21.5)	25,771	18.7	(18.0 - 19.5)	27,115	
Age											
	15 or younger	17.0	(16.3 - 17.7)	26,735	16.9	(16.0 - 17.8)	12,782	16.5	(15.7 - 17.4)	13,769	
	16 or 17	22.5	(21.7 - 23.3)	24,501	24.2	(23.1 - 25.4)	11,828	20.5	(19.6 - 21.5)	12,550	
	18 or older	26.3	(23.9 - 28.8)	1,939	26.2	(23.0 - 29.6)	1,135	26.1	(22.6 - 30.0)	788	
Grade											
	9th	15.0	(14.0 - 16.0)	14,954	15.3	(14.1 - 16.7)	7,298	14.5	(13.4 - 15.7)	7,590	
	10th	19.5	(18.6 - 20.5)	13,515	19.8	(18.6 - 21.1)	6,596	18.9	(17.7 - 20.2)	6,847	
	11th	21.3	(20.3 - 22.3)	12,852	23.1	(21.5 - 24.7)	6,153	19.3	(18.0 - 20.6)	6,653	
	12th	24.2	(23.0 - 25.5)	11,232	25.8	(24.3 - 27.4)	5,382	22.4	(20.9 - 24.1)	5,805	
Race/E	thnicity										
	Black*	15.7	(14.7 - 16.7)	11,625	16.5	(15.2 - 17.9)	5,445	14.9	(13.8 - 16.0)	6,150	
	Hispanic/Latino	22.7	(21.4 - 24.0)	5,774	23.3	(21.3 - 25.4)	2,797	21.5	(19.8 - 23.2)	2,917	
	White*	22.7	(21.9 - 23.6)	27,559	23.7	(22.7 - 24.7)	13,564	21.7	(20.7 - 22.7)	13,928	
	All other races*	12.6	(11.0 - 14.4)	3,602	13.1	(11.0 - 15.6)	1,842	11.5	(9.6 - 13.6)	1,725	
	Multiple races*	22.7	(21.0 - 24.4)	3,062	25.0	(22.4 - 27.7)	1,313	20.9	(18.7 - 23.3)	1,734	

Note: 2,332 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	27.6	(26.9 - 28.4)	52,320	29.6	(28.7 - 30.5)	25,392	25.0	(24.1 - 25.9)	26,509	
Age											
	15 or younger	23.2	(22.4 - 24.2)	26,235	24.3	(23.1 - 25.4)	12,565	21.4	(20.4 - 22.4)	13,462	
	16 or 17	31.0	(30.1 - 32.0)	24,077	33.8	(32.5 - 35.0)	11,683	27.9	(26.7 - 29.1)	12,264	
	18 or older	40.6	(37.9 - 43.4)	1,912	42.9	(39.2 - 46.6)	1,118	36.4	(32.4 - 40.6)	775	
Grade											
	9th	21.1	(19.9 - 22.3)	14,608	22.6	(21.0 - 24.3)	7,145	19.2	(17.9 - 20.5)	7,392	
	10th	26.1	(24.9 - 27.3)	13,236	27.5	(25.9 - 29.2)	6,475	24.1	(22.8 - 25.5)	6,686	
	11th	29.3	(28.1 - 30.5)	12,667	31.9	(30.1 - 33.7)	6,105	26.3	(24.7 - 28.1)	6,504	
	12th	34.0	(32.4 - 35.6)	11,056	37.3	(35.4 - 39.3)	5,315	30.4	(28.4 - 32.4)	5,694	
Race/E	thnicity										
	Black*	24.5	(23.2 - 25.8)	11,268	27.3	(25.6 - 29.0)	5,273	21.7	(20.4 - 23.2)	5,964	
	Hispanic/Latino	31.4	(29.8 - 33.0)	5,671	32.5	(30.0 - 35.1)	2,751	29.5	(27.6 - 31.6)	2,856	
	White*	29.0	(28.1 - 30.0)	27,152	31.1	(30.0 - 32.2)	13,427	26.9	(25.7 - 28.1)	13,658	
	All other races*	17.5	(15.4 - 19.7)	3,562	18.5	(16.0 - 21.2)	1,821	15.3	(13.0 - 17.9)	1,703	
	Multiple races*	30.8	(28.9 - 32.7)	2,992	32.6	(29.5 - 35.8)	1,295	28.9	(26.3 - 31.6)	1,679	

Note: 3,276 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	16.4	(15.8 - 17.1)	52,522	19.0	(18.2 - 19.8)	25,537	13.1	(12.4 - 13.9)	26,572	
Age											
	15 or younger	12.7	(12.0 - 13.4)	26,413	14.2	(13.2 - 15.2)	12,686	10.2	(9.4 - 11.0)	13,522	
	16 or 17	19.0	(18.2 - 19.8)	24,109	22.4	(21.3 - 23.5)	11,716	15.3	(14.3 - 16.2)	12,267	
	18 or older	30.9	(28.4 - 33.6)	1,901	34.0	(30.4 - 37.9)	1,108	25.6	(22.3 - 29.3)	774	
Grade											
	9th	11.3	(10.4 - 12.3)	14,731	13.1	(11.8 - 14.4)	7,227	9.2	(8.2 - 10.2)	7,433	
	10th	14.2	(13.2 - 15.2)	13,303	16.4	(15.1 - 17.8)	6,525	11.4	(10.3 - 12.5)	6,706	
	11th	17.5	(16.5 - 18.5)	12,676	20.5	(19.1 - 21.9)	6,123	14.1	(12.9 - 15.4)	6,496	
	12th	22.2	(20.7 - 23.8)	11,065	26.7	(24.7 - 28.7)	5,313	17.6	(16.0 - 19.3)	5,705	
Race/Ethi	nicity										
	Black*	14.0	(13.0 - 15.1)	11,407	17.2	(15.8 - 18.8)	5,343	10.8	(9.8 - 11.9)	6,034	
	Hispanic/Latino	17.7	(16.4 - 19.1)	5,667	19.2	(17.2 - 21.3)	2,756	15.5	(14.0 - 17.1)	2,850	
	White*	17.6	(16.9 - 18.4)	27,178	20.6	(19.7 - 21.5)	13,480	14.5	(13.6 - 15.5)	13,630	
	All other races*	10.2	(8.9 - 11.7)	3,587	11.0	(9.4 - 12.8)	1,833	8.3	(6.7 - 10.2)	1,717	
	Multiple races*	16.4	(14.8 - 18.2)	2,994	17.7	(15.2 - 20.6)	1,288	14.9	(13.0 - 17.0)	1,688	

Note: 3,074 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	14.4	(13.8 - 15.0)	53,475	16.0	(15.3 - 16.7)	25,949	12.1	(11.4 - 12.8)	27,135	
Age											
	15 or younger	10.8	(10.2 - 11.4)	26,951	11.5	(10.6 - 12.4)	12,919	9.3	(8.6 - 10.1)	13,841	
	16 or 17	16.9	(16.2 - 17.7)	24,501	19.4	(18.4 - 20.4)	11,882	14.2	(13.3 - 15.1)	12,501	
	18 or older	27.8	(25.4 - 30.3)	1,923	29.8	(26.4 - 33.6)	1,120	24.1	(20.9 - 27.6)	784	
Grade											
	9th	9.6	(8.8 - 10.5)	15,069	10.5	(9.4 - 11.8)	7,388	8.3	(7.4 - 9.2)	7,614	
	10th	12.0	(11.2 - 13.0)	13,566	13.3	(12.2 - 14.4)	6,636	10.3	(9.3 - 11.5)	6,863	
	11th	15.5	(14.6 - 16.5)	12,894	17.7	(16.4 - 19.0)	6,211	12.9	(11.8 - 14.2)	6,627	
	12th	20.2	(18.8 - 21.7)	11,204	23.5	(21.8 - 25.4)	5,364	16.6	(15.2 - 18.2)	5,794	
Race/E	thnicity										
	Black*	12.4	(11.4 - 13.3)	11,777	14.7	(13.5 - 16.1)	5,536	10.0	(9.0 - 11.0)	6,213	
	Hispanic/Latino	15.8	(14.6 - 17.0)	5,790	16.7	(14.9 - 18.6)	2,800	14.2	(12.9 - 15.6)	2,933	
	White*	15.3	(14.6 - 16.1)	27,525	17.0	(16.2 - 17.9)	13,608	13.6	(12.6 - 14.5)	13,849	
	All other races*	8.9	(7.7 - 10.3)	3,636	9.4	(8.0 - 11.1)	1,854	7.5	(6.0 - 9.2)	1,747	
	Multiple races*	14.9	(13.3 - 16.5)	3,058	15.3	(13.0 - 17.8)	1,309	14.0	(12.1 - 16.0)	1,731	

Note: 2,121 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	76.5	(75.8 - 77.1)	49,575	75.3	(74.5 - 76.1)	23,784	77.8	(77.0 - 78.7)	25,533	
Age										
15 or younger	80.9	(80.2 - 81.7)	24,927	80.7	(79.6 - 81.7)	11,847	81.5	(80.6 - 82.4)	12,963	
16 or 17	72.7	(71.8 - 73.6)	22,875	70.8	(69.6 - 71.9)	10,931	74.7	(73.5 - 75.8)	11,856	
18 or older	66.4	(63.5 - 69.2)	1,699	64.6	(60.7 - 68.2)	981	69.4	(65.1 - 73.5)	707	
Grade										
9th	83.1	(82.0 - 84.1)	13,965	82.6	(81.1 - 84.1)	6,767	83.6	(82.4 - 84.8)	7,148	
10th	77.6	(76.4 - 78.6)	12,607	76.8	(75.3 - 78.3)	6,111	78.4	(77.1 - 79.7)	6,448	
11th	74.6	(73.4 - 75.7)	12,021	72.9	(71.1 - 74.5)	5,707	76.3	(74.7 - 77.9)	6,281	
12th	70.1	(68.6 - 71.5)	10,416	67.5	(65.7 - 69.2)	4,917	72.6	(70.7 - 74.5)	5,472	
Race/Ethnicity										
Black*	80.3	(79.1 - 81.4)	10,618	79.2	(77.7 - 80.7)	4,847	81.3	(79.9 - 82.5)	5,746	
Hispanic/Latino	74.5	(73.1 - 75.9)	5,166	73.9	(71.5 - 76.1)	2,478	75.3	(73.4 - 77.2)	2,652	
White*	73.4	(72.6 - 74.3)	26,213	71.9	(70.9 - 73.0)	12,849	74.9	(73.7 - 76.1)	13,304	
All other races*	86.1	(84.2 - 87.8)	3,362	85.2	(82.8 - 87.3)	1,717	87.4	(85.2 - 89.4)	1,624	
Multiple races*	73.2	(71.3 - 75.1)	2,831	72.7	(69.6 - 75.7)	1,199	73.9	(71.2 - 76.4)	1,619	

Note: 6,021 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	86.4	(85.9 - 87.0)	50,865	84.5	(83.8 - 85.2)	24,509	88.6	(87.9 - 89.3)	26,070	
Age											
	15 or younger	90.3	(89.6 - 90.8)	25,608	89.4	(88.5 - 90.2)	12,210	91.5	(90.8 - 92.2)	13,264	
	16 or 17	83.5	(82.7 - 84.2)	23,424	80.8	(79.8 - 81.8)	11,258	86.2	(85.3 - 87.1)	12,072	
	18 or older	74.5	(72.0 - 76.9)	1,753	71.5	(67.8 - 74.9)	1,015	79.2	(75.7 - 82.3)	726	
Grade											
	9th	91.4	(90.7 - 92.2)	14,358	90.6	(89.4 - 91.6)	6,989	92.4	(91.5 - 93.2)	7,318	
	10th	88.2	(87.3 - 89.1)	12,936	86.6	(85.4 - 87.7)	6,301	90.2	(89.1 - 91.1)	6,583	
	11th	84.9	(84.0 - 85.9)	12,317	82.6	(81.3 - 83.9)	5,883	87.4	(86.2 - 88.6)	6,392	
	12th	80.8	(79.3 - 82.2)	10,654	77.2	(75.3 - 78.9)	5,042	84.4	(82.7 - 85.9)	5,581	
Race/E	thnicity										
	Black*	89.3	(88.3 - 90.1)	11,013	87.4	(86.0 - 88.6)	5,071	91.1	(90.1 - 92.0)	5,916	
	Hispanic/Latino	86.3	(85.0 - 87.4)	5,354	85.1	(83.3 - 86.8)	2,581	87.6	(86.1 - 89.0)	2,733	
	White*	84.0	(83.2 - 84.7)	26,658	81.6	(80.7 - 82.4)	13,109	86.4	(85.4 - 87.3)	13,486	
	All other races*	92.2	(91.1 - 93.3)	3,459	91.4	(89.9 - 92.7)	1,769	93.6	(92.0 - 94.9)	1,667	
	Multiple races*	86.1	(84.5 - 87.6)	2,906	85.4	(82.8 - 87.7)	1,238	87.0	(84.9 - 88.8)	1,655	

Note: 4,731 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	87.4	(86.8 - 87.9)	52,478	86.1	(85.5 - 86.7)	25,335	89.0	(88.3 - 89.6)	26,832	
Age										
15 or younger	90.9	(90.3 - 91.4)	26,480	90.5	(89.7 - 91.3)	12,645	91.7	(91.0 - 92.4)	13,690	
16 or 17	84.6	(83.9 - 85.3)	24,087	82.7	(81.8 - 83.6)	11,604	86.8	(85.9 - 87.6)	12,382	
18 or older	75.8	(73.4 - 78.0)	1,827	73.9	(70.3 - 77.2)	1,059	79.1	(75.7 - 82.2)	752	
Grade										
9th	92.0	(91.2 - 92.7)	14,852	91.5	(90.4 - 92.5)	7,247	92.6	(91.7 - 93.3)	7,553	
10th	89.3	(88.5 - 90.1)	13,363	88.4	(87.3 - 89.3)	6,510	90.5	(89.5 - 91.5)	6,797	
11th	86.0	(85.1 - 86.9)	12,678	84.3	(83.0 - 85.5)	6,069	88.1	(86.9 - 89.1)	6,562	
12th	81.9	(80.6 - 83.2)	10,935	79.2	(77.4 - 80.8)	5,193	84.6	(83.1 - 86.1)	5,711	
Race/Ethnicity										
Black*	89.7	(88.9 - 90.5)	11,524	88.2	(87.0 - 89.4)	5,362	91.3	(90.3 - 92.1)	6,135	
Hispanic/Latino	86.7	(85.5 - 87.8)	5,588	85.9	(84.0 - 87.5)	2,692	87.9	(86.5 - 89.2)	2,853	
White*	85.6	(84.9 - 86.3)	27,233	84.3	(83.5 - 85.1)	13,390	86.9	(86.0 - 87.8)	13,777	
All other races*	92.4	(91.3 - 93.4)	3,562	91.8	(90.3 - 93.1)	1,819	93.4	(91.9 - 94.7)	1,719	
Multiple races*	86.5	(84.9 - 87.9)	3,011	86.0	(83.6 - 88.1)	1,287	87.3	(85.3 - 89.1)	1,710	

Note: 3,118 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)

	Total				Male		Female			
Pe	ercentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
:	52.3	(51.5 - 53.2)	52,135	47.8	(46.8 - 48.9)	25,045	56.6	(55.7 - 57.5)	26,750	
er .	43.4	(42.5 - 44.3)	26,310	38.6	(37.5 - 39.8)	12,499	47.8	(46.7 - 48.9)	13,649	
	60.8	(59.8 - 61.8)	23,934	56.2	(54.8 - 57.7)	11,475	65.2	(63.9 - 66.3)	12,348	
•	62.1	(59.2 - 64.9)	1,809	59.0	(54.9 - 63.0)	1,049	66.4	(61.8 - 70.6)	745	
<u>'</u>	38.1	(36.9 - 39.3)	14,725	34.2	(32.6 - 35.9)	7,133	41.9	(40.4 - 43.4)	7,531	
:	50.2	(49.1 - 51.3)	13,234	45.5	(44.1 - 46.9)	6,409	54.7	(53.2 - 56.1)	6,763	
:	58.3	(57.1 - 59.4)	12,592	52.5	(50.7 - 54.3)	6,005	63.6	(62.2 - 65.0)	6,548	
•	65.4	(64.1 - 66.7)	10,918	62.1	(60.3 - 63.8)	5,186	68.5	(66.9 - 70.1)	5,695	
4	46.1	(44.6 - 47.6)	11,220	39.4	(37.4 - 41.5)	5,150	52.3	(50.7 - 53.9)	6,039	
ino	54.4	(52.5 - 56.3)	5,576	50.0	(47.8 - 52.2)	2,690	58.3	(56.0 - 60.5)	2,829	
:	58.1	(57.1 - 59.1)	27,251	54.5	(53.3 - 55.7)	13,373	61.9	(60.6 - 63.2)	13,811	
es*	38.0	(35.9 - 40.2)	3,525	36.8	(33.8 - 39.9)	1,780	38.9	(36.5 - 41.3)	1,714	
es*	57.2	(55.1 - 59.3)	3,016	51.2	(48.0 - 54.4)	1,288	61.7	(59.1 - 64.3)	1,716	
t	er tino ees*	60.8 62.1 38.1 50.2 58.3 65.4 46.1 tino 54.4 58.1 38.0	Percentage 95% confidence interval 52.3 (51.5 - 53.2) er 43.4 (42.5 - 44.3) 60.8 (59.8 - 61.8) 62.1 (59.2 - 64.9) 38.1 (36.9 - 39.3) 50.2 (49.1 - 51.3) 58.3 (57.1 - 59.4) 65.4 (64.1 - 66.7) 46.1 (44.6 - 47.6) 54.4 (52.5 - 56.3) 58.1 (57.1 - 59.1) 9es* 38.0 (35.9 - 40.2)	Percentage 95% confidence interval 52.3 (51.5 - 53.2) 52,135 er 43.4 (42.5 - 44.3) 26,310 60.8 (59.8 - 61.8) 23,934 62.1 (59.2 - 64.9) 1,809 38.1 (36.9 - 39.3) 14,725 50.2 (49.1 - 51.3) 13,234 58.3 (57.1 - 59.4) 12,592 65.4 (64.1 - 66.7) 10,918 46.1 (44.6 - 47.6) 11,220 tino 54.4 (52.5 - 56.3) 5,576 58.1 (57.1 - 59.1) 27,251 aces* 38.0 (35.9 - 40.2) 3,525	Percentage	Percentage 95% N Percentage 95% confidence interval	Percentage 95% N Percentage 95% N Confidence interval	Percentage confidence interval	Percentage 95% confidence interval	

Note: 3,461 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	17.3	(16.8 - 17.7)	53,425	18.3	(17.7 - 19.0)	25,876	15.9	(15.3 - 16.5)	27,167	
Age											
	15 or younger	18.7	(18.1 - 19.4)	26,763	19.1	(18.1 - 20.0)	12,785	18.0	(17.1 - 18.8)	13,799	
	16 or 17	15.6	(15.0 - 16.1)	24,635	17.3	(16.5 - 18.2)	11,927	13.6	(12.9 - 14.4)	12,579	
	18 or older	19.2	(16.9 - 21.8)	1,935	20.8	(17.7 - 24.2)	1,135	16.5	(13.4 - 20.1)	780	
Grade											
	9th	19.1	(18.1 - 20.0)	14,972	19.1	(17.8 - 20.5)	7,306	18.9	(17.8 - 20.1)	7,598	
	10th	17.7	(16.8 - 18.6)	13,547	18.8	(17.6 - 20.1)	6,600	16.4	(15.3 - 17.4)	6,875	
	11th	16.0	(15.3 - 16.8)	12,922	17.9	(16.8 - 19.0)	6,202	14.0	(12.9 - 15.1)	6,668	
	12th	14.9	(14.1 - 15.7)	11,257	16.6	(15.3 - 17.9)	5,420	13.1	(12.1 - 14.1)	5,795	
Race/Et	hnicity										
	Black*	17.3	(16.3 - 18.2)	11,642	17.8	(16.6 - 19.1)	5,448	16.6	(15.4 - 17.9)	6,163	
	Hispanic/Latino	22.2	(21.0 - 23.5)	5,796	23.6	(21.4 - 26.0)	2,825	20.1	(18.6 - 21.8)	2,908	
	White*	15.7	(15.1 - 16.2)	27,649	17.3	(16.6 - 18.1)	13,621	14.0	(13.1 - 14.9)	13,961	
	All other races*	13.1	(11.8 - 14.5)	3,614	14.5	(12.7 - 16.5)	1,851	10.8	(9.2 - 12.5)	1,729	
	Multiple races*	20.4	(18.9 - 22.1)	3,079	20.4	(17.8 - 23.2)	1,319	20.4	(18.4 - 22.5)	1,746	

Note: 2,171 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

	Total				Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	26.1	(25.3 - 27.0)	49,635	23.0	(22.1 - 23.9)	23,947	29.1	(28.2 - 30.2)	25,415	
15 or younger	18.4	(17.7 - 19.2)	25,134	15.0	(14.1 - 15.9)	12,033	21.6	(20.6 - 22.7)	12,984	
16 or 17	33.4	(32.3 - 34.5)	22,755	30.3	(29.0 - 31.7)	10,922	36.4	(35.0 - 37.7)	11,736	
18 or older	36.0	(33.4 - 38.7)	1,668	34.6	(31.1 - 38.3)	970	37.8	(33.8 - 42.1)	686	
9th	14.7	(13.7 - 15.8)	14,179	11.9	(10.6 - 13.2)	6,922	17.6	(16.3 - 19.0)	7,202	
10th	23.0	(22.0 - 23.9)	12,558	19.8	(18.7 - 21.0)	6,121	26.1	(24.7 - 27.5)	6,390	
11th	31.2	(30.0 - 32.4)	11,966	27.2	(25.6 - 28.7)	5,711	35.0	(33.4 - 36.6)	6,222	
12th	38.0	(36.4 - 39.6)	10,345	36.2	(34.2 - 38.3)	4,914	39.6	(37.7 - 41.6)	5,405	
thnicity										
Black*	18.1	(17.2 - 19.1)	10,579	15.0	(13.8 - 16.2)	4,951	21.1	(19.9 - 22.3)	5,601	
Hispanic/Latino	26.0	(24.9 - 27.2)	5,245	22.7	(21.1 - 24.5)	2,535	29.0	(27.3 - 30.8)	2,665	
White*	33.3	(32.2 - 34.4)	26,161	29.7	(28.5 - 31.0)	12,828	37.1	(35.7 - 38.5)	13,270	
All other races*	15.8	(13.8 - 18.0)	3,405	14.5	(12.7 - 16.5)	1,726	16.7	(13.8 - 20.1)	1,655	
Multiple races*	28.6	(26.6 - 30.7)	2,858	25.7	(22.9 - 28.7)	1,215	30.9	(28.4 - 33.5)	1,633	
	15 or younger 16 or 17 18 or older 9th 10th 11th 12th thnicity Black* Hispanic/Latino White* All other races*	Total 26.1 15 or younger 18.4 16 or 17 33.4 18 or older 36.0 9th 14.7 10th 23.0 11th 31.2 12th 38.0 thnicity Black* 18.1 Hispanic/Latino 26.0 White* 33.3 All other races* 15.8	Percentage 95% confidence interval Total 26.1 (25.3 - 27.0) 15 or younger 18.4 (17.7 - 19.2) 16 or 17 33.4 (32.3 - 34.5) 18 or older 36.0 (33.4 - 38.7) 9th 14.7 (13.7 - 15.8) 10th 23.0 (22.0 - 23.9) 11th 31.2 (30.0 - 32.4) 12th 38.0 (36.4 - 39.6) thnicity Black* 18.1 (17.2 - 19.1) Hispanic/Latino 26.0 (24.9 - 27.2) White* 33.3 (32.2 - 34.4) All other races* 15.8 (13.8 - 18.0)	Percentage 95% confidence interval N Total 26.1 (25.3 - 27.0) 49,635 15 or younger 18.4 (17.7 - 19.2) 25,134 16 or 17 33.4 (32.3 - 34.5) 22,755 18 or older 36.0 (33.4 - 38.7) 1,668 9th 14.7 (13.7 - 15.8) 14,179 10th 23.0 (22.0 - 23.9) 12,558 11th 31.2 (30.0 - 32.4) 11,966 12th 38.0 (36.4 - 39.6) 10,345 thnicity Black* 18.1 (17.2 - 19.1) 10,579 Hispanic/Latino 26.0 (24.9 - 27.2) 5,245 White* 33.3 (32.2 - 34.4) 26,161 All other races* 15.8 (13.8 - 18.0) 3,405	Percentage 95% confidence interval N Percentage Total 26.1 (25.3 - 27.0) 49,635 23.0 15 or younger 18.4 (17.7 - 19.2) 25,134 15.0 16 or 17 33.4 (32.3 - 34.5) 22,755 30.3 18 or older 36.0 (33.4 - 38.7) 1,668 34.6 9th 14.7 (13.7 - 15.8) 14,179 11.9 10th 23.0 (22.0 - 23.9) 12,558 19.8 11th 31.2 (30.0 - 32.4) 11,966 27.2 12th 38.0 (36.4 - 39.6) 10,345 36.2 thnicity Black* 18.1 (17.2 - 19.1) 10,579 15.0 Hispanic/Latino 26.0 (24.9 - 27.2) 5,245 22.7 White* 33.3 (32.2 - 34.4) 26,161 29.7 All other races* 15.8 (13.8 - 18.0) 3,405 14.5	Percentage 95% confidence interval N Percentage of confidence interval Total 26.1 (25.3 - 27.0) 49,635 23.0 (22.1 - 23.9) 15 or younger 18.4 (17.7 - 19.2) 25,134 15.0 (14.1 - 15.9) 16 or 17 33.4 (32.3 - 34.5) 22,755 30.3 (29.0 - 31.7) 18 or older 36.0 (33.4 - 38.7) 1,668 34.6 (31.1 - 38.3) 9th 14.7 (13.7 - 15.8) 14,179 11.9 (10.6 - 13.2) 10th 23.0 (22.0 - 23.9) 12,558 19.8 (18.7 - 21.0) 11th 31.2 (30.0 - 32.4) 11,966 27.2 (25.6 - 28.7) 12th 38.0 (36.4 - 39.6) 10,345 36.2 (34.2 - 38.3) thnicity Black* 18.1 (17.2 - 19.1) 10,579 15.0 (13.8 - 16.2) Hispanic/Latino 26.0 (24.9 - 27.2) 5,245 22.7 (21.1 - 24.5) White* 33.3 (32.2 - 34.4)	Percentage	Percentage 95% confidence interval N Percentage confidence confidence interval N Percentage confidence confidence interval Total 26.1 (25.3 - 27.0) 49,635 23.0 (22.1 - 23.9) 23,947 29.1 15 or younger 18.4 (17.7 - 19.2) 25,134 15.0 (14.1 - 15.9) 12,033 21.6 16 or 17 33.4 (32.3 - 34.5) 22,755 30.3 (29.0 - 31.7) 10,922 36.4 18 or older 36.0 (33.4 - 38.7) 1,668 34.6 (31.1 - 38.3) 970 37.8 9th 14.7 (13.7 - 15.8) 14,179 11.9 (10.6 - 13.2) 6,922 17.6 10th 23.0 (22.0 - 23.9) 12,558 19.8 (18.7 - 21.0) 6,121 26.1 11th 31.2 (30.0 - 32.4) 11,966 27.2 (25.6 - 28.7) 5,711 35.0 12th 38.0 (36.4 - 39.6) 10,345 36.2 (34.2 - 38.3) 4,914 39.6 thincity <	Percentage	

Note: 5,961 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.1	(12.5 - 13.6)	52,554	12.8	(12.1 - 13.4)	25,327	13.1	(12.5 - 13.9)	26,910
Age										
	15 or younger	8.3	(7.8 - 8.8)	26,495	7.5	(6.8 - 8.1)	12,637	8.8	(8.2 - 9.5)	13,721
	16 or 17	17.3	(16.4 - 18.2)	24,140	17.3	(16.3 - 18.4)	11,606	17.1	(16.1 - 18.3)	12,422
	18 or older	21.5	(19.4 - 23.8)	1,832	22.3	(19.3 - 25.5)	1,059	20.1	(17.0 - 23.6)	758
Grade										
	9th	6.3	(5.7 - 6.9)	14,883	5.7	(4.9 - 6.5)	7,249	6.8	(6.0 - 7.7)	7,574
	10th	10.7	(10.1 - 11.3)	13,365	10.3	(9.5 - 11.2)	6,481	10.9	(10.1 - 11.8)	6,825
	11th	15.7	(14.8 - 16.7)	12,678	15.6	(14.4 - 16.9)	6,060	15.6	(14.3 - 17.0)	6,580
	12th	20.7	(19.4 - 22.0)	10,982	21.3	(19.6 - 23.0)	5,230	20.0	(18.6 - 21.6)	5,719
Race/E	thnicity									
	Black*	6.6	(6.1 - 7.1)	11,424	6.5	(5.8 - 7.3)	5,322	6.6	(5.9 - 7.4)	6,074
	Hispanic/Latino	13.3	(12.4 - 14.3)	5,653	13.1	(11.6 - 14.7)	2,733	13.2	(11.7 - 14.8)	2,865
	White*	18.7	(17.8 - 19.6)	27,384	18.0	(16.9 - 19.0)	13,424	19.5	(18.4 - 20.7)	13,893
	All other races*	7.2	(6.2 - 8.3)	3,562	7.3	(6.0 - 8.8)	1,818	6.6	(5.2 - 8.4)	1,718
	Multiple races*	13.1	(11.8 - 14.5)	3,016	13.3	(11.3 - 15.6)	1,281	12.8	(11.1 - 14.8)	1,722

Maryland High School Survey Summary Tables - Weighted Data

QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)

	Total				Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	45.3	(44.3 - 46.3)	13,887	39.3	(37.9 - 40.8)	5,994	50.3	(48.9 - 51.7)	7,779	
Age										
15 or younger	45.6	(44.1 - 47.0)	5,168	39.3	(36.8 - 41.8)	2,063	50.5	(48.4 - 52.7)	3,052	
16 or 17	45.6	(44.3 - 47.0)	8,039	39.9	(37.9 - 41.9)	3,558	50.4	(48.6 - 52.2)	4,441	
18 or older	39.7	(35.0 - 44.6)	655	34.9	(29.2 - 41.2)	368	47.2	(39.5 - 55.0)	282	
Grade										
9th	42.5	(39.8 - 45.3)	2,383	36.9	(32.5 - 41.6)	961	46.4	(42.9 - 49.9)	1,403	
10th	48.1	(46.0 - 50.3)	3,170	42.0	(38.9 - 45.1)	1,347	53.3	(50.4 - 56.2)	1,806	
11th	46.3	(44.4 - 48.3)	3,945	40.3	(37.5 - 43.1)	1,685	51.1	(48.6 - 53.7)	2,243	
12th	44.6	(42.9 - 46.3)	4,156	38.4	(35.8 - 41.2)	1,898	50.2	(47.6 - 52.9)	2,244	
Race/Ethnicity										
Black*	43.9	(41.3 - 46.5)	2,024	39.2	(35.4 - 43.2)	810	47.2	(43.7 - 50.7)	1,202	
Hispanic/Latino	43.9	(41.1 - 46.7)	1,480	37.8	(33.9 - 41.9)	638	49.0	(44.2 - 53.8)	818	
White*	46.6	(45.3 - 47.9)	8,522	40.2	(38.4 - 42.1)	3,755	51.8	(49.8 - 53.9)	4,758	
All other races*	46.1	(41.7 - 50.7)	614	43.1	(36.4 - 50.2)	292	49.6	(42.1 - 57.0)	311	
Multiple races*	46.7	(42.8 - 50.8)	820	38.0	(31.6 - 45.0)	311	52.3	(47.5 - 57.0)	507	

Maryland High School Survey Summary Tables - Weighted Data

QN47: Percentage of students who ever used marijuana (one or more times during their life)

		Total				Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
	Total	32.5	(31.6 - 33.3)	52,337	32.6	(31.5 - 33.6)	25,125	32.1	(31.1 - 33.2)	26,885		
Age												
	15 or younger	22.9	(22.0 - 23.9)	26,365	22.9	(21.8 - 24.0)	12,492	22.6	(21.5 - 23.7)	13,729		
	16 or 17	41.2	(40.2 - 42.2)	24,063	41.3	(39.9 - 42.6)	11,548	41.0	(39.7 - 42.3)	12,403		
	18 or older	46.3	(43.4 - 49.3)	1,818	45.9	(42.0 - 49.8)	1,058	46.7	(42.0 - 51.4)	745		
Grade												
	9th	19.1	(17.9 - 20.2)	14,744	19.8	(18.3 - 21.4)	7,136	18.2	(16.9 - 19.5)	7,553		
	10th	29.3	(28.0 - 30.7)	13,323	29.8	(28.1 - 31.6)	6,437	28.7	(27.3 - 30.2)	6,825		
	11th	38.1	(37.0 - 39.3)	12,639	38.1	(36.4 - 39.8)	6,018	38.0	(36.2 - 39.8)	6,574		
	12th	45.7	(44.2 - 47.2)	10,966	45.8	(43.9 - 47.7)	5,215	45.5	(43.6 - 47.5)	5,718		
Race/E	thnicity											
	Black*	35.0	(33.7 - 36.3)	11,245	35.0	(33.0 - 37.1)	5,178	34.9	(33.4 - 36.4)	6,037		
	Hispanic/Latino	36.9	(35.2 - 38.5)	5,598	37.4	(35.0 - 39.8)	2,682	36.2	(34.2 - 38.3)	2,857		
	White*	30.6	(29.7 - 31.6)	27,425	30.7	(29.6 - 31.9)	13,437	30.6	(29.2 - 32.0)	13,921		
	All other races*	18.4	(16.3 - 20.8)	3,524	20.4	(17.9 - 23.2)	1,789	15.8	(13.5 - 18.4)	1,709		
	Multiple races*	37.2	(35.0 - 39.5)	3,007	36.6	(33.4 - 40.0)	1,271	37.8	(34.9 - 40.7)	1,724		

Maryland High School Survey Summary Tables - Weighted Data

QN48: Percentage of students who tried marijuana before age 13 years (for the first time)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.0	(7.6 - 8.4)	52,856	9.8	(9.3 - 10.4)	25,460	5.9	(5.5 - 6.3)	27,055
Age										
	15 or younger	8.0	(7.5 - 8.6)	26,548	9.3	(8.6 - 10.1)	12,609	6.3	(5.7 - 6.9)	13,787
	16 or 17	7.7	(7.3 - 8.2)	24,340	10.1	(9.3 - 10.9)	11,737	5.3	(4.8 - 5.8)	12,489
	18 or older	11.1	(9.7 - 12.8)	1,872	12.2	(10.2 - 14.5)	1,086	9.0	(6.9 - 11.7)	770
Grade										
	9th	8.1	(7.5 - 8.9)	14,868	9.5	(8.5 - 10.6)	7,217	6.7	(5.9 - 7.5)	7,596
	10th	7.9	(7.3 - 8.6)	13,442	9.8	(8.9 - 10.9)	6,521	5.8	(5.1 - 6.6)	6,859
	11th	7.8	(7.1 - 8.5)	12,766	10.0	(8.9 - 11.2)	6,098	5.5	(4.8 - 6.2)	6,620
	12th	7.3	(6.6 - 8.1)	11,100	9.4	(8.3 - 10.5)	5,299	5.1	(4.3 - 5.9)	5,763
Race/E	thnicity									
	Black*	9.4	(8.7 - 10.1)	11,419	11.8	(10.8 - 13.0)	5,282	6.9	(6.2 - 7.7)	6,106
	Hispanic/Latino	10.9	(9.8 - 12.2)	5,685	13.2	(11.5 - 15.0)	2,747	8.4	(7.1 - 9.8)	2,880
	White*	6.0	(5.6 - 6.5)	27,594	7.5	(6.9 - 8.2)	13,563	4.4	(3.9 - 5.0)	13,963
	All other races*	4.6	(3.9 - 5.5)	3,557	5.8	(4.7 - 7.1)	1,809	3.1	(2.3 - 4.1)	1,722
	Multiple races*	10.3	(8.9 - 11.7)	3,041	13.2	(10.9 - 15.8)	1,290	8.1	(6.7 - 9.7)	1,739

Maryland High School Survey Summary Tables - Weighted Data

QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	18.8	(18.2 - 19.5)	52,699	19.4	(18.6 - 20.2)	25,379	18.2	(17.4 - 18.9)	26,994	
Age											
	15 or younger	13.1	(12.5 - 13.7)	26,499	13.2	(12.4 - 14.1)	12,601	12.7	(11.9 - 13.5)	13,755	
	16 or 17	23.9	(23.1 - 24.7)	24,268	24.7	(23.6 - 25.8)	11,679	23.0	(22.0 - 24.1)	12,473	
	18 or older	29.4	(27.2 - 31.8)	1,842	29.3	(26.2 - 32.6)	1,071	29.6	(26.0 - 33.6)	757	
Grade											
	9th	10.5	(9.8 - 11.3)	14,827	10.9	(9.9 - 11.9)	7,197	10.0	(9.1 - 10.9)	7,573	
	10th	17.0	(16.0 - 18.0)	13,432	17.5	(16.3 - 18.8)	6,521	16.4	(15.2 - 17.6)	6,849	
	11th	22.3	(21.3 - 23.3)	12,732	22.7	(21.3 - 24.3)	6,077	21.7	(20.3 - 23.1)	6,609	
	12th	26.8	(25.4 - 28.2)	11,041	28.0	(26.3 - 29.7)	5,264	25.6	(24.0 - 27.2)	5,742	
Race/Eth	nnicity										
	Black*	19.2	(18.1 - 20.3)	11,372	19.6	(18.1 - 21.3)	5,270	18.7	(17.5 - 19.9)	6,073	
	Hispanic/Latino	20.7	(19.6 - 21.8)	5,651	21.4	(19.7 - 23.1)	2,718	19.6	(18.0 - 21.4)	2,872	
	White*	18.8	(18.0 - 19.5)	27,552	19.2	(18.4 - 20.2)	13,524	18.3	(17.3 - 19.3)	13,959	
	All other races*	10.9	(9.4 - 12.5)	3,556	12.3	(10.4 - 14.4)	1,816	8.8	(7.2 - 10.8)	1,715	
	Multiple races*	21.7	(19.9 - 23.7)	3,026	21.9	(19.3 - 24.7)	1,279	21.6	(19.4 - 23.9)	1,733	

Maryland High School Survey Summary Tables - Weighted Data

QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	5.4	(5.1 - 5.8)	53,866	6.7	(6.1 - 7.2)	26,002	3.6	(3.3 - 4.0)	27,444	
Age											
	15 or younger	4.7	(4.2 - 5.2)	27,036	5.3	(4.6 - 6.0)	12,871	3.3	(2.9 - 3.8)	13,959	
	16 or 17	5.6	(5.2 - 6.1)	24,795	7.4	(6.7 - 8.2)	11,975	3.6	(3.2 - 4.0)	12,686	
	18 or older	11.7	(10.2 - 13.4)	1,941	13.1	(11.0 - 15.6)	1,129	9.1	(7.0 - 11.7)	791	
Grade											
	9th	4.0	(3.6 - 4.5)	15,086	4.6	(3.9 - 5.4)	7,327	3.2	(2.6 - 3.8)	7,686	
	10th	4.7	(4.1 - 5.5)	13,662	6.3	(5.3 - 7.4)	6,650	2.7	(2.2 - 3.3)	6,936	
	11th	5.6	(5.0 - 6.1)	13,015	7.3	(6.5 - 8.3)	6,236	3.5	(2.9 - 4.1)	6,722	
	12th	6.4	(5.8 - 7.1)	11,342	8.1	(7.1 - 9.2)	5,434	4.5	(3.8 - 5.2)	5,860	
Race/E	thnicity										
	Black*	4.4	(3.7 - 5.1)	11,688	6.0	(5.1 - 7.2)	5,434	2.7	(2.2 - 3.3)	6,222	
	Hispanic/Latino	9.1	(8.1 - 10.2)	5,876	9.8	(8.3 - 11.6)	2,846	7.7	(6.6 - 9.0)	2,965	
	White*	4.3	(4.0 - 4.7)	27,845	5.5	(5.0 - 6.1)	13,709	3.0	(2.7 - 3.4)	14,063	
	All other races*	4.7	(3.9 - 5.6)	3,655	5.4	(4.5 - 6.6)	1,857	3.1	(2.2 - 4.3)	1,760	
	Multiple races*	5.2	(4.3 - 6.2)	3,091	8.0	(6.5 - 9.9)	1,323	2.8	(1.9 - 3.9)	1,751	

Maryland High School Survey Summary Tables - Weighted Data

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	8.5	(8.1 - 8.9)	53,664	8.7	(8.2 - 9.2)	25,884	7.7	(7.3 - 8.2)	27,380	
Age											
	15 or younger	9.1	(8.5 - 9.7)	26,947	8.4	(7.7 - 9.2)	12,825	9.0	(8.4 - 9.7)	13,928	
	16 or 17	7.5	(7.1 - 8.1)	24,690	8.5	(7.8 - 9.2)	11,911	6.3	(5.8 - 7.0)	12,651	
	18 or older	11.8	(10.2 - 13.7)	1,932	13.7	(11.2 - 16.6)	1,120	8.6	(6.6 - 11.1)	793	
Grade											
	9th	9.2	(8.5 - 10.0)	15,030	8.4	(7.4 - 9.5)	7,295	9.8	(9.0 - 10.6)	7,665	
	10th	7.8	(7.2 - 8.5)	13,625	8.1	(7.2 - 9.1)	6,626	7.1	(6.3 - 7.9)	6,925	
	11th	7.9	(7.3 - 8.5)	12,974	8.7	(7.8 - 9.7)	6,220	6.8	(6.1 - 7.6)	6,702	
	12th	7.5	(6.8 - 8.3)	11,290	8.7	(7.7 - 9.7)	5,395	6.1	(5.2 - 7.1)	5,851	
Race/Etl	nnicity										
	Black*	8.7	(8.1 - 9.4)	11,627	8.8	(7.9 - 9.8)	5,394	8.6	(7.8 - 9.5)	6,202	
	Hispanic/Latino	11.6	(10.6 - 12.7)	5,840	11.9	(10.2 - 13.8)	2,826	10.7	(9.6 - 12.0)	2,949	
	White*	6.4	(6.0 - 6.8)	27,786	6.8	(6.3 - 7.4)	13,663	5.9	(5.4 - 6.4)	14,050	
	All other races*	7.3	(6.3 - 8.5)	3,641	8.0	(6.6 - 9.7)	1,854	5.6	(4.3 - 7.3)	1,751	
	Multiple races*	10.0	(8.8 - 11.3)	3,090	10.8	(9.0 - 12.8)	1,326	9.0	(7.4 - 10.8)	1,747	

Maryland High School Survey Summary Tables - Weighted Data

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
,	Total	4.2	(3.9 - 4.5)	52,180	5.5	(5.0 - 6.0)	25,146	2.4	(2.1 - 2.7)	26,642	
Age											
	15 or younger	4.0	(3.6 - 4.5)	26,168	5.0	(4.4 - 5.8)	12,430	2.3	(2.0 - 2.8)	13,548	
	16 or 17	3.8	(3.5 - 4.3)	24,063	5.2	(4.7 - 5.9)	11,606	2.1	(1.8 - 2.5)	12,328	
	18 or older	10.1	(8.5 - 11.9)	1,862	11.7	(9.5 - 14.4)	1,084	6.8	(4.9 - 9.4)	759	
Grade											
	9th	3.5	(3.0 - 4.0)	14,561	4.3	(3.7 - 5.1)	7,074	2.3	(1.8 - 2.8)	7,417	
	10th	3.6	(3.1 - 4.3)	13,240	5.1	(4.2 - 6.1)	6,409	1.8	(1.3 - 2.3)	6,758	
	11th	3.9	(3.4 - 4.4)	12,615	5.6	(4.8 - 6.4)	6,045	1.9	(1.5 - 2.4)	6,516	
	12th	4.6	(4.0 - 5.2)	11,037	6.2	(5.4 - 7.1)	5,277	2.8	(2.2 - 3.4)	5,717	
Race/Ethi	nicity										
:	Black*	4.1	(3.6 - 4.6)	11,126	5.9	(5.1 - 6.8)	5,133	2.2	(1.8 - 2.8)	5,961	
-	Hispanic/Latino	6.7	(5.7 - 7.8)	5,630	8.2	(6.5 - 10.2)	2,725	4.7	(3.9 - 5.8)	2,846	
,	White*	2.6	(2.3 - 2.8)	27,252	3.7	(3.3 - 4.1)	13,386	1.4	(1.1 - 1.6)	13,797	
	All other races*	4.2	(3.3 - 5.2)	3,535	4.7	(3.8 - 5.9)	1,808	2.9	(1.9 - 4.3)	1,692	
	Multiple races*	3.6	(2.9 - 4.5)	3,006	5.9	(4.7 - 7.5)	1,294	1.5	(0.9 - 2.4)	1,694	

Maryland High School Survey Summary Tables - Weighted Data

QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

		Total			Male		Female			
	Percentag	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	4.2	(3.9 - 4.5)	53,697	5.4	(4.9 - 5.8)	25,899	2.4	(2.2 - 2.8)	27,382	
Age										
15 or young	ger 3.8	(3.4 - 4.3)	26,946	4.5	(3.9 - 5.1)	12,813	2.4	(2.0 - 2.8)	13,930	
16 or 17	4.1	(3.7 - 4.5)	24,726	5.7	(5.2 - 6.4)	11,938	2.2	(1.9 - 2.6)	12,655	
18 or older	9.2	(7.8 - 10.8)	1,929	10.6	(8.7 - 12.9)	1,121	6.2	(4.7 - 8.2)	789	
Grade										
9th	3.3	(2.8 - 3.9)	15,022	4.0	(3.3 - 4.9)	7,286	2.3	(1.8 - 2.9)	7,665	
10th	3.3	(2.8 - 3.8)	13,614	4.3	(3.6 - 5.2)	6,613	1.8	(1.4 - 2.2)	6,925	
11th	4.3	(3.8 - 4.9)	12,999	6.0	(5.2 - 7.0)	6,231	2.2	(1.8 - 2.8)	6,712	
12th	4.7	(4.1 - 5.2)	11,300	6.4	(5.6 - 7.3)	5,410	2.7	(2.2 - 3.3)	5,844	
Race/Ethnicity										
Black*	4.0	(3.5 - 4.5)	11,625	5.6	(4.8 - 6.5)	5,400	2.3	(1.9 - 2.9)	6,193	
Hispanic/L	atino 6.6	(5.6 - 7.7)	5,852	7.5	(6.0 - 9.5)	2,832	5.0	(4.1 - 6.0)	2,954	
White*	2.7	(2.5 - 2.9)	27,800	3.8	(3.4 - 4.2)	13,670	1.5	(1.3 - 1.7)	14,058	
All other ra	ces* 3.9	(3.2 - 4.8)	3,643	4.5	(3.5 - 5.7)	1,850	2.5	(1.8 - 3.6)	1,757	
Multiple ra	ces* 3.4	(2.8 - 4.2)	3,084	5.7	(4.5 - 7.1)	1,319	1.5	(1.0 - 2.4)	1,747	

Maryland High School Survey Summary Tables - Weighted Data

QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	6.4	(6.1 - 6.8)	53,606	7.9	(7.4 - 8.5)	25,851	4.3	(4.0 - 4.7)	27,343	
Age										
15 or younger	5.4	(4.9 - 5.9)	26,889	6.4	(5.7 - 7.2)	12,779	3.6	(3.2 - 4.0)	13,906	
16 or 17	6.8	(6.4 - 7.3)	24,700	8.7	(8.0 - 9.4)	11,926	4.7	(4.3 - 5.2)	12,645	
18 or older	13.8	(11.8 - 16.0)	1,922	15.6	(12.9 - 18.8)	1,119	10.3	(7.8 - 13.5)	785	
Grade										
9th	4.8	(4.3 - 5.4)	14,990	6.1	(5.3 - 7.1)	7,267	3.2	(2.7 - 3.9)	7,651	
10th	5.3	(4.7 - 5.9)	13,592	6.5	(5.6 - 7.5)	6,600	3.6	(3.0 - 4.2)	6,915	
11th	6.6	(6.0 - 7.2)	12,982	8.5	(7.6 - 9.5)	6,225	4.2	(3.7 - 4.9)	6,702	
12th	8.2	(7.3 - 9.0)	11,298	10.3	(9.0 - 11.7)	5,409	5.8	(5.1 - 6.5)	5,843	
Race/Ethnicity										
Black*	5.6	(5.0 - 6.2)	11,588	7.6	(6.7 - 8.7)	5,376	3.5	(2.9 - 4.2)	6,180	
Hispanic/Latino	9.1	(8.1 - 10.2)	5,834	10.5	(9.0 - 12.4)	2,826	7.2	(6.2 - 8.3)	2,942	
White*	5.3	(4.9 - 5.7)	27,781	6.5	(5.9 - 7.1)	13,659	4.0	(3.5 - 4.4)	14,051	
All other races*	5.4	(4.5 - 6.4)	3,637	6.2	(5.2 - 7.4)	1,847	4.0	(3.0 - 5.3)	1,754	
Multiple races*	7.1	(6.2 - 8.3)	3,080	10.7	(8.9 - 12.7)	1,318	4.0	(3.0 - 5.2)	1,744	

Maryland High School Survey Summary Tables - Weighted Data

QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	9.2	(8.8 - 9.7)	53,290	10.5	(9.9 - 11.2)	25,676	7.5	(7.1 - 7.9)	27,209	
Age										
15 or younger	7.5	(7.0 - 8.1)	26,731	8.2	(7.5 - 8.9)	12,699	6.2	(5.7 - 6.8)	13,836	
16 or 17	10.3	(9.7 - 10.9)	24,563	12.1	(11.1 - 13.0)	11,845	8.3	(7.8 - 8.9)	12,587	
18 or older	17.7	(15.8 - 19.8)	1,904	19.2	(16.6 - 22.1)	1,106	14.8	(12.1 - 17.9)	778	
Grade										
9th	6.7	(6.1 - 7.3)	14,908	7.4	(6.6 - 8.3)	7,229	5.7	(5.0 - 6.6)	7,609	
10th	8.0	(7.3 - 8.7)	13,502	9.5	(8.6 - 10.5)	6,545	6.0	(5.4 - 6.7)	6,881	
11th	9.9	(9.2 - 10.6)	12,897	11.6	(10.6 - 12.8)	6,176	7.9	(7.2 - 8.8)	6,670	
12th	11.6	(10.7 - 12.6)	11,243	13.2	(11.9 - 14.7)	5,379	9.8	(8.8 - 10.9)	5,815	
Race/Ethnicity										
Black*	7.8	(7.1 - 8.5)	11,489	10.0	(8.9 - 11.2)	5,328	5.6	(5.0 - 6.3)	6,131	
Hispanic/Latino	12.1	(11.0 - 13.3)	5,783	13.2	(11.6 - 15.0)	2,796	10.6	(9.4 - 11.9)	2,923	
White*	9.0	(8.5 - 9.5)	27,673	9.8	(9.1 - 10.5)	13,594	8.1	(7.5 - 8.7)	14,006	
All other races*	6.0	(5.1 - 7.1)	3,612	6.4	(5.3 - 7.7)	1,831	4.8	(3.8 - 6.1)	1,744	
Multiple races*	10.5	(9.3 - 11.9)	3,072	12.8	(10.9 - 15.0)	1,315	8.5	(7.1 - 10.2)	1,739	

Maryland High School Survey Summary Tables - Weighted Data

QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	4.3	(4.0 - 4.6)	54,102	5.3	(4.9 - 5.7)	26,186	2.9	(2.6 - 3.1)	27,502	
Age											
	15 or younger	4.3	(3.9 - 4.7)	27,138	4.9	(4.3 - 5.5)	12,945	2.9	(2.6 - 3.4)	13,986	
	16 or 17	4.0	(3.6 - 4.4)	24,908	5.2	(4.7 - 5.8)	12,072	2.5	(2.1 - 2.9)	12,706	
	18 or older	8.2	(7.1 - 9.5)	1,959	8.9	(7.3 - 10.8)	1,139	6.8	(5.1 - 9.1)	801	
Grade											
	9th	3.6	(3.2 - 4.1)	15,160	4.2	(3.5 - 5.0)	7,390	2.8	(2.3 - 3.3)	7,697	
	10th	4.0	(3.5 - 4.5)	13,712	4.9	(4.3 - 5.7)	6,680	2.5	(2.1 - 3.1)	6,953	
	11th	4.0	(3.5 - 4.5)	13,080	5.1	(4.4 - 6.0)	6,283	2.6	(2.1 - 3.2)	6,742	
	12th	4.5	(4.0 - 5.1)	11,392	6.1	(5.3 - 7.0)	5,476	2.7	(2.2 - 3.3)	5,869	
Race/Eth	nicity										
	Black*	4.4	(3.9 - 4.9)	11,757	5.9	(5.2 - 6.7)	5,507	2.8	(2.3 - 3.4)	6,218	
	Hispanic/Latino	6.5	(5.7 - 7.5)	5,923	7.3	(5.9 - 8.9)	2,874	5.1	(4.3 - 6.1)	2,984	
	White*	2.8	(2.5 - 3.1)	27,918	3.5	(3.1 - 4.0)	13,755	2.0	(1.7 - 2.3)	14,095	
	All other races*	3.8	(3.2 - 4.6)	3,689	4.5	(3.7 - 5.6)	1,881	2.3	(1.6 - 3.3)	1,771	
	Multiple races*	4.0	(3.2 - 4.9)	3,104	5.4	(4.2 - 7.0)	1,331	2.5	(1.8 - 3.5)	1,757	

Maryland High School Survey Summary Tables - Weighted Data

QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.2	(13.7 - 14.8)	53,490	14.9	(14.2 - 15.6)	25,771	13.1	(12.6 - 13.7)	27,322
Age										
	15 or younger	11.1	(10.5 - 11.7)	26,849	10.6	(9.8 - 11.4)	12,751	11.0	(10.3 - 11.7)	13,901
	16 or 17	16.9	(16.1 - 17.7)	24,630	18.5	(17.5 - 19.6)	11,879	15.0	(14.2 - 16.0)	12,625
	18 or older	20.7	(18.5 - 23.2)	1,920	22.6	(19.2 - 26.3)	1,113	17.6	(15.1 - 20.4)	788
Grade										
	9th	9.4	(8.7 - 10.2)	14,968	9.3	(8.4 - 10.2)	7,255	9.5	(8.6 - 10.4)	7,642
	10th	12.9	(12.2 - 13.7)	13,566	13.0	(11.8 - 14.2)	6,575	12.3	(11.4 - 13.3)	6,912
	11th	16.1	(15.2 - 16.9)	12,957	17.7	(16.3 - 19.1)	6,203	14.1	(12.9 - 15.3)	6,699
	12th	18.6	(17.3 - 19.9)	11,266	20.4	(18.6 - 22.2)	5,392	16.5	(15.1 - 18.0)	5,831
Race/Et	hnicity									
	Black*	12.8	(12.0 - 13.6)	11,546	14.6	(13.4 - 15.9)	5,346	10.9	(10.0 - 11.9)	6,170
	Hispanic/Latino	16.0	(14.8 - 17.3)	5,827	15.5	(13.6 - 17.5)	2,811	15.8	(14.3 - 17.4)	2,950
	White*	14.4	(13.8 - 15.1)	27,739	14.6	(13.8 - 15.4)	13,634	14.2	(13.4 - 15.1)	14,037
	All other races*	10.5	(9.3 - 11.8)	3,635	10.6	(9.2 - 12.2)	1,844	9.7	(8.2 - 11.6)	1,754
	Multiple races*	16.8	(15.3 - 18.3)	3,071	17.4	(15.2 - 20.0)	1,315	16.0	(14.1 - 18.0)	1,740

Maryland High School Survey Summary Tables - Weighted Data

QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	3.6	(3.3 - 3.8)	53,567	4.4	(4.1 - 4.8)	25,880	2.4	(2.1 - 2.7)	27,332
Age										
	15 or younger	3.7	(3.3 - 4.0)	26,897	4.4	(3.8 - 5.0)	12,821	2.5	(2.1 - 2.8)	13,906
	16 or 17	3.1	(2.8 - 3.4)	24,657	4.1	(3.6 - 4.6)	11,914	2.1	(1.7 - 2.4)	12,630
	18 or older	7.6	(6.4 - 8.9)	1,921	8.2	(6.6 - 10.1)	1,116	6.3	(4.6 - 8.6)	787
Grade										
	9th	3.4	(3.0 - 3.9)	15,040	4.2	(3.4 - 5.1)	7,320	2.5	(2.1 - 2.9)	7,655
	10th	3.2	(2.8 - 3.7)	13,596	4.0	(3.4 - 4.7)	6,618	2.1	(1.6 - 2.8)	6,916
	11th	3.3	(3.0 - 3.8)	12,973	4.4	(3.8 - 5.1)	6,216	2.1	(1.7 - 2.6)	6,710
	12th	3.4	(3.0 - 3.9)	11,253	4.4	(3.7 - 5.2)	5,388	2.3	(1.8 - 2.8)	5,827
Race/E	thnicity									
	Black*	4.0	(3.5 - 4.5)	11,635	5.4	(4.6 - 6.3)	5,426	2.6	(2.1 - 3.1)	6,178
	Hispanic/Latino	5.2	(4.6 - 6.0)	5,810	6.2	(5.1 - 7.5)	2,821	4.0	(3.1 - 5.0)	2,933
	White*	2.2	(2.0 - 2.5)	27,784	2.8	(2.4 - 3.3)	13,659	1.6	(1.3 - 1.9)	14,058
	All other races*	3.5	(2.8 - 4.3)	3,645	3.9	(3.1 - 5.1)	1,859	2.4	(1.6 - 3.7)	1,756
	Multiple races*	3.3	(2.6 - 4.1)	3,080	4.8	(3.7 - 6.3)	1,316	1.9	(1.3 - 2.8)	1,747

Maryland High School Survey Summary Tables - Weighted Data

QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		26.2	(25.6 - 26.7)	53,135	28.1	(27.4 - 28.9)	25,621	24.1	(23.4 - 24.8)	27,217
Age										
15 or yo	ınger	24.3	(23.6 - 25.0)	26,641	25.5	(24.6 - 26.5)	12,686	22.9	(22.0 - 23.8)	13,829
16 or 17		28.0	(27.2 - 28.9)	24,511	30.7	(29.5 - 31.9)	11,808	25.4	(24.5 - 26.3)	12,600
18 or old	er	27.1	(24.8 - 29.6)	1,894	29.4	(26.2 - 32.9)	1,099	23.8	(20.6 - 27.3)	779
Grade										
9th		22.5	(21.6 - 23.4)	14,928	23.8	(22.5 - 25.0)	7,252	21.0	(19.8 - 22.1)	7,614
10th		26.3	(25.3 - 27.3)	13,473	28.1	(26.7 - 29.6)	6,540	24.4	(23.0 - 25.9)	6,882
11th		28.6	(27.6 - 29.6)	12,885	30.7	(29.3 - 32.1)	6,157	26.5	(25.1 - 27.9)	6,687
12th		27.3	(26.3 - 28.3)	11,185	30.4	(28.8 - 32.1)	5,347	24.3	(23.0 - 25.7)	5,812
Race/Ethnicity										
Black*		26.4	(25.3 - 27.5)	11,501	29.6	(28.0 - 31.3)	5,334	23.4	(22.2 - 24.6)	6,142
Hispanio	/Latino	32.1	(30.6 - 33.7)	5,739	33.5	(31.4 - 35.6)	2,778	30.6	(28.7 - 32.6)	2,910
White*		24.1	(23.4 - 24.8)	27,683	25.9	(24.9 - 26.9)	13,588	22.2	(21.3 - 23.0)	14,029
All other	races*	23.7	(21.7 - 25.8)	3,624	23.3	(21.0 - 25.7)	1,853	24.2	(21.5 - 27.0)	1,751
Multiple	races*	30.3	(28.5 - 32.2)	3,056	34.3	(31.5 - 37.2)	1,306	27.3	(24.8 - 30.1)	1,736

Maryland High School Survey Summary Tables - Weighted Data

QN60: Percentage of students who ever had sexual intercourse

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	32.4	(31.3 - 33.4)	46,251	35.0	(33.7 - 36.3)	21,626	29.8	(28.7 - 31.0)	24,437	
Age											
	15 or younger	19.5	(18.5 - 20.5)	23,331	22.8	(21.4 - 24.3)	10,809	16.4	(15.4 - 17.4)	12,453	
	16 or 17	43.6	(42.4 - 44.8)	21,356	45.3	(43.7 - 47.0)	9,955	42.0	(40.7 - 43.4)	11,327	
	18 or older	57.9	(54.6 - 61.0)	1,505	59.1	(55.3 - 62.8)	845	56.0	(51.2 - 60.6)	653	
Grade											
	9th	16.0	(14.8 - 17.3)	13,012	20.5	(18.7 - 22.5)	6,167	11.6	(10.3 - 13.0)	6,804	
	10th	27.1	(25.7 - 28.5)	11,808	30.3	(28.4 - 32.3)	5,540	24.1	(22.7 - 25.5)	6,238	
	11th	38.1	(36.6 - 39.7)	11,275	39.8	(37.8 - 41.9)	5,211	36.5	(34.8 - 38.4)	6,037	
	12th	51.2	(49.2 - 53.2)	9,706	52.7	(50.4 - 55.0)	4,484	49.7	(47.5 - 52.0)	5,206	
Race/E	thnicity										
	Black*	37.4	(35.6 - 39.1)	9,490	44.8	(42.5 - 47.1)	4,193	30.8	(28.9 - 32.8)	5,275	
	Hispanic/Latino	37.3	(35.6 - 39.0)	4,661	42.1	(39.8 - 44.5)	2,183	33.0	(30.8 - 35.3)	2,447	
	White*	30.3	(29.2 - 31.4)	25,165	29.9	(28.7 - 31.2)	12,063	30.5	(29.1 - 32.0)	13,047	
	All other races*	14.1	(12.2 - 16.2)	3,108	15.2	(12.6 - 18.3)	1,545	12.8	(10.9 - 14.9)	1,551	
	Multiple races*	35.1	(32.9 - 37.4)	2,664	38.5	(35.4 - 41.8)	1,083	32.6	(29.9 - 35.5)	1,569	

Maryland High School Survey Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	5.0	(4.7 - 5.4)	46,379	7.8	(7.2 - 8.4)	21,692	2.4	(2.2 - 2.6)	24,483	
Age										
15 or younger	4.6	(4.2 - 5.0)	23,349	7.0	(6.3 - 7.7)	10,815	2.3	(2.0 - 2.7)	12,458	
16 or 17	5.1	(4.6 - 5.5)	21,447	8.0	(7.2 - 8.9)	10,008	2.3	(2.0 - 2.7)	11,360	
18 or older	10.0	(8.4 - 11.8)	1,526	13.3	(11.0 - 15.9)	855	5.3	(3.6 - 7.8)	661	
Grade										
9th	4.8	(4.4 - 5.4)	13,019	7.3	(6.4 - 8.3)	6,174	2.4	(2.0 - 2.9)	6,803	
10th	4.6	(4.0 - 5.2)	11,844	7.3	(6.3 - 8.4)	5,553	2.0	(1.6 - 2.4)	6,261	
11th	5.2	(4.6 - 5.9)	11,307	8.3	(7.1 - 9.6)	5,224	2.3	(1.9 - 2.8)	6,052	
12th	5.0	(4.4 - 5.6)	9,745	7.6	(6.7 - 8.7)	4,512	2.5	(2.0 - 3.1)	5,212	
Race/Ethnicity										
Black*	7.9	(7.3 - 8.6)	9,517	14.0	(12.8 - 15.3)	4,207	2.6	(2.2 - 3.0)	5,287	
Hispanic/Latino	6.8	(5.9 - 7.8)	4,679	9.9	(8.2 - 11.9)	2,190	3.8	(3.1 - 4.7)	2,455	
White*	2.7	(2.4 - 3.0)	25,219	3.6	(3.1 - 4.0)	12,090	1.8	(1.6 - 2.1)	13,073	
All other races*	2.7	(2.1 - 3.5)	3,113	3.7	(2.8 - 4.8)	1,550	1.7	(1.1 - 2.7)	1,551	
Multiple races*	6.6	(5.5 - 7.9)	2,669	10.9	(8.7 - 13.5)	1,090	3.5	(2.6 - 4.7)	1,568	

Maryland High School Survey Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.6	(8.2 - 9.1)	46,171	11.4	(10.8 - 12.2)	21,537	5.9	(5.5 - 6.4)	24,432
Age										
	15 or younger	4.2	(3.8 - 4.6)	23,291	6.3	(5.7 - 7.0)	10,769	2.1	(1.9 - 2.5)	12,443
	16 or 17	12.1	(11.4 - 12.8)	21,323	15.4	(14.3 - 16.6)	9,912	9.0	(8.3 - 9.7)	11,333
	18 or older	22.8	(20.6 - 25.1)	1,499	25.1	(21.9 - 28.7)	840	19.4	(16.5 - 22.7)	652
Grade										
	9th	3.9	(3.4 - 4.4)	12,962	6.1	(5.3 - 7.1)	6,137	1.7	(1.3 - 2.1)	6,783
	10th	5.7	(5.1 - 6.4)	11,789	8.9	(7.8 - 10.2)	5,514	2.8	(2.4 - 3.2)	6,247
	11th	10.1	(9.3 - 10.9)	11,259	13.6	(12.3 - 15.1)	5,184	6.7	(6.0 - 7.6)	6,042
	12th	15.4	(14.2 - 16.6)	9,693	18.0	(16.3 - 19.8)	4,471	13.0	(11.9 - 14.3)	5,201
Race/E	thnicity									
	Black*	11.3	(10.5 - 12.2)	9,436	17.5	(16.1 - 19.0)	4,142	5.9	(5.2 - 6.7)	5,273
	Hispanic/Latino	10.7	(9.6 - 11.8)	4,658	15.4	(13.7 - 17.3)	2,171	6.2	(5.1 - 7.4)	2,453
	White*	6.7	(6.3 - 7.2)	25,140	7.3	(6.8 - 7.9)	12,039	6.1	(5.6 - 6.7)	13,046
	All other races*	4.3	(3.6 - 5.3)	3,109	5.5	(4.4 - 6.9)	1,544	2.9	(2.1 - 4.1)	1,552
	Multiple races*	9.4	(8.0 - 11.0)	2,659	13.0	(10.7 - 15.8)	1,083	6.8	(5.4 - 8.6)	1,565

Maryland High School Survey Summary Tables - Weighted Data

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	22.6	(21.8 - 23.4)	46,132	23.0	(22.1 - 24.0)	21,517	22.1	(21.2 - 23.0)	24,409
Age										
	15 or younger	12.4	(11.7 - 13.1)	23,232	13.5	(12.5 - 14.5)	10,731	11.2	(10.4 - 12.1)	12,422
	16 or 17	31.5	(30.5 - 32.5)	21,333	31.2	(29.9 - 32.5)	9,927	31.8	(30.6 - 32.9)	11,327
	18 or older	42.3	(39.2 - 45.4)	1,510	41.1	(37.3 - 45.0)	845	43.5	(38.7 - 48.4)	656
Grade										
	9th	9.7	(8.9 - 10.7)	12,929	12.0	(10.7 - 13.5)	6,116	7.4	(6.5 - 8.5)	6,771
	10th	17.6	(16.6 - 18.6)	11,775	18.4	(17.0 - 20.0)	5,508	16.7	(15.6 - 17.9)	6,236
	11th	26.6	(25.4 - 27.9)	11,259	26.3	(24.6 - 28.2)	5,190	26.8	(25.3 - 28.3)	6,036
	12th	38.6	(36.8 - 40.4)	9,702	37.8	(35.7 - 40.0)	4,477	39.3	(37.2 - 41.4)	5,205
Race/E	thnicity									
	Black*	24.8	(23.3 - 26.2)	9,431	28.5	(26.5 - 30.5)	4,143	21.5	(20.0 - 23.2)	5,266
	Hispanic/Latino	24.4	(22.7 - 26.2)	4,652	25.8	(23.4 - 28.4)	2,168	23.0	(21.0 - 25.2)	2,450
	White*	22.5	(21.6 - 23.4)	25,116	20.9	(19.9 - 21.9)	12,026	24.1	(22.8 - 25.3)	13,033
	All other races*	9.6	(8.2 - 11.2)	3,103	10.2	(8.2 - 12.6)	1,542	8.8	(7.2 - 10.8)	1,548
	Multiple races*	23.4	(21.4 - 25.5)	2,658	24.0	(21.1 - 27.0)	1,078	23.0	(20.5 - 25.7)	1,567

Maryland High School Survey Summary Tables - Weighted Data

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	23.7	(22.8 - 24.7)	10,759	26.1	(24.7 - 27.4)	4,988	21.2	(19.9 - 22.6)	5,705
Age										
	15 or younger	23.4	(21.6 - 25.4)	3,054	24.6	(22.0 - 27.3)	1,467	21.6	(19.0 - 24.4)	1,567
	16 or 17	23.0	(21.8 - 24.2)	7,021	25.7	(24.1 - 27.3)	3,156	20.5	(18.9 - 22.1)	3,836
	18 or older	31.8	(28.0 - 35.8)	671	34.5	(29.4 - 40.1)	363	28.0	(22.7 - 34.1)	301
Grade										
	9th	24.7	(21.7 - 28.0)	1,283	23.6	(19.5 - 28.3)	702	26.1	(21.7 - 31.2)	574
	10th	21.7	(19.9 - 23.6)	2,202	25.5	(22.6 - 28.5)	1,061	17.8	(15.1 - 20.9)	1,134
	11th	23.0	(21.2 - 25.0)	3,167	26.5	(23.9 - 29.3)	1,385	19.6	(17.3 - 22.1)	1,770
	12th	24.4	(22.8 - 26.0)	3,938	26.6	(24.3 - 29.0)	1,757	22.4	(20.3 - 24.6)	2,170
Race/Etl	nnicity									
	Black*	18.7	(16.9 - 20.6)	2,397	19.4	(17.1 - 22.0)	1,185	17.7	(15.3 - 20.5)	1,201
	Hispanic/Latino	28.1	(25.1 - 31.3)	1,211	32.3	(27.6 - 37.4)	601	23.2	(19.4 - 27.6)	595
	White*	25.7	(24.2 - 27.3)	5,828	29.1	(26.8 - 31.4)	2,600	22.7	(21.0 - 24.6)	3,218
	All other races*	31.1	(25.7 - 37.1)	392	33.4	(26.5 - 41.0)	208	28.4	(20.8 - 37.3)	179
	Multiple races*	23.2	(19.4 - 27.4)	654	27.5	(21.3 - 34.6)	278	19.7	(15.2 - 25.2)	375

Maryland High School Survey Summary Tables - Weighted Data

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

		Total		Male			Female			
	Percenta	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	61.3	(60.0 - 62.5)	10,531	67.3	(65.5 - 68.9)	4,897	55.6	(53.9 - 57.4)	5,577	
Age										
15 or youn	ger 64.4	(62.0 - 66.8)	2,958	71.7	(68.8 - 74.5)	1,430	56.9	(53.6 - 60.1)	1,514	
16 or 17	60.5	(58.9 - 62.0)	6,899	66.4	(64.2 - 68.5)	3,104	55.3	(53.2 - 57.3)	3,769	
18 or older	57.1	(52.8 - 61.3)	659	59.1	(53.0 - 65.0)	361	54.0	(47.7 - 60.1)	292	
Grade										
9th	67.3	(63.7 - 70.8)	1,237	75.2	(70.6 - 79.2)	684	55.1	(49.8 - 60.3)	546	
10th	64.6	(62.2 - 67.0)	2,144	72.1	(68.7 - 75.3)	1,039	57.1	(53.3 - 60.7)	1,099	
11th	60.9	(58.6 - 63.1)	3,120	66.9	(64.2 - 69.6)	1,372	55.7	(52.5 - 58.8)	1,741	
12th	58.8	(56.8 - 60.7)	3,865	62.4	(59.4 - 65.3)	1,723	55.6	(53.0 - 58.2)	2,133	
Race/Ethnicity										
Black*	66.1	(63.9 - 68.2)	2,308	73.4	(69.6 - 76.8)	1,148	57.8	(54.9 - 60.6)	1,150	
Hispanic/L	atino 57.6	(54.2 - 60.9)	1,181	65.1	(59.9 - 70.0)	587	50.7	(44.1 - 57.2)	581	
White*	59.3	(57.7 - 60.9)	5,757	63.6	(61.5 - 65.7)	2,576	55.7	(53.5 - 57.9)	3,171	
All other r	aces* 60.3	(53.1 - 67.0)	384	62.2	(53.3 - 70.3)	203	58.2	(48.5 - 67.4)	177	
Multiple ra	ces* 55.4	(50.8 - 59.9)	636	60.4	(53.2 - 67.1)	272	51.6	(45.6 - 57.5)	363	

Maryland High School Survey Summary Tables - Weighted Data

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.7	(16.7 - 18.8)	10,540	13.3	(12.3 - 14.5)	4,905	21.8	(20.4 - 23.3)	5,572
Age										
	15 or younger	10.5	(9.2 - 11.9)	2,990	7.9	(6.4 - 9.8)	1,453	13.2	(11.1 - 15.6)	1,515
	16 or 17	20.7	(19.5 - 22.1)	6,870	15.7	(14.2 - 17.3)	3,089	25.1	(23.5 - 26.9)	3,757
	18 or older	16.6	(13.6 - 20.1)	665	14.2	(10.7 - 18.6)	361	18.9	(14.5 - 24.1)	298
Grade										
	9th	8.6	(6.9 - 10.7)	1,250	7.8	(5.6 - 10.7)	692	9.8	(7.2 - 13.2)	550
	10th	11.4	(9.9 - 13.0)	2,142	7.8	(6.2 - 9.7)	1,042	15.0	(12.7 - 17.8)	1,093
	11th	19.1	(17.5 - 20.7)	3,109	13.9	(12.0 - 16.0)	1,369	23.5	(21.2 - 26.0)	1,730
	12th	22.6	(20.8 - 24.4)	3,868	18.4	(16.3 - 20.8)	1,719	26.2	(23.9 - 28.6)	2,139
Race/E	thnicity									
	Black*	10.2	(8.7 - 11.8)	2,311	7.0	(5.7 - 8.6)	1,147	13.7	(11.5 - 16.4)	1,155
	Hispanic/Latino	9.9	(8.0 - 12.2)	1,190	7.0	(5.0 - 9.8)	591	12.8	(9.8 - 16.5)	587
	White*	25.7	(24.3 - 27.2)	5,738	20.8	(19.1 - 22.7)	2,572	29.8	(27.9 - 31.9)	3,156
	All other races*	13.6	(9.8 - 18.6)	390	11.5	(6.9 - 18.4)	208	15.1	(9.7 - 22.8)	176
	Multiple races*	16.7	(13.6 - 20.4)	629	9.7	(6.2 - 14.8)	268	21.9	(17.4 - 27.2)	360

Maryland High School Survey Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	2.0	(1.7 - 2.3)	10,540	1.3	(1.0 - 1.8)	4,905	2.6	(2.1 - 3.2)	5,572
Age										
	15 or younger	1.3	(0.9 - 1.9)	2,990	0.9	(0.5 - 1.6)	1,453	1.7	(1.1 - 2.7)	1,515
	16 or 17	2.1	(1.7 - 2.6)	6,870	1.4	(1.0 - 2.1)	3,089	2.8	(2.2 - 3.5)	3,757
	18 or older	3.0	(1.9 - 4.6)	665	2.1	(1.0 - 4.6)	361	4.2	(2.4 - 7.0)	298
Grade										
	9th	0.7	(0.3 - 1.3)	1,250	0.3	(0.1 - 0.9)	692	1.3	(0.5 - 2.9)	550
	10th	1.8	(1.2 - 2.7)	2,142	1.2	(0.6 - 2.4)	1,042	2.4	(1.5 - 3.8)	1,093
	11th	1.9	(1.4 - 2.6)	3,109	1.0	(0.6 - 1.8)	1,369	2.6	(1.8 - 3.6)	1,730
	12th	2.5	(2.0 - 3.2)	3,868	2.0	(1.3 - 3.1)	1,719	3.0	(2.2 - 3.9)	2,139
Race/Eth	nicity									
	Black*	1.9	(1.4 - 2.7)	2,311	1.0	(0.5 - 2.0)	1,147	3.0	(2.1 - 4.3)	1,155
	Hispanic/Latino	1.6	(0.9 - 2.8)	1,190	0.3	(0.1 - 0.7)	591	2.5	(1.3 - 4.9)	587
	White*	2.0	(1.6 - 2.4)	5,738	1.4	(0.9 - 2.1)	2,572	2.5	(1.9 - 3.1)	3,156
	All other races*	2.0	(0.9 - 4.5)	390	1.9	(0.6 - 5.9)	208	2.2	(0.7 - 6.7)	176
	Multiple races*	3.3	(2.0 - 5.4)	629	4.2	(2.0 - 8.5)	268	2.6	(1.3 - 5.2)	360

Maryland High School Survey Summary Tables - Weighted Data

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	4.0	(3.6 - 4.6)	10,540	2.0	(1.6 - 2.5)	4,905	6.0	(5.2 - 7.0)	5,572
Age										
	15 or younger	2.7	(2.1 - 3.6)	2,990	1.3	(0.7 - 2.4)	1,453	4.3	(3.2 - 5.9)	1,515
	16 or 17	4.4	(3.8 - 5.0)	6,870	2.1	(1.6 - 2.8)	3,089	6.3	(5.4 - 7.4)	3,757
	18 or older	5.8	(4.0 - 8.4)	665	3.5	(1.9 - 6.4)	361	8.8	(5.5 - 13.8)	298
Grade										
	9th	2.6	(1.6 - 4.1)	1,250	1.4	(0.6 - 3.2)	692	4.6	(2.6 - 8.0)	550
	10th	3.0	(2.1 - 4.1)	2,142	1.2	(0.6 - 2.4)	1,042	4.8	(3.4 - 6.8)	1,093
	11th	3.7	(3.0 - 4.6)	3,109	1.9	(1.2 - 2.9)	1,369	5.3	(4.2 - 6.7)	1,730
	12th	5.3	(4.5 - 6.2)	3,868	2.8	(2.0 - 3.9)	1,719	7.3	(5.9 - 8.9)	2,139
Race/E	thnicity									
	Black*	4.7	(3.7 - 5.8)	2,311	2.0	(1.3 - 3.2)	1,147	7.7	(5.8 - 10.0)	1,155
	Hispanic/Latino	3.8	(2.7 - 5.3)	1,190	2.4	(1.3 - 4.6)	591	5.0	(3.4 - 7.4)	587
	White*	3.9	(3.3 - 4.6)	5,738	2.0	(1.5 - 2.7)	2,572	5.5	(4.5 - 6.7)	3,156
	All other races*	2.1	(1.0 - 4.2)	390	1.9	(0.7 - 4.7)	208	1.7	(0.5 - 5.7)	176
	Multiple races*	2.9	(1.8 - 4.7)	629	1.4	(0.5 - 3.4)	268	4.1	(2.4 - 6.8)	360

Maryland High School Survey Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	23.7	(22.7 - 24.8)	10,540	16.6	(15.5 - 17.9)	4,905	30.4	(29.1 - 31.9)	5,572	
Age											
	15 or younger	14.5	(13.1 - 16.1)	2,990	10.1	(8.5 - 12.0)	1,453	19.3	(17.0 - 21.8)	1,515	
	16 or 17	27.2	(26.0 - 28.5)	6,870	19.2	(17.6 - 20.9)	3,089	34.3	(32.6 - 35.9)	3,757	
	18 or older	25.3	(21.7 - 29.3)	665	19.8	(15.7 - 24.8)	361	31.8	(26.3 - 38.0)	298	
Grade											
	9th	11.8	(9.8 - 14.3)	1,250	9.5	(7.1 - 12.5)	692	15.7	(12.1 - 20.0)	550	
	10th	16.2	(14.4 - 18.1)	2,142	10.2	(8.3 - 12.4)	1,042	22.3	(19.7 - 25.1)	1,093	
	11th	24.7	(23.0 - 26.4)	3,109	16.7	(14.6 - 19.1)	1,369	31.3	(28.9 - 33.9)	1,730	
	12th	30.4	(28.6 - 32.2)	3,868	23.3	(20.9 - 25.8)	1,719	36.5	(34.1 - 38.9)	2,139	
Race/Et	thnicity										
	Black*	16.8	(15.2 - 18.5)	2,311	10.1	(8.5 - 11.9)	1,147	24.4	(21.7 - 27.3)	1,155	
	Hispanic/Latino	15.3	(13.0 - 17.9)	1,190	9.7	(7.1 - 13.1)	591	20.3	(17.0 - 24.2)	587	
	White*	31.6	(30.2 - 33.0)	5,738	24.2	(22.5 - 26.1)	2,572	37.8	(35.8 - 39.9)	3,156	
	All other races*	17.7	(13.4 - 23.0)	390	15.3	(10.0 - 22.6)	208	19.0	(12.8 - 27.4)	176	
	Multiple races*	22.9	(19.1 - 27.3)	629	15.3	(10.8 - 21.1)	268	28.6	(23.4 - 34.5)	360	

Maryland High School Survey Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	8.7	(8.1 - 9.4)	10,345	5.8	(5.1 - 6.5)	4,806	11.6	(10.6 - 12.6)	5,486	
Age											
	15 or younger	6.2	(5.3 - 7.3)	2,898	4.2	(3.1 - 5.7)	1,403	8.4	(6.9 - 10.2)	1,481	
	16 or 17	9.6	(8.8 - 10.4)	6,784	6.4	(5.4 - 7.4)	3,049	12.4	(11.2 - 13.6)	3,713	
	18 or older	10.3	(7.9 - 13.4)	648	6.4	(4.0 - 10.2)	352	14.6	(10.3 - 20.1)	290	
Grade											
	9th	5.4	(4.0 - 7.1)	1,209	4.5	(2.9 - 7.0)	668	6.4	(4.4 - 9.3)	534	
	10th	6.8	(5.7 - 8.1)	2,098	4.3	(3.0 - 6.2)	1,019	9.4	(7.6 - 11.5)	1,073	
	11th	8.8	(7.7 - 10.0)	3,062	6.1	(4.8 - 7.7)	1,343	11.1	(9.4 - 13.0)	1,715	
	12th	10.7	(9.6 - 11.9)	3,813	6.9	(5.6 - 8.4)	1,697	14.0	(12.3 - 15.9)	2,107	
Race/Et	thnicity										
	Black*	6.9	(5.9 - 8.2)	2,255	3.9	(2.7 - 5.5)	1,119	10.4	(8.5 - 12.7)	1,127	
	Hispanic/Latino	6.5	(5.0 - 8.3)	1,161	3.5	(2.1 - 5.9)	577	9.3	(6.7 - 12.8)	573	
	White*	11.0	(10.1 - 12.0)	5,681	7.9	(6.8 - 9.1)	2,543	13.7	(12.3 - 15.2)	3,128	
	All other races*	6.9	(4.3 - 10.8)	379	6.1	(3.2 - 11.4)	201	7.0	(3.6 - 13.1)	174	
	Multiple races*	6.8	(4.9 - 9.4)	613	3.3	(1.7 - 6.5)	260	9.4	(6.5 - 13.4)	352	

Note: 45,251 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.6	(13.7 - 15.7)	10,540	13.8	(12.6 - 15.2)	4,905	15.3	(14.0 - 16.7)	5,572
Age										
	15 or younger	18.0	(16.1 - 20.1)	2,990	14.6	(12.5 - 17.0)	1,453	21.6	(19.0 - 24.5)	1,515
	16 or 17	12.7	(11.6 - 13.9)	6,870	12.5	(10.9 - 14.3)	3,089	12.9	(11.4 - 14.5)	3,757
	18 or older	19.6	(15.9 - 23.9)	665	21.5	(16.6 - 27.4)	361	17.5	(12.9 - 23.4)	298
Grade										
	9th	20.3	(17.2 - 23.9)	1,250	16.3	(13.0 - 20.2)	692	26.3	(21.2 - 32.1)	550
	10th	16.2	(14.3 - 18.3)	2,142	13.9	(11.5 - 16.7)	1,042	18.5	(15.3 - 22.2)	1,093
	11th	14.4	(12.8 - 16.3)	3,109	15.1	(12.8 - 17.8)	1,369	13.9	(11.6 - 16.5)	1,730
	12th	11.8	(10.5 - 13.1)	3,868	11.3	(9.7 - 13.2)	1,719	12.2	(10.5 - 14.0)	2,139
Race/E	thnicity									
	Black*	17.5	(15.8 - 19.4)	2,311	16.1	(13.6 - 19.0)	1,147	19.2	(16.9 - 21.7)	1,155
	Hispanic/Latino	21.0	(18.0 - 24.5)	1,190	18.4	(14.4 - 23.2)	591	23.5	(18.6 - 29.3)	587
	White*	10.6	(9.6 - 11.8)	5,738	10.3	(9.0 - 11.9)	2,572	10.8	(9.5 - 12.3)	3,156
	All other races*	15.2	(11.2 - 20.2)	390	16.5	(10.7 - 24.5)	208	13.8	(8.8 - 21.0)	176
	Multiple races*	16.2	(13.0 - 20.1)	629	14.7	(10.4 - 20.3)	268	17.5	(13.2 - 22.8)	360

Maryland High School Survey Summary Tables - Weighted Data

QNOBESE: Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	tal	11.5	(11.1 - 12.0)	50,741	14.1	(13.5 - 14.7)	25,213	8.8	(8.3 - 9.4)	25,528
Age										
15	or younger	11.4	(10.8 - 12.0)	25,139	13.7	(12.9 - 14.6)	12,349	9.0	(8.2 - 9.8)	12,790
16	or 17	11.6	(11.0 - 12.3)	23,808	14.7	(13.8 - 15.7)	11,790	8.5	(7.8 - 9.2)	12,018
18	or older	12.1	(10.4 - 14.1)	1,794	12.2	(10.0 - 14.7)	1,074	12.1	(9.6 - 15.2)	720
Grade										
9th	ı	11.2	(10.3 - 12.1)	14,032	13.2	(12.1 - 14.5)	7,045	8.9	(7.8 - 10.0)	6,987
10t	:h	11.7	(11.1 - 12.4)	12,932	14.2	(13.3 - 15.2)	6,470	9.1	(8.2 - 10.0)	6,462
11t	h	11.7	(10.8 - 12.6)	12,450	14.8	(13.6 - 16.2)	6,092	8.5	(7.5 - 9.7)	6,358
12t	:h	11.4	(10.7 - 12.2)	10,908	14.2	(13.0 - 15.4)	5,340	8.7	(7.7 - 9.7)	5,568
Race/Ethnic	ity									
Bla	ack*	14.4	(13.6 - 15.2)	11,367	15.8	(14.7 - 16.9)	5,528	12.9	(11.8 - 14.2)	5,839
His	spanic/Latino	13.9	(12.7 - 15.3)	5,190	16.9	(15.0 - 19.0)	2,604	10.8	(9.2 - 12.7)	2,586
Wh	nite*	9.2	(8.7 - 9.7)	26,548	12.6	(11.8 - 13.3)	13,280	5.5	(5.0 - 6.1)	13,268
All	other races*	7.4	(6.4 - 8.5)	3,382	9.3	(7.8 - 11.0)	1,767	5.2	(4.0 - 6.7)	1,615
Mu	ıltiple races*	12.8	(11.4 - 14.4)	2,936	17.1	(14.8 - 19.6)	1,303	9.3	(7.7 - 11.2)	1,633

Note: 4,855 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
**Based on reference data from the 2000 CDC Growth Charts.

Maryland High School Survey Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.9	(14.5 - 15.4)	50,741	14.5	(13.9 - 15.1)	25,213	15.4	(14.8 - 16.1)	25,528
Age										
	15 or younger	15.5	(14.9 - 16.2)	25,139	15.3	(14.4 - 16.2)	12,349	15.8	(14.9 - 16.7)	12,790
	16 or 17	14.3	(13.7 - 14.8)	23,808	13.7	(12.9 - 14.4)	11,790	14.9	(14.1 - 15.7)	12,018
	18 or older	16.0	(13.9 - 18.3)	1,794	14.2	(11.6 - 17.2)	1,074	18.8	(15.9 - 22.1)	720
Grade										
	9th	15.4	(14.6 - 16.2)	14,032	14.9	(13.7 - 16.1)	7,045	15.9	(14.7 - 17.2)	6,987
	10th	15.6	(14.7 - 16.6)	12,932	15.5	(14.3 - 16.7)	6,470	15.7	(14.4 - 17.2)	6,462
	11th	14.7	(13.9 - 15.4)	12,450	14.2	(13.2 - 15.3)	6,092	15.1	(14.1 - 16.1)	6,358
	12th	14.1	(13.3 - 14.9)	10,908	13.1	(12.1 - 14.2)	5,340	15.0	(13.9 - 16.2)	5,568
Race/E	thnicity									
	Black*	16.7	(15.9 - 17.5)	11,367	14.9	(13.8 - 16.1)	5,528	18.5	(17.2 - 19.9)	5,839
	Hispanic/Latino	19.5	(18.3 - 20.9)	5,190	17.4	(16.0 - 18.9)	2,604	21.7	(19.6 - 24.0)	2,586
	White*	12.8	(12.3 - 13.3)	26,548	13.3	(12.6 - 14.1)	13,280	12.2	(11.5 - 12.9)	13,268
	All other races*	10.6	(9.2 - 12.2)	3,382	13.2	(11.0 - 15.8)	1,767	7.6	(6.3 - 9.2)	1,615
	Multiple races*	15.6	(14.2 - 17.3)	2,936	14.4	(12.4 - 16.6)	1,303	16.7	(14.6 - 19.1)	1,633

Note: 4,855 students were excluded from this analysis.
*Non-Hispanic.
N = Number of students in this subgroup.
**Based on reference data from the 2000 CDC Growth Charts.

Maryland High School Survey Summary Tables - Weighted Data

QN69: Percentage of students who described themselves as slightly or very overweight

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	26.2	(25.7 - 26.7)	52,843	21.6	(20.9 - 22.2)	25,538	30.8	(30.1 - 31.5)	26,921
Age										
	15 or younger	25.6	(24.9 - 26.3)	26,483	21.3	(20.5 - 22.3)	12,626	29.7	(28.7 - 30.7)	13,672
	16 or 17	27.0	(26.3 - 27.7)	24,375	21.8	(20.9 - 22.8)	11,781	31.9	(31.0 - 32.9)	12,468
	18 or older	25.5	(23.0 - 28.1)	1,897	21.6	(18.9 - 24.7)	1,105	31.5	(27.4 - 35.8)	773
Grade										
	9th	24.5	(23.6 - 25.4)	14,742	20.4	(19.2 - 21.7)	7,174	28.8	(27.4 - 30.1)	7,500
	10th	26.2	(25.2 - 27.2)	13,378	21.8	(20.6 - 23.0)	6,516	30.7	(29.3 - 32.2)	6,796
	11th	26.9	(26.0 - 27.9)	12,834	21.7	(20.3 - 23.1)	6,160	31.9	(30.7 - 33.1)	6,620
	12th	27.6	(26.6 - 28.7)	11,170	22.7	(21.3 - 24.2)	5,348	32.4	(30.8 - 34.0)	5,781
Race/E	thnicity									
	Black*	23.8	(22.8 - 24.7)	11,360	17.5	(16.3 - 18.7)	5,305	29.7	(28.4 - 31.1)	6,023
	Hispanic/Latino	33.4	(31.9 - 34.9)	5,699	28.4	(26.4 - 30.6)	2,766	38.5	(36.5 - 40.5)	2,875
	White*	26.1	(25.4 - 26.8)	27,544	22.4	(21.6 - 23.3)	13,559	29.9	(28.8 - 31.0)	13,918
	All other races*	25.8	(23.9 - 27.8)	3,595	23.4	(21.3 - 25.6)	1,821	28.2	(25.3 - 31.3)	1,741
	Multiple races*	28.4	(26.6 - 30.3)	3,028	22.5	(20.0 - 25.2)	1,298	33.3	(30.7 - 36.0)	1,715

Maryland High School Survey Summary Tables - Weighted Data

QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	27.1	(26.6 - 27.7)	53,390	25.9	(25.2 - 26.6)	25,760	28.3	(27.6 - 29.0)	27,218
Age										
	15 or younger	27.1	(26.4 - 27.8)	26,760	26.0	(25.1 - 27.0)	12,730	28.0	(27.0 - 29.0)	13,827
	16 or 17	26.9	(26.2 - 27.6)	24,597	25.4	(24.4 - 26.4)	11,879	28.4	(27.5 - 29.2)	12,588
	18 or older	30.7	(28.1 - 33.5)	1,937	29.8	(26.4 - 33.4)	1,122	31.7	(28.0 - 35.7)	794
Grade										
	9th	27.3	(26.4 - 28.3)	14,915	26.2	(24.9 - 27.6)	7,240	28.5	(27.2 - 29.9)	7,603
	10th	27.3	(26.2 - 28.4)	13,493	26.5	(25.0 - 28.1)	6,558	27.9	(26.6 - 29.3)	6,861
	11th	26.4	(25.6 - 27.3)	12,955	25.3	(23.9 - 26.6)	6,213	27.6	(26.3 - 28.8)	6,685
	12th	27.2	(26.2 - 28.2)	11,282	25.2	(23.7 - 26.7)	5,405	29.0	(27.7 - 30.4)	5,831
Race/Eth	nicity									
	Black*	24.1	(23.2 - 25.1)	11,498	24.4	(23.1 - 25.7)	5,356	23.9	(22.6 - 25.2)	6,109
	Hispanic/Latino	24.7	(23.3 - 26.3)	5,795	24.6	(22.7 - 26.6)	2,805	24.8	(22.8 - 27.0)	2,929
	White*	29.3	(28.6 - 29.9)	27,714	26.5	(25.6 - 27.4)	13,624	32.2	(31.2 - 33.1)	14,019
	All other races*	31.5	(29.8 - 33.2)	3,638	29.6	(27.4 - 31.9)	1,847	33.2	(30.4 - 36.1)	1,758
	Multiple races*	24.4	(22.7 - 26.2)	3,064	22.3	(19.6 - 25.2)	1,309	26.1	(23.6 - 28.7)	1,737

Maryland High School Survey Summary Tables - Weighted Data

QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.9	(15.4 - 16.5)	53,228	17.3	(16.6 - 18.1)	25,662	14.5	(13.9 - 15.1)	27,158
Age										
	15 or younger	15.7	(14.9 - 16.5)	26,681	16.8	(15.7 - 17.8)	12,690	14.6	(13.7 - 15.5)	13,794
	16 or 17	15.7	(15.1 - 16.4)	24,523	17.4	(16.6 - 18.3)	11,830	14.1	(13.3 - 14.9)	12,563
	18 or older	20.5	(18.2 - 23.1)	1,927	21.5	(18.4 - 25.0)	1,114	19.0	(16.0 - 22.5)	792
Grade										
	9th	15.9	(15.0 - 16.9)	14,864	16.9	(15.7 - 18.3)	7,209	14.8	(13.6 - 16.1)	7,581
	10th	15.8	(14.8 - 16.8)	13,458	17.2	(15.8 - 18.8)	6,540	14.3	(13.2 - 15.4)	6,847
	11th	15.4	(14.6 - 16.3)	12,917	17.3	(16.2 - 18.5)	6,184	13.5	(12.4 - 14.7)	6,677
	12th	16.2	(15.2 - 17.2)	11,245	17.4	(16.2 - 18.6)	5,384	15.0	(13.8 - 16.3)	5,815
Race/Et	hnicity									
	Black*	22.1	(21.0 - 23.1)	11,442	23.9	(22.4 - 25.4)	5,327	20.3	(19.1 - 21.6)	6,083
	Hispanic/Latino	15.9	(14.9 - 17.0)	5,784	17.0	(15.5 - 18.6)	2,795	14.7	(13.4 - 16.2)	2,927
	White*	12.0	(11.5 - 12.6)	27,647	13.3	(12.6 - 14.1)	13,584	10.7	(10.0 - 11.4)	13,993
	All other races*	9.6	(8.5 - 10.8)	3,626	11.0	(9.2 - 13.0)	1,837	7.9	(6.6 - 9.4)	1,755
	Multiple races*	15.7	(14.2 - 17.3)	3,053	17.3	(15.2 - 19.6)	1,306	14.4	(12.2 - 16.9)	1,729

Maryland High School Survey Summary Tables - Weighted Data

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)

		Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	8.0	(7.6 - 8.3)	53,042	9.1	(8.7 - 9.6)	25,560	6.7	(6.3 - 7.2)	27,087	
Age										
15 or younger	7.7	(7.2 - 8.2)	26,571	8.6	(7.9 - 9.4)	12,623	6.7	(6.1 - 7.3)	13,756	
16 or 17	7.9	(7.4 - 8.3)	24,461	9.2	(8.7 - 9.8)	11,798	6.5	(6.0 - 7.1)	12,537	
18 or older	12.3	(10.6 - 14.3)	1,918	13.2	(10.7 - 16.2)	1,112	10.9	(8.6 - 13.7)	785	
Grade										
9th	7.8	(7.2 - 8.5)	14,808	8.6	(7.6 - 9.7)	7,176	7.0	(6.2 - 7.9)	7,560	
10th	7.9	(7.3 - 8.6)	13,406	9.3	(8.3 - 10.4)	6,508	6.5	(5.9 - 7.2)	6,828	
11th	7.7	(7.2 - 8.2)	12,887	9.3	(8.5 - 10.2)	6,166	6.0	(5.4 - 6.8)	6,666	
12th	8.1	(7.5 - 8.7)	11,215	9.0	(8.2 - 10.0)	5,372	7.1	(6.2 - 8.0)	5,799	
Race/Ethnicity										
Black*	9.4	(8.8 - 10.0)	11,397	11.0	(10.1 - 12.0)	5,299	7.8	(7.1 - 8.7)	6,066	
Hispanic/Latino	9.1	(8.2 - 10.0)	5,748	10.2	(8.9 - 11.8)	2,778	7.8	(6.6 - 9.2)	2,910	
White*	6.8	(6.4 - 7.2)	27,598	7.7	(7.2 - 8.2)	13,554	5.9	(5.3 - 6.5)	13,974	
All other races	5.8	(4.9 - 6.8)	3,611	6.8	(5.4 - 8.5)	1,829	4.5	(3.5 - 5.7)	1,750	
Multiple races*	6.6	(5.6 - 7.9)	3,045	7.2	(5.8 - 8.9)	1,301	6.3	(4.9 - 8.2)	1,726	

Maryland High School Survey Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
7	Гotal	56.6	(55.9 - 57.3)	53,042	58.7	(57.9 - 59.5)	25,560	54.5	(53.6 - 55.3)	27,087
Age										
]	15 or younger	57.0	(56.1 - 58.0)	26,571	59.5	(58.2 - 60.7)	12,623	54.6	(53.4 - 55.8)	13,756
1	16 or 17	56.6	(55.7 - 57.5)	24,461	58.6	(57.4 - 59.7)	11,798	54.7	(53.6 - 55.8)	12,537
1	18 or older	51.7	(48.3 - 55.1)	1,918	53.1	(48.8 - 57.4)	1,112	49.5	(45.3 - 53.8)	785
Grade										
Ģ	9th	57.4	(56.1 - 58.6)	14,808	60.5	(58.8 - 62.1)	7,176	54.2	(52.4 - 56.0)	7,560
1	10th	56.2	(54.9 - 57.6)	13,406	57.7	(55.7 - 59.7)	6,508	54.8	(53.3 - 56.3)	6,828
1	l 1th	57.4	(56.2 - 58.6)	12,887	58.4	(57.0 - 59.9)	6,166	56.4	(54.8 - 58.1)	6,666
1	12th	55.3	(54.0 - 56.5)	11,215	58.1	(56.5 - 59.6)	5,372	52.5	(50.8 - 54.2)	5,799
Race/Ethr	nicity									
I	Black*	52.4	(51.2 - 53.6)	11,397	55.2	(53.5 - 57.0)	5,299	49.8	(48.2 - 51.4)	6,066
I	Hispanic/Latino	57.7	(56.0 - 59.5)	5,748	59.8	(57.6 - 62.0)	2,778	55.7	(53.4 - 58.0)	2,910
7	White*	58.7	(57.8 - 59.6)	27,598	60.5	(59.5 - 61.6)	13,554	56.7	(55.4 - 57.9)	13,974
I	All other races*	61.6	(59.1 - 64.0)	3,611	61.9	(59.1 - 64.6)	1,829	61.4	(58.0 - 64.6)	1,750
I	Multiple races*	59.5	(57.3 - 61.7)	3,045	63.3	(60.3 - 66.1)	1,301	56.7	(53.6 - 59.7)	1,726

Maryland High School Survey Summary Tables - Weighted Data

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	otal	28.8	(28.3 - 29.3)	53,042	30.3	(29.6 - 31.1)	25,560	27.3	(26.6 - 28.1)	27,087
Age										
15	5 or younger	28.9	(28.1 - 29.6)	26,571	30.7	(29.6 - 31.8)	12,623	27.1	(25.9 - 28.3)	13,756
16	6 or 17	28.9	(28.1 - 29.6)	24,461	30.2	(29.2 - 31.3)	11,798	27.5	(26.5 - 28.6)	12,537
18	8 or older	27.2	(24.9 - 29.6)	1,918	27.3	(24.5 - 30.3)	1,112	27.4	(23.9 - 31.1)	785
Grade										
9t	th	29.8	(28.7 - 31.0)	14,808	32.3	(30.8 - 33.8)	7,176	27.3	(25.6 - 29.0)	7,560
10	0th	28.0	(26.9 - 29.0)	13,406	28.6	(27.2 - 30.0)	6,508	27.4	(25.9 - 28.9)	6,828
11	1th	29.0	(28.1 - 29.9)	12,887	30.1	(28.8 - 31.6)	6,166	27.9	(26.5 - 29.3)	6,666
12	2th	28.1	(27.1 - 29.2)	11,215	29.9	(28.3 - 31.5)	5,372	26.4	(25.1 - 27.9)	5,799
Race/Ethni	icity									
В	lack*	28.8	(27.8 - 29.8)	11,397	30.9	(29.3 - 32.5)	5,299	26.8	(25.2 - 28.5)	6,066
Н	lispanic/Latino	29.7	(28.1 - 31.3)	5,748	31.6	(29.7 - 33.6)	2,778	27.9	(25.8 - 30.2)	2,910
W	Vhite*	28.1	(27.4 - 28.8)	27,598	29.3	(28.4 - 30.3)	13,554	26.8	(25.8 - 27.7)	13,974
A	ll other races*	31.9	(29.8 - 34.1)	3,611	32.0	(29.2 - 34.9)	1,829	31.9	(29.4 - 34.6)	1,750
M	Iultiple races*	31.4	(29.1 - 33.7)	3,045	33.3	(30.1 - 36.6)	1,301	29.9	(27.0 - 32.9)	1,726

Maryland High School Survey Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
,	Total	18.1	(17.6 - 18.5)	53,042	19.9	(19.3 - 20.6)	25,560	16.2	(15.6 - 16.8)	27,087
Age										
	15 or younger	17.9	(17.3 - 18.6)	26,571	19.9	(18.9 - 20.9)	12,623	16.0	(15.2 - 16.8)	13,756
	16 or 17	18.0	(17.4 - 18.6)	24,461	19.9	(19.1 - 20.8)	11,798	16.1	(15.2 - 16.9)	12,537
	18 or older	20.0	(18.1 - 22.1)	1,918	20.5	(18.0 - 23.2)	1,112	19.5	(16.5 - 22.8)	785
Grade										
9	9th	18.5	(17.5 - 19.5)	14,808	21.0	(19.7 - 22.4)	7,176	15.9	(14.6 - 17.2)	7,560
	10th	17.7	(16.8 - 18.7)	13,406	18.8	(17.6 - 20.1)	6,508	16.6	(15.5 - 17.9)	6,828
	11th	17.8	(17.1 - 18.6)	12,887	19.3	(18.2 - 20.4)	6,166	16.4	(15.4 - 17.6)	6,666
	12th	17.8	(16.8 - 18.8)	11,215	20.3	(18.9 - 21.8)	5,372	15.3	(14.2 - 16.6)	5,799
Race/Ethi	nicity									
]	Black*	20.6	(19.8 - 21.4)	11,397	22.7	(21.4 - 24.1)	5,299	18.6	(17.3 - 19.9)	6,066
]	Hispanic/Latino	20.1	(18.8 - 21.5)	5,748	23.0	(21.3 - 24.8)	2,778	17.3	(15.7 - 19.1)	2,910
,	White*	15.5	(14.8 - 16.2)	27,598	17.2	(16.3 - 18.1)	13,554	13.7	(12.9 - 14.6)	13,974
	All other races*	17.1	(15.6 - 18.7)	3,611	18.7	(16.6 - 21.0)	1,829	15.4	(13.5 - 17.5)	1,750
]	Multiple races*	20.9	(19.0 - 22.9)	3,045	22.0	(19.3 - 24.9)	1,301	19.9	(17.5 - 22.4)	1,726

Maryland High School Survey Summary Tables - Weighted Data

QN73: Percentage of students who did not eat salad (during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	42.0	(41.3 - 42.8)	52,998	45.5	(44.6 - 46.4)	25,536	38.8	(37.8 - 39.7)	27,059
Age										
	15 or younger	43.0	(42.2 - 43.9)	26,546	46.4	(45.3 - 47.6)	12,611	39.9	(38.8 - 40.9)	13,737
	16 or 17	41.1	(40.1 - 42.1)	24,445	44.7	(43.5 - 45.9)	11,792	37.6	(36.3 - 39.0)	12,525
	18 or older	41.7	(38.8 - 44.6)	1,912	43.9	(40.3 - 47.5)	1,105	38.8	(34.6 - 43.3)	788
Grade										
	9th	43.4	(42.1 - 44.6)	14,787	46.6	(44.9 - 48.3)	7,157	40.3	(38.7 - 41.9)	7,556
	10th	42.7	(41.5 - 43.8)	13,389	46.0	(44.5 - 47.6)	6,500	39.4	(37.9 - 41.0)	6,815
	11th	41.8	(40.3 - 43.2)	12,880	45.4	(43.6 - 47.1)	6,169	38.3	(36.5 - 40.0)	6,657
	12th	40.2	(38.8 - 41.5)	11,212	43.8	(42.1 - 45.4)	5,368	36.7	(34.9 - 38.6)	5,801
Race/E	Cthnicity									
	Black*	51.1	(49.9 - 52.3)	11,373	53.4	(51.8 - 55.1)	5,283	49.0	(47.5 - 50.5)	6,058
	Hispanic/Latino	40.9	(39.2 - 42.7)	5,744	42.6	(40.3 - 45.0)	2,775	39.2	(36.0 - 42.5)	2,908
	White*	35.9	(35.1 - 36.7)	27,556	41.2	(40.1 - 42.4)	13,532	30.4	(29.3 - 31.6)	13,953
	All other races*	40.1	(38.4 - 41.7)	3,617	41.6	(39.6 - 43.7)	1,837	38.4	(35.5 - 41.3)	1,747
	Multiple races*	41.9	(39.7 - 44.1)	3,046	47.1	(43.9 - 50.3)	1,299	37.8	(35.2 - 40.5)	1,729

Maryland High School Survey Summary Tables - Weighted Data

QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	38.9	(38.3 - 39.5)	53,086	37.6	(36.8 - 38.5)	25,597	40.1	(39.3 - 40.9)	27,081	
Age											
	15 or younger	41.4	(40.4 - 42.3)	26,572	40.4	(39.1 - 41.7)	12,642	42.3	(41.2 - 43.5)	13,733	
	16 or 17	36.5	(35.7 - 37.3)	24,496	35.0	(33.9 - 36.2)	11,815	37.9	(36.8 - 39.0)	12,550	
	18 or older	37.5	(35.2 - 39.9)	1,923	36.2	(32.8 - 39.7)	1,112	39.4	(35.4 - 43.4)	790	
Grade											
	9th	42.0	(40.8 - 43.3)	14,784	41.8	(40.0 - 43.6)	7,172	42.2	(40.6 - 43.8)	7,541	
	10th	40.4	(39.1 - 41.7)	13,433	38.9	(37.1 - 40.7)	6,531	41.8	(40.1 - 43.5)	6,828	
	11th	36.8	(35.8 - 37.9)	12,899	35.4	(33.9 - 36.8)	6,176	38.3	(36.9 - 39.7)	6,669	
	12th	35.4	(34.3 - 36.5)	11,224	33.4	(31.7 - 35.0)	5,374	37.4	(35.9 - 39.0)	5,804	
Race/E	thnicity										
	Black*	47.4	(46.1 - 48.7)	11,361	46.3	(44.7 - 48.0)	5,292	48.5	(46.8 - 50.2)	6,038	
	Hispanic/Latino	40.4	(39.0 - 41.9)	5,764	39.7	(37.5 - 42.1)	2,783	41.1	(39.1 - 43.2)	2,917	
	White*	32.2	(31.6 - 32.8)	27,631	31.0	(30.1 - 31.9)	13,576	33.3	(32.3 - 34.3)	13,985	
	All other races*	36.2	(34.7 - 37.7)	3,635	34.9	(32.4 - 37.4)	1,845	37.7	(35.3 - 40.2)	1,755	
	Multiple races*	39.9	(37.9 - 41.8)	3,027	37.8	(34.6 - 41.0)	1,294	41.3	(38.5 - 44.1)	1,716	

Maryland High School Survey Summary Tables - Weighted Data

QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	53.5	(52.8 - 54.1)	52,927	51.5	(50.7 - 52.4)	25,494	55.7	(54.8 - 56.6)	27,020
Age										
	15 or younger	53.7	(52.7 - 54.6)	26,489	51.8	(50.6 - 52.9)	12,585	56.0	(54.8 - 57.2)	13,703
	16 or 17	53.3	(52.4 - 54.3)	24,429	51.5	(50.3 - 52.6)	11,772	55.3	(54.0 - 56.6)	12,526
	18 or older	52.8	(50.0 - 55.6)	1,911	50.3	(46.8 - 53.8)	1,108	56.7	(52.5 - 60.9)	783
Grade										
	9th	54.1	(52.7 - 55.4)	14,733	51.9	(50.5 - 53.4)	7,138	56.6	(54.6 - 58.5)	7,521
	10th	53.8	(52.5 - 55.0)	13,395	52.0	(50.2 - 53.7)	6,499	55.9	(54.4 - 57.4)	6,819
	11th	53.5	(52.4 - 54.7)	12,868	51.5	(50.0 - 53.0)	6,162	55.7	(54.1 - 57.3)	6,653
	12th	52.5	(51.2 - 53.9)	11,191	50.6	(49.0 - 52.2)	5,353	54.5	(52.7 - 56.3)	5,792
Race/E	thnicity									
	Black*	66.2	(65.2 - 67.2)	11,311	62.6	(61.1 - 64.1)	5,258	69.6	(68.3 - 70.9)	6,022
	Hispanic/Latino	51.3	(49.8 - 52.9)	5,733	49.7	(47.6 - 51.9)	2,763	53.3	(50.9 - 55.6)	2,906
	White*	46.1	(45.3 - 46.9)	27,569	45.4	(44.4 - 46.4)	13,539	46.9	(45.8 - 48.0)	13,961
	All other races*	46.2	(44.0 - 48.4)	3,627	45.4	(42.6 - 48.3)	1,841	47.5	(44.6 - 50.4)	1,750
	Multiple races*	53.1	(51.1 - 55.1)	3,021	50.4	(47.5 - 53.4)	1,291	55.4	(52.6 - 58.2)	1,714

Maryland High School Survey Summary Tables - Weighted Data

QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	18.4	(17.8 - 19.0)	52,681	20.1	(19.3 - 20.9)	25,346	16.6	(16.0 - 17.3)	26,933	
Age										
15 or younger	18.2	(17.4 - 19.0)	26,368	20.0	(18.9 - 21.1)	12,515	16.3	(15.3 - 17.3)	13,657	
16 or 17	18.2	(17.6 - 19.0)	24,318	19.8	(18.7 - 20.8)	11,701	16.7	(15.9 - 17.6)	12,490	
18 or older	23.0	(20.6 - 25.6)	1,900	24.5	(21.5 - 27.9)	1,101	20.2	(16.8 - 24.0)	778	
Grade										
9th	18.6	(17.6 - 19.7)	14,673	20.7	(19.3 - 22.2)	7,096	16.5	(15.2 - 17.8)	7,506	
10th	18.5	(17.5 - 19.5)	13,326	20.2	(18.7 - 21.8)	6,468	16.6	(15.4 - 17.8)	6,783	
11th	18.5	(17.6 - 19.4)	12,807	19.7	(18.4 - 21.0)	6,117	17.3	(16.2 - 18.6)	6,634	
12th	17.4	(16.5 - 18.4)	11,148	19.3	(18.0 - 20.6)	5,327	15.6	(14.4 - 16.9)	5,776	
Race/Ethnicity										
Black*	23.7	(22.7 - 24.8)	11,246	25.7	(24.3 - 27.1)	5,222	21.9	(20.4 - 23.3)	5,994	
Hispanic/Latino	23.1	(21.7 - 24.5)	5,701	23.9	(21.9 - 26.0)	2,739	22.1	(20.2 - 24.2)	2,901	
White*	14.1	(13.4 - 14.7)	27,465	16.0	(15.2 - 17.0)	13,472	12.0	(11.2 - 12.9)	13,922	
All other races*	12.2	(10.7 - 13.8)	3,608	13.2	(11.3 - 15.3)	1,831	11.0	(9.1 - 13.2)	1,743	
Multiple races*	14.7	(13.3 - 16.2)	3,010	17.9	(15.6 - 20.4)	1,286	12.1	(10.5 - 14.0)	1,709	

Maryland High School Survey Summary Tables - Weighted Data

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.4	(8.0 - 8.8)	52,025	9.8	(9.3 - 10.4)	24,965	6.9	(6.5 - 7.3)	26,693
Age										
	15 or younger	8.4	(7.8 - 9.0)	26,021	9.8	(9.0 - 10.7)	12,311	7.0	(6.4 - 7.8)	13,532
	16 or 17	8.1	(7.7 - 8.6)	24,062	9.6	(9.0 - 10.3)	11,551	6.7	(6.1 - 7.3)	12,391
	18 or older	10.6	(8.9 - 12.5)	1,858	12.3	(9.9 - 15.2)	1,076	8.0	(5.8 - 11.0)	763
Grade										
	9th	8.8	(8.2 - 9.6)	14,481	10.4	(9.5 - 11.4)	6,970	7.3	(6.5 - 8.2)	7,441
	10th	8.3	(7.6 - 9.1)	13,163	9.6	(8.5 - 10.8)	6,376	7.0	(6.2 - 8.0)	6,716
	11th	8.2	(7.6 - 8.8)	12,682	9.4	(8.6 - 10.4)	6,042	7.0	(6.2 - 7.8)	6,591
	12th	7.6	(7.0 - 8.3)	11,021	9.4	(8.4 - 10.5)	5,254	5.9	(5.2 - 6.8)	5,726
Race/E	thnicity									
	Black*	11.9	(11.1 - 12.8)	11,072	13.8	(12.7 - 15.0)	5,108	10.2	(9.3 - 11.2)	5,934
	Hispanic/Latino	10.8	(9.9 - 11.8)	5,598	12.1	(10.5 - 13.9)	2,689	9.6	(8.2 - 11.3)	2,851
	White*	5.5	(5.1 - 5.9)	27,245	7.0	(6.4 - 7.6)	13,341	3.9	(3.5 - 4.3)	13,837
	All other races*	5.2	(4.3 - 6.3)	3,561	6.1	(4.8 - 7.7)	1,806	4.2	(3.0 - 5.8)	1,723
	Multiple races*	6.5	(5.6 - 7.6)	2,979	8.3	(6.6 - 10.3)	1,264	5.0	(4.1 - 6.2)	1,701

Maryland High School Survey Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	59.2	(58.5 - 59.9)	52,025	59.9	(59.1 - 60.8)	24,965	58.3	(57.4 - 59.2)	26,693
Age										
	15 or younger	58.7	(57.7 - 59.6)	26,021	59.2	(58.0 - 60.5)	12,311	57.8	(56.6 - 59.1)	13,532
	16 or 17	60.0	(59.1 - 60.8)	24,062	61.0	(59.9 - 62.0)	11,551	58.9	(57.7 - 60.1)	12,391
	18 or older	56.6	(53.7 - 59.4)	1,858	56.7	(53.0 - 60.4)	1,076	55.9	(51.7 - 60.1)	763
Grade										
	9th	58.4	(57.1 - 59.7)	14,481	58.9	(57.2 - 60.6)	6,970	57.7	(55.9 - 59.6)	7,441
	10th	58.8	(57.4 - 60.1)	13,163	59.2	(57.3 - 61.1)	6,376	58.1	(56.6 - 59.7)	6,716
	11th	59.3	(58.2 - 60.4)	12,682	60.4	(59.0 - 61.8)	6,042	58.2	(56.7 - 59.7)	6,591
	12th	60.6	(59.3 - 61.9)	11,021	61.7	(60.1 - 63.2)	5,254	59.5	(57.7 - 61.2)	5,726
Race/E	thnicity									
	Black*	49.1	(47.9 - 50.3)	11,072	51.3	(49.6 - 53.0)	5,108	47.1	(45.6 - 48.6)	5,934
	Hispanic/Latino	55.6	(53.9 - 57.2)	5,598	57.9	(55.6 - 60.2)	2,689	53.2	(51.0 - 55.4)	2,851
	White*	65.5	(64.6 - 66.3)	27,245	64.5	(63.4 - 65.5)	13,341	66.4	(65.3 - 67.6)	13,837
	All other races*	71.1	(69.6 - 72.7)	3,561	71.6	(68.8 - 74.2)	1,806	70.4	(68.1 - 72.6)	1,723
	Multiple races*	62.5	(60.5 - 64.5)	2,979	62.0	(58.9 - 65.0)	1,264	62.8	(60.2 - 65.3)	1,701

Maryland High School Survey Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	25.8	(25.3 - 26.3)	52,025	27.3	(26.7 - 27.9)	24,965	24.1	(23.4 - 24.8)	26,693
Age										
	15 or younger	25.4	(24.6 - 26.1)	26,021	27.2	(26.2 - 28.2)	12,311	23.3	(22.4 - 24.2)	13,532
	16 or 17	25.9	(25.2 - 26.6)	24,062	27.2	(26.3 - 28.1)	11,551	24.6	(23.6 - 25.7)	12,391
	18 or older	28.5	(26.2 - 30.9)	1,858	28.8	(25.7 - 32.2)	1,076	28.0	(24.3 - 32.1)	763
Grade										
	9th	26.0	(24.9 - 27.1)	14,481	28.1	(26.7 - 29.5)	6,970	23.7	(22.3 - 25.1)	7,441
	10th	25.0	(23.9 - 26.2)	13,163	26.4	(24.9 - 28.0)	6,376	23.3	(22.0 - 24.6)	6,716
	11th	24.8	(23.9 - 25.7)	12,682	25.3	(24.1 - 26.5)	6,042	24.2	(22.9 - 25.5)	6,591
	12th	27.1	(26.0 - 28.2)	11,021	29.0	(27.4 - 30.7)	5,254	25.1	(23.6 - 26.7)	5,726
Race/E	thnicity									
	Black*	20.5	(19.6 - 21.3)	11,072	23.5	(22.3 - 24.8)	5,108	17.6	(16.5 - 18.7)	5,934
	Hispanic/Latino	25.6	(24.1 - 27.1)	5,598	27.3	(25.1 - 29.6)	2,689	23.7	(21.5 - 26.0)	2,851
	White*	27.5	(26.8 - 28.2)	27,245	27.7	(26.7 - 28.6)	13,341	27.3	(26.3 - 28.3)	13,837
	All other races*	36.1	(34.4 - 37.8)	3,561	37.4	(35.0 - 39.8)	1,806	34.3	(32.0 - 36.8)	1,723
	Multiple races*	27.3	(25.3 - 29.4)	2,979	29.8	(26.5 - 33.3)	1,264	25.2	(22.9 - 27.7)	1,701

Maryland High School Survey Summary Tables - Weighted Data

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.4	(13.0 - 13.7)	52,025	14.8	(14.3 - 15.3)	24,965	11.8	(11.2 - 12.3)	26,693
Age										
	15 or younger	13.3	(12.7 - 13.9)	26,021	15.0	(14.2 - 15.8)	12,311	11.4	(10.7 - 12.1)	13,532
	16 or 17	13.2	(12.7 - 13.8)	24,062	14.4	(13.6 - 15.2)	11,551	12.0	(11.3 - 12.7)	12,391
	18 or older	15.4	(13.6 - 17.3)	1,858	15.9	(13.7 - 18.4)	1,076	14.6	(11.5 - 18.3)	763
Grade										
	9th	13.8	(12.9 - 14.6)	14,481	15.6	(14.5 - 16.8)	6,970	11.7	(10.7 - 12.9)	7,441
	10th	13.1	(12.2 - 13.9)	13,163	14.8	(13.7 - 16.0)	6,376	11.1	(10.1 - 12.2)	6,716
	11th	12.4	(11.8 - 13.1)	12,682	13.1	(12.2 - 14.2)	6,042	11.6	(10.8 - 12.5)	6,591
	12th	13.8	(12.9 - 14.7)	11,021	15.1	(13.9 - 16.4)	5,254	12.4	(11.3 - 13.6)	5,726
Race/E	Cthnicity									
	Black*	11.6	(10.9 - 12.3)	11,072	13.9	(12.9 - 15.1)	5,108	9.4	(8.6 - 10.2)	5,934
	Hispanic/Latino	13.9	(12.8 - 15.1)	5,598	16.1	(14.6 - 17.9)	2,689	11.7	(9.9 - 13.9)	2,851
	White*	12.9	(12.3 - 13.4)	27,245	13.4	(12.7 - 14.2)	13,341	12.2	(11.5 - 13.0)	13,837
	All other races*	20.0	(18.4 - 21.7)	3,561	20.5	(18.4 - 22.8)	1,806	19.1	(16.5 - 21.9)	1,723
	Multiple races*	14.7	(13.1 - 16.4)	2,979	16.6	(13.9 - 19.7)	1,264	13.2	(11.5 - 15.0)	1,701

Note: 3,571 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	29.0	(28.5 - 29.6)	52,807	27.0	(26.2 - 27.9)	25,435	30.9	(30.1 - 31.7)	26,956
Age										
	15 or younger	28.4	(27.5 - 29.3)	26,418	26.5	(25.4 - 27.6)	12,553	30.1	(28.9 - 31.3)	13,661
	16 or 17	29.7	(28.9 - 30.5)	24,388	27.5	(26.4 - 28.7)	11,751	31.8	(30.7 - 32.9)	12,505
	18 or older	28.8	(26.5 - 31.2)	1,905	28.1	(25.2 - 31.1)	1,102	29.5	(26.0 - 33.4)	782
Grade										
	9th	27.9	(26.8 - 29.0)	14,701	26.9	(25.5 - 28.4)	7,122	28.8	(27.3 - 30.3)	7,505
	10th	28.5	(27.3 - 29.8)	13,353	26.1	(24.6 - 27.6)	6,483	30.9	(29.3 - 32.6)	6,795
	11th	30.0	(28.8 - 31.1)	12,845	28.3	(26.7 - 29.9)	6,149	31.6	(30.1 - 33.1)	6,640
	12th	29.5	(28.3 - 30.8)	11,168	26.6	(25.1 - 28.1)	5,341	32.3	(30.5 - 34.3)	5,781
Race/E	thnicity									
	Black*	28.1	(27.0 - 29.3)	11,264	29.6	(28.1 - 31.2)	5,237	26.7	(25.3 - 28.1)	5,996
	Hispanic/Latino	26.5	(24.9 - 28.1)	5,725	25.3	(23.2 - 27.5)	2,757	27.5	(25.4 - 29.7)	2,904
	White*	28.9	(28.2 - 29.6)	27,517	24.4	(23.2 - 25.7)	13,511	33.4	(32.4 - 34.5)	13,935
	All other races*	37.7	(34.8 - 40.7)	3,621	33.1	(29.5 - 36.9)	1,837	42.9	(39.6 - 46.3)	1,749
	Multiple races*	27.6	(25.9 - 29.4)	3,014	25.2	(22.6 - 28.0)	1,286	29.4	(27.2 - 31.8)	1,711

Maryland High School Survey Summary Tables - Weighted Data

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
То	otal	16.6	(16.1 - 17.1)	52,807	19.1	(18.4 - 19.7)	25,435	14.2	(13.5 - 14.9)	26,956
Age										
15	or younger	16.0	(15.3 - 16.7)	26,418	18.1	(17.1 - 19.1)	12,553	13.9	(12.9 - 15.0)	13,661
16	5 or 17	16.8	(16.2 - 17.4)	24,388	19.8	(18.9 - 20.7)	11,751	13.9	(13.2 - 14.8)	12,505
18	3 or older	22.0	(19.8 - 24.3)	1,905	22.0	(19.3 - 25.0)	1,102	21.4	(18.2 - 25.1)	782
Grade										
9tl	h	16.4	(15.4 - 17.4)	14,701	17.9	(16.6 - 19.2)	7,122	14.9	(13.7 - 16.2)	7,505
10)th	16.4	(15.5 - 17.3)	13,353	19.1	(17.9 - 20.4)	6,483	13.5	(12.3 - 14.8)	6,795
11	th	16.3	(15.5 - 17.3)	12,845	18.9	(17.7 - 20.2)	6,149	13.7	(12.6 - 14.8)	6,640
12	2th	17.2	(16.2 - 18.2)	11,168	20.2	(18.8 - 21.7)	5,341	14.2	(13.1 - 15.4)	5,781
Race/Ethnic	city									
Bl	lack*	17.9	(16.8 - 19.0)	11,264	18.6	(17.2 - 20.1)	5,237	17.1	(15.7 - 18.6)	5,996
Hi	ispanic/Latino	16.3	(14.9 - 17.8)	5,725	18.4	(16.5 - 20.5)	2,757	14.3	(12.1 - 16.8)	2,904
W	hite*	16.8	(16.2 - 17.5)	27,517	20.8	(19.9 - 21.6)	13,511	12.8	(12.0 - 13.6)	13,935
Al	ll other races*	9.6	(8.5 - 10.8)	3,621	11.1	(9.8 - 12.6)	1,837	7.6	(6.1 - 9.5)	1,749
M	ultiple races*	17.3	(15.7 - 19.1)	3,014	21.1	(18.7 - 23.8)	1,286	14.2	(12.4 - 16.2)	1,711

Maryland High School Survey Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
То	tal	11.0	(10.6 - 11.4)	52,807	12.5	(11.9 - 13.1)	25,435	9.5	(9.0 - 10.0)	26,956
Age										
15	or younger	10.5	(9.9 - 11.2)	26,418	11.7	(10.9 - 12.6)	12,553	9.3	(8.6 - 10.2)	13,661
16	or 17	11.1	(10.6 - 11.7)	24,388	13.1	(12.3 - 13.9)	11,751	9.3	(8.7 - 10.0)	12,505
18	or older	14.7	(12.9 - 16.7)	1,905	14.8	(12.6 - 17.4)	1,102	14.5	(11.8 - 17.6)	782
Grade										
9th	1	11.0	(10.2 - 11.9)	14,701	11.7	(10.7 - 12.8)	7,122	10.3	(9.3 - 11.4)	7,505
10	th	10.8	(10.0 - 11.5)	13,353	12.7	(11.7 - 13.8)	6,483	8.8	(8.0 - 9.8)	6,795
111	th	10.8	(10.0 - 11.6)	12,845	12.3	(11.3 - 13.4)	6,149	9.2	(8.3 - 10.2)	6,640
121	th	11.2	(10.5 - 12.1)	11,168	13.3	(12.1 - 14.5)	5,341	9.3	(8.4 - 10.3)	5,781
Race/Ethnic	eity									
Bla	ack*	13.0	(12.1 - 14.0)	11,264	13.3	(12.0 - 14.6)	5,237	12.8	(11.6 - 14.0)	5,996
His	spanic/Latino	10.8	(9.8 - 11.8)	5,725	12.5	(11.0 - 14.2)	2,757	9.2	(7.7 - 11.0)	2,904
WI	hite*	10.3	(9.7 - 10.9)	27,517	12.8	(12.1 - 13.6)	13,511	7.8	(7.1 - 8.5)	13,935
All	l other races*	5.7	(4.8 - 6.7)	3,621	6.7	(5.6 - 8.1)	1,837	4.2	(3.0 - 5.8)	1,749
Mι	ultiple races*	11.8	(10.4 - 13.4)	3,014	14.4	(12.0 - 17.0)	1,286	9.8	(8.4 - 11.5)	1,711

Maryland High School Survey Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Т	- Total	6.5	(6.2 - 6.9)	52,807	7.5	(7.0 - 8.0)	25,435	5.6	(5.1 - 6.0)	26,956
Age										
1	5 or younger	6.3	(5.9 - 6.8)	26,418	7.0	(6.3 - 7.7)	12,553	5.7	(5.1 - 6.3)	13,661
1	6 or 17	6.4	(6.0 - 6.9)	24,388	7.8	(7.2 - 8.5)	11,751	5.1	(4.6 - 5.7)	12,505
1	8 or older	10.4	(8.8 - 12.2)	1,905	10.4	(8.5 - 12.8)	1,102	10.4	(8.0 - 13.3)	782
Grade										
9	eth	6.8	(6.1 - 7.5)	14,701	7.3	(6.4 - 8.3)	7,122	6.3	(5.5 - 7.2)	7,505
1	Oth	6.7	(6.1 - 7.2)	13,353	7.9	(7.1 - 8.8)	6,483	5.5	(4.8 - 6.2)	6,795
1	1th	5.9	(5.4 - 6.5)	12,845	7.0	(6.2 - 7.9)	6,149	4.8	(4.2 - 5.6)	6,640
1	2th	6.5	(5.9 - 7.1)	11,168	7.7	(6.9 - 8.6)	5,341	5.3	(4.6 - 6.1)	5,781
Race/Ethn	icity									
Е	Black*	8.3	(7.6 - 9.0)	11,264	8.7	(7.7 - 9.8)	5,237	7.8	(7.0 - 8.7)	5,996
F	Hispanic/Latino	7.0	(6.3 - 7.8)	5,725	8.5	(7.3 - 10.0)	2,757	5.6	(4.3 - 7.2)	2,904
V	Vhite*	5.5	(5.1 - 5.9)	27,517	6.8	(6.2 - 7.4)	13,511	4.2	(3.8 - 4.7)	13,935
A	All other races*	3.6	(2.9 - 4.5)	3,621	4.2	(3.2 - 5.4)	1,837	2.6	(1.7 - 3.9)	1,749
N	Multiple races*	6.9	(5.9 - 8.1)	3,014	8.8	(7.2 - 10.7)	1,286	5.4	(4.3 - 6.7)	1,711

Maryland High School Survey Summary Tables - Weighted Data

QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	36.9	(36.1 - 37.7)	52,628	44.0	(42.8 - 45.2)	25,374	30.1	(29.3 - 30.9)	26,839	
Age											
	15 or younger	39.6	(38.6 - 40.7)	26,303	46.7	(45.4 - 48.1)	12,512	33.0	(31.7 - 34.3)	13,584	
	16 or 17	34.5	(33.6 - 35.5)	24,335	41.9	(40.4 - 43.5)	11,735	27.5	(26.5 - 28.4)	12,469	
	18 or older	32.3	(29.8 - 35.0)	1,898	37.0	(33.6 - 40.6)	1,100	25.8	(22.5 - 29.3)	778	
Grade											
	9th	41.3	(39.9 - 42.7)	14,612	48.3	(46.6 - 49.9)	7,091	34.2	(32.2 - 36.2)	7,447	
	10th	37.4	(35.9 - 39.0)	13,307	44.2	(42.2 - 46.3)	6,465	30.8	(29.2 - 32.4)	6,766	
	11th	34.4	(33.4 - 35.4)	12,827	41.2	(39.6 - 42.8)	6,145	28.0	(26.8 - 29.3)	6,626	
	12th	34.1	(32.9 - 35.4)	11,144	41.7	(39.6 - 43.7)	5,334	27.0	(25.7 - 28.3)	5,764	
Race/E	thnicity										
	Black*	32.9	(31.7 - 34.0)	11,219	40.4	(38.6 - 42.3)	5,231	25.7	(24.2 - 27.2)	5,957	
	Hispanic/Latino	29.5	(27.2 - 31.9)	5,716	36.6	(33.3 - 40.1)	2,765	22.5	(20.5 - 24.8)	2,885	
	White*	43.3	(42.3 - 44.2)	27,434	49.9	(48.6 - 51.2)	13,469	36.5	(35.5 - 37.6)	13,893	
	All other races*	31.7	(29.3 - 34.1)	3,602	38.1	(35.1 - 41.3)	1,827	24.6	(21.8 - 27.6)	1,742	
	Multiple races*	39.6	(37.6 - 41.6)	3,008	49.3	(46.4 - 52.1)	1,286	32.2	(29.6 - 34.9)	1,705	

Note: 2,968 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	19.8	(19.2 - 20.4)	52,628	16.6	(16.0 - 17.3)	25,374	22.8	(22.1 - 23.6)	26,839
Age										
	15 or younger	17.7	(16.9 - 18.5)	26,303	15.0	(14.0 - 16.0)	12,512	20.2	(19.3 - 21.2)	13,584
	16 or 17	21.4	(20.7 - 22.2)	24,335	17.8	(16.9 - 18.7)	11,735	25.0	(24.0 - 26.0)	12,469
	18 or older	24.8	(22.6 - 27.1)	1,898	21.9	(19.2 - 24.8)	1,100	29.4	(25.9 - 33.0)	778
Grade										
	9th	17.3	(16.2 - 18.4)	14,612	15.4	(14.1 - 16.9)	7,091	19.0	(17.7 - 20.4)	7,447
	10th	19.1	(18.1 - 20.1)	13,307	15.5	(14.3 - 16.9)	6,465	22.6	(21.4 - 23.8)	6,766
	11th	21.0	(20.1 - 21.9)	12,827	18.3	(17.1 - 19.5)	6,145	23.6	(22.5 - 24.9)	6,626
	12th	21.8	(20.8 - 22.9)	11,144	17.2	(16.0 - 18.5)	5,334	26.3	(24.8 - 27.8)	5,764
Race/Et	thnicity									
	Black*	24.7	(23.6 - 25.9)	11,219	20.9	(19.6 - 22.3)	5,231	28.3	(26.8 - 29.9)	5,957
	Hispanic/Latino	23.1	(21.5 - 24.8)	5,716	18.6	(16.7 - 20.6)	2,765	27.6	(25.5 - 29.9)	2,885
	White*	14.7	(14.1 - 15.3)	27,434	12.6	(11.8 - 13.4)	13,469	16.8	(16.1 - 17.6)	13,893
	All other races*	21.6	(20.0 - 23.2)	3,602	17.7	(15.5 - 20.3)	1,827	25.9	(23.3 - 28.6)	1,742
	Multiple races*	18.6	(17.0 - 20.3)	3,008	15.8	(13.6 - 18.1)	1,286	20.8	(18.6 - 23.1)	1,705

Maryland High School Survey Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	19.5	(19.0 - 20.0)	52,628	25.0	(24.2 - 25.9)	25,374	14.1	(13.6 - 14.7)	26,839
Age										
	15 or younger	21.1	(20.4 - 21.8)	26,303	26.6	(25.6 - 27.7)	12,512	15.8	(15.0 - 16.7)	13,584
	16 or 17	18.1	(17.5 - 18.8)	24,335	23.9	(22.8 - 25.1)	11,735	12.6	(11.9 - 13.3)	12,469
	18 or older	17.0	(15.1 - 19.0)	1,898	20.0	(17.6 - 22.7)	1,100	12.6	(10.2 - 15.5)	778
Grade										
	9th	22.0	(21.1 - 23.1)	14,612	27.7	(26.4 - 29.0)	7,091	16.2	(15.1 - 17.5)	7,447
	10th	20.0	(18.9 - 21.1)	13,307	25.3	(23.6 - 27.1)	6,465	14.7	(13.6 - 15.9)	6,766
	11th	17.7	(16.9 - 18.6)	12,827	22.9	(21.6 - 24.3)	6,145	12.8	(11.8 - 13.8)	6,626
	12th	18.0	(17.0 - 19.0)	11,144	23.8	(22.2 - 25.4)	5,334	12.5	(11.5 - 13.5)	5,764
Race/Eth	nicity									
	Black*	18.1	(17.3 - 18.9)	11,219	23.7	(22.3 - 25.1)	5,231	12.7	(11.8 - 13.7)	5,957
	Hispanic/Latino	15.4	(13.9 - 17.0)	5,716	21.0	(18.3 - 23.9)	2,765	10.1	(8.9 - 11.5)	2,885
	White*	22.7	(22.0 - 23.4)	27,434	28.4	(27.3 - 29.5)	13,469	16.9	(16.1 - 17.7)	13,893
	All other races*	14.8	(13.2 - 16.5)	3,602	18.6	(16.4 - 20.9)	1,827	10.7	(8.7 - 13.1)	1,742
	Multiple races*	21.4	(19.7 - 23.2)	3,008	28.9	(26.1 - 32.0)	1,286	15.7	(13.8 - 17.8)	1,705

Maryland High School Survey Summary Tables - Weighted Data

QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	26.7	(26.0 - 27.5)	52,339	26.4	(25.4 - 27.3)	25,175	27.1	(26.3 - 28.0)	26,753
Age										
	15 or younger	27.3	(26.2 - 28.4)	26,134	27.1	(25.7 - 28.5)	12,401	27.5	(26.3 - 28.7)	13,530
	16 or 17	26.0	(25.1 - 26.9)	24,217	25.3	(24.2 - 26.5)	11,644	26.6	(25.5 - 27.7)	12,445
	18 or older	29.7	(26.9 - 32.7)	1,892	29.1	(25.7 - 32.7)	1,101	30.4	(26.5 - 34.7)	770
Grade										
	9th	27.2	(26.0 - 28.5)	14,506	26.6	(25.1 - 28.1)	7,014	28.0	(26.4 - 29.6)	7,418
	10th	27.7	(26.1 - 29.4)	13,242	27.5	(25.4 - 29.7)	6,426	28.0	(26.4 - 29.7)	6,741
	11th	26.1	(24.9 - 27.2)	12,769	25.6	(24.1 - 27.1)	6,097	26.6	(25.1 - 28.1)	6,617
	12th	25.9	(24.5 - 27.3)	11,097	25.7	(23.9 - 27.6)	5,307	26.0	(24.4 - 27.7)	5,744
Race/E	thnicity									
	Black*	37.1	(35.8 - 38.3)	11,113	36.6	(34.8 - 38.4)	5,155	37.5	(35.9 - 39.1)	5,927
	Hispanic/Latino	27.3	(26.0 - 28.6)	5,656	27.4	(25.4 - 29.4)	2,727	27.4	(25.5 - 29.3)	2,864
	White*	20.9	(20.1 - 21.7)	27,346	20.9	(20.0 - 21.9)	13,409	20.9	(20.0 - 21.9)	13,867
	All other races*	14.9	(13.5 - 16.4)	3,596	14.2	(12.6 - 15.9)	1,818	15.3	(13.1 - 17.8)	1,744
	Multiple races*	27.0	(25.2 - 28.9)	2,992	25.0	(22.3 - 28.0)	1,278	28.5	(26.1 - 31.0)	1,698

Maryland High School Survey Summary Tables - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	38.3	(37.7 - 39.0)	52,644	38.9	(38.0 - 39.8)	25,359	37.9	(37.1 - 38.6)	26,882
Age										
	15 or younger	40.0	(39.1 - 40.8)	26,314	39.8	(38.6 - 41.1)	12,509	40.2	(39.2 - 41.3)	13,605
	16 or 17	37.1	(36.3 - 38.0)	24,341	38.5	(37.3 - 39.7)	11,722	35.8	(34.8 - 36.9)	12,491
	18 or older	33.9	(31.4 - 36.5)	1,900	35.1	(31.7 - 38.6)	1,102	32.1	(28.4 - 36.0)	778
Grade										
	9th	39.9	(38.6 - 41.1)	14,625	39.4	(37.7 - 41.1)	7,087	40.4	(38.8 - 41.9)	7,466
	10th	39.7	(38.4 - 40.9)	13,301	39.5	(37.8 - 41.3)	6,461	39.9	(38.4 - 41.4)	6,767
	11th	37.0	(35.8 - 38.1)	12,831	38.3	(36.6 - 40.0)	6,133	35.8	(34.3 - 37.2)	6,644
	12th	36.8	(35.5 - 38.0)	11,150	38.6	(37.0 - 40.3)	5,336	34.9	(33.4 - 36.5)	5,769
Race/Et	hnicity									
	Black*	40.2	(39.0 - 41.5)	11,203	39.3	(37.4 - 41.2)	5,218	41.1	(39.6 - 42.6)	5,956
	Hispanic/Latino	40.1	(38.5 - 41.7)	5,701	40.0	(37.7 - 42.3)	2,752	40.5	(38.5 - 42.5)	2,885
	White*	36.2	(35.3 - 37.1)	27,467	38.1	(37.0 - 39.3)	13,475	34.1	(33.0 - 35.2)	13,921
	All other races*	41.1	(38.7 - 43.5)	3,620	41.0	(38.1 - 44.0)	1,833	41.2	(37.9 - 44.5)	1,754
	Multiple races*	42.8	(40.8 - 44.8)	3,003	43.3	(40.1 - 46.6)	1,280	42.3	(39.8 - 44.8)	1,706

Maryland High School Survey Summary Tables - Weighted Data

QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	37.6	(36.4 - 38.8)	52,241	44.3	(42.9 - 45.8)	25,113	30.6	(29.2 - 32.0)	26,741
Age										
	15 or younger	46.9	(45.0 - 48.8)	26,071	51.4	(49.3 - 53.5)	12,372	42.2	(40.0 - 44.4)	13,516
	16 or 17	28.1	(27.0 - 29.3)	24,198	37.2	(35.6 - 38.8)	11,625	19.2	(18.1 - 20.5)	12,447
	18 or older	37.3	(34.6 - 40.2)	1,880	43.5	(39.9 - 47.1)	1,089	27.6	(23.8 - 31.7)	770
Grade										
	9th	59.6	(57.1 - 62.0)	14,456	60.9	(58.2 - 63.6)	6,995	58.1	(55.3 - 60.9)	7,392
	10th	31.8	(30.2 - 33.6)	13,221	39.6	(37.2 - 42.1)	6,407	24.0	(22.3 - 25.7)	6,744
	11th	26.3	(24.8 - 27.8)	12,763	33.9	(32.1 - 35.8)	6,088	18.7	(17.0 - 20.5)	6,626
	12th	29.0	(27.4 - 30.6)	11,085	39.5	(37.4 - 41.6)	5,294	18.7	(17.1 - 20.4)	5,750
Race/E	hnicity									
	Black*	37.5	(35.5 - 39.4)	11,092	45.1	(42.9 - 47.4)	5,150	30.2	(28.1 - 32.4)	5,915
	Hispanic/Latino	41.2	(38.4 - 44.1)	5,633	47.0	(43.9 - 50.1)	2,720	35.5	(31.9 - 39.3)	2,854
	White*	36.3	(35.0 - 37.6)	27,335	43.1	(41.5 - 44.7)	13,381	29.4	(27.8 - 31.0)	13,886
	All other races*	35.6	(33.3 - 38.1)	3,599	41.0	(37.6 - 44.5)	1,816	29.2	(26.8 - 31.7)	1,750
	Multiple races*	37.3	(34.9 - 39.7)	2,971	47.4	(43.6 - 51.2)	1,267	29.2	(26.7 - 31.7)	1,689

Maryland High School Survey Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.6	(14.5 - 16.8)	52,241	18.7	(17.3 - 20.2)	25,113	12.6	(11.6 - 13.8)	26,741
Age										
	15 or younger	20.5	(18.6 - 22.5)	26,071	22.5	(20.4 - 24.9)	12,372	18.6	(16.7 - 20.6)	13,516
	16 or 17	11.0	(10.2 - 11.8)	24,198	15.3	(14.1 - 16.6)	11,625	6.9	(6.2 - 7.7)	12,447
	18 or older	11.9	(9.9 - 14.1)	1,880	13.9	(11.3 - 16.9)	1,089	8.9	(6.6 - 11.8)	770
Grade										
	9th	27.4	(24.5 - 30.5)	14,456	27.9	(24.9 - 31.2)	6,995	27.0	(23.8 - 30.4)	7,392
	10th	12.0	(10.7 - 13.4)	13,221	15.4	(13.6 - 17.4)	6,407	8.7	(7.5 - 9.9)	6,744
	11th	9.9	(9.0 - 10.9)	12,763	13.0	(11.7 - 14.4)	6,088	7.0	(5.9 - 8.2)	6,626
	12th	11.6	(10.6 - 12.8)	11,085	16.9	(15.2 - 18.7)	5,294	6.6	(5.9 - 7.5)	5,750
Race/E	thnicity									
	Black*	12.2	(11.0 - 13.7)	11,092	14.4	(12.6 - 16.4)	5,150	10.2	(8.9 - 11.6)	5,915
	Hispanic/Latino	16.4	(13.4 - 20.0)	5,633	18.7	(15.2 - 22.8)	2,720	14.2	(11.2 - 17.9)	2,854
	White*	17.7	(16.4 - 19.0)	27,335	21.5	(19.9 - 23.2)	13,381	13.7	(12.4 - 15.2)	13,886
	All other races*	17.9	(15.4 - 20.6)	3,599	20.6	(17.7 - 23.9)	1,816	14.7	(12.2 - 17.5)	1,750
	Multiple races*	15.8	(14.2 - 17.5)	2,971	20.5	(18.0 - 23.3)	1,267	12.2	(10.4 - 14.2)	1,689

Maryland High School Survey Summary Tables - Weighted Data

QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.6	(13.0 - 14.2)	51,253	14.2	(13.4 - 14.9)	24,568	12.9	(12.2 - 13.6)	26,354
Age										
	15 or younger	10.4	(9.8 - 11.0)	25,594	11.5	(10.6 - 12.4)	12,129	9.2	(8.5 - 9.9)	13,311
	16 or 17	15.8	(15.1 - 16.7)	23,759	15.8	(14.8 - 16.9)	11,361	15.8	(14.9 - 16.7)	12,286
	18 or older	25.0	(22.4 - 27.9)	1,820	24.0	(20.9 - 27.3)	1,052	26.2	(22.1 - 30.8)	751
Grade										
	9th	10.2	(9.4 - 11.0)	14,216	11.3	(10.2 - 12.4)	6,871	9.0	(7.9 - 10.2)	7,283
	10th	11.9	(10.9 - 13.0)	12,987	13.2	(11.9 - 14.6)	6,272	10.4	(9.2 - 11.6)	6,653
	11th	14.7	(13.7 - 15.7)	12,558	15.0	(13.7 - 16.3)	5,973	14.4	(13.2 - 15.6)	6,538
	12th	17.7	(16.5 - 19.0)	10,851	17.3	(15.7 - 19.0)	5,148	18.1	(16.6 - 19.7)	5,669
Race/Eth	nnicity									
	Black*	18.4	(17.3 - 19.5)	10,813	19.5	(18.3 - 20.9)	4,993	17.2	(15.8 - 18.8)	5,793
	Hispanic/Latino	16.0	(14.7 - 17.4)	5,469	16.6	(14.8 - 18.5)	2,632	15.3	(13.8 - 17.0)	2,785
	White*	9.7	(9.0 - 10.5)	27,040	10.0	(9.2 - 10.9)	13,210	9.4	(8.6 - 10.3)	13,764
	All other races*	8.7	(7.5 - 10.1)	3,510	9.0	(7.5 - 10.8)	1,772	8.0	(6.4 - 9.8)	1,709
	Multiple races*	13.8	(12.2 - 15.5)	2,922	14.5	(12.3 - 17.1)	1,236	13.2	(11.3 - 15.3)	1,669

Maryland High School Survey Summary Tables - Weighted Data

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	76.1	(75.4 - 76.9)	52,370	75.2	(74.3 - 76.0)	25,196	77.5	(76.6 - 78.4)	26,784
Age										
	15 or younger	77.9	(77.1 - 78.7)	26,143	77.1	(76.1 - 78.2)	12,421	79.1	(78.1 - 80.1)	13,536
	16 or 17	75.7	(74.7 - 76.7)	24,252	74.5	(73.3 - 75.6)	11,656	77.1	(75.9 - 78.3)	12,468
	18 or older	61.7	(58.7 - 64.5)	1,885	63.0	(59.6 - 66.3)	1,093	60.2	(55.6 - 64.5)	774
Grade										
	9th	77.5	(76.4 - 78.6)	14,515	76.2	(74.7 - 77.6)	7,034	79.1	(77.7 - 80.3)	7,411
	10th	76.5	(75.4 - 77.7)	13,247	75.6	(74.0 - 77.2)	6,424	77.7	(76.0 - 79.3)	6,756
	11th	76.3	(75.2 - 77.3)	12,794	75.1	(73.5 - 76.6)	6,112	77.8	(76.3 - 79.2)	6,625
	12th	74.9	(73.5 - 76.3)	11,104	74.3	(72.6 - 75.9)	5,299	75.8	(74.1 - 77.4)	5,763
Race/E	thnicity									
	Black*	69.7	(68.6 - 70.7)	11,124	68.9	(67.4 - 70.3)	5,166	70.4	(68.9 - 71.9)	5,928
	Hispanic/Latino	72.0	(70.4 - 73.6)	5,659	69.7	(67.6 - 71.8)	2,732	74.8	(72.5 - 76.9)	2,866
	White*	83.2	(82.5 - 83.8)	27,406	82.0	(81.2 - 82.8)	13,439	84.4	(83.4 - 85.3)	13,898
	All other races*	76.0	(73.8 - 78.1)	3,590	74.9	(71.6 - 77.9)	1,819	77.5	(75.1 - 79.8)	1,742
	Multiple races*	76.0	(74.2 - 77.8)	2,984	76.4	(73.4 - 79.2)	1,269	75.7	(73.5 - 77.8)	1,698

Maryland High School Survey Summary Tables - Weighted Data

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	26.3	(25.8 - 26.9)	51,617	27.4	(26.6 - 28.2)	24,762	25.2	(24.5 - 25.9)	26,517
Age										
	15 or younger	26.7	(25.9 - 27.6)	25,773	27.9	(26.8 - 29.0)	12,210	25.5	(24.5 - 26.5)	13,405
	16 or 17	26.1	(25.4 - 26.9)	23,919	27.2	(26.1 - 28.3)	11,459	25.0	(24.2 - 25.9)	12,345
	18 or older	24.2	(21.6 - 26.9)	1,846	24.8	(21.3 - 28.6)	1,067	23.1	(19.7 - 26.9)	762
Grade										
	9th	25.8	(24.8 - 26.8)	14,306	26.9	(25.5 - 28.3)	6,911	24.6	(23.3 - 26.0)	7,334
	10th	27.6	(26.7 - 28.6)	13,083	28.9	(27.4 - 30.5)	6,330	26.2	(24.9 - 27.6)	6,698
	11th	26.2	(25.1 - 27.3)	12,596	27.2	(25.5 - 28.9)	5,989	25.0	(23.9 - 26.2)	6,557
	12th	25.3	(24.3 - 26.4)	10,961	26.0	(24.5 - 27.5)	5,215	24.7	(23.4 - 26.0)	5,710
Race/E	thnicity									
	Black*	30.6	(29.5 - 31.8)	10,946	32.9	(31.2 - 34.7)	5,070	28.4	(27.1 - 29.7)	5,848
	Hispanic/Latino	27.2	(25.8 - 28.7)	5,527	28.0	(25.9 - 30.1)	2,648	26.6	(24.6 - 28.7)	2,821
	White*	23.1	(22.5 - 23.8)	27,148	23.5	(22.6 - 24.4)	13,275	22.8	(22.0 - 23.7)	13,807
	All other races*	21.3	(19.9 - 22.8)	3,535	23.6	(21.6 - 25.7)	1,782	18.8	(16.8 - 21.0)	1,723
	Multiple races*	30.1	(28.2 - 32.1)	2,945	32.0	(28.8 - 35.4)	1,247	28.8	(26.5 - 31.2)	1,681

Maryland High School Survey Summary Tables - Weighted Data

QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	23.8	(23.2 - 24.5)	52,135	25.7	(24.9 - 26.5)	25,072	22.1	(21.3 - 22.9)	26,662
Age										
	15 or younger	28.4	(27.6 - 29.2)	26,002	31.4	(30.4 - 32.4)	12,337	25.6	(24.6 - 26.7)	13,471
	16 or 17	19.6	(18.8 - 20.5)	24,152	20.6	(19.6 - 21.7)	11,613	18.7	(17.8 - 19.7)	12,413
	18 or older	19.0	(17.1 - 21.2)	1,889	19.4	(16.9 - 22.1)	1,096	18.6	(15.2 - 22.5)	772
Grade										
	9th	32.0	(31.0 - 33.0)	14,414	35.7	(34.4 - 37.0)	6,975	28.4	(26.9 - 29.9)	7,371
	10th	24.7	(23.8 - 25.6)	13,175	25.9	(24.6 - 27.3)	6,383	23.7	(22.6 - 24.8)	6,720
	11th	20.4	(19.5 - 21.4)	12,727	21.8	(20.5 - 23.2)	6,082	19.1	(17.9 - 20.5)	6,589
	12th	17.2	(16.2 - 18.3)	11,100	17.8	(16.3 - 19.4)	5,303	16.6	(15.4 - 17.9)	5,752
Race/E	thnicity									
	Black*	21.9	(20.9 - 22.9)	11,047	23.2	(21.6 - 24.8)	5,130	20.7	(19.5 - 22.1)	5,887
	Hispanic/Latino	23.8	(21.9 - 25.8)	5,618	25.1	(22.5 - 27.9)	2,707	22.6	(20.7 - 24.6)	2,848
	White*	26.6	(25.8 - 27.4)	27,302	28.8	(27.9 - 29.8)	13,373	24.3	(23.4 - 25.3)	13,862
	All other races*	18.1	(16.4 - 19.9)	3,581	20.9	(18.8 - 23.1)	1,818	14.9	(13.0 - 17.1)	1,728
	Multiple races*	21.4	(19.9 - 23.0)	2,969	22.6	(20.0 - 25.3)	1,263	20.6	(18.5 - 22.8)	1,689

Maryland High School Survey Summary Tables - Weighted Data

QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	75.7	(74.7 - 76.6)	51,480	71.7	(70.5 - 72.9)	24,774	79.9	(78.9 - 80.8)	26,314	
Age											
	15 or younger	76.0	(74.7 - 77.2)	25,631	72.1	(70.6 - 73.6)	12,177	80.1	(78.7 - 81.4)	13,267	
	16 or 17	76.3	(75.2 - 77.4)	23,911	72.0	(70.5 - 73.4)	11,494	80.7	(79.6 - 81.9)	12,288	
	18 or older	64.8	(61.7 - 67.9)	1,847	65.4	(61.5 - 69.0)	1,076	64.2	(59.8 - 68.4)	752	
Grade											
	9th	75.8	(74.2 - 77.4)	14,176	71.9	(69.9 - 73.8)	6,864	80.1	(78.3 - 81.9)	7,244	
	10th	74.0	(72.2 - 75.6)	13,006	69.9	(67.7 - 72.0)	6,306	78.1	(76.2 - 79.9)	6,634	
	11th	76.3	(74.8 - 77.7)	12,619	72.2	(70.4 - 73.9)	6,034	80.4	(78.7 - 82.1)	6,532	
	12th	77.5	(76.1 - 78.9)	10,957	73.6	(71.6 - 75.4)	5,237	81.5	(79.8 - 83.0)	5,676	
Race/E	thnicity										
	Black*	69.8	(68.2 - 71.2)	10,867	64.7	(62.6 - 66.7)	5,045	74.6	(72.9 - 76.3)	5,791	
	Hispanic/Latino	66.3	(64.2 - 68.3)	5,520	62.6	(60.1 - 64.9)	2,654	70.0	(67.4 - 72.5)	2,804	
	White*	81.8	(80.8 - 82.8)	27,029	78.1	(76.8 - 79.3)	13,269	85.8	(84.7 - 86.8)	13,693	
	All other races*	86.0	(84.1 - 87.8)	3,551	83.9	(81.3 - 86.2)	1,797	88.8	(86.8 - 90.5)	1,723	
	Multiple races*	76.8	(74.7 - 78.8)	2,911	71.7	(68.1 - 74.9)	1,235	81.1	(78.6 - 83.5)	1,659	

Maryland High School Survey Summary Tables - Weighted Data

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	66.4	(65.2 - 67.6)	54,954	68.1	(66.7 - 69.4)	26,801	65.0	(63.6 - 66.3)	27,801
Age										
	15 or younger	67.3	(66.0 - 68.5)	27,592	69.4	(68.0 - 70.8)	13,275	65.3	(63.7 - 67.0)	14,145
	16 or 17	66.8	(65.2 - 68.4)	25,264	68.1	(66.2 - 69.9)	12,312	65.7	(64.0 - 67.4)	12,830
	18 or older	53.2	(50.4 - 56.1)	2,020	55.7	(51.8 - 59.5)	1,186	49.6	(45.2 - 54.1)	817
Grade										
	9th	66.0	(64.2 - 67.8)	15,470	67.9	(65.8 - 69.9)	7,606	64.1	(61.9 - 66.3)	7,797
	10th	66.2	(64.7 - 67.7)	13,966	67.7	(66.0 - 69.3)	6,860	64.8	(62.8 - 66.8)	7,036
	11th	67.0	(65.2 - 68.7)	13,220	68.8	(67.0 - 70.6)	6,386	65.3	(63.1 - 67.5)	6,786
	12th	67.6	(65.8 - 69.3)	11,569	68.8	(66.3 - 71.3)	5,588	66.5	(64.7 - 68.3)	5,936
Race/E	thnicity									
	Black*	51.8	(50.2 - 53.3)	12,228	54.4	(52.4 - 56.4)	5,808	49.1	(47.3 - 51.0)	6,389
	Hispanic/Latino	53.4	(51.5 - 55.2)	6,044	53.3	(50.5 - 56.1)	2,945	53.4	(51.1 - 55.8)	3,039
	White*	82.3	(81.4 - 83.2)	28,132	83.1	(82.1 - 84.2)	13,936	81.6	(80.4 - 82.7)	14,125
	All other races*	71.6	(69.1 - 74.0)	3,734	71.7	(68.6 - 74.5)	1,914	71.8	(69.0 - 74.4)	1,786
	Multiple races*	63.0	(60.9 - 65.2)	3,164	66.7	(63.4 - 69.9)	1,367	60.4	(57.6 - 63.1)	1,780

Maryland High School Survey Summary Tables - Weighted Data

QN91: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.5	(5.2 - 5.8)	54,665	5.4	(5.0 - 5.8)	26,638	5.5	(5.2 - 5.9)	27,740
Age										
	15 or younger	4.7	(4.3 - 5.1)	27,452	4.2	(3.7 - 4.6)	13,206	5.0	(4.6 - 5.6)	14,116
	16 or 17	5.7	(5.3 - 6.0)	25,143	5.8	(5.3 - 6.3)	12,236	5.5	(5.0 - 6.0)	12,810
	18 or older	13.4	(11.7 - 15.3)	1,986	13.3	(11.1 - 15.9)	1,168	13.4	(11.0 - 16.2)	806
Grade										
	9th	4.6	(4.1 - 5.1)	15,434	4.3	(3.6 - 5.1)	7,582	4.8	(4.2 - 5.5)	7,794
	10th	5.1	(4.7 - 5.7)	13,895	5.0	(4.3 - 5.7)	6,823	5.3	(4.6 - 6.0)	7,021
	11th	5.3	(4.8 - 5.8)	13,153	5.3	(4.7 - 6.0)	6,340	5.2	(4.6 - 5.9)	6,774
	12th	6.4	(5.8 - 7.0)	11,492	6.4	(5.7 - 7.2)	5,540	6.3	(5.5 - 7.1)	5,918
Race/E	thnicity									
	Black*	5.5	(5.0 - 6.2)	12,178	5.5	(4.8 - 6.3)	5,765	5.5	(4.8 - 6.3)	6,384
	Hispanic/Latino	10.2	(9.2 - 11.3)	5,963	10.3	(8.6 - 12.3)	2,906	9.8	(8.6 - 11.2)	3,009
	White*	3.9	(3.6 - 4.2)	28,101	3.5	(3.1 - 3.9)	13,908	4.2	(3.8 - 4.7)	14,126
	All other races*	4.4	(3.6 - 5.3)	3,690	4.4	(3.5 - 5.7)	1,893	4.0	(3.1 - 5.2)	1,770
	Multiple races*	6.5	(5.6 - 7.6)	3,156	7.1	(5.6 - 9.0)	1,360	6.0	(4.8 - 7.5)	1,782

Maryland High School Survey Summary Tables - Weighted Data

QN92: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	otal	2.0	(1.9 - 2.2)	55,048	1.7	(1.5 - 1.9)	26,844	2.2	(2.0 - 2.5)	27,807
Age										
15	5 or younger	1.5	(1.4 - 1.7)	27,655	1.2	(1.0 - 1.5)	13,314	1.7	(1.5 - 2.0)	14,147
16	6 or 17	2.3	(2.1 - 2.6)	25,279	2.0	(1.7 - 2.3)	12,311	2.6	(2.2 - 3.0)	12,835
18	8 or older	4.5	(3.6 - 5.6)	2,026	4.6	(3.4 - 6.0)	1,190	4.5	(3.1 - 6.5)	817
Grade										
9t	:h	1.6	(1.4 - 1.8)	15,491	1.5	(1.2 - 1.8)	7,618	1.6	(1.3 - 2.0)	7,803
10	Oth	1.7	(1.4 - 1.9)	13,972	1.3	(1.0 - 1.6)	6,869	2.0	(1.6 - 2.4)	7,028
11	lth	2.2	(1.9 - 2.5)	13,244	1.9	(1.6 - 2.4)	6,391	2.4	(2.0 - 3.0)	6,796
12	2th	2.6	(2.3 - 3.0)	11,571	2.2	(1.8 - 2.8)	5,592	2.9	(2.4 - 3.4)	5,932
Race/Ethnic	city									
Bl	lack*	2.0	(1.8 - 2.3)	12,239	1.8	(1.5 - 2.3)	5,818	2.2	(1.9 - 2.7)	6,390
Hi	ispanic/Latino	2.5	(2.1 - 3.0)	6,048	2.4	(1.9 - 3.1)	2,951	2.4	(1.9 - 3.0)	3,030
W	/hite*	1.6	(1.4 - 1.8)	28,138	1.1	(0.9 - 1.3)	13,936	2.2	(1.9 - 2.5)	14,131
A	ll other races*	1.6	(1.1 - 2.2)	3,727	1.7	(1.1 - 2.5)	1,910	1.2	(0.7 - 2.0)	1,780
M	Iultiple races*	2.7	(2.1 - 3.6)	3,169	2.7	(1.8 - 3.8)	1,371	2.7	(2.0 - 3.8)	1,781

Maryland High School Survey Summary Tables - Weighted Data

QN93: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.0	(10.6 - 11.4)	52,948	10.8	(10.2 - 11.4)	25,800	11.1	(10.6 - 11.7)	26,847
Age										
	15 or younger	9.3	(8.8 - 9.8)	26,644	8.6	(7.9 - 9.2)	12,841	10.0	(9.3 - 10.7)	13,672
	16 or 17	12.4	(11.8 - 13.0)	24,318	12.7	(11.9 - 13.6)	11,808	12.0	(11.3 - 12.8)	12,402
	18 or older	15.1	(13.3 - 17.0)	1,903	15.1	(12.8 - 17.6)	1,124	15.0	(12.4 - 18.0)	766
Grade										
	9th	8.6	(7.9 - 9.3)	14,960	8.1	(7.3 - 9.1)	7,379	9.0	(8.1 - 9.9)	7,527
	10th	10.7	(10.0 - 11.5)	13,484	10.1	(9.3 - 11.0)	6,615	11.2	(10.3 - 12.2)	6,812
	11th	11.8	(11.2 - 12.4)	12,758	11.5	(10.5 - 12.5)	6,134	12.1	(11.1 - 13.1)	6,578
	12th	13.1	(12.3 - 14.0)	11,087	13.9	(12.7 - 15.2)	5,346	12.2	(11.2 - 13.4)	5,711
Race/Eth	nicity									
	Black*	8.8	(8.2 - 9.6)	11,693	8.0	(7.1 - 8.9)	5,542	9.7	(8.8 - 10.7)	6,123
	Hispanic/Latino	12.0	(11.1 - 12.9)	5,672	11.3	(9.9 - 12.9)	2,785	12.5	(11.3 - 13.9)	2,835
	White*	12.8	(12.2 - 13.3)	27,397	13.1	(12.4 - 13.9)	13,532	12.4	(11.7 - 13.2)	13,797
	All other races*	7.3	(6.1 - 8.7)	3,586	8.0	(6.4 - 9.8)	1,841	6.3	(5.0 - 8.0)	1,723
	Multiple races*	12.0	(10.6 - 13.5)	3,042	10.7	(9.0 - 12.7)	1,309	13.0	(11.1 - 15.1)	1,718

Maryland High School Survey Summary Tables - Weighted Data

QN94: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	tal	40.2	(39.1 - 41.4)	11,702	39.5	(38.1 - 41.0)	6,182	40.7	(39.0 - 42.4)	5,382
Age										
15	or younger	45.9	(44.1 - 47.6)	4,564	45.5	(43.1 - 47.8)	2,233	45.6	(42.8 - 48.4)	2,253
16	or 17	37.5	(36.0 - 39.1)	6,402	37.3	(35.3 - 39.5)	3,502	37.8	(35.5 - 40.1)	2,861
18	or older	30.6	(26.9 - 34.5)	714	29.3	(24.7 - 34.4)	439	33.1	(26.2 - 40.9)	266
Grade										
9th	ı	48.7	(45.9 - 51.5)	2,257	48.6	(44.8 - 52.3)	1,138	48.8	(44.4 - 53.2)	1,106
10t	th	42.3	(39.9 - 44.7)	2,720	42.0	(38.6 - 45.4)	1,410	42.2	(38.9 - 45.6)	1,286
11t	th	39.8	(37.6 - 42.0)	3,121	39.4	(36.6 - 42.2)	1,672	40.0	(36.9 - 43.1)	1,425
12t	th	33.8	(31.9 - 35.9)	3,314	32.8	(30.0 - 35.8)	1,826	34.8	(31.7 - 38.0)	1,469
Race/Ethnic	ity									
Bla	ack*	45.3	(43.0 - 47.6)	2,082	46.6	(43.4 - 49.8)	1,045	43.9	(40.0 - 47.9)	1,025
His	spanic/Latino	45.6	(42.2 - 49.1)	1,412	45.1	(40.5 - 49.8)	709	45.6	(40.3 - 51.1)	677
Wh	nite*	34.5	(32.9 - 36.2)	6,485	33.5	(31.4 - 35.5)	3,571	35.8	(33.6 - 38.0)	2,903
All	other races*	45.8	(40.9 - 50.8)	582	49.7	(43.1 - 56.2)	329	40.5	(33.0 - 48.4)	239
Mu	ıltiple races*	38.9	(34.9 - 42.9)	712	34.5	(28.7 - 40.7)	313	42.7	(37.2 - 48.4)	392

Maryland High School Survey Summary Tables - Weighted Data

QN95: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, little cigars, or flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.6	(11.1 - 12.0)	53,640	13.3	(12.7 - 13.9)	26,030	9.7	(9.1 - 10.2)	27,261
Age										
	15 or younger	8.3	(7.8 - 8.7)	27,057	8.9	(8.3 - 9.6)	12,974	7.3	(6.8 - 7.9)	13,909
	16 or 17	14.3	(13.7 - 14.9)	24,560	17.1	(16.2 - 18.0)	11,900	11.4	(10.7 - 12.2)	12,547
	18 or older	20.5	(18.5 - 22.6)	1,935	21.3	(18.6 - 24.3)	1,127	19.2	(16.4 - 22.4)	796
Grade										
	9th	7.0	(6.3 - 7.6)	15,167	7.4	(6.6 - 8.3)	7,433	6.4	(5.7 - 7.2)	7,668
	10th	10.0	(9.3 - 10.7)	13,664	11.2	(10.3 - 12.2)	6,691	8.6	(7.7 - 9.5)	6,912
	11th	12.7	(11.9 - 13.4)	12,882	15.1	(14.0 - 16.4)	6,198	10.2	(9.3 - 11.1)	6,635
	12th	17.0	(15.9 - 18.2)	11,214	20.6	(19.1 - 22.2)	5,367	13.4	(12.1 - 14.9)	5,810
Race/Et	chnicity									
	Black*	9.4	(8.7 - 10.0)	11,826	9.9	(9.1 - 10.9)	5,567	8.7	(7.9 - 9.6)	6,229
	Hispanic/Latino	12.8	(11.8 - 13.9)	5,809	13.6	(12.2 - 15.2)	2,822	11.9	(10.6 - 13.2)	2,932
	White*	13.0	(12.5 - 13.7)	27,633	16.1	(15.4 - 17.0)	13,635	9.8	(9.1 - 10.6)	13,931
	All other races*	7.6	(6.4 - 9.0)	3,664	8.1	(6.8 - 9.7)	1,876	6.8	(5.2 - 8.7)	1,755
	Multiple races*	12.5	(11.1 - 14.0)	3,078	13.6	(11.6 - 16.0)	1,317	11.5	(9.9 - 13.4)	1,745

Maryland High School Survey Summary Tables - Weighted Data

QN96: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

		Total		Male			Female			
	Percenta	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	3.5	(3.2 - 3.7)	54,877	4.1	(3.8 - 4.4)	26,698	2.7	(2.5 - 3.0)	27,748	
Age										
15 or your	nger 2.0	(1.8 - 2.2)	27,588	2.2	(1.9 - 2.5)	13,250	1.7	(1.5 - 2.0)	14,125	
16 or 17	4.4	(4.1 - 4.8)	25,168	5.4	(4.9 - 5.9)	12,237	3.5	(3.1 - 3.9)	12,795	
18 or olde	r 9.5	(8.3 - 10.9)	2,023	11.1	(9.3 - 13.2)	1,183	7.3	(5.8 - 9.1)	819	
Grade										
9th	1.5	(1.3 - 1.7)	15,426	1.8	(1.5 - 2.1)	7,569	1.1	(0.9 - 1.4)	7,785	
10th	2.8	(2.4 - 3.1)	13,942	3.3	(2.8 - 3.8)	6,840	2.2	(1.8 - 2.7)	7,022	
11th	3.6	(3.2 - 4.1)	13,188	4.5	(3.9 - 5.2)	6,359	2.7	(2.2 - 3.2)	6,770	
12th	6.0	(5.4 - 6.7)	11,536	7.2	(6.4 - 8.1)	5,564	4.7	(4.1 - 5.5)	5,921	
Race/Ethnicity										
Black*	1.1	(0.9 - 1.4)	12,154	1.5	(1.2 - 2.0)	5,754	0.7	(0.5 - 0.9)	6,367	
Hispanic/	Latino 4.1	(3.5 - 4.8)	6,000	5.1	(4.3 - 6.2)	2,920	2.9	(2.4 - 3.6)	3,014	
White*	5.2	(4.8 - 5.6)	28,062	5.9	(5.4 - 6.4)	13,871	4.5	(4.0 - 5.0)	14,118	
All other	races* 2.6	(2.0 - 3.2)	3,727	2.9	(2.2 - 3.8)	1,907	2.2	(1.4 - 3.3)	1,780	
Multiple r	aces* 4.2	(3.4 - 5.1)	3,151	5.3	(4.1 - 6.9)	1,360	3.1	(2.3 - 4.2)	1,773	

Maryland High School Survey Summary Tables - Weighted Data

QN97: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	41.0	(38.4 - 43.7)	2,774	42.8	(39.6 - 46.0)	1,815	37.8	(34.0 - 41.7)	884
15 or younger	38.1	(33.1 - 43.4)	910	39.3	(33.3 - 45.7)	567	35.0	(28.1 - 42.7)	304
16 or 17	36.4	(33.0 - 39.8)	1,410	37.8	(33.6 - 42.2)	959	33.8	(29.0 - 38.9)	431
18 or older	62.5	(57.0 - 67.7)	437	65.5	(58.9 - 71.5)	287	56.0	(46.2 - 65.3)	148
9th	34.9	(28.4 - 41.9)	442	34.2	(26.0 - 43.4)	279	36.8	(26.8 - 48.1)	153
10th	39.4	(33.9 - 45.1)	516	43.2	(37.1 - 49.4)	355	30.5	(21.3 - 41.5)	150
11th	38.6	(33.9 - 43.6)	628	38.4	(32.4 - 44.8)	426	38.6	(30.4 - 47.5)	191
12th	46.8	(42.9 - 50.8)	1,023	50.4	(45.6 - 55.1)	674	40.8	(35.0 - 46.9)	338
thnicity									
Black*	45.3	(40.1 - 50.6)	486	47.2	(40.9 - 53.5)	328	40.2	(31.9 - 49.1)	154
Hispanic/Latino	43.4	(37.5 - 49.6)	476	42.7	(35.3 - 50.5)	286	46.3	(37.4 - 55.4)	175
White*	37.1	(33.8 - 40.6)	1,318	38.5	(34.6 - 42.7)	901	34.3	(28.9 - 40.2)	414
All other races*	41.7	(34.0 - 49.8)	168	47.9	(37.9 - 58.1)	111	-	-	47
Multiple races*	38.3	(29.5 - 47.9)	146	-	-	93	-	-	51
	15 or younger 16 or 17 18 or older 9th 10th 11th 12th thnicity Black* Hispanic/Latino White* All other races*	Total 41.0 15 or younger 38.1 16 or 17 36.4 18 or older 62.5 9th 34.9 10th 39.4 11th 38.6 12th 46.8 thnicity Black* 45.3 Hispanic/Latino 43.4 White* 37.1 All other races* 41.7	Percentage 95% confidence interval Total 41.0 (38.4 - 43.7) 15 or younger 38.1 (33.1 - 43.4) 16 or 17 36.4 (33.0 - 39.8) 18 or older 62.5 (57.0 - 67.7) 9th 34.9 (28.4 - 41.9) 10th 39.4 (33.9 - 45.1) 11th 38.6 (33.9 - 43.6) 12th 46.8 (42.9 - 50.8) thnicity Black* 45.3 (40.1 - 50.6) Hispanic/Latino 43.4 (37.5 - 49.6) White* 37.1 (33.8 - 40.6) All other races* 41.7 (34.0 - 49.8)	Percentage 95% confidence interval N Total 41.0 (38.4 - 43.7) 2,774 15 or younger 38.1 (33.1 - 43.4) 910 16 or 17 36.4 (33.0 - 39.8) 1,410 18 or older 62.5 (57.0 - 67.7) 437 9th 34.9 (28.4 - 41.9) 442 10th 39.4 (33.9 - 45.1) 516 11th 38.6 (33.9 - 43.6) 628 12th 46.8 (42.9 - 50.8) 1,023 thnicity Black* 45.3 (40.1 - 50.6) 486 Hispanic/Latino 43.4 (37.5 - 49.6) 476 White* 37.1 (33.8 - 40.6) 1,318 All other races* 41.7 (34.0 - 49.8) 168	Percentage 95% confidence interval N Percentage Total 41.0 (38.4 - 43.7) 2,774 42.8 15 or younger 38.1 (33.1 - 43.4) 910 39.3 16 or 17 36.4 (33.0 - 39.8) 1,410 37.8 18 or older 62.5 (57.0 - 67.7) 437 65.5 9th 34.9 (28.4 - 41.9) 442 34.2 10th 39.4 (33.9 - 45.1) 516 43.2 11th 38.6 (33.9 - 43.6) 628 38.4 12th 46.8 (42.9 - 50.8) 1,023 50.4 thnicity Black* 45.3 (40.1 - 50.6) 486 47.2 Hispanic/Latino 43.4 (37.5 - 49.6) 476 42.7 White* 37.1 (33.8 - 40.6) 1,318 38.5 All other races* 41.7 (34.0 - 49.8) 168 47.9	Percentage 95% confidence interval N Percentage confidence interval Total 41.0 (38.4 - 43.7) 2,774 42.8 (39.6 - 46.0) 15 or younger 38.1 (33.1 - 43.4) 910 39.3 (33.3 - 45.7) 16 or 17 36.4 (33.0 - 39.8) 1,410 37.8 (33.6 - 42.2) 18 or older 62.5 (57.0 - 67.7) 437 65.5 (58.9 - 71.5) 9th 34.9 (28.4 - 41.9) 442 34.2 (26.0 - 43.4) 10th 39.4 (33.9 - 45.1) 516 43.2 (37.1 - 49.4) 11th 38.6 (33.9 - 43.6) 628 38.4 (32.4 - 44.8) 12th 46.8 (42.9 - 50.8) 1,023 50.4 (45.6 - 55.1) thnicity Black* 45.3 (40.1 - 50.6) 486 47.2 (40.9 - 53.5) Hispanic/Latino 43.4 (37.5 - 49.6) 476 42.7 (35.3 - 50.5) White* 37.1 (33.8 - 40.6) 1,318	Percentage	Percentage Per	Percentage

Note: 52,822 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN98: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	33.3	(31.3 - 35.4)	4,605	36.4	(33.8 - 39.2)	2,807	27.5	(24.8 - 30.4)	1,679
Age										
	15 or younger	32.5	(29.5 - 35.6)	1,763	36.5	(32.4 - 40.8)	999	26.2	(21.8 - 31.1)	702
	16 or 17	37.4	(34.6 - 40.2)	2,280	40.1	(36.6 - 43.8)	1,463	31.9	(28.2 - 35.7)	781
	18 or older	19.7	(15.9 - 24.0)	543	21.0	(16.3 - 26.5)	340	15.4	(9.9 - 23.2)	196
Grade										
	9th	32.8	(28.7 - 37.1)	949	37.7	(32.3 - 43.4)	546	24.4	(18.6 - 31.3)	389
	10th	35.2	(30.8 - 39.9)	1,013	39.1	(33.0 - 45.6)	607	28.2	(23.0 - 34.0)	382
	11th	34.5	(30.7 - 38.4)	1,068	36.6	(32.3 - 41.2)	681	30.4	(24.6 - 36.9)	370
	12th	31.5	(28.4 - 34.7)	1,357	33.7	(29.7 - 37.9)	871	27.4	(22.5 - 32.9)	470
Race/E	thnicity									
	Black*	36.4	(32.8 - 40.1)	992	39.6	(35.2 - 44.2)	625	30.6	(25.2 - 36.5)	359
	Hispanic/Latino	32.0	(25.6 - 39.1)	780	39.6	(30.9 - 49.0)	445	20.8	(15.6 - 27.2)	311
	White*	30.1	(27.5 - 32.9)	2,029	31.0	(28.0 - 34.2)	1,268	28.7	(24.4 - 33.4)	756
	All other races*	30.7	(24.0 - 38.3)	296	32.8	(22.3 - 45.4)	189	-	-	92
	Multiple races*	31.0	(23.9 - 39.2)	228	34.6	(25.2 - 45.4)	129	-	-	91

Note: 50,991 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN99: Percentage of students who live with someone who now smokes cigarettes or cigars

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	35.8	(35.1 - 36.6)	53,944	34.9	(34.0 - 35.8)	26,159	36.8	(35.9 - 37.7)	27,477	
Age											
	15 or younger	36.2	(35.2 - 37.1)	27,109	35.2	(34.0 - 36.4)	12,985	37.1	(36.0 - 38.3)	13,983	
	16 or 17	35.1	(34.2 - 36.1)	24,802	34.2	(32.9 - 35.6)	12,011	36.0	(34.9 - 37.1)	12,690	
	18 or older	40.3	(37.8 - 42.8)	1,943	38.5	(35.3 - 41.9)	1,136	43.1	(38.9 - 47.4)	795	
Grade											
	9th	36.6	(35.4 - 37.9)	15,206	35.1	(33.5 - 36.8)	7,436	38.3	(36.7 - 39.9)	7,713	
	10th	36.4	(35.0 - 37.8)	13,723	36.2	(34.1 - 38.3)	6,708	36.7	(35.1 - 38.3)	6,958	
	11th	34.8	(33.5 - 36.2)	13,009	34.1	(32.4 - 36.0)	6,253	35.5	(33.9 - 37.0)	6,717	
	12th	34.9	(33.6 - 36.1)	11,337	33.5	(31.8 - 35.1)	5,433	36.1	(34.5 - 37.8)	5,871	
Race/E	thnicity										
	Black*	36.4	(35.3 - 37.6)	11,889	35.8	(34.1 - 37.5)	5,582	37.0	(35.6 - 38.6)	6,280	
	Hispanic/Latino	35.4	(33.9 - 36.8)	5,864	34.2	(31.8 - 36.7)	2,854	36.6	(34.8 - 38.3)	2,958	
	White*	36.0	(34.9 - 37.2)	27,857	34.7	(33.4 - 36.0)	13,731	37.4	(36.0 - 38.8)	14,057	
	All other races*	28.0	(26.0 - 30.1)	3,642	27.5	(24.5 - 30.7)	1,864	28.7	(26.3 - 31.3)	1,752	
	Multiple races*	40.8	(38.8 - 42.8)	3,111	41.0	(38.0 - 44.2)	1,330	40.7	(38.2 - 43.3)	1,763	

Maryland High School Survey Summary Tables - Weighted Data

QN100: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	83.7	(83.2 - 84.2)	53,953	83.8	(83.2 - 84.4)	26,160	83.9	(83.2 - 84.6)	27,457
Age										
	15 or younger	83.6	(82.9 - 84.2)	27,101	83.8	(82.8 - 84.7)	12,979	83.6	(82.7 - 84.6)	13,965
	16 or 17	84.4	(83.7 - 85.1)	24,806	84.4	(83.5 - 85.3)	12,009	84.6	(83.7 - 85.4)	12,685
	18 or older	78.3	(75.8 - 80.6)	1,957	78.3	(75.0 - 81.3)	1,142	78.4	(74.7 - 81.6)	799
Grade										
	9th	83.3	(82.3 - 84.3)	15,171	83.3	(82.1 - 84.5)	7,422	83.5	(82.1 - 84.7)	7,684
	10th	83.7	(82.7 - 84.6)	13,714	84.1	(82.7 - 85.4)	6,699	83.3	(82.0 - 84.5)	6,952
	11th	84.5	(83.6 - 85.4)	13,022	84.2	(82.9 - 85.4)	6,260	85.1	(84.0 - 86.2)	6,718
	12th	84.3	(83.3 - 85.3)	11,352	84.4	(83.1 - 85.7)	5,433	84.3	(83.0 - 85.6)	5,882
Race/E	thnicity									
	Black*	82.0	(81.0 - 83.0)	11,895	82.0	(80.6 - 83.3)	5,579	82.0	(80.8 - 83.2)	6,288
	Hispanic/Latino	86.3	(85.2 - 87.4)	5,878	86.1	(84.2 - 87.8)	2,863	86.9	(85.6 - 88.2)	2,958
	White*	84.4	(83.7 - 85.0)	27,806	84.7	(83.8 - 85.5)	13,706	84.1	(83.2 - 85.0)	14,031
	All other races*	88.1	(86.6 - 89.4)	3,650	87.6	(85.3 - 89.6)	1,865	88.8	(87.1 - 90.3)	1,755
	Multiple races*	82.3	(80.7 - 83.8)	3,107	82.4	(79.8 - 84.8)	1,334	82.3	(80.1 - 84.3)	1,760

Maryland High School Survey Summary Tables - Weighted Data

QN101: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	27.0	(26.4 - 27.6)	54,690	25.1	(24.4 - 25.9)	26,578	28.6	(27.8 - 29.5)	27,681
Age										
	15 or younger	25.4	(24.6 - 26.2)	27,483	22.8	(21.7 - 24.0)	13,176	27.6	(26.6 - 28.6)	14,091
	16 or 17	28.2	(27.4 - 29.0)	25,098	26.9	(25.9 - 27.9)	12,197	29.4	(28.2 - 30.5)	12,766
	18 or older	31.8	(29.4 - 34.3)	2,013	30.6	(27.6 - 33.7)	1,177	33.3	(29.7 - 37.0)	815
Grade										
	9th	25.1	(23.9 - 26.3)	15,362	22.8	(21.4 - 24.3)	7,529	27.4	(25.8 - 29.0)	7,759
	10th	26.2	(25.2 - 27.2)	13,865	23.8	(22.4 - 25.2)	6,786	28.3	(26.8 - 29.8)	6,999
	11th	27.4	(26.3 - 28.6)	13,175	25.8	(24.4 - 27.2)	6,356	28.8	(27.3 - 30.3)	6,762
	12th	29.0	(27.8 - 30.3)	11,504	28.0	(26.5 - 29.6)	5,540	29.8	(28.0 - 31.6)	5,914
Race/E	thnicity									
	Black*	24.2	(23.2 - 25.2)	12,042	22.6	(21.2 - 24.1)	5,684	25.7	(24.3 - 27.1)	6,326
	Hispanic/Latino	22.3	(21.0 - 23.6)	5,992	21.0	(19.2 - 22.9)	2,926	22.9	(21.0 - 25.0)	2,999
	White*	31.3	(30.4 - 32.1)	28,026	28.8	(27.8 - 29.8)	13,845	34.0	(32.8 - 35.2)	14,108
	All other races*	18.1	(16.6 - 19.6)	3,712	16.6	(14.8 - 18.6)	1,898	19.0	(16.9 - 21.3)	1,774
	Multiple races*	30.2	(28.5 - 32.0)	3,152	27.8	(25.1 - 30.6)	1,359	32.0	(29.6 - 34.4)	1,776

Maryland High School Survey Summary Tables - Weighted Data

QN102: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

		Total				Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	93.3	(92.8 - 93.8)	19,389	91.9	(91.0 - 92.6)	9,492	95.2	(94.6 - 95.7)	9,671	
Age											
	15 or younger	92.4	(91.4 - 93.4)	8,149	91.1	(89.3 - 92.6)	3,839	94.1	(93.0 - 95.0)	4,186	
	16 or 17	94.4	(93.8 - 95.0)	10,331	93.0	(92.0 - 93.8)	5,133	96.2	(95.5 - 96.7)	5,134	
	18 or older	89.4	(85.8 - 92.1)	869	86.7	(81.5 - 90.7)	513	93.4	(89.3 - 96.0)	347	
Grade											
	9th	91.8	(90.3 - 93.0)	3,981	90.3	(87.8 - 92.3)	1,929	93.6	(91.9 - 95.0)	2,019	
	10th	93.0	(92.0 - 93.9)	4,756	91.2	(89.5 - 92.7)	2,333	95.2	(93.9 - 96.3)	2,387	
	11th	94.3	(93.5 - 95.0)	5,259	92.7	(91.5 - 93.8)	2,577	95.9	(94.8 - 96.8)	2,643	
	12th	94.6	(93.6 - 95.4)	5,024	93.2	(91.7 - 94.5)	2,478	96.1	(95.1 - 96.9)	2,515	
Race/E	thnicity										
	Black*	91.9	(90.8 - 92.9)	3,809	89.7	(88.0 - 91.2)	1,833	94.0	(92.7 - 95.1)	1,959	
	Hispanic/Latino	92.8	(91.4 - 93.9)	2,396	91.4	(89.1 - 93.3)	1,185	94.4	(92.4 - 95.8)	1,169	
	White*	95.2	(94.7 - 95.7)	10,262	93.7	(92.9 - 94.5)	5,099	96.8	(96.1 - 97.3)	5,138	
	All other races*	93.7	(91.7 - 95.3)	968	94.3	(91.3 - 96.3)	513	94.0	(90.7 - 96.1)	436	
	Multiple races*	95.2	(93.6 - 96.4)	1,251	93.6	(90.8 - 95.6)	536	96.3	(94.5 - 97.6)	711	

Note: 36,207 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN103: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.3	(7.9 - 8.7)	53,727	8.9	(8.4 - 9.5)	25,966	7.1	(6.7 - 7.6)	27,348
Age										
	15 or younger	7.0	(6.5 - 7.5)	26,955	6.8	(6.2 - 7.6)	12,849	6.4	(5.9 - 7.0)	13,903
	16 or 17	9.2	(8.7 - 9.8)	24,739	10.5	(9.8 - 11.3)	11,962	7.6	(7.0 - 8.3)	12,644
	18 or older	13.3	(11.6 - 15.1)	1,938	14.7	(12.4 - 17.3)	1,126	10.5	(8.5 - 12.9)	792
Grade										
	9th	6.1	(5.6 - 6.7)	15,039	6.3	(5.5 - 7.1)	7,325	5.6	(5.0 - 6.4)	7,640
	10th	7.4	(6.8 - 8.1)	13,632	7.6	(6.6 - 8.7)	6,634	6.7	(5.9 - 7.6)	6,919
	11th	9.0	(8.3 - 9.8)	13,003	10.3	(9.2 - 11.5)	6,234	7.6	(6.7 - 8.6)	6,715
	12th	9.9	(9.2 - 10.7)	11,312	11.3	(10.2 - 12.5)	5,425	8.2	(7.3 - 9.1)	5,840
Race/E	thnicity									
	Black*	7.8	(7.1 - 8.4)	11,636	9.1	(8.1 - 10.2)	5,437	6.4	(5.7 - 7.1)	6,168
	Hispanic/Latino	10.1	(9.1 - 11.1)	5,861	10.3	(8.5 - 12.4)	2,836	9.4	(8.2 - 10.7)	2,959
	White*	7.5	(7.1 - 8.0)	27,804	7.8	(7.3 - 8.4)	13,688	7.2	(6.6 - 7.9)	14,047
	All other races*	6.1	(5.3 - 7.1)	3,663	6.5	(5.5 - 7.8)	1,863	4.9	(3.9 - 6.0)	1,764
	Multiple races*	9.2	(8.1 - 10.5)	3,080	11.0	(9.3 - 13.1)	1,319	7.4	(6.1 - 9.0)	1,744

Note: 1,869 students were excluded from this analysis.

^{*}Non-Hispanic. N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN104: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		67.2	(66.2 - 68.2)	51,217	66.7	(65.6 - 67.9)	24,514	67.7	(66.6 - 68.9)	26,388
Age										
15 or	younger	67.8	(66.6 - 68.9)	25,564	67.2	(65.8 - 68.5)	12,099	68.4	(67.0 - 69.8)	13,326
16 or	17	67.7	(66.4 - 69.0)	23,762	67.2	(65.7 - 68.6)	11,340	68.2	(66.6 - 69.8)	12,308
18 or	older	54.9	(52.2 - 57.6)	1,810	58.5	(54.9 - 62.0)	1,049	49.4	(45.5 - 53.4)	748
Grade										
9th		66.0	(64.5 - 67.5)	14,217	65.9	(64.1 - 67.7)	6,860	66.1	(64.1 - 68.1)	7,300
10th		68.0	(66.4 - 69.6)	12,984	67.4	(65.4 - 69.3)	6,264	68.8	(66.9 - 70.7)	6,663
11th		68.5	(67.0 - 69.9)	12,511	67.4	(65.5 - 69.2)	5,935	69.5	(67.6 - 71.3)	6,532
12th		66.7	(64.8 - 68.6)	10,884	66.6	(64.4 - 68.7)	5,154	66.8	(64.5 - 69.0)	5,693
Race/Ethnicity										
Black	*	63.7	(62.4 - 65.1)	10,800	65.3	(63.4 - 67.2)	4,973	62.3	(60.6 - 64.0)	5,801
Hispa	nic/Latino	55.4	(52.9 - 57.9)	5,467	56.0	(53.3 - 58.7)	2,639	54.7	(50.8 - 58.7)	2,781
White	*	72.0	(70.9 - 73.0)	27,042	70.0	(68.7 - 71.2)	13,180	74.1	(72.7 - 75.4)	13,796
All ot	her races*	74.3	(72.4 - 76.2)	3,513	71.5	(68.3 - 74.5)	1,777	77.4	(75.1 - 79.5)	1,712
Multij	ple races*	70.7	(68.4 - 73.0)	2,923	70.3	(66.2 - 74.1)	1,233	70.9	(68.2 - 73.5)	1,675

Note: 4,379 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN105: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	61.7	(60.8 - 62.6)	51,731	62.5	(61.4 - 63.6)	24,849	61.2	(60.1 - 62.2)	26,540
Age										
	15 or younger	71.5	(70.5 - 72.5)	25,817	71.8	(70.4 - 73.2)	12,254	71.5	(70.1 - 72.8)	13,402
	16 or 17	52.9	(51.9 - 54.0)	23,997	54.6	(53.4 - 55.7)	11,499	51.6	(50.1 - 53.1)	12,386
	18 or older	48.7	(45.7 - 51.8)	1,832	47.7	(44.0 - 51.5)	1,069	50.3	(45.5 - 55.1)	745
Grade										
	9th	77.4	(76.1 - 78.7)	14,334	77.5	(75.7 - 79.1)	6,936	77.6	(75.9 - 79.1)	7,335
	10th	63.7	(62.4 - 64.9)	13,103	64.2	(62.4 - 66.0)	6,343	63.2	(61.4 - 65.1)	6,696
	11th	56.5	(54.9 - 58.0)	12,651	57.1	(55.2 - 58.9)	6,026	56.2	(54.0 - 58.3)	6,579
	12th	47.2	(45.8 - 48.6)	10,973	48.4	(46.7 - 50.0)	5,220	46.2	(44.3 - 48.1)	5,715
Race/E	chnicity									
	Black*	58.3	(56.6 - 59.9)	10,955	60.2	(58.0 - 62.3)	5,067	56.6	(54.7 - 58.5)	5,861
	Hispanic/Latino	61.5	(59.4 - 63.6)	5,547	61.1	(58.2 - 63.8)	2,672	62.4	(59.6 - 65.1)	2,820
	White*	64.1	(63.1 - 65.0)	27,215	64.3	(63.1 - 65.5)	13,320	63.8	(62.7 - 65.0)	13,827
	All other races*	63.8	(61.6 - 65.9)	3,543	63.7	(60.7 - 66.6)	1,798	64.2	(61.1 - 67.3)	1,716
	Multiple races*	65.6	(63.5 - 67.6)	2,953	66.4	(63.1 - 69.5)	1,251	65.1	(62.5 - 67.5)	1,686

Note: 3,865 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	37.6	(36.5 - 38.6)	51,226	39.3	(38.1 - 40.5)	24,597	35.7	(34.4 - 37.0)	26,275
Age										
	15 or younger	37.0	(35.5 - 38.4)	25,606	37.4	(35.8 - 39.0)	12,155	36.4	(34.7 - 38.1)	13,283
	16 or 17	37.2	(36.1 - 38.4)	23,724	40.1	(38.7 - 41.5)	11,366	34.3	(32.9 - 35.8)	12,242
	18 or older	48.1	(45.1 - 51.2)	1,817	49.9	(45.9 - 54.0)	1,054	45.7	(40.9 - 50.6)	744
Grade										
	9th	37.1	(35.2 - 39.0)	14,189	37.0	(34.9 - 39.1)	6,861	37.1	(34.6 - 39.6)	7,259
	10th	37.9	(36.3 - 39.6)	13,003	39.3	(37.3 - 41.4)	6,300	36.4	(34.4 - 38.4)	6,642
	11th	38.0	(36.5 - 39.5)	12,502	40.2	(38.6 - 41.9)	5,950	35.6	(33.6 - 37.6)	6,505
	12th	36.5	(34.9 - 38.1)	10,856	40.1	(38.2 - 42.1)	5,167	33.0	(31.0 - 35.0)	5,650
Race/E	chnicity									
	Black*	52.8	(51.4 - 54.2)	10,795	55.2	(53.4 - 56.9)	4,992	50.6	(48.6 - 52.5)	5,773
	Hispanic/Latino	46.2	(44.4 - 48.1)	5,487	46.9	(44.7 - 49.1)	2,638	45.6	(42.4 - 49.0)	2,793
	White*	24.5	(23.6 - 25.5)	26,967	27.0	(25.9 - 28.2)	13,204	21.9	(20.7 - 23.1)	13,700
	All other races*	32.1	(29.7 - 34.6)	3,537	32.8	(29.4 - 36.3)	1,792	31.1	(28.7 - 33.7)	1,713
	Multiple races*	35.6	(33.3 - 37.9)	2,931	36.6	(33.2 - 40.1)	1,243	34.6	(31.6 - 37.7)	1,672

Note: 4,370 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	21.2	(20.5 - 22.0)	51,487	23.9	(23.0 - 24.9)	24,724	18.2	(17.4 - 19.0)	26,391
Age										
	15 or younger	21.4	(20.4 - 22.4)	25,702	23.0	(21.8 - 24.3)	12,190	19.3	(18.2 - 20.5)	13,336
	16 or 17	20.6	(19.7 - 21.4)	23,849	24.2	(23.1 - 25.4)	11,442	16.8	(15.9 - 17.8)	12,288
	18 or older	26.5	(23.8 - 29.4)	1,849	29.7	(25.9 - 33.7)	1,068	21.4	(18.3 - 24.9)	760
Grade										
	9th	21.6	(20.2 - 23.1)	14,272	23.3	(21.7 - 25.0)	6,895	19.7	(18.0 - 21.4)	7,310
	10th	20.9	(19.7 - 22.2)	13,016	23.1	(21.5 - 24.7)	6,306	18.5	(17.3 - 19.9)	6,644
	11th	20.7	(19.6 - 21.8)	12,589	23.9	(22.4 - 25.5)	5,997	17.3	(16.0 - 18.8)	6,544
	12th	20.3	(19.2 - 21.5)	10,918	24.5	(22.9 - 26.3)	5,202	16.1	(14.9 - 17.4)	5,674
Race/Etl	nnicity									
	Black*	27.9	(26.8 - 29.1)	10,864	31.5	(29.8 - 33.3)	5,023	24.4	(23.0 - 25.9)	5,812
	Hispanic/Latino	25.3	(23.9 - 26.8)	5,534	27.2	(25.1 - 29.4)	2,649	23.1	(21.1 - 25.2)	2,825
	White*	15.1	(14.3 - 15.9)	27,081	17.9	(16.8 - 19.0)	13,268	12.1	(11.3 - 12.9)	13,747
	All other races*	17.5	(15.9 - 19.3)	3,548	19.5	(17.2 - 22.1)	1,799	15.1	(13.2 - 17.2)	1,717
	Multiple races*	20.3	(18.5 - 22.3)	2,911	23.9	(21.0 - 27.1)	1,235	17.2	(15.4 - 19.2)	1,660

Note: 4,109 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN108: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	62.2	(61.4 - 63.1)	51,800	57.7	(56.6 - 58.8)	24,891	67.1	(66.0 - 68.1)	26,522
Age										
	15 or younger	65.1	(64.0 - 66.2)	25,841	62.5	(61.0 - 63.9)	12,259	68.0	(66.6 - 69.3)	13,396
	16 or 17	60.3	(59.2 - 61.3)	24,013	54.0	(52.6 - 55.3)	11,531	66.7	(65.3 - 68.0)	12,355
	18 or older	52.0	(48.9 - 55.2)	1,859	47.5	(43.0 - 52.0)	1,077	59.4	(55.5 - 63.2)	764
Grade										
	9th	66.6	(65.1 - 68.1)	14,313	64.4	(62.5 - 66.2)	6,926	69.0	(67.0 - 70.9)	7,319
	10th	61.6	(60.2 - 63.0)	13,096	57.5	(55.7 - 59.4)	6,340	65.9	(64.3 - 67.5)	6,686
	11th	61.1	(59.9 - 62.3)	12,665	55.3	(53.7 - 56.9)	6,041	66.9	(65.3 - 68.5)	6,570
	12th	60.1	(58.5 - 61.6)	11,024	53.0	(51.0 - 55.0)	5,257	67.0	(65.2 - 68.8)	5,724
Race/E	thnicity									
	Black*	58.7	(57.3 - 60.1)	10,948	52.4	(50.5 - 54.3)	5,072	64.6	(62.7 - 66.5)	5,847
	Hispanic/Latino	58.4	(56.9 - 59.9)	5,556	55.2	(53.0 - 57.4)	2,655	61.5	(59.1 - 63.9)	2,840
	White*	65.4	(64.4 - 66.3)	27,208	61.3	(60.1 - 62.5)	13,333	69.7	(68.4 - 70.9)	13,807
	All other races*	71.6	(69.5 - 73.6)	3,554	67.2	(64.1 - 70.3)	1,805	77.2	(74.7 - 79.5)	1,715
	Multiple races*	61.1	(59.0 - 63.2)	2,945	55.8	(52.6 - 58.9)	1,258	65.7	(62.8 - 68.5)	1,670

Note: 3,796 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN109: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	76.9	(76.2 - 77.6)	50,909	72.8	(71.8 - 73.7)	24,467	81.3	(80.5 - 82.1)	26,075
Age										
	15 or younger	79.1	(78.1 - 80.0)	25,362	76.4	(75.1 - 77.6)	12,037	82.0	(80.8 - 83.1)	13,154
	16 or 17	75.8	(74.9 - 76.7)	23,637	70.3	(69.2 - 71.5)	11,350	81.3	(80.3 - 82.3)	12,165
	18 or older	65.0	(62.3 - 67.6)	1,824	61.5	(58.0 - 64.9)	1,055	70.5	(66.2 - 74.4)	749
Grade										
	9th	79.4	(77.9 - 80.8)	14,039	77.4	(75.7 - 79.0)	6,799	81.6	(79.7 - 83.4)	7,173
	10th	77.3	(76.1 - 78.5)	12,851	73.1	(71.3 - 74.7)	6,217	81.7	(80.4 - 82.9)	6,572
	11th	77.2	(76.1 - 78.2)	12,471	71.8	(70.3 - 73.3)	5,948	82.5	(81.2 - 83.7)	6,475
	12th	74.6	(73.2 - 76.0)	10,862	68.9	(67.2 - 70.5)	5,177	80.3	(78.5 - 81.9)	5,642
Race/E	thnicity									
	Black*	76.4	(75.1 - 77.6)	10,706	72.2	(70.4 - 73.9)	4,946	80.4	(78.8 - 81.9)	5,732
	Hispanic/Latino	74.5	(72.9 - 76.0)	5,422	69.9	(67.8 - 72.0)	2,597	79.1	(76.8 - 81.2)	2,766
	White*	77.8	(76.9 - 78.6)	26,881	73.3	(72.2 - 74.5)	13,180	82.4	(81.3 - 83.4)	13,635
	All other races*	83.0	(81.3 - 84.6)	3,479	80.1	(77.5 - 82.5)	1,769	86.4	(84.2 - 88.4)	1,679
	Multiple races*	77.8	(75.7 - 79.9)	2,901	72.1	(69.0 - 74.9)	1,240	82.7	(80.1 - 85.0)	1,647

Note: 4,687 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN110: Percentage of students who have an adult outside of school they can talk to about things that are important to them

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	84.4	(83.9 - 84.9)	50,933	84.9	(84.2 - 85.5)	24,396	84.1	(83.5 - 84.7)	26,212
Age										
	15 or younger	85.2	(84.6 - 85.8)	25,416	86.3	(85.4 - 87.1)	12,044	84.4	(83.5 - 85.2)	13,222
	16 or 17	84.1	(83.4 - 84.7)	23,646	84.0	(83.1 - 84.8)	11,294	84.2	(83.3 - 85.1)	12,241
	18 or older	79.7	(77.3 - 82.0)	1,792	79.7	(76.5 - 82.6)	1,033	79.7	(76.1 - 82.8)	743
Grade										
	9th	85.2	(84.3 - 86.0)	14,102	86.1	(84.8 - 87.3)	6,818	84.3	(83.1 - 85.5)	7,222
	10th	84.7	(83.9 - 85.5)	12,895	85.1	(84.1 - 86.1)	6,231	84.4	(83.2 - 85.4)	6,613
	11th	84.7	(83.9 - 85.5)	12,453	85.1	(83.9 - 86.1)	5,908	84.4	(83.2 - 85.6)	6,503
	12th	83.6	(82.6 - 84.5)	10,830	83.4	(82.1 - 84.7)	5,130	83.8	(82.6 - 84.9)	5,663
Race/Et	hnicity									
	Black*	82.9	(81.9 - 83.8)	10,744	83.4	(82.0 - 84.7)	4,949	82.4	(81.3 - 83.5)	5,766
	Hispanic/Latino	78.6	(77.2 - 79.9)	5,423	79.1	(76.9 - 81.1)	2,597	78.1	(76.1 - 80.0)	2,771
	White*	88.3	(87.7 - 88.9)	26,895	88.6	(87.8 - 89.3)	13,138	88.1	(87.3 - 88.8)	13,692
	All other races*	81.0	(79.6 - 82.4)	3,489	81.8	(79.7 - 83.7)	1,763	80.3	(78.3 - 82.2)	1,699
	Multiple races*	83.6	(81.7 - 85.3)	2,913	84.3	(81.8 - 86.6)	1,238	83.1	(80.6 - 85.3)	1,660

Note: 4,663 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN111: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

			Total			Male			Female	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	78.2	(77.7 - 78.7)	51,914	77.4	(76.7 - 78.2)	24,954	79.0	(78.4 - 79.7)	26,574
Age										
	15 or younger	78.0	(77.4 - 78.7)	25,882	77.9	(76.9 - 78.9)	12,282	78.1	(77.2 - 79.0)	13,408
	16 or 17	78.5	(77.8 - 79.3)	24,072	77.3	(76.2 - 78.4)	11,562	79.9	(78.9 - 80.8)	12,387
	18 or older	77.1	(74.8 - 79.2)	1,876	74.6	(71.5 - 77.3)	1,085	80.7	(77.3 - 83.7)	772
Grade										
	9th	78.1	(77.2 - 79.0)	14,330	78.2	(76.8 - 79.5)	6,934	78.0	(76.7 - 79.3)	7,328
	10th	77.5	(76.5 - 78.5)	13,117	76.8	(75.1 - 78.3)	6,354	78.2	(76.9 - 79.4)	6,695
	11th	78.5	(77.6 - 79.5)	12,700	77.9	(76.5 - 79.1)	6,068	79.2	(77.8 - 80.5)	6,579
	12th	79.4	(78.3 - 80.5)	11,053	77.4	(75.7 - 78.9)	5,267	81.4	(80.2 - 82.6)	5,743
Race/Et	hnicity									
	Black*	76.6	(75.6 - 77.6)	10,979	76.2	(74.7 - 77.7)	5,085	77.0	(75.7 - 78.2)	5,864
	Hispanic/Latino	72.8	(71.0 - 74.6)	5,599	72.9	(70.1 - 75.5)	2,690	72.8	(70.9 - 74.7)	2,847
	White*	82.2	(81.7 - 82.8)	27,195	80.8	(80.0 - 81.6)	13,322	83.8	(83.1 - 84.4)	13,804
	All other races*	73.8	(72.0 - 75.4)	3,568	74.3	(72.1 - 76.3)	1,813	73.1	(70.8 - 75.4)	1,723
	Multiple races*	76.2	(74.1 - 78.1)	2,967	74.5	(71.6 - 77.3)	1,264	77.3	(74.6 - 79.8)	1,686

Note: 3,682 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	34.9	(34.3 - 35.5)	50,387	31.4	(30.5 - 32.2)	24,101	38.2	(37.5 - 39.0)	25,981
Age										
	15 or younger	32.4	(31.7 - 33.2)	25,117	29.2	(28.1 - 30.3)	11,882	35.5	(34.5 - 36.5)	13,108
	16 or 17	36.9	(35.9 - 37.8)	23,423	32.8	(31.6 - 34.0)	11,169	40.7	(39.6 - 41.9)	12,145
	18 or older	40.2	(37.6 - 42.9)	1,765	38.5	(35.0 - 42.1)	1,026	42.2	(38.3 - 46.3)	722
Grade										
	9th	32.2	(31.3 - 33.1)	13,930	29.2	(27.8 - 30.6)	6,725	35.4	(34.0 - 36.7)	7,149
	10th	32.7	(31.6 - 33.8)	12,775	29.5	(28.1 - 31.0)	6,158	35.7	(34.2 - 37.3)	6,561
	11th	36.1	(34.8 - 37.5)	12,351	32.4	(30.7 - 34.0)	5,842	39.7	(38.0 - 41.4)	6,468
	12th	38.8	(37.6 - 39.9)	10,720	34.7	(33.1 - 36.4)	5,087	42.4	(40.9 - 44.0)	5,602
Race/E	thnicity									
	Black*	35.2	(34.2 - 36.3)	10,549	32.7	(31.0 - 34.5)	4,843	37.6	(36.2 - 39.0)	5,676
	Hispanic/Latino	35.5	(34.0 - 37.1)	5,360	33.1	(30.9 - 35.3)	2,568	37.7	(35.9 - 39.7)	2,746
	White*	35.0	(34.1 - 35.8)	26,709	30.7	(29.6 - 31.7)	13,031	39.4	(38.4 - 40.4)	13,613
	All other races*	29.5	(27.5 - 31.6)	3,454	25.9	(23.4 - 28.5)	1,744	33.4	(30.4 - 36.5)	1,686
	Multiple races*	36.6	(34.8 - 38.5)	2,885	32.1	(29.2 - 35.1)	1,217	40.1	(37.5 - 42.9)	1,652

Note: 5,209 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

		Total			Male		Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	52.8	(52.1 - 53.4)	51,629	55.8	(54.9 - 56.7)	24,833	49.8	(48.9 - 50.6)	26,414
Age										
	15 or younger	51.6	(50.7 - 52.5)	25,735	55.2	(54.0 - 56.5)	12,228	48.0	(46.9 - 49.2)	13,324
	16 or 17	53.3	(52.4 - 54.3)	23,943	55.8	(54.5 - 57.0)	11,497	51.0	(49.8 - 52.2)	12,323
	18 or older	59.8	(56.7 - 62.9)	1,864	61.2	(57.5 - 64.8)	1,083	57.6	(53.4 - 61.8)	760
Grade										
	9th	53.1	(51.9 - 54.4)	14,258	57.4	(55.6 - 59.1)	6,910	48.7	(47.1 - 50.2)	7,283
	10th	50.2	(48.9 - 51.6)	13,048	53.0	(51.4 - 54.6)	6,329	47.4	(45.7 - 49.2)	6,654
	11th	51.5	(49.9 - 53.1)	12,623	54.2	(52.1 - 56.1)	6,025	49.0	(47.2 - 50.7)	6,549
	12th	56.4	(55.2 - 57.6)	10,989	58.7	(56.9 - 60.5)	5,242	54.3	(52.7 - 55.9)	5,702
Race/E	thnicity									
	Black*	52.0	(50.6 - 53.5)	10,920	55.6	(53.5 - 57.7)	5,077	48.7	(46.8 - 50.5)	5,812
	Hispanic/Latino	50.2	(48.5 - 52.0)	5,547	54.6	(51.9 - 57.2)	2,662	46.0	(43.5 - 48.5)	2,823
	White*	53.9	(53.1 - 54.7)	27,076	56.1	(55.1 - 57.1)	13,268	51.7	(50.6 - 52.8)	13,741
	All other races*	56.3	(54.5 - 58.1)	3,552	59.3	(56.8 - 61.6)	1,803	53.1	(50.4 - 55.8)	1,716
	Multiple races*	47.4	(45.2 - 49.6)	2,944	51.1	(47.6 - 54.6)	1,251	44.3	(41.4 - 47.2)	1,677

Note: 3,967 students were excluded from this analysis. *Non-Hispanic.
N = Number of students in this subgroup.