Maryland High School Survey Summary Tables - Weighted Data

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Tot	tal	8.1	(7.8 - 8.5)	54,394	6.2	(5.8 - 6.7)	26,504	9.9	(9.4 - 10.4)	27,578
Age										
15	or younger	7.2	(6.8 - 7.7)	27,369	5.4	(5.0 - 6.0)	13,173	8.9	(8.2 - 9.5)	14,057
16	or 17	8.5	(8.0 - 9.0)	24,956	6.4	(5.9 - 7.0)	12,137	10.4	(9.7 - 11.1)	12,711
18	or older	14.2	(12.6 - 16.0)	1,982	11.8	(9.9 - 14.1)	1,166	17.2	(14.2 - 20.8)	802
Grade										
9th		6.9	(6.4 - 7.5)	15,368	5.2	(4.6 - 5.9)	7,540	8.7	(7.8 - 9.6)	7,769
10t	h	7.1	(6.5 - 7.7)	13,849	5.5	(4.8 - 6.3)	6,823	8.6	(7.7 - 9.5)	6,971
11t	h	8.0	(7.4 - 8.6)	13,067	5.9	(5.2 - 6.6)	6,302	9.9	(9.1 - 10.8)	6,723
12t	h	10.0	(9.3 - 10.8)	11,406	8.0	(7.1 - 8.9)	5,494	11.9	(10.9 - 13.0)	5,881
Race/Ethnici	ity									
Bla	ick*	8.0	(7.4 - 8.7)	12,082	6.8	(6.0 - 7.7)	5,725	9.2	(8.5 - 10.0)	6,325
His	spanic/Latino	12.3	(11.3 - 13.5)	5,894	9.3	(7.8 - 11.1)	2,870	15.1	(13.7 - 16.6)	2,971
Wh	nite*	6.6	(6.2 - 7.0)	27,995	4.4	(4.0 - 4.8)	13,849	8.8	(8.2 - 9.5)	14,075
All	other races*	7.4	(6.4 - 8.5)	3,682	6.4	(5.2 - 7.9)	1,886	8.3	(6.9 - 10.0)	1,770
Mu	ltiple races*	9.8	(8.6 - 11.3)	3,132	8.1	(6.5 - 10.0)	1,350	11.1	(9.4 - 13.0)	1,769

Maryland High School Survey Summary Tables - Weighted Data

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
To	otal	10.3	(9.8 - 10.7)	33,842	6.9	(6.4 - 7.5)	16,225	13.1	(12.4 - 13.7)	17,387
Age										
15	5 or younger	10.7	(10.0 - 11.4)	15,613	6.6	(5.8 - 7.5)	7,445	14.2	(13.2 - 15.2)	8,060
16	6 or 17	9.5	(9.0 - 10.1)	16,800	6.6	(5.9 - 7.3)	7,971	11.9	(11.2 - 12.8)	8,751
18	8 or older	13.6	(11.7 - 15.8)	1,380	11.6	(9.1 - 14.6)	793	15.4	(12.4 - 18.9)	571
Grade										
9t	.h	10.3	(9.4 - 11.3)	8,490	6.6	(5.6 - 7.8)	4,226	14.3	(12.8 - 15.9)	4,236
10	Oth	9.5	(8.7 - 10.3)	8,384	5.7	(4.9 - 6.7)	4,028	12.8	(11.5 - 14.2)	4,315
11	lth	9.6	(8.9 - 10.4)	8,515	6.7	(5.8 - 7.8)	3,948	11.9	(10.8 - 13.1)	4,533
12	2th	10.5	(9.6 - 11.4)	7,952	7.7	(6.6 - 9.0)	3,782	12.7	(11.6 - 14.0)	4,139
Race/Ethni	city									
В	lack*	7.8	(7.1 - 8.5)	7,780	6.6	(5.7 - 7.7)	3,722	8.9	(8.0 - 9.9)	4,036
H	ispanic/Latino	14.3	(12.9 - 15.9)	3,753	10.0	(8.3 - 12.0)	1,815	17.6	(15.5 - 19.9)	1,897
W	/hite*	10.1	(9.5 - 10.6)	17,629	5.0	(4.5 - 5.7)	8,489	14.9	(14.1 - 15.8)	9,104
A	ll other races*	11.2	(9.4 - 13.3)	1,639	9.2	(7.0 - 12.1)	856	12.3	(9.9 - 15.2)	763
M	Iultiple races*	12.9	(11.0 - 15.0)	1,998	9.2	(7.1 - 11.9)	831	15.5	(12.9 - 18.4)	1,161

Note: 21,754 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QN60: Percentage of students who ever had sexual intercourse

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	32.4	(31.3 - 33.4)	46,251	35.0	(33.7 - 36.3)	21,626	29.8	(28.7 - 31.0)	24,437	
Age											
	15 or younger	19.5	(18.5 - 20.5)	23,331	22.8	(21.4 - 24.3)	10,809	16.4	(15.4 - 17.4)	12,453	
	16 or 17	43.6	(42.4 - 44.8)	21,356	45.3	(43.7 - 47.0)	9,955	42.0	(40.7 - 43.4)	11,327	
	18 or older	57.9	(54.6 - 61.0)	1,505	59.1	(55.3 - 62.8)	845	56.0	(51.2 - 60.6)	653	
Grade											
	9th	16.0	(14.8 - 17.3)	13,012	20.5	(18.7 - 22.5)	6,167	11.6	(10.3 - 13.0)	6,804	
	10th	27.1	(25.7 - 28.5)	11,808	30.3	(28.4 - 32.3)	5,540	24.1	(22.7 - 25.5)	6,238	
	11th	38.1	(36.6 - 39.7)	11,275	39.8	(37.8 - 41.9)	5,211	36.5	(34.8 - 38.4)	6,037	
	12th	51.2	(49.2 - 53.2)	9,706	52.7	(50.4 - 55.0)	4,484	49.7	(47.5 - 52.0)	5,206	
Race/E	thnicity										
	Black*	37.4	(35.6 - 39.1)	9,490	44.8	(42.5 - 47.1)	4,193	30.8	(28.9 - 32.8)	5,275	
	Hispanic/Latino	37.3	(35.6 - 39.0)	4,661	42.1	(39.8 - 44.5)	2,183	33.0	(30.8 - 35.3)	2,447	
	White*	30.3	(29.2 - 31.4)	25,165	29.9	(28.7 - 31.2)	12,063	30.5	(29.1 - 32.0)	13,047	
	All other races*	14.1	(12.2 - 16.2)	3,108	15.2	(12.6 - 18.3)	1,545	12.8	(10.9 - 14.9)	1,551	
	Multiple races*	35.1	(32.9 - 37.4)	2,664	38.5	(35.4 - 41.8)	1,083	32.6	(29.9 - 35.5)	1,569	

Maryland High School Survey Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

		Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	5.0	(4.7 - 5.4)	46,379	7.8	(7.2 - 8.4)	21,692	2.4	(2.2 - 2.6)	24,483	
Age										
15 or younger	4.6	(4.2 - 5.0)	23,349	7.0	(6.3 - 7.7)	10,815	2.3	(2.0 - 2.7)	12,458	
16 or 17	5.1	(4.6 - 5.5)	21,447	8.0	(7.2 - 8.9)	10,008	2.3	(2.0 - 2.7)	11,360	
18 or older	10.0	(8.4 - 11.8)	1,526	13.3	(11.0 - 15.9)	855	5.3	(3.6 - 7.8)	661	
Grade										
9th	4.8	(4.4 - 5.4)	13,019	7.3	(6.4 - 8.3)	6,174	2.4	(2.0 - 2.9)	6,803	
10th	4.6	(4.0 - 5.2)	11,844	7.3	(6.3 - 8.4)	5,553	2.0	(1.6 - 2.4)	6,261	
11th	5.2	(4.6 - 5.9)	11,307	8.3	(7.1 - 9.6)	5,224	2.3	(1.9 - 2.8)	6,052	
12th	5.0	(4.4 - 5.6)	9,745	7.6	(6.7 - 8.7)	4,512	2.5	(2.0 - 3.1)	5,212	
Race/Ethnicity										
Black*	7.9	(7.3 - 8.6)	9,517	14.0	(12.8 - 15.3)	4,207	2.6	(2.2 - 3.0)	5,287	
Hispanic/Latino	6.8	(5.9 - 7.8)	4,679	9.9	(8.2 - 11.9)	2,190	3.8	(3.1 - 4.7)	2,455	
White*	2.7	(2.4 - 3.0)	25,219	3.6	(3.1 - 4.0)	12,090	1.8	(1.6 - 2.1)	13,073	
All other races*	2.7	(2.1 - 3.5)	3,113	3.7	(2.8 - 4.8)	1,550	1.7	(1.1 - 2.7)	1,551	
Multiple races*	6.6	(5.5 - 7.9)	2,669	10.9	(8.7 - 13.5)	1,090	3.5	(2.6 - 4.7)	1,568	

Maryland High School Survey Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	8.6	(8.2 - 9.1)	46,171	11.4	(10.8 - 12.2)	21,537	5.9	(5.5 - 6.4)	24,432	
Age											
	15 or younger	4.2	(3.8 - 4.6)	23,291	6.3	(5.7 - 7.0)	10,769	2.1	(1.9 - 2.5)	12,443	
	16 or 17	12.1	(11.4 - 12.8)	21,323	15.4	(14.3 - 16.6)	9,912	9.0	(8.3 - 9.7)	11,333	
	18 or older	22.8	(20.6 - 25.1)	1,499	25.1	(21.9 - 28.7)	840	19.4	(16.5 - 22.7)	652	
Grade											
	9th	3.9	(3.4 - 4.4)	12,962	6.1	(5.3 - 7.1)	6,137	1.7	(1.3 - 2.1)	6,783	
	10th	5.7	(5.1 - 6.4)	11,789	8.9	(7.8 - 10.2)	5,514	2.8	(2.4 - 3.2)	6,247	
	11th	10.1	(9.3 - 10.9)	11,259	13.6	(12.3 - 15.1)	5,184	6.7	(6.0 - 7.6)	6,042	
	12th	15.4	(14.2 - 16.6)	9,693	18.0	(16.3 - 19.8)	4,471	13.0	(11.9 - 14.3)	5,201	
Race/E	thnicity										
	Black*	11.3	(10.5 - 12.2)	9,436	17.5	(16.1 - 19.0)	4,142	5.9	(5.2 - 6.7)	5,273	
	Hispanic/Latino	10.7	(9.6 - 11.8)	4,658	15.4	(13.7 - 17.3)	2,171	6.2	(5.1 - 7.4)	2,453	
	White*	6.7	(6.3 - 7.2)	25,140	7.3	(6.8 - 7.9)	12,039	6.1	(5.6 - 6.7)	13,046	
	All other races*	4.3	(3.6 - 5.3)	3,109	5.5	(4.4 - 6.9)	1,544	2.9	(2.1 - 4.1)	1,552	
	Multiple races*	9.4	(8.0 - 11.0)	2,659	13.0	(10.7 - 15.8)	1,083	6.8	(5.4 - 8.6)	1,565	

Maryland High School Survey Summary Tables - Weighted Data

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	22.6	(21.8 - 23.4)	46,132	23.0	(22.1 - 24.0)	21,517	22.1	(21.2 - 23.0)	24,409
Age										
	15 or younger	12.4	(11.7 - 13.1)	23,232	13.5	(12.5 - 14.5)	10,731	11.2	(10.4 - 12.1)	12,422
	16 or 17	31.5	(30.5 - 32.5)	21,333	31.2	(29.9 - 32.5)	9,927	31.8	(30.6 - 32.9)	11,327
	18 or older	42.3	(39.2 - 45.4)	1,510	41.1	(37.3 - 45.0)	845	43.5	(38.7 - 48.4)	656
Grade										
	9th	9.7	(8.9 - 10.7)	12,929	12.0	(10.7 - 13.5)	6,116	7.4	(6.5 - 8.5)	6,771
	10th	17.6	(16.6 - 18.6)	11,775	18.4	(17.0 - 20.0)	5,508	16.7	(15.6 - 17.9)	6,236
	11th	26.6	(25.4 - 27.9)	11,259	26.3	(24.6 - 28.2)	5,190	26.8	(25.3 - 28.3)	6,036
	12th	38.6	(36.8 - 40.4)	9,702	37.8	(35.7 - 40.0)	4,477	39.3	(37.2 - 41.4)	5,205
Race/E	thnicity									
	Black*	24.8	(23.3 - 26.2)	9,431	28.5	(26.5 - 30.5)	4,143	21.5	(20.0 - 23.2)	5,266
	Hispanic/Latino	24.4	(22.7 - 26.2)	4,652	25.8	(23.4 - 28.4)	2,168	23.0	(21.0 - 25.2)	2,450
	White*	22.5	(21.6 - 23.4)	25,116	20.9	(19.9 - 21.9)	12,026	24.1	(22.8 - 25.3)	13,033
	All other races*	9.6	(8.2 - 11.2)	3,103	10.2	(8.2 - 12.6)	1,542	8.8	(7.2 - 10.8)	1,548
	Multiple races*	23.4	(21.4 - 25.5)	2,658	24.0	(21.1 - 27.0)	1,078	23.0	(20.5 - 25.7)	1,567

Maryland High School Survey Summary Tables - Weighted Data

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	23.7	(22.8 - 24.7)	10,759	26.1	(24.7 - 27.4)	4,988	21.2	(19.9 - 22.6)	5,705
Age										
	15 or younger	23.4	(21.6 - 25.4)	3,054	24.6	(22.0 - 27.3)	1,467	21.6	(19.0 - 24.4)	1,567
	16 or 17	23.0	(21.8 - 24.2)	7,021	25.7	(24.1 - 27.3)	3,156	20.5	(18.9 - 22.1)	3,836
	18 or older	31.8	(28.0 - 35.8)	671	34.5	(29.4 - 40.1)	363	28.0	(22.7 - 34.1)	301
Grade										
	9th	24.7	(21.7 - 28.0)	1,283	23.6	(19.5 - 28.3)	702	26.1	(21.7 - 31.2)	574
	10th	21.7	(19.9 - 23.6)	2,202	25.5	(22.6 - 28.5)	1,061	17.8	(15.1 - 20.9)	1,134
	11th	23.0	(21.2 - 25.0)	3,167	26.5	(23.9 - 29.3)	1,385	19.6	(17.3 - 22.1)	1,770
	12th	24.4	(22.8 - 26.0)	3,938	26.6	(24.3 - 29.0)	1,757	22.4	(20.3 - 24.6)	2,170
Race/Etl	nnicity									
	Black*	18.7	(16.9 - 20.6)	2,397	19.4	(17.1 - 22.0)	1,185	17.7	(15.3 - 20.5)	1,201
	Hispanic/Latino	28.1	(25.1 - 31.3)	1,211	32.3	(27.6 - 37.4)	601	23.2	(19.4 - 27.6)	595
	White*	25.7	(24.2 - 27.3)	5,828	29.1	(26.8 - 31.4)	2,600	22.7	(21.0 - 24.6)	3,218
	All other races*	31.1	(25.7 - 37.1)	392	33.4	(26.5 - 41.0)	208	28.4	(20.8 - 37.3)	179
	Multiple races*	23.2	(19.4 - 27.4)	654	27.5	(21.3 - 34.6)	278	19.7	(15.2 - 25.2)	375

Maryland High School Survey Summary Tables - Weighted Data

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

		Total		Male			Female			
	Percenta	ge 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	61.3	(60.0 - 62.5)	10,531	67.3	(65.5 - 68.9)	4,897	55.6	(53.9 - 57.4)	5,577	
Age										
15 or youn	ger 64.4	(62.0 - 66.8)	2,958	71.7	(68.8 - 74.5)	1,430	56.9	(53.6 - 60.1)	1,514	
16 or 17	60.5	(58.9 - 62.0)	6,899	66.4	(64.2 - 68.5)	3,104	55.3	(53.2 - 57.3)	3,769	
18 or older	57.1	(52.8 - 61.3)	659	59.1	(53.0 - 65.0)	361	54.0	(47.7 - 60.1)	292	
Grade										
9th	67.3	(63.7 - 70.8)	1,237	75.2	(70.6 - 79.2)	684	55.1	(49.8 - 60.3)	546	
10th	64.6	(62.2 - 67.0)	2,144	72.1	(68.7 - 75.3)	1,039	57.1	(53.3 - 60.7)	1,099	
11th	60.9	(58.6 - 63.1)	3,120	66.9	(64.2 - 69.6)	1,372	55.7	(52.5 - 58.8)	1,741	
12th	58.8	(56.8 - 60.7)	3,865	62.4	(59.4 - 65.3)	1,723	55.6	(53.0 - 58.2)	2,133	
Race/Ethnicity										
Black*	66.1	(63.9 - 68.2)	2,308	73.4	(69.6 - 76.8)	1,148	57.8	(54.9 - 60.6)	1,150	
Hispanic/L	atino 57.6	(54.2 - 60.9)	1,181	65.1	(59.9 - 70.0)	587	50.7	(44.1 - 57.2)	581	
White*	59.3	(57.7 - 60.9)	5,757	63.6	(61.5 - 65.7)	2,576	55.7	(53.5 - 57.9)	3,171	
All other r	aces* 60.3	(53.1 - 67.0)	384	62.2	(53.3 - 70.3)	203	58.2	(48.5 - 67.4)	177	
Multiple ra	ces* 55.4	(50.8 - 59.9)	636	60.4	(53.2 - 67.1)	272	51.6	(45.6 - 57.5)	363	

Maryland High School Survey Summary Tables - Weighted Data

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.7	(16.7 - 18.8)	10,540	13.3	(12.3 - 14.5)	4,905	21.8	(20.4 - 23.3)	5,572
Age										
	15 or younger	10.5	(9.2 - 11.9)	2,990	7.9	(6.4 - 9.8)	1,453	13.2	(11.1 - 15.6)	1,515
	16 or 17	20.7	(19.5 - 22.1)	6,870	15.7	(14.2 - 17.3)	3,089	25.1	(23.5 - 26.9)	3,757
	18 or older	16.6	(13.6 - 20.1)	665	14.2	(10.7 - 18.6)	361	18.9	(14.5 - 24.1)	298
Grade										
	9th	8.6	(6.9 - 10.7)	1,250	7.8	(5.6 - 10.7)	692	9.8	(7.2 - 13.2)	550
	10th	11.4	(9.9 - 13.0)	2,142	7.8	(6.2 - 9.7)	1,042	15.0	(12.7 - 17.8)	1,093
	11th	19.1	(17.5 - 20.7)	3,109	13.9	(12.0 - 16.0)	1,369	23.5	(21.2 - 26.0)	1,730
	12th	22.6	(20.8 - 24.4)	3,868	18.4	(16.3 - 20.8)	1,719	26.2	(23.9 - 28.6)	2,139
Race/E	thnicity									
	Black*	10.2	(8.7 - 11.8)	2,311	7.0	(5.7 - 8.6)	1,147	13.7	(11.5 - 16.4)	1,155
	Hispanic/Latino	9.9	(8.0 - 12.2)	1,190	7.0	(5.0 - 9.8)	591	12.8	(9.8 - 16.5)	587
	White*	25.7	(24.3 - 27.2)	5,738	20.8	(19.1 - 22.7)	2,572	29.8	(27.9 - 31.9)	3,156
	All other races*	13.6	(9.8 - 18.6)	390	11.5	(6.9 - 18.4)	208	15.1	(9.7 - 22.8)	176
	Multiple races*	16.7	(13.6 - 20.4)	629	9.7	(6.2 - 14.8)	268	21.9	(17.4 - 27.2)	360

Maryland High School Survey Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	2.0	(1.7 - 2.3)	10,540	1.3	(1.0 - 1.8)	4,905	2.6	(2.1 - 3.2)	5,572
Age										
	15 or younger	1.3	(0.9 - 1.9)	2,990	0.9	(0.5 - 1.6)	1,453	1.7	(1.1 - 2.7)	1,515
	16 or 17	2.1	(1.7 - 2.6)	6,870	1.4	(1.0 - 2.1)	3,089	2.8	(2.2 - 3.5)	3,757
	18 or older	3.0	(1.9 - 4.6)	665	2.1	(1.0 - 4.6)	361	4.2	(2.4 - 7.0)	298
Grade										
	9th	0.7	(0.3 - 1.3)	1,250	0.3	(0.1 - 0.9)	692	1.3	(0.5 - 2.9)	550
	10th	1.8	(1.2 - 2.7)	2,142	1.2	(0.6 - 2.4)	1,042	2.4	(1.5 - 3.8)	1,093
	11th	1.9	(1.4 - 2.6)	3,109	1.0	(0.6 - 1.8)	1,369	2.6	(1.8 - 3.6)	1,730
	12th	2.5	(2.0 - 3.2)	3,868	2.0	(1.3 - 3.1)	1,719	3.0	(2.2 - 3.9)	2,139
Race/Eth	nicity									
	Black*	1.9	(1.4 - 2.7)	2,311	1.0	(0.5 - 2.0)	1,147	3.0	(2.1 - 4.3)	1,155
	Hispanic/Latino	1.6	(0.9 - 2.8)	1,190	0.3	(0.1 - 0.7)	591	2.5	(1.3 - 4.9)	587
	White*	2.0	(1.6 - 2.4)	5,738	1.4	(0.9 - 2.1)	2,572	2.5	(1.9 - 3.1)	3,156
	All other races*	2.0	(0.9 - 4.5)	390	1.9	(0.6 - 5.9)	208	2.2	(0.7 - 6.7)	176
	Multiple races*	3.3	(2.0 - 5.4)	629	4.2	(2.0 - 8.5)	268	2.6	(1.3 - 5.2)	360

Maryland High School Survey Summary Tables - Weighted Data

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

		Total		Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	4.0	(3.6 - 4.6)	10,540	2.0	(1.6 - 2.5)	4,905	6.0	(5.2 - 7.0)	5,572
Age										
	15 or younger	2.7	(2.1 - 3.6)	2,990	1.3	(0.7 - 2.4)	1,453	4.3	(3.2 - 5.9)	1,515
	16 or 17	4.4	(3.8 - 5.0)	6,870	2.1	(1.6 - 2.8)	3,089	6.3	(5.4 - 7.4)	3,757
	18 or older	5.8	(4.0 - 8.4)	665	3.5	(1.9 - 6.4)	361	8.8	(5.5 - 13.8)	298
Grade										
	9th	2.6	(1.6 - 4.1)	1,250	1.4	(0.6 - 3.2)	692	4.6	(2.6 - 8.0)	550
	10th	3.0	(2.1 - 4.1)	2,142	1.2	(0.6 - 2.4)	1,042	4.8	(3.4 - 6.8)	1,093
	11th	3.7	(3.0 - 4.6)	3,109	1.9	(1.2 - 2.9)	1,369	5.3	(4.2 - 6.7)	1,730
	12th	5.3	(4.5 - 6.2)	3,868	2.8	(2.0 - 3.9)	1,719	7.3	(5.9 - 8.9)	2,139
Race/E	thnicity									
	Black*	4.7	(3.7 - 5.8)	2,311	2.0	(1.3 - 3.2)	1,147	7.7	(5.8 - 10.0)	1,155
	Hispanic/Latino	3.8	(2.7 - 5.3)	1,190	2.4	(1.3 - 4.6)	591	5.0	(3.4 - 7.4)	587
	White*	3.9	(3.3 - 4.6)	5,738	2.0	(1.5 - 2.7)	2,572	5.5	(4.5 - 6.7)	3,156
	All other races*	2.1	(1.0 - 4.2)	390	1.9	(0.7 - 4.7)	208	1.7	(0.5 - 5.7)	176
	Multiple races*	2.9	(1.8 - 4.7)	629	1.4	(0.5 - 3.4)	268	4.1	(2.4 - 6.8)	360

Maryland High School Survey Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

		Total			Male			Female			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	23.7	(22.7 - 24.8)	10,540	16.6	(15.5 - 17.9)	4,905	30.4	(29.1 - 31.9)	5,572	
Age											
	15 or younger	14.5	(13.1 - 16.1)	2,990	10.1	(8.5 - 12.0)	1,453	19.3	(17.0 - 21.8)	1,515	
	16 or 17	27.2	(26.0 - 28.5)	6,870	19.2	(17.6 - 20.9)	3,089	34.3	(32.6 - 35.9)	3,757	
	18 or older	25.3	(21.7 - 29.3)	665	19.8	(15.7 - 24.8)	361	31.8	(26.3 - 38.0)	298	
Grade											
	9th	11.8	(9.8 - 14.3)	1,250	9.5	(7.1 - 12.5)	692	15.7	(12.1 - 20.0)	550	
	10th	16.2	(14.4 - 18.1)	2,142	10.2	(8.3 - 12.4)	1,042	22.3	(19.7 - 25.1)	1,093	
	11th	24.7	(23.0 - 26.4)	3,109	16.7	(14.6 - 19.1)	1,369	31.3	(28.9 - 33.9)	1,730	
	12th	30.4	(28.6 - 32.2)	3,868	23.3	(20.9 - 25.8)	1,719	36.5	(34.1 - 38.9)	2,139	
Race/Et	thnicity										
	Black*	16.8	(15.2 - 18.5)	2,311	10.1	(8.5 - 11.9)	1,147	24.4	(21.7 - 27.3)	1,155	
	Hispanic/Latino	15.3	(13.0 - 17.9)	1,190	9.7	(7.1 - 13.1)	591	20.3	(17.0 - 24.2)	587	
	White*	31.6	(30.2 - 33.0)	5,738	24.2	(22.5 - 26.1)	2,572	37.8	(35.8 - 39.9)	3,156	
	All other races*	17.7	(13.4 - 23.0)	390	15.3	(10.0 - 22.6)	208	19.0	(12.8 - 27.4)	176	
	Multiple races*	22.9	(19.1 - 27.3)	629	15.3	(10.8 - 21.1)	268	28.6	(23.4 - 34.5)	360	

Maryland High School Survey Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

		Total				Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	8.7	(8.1 - 9.4)	10,345	5.8	(5.1 - 6.5)	4,806	11.6	(10.6 - 12.6)	5,486	
Age											
	15 or younger	6.2	(5.3 - 7.3)	2,898	4.2	(3.1 - 5.7)	1,403	8.4	(6.9 - 10.2)	1,481	
	16 or 17	9.6	(8.8 - 10.4)	6,784	6.4	(5.4 - 7.4)	3,049	12.4	(11.2 - 13.6)	3,713	
	18 or older	10.3	(7.9 - 13.4)	648	6.4	(4.0 - 10.2)	352	14.6	(10.3 - 20.1)	290	
Grade											
	9th	5.4	(4.0 - 7.1)	1,209	4.5	(2.9 - 7.0)	668	6.4	(4.4 - 9.3)	534	
	10th	6.8	(5.7 - 8.1)	2,098	4.3	(3.0 - 6.2)	1,019	9.4	(7.6 - 11.5)	1,073	
	11th	8.8	(7.7 - 10.0)	3,062	6.1	(4.8 - 7.7)	1,343	11.1	(9.4 - 13.0)	1,715	
	12th	10.7	(9.6 - 11.9)	3,813	6.9	(5.6 - 8.4)	1,697	14.0	(12.3 - 15.9)	2,107	
Race/E	thnicity										
	Black*	6.9	(5.9 - 8.2)	2,255	3.9	(2.7 - 5.5)	1,119	10.4	(8.5 - 12.7)	1,127	
	Hispanic/Latino	6.5	(5.0 - 8.3)	1,161	3.5	(2.1 - 5.9)	577	9.3	(6.7 - 12.8)	573	
	White*	11.0	(10.1 - 12.0)	5,681	7.9	(6.8 - 9.1)	2,543	13.7	(12.3 - 15.2)	3,128	
	All other races*	6.9	(4.3 - 10.8)	379	6.1	(3.2 - 11.4)	201	7.0	(3.6 - 13.1)	174	
	Multiple races*	6.8	(4.9 - 9.4)	613	3.3	(1.7 - 6.5)	260	9.4	(6.5 - 13.4)	352	

Note: 45,251 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

Maryland High School Survey Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.6	(13.7 - 15.7)	10,540	13.8	(12.6 - 15.2)	4,905	15.3	(14.0 - 16.7)	5,572
Age										
	15 or younger	18.0	(16.1 - 20.1)	2,990	14.6	(12.5 - 17.0)	1,453	21.6	(19.0 - 24.5)	1,515
	16 or 17	12.7	(11.6 - 13.9)	6,870	12.5	(10.9 - 14.3)	3,089	12.9	(11.4 - 14.5)	3,757
	18 or older	19.6	(15.9 - 23.9)	665	21.5	(16.6 - 27.4)	361	17.5	(12.9 - 23.4)	298
Grade										
	9th	20.3	(17.2 - 23.9)	1,250	16.3	(13.0 - 20.2)	692	26.3	(21.2 - 32.1)	550
	10th	16.2	(14.3 - 18.3)	2,142	13.9	(11.5 - 16.7)	1,042	18.5	(15.3 - 22.2)	1,093
	11th	14.4	(12.8 - 16.3)	3,109	15.1	(12.8 - 17.8)	1,369	13.9	(11.6 - 16.5)	1,730
	12th	11.8	(10.5 - 13.1)	3,868	11.3	(9.7 - 13.2)	1,719	12.2	(10.5 - 14.0)	2,139
Race/E	thnicity									
	Black*	17.5	(15.8 - 19.4)	2,311	16.1	(13.6 - 19.0)	1,147	19.2	(16.9 - 21.7)	1,155
	Hispanic/Latino	21.0	(18.0 - 24.5)	1,190	18.4	(14.4 - 23.2)	591	23.5	(18.6 - 29.3)	587
	White*	10.6	(9.6 - 11.8)	5,738	10.3	(9.0 - 11.9)	2,572	10.8	(9.5 - 12.3)	3,156
	All other races*	15.2	(11.2 - 20.2)	390	16.5	(10.7 - 24.5)	208	13.8	(8.8 - 21.0)	176
	Multiple races*	16.2	(13.0 - 20.1)	629	14.7	(10.4 - 20.3)	268	17.5	(13.2 - 22.8)	360