Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN6: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 67.0 | (63.4 - 70.5) | 932 | 67.8 | (62.7 - 72.5) | 499 | 66.3 | (61.0 - 71.3) | 431 | |
| Age | | | | | | | | | | |
| 11 or younger | 61.5 | (53.9 - 68.6) | 269 | 66.6 | (54.9 - 76.6) | 137 | 56.2 | (46.3 - 65.6) | 132 | |
| 12 | 65.7 | (60.3 - 70.7) | 295 | 65.3 | (55.2 - 74.2) | 147 | 66.4 | (57.1 - 74.7) | 147 | |
| 13 | 69.0 | (62.5 - 74.8) | 298 | 68.3 | (59.8 - 75.7) | 164 | 70.0 | (62.9 - 76.3) | 133 | |
| 14 or older | - | - | 69 | - | - | 51 | - | - | 18 | |
| Grade | | | | | | | | | | |
| 6th | 62.2 | (55.4 - 68.5) | 333 | 64.8 | (54.3 - 74.0) | 171 | 59.4 | (50.0 - 68.2) | 162 | |
| 7th | 67.3 | (60.8 - 73.1) | 290 | 68.9 | (58.1 - 77.9) | 150 | 65.3 | (55.3 - 74.1) | 140 | |
| 8th | 71.5 | (65.5 - 76.9) | 299 | 69.7 | (62.6 - 76.0) | 174 | 73.9 | (66.1 - 80.5) | 124 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | - | _ | 79 | - | - | 43 | _ | - | 36 | |
| Hispanic/Latino | 84.8 | (76.9 - 90.3) | 120 | - | - | 59 | - | - | 60 | |
| White* | 65.0 | (60.3 - 69.4) | 564 | 66.7 | (60.2 - 72.5) | 301 | 63.1 | (56.6 - 69.2) | 263 | |
| All other races* | - | - | 41 | - | - | 26 | - | - | 15 | |
| Multiple races* | - | - | 46 | - | - | 22 | - | - | 24 | |

Note: 227 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN7: Percentage of students who rarely or never wore a helmet when rollerblading or skateboarding (among students who used rollerblades or rode a skateboard)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 72.5 | (67.7 - 76.8) | 484 | 70.0 | (64.2 - 75.2) | 245 | 74.8 | (67.4 - 81.0) | 237 | |
| Age | | | | | | | | | | |
| 11 or younger | 69.8 | (62.2 - 76.4) | 142 | - | - | 70 | - | - | 72 | |
| 12 | 67.9 | (57.6 - 76.7) | 144 | _ | _ | 69 | _ | _ | 74 | |
| 13 | 76.5 | (67.6 - 83.5) | 157 | - | - | 77 | - | - | 79 | |
| 14 or older | - | - | 41 | - | - | 29 | - | - | 12 | |
| Grade | | | | | | | | | | |
| 6th | 67.5 | (59.8 - 74.4) | 173 | - | - | 87 | - | - | 86 | |
| 7th | 72.3 | (63.5 - 79.7) | 149 | - | - | 72 | - | - | 77 | |
| 8th | 76.9 | (67.9 - 84.0) | 157 | - | - | 84 | - | - | 71 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | _ | _ | 35 | - | - | 17 | _ | - | 18 | |
| Hispanic/Latino | - | - | 75 | - | - | 35 | - | - | 40 | |
| White* | 71.6 | (66.2 - 76.4) | 286 | 68.5 | (61.7 - 74.6) | 144 | 74.6 | (66.7 - 81.1) | 141 | |
| All other races* | - | - | 30 | - | - | 18 | - | - | 12 | |
| Multiple races* | - | - | 19 | - | - | 9 | - | - | 10 | |

Note: 675 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.4 | (2.3 - 5.0) | 1,153 | 4.5 | (3.0 - 6.6) | 600 | 2.1 | (1.2 - 3.7) | 548 |
| Age | | | | | | | | | |
| 11 or younger | 2.0 | (0.9 - 4.6) | 329 | 2.8 | (1.1 - 6.9) | 169 | 1.2 | (0.4 - 3.6) | 160 |
| 12 | 1.9 | (1.0 - 3.6) | 372 | 2.3 | (1.0 - 5.4) | 183 | 0.8 | (0.2 - 3.2) | 186 |
| 13 | 4.7 | (3.0 - 7.4) | 366 | 5.5 | (3.3 - 9.1) | 192 | 4.0 | (2.0 - 7.9) | 172 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 2.0 | (0.8 - 5.0) | 405 | 2.3 | (0.8 - 6.5) | 210 | 1.0 | (0.3 - 2.9) | 193 |
| 7th | 2.1 | (1.0 - 4.3) | 365 | 2.8 | (1.2 - 6.5) | 181 | 1.3 | (0.5 - 3.4) | 184 |
| 8th | 5.5 | (3.1 - 9.5) | 372 | 7.5 | (4.3 - 12.8) | 204 | 3.5 | (1.5 - 7.6) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.8 | (3.0 - 14.6) | 103 | _ | - | 50 | - | _ | 52 |
| Hispanic/Latino | 8.6 | (4.7 - 15.2) | 147 | - | - | 71 | - | - | 75 |
| White* | 2.5 | (1.5 - 4.2) | 692 | 3.8 | (2.3 - 6.4) | 365 | 1.0 | (0.3 - 3.2) | 326 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 6 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN9: Percentage of students who ever rode with a driver who had been drinking alcohol (in a car)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.5 | (16.8 - 22.4) | 1,149 | 18.7 | (14.9 - 23.2) | 600 | 20.4 | (16.5 - 24.8) | 544 |
| Age | | | | | | | | | |
| 11 or younger | 13.9 | (9.7 - 19.5) | 329 | 12.5 | (8.2 - 18.4) | 171 | 15.4 | (9.2 - 24.6) | 158 |
| 12 | 18.7 | (14.1 - 24.3) | 372 | 21.7 | (14.4 - 31.4) | 184 | 15.1 | (10.2 - 21.7) | 185 |
| 13 | 22.7 | (18.2 - 28.0) | 362 | 18.9 | (13.4 - 25.9) | 189 | 26.7 | (20.4 - 34.1) | 171 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 16.0 | (12.4 - 20.4) | 405 | 14.5 | (9.5 - 21.5) | 212 | 17.8 | (12.1 - 25.5) | 191 |
| 7th | 17.1 | (12.6 - 22.9) | 364 | 20.0 | (12.6 - 30.2) | 181 | 13.8 | (8.7 - 21.2) | 183 |
| 8th | 25.4 | (21.2 - 30.2) | 369 | 21.5 | (17.1 - 26.8) | 202 | 29.2 | (22.9 - 36.5) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.0 | (10.8 - 25.7) | 100 | - | - | 49 | - | - | 50 |
| Hispanic/Latino | 22.2 | (16.1 - 29.9) | 148 | - | - | 71 | - | - | 76 |
| White* | 20.0 | (16.9 - 23.5) | 690 | 20.0 | (15.6 - 25.3) | 365 | 20.1 | (15.7 - 25.4) | 324 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 10 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN10: Percentage of students who ever carried a weapon (such as a gun, knife, or club)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 33.9 | (30.8 - 37.0) | 1,147 | 47.0 | (41.9 - 52.3) | 597 | 19.7 | (16.3 - 23.7) | 546 |
| Age | | | | | | | | | |
| 11 or younger | 29.0 | (22.8 - 36.1) | 326 | 38.7 | (29.1 - 49.3) | 170 | 18.5 | (11.9 - 27.6) | 156 |
| 12 | 33.8 | (29.3 - 38.6) | 371 | 48.7 | (39.0 - 58.4) | 180 | 18.1 | (12.6 - 25.4) | 188 |
| 13 | 34.8 | (30.6 - 39.2) | 365 | 48.2 | (41.8 - 54.6) | 192 | 21.8 | (16.1 - 28.9) | 172 |
| 14 or older | - | - | 83 | - | - | 55 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 31.1 | (24.8 - 38.2) | 401 | 41.8 | (32.7 - 51.5) | 210 | 19.4 | (12.5 - 28.8) | 189 |
| 7th | 34.6 | (30.6 - 38.7) | 366 | 48.1 | (39.6 - 56.7) | 180 | 19.2 | (14.1 - 25.6) | 186 |
| 8th | 35.1 | (30.7 - 39.7) | 370 | 50.9 | (44.2 - 57.7) | 202 | 19.5 | (14.8 - 25.3) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.1 | (13.6 - 33.8) | 102 | - | - | 49 | - | - | 52 |
| Hispanic/Latino | 31.5 | (23.3 - 41.0) | 145 | - | - | 70 | - | - | 75 |
| White* | 35.0 | (31.5 - 38.8) | 688 | 49.0 | (43.0 - 55.0) | 363 | 19.7 | (15.9 - 24.1) | 324 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 12 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN11: Percentage of students who were ever in a physical fight

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 41.3 | (38.0 - 44.7) | 1,141 | 52.6 | (48.4 - 56.8) | 596 | 28.7 | (25.1 - 32.5) | 541 |
| Age | | | | | | | | | |
| 11 or younger | 36.5 | (30.4 - 43.0) | 326 | 49.7 | (40.5 - 58.9) | 170 | 22.0 | (16.7 - 28.5) | 156 |
| 12 | 40.9 | (34.7 - 47.4) | 372 | 53.7 | (45.3 - 61.9) | 182 | 26.5 | (20.4 - 33.6) | 187 |
| 13 | 42.3 | (37.8 - 47.0) | 358 | 51.2 | (43.5 - 58.9) | 188 | 33.2 | (27.5 - 39.5) | 169 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 41.4 | (35.3 - 47.8) | 403 | 55.2 | (47.3 - 62.7) | 212 | 25.8 | (20.0 - 32.5) | 189 |
| 7th | 38.9 | (32.9 - 45.2) | 364 | 50.1 | (42.3 - 57.9) | 181 | 25.9 | (19.6 - 33.4) | 183 |
| 8th | 43.3 | (38.7 - 48.1) | 364 | 52.3 | (46.7 - 57.9) | 198 | 33.7 | (27.5 - 40.6) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 60.7 | (50.9 - 69.6) | 103 | - | - | 50 | _ | - | 52 |
| Hispanic/Latino | 51.4 | (41.9 - 60.9) | 142 | - | - | 69 | _ | - | 73 |
| White* | 37.5 | (33.4 - 41.8) | 687 | 49.4 | (43.9 - 54.8) | 362 | 24.2 | (20.1 - 28.9) | 324 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 18 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN12: Percentage of students who were ever bullied on school property

| Total | | | | Male | Female | | | |
|------------|---|--|--|---|--|--|--|---|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 46.0 | (42.6 - 49.5) | 1,147 | 40.0 | (35.7 - 44.5) | 596 | 52.5 | (47.4 - 57.5) | 547 |
| | | | | | | | | |
| 48.0 | (42.0 - 54.0) | 330 | 44.0 | (36.7 - 51.6) | 170 | 52.2 | (42.7 - 61.6) | 160 |
| 42.0 | (35.8 - 48.6) | 371 | 37.6 | (30.6 - 45.2) | 181 | 47.2 | (37.8 - 56.8) | 187 |
| 49.8 | (43.9 - 55.6) | 362 | 40.5 | (32.8 - 48.8) | 190 | 58.5 | (51.1 - 65.5) | 171 |
| - | - | 82 | - | - | 55 | - | - | 27 |
| | | | | | | | | |
| 49.6 | (44.0 - 55.1) | 406 | 45.0 | (38.2 - 52.0) | 211 | 55.2 | (46.5 - 63.7) | 193 |
| 42.9 | (36.9 - 49.2) | 363 | 39.3 | (31.5 - 47.7) | 179 | 47.0 | (37.9 - 56.3) | 184 |
| 45.7 | (40.4 - 51.0) | 368 | 35.4 | (29.2 - 42.2) | 201 | 55.5 | (48.0 - 62.7) | 165 |
| | | | | | | | | |
| 39.5 | (29.2 - 50.9) | 102 | _ | - | 49 | - | - | 52 |
| 41.2 | (33.2 - 49.7) | 147 | - | - | 71 | - | - | 76 |
| 48.3 | (44.2 - 52.5) | 687 | 40.1 | (34.7 - 45.7) | 362 | 57.3 | (51.7 - 62.8) | 324 |
| - | - | 52 | - | - | 32 | - | - | 20 |
| - | - | 67 | - | - | 30 | - | - | 37 |
| | 46.0 48.0 42.0 49.8 - 49.6 42.9 45.7 39.5 41.2 48.3 | Percentage 95% confidence interval 46.0 (42.6 - 49.5) 48.0 (42.0 - 54.0) 42.0 (35.8 - 48.6) 49.8 (43.9 - 55.6) | Percentage 95% N confidence interval 46.0 (42.6 - 49.5) 1,147 48.0 (42.0 - 54.0) 330 42.0 (35.8 - 48.6) 371 49.8 (43.9 - 55.6) 362 - 82 49.6 (44.0 - 55.1) 406 42.9 (36.9 - 49.2) 363 45.7 (40.4 - 51.0) 368 39.5 (29.2 - 50.9) 102 41.2 (33.2 - 49.7) 147 48.3 (44.2 - 52.5) 687 - 52 | Percentage 95% confidence interval N Percentage 46.0 (42.6 - 49.5) 1,147 40.0 48.0 (42.0 - 54.0) 330 44.0 42.0 (35.8 - 48.6) 371 37.6 49.8 (43.9 - 55.6) 362 40.5 - - 82 - 49.6 (44.0 - 55.1) 406 45.0 42.9 (36.9 - 49.2) 363 39.3 45.7 (40.4 - 51.0) 368 35.4 39.5 (29.2 - 50.9) 102 - 41.2 (33.2 - 49.7) 147 - 48.3 (44.2 - 52.5) 687 40.1 - - 52 - | Percentage 95% confidence interval N Percentage confidence confidence interval 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) - - 82 - - 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 39.5 (29.2 - 50.9) 102 - - 41.2 (33.2 - 49.7) 147 - - 48.3 (44.2 - 52.5) 687 40.1 (34.7 - 45.7) - - 52 - - | Percentage 95% confidence interval N Percentage confidence confidence interval N 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 596 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 170 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 181 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) 190 - - - 82 - - 55 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 211 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 179 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 201 39.5 (29.2 - 50.9) 102 - - 49 41.2 (33.2 - 49.7) 147 - - 71 48.3 (44.2 - 52.5) 687 40.1 (34.7 - 45.7) 362 - - 52 <td>Percentage 95% confidence interval N Percentage 95% confidence confidence interval N Percentage 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 596 52.5 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 170 52.2 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 181 47.2 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) 190 58.5 - - 82 - - 55 - 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 211 55.2 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 179 47.0 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 201 55.5 39.5 (29.2 - 50.9) 102 - - 49 - 41.2 (33.2 - 49.7) 147 - - 71 -</td> <td>Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 596 52.5 (47.4 - 57.5) 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 170 52.2 (42.7 - 61.6) 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 181 47.2 (37.8 - 56.8) 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) 190 58.5 (51.1 - 65.5) - - 82 - - 55 - - 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 211 55.2 (46.5 - 63.7) 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 179 47.0 (37.9 - 56.3) 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 201 55.5 (48.0 - 62.7) 39.5 (29.2 - 50.9) 102 - <td< td=""></td<></td> | Percentage 95% confidence interval N Percentage 95% confidence confidence interval N Percentage 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 596 52.5 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 170 52.2 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 181 47.2 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) 190 58.5 - - 82 - - 55 - 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 211 55.2 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 179 47.0 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 201 55.5 39.5 (29.2 - 50.9) 102 - - 49 - 41.2 (33.2 - 49.7) 147 - - 71 - | Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 46.0 (42.6 - 49.5) 1,147 40.0 (35.7 - 44.5) 596 52.5 (47.4 - 57.5) 48.0 (42.0 - 54.0) 330 44.0 (36.7 - 51.6) 170 52.2 (42.7 - 61.6) 42.0 (35.8 - 48.6) 371 37.6 (30.6 - 45.2) 181 47.2 (37.8 - 56.8) 49.8 (43.9 - 55.6) 362 40.5 (32.8 - 48.8) 190 58.5 (51.1 - 65.5) - - 82 - - 55 - - 49.6 (44.0 - 55.1) 406 45.0 (38.2 - 52.0) 211 55.2 (46.5 - 63.7) 42.9 (36.9 - 49.2) 363 39.3 (31.5 - 47.7) 179 47.0 (37.9 - 56.3) 45.7 (40.4 - 51.0) 368 35.4 (29.2 - 42.2) 201 55.5 (48.0 - 62.7) 39.5 (29.2 - 50.9) 102 - <td< td=""></td<> |

Note: 12 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN13: Percentage of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media)

| | Total | | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 24.2 | (21.3 - 27.3) | 1,151 | 18.4 | (15.1 - 22.2) | 598 | 30.4 | (25.9 - 35.3) | 549 | |
| Age | | | | | | | | | | |
| 11 or younger | 20.3 | (15.5 - 25.9) | 328 | 18.1 | (11.9 - 26.7) | 168 | 22.5 | (16.6 - 29.6) | 160 | |
| 12 | 21.1 | (16.4 - 26.8) | 375 | 14.4 | (8.8 - 22.6) | 184 | 29.0 | (20.9 - 38.6) | 188 | |
| 13 | 30.6 | (25.3 - 36.5) | 363 | 23.1 | (17.2 - 30.2) | 191 | 37.6 | (30.3 - 45.6) | 171 | |
| 14 or older | - | - | 83 | - | - | 55 | - | - | 28 | |
| Grade | | | | | | | | | | |
| 6th | 20.4 | (16.2 - 25.2) | 405 | 17.9 | (12.6 - 24.8) | 210 | 23.3 | (17.7 - 30.1) | 193 | |
| 7th | 24.2 | (19.6 - 29.6) | 369 | 16.8 | (11.4 - 24.2) | 183 | 32.8 | (24.8 - 42.0) | 186 | |
| 8th | 28.4 | (23.5 - 33.8) | 367 | 20.7 | (15.3 - 27.5) | 200 | 35.7 | (28.0 - 44.2) | 165 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 22.1 | (13.6 - 33.8) | 101 | - | - | 49 | _ | - | 51 | |
| Hispanic/Latino | 24.9 | (18.2 - 33.1) | 145 | - | - | 69 | - | - | 76 | |
| White* | 26.0 | (22.4 - 30.0) | 693 | 19.4 | (15.2 - 24.6) | 366 | 33.1 | (27.3 - 39.4) | 326 | |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 | |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 | |
| | | | | | | | | | | |

Note: 8 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN14: Percentage of students who ever seriously thought about killing themselves

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 20.5 | (18.0 - 23.2) | 1,141 | 15.6 | (12.4 - 19.5) | 599 | 25.6 | (21.5 - 30.2) | 537 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 17.9 | (13.4 - 23.6) | 327 | 16.9 | (11.6 - 24.0) | 170 | 19.1 | (12.5 - 28.1) | 157 | | |
| 12 | 19.4 | (15.7 - 23.8) | 368 | 14.4 | (9.3 - 21.6) | 184 | 25.2 | (19.1 - 32.4) | 181 | | |
| 13 | 22.1 | (18.4 - 26.4) | 362 | 13.6 | (8.9 - 20.2) | 190 | 29.8 | (23.6 - 36.9) | 170 | | |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 | | |
| Grade | | | | | | | | | | | |
| 6th | 16.8 | (13.0 - 21.5) | 403 | 14.4 | (9.9 - 20.5) | 212 | 19.8 | (13.7 - 27.7) | 189 | | |
| 7th | 20.9 | (17.4 - 25.0) | 361 | 17.2 | (11.9 - 24.2) | 182 | 25.3 | (18.9 - 33.1) | 179 | | |
| 8th | 23.9 | (19.7 - 28.7) | 366 | 15.0 | (9.9 - 22.2) | 200 | 32.1 | (25.0 - 40.2) | 164 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 27.0 | (19.1 - 36.7) | 102 | - | - | 50 | - | - | 51 | | |
| Hispanic/Latino | 24.1 | (17.5 - 32.2) | 146 | - | - | 70 | - | - | 75 | | |
| White* | 20.2 | (17.1 - 23.6) | 686 | 14.9 | (11.2 - 19.6) | 365 | 25.9 | (20.7 - 31.7) | 320 | | |
| All other races* | - | - | 50 | - | - | 31 | - | - | 19 | | |
| Multiple races* | - | - | 64 | - | - | 30 | - | - | 34 | | |

Note: 18 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN15: Percentage of students who ever made a plan about how they would kill themselves

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 13.0 | (11.1 - 15.1) | 1,143 | 10.9 | (8.4 - 13.9) | 600 | 15.3 | (12.1 - 19.2) | 538 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 11.0 | (8.1 - 14.9) | 327 | 10.6 | (6.8 - 16.1) | 170 | 11.5 | (6.8 - 18.7) | 157 | | |
| 12 | 11.8 | (8.7 - 15.7) | 372 | 10.8 | (6.5 - 17.5) | 184 | 12.6 | (7.9 - 19.6) | 185 | | |
| 13 | 15.0 | (12.0 - 18.5) | 360 | 10.6 | (6.9 - 16.0) | 191 | 19.6 | (14.8 - 25.4) | 167 | | |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 | | |
| Grade | | | | | | | | | | | |
| 6th | 10.8 | (8.1 - 14.2) | 404 | 9.4 | (5.9 - 14.7) | 212 | 12.4 | (7.9 - 19.0) | 190 | | |
| 7th | 12.4 | (9.8 - 15.7) | 365 | 12.9 | (9.0 - 18.1) | 183 | 11.9 | (7.2 - 19.0) | 182 | | |
| 8th | 15.9 | (12.7 - 19.8) | 363 | 9.8 | (5.9 - 15.7) | 200 | 22.0 | (17.1 - 27.9) | 161 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 14.2 | (8.7 - 22.3) | 101 | _ | - | 50 | - | - | 50 | | |
| Hispanic/Latino | 15.0 | (9.8 - 22.4) | 147 | - | - | 70 | - | - | 76 | | |
| White* | 12.7 | (10.3 - 15.5) | 686 | 10.8 | (7.8 - 14.7) | 365 | 14.8 | (10.9 - 19.8) | 320 | | |
| All other races* | - | - | 50 | - | - | 31 | - | - | 19 | | |
| Multiple races* | - | - | 65 | - | - | 30 | - | - | 35 | | |

Note: 16 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN16: Percentage of students who ever tried to kill themselves

| Total Male | Female | | | |
|--|------------|---------------------------------|----------------|--|
| Percentage 95% N Percentage 95% N confidence interval interval | Percentage | 95% N confidence interval | | |
| Total 7.4 (5.9 - 9.4) 1,140 5.9 (4.0 - 8.6) 599 | 9.2 | (6.6 - 12.6) 53 | 37 | |
| Age | | | | |
| 11 or younger 5.2 (2.8 - 9.4) 325 4.8 (2.7 - 8.3) 168 | 5.6 | (2.3 - 13.0) 15 | 57 | |
| 12 7.8 (5.2 - 11.5) 369 7.3 (3.6 - 14.1) 184 | 8.5 | (4.9 - 14.3) 18 | 32 | |
| 13 7.6 (5.2 - 10.9) 363 3.5 (1.6 - 7.3) 193 | 11.8 | (7.7 - 17.6) 16 | 59 | |
| 14 or older 81 54 | - | - 2 | 27 | |
| Grade | | | | |
| 6th 5.6 (3.6 - 8.5) 402 4.7 (3.0 - 7.5) 210 | 6.6 | (3.4 - 12.4) 19 |) 0 | |
| 7th 8.1 (5.5 - 11.9) 362 8.2 (4.6 - 14.1) 183 | 8.0 | (4.4 - 14.4) 17 | 79 | |
| 8th 8.5 (5.9 - 12.0) 366 4.0 (1.7 - 8.9) 201 | 13.1 | (8.4 - 19.7) | 53 | |
| Race/Ethnicity | | | | |
| Black* 10.8 (5.6 - 20.0) 102 50 | - | - 5 | 51 | |
| Hispanic/Latino 10.8 (6.6 - 17.3) 143 69 | - | - 7 | 74 | |
| White* 7.2 (5.4 - 9.4) 683 5.4 (3.3 - 8.9) 363 | 9.1 | (6.3 - 13.1) 31 | 19 | |
| All other races* 53 33 | - | - 2 | 20 | |
| Multiple races* 65 30 | - | - 3 | 35 | |

Note: 19 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN17: Percentage of students who ever tried cigarette smoking (even one or two puffs)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.6 | (6.9 - 10.7) | 1,117 | 8.5 | (6.2 - 11.4) | 578 | 8.8 | (6.6 - 11.5) | 534 |
| Age | | | | | | | | | |
| 11 or younger | 3.3 | (1.9 - 5.6) | 318 | 2.6 | (0.9 - 6.8) | 162 | 4.0 | (1.8 - 8.6) | 156 |
| 12 | 7.8 | (5.5 - 10.9) | 365 | 8.4 | (5.3 - 12.8) | 179 | 7.3 | (4.5 - 11.7) | 183 |
| 13 | 11.8 | (8.8 - 15.6) | 352 | 10.9 | (7.0 - 16.5) | 183 | 12.5 | (8.5 - 17.9) | 167 |
| 14 or older | - | - | 80 | - | - | 54 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 3.6 | (2.3 - 5.6) | 392 | 3.3 | (1.6 - 6.8) | 203 | 3.9 | (1.9 - 7.9) | 187 |
| 7th | 9.0 | (6.6 - 12.1) | 360 | 8.0 | (5.3 - 12.0) | 178 | 10.1 | (6.6 - 15.2) | 182 |
| 8th | 12.8 | (9.8 - 16.7) | 355 | 14.1 | (9.7 - 20.0) | 193 | 11.8 | (7.8 - 17.3) | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 97 | _ | - | 46 | - | - | 50 |
| Hispanic/Latino | 18.6 | (12.8 - 26.2) | 135 | - | - | 61 | _ | - | 73 |
| White* | 8.3 | (6.5 - 10.5) | 678 | 7.9 | (5.5 - 11.2) | 360 | 8.7 | (6.2 - 12.2) | 317 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 42 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN18: Percentage of students who tried cigarette smoking for the first time before age 11 years (even one or two puffs)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.3 | (2.3 - 4.6) | 1,111 | 3.1 | (1.8 - 5.1) | 576 | 3.5 | (2.3 - 5.4) | 530 |
| Age | | | | | | | | | |
| 11 or younger | 2.6 | (1.4 - 4.8) | 317 | 2.6 | (0.9 - 6.8) | 162 | 2.6 | (0.9 - 7.2) | 155 |
| 12 | 2.9 | (1.4 - 6.0) | 363 | 2.1 | (0.7 - 6.1) | 178 | 3.9 | (1.8 - 8.4) | 182 |
| 13 | 3.8 | (2.3 - 6.4) | 351 | 4.1 | (1.9 - 8.7) | 184 | 3.6 | (1.6 - 7.6) | 165 |
| 14 or older | - | - | 78 | - | - | 52 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 2.1 | (1.1 - 3.8) | 391 | 2.0 | (0.8 - 5.3) | 203 | 2.1 | (0.7 - 5.9) | 186 |
| 7th | 3.1 | (1.5 - 6.2) | 358 | 2.0 | (0.7 - 6.0) | 178 | 4.3 | (2.1 - 8.6) | 180 |
| 8th | 4.2 | (2.5 - 6.9) | 352 | 4.9 | (2.5 - 9.2) | 191 | 3.6 | (1.6 - 7.6) | 159 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 97 | - | - | 46 | - | - | 50 |
| Hispanic/Latino | 7.5 | (3.8 - 14.1) | 132 | - | - | 60 | - | - | 71 |
| White* | 3.0 | (1.9 - 4.7) | 675 | 2.8 | (1.5 - 5.2) | 358 | 3.4 | (1.9 - 6.1) | 316 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 48 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN19: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.2 | (1.3 - 3.5) | 1,128 | 2.0 | (1.0 - 4.0) | 586 | 2.2 | (1.2 - 4.0) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.5 - 2.9) | 326 | 1.4 | (0.4 - 4.8) | 169 | 1.0 | (0.2 - 4.1) | 157 |
| 12 | 1.7 | (0.7 - 4.1) | 367 | 1.7 | (0.5 - 5.3) | 180 | 1.7 | (0.7 - 4.3) | 184 |
| 13 | 1.8 | (0.8 - 3.8) | 352 | 0.8 | (0.2 - 3.5) | 183 | 2.4 | (0.8 - 7.2) | 167 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.3 | (0.6 - 3.1) | 400 | 1.3 | (0.4 - 4.2) | 209 | 1.4 | (0.4 - 4.6) | 189 |
| 7th | 1.5 | (0.6 - 3.9) | 361 | 1.3 | (0.3 - 4.8) | 178 | 1.8 | (0.7 - 4.4) | 183 |
| 8th | 3.4 | (1.7 - 6.5) | 356 | 3.8 | (1.4 - 9.9) | 194 | 3.0 | (1.2 - 7.3) | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 48 | - | - | 50 |
| Hispanic/Latino | 7.3 | (4.2 - 12.6) | 133 | - | - | 59 | - | - | 73 |
| White* | 2.0 | (1.2 - 3.5) | 685 | 1.9 | (0.8 - 4.3) | 364 | 2.2 | (1.0 - 4.6) | 320 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 31 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

| | Total | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 0.2 | (0.1 - 0.8) | 1,128 | 0.3 | (0.1 - 1.3) | 586 | 0.2 | (0.0 - 1.5) | 537 | |
| Age | | | | | | | | | | |
| 11 or younger | 0.4 | (0.1 - 2.6) | 326 | 0.7 | (0.1 - 5.2) | 169 | 0.0 | - | 157 | |
| 12 | 0.0 | - | 367 | 0.0 | - | 180 | 0.0 | - | 184 | |
| 13 | 0.1 | (0.0 - 1.0) | 352 | 0.3 | (0.0 - 2.0) | 183 | 0.0 | - | 167 | |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 | |
| Grade | | | | | | | | | | |
| 6th | 0.6 | (0.2 - 2.1) | 400 | 0.6 | (0.1 - 4.0) | 209 | 0.6 | (0.1 - 4.5) | 189 | |
| 7th | 0.0 | - | 361 | 0.0 | - | 178 | 0.0 | - | 183 | |
| 8th | 0.1 | (0.0 - 0.9) | 356 | 0.3 | (0.0 - 1.8) | 194 | 0.0 | - | 160 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | - | - | 99 | - | - | 48 | _ | - | 50 | |
| Hispanic/Latino | 0.7 | (0.1 - 5.2) | 133 | - | - | 59 | - | - | 73 | |
| White* | 0.3 | (0.1 - 1.1) | 685 | 0.3 | (0.0 - 2.0) | 364 | 0.3 | (0.0 - 2.2) | 320 | |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 | |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 | |

Note: 31 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 0.1 | (0.0 - 0.6) | 1,128 | 0.1 | (0.0 - 0.6) | 586 | 0.2 | (0.0 - 1.5) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | - | 326 | 0.0 | - | 169 | 0.0 | - | 157 |
| 12 | 0.0 | - | 367 | 0.0 | - | 180 | 0.0 | - | 184 |
| 13 | 0.1 | (0.0 - 1.0) | 352 | 0.3 | (0.0 - 2.0) | 183 | 0.0 | - | 167 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 0.3 | (0.0 - 2.0) | 400 | 0.0 | - | 209 | 0.6 | (0.1 - 4.5) | 189 |
| 7th | 0.0 | - | 361 | 0.0 | - | 178 | 0.0 | - | 183 |
| 8th | 0.1 | (0.0 - 0.9) | 356 | 0.3 | (0.0 - 1.8) | 194 | 0.0 | - | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | _ | - | 99 | _ | - | 48 | - | - | 50 |
| Hispanic/Latino | 0.7 | (0.1 - 5.2) | 133 | - | - | 59 | - | - | 73 |
| White* | 0.1 | (0.0 - 1.0) | 685 | 0.0 | - | 364 | 0.3 | (0.0 - 2.2) | 320 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 31 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN20: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)

| | | Total | | | Male | | Female | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|----|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 28 | - | - | 14 | - | - | 13 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 5 | - | - | 3 | - | - | 2 |
| 12 | - | - | 7 | - | - | 3 | - | - | 4 |
| 13 | - | - | 6 | - | - | 2 | - | - | 3 |
| 14 or older | - | - | 9 | - | - | 6 | - | - | 3 |
| Grade | | | | | | | | | |
| 6th | - | - | 6 | - | - | 3 | - | - | 3 |
| 7th | - | - | 6 | - | - | 2 | - | - | 4 |
| 8th | - | - | 14 | - | - | 9 | - | - | 5 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 2 | - | - | 1 | - | - | 1 |
| Hispanic/Latino | - | - | 10 | - | - | 5 | - | - | 4 |
| White* | - | - | 14 | - | - | 7 | - | - | 7 |
| All other races* | - | - | 1 | - | - | 1 | - | - | 0 |
| Multiple races* | - | - | 0 | - | - | 0 | - | - | 0 |

Note: 1,131 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN21: Percentage of students who ever used an electronic vapor product

| Total | | | Male | | Female | | | |
|------------|--|--|--|---|---|---|---|---|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 24.1 | (20.5 - 28.1) | 1,127 | 23.0 | (19.1 - 27.4) | 583 | 25.5 | (21.2 - 30.4) | 540 |
| | | | | | | | | |
| 13.5 | (10.7 - 16.9) | 320 | 12.5 | (8.8 - 17.5) | 165 | 14.5 | (9.4 - 21.6) | 155 |
| 23.4 | (19.2 - 28.3) | 371 | 23.4 | (18.4 - 29.3) | 180 | 23.8 | (17.4 - 31.7) | 188 |
| 29.4 | (24.4 - 35.0) | 356 | 27.1 | (20.4 - 35.1) | 187 | 31.9 | (25.6 - 38.9) | 168 |
| - | - | 78 | - | - | 51 | - | - | 27 |
| | | | | | | | | |
| 14.7 | (11.7 - 18.4) | 397 | 15.0 | (11.6 - 19.3) | 207 | 14.5 | (9.8 - 21.0) | 188 |
| 23.6 | (18.3 - 29.8) | 363 | 21.8 | (16.0 - 29.1) | 177 | 25.5 | (18.9 - 33.4) | 186 |
| 33.7 | (28.0 - 39.9) | 357 | 32.4 | (25.2 - 40.6) | 194 | 35.3 | (29.0 - 42.2) | 161 |
| | | | | | | | | |
| 23.0 | (14.0 - 35.2) | 100 | - | - | 48 | - | - | 51 |
| 39.9 | (30.6 - 50.1) | 141 | - | - | 66 | - | - | 75 |
| 23.8 | (20.2 - 27.8) | 677 | 22.6 | (18.3 - 27.6) | 357 | 25.2 | (20.7 - 30.4) | 319 |
| - | - | 50 | - | - | 30 | - | - | 20 |
| - | - | 67 | - | - | 30 | - | - | 37 |
| | 24.1 13.5 23.4 29.4 14.7 23.6 33.7 23.0 39.9 23.8 | Percentage 95% confidence interval 24.1 (20.5 - 28.1) 13.5 (10.7 - 16.9) 23.4 (19.2 - 28.3) 29.4 (24.4 - 35.0) | Percentage 95% confidence interval 1,127 24.1 (20.5 - 28.1) 1,127 13.5 (10.7 - 16.9) 320 23.4 (19.2 - 28.3) 371 29.4 (24.4 - 35.0) 356 78 14.7 (11.7 - 18.4) 397 23.6 (18.3 - 29.8) 363 33.7 (28.0 - 39.9) 357 23.0 (14.0 - 35.2) 100 39.9 (30.6 - 50.1) 141 23.8 (20.2 - 27.8) 677 50 | Percentage 95% confidence interval N Percentage 24.1 (20.5 - 28.1) 1,127 23.0 13.5 (10.7 - 16.9) 320 12.5 23.4 (19.2 - 28.3) 371 23.4 29.4 (24.4 - 35.0) 356 27.1 - - 78 - 14.7 (11.7 - 18.4) 397 15.0 23.6 (18.3 - 29.8) 363 21.8 33.7 (28.0 - 39.9) 357 32.4 23.0 (14.0 - 35.2) 100 - 39.9 (30.6 - 50.1) 141 - 23.8 (20.2 - 27.8) 677 22.6 - - 50 - | Percentage 95% confidence interval N Percentage confidence interval 24.1 (20.5 - 28.1) 1,127 23.0 (19.1 - 27.4) 13.5 (10.7 - 16.9) 320 12.5 (8.8 - 17.5) 23.4 (19.2 - 28.3) 371 23.4 (18.4 - 29.3) 29.4 (24.4 - 35.0) 356 27.1 (20.4 - 35.1) - - - - 14.7 (11.7 - 18.4) 397 15.0 (11.6 - 19.3) 23.6 (18.3 - 29.8) 363 21.8 (16.0 - 29.1) 33.7 (28.0 - 39.9) 357 32.4 (25.2 - 40.6) 23.0 (14.0 - 35.2) 100 - - 39.9 (30.6 - 50.1) 141 - - 23.8 (20.2 - 27.8) 677 22.6 (18.3 - 27.6) - - 50 - - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 24.1 (20.5 - 28.1) 1,127 23.0 (19.1 - 27.4) 583 13.5 (10.7 - 16.9) 320 12.5 (8.8 - 17.5) 165 23.4 (19.2 - 28.3) 371 23.4 (18.4 - 29.3) 180 29.4 (24.4 - 35.0) 356 27.1 (20.4 - 35.1) 187 - - - - 51 14.7 (11.7 - 18.4) 397 15.0 (11.6 - 19.3) 207 23.6 (18.3 - 29.8) 363 21.8 (16.0 - 29.1) 177 33.7 (28.0 - 39.9) 357 32.4 (25.2 - 40.6) 194 23.0 (14.0 - 35.2) 100 - - 48 39.9 (30.6 - 50.1) 141 - - 66 23.8 (20.2 - 27.8) 677 22.6 (18.3 - 27.6) 357 - - - < | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 24.1 (20.5 - 28.1) 1,127 23.0 (19.1 - 27.4) 583 25.5 13.5 (10.7 - 16.9) 320 12.5 (8.8 - 17.5) 165 14.5 23.4 (19.2 - 28.3) 371 23.4 (18.4 - 29.3) 180 23.8 29.4 (24.4 - 35.0) 356 27.1 (20.4 - 35.1) 187 31.9 - - - 78 - - 51 - 14.7 (11.7 - 18.4) 397 15.0 (11.6 - 19.3) 207 14.5 23.6 (18.3 - 29.8) 363 21.8 (16.0 - 29.1) 177 25.5 33.7 (28.0 - 39.9) 357 32.4 (25.2 - 40.6) 194 35.3 23.0 (14.0 - 35.2) 100 - - 48 - 39.9 (30.6 - 50.1) 141 - - 66 -< | Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 24.1 (20.5 - 28.1) 1,127 23.0 (19.1 - 27.4) 583 25.5 (21.2 - 30.4) 13.5 (10.7 - 16.9) 320 12.5 (8.8 - 17.5) 165 14.5 (9.4 - 21.6) 23.4 (19.2 - 28.3) 371 23.4 (18.4 - 29.3) 180 23.8 (17.4 - 31.7) 29.4 (24.4 - 35.0) 356 27.1 (20.4 - 35.1) 187 31.9 (25.6 - 38.9) - - 78 - - 51 - - 14.7 (11.7 - 18.4) 397 15.0 (11.6 - 19.3) 207 14.5 (9.8 - 21.0) 23.6 (18.3 - 29.8) 363 21.8 (16.0 - 29.1) 177 25.5 (18.9 - 33.4) 33.7 (28.0 - 39.9) 357 32.4 (25.2 - 40.6) 194 35.3 (29.0 - 42.2) 23.0 (14.0 - 35.2) 100 - -< |

Note: 32 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN22: Percentage of students who currently used an electronic vapor product (on at least 1 day during the 30 days before the survey)

| Total | | Male | | | Female | | | |
|------------|--|--|--|---|---|--|---|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 10.9 | (8.4 - 13.9) | 1,094 | 10.5 | (7.9 - 13.9) | 568 | 11.4 | (8.2 - 15.4) | 521 |
| | | | | | | | | |
| 2.4 | (1.2 - 4.4) | 311 | 1.1 | (0.2 - 4.8) | 160 | 3.7 | (1.7 - 8.0) | 151 |
| 9.4 | (7.2 - 12.1) | 361 | 12.2 | (9.2 - 15.9) | 177 | 6.5 | (3.5 - 11.7) | 181 |
| 16.2 | (12.4 - 20.8) | 346 | 14.4 | (9.5 - 21.3) | 182 | 18.0 | (13.7 - 23.4) | 162 |
| - | - | 74 | - | - | 49 | - | - | 25 |
| | | | | | | | | |
| 3.2 | (1.9 - 5.5) | 387 | 2.5 | (1.0 - 6.0) | 200 | 4.1 | (1.8 - 8.9) | 185 |
| 10.8 | (8.1 - 14.2) | 352 | 13.1 | (10.4 - 16.5) | 175 | 8.0 | (4.3 - 14.4) | 177 |
| 18.4 | (13.7 - 24.4) | 345 | 15.9 | (10.4 - 23.6) | 189 | 21.2 | (15.8 - 27.9) | 154 |
| | | | | | | | | |
| - | _ | 98 | _ | - | 47 | - | - | 50 |
| 19.9 | (12.8 - 29.7) | 129 | - | - | 59 | - | - | 69 |
| 10.8 | (8.2 - 14.0) | 663 | 11.1 | (8.0 - 15.2) | 351 | 10.4 | (7.2 - 14.8) | 311 |
| - | - | 49 | - | - | 30 | - | - | 19 |
| - | - | 64 | - | - | 29 | - | - | 35 |
| | 10.9 2.4 9.4 16.2 - 3.2 10.8 18.4 | Percentage 95% confidence interval 10.9 (8.4 - 13.9) 2.4 (1.2 - 4.4) 9.4 (7.2 - 12.1) 16.2 (12.4 - 20.8) 3.2 (1.9 - 5.5) 10.8 (8.1 - 14.2) 18.4 (13.7 - 24.4) 19.9 (12.8 - 29.7) 10.8 (8.2 - 14.0) | Percentage 95% confidence interval 10.9 (8.4 - 13.9) 1,094 2.4 (1.2 - 4.4) 311 9.4 (7.2 - 12.1) 361 16.2 (12.4 - 20.8) 346 74 3.2 (1.9 - 5.5) 387 10.8 (8.1 - 14.2) 352 18.4 (13.7 - 24.4) 345 98 19.9 (12.8 - 29.7) 129 10.8 (8.2 - 14.0) 663 49 | Percentage 95% confidence interval N Percentage 10.9 (8.4 - 13.9) 1,094 10.5 2.4 (1.2 - 4.4) 311 1.1 9.4 (7.2 - 12.1) 361 12.2 16.2 (12.4 - 20.8) 346 14.4 - - - - 3.2 (1.9 - 5.5) 387 2.5 10.8 (8.1 - 14.2) 352 13.1 18.4 (13.7 - 24.4) 345 15.9 - - 98 - 19.9 (12.8 - 29.7) 129 - 10.8 (8.2 - 14.0) 663 11.1 - - 49 - | Percentage 95% confidence interval N Percentage confidence confidence interval 10.9 (8.4 - 13.9) 1,094 10.5 (7.9 - 13.9) 2.4 (1.2 - 4.4) 311 1.1 (0.2 - 4.8) 9.4 (7.2 - 12.1) 361 12.2 (9.2 - 15.9) 16.2 (12.4 - 20.8) 346 14.4 (9.5 - 21.3) - - 74 - - 3.2 (1.9 - 5.5) 387 2.5 (1.0 - 6.0) 10.8 (8.1 - 14.2) 352 13.1 (10.4 - 16.5) 18.4 (13.7 - 24.4) 345 15.9 (10.4 - 23.6) - - 98 - - - 19.9 (12.8 - 29.7) 129 - - - 10.8 (8.2 - 14.0) 663 11.1 (8.0 - 15.2) - - 49 - - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 10.9 (8.4 - 13.9) 1,094 10.5 (7.9 - 13.9) 568 2.4 (1.2 - 4.4) 311 1.1 (0.2 - 4.8) 160 9.4 (7.2 - 12.1) 361 12.2 (9.2 - 15.9) 177 16.2 (12.4 - 20.8) 346 14.4 (9.5 - 21.3) 182 - - - - 49 3.2 (1.9 - 5.5) 387 2.5 (1.0 - 6.0) 200 10.8 (8.1 - 14.2) 352 13.1 (10.4 - 16.5) 175 18.4 (13.7 - 24.4) 345 15.9 (10.4 - 23.6) 189 - - - 98 - - - 47 19.9 (12.8 - 29.7) 129 - - 59 10.8 (8.2 - 14.0) 663 11.1 (8.0 - 15.2) 351 - - 49 | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 10.9 (8.4 - 13.9) 1,094 10.5 (7.9 - 13.9) 568 11.4 2.4 (1.2 - 4.4) 311 1.1 (0.2 - 4.8) 160 3.7 9.4 (7.2 - 12.1) 361 12.2 (9.2 - 15.9) 177 6.5 16.2 (12.4 - 20.8) 346 14.4 (9.5 - 21.3) 182 18.0 - - - 74 - - 49 - 3.2 (1.9 - 5.5) 387 2.5 (1.0 - 6.0) 200 4.1 10.8 (8.1 - 14.2) 352 13.1 (10.4 - 16.5) 175 8.0 18.4 (13.7 - 24.4) 345 15.9 (10.4 - 23.6) 189 21.2 - - - - 47 - - 19.9 (12.8 - 29.7) 129 - - 59 - 10. | Percentage confidence interval 95% confidence interval N Percentage confidence interval 95% confidence interval 10.9 (8.4 - 13.9) 1,094 10.5 (7.9 - 13.9) 568 11.4 (8.2 - 15.4) 2.4 (1.2 - 4.4) 311 1.1 (0.2 - 4.8) 160 3.7 (1.7 - 8.0) 9.4 (7.2 - 12.1) 361 12.2 (9.2 - 15.9) 177 6.5 (3.5 - 11.7) 16.2 (12.4 - 20.8) 346 14.4 (9.5 - 21.3) 182 18.0 (13.7 - 23.4) - - 74 - - 49 - - 3.2 (1.9 - 5.5) 387 2.5 (1.0 - 6.0) 200 4.1 (1.8 - 8.9) 10.8 (8.1 - 14.2) 352 13.1 (10.4 - 16.5) 175 8.0 (4.3 - 14.4) 18.4 (13.7 - 24.4) 345 15.9 (10.4 - 23.6) 189 21.2 (15.8 - 27.9) 19.9 (12.8 - 29.7) 129 - - 47 |

Note: 65 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.2 | (1.5 - 3.3) | 1,094 | 3.2 | (2.0 - 5.1) | 568 | 1.1 | (0.5 - 2.5) | 521 |
| Age | | | | | | | | | |
| 11 or younger | 0.7 | (0.2 - 2.8) | 311 | 0.7 | (0.1 - 5.5) | 160 | 0.7 | (0.1 - 4.6) | 151 |
| 12 | 2.3 | (1.1 - 4.8) | 361 | 3.9 | (1.9 - 7.6) | 177 | 0.7 | (0.1 - 4.5) | 181 |
| 13 | 2.3 | (1.2 - 4.3) | 346 | 3.3 | (1.5 - 7.1) | 182 | 1.2 | (0.3 - 4.2) | 162 |
| 14 or older | - | - | 74 | - | - | 49 | - | - | 25 |
| Grade | | | | | | | | | |
| 6th | 0.9 | (0.3 - 2.5) | 387 | 0.6 | (0.1 - 4.3) | 200 | 1.2 | (0.3 - 4.7) | 185 |
| 7th | 2.7 | (1.4 - 5.1) | 352 | 4.3 | (2.3 - 7.8) | 175 | 0.9 | (0.2 - 4.1) | 177 |
| 8th | 2.9 | (1.6 - 5.0) | 345 | 4.5 | (2.4 - 8.0) | 189 | 1.3 | (0.3 - 4.8) | 154 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 47 | - | - | 50 |
| Hispanic/Latino | 4.1 | (1.4 - 11.9) | 129 | - | - | 59 | - | - | 69 |
| White* | 2.5 | (1.6 - 4.0) | 663 | 3.7 | (2.2 - 6.2) | 351 | 1.2 | (0.4 - 3.1) | 311 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 65 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.4 | (0.8 - 2.3) | 1,094 | 2.3 | (1.3 - 4.2) | 568 | 0.4 | (0.1 - 1.4) | 521 |
| Age | | | | | | | | | |
| 11 or younger | 0.4 | (0.1 - 2.7) | 311 | 0.7 | (0.1 - 5.5) | 160 | 0.0 | - | 151 |
| 12 | 1.4 | (0.6 - 3.3) | 361 | 2.7 | (1.1 - 6.2) | 177 | 0.0 | - | 181 |
| 13 | 1.2 | (0.5 - 3.2) | 346 | 2.0 | (0.6 - 6.1) | 182 | 0.5 | (0.1 - 2.1) | 162 |
| 14 or older | - | - | 74 | - | - | 49 | - | - | 25 |
| Grade | | | | | | | | | |
| 6th | 0.6 | (0.2 - 2.2) | 387 | 0.6 | (0.1 - 4.3) | 200 | 0.6 | (0.1 - 4.6) | 185 |
| 7th | 1.8 | (0.8 - 3.7) | 352 | 3.1 | (1.4 - 6.7) | 175 | 0.2 | (0.0 - 1.7) | 177 |
| 8th | 1.6 | (0.7 - 3.4) | 345 | 2.9 | (1.3 - 6.1) | 189 | 0.3 | (0.0 - 2.0) | 154 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 47 | _ | - | 50 |
| Hispanic/Latino | 2.7 | (0.9 - 8.5) | 129 | - | - | 59 | - | - | 69 |
| White* | 1.5 | (0.8 - 2.9) | 663 | 2.7 | (1.3 - 5.2) | 351 | 0.3 | (0.0 - 2.2) | 311 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 65 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN23: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.4 | (1.2 - 8.9) | 125 | - | - | 62 | - | - | 63 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 9 | - | - | 2 | - | - | 7 |
| 12 | - | - | 36 | - | - | 22 | - | - | 14 |
| 13 | - | - | 58 | - | - | 27 | - | - | 31 |
| 14 or older | - | - | 21 | - | - | 11 | - | - | 10 |
| Grade | | | | | | | | | |
| 6th | - | - | 14 | _ | - | 5 | - | - | 9 |
| 7th | - | - | 41 | - | - | 24 | - | - | 17 |
| 8th | - | - | 67 | - | - | 32 | - | - | 35 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 9 | - | - | 2 | _ | - | 7 |
| Hispanic/Latino | - | - | 26 | - | - | 11 | - | - | 15 |
| White* | - | - | 71 | - | - | 39 | - | - | 32 |
| All other races* | - | - | 7 | - | - | 5 | - | - | 2 |
| Multiple races* | - | - | 8 | - | - | 4 | - | - | 4 |

Note: 1,034 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN24: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.7 | (0.9 - 3.2) | 1,130 | 2.0 | (0.9 - 4.2) | 585 | 1.3 | (0.6 - 3.2) | 540 |
| Age | | | | | | | | | |
| 11 or younger | 1.0 | (0.4 - 2.8) | 324 | 1.3 | (0.4 - 4.2) | 166 | 0.8 | (0.1 - 5.5) | 158 |
| 12 | 1.1 | (0.4 - 2.8) | 367 | 1.4 | (0.4 - 4.7) | 180 | 0.6 | (0.1 - 4.4) | 184 |
| 13 | 2.0 | (0.8 - 4.7) | 356 | 2.3 | (0.6 - 9.3) | 185 | 1.3 | (0.4 - 4.0) | 169 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 0.7 | (0.2 - 2.1) | 398 | 0.7 | (0.2 - 3.2) | 206 | 0.6 | (0.1 - 4.5) | 190 |
| 7th | 1.0 | (0.3 - 2.9) | 358 | 1.2 | (0.3 - 4.8) | 176 | 0.7 | (0.1 - 4.5) | 182 |
| 8th | 3.2 | (1.3 - 7.5) | 363 | 4.3 | (1.6 - 11.2) | 198 | 2.2 | (0.8 - 6.0) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 98 | - | - | 47 | - | - | 50 |
| Hispanic/Latino | 6.1 | (2.0 - 16.9) | 145 | - | - | 71 | - | - | 73 |
| White* | 1.5 | (0.7 - 2.8) | 677 | 1.6 | (0.6 - 3.9) | 354 | 1.3 | (0.5 - 3.6) | 322 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 29 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN25: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.7 | (1.1 - 2.7) | 1,149 | 2.2 | (1.3 - 3.9) | 597 | 1.1 | (0.4 - 2.6) | 547 |
| Age | | | | | | | | | |
| 11 or younger | 0.7 | (0.2 - 2.7) | 329 | 1.3 | (0.3 - 5.3) | 170 | 0.0 | - | 159 |
| 12 | 1.1 | (0.4 - 3.0) | 373 | 2.1 | (0.7 - 5.9) | 183 | 0.0 | - | 187 |
| 13 | 1.8 | (0.8 - 3.7) | 362 | 1.2 | (0.4 - 4.1) | 188 | 2.0 | (0.6 - 6.3) | 172 |
| 14 or older | - | - | 83 | - | - | 56 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.1 | (0.4 - 2.7) | 405 | 1.5 | (0.5 - 4.6) | 211 | 0.6 | (0.1 - 4.4) | 192 |
| 7th | 0.7 | (0.2 - 2.9) | 365 | 1.4 | (0.3 - 5.5) | 180 | 0.0 | - | 185 |
| 8th | 3.1 | (1.7 - 5.3) | 369 | 3.6 | (1.7 - 7.4) | 201 | 2.6 | (1.0 - 6.4) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.9 | (0.9 - 9.1) | 102 | - | - | 49 | - | - | 52 |
| Hispanic/Latino | 5.8 | (3.1 - 10.6) | 146 | - | - | 70 | - | - | 75 |
| White* | 1.4 | (0.8 - 2.6) | 689 | 1.9 | (0.9 - 3.8) | 362 | 0.9 | (0.3 - 2.9) | 326 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 10 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.2 | (2.2 - 4.7) | 1,126 | 3.4 | (2.0 - 5.7) | 585 | 2.9 | (1.7 - 4.9) | 536 |
| Age | | | | | | | | | |
| 11 or younger | 1.5 | (0.7 - 3.3) | 325 | 2.0 | (0.7 - 5.6) | 168 | 1.0 | (0.2 - 4.1) | 157 |
| 12 | 2.2 | (1.0 - 4.7) | 368 | 2.7 | (1.1 - 6.6) | 181 | 1.7 | (0.7 - 4.3) | 184 |
| 13 | 3.3 | (1.8 - 6.0) | 351 | 1.8 | (0.7 - 4.9) | 182 | 4.5 | (2.1 - 9.3) | 167 |
| 14 or older | - | - | 80 | - | - | 54 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 1.6 | (0.7 - 3.4) | 399 | 1.8 | (0.6 - 4.7) | 208 | 1.4 | (0.4 - 4.6) | 189 |
| 7th | 1.9 | (0.8 - 4.4) | 359 | 2.0 | (0.7 - 6.0) | 176 | 1.8 | (0.7 - 4.4) | 183 |
| 8th | 5.7 | (3.5 - 9.0) | 358 | 6.3 | (3.1 - 12.4) | 196 | 5.0 | (2.5 - 9.7) | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | _ | - | 48 | _ | - | 50 |
| Hispanic/Latino | 10.7 | (6.5 - 17.1) | 135 | - | - | 61 | - | - | 73 |
| White* | 2.9 | (1.8 - 4.6) | 682 | 2.9 | (1.5 - 5.6) | 361 | 2.8 | (1.5 - 5.3) | 320 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 33 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | (3.0 - 6.7) | 1,109 | 5.0 | (3.0 - 8.3) | 575 | 3.9 | (2.4 - 6.3) | 529 |
| Age | | | | | | | | | |
| 11 or younger | 2.3 | (1.1 - 4.8) | 322 | 2.9 | (1.3 - 6.6) | 165 | 1.7 | (0.5 - 5.7) | 157 |
| 12 | 2.9 | (1.5 - 5.6) | 361 | 4.0 | (1.9 - 8.2) | 177 | 1.7 | (0.7 - 4.4) | 181 |
| 13 | 5.1 | (3.0 - 8.5) | 347 | 3.9 | (1.3 - 10.8) | 181 | 5.9 | (3.0 - 11.4) | 164 |
| 14 or older | - | - | 77 | - | - | 52 | - | - | 25 |
| Grade | | | | | | | | | |
| 6th | 2.3 | (1.0 - 5.0) | 394 | 2.5 | (1.0 - 6.1) | 204 | 2.0 | (0.5 - 7.6) | 188 |
| 7th | 2.6 | (1.3 - 5.3) | 351 | 3.3 | (1.4 - 7.6) | 171 | 1.8 | (0.7 - 4.5) | 180 |
| 8th | 8.3 | (4.8 - 13.9) | 354 | 9.2 | (4.3 - 18.7) | 195 | 7.4 | (4.1 - 12.9) | 157 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 95 | - | - | 46 | - | - | 48 |
| Hispanic/Latino | 14.0 | (7.9 - 23.6) | 135 | - | - | 63 | - | - | 71 |
| White* | 4.1 | (2.6 - 6.4) | 672 | 4.3 | (2.3 - 8.1) | 354 | 3.9 | (2.1 - 6.9) | 317 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 50 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.0 | (10.2 - 16.4) | 1,073 | 13.0 | (9.9 - 16.9) | 556 | 13.0 | (9.5 - 17.5) | 512 |
| Age | | | | | | | | | |
| 11 or younger | 3.8 | (2.3 - 6.2) | 307 | 3.1 | (1.3 - 6.9) | 157 | 4.5 | (2.1 - 9.3) | 150 |
| 12 | 10.3 | (7.6 - 13.7) | 353 | 13.6 | (10.3 - 17.8) | 174 | 6.6 | (3.5 - 12.1) | 176 |
| 13 | 18.9 | (14.7 - 23.9) | 337 | 16.4 | (10.7 - 24.2) | 175 | 21.1 | (15.9 - 27.5) | 160 |
| 14 or older | - | - | 74 | - | - | 50 | - | - | 24 |
| Grade | | | | | | | | | |
| 6th | 4.2 | (2.5 - 7.0) | 379 | 3.8 | (1.8 - 7.9) | 195 | 4.8 | (2.1 - 10.7) | 182 |
| 7th | 11.8 | (8.5 - 16.1) | 342 | 14.9 | (11.4 - 19.1) | 169 | 8.2 | (4.4 - 14.8) | 173 |
| 8th | 22.7 | (17.5 - 28.9) | 342 | 20.5 | (13.7 - 29.6) | 188 | 25.2 | (19.3 - 32.1) | 152 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 93 | - | - | 45 | _ | - | 47 |
| Hispanic/Latino | 26.1 | (17.0 - 37.8) | 128 | - | - | 60 | - | - | 67 |
| White* | 12.5 | (9.6 - 15.9) | 653 | 12.7 | (9.3 - 17.1) | 344 | 12.2 | (8.5 - 17.1) | 308 |
| All other races* | - | - | 47 | - | - | 28 | - | - | 19 |
| Multiple races* | - | - | 63 | - | - | 28 | - | - | 35 |

Note: 86 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.3 | (8.8 - 14.4) | 1,082 | 11.0 | (8.3 - 14.5) | 563 | 11.5 | (8.4 - 15.7) | 514 |
| Age | | | | | | | | | |
| 11 or younger | 2.6 | (1.4 - 4.6) | 310 | 1.4 | (0.4 - 5.0) | 160 | 3.7 | (1.7 - 8.1) | 150 |
| 12 | 9.5 | (7.3 - 12.2) | 358 | 12.2 | (9.2 - 16.0) | 176 | 6.5 | (3.5 - 11.9) | 179 |
| 13 | 16.6 | (12.8 - 21.4) | 338 | 14.7 | (9.7 - 21.8) | 177 | 18.4 | (14.0 - 23.7) | 159 |
| 14 or older | - | - | 74 | - | - | 50 | - | - | 24 |
| Grade | | | | | | | | | |
| 6th | 3.3 | (1.9 - 5.6) | 383 | 2.5 | (1.0 - 6.0) | 198 | 4.1 | (1.8 - 9.0) | 183 |
| 7th | 10.8 | (8.1 - 14.3) | 350 | 13.2 | (10.4 - 16.6) | 174 | 8.1 | (4.3 - 14.5) | 176 |
| 8th | 19.5 | (14.6 - 25.4) | 339 | 17.4 | (11.5 - 25.5) | 187 | 21.8 | (16.3 - 28.4) | 150 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 96 | - | - | 46 | - | - | 49 |
| Hispanic/Latino | 22.4 | (14.5 - 32.9) | 125 | - | - | 56 | - | - | 68 |
| White* | 11.0 | (8.4 - 14.3) | 658 | 11.4 | (8.3 - 15.6) | 350 | 10.5 | (7.3 - 15.0) | 307 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 77 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN26: Percentage of students who ever drank alcohol (other than a few sips)

| | Female | | | Male | | | Total | | |
|-----|---|-------------------------------|---|---|---|--|---|---|--|
| N | 95% confidence interval | Percentage | N | 95% confidence interval | Percentage | N | 95% confidence interval | Percentage | |
| 512 | (13.6 - 21.0) | 17.0 | 551 | (16.8 - 25.2) | 20.7 | 1,066 | (16.0 - 22.4) | 19.0 | Total |
| | | | | | | | | | Age |
| 146 | (4.6 - 12.1) | 7.6 | 160 | (6.3 - 18.1) | 10.8 | 306 | (6.2 - 13.5) | 9.3 | 11 or younger |
| 177 | (12.1 - 21.8) | 16.4 | 170 | (15.3 - 27.2) | 20.6 | 349 | (15.1 - 22.9) | 18.7 | 12 |
| 163 | (19.0 - 32.0) | 25.0 | 175 | (20.9 - 32.3) | 26.2 | 339 | (21.7 - 30.5) | 25.8 | 13 |
| 24 | - | - | 46 | - | - | 70 | - | - | 14 or older |
| | | | | | | | | | Grade |
| 179 | (4.7 - 11.5) | 7.4 | 200 | (7.6 - 18.5) | 12.1 | 380 | (6.7 - 14.1) | 9.8 | 6th |
| 173 | (15.9 - 26.4) | 20.7 | 166 | (15.4 - 28.7) | 21.3 | 339 | (16.6 - 26.2) | 21.0 | 7th |
| 156 | (16.4 - 30.1) | 22.5 | 181 | (23.5 - 36.5) | 29.6 | 339 | (21.8 - 31.6) | 26.4 | 8th |
| | | | | | | | | | Race/Ethnicity |
| 47 | - | - | 44 | - | - | 91 | _ | - | Black* |
| 72 | - | - | 59 | - | - | 131 | (24.6 - 42.6) | 33.0 | Hispanic/Latino |
| 306 | (11.8 - 21.1) | 15.9 | 341 | (15.6 - 25.6) | 20.1 | 648 | (14.7 - 22.4) | 18.2 | White* |
| 20 | - | - | 29 | - | - | 49 | - | - | All other races* |
| 32 | - | - | 30 | - | - | 62 | - | - | Multiple races* |
| | (4.6 - 12.1) (12.1 - 21.8) (19.0 - 32.0) - (4.7 - 11.5) (15.9 - 26.4) (16.4 - 30.1) | 7.6 16.4 25.0 - 7.4 20.7 22.5 | 160 170 175 46 200 166 181 44 59 341 29 | (6.3 - 18.1) (15.3 - 27.2) (20.9 - 32.3) - (7.6 - 18.5) (15.4 - 28.7) (23.5 - 36.5) | 10.8 20.6 26.2 - 12.1 21.3 29.6 | 306 349 339 70 380 339 339 31 91 131 648 49 | (6.2 - 13.5) (15.1 - 22.9) (21.7 - 30.5) - (6.7 - 14.1) (16.6 - 26.2) (21.8 - 31.6) | 9.3 18.7 25.8 - 9.8 21.0 26.4 | Age 11 or younger 12 13 14 or older Grade 6th 7th 8th Race/Ethnicity Black* Hispanic/Latino White* All other races* |

Note: 93 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN27: Percentage of students who drank alcohol for the first time before age 11 years (other than a few sips)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.6 | (7.8 - 11.7) | 1,070 | 10.8 | (8.5 - 13.7) | 554 | 8.3 | (6.3 - 10.9) | 513 |
| Age | | | | | | | | | |
| 11 or younger | 7.9 | (4.9 - 12.3) | 304 | 9.1 | (5.2 - 15.6) | 158 | 6.5 | (3.7 - 11.0) | 146 |
| 12 | 11.4 | (8.4 - 15.2) | 347 | 13.5 | (9.3 - 19.1) | 168 | 9.2 | (6.0 - 13.8) | 177 |
| 13 | 10.0 | (7.4 - 13.4) | 341 | 11.6 | (7.5 - 17.5) | 177 | 8.5 | (4.9 - 14.4) | 163 |
| 14 or older | - | - | 76 | - | - | 51 | - | - | 25 |
| Grade | | | | | | | | | |
| 6th | 8.2 | (5.2 - 12.8) | 378 | 9.9 | (6.0 - 15.9) | 197 | 6.4 | (3.7 - 11.0) | 180 |
| 7th | 11.8 | (8.7 - 15.8) | 338 | 12.8 | (8.9 - 18.1) | 166 | 10.8 | (8.0 - 14.4) | 172 |
| 8th | 8.3 | (5.8 - 11.7) | 345 | 9.3 | (5.7 - 14.9) | 186 | 7.4 | (3.9 - 13.7) | 157 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 93 | _ | - | 44 | _ | - | 49 |
| Hispanic/Latino | 16.2 | (11.0 - 23.2) | 132 | - | - | 61 | - | - | 71 |
| White* | 8.9 | (6.8 - 11.5) | 650 | 9.7 | (6.7 - 13.7) | 340 | 8.1 | (5.5 - 11.5) | 309 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 62 | - | - | 30 | - | - | 32 |

Note: 89 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN28: Percentage of students who ever used marijuana

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.0 | (6.1 - 10.5) | 1,099 | 9.1 | (6.4 - 12.9) | 572 | 6.8 | (4.6 - 10.1) | 523 |
| Age | | | | | | | | | |
| 11 or younger | 1.4 | (0.6 - 3.4) | 309 | 2.7 | (1.1 - 6.6) | 161 | 0.0 | - | 148 |
| 12 | 7.9 | (5.4 - 11.6) | 362 | 9.6 | (5.8 - 15.6) | 177 | 6.2 | (3.2 - 11.6) | 182 |
| 13 | 10.9 | (8.2 - 14.4) | 353 | 10.5 | (7.0 - 15.6) | 183 | 11.3 | (7.3 - 17.2) | 169 |
| 14 or older | - | - | 73 | - | - | 51 | - | - | 22 |
| Grade | | | | | | | | | |
| 6th | 2.4 | (1.3 - 4.3) | 382 | 4.0 | (2.0 - 7.7) | 200 | 0.7 | (0.1 - 4.8) | 180 |
| 7th | 8.4 | (5.9 - 11.8) | 355 | 8.4 | (4.9 - 14.1) | 174 | 8.3 | (4.8 - 14.0) | 181 |
| 8th | 12.9 | (9.3 - 17.6) | 353 | 15.0 | (9.8 - 22.3) | 193 | 10.8 | (6.6 - 17.2) | 158 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 93 | - | - | 44 | - | - | 48 |
| Hispanic/Latino | 16.5 | (10.4 - 25.2) | 136 | - | - | 66 | - | - | 70 |
| White* | 7.6 | (5.7 - 10.1) | 669 | 8.6 | (5.8 - 12.7) | 353 | 6.5 | (4.1 - 10.1) | 315 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |
| | | | | | | | | | |

Note: 60 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN29: Percentage of students who tried marijuana for the first time before age 11 years

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.5 | (1.7 - 3.7) | 1,112 | 2.9 | (1.8 - 4.7) | 578 | 2.1 | (1.1 - 4.0) | 529 |
| Age | | | | | | | | | |
| 11 or younger | 1.1 | (0.4 - 3.0) | 314 | 2.1 | (0.7 - 5.7) | 165 | 0.0 | - | 149 |
| 12 | 1.3 | (0.6 - 3.1) | 363 | 2.3 | (0.9 - 5.7) | 177 | 0.3 | (0.0 - 1.9) | 183 |
| 13 | 3.5 | (2.3 - 5.5) | 356 | 3.0 | (1.4 - 6.4) | 183 | 4.1 | (1.9 - 8.5) | 171 |
| 14 or older | - | - | 77 | - | - | 53 | - | - | 24 |
| Grade | | | | | | | | | |
| 6th | 0.9 | (0.3 - 2.4) | 387 | 1.6 | (0.6 - 4.5) | 204 | 0.0 | - | 181 |
| 7th | 1.8 | (0.9 - 3.7) | 356 | 2.3 | (0.9 - 5.8) | 174 | 1.3 | (0.5 - 3.5) | 182 |
| 8th | 4.4 | (2.7 - 7.0) | 359 | 4.5 | (2.6 - 7.8) | 195 | 4.3 | (2.0 - 8.9) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 96 | - | - | 45 | _ | - | 50 |
| Hispanic/Latino | 6.7 | (3.5 - 12.6) | 138 | - | - | 65 | - | - | 72 |
| White* | 2.0 | (1.2 - 3.3) | 675 | 2.2 | (1.1 - 4.4) | 356 | 1.8 | (0.7 - 4.2) | 318 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 47 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN30: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, Oxycontin, hydrocodone, and Percocet)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.7 | (4.3 - 7.4) | 1,138 | 6.9 | (4.9 - 9.5) | 591 | 4.4 | (2.8 - 6.7) | 543 |
| Age | | | | | | | | | |
| 11 or younger | 5.3 | (3.3 - 8.4) | 325 | 6.4 | (3.8 - 10.7) | 167 | 4.1 | (2.0 - 8.0) | 158 |
| 12 | 4.6 | (2.8 - 7.5) | 370 | 4.9 | (2.6 - 9.1) | 180 | 4.3 | (2.0 - 8.9) | 187 |
| 13 | 6.0 | (3.6 - 9.6) | 361 | 7.4 | (3.8 - 13.8) | 190 | 4.6 | (2.4 - 8.6) | 170 |
| 14 or older | - | - | 80 | - | - | 54 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 5.2 | (3.2 - 8.3) | 400 | 6.3 | (3.6 - 11.0) | 207 | 4.0 | (1.9 - 8.0) | 191 |
| 7th | 4.6 | (2.8 - 7.5) | 365 | 4.8 | (2.3 - 9.8) | 180 | 4.4 | (2.1 - 9.2) | 185 |
| 8th | 7.0 | (4.8 - 10.1) | 365 | 9.3 | (6.1 - 14.0) | 200 | 4.8 | (2.5 - 8.9) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.1 | (4.9 - 16.2) | 100 | _ | - | 48 | - | - | 51 |
| Hispanic/Latino | 10.1 | (5.6 - 17.7) | 143 | - | - | 68 | - | - | 75 |
| White* | 5.4 | (3.9 - 7.5) | 690 | 7.0 | (4.8 - 10.0) | 365 | 3.7 | (2.1 - 6.3) | 324 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 21 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN31: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.9 | (1.2 - 3.1) | 1,148 | 2.6 | (1.5 - 4.4) | 595 | 1.1 | (0.6 - 2.3) | 548 |
| Age | | | | | | | | | |
| 11 or younger | 1.7 | (0.8 - 3.6) | 329 | 1.7 | (0.5 - 5.5) | 170 | 1.7 | (0.6 - 4.9) | 159 |
| 12 | 1.1 | (0.4 - 3.1) | 373 | 1.9 | (0.7 - 5.2) | 182 | 0.3 | (0.0 - 1.8) | 188 |
| 13 | 2.7 | (1.5 - 5.1) | 362 | 3.4 | (1.5 - 7.7) | 188 | 1.8 | (0.6 - 5.1) | 172 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.4 | (0.6 - 2.9) | 404 | 1.4 | (0.4 - 4.3) | 210 | 1.4 | (0.4 - 4.2) | 192 |
| 7th | 1.8 | (0.8 - 3.9) | 367 | 2.7 | (1.1 - 6.5) | 181 | 0.8 | (0.2 - 3.2) | 186 |
| 8th | 2.6 | (1.2 - 5.4) | 367 | 4.0 | (1.7 - 8.7) | 199 | 1.3 | (0.4 - 4.2) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.4 | (4.0 - 16.8) | 102 | - | - | 49 | _ | - | 52 |
| Hispanic/Latino | 4.8 | (2.5 - 9.3) | 146 | - | - | 69 | - | - | 76 |
| White* | 0.8 | (0.4 - 1.8) | 690 | 1.6 | (0.7 - 3.5) | 363 | 0.0 | - | 326 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 11 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN32: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | (3.3 - 6.1) | 1,145 | 5.2 | (3.7 - 7.3) | 595 | 3.8 | (2.4 - 5.8) | 546 |
| Age | | | | | | | | | |
| 11 or younger | 5.3 | (3.1 - 8.9) | 326 | 5.9 | (3.3 - 10.3) | 169 | 4.6 | (2.3 - 8.9) | 157 |
| 12 | 2.3 | (1.1 - 4.7) | 373 | 1.8 | (0.7 - 4.8) | 182 | 2.9 | (1.3 - 6.3) | 188 |
| 13 | 5.3 | (3.4 - 8.1) | 361 | 6.8 | (4.1 - 11.3) | 188 | 3.8 | (2.0 - 7.3) | 172 |
| 14 or older | - | - | 83 | - | - | 56 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 5.0 | (3.2 - 7.7) | 401 | 5.7 | (3.6 - 8.9) | 209 | 4.3 | (2.3 - 7.9) | 190 |
| 7th | 2.6 | (1.2 - 5.2) | 367 | 2.2 | (1.0 - 4.8) | 181 | 3.0 | (1.2 - 7.4) | 186 |
| 8th | 5.6 | (3.4 - 9.1) | 368 | 8.3 | (4.9 - 13.8) | 200 | 3.1 | (1.3 - 7.2) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.5 | (3.7 - 18.6) | 100 | - | - | 47 | - | - | 52 |
| Hispanic/Latino | 5.7 | (2.8 - 11.4) | 146 | - | - | 70 | - | - | 76 |
| White* | 4.0 | (2.6 - 6.1) | 691 | 4.6 | (2.9 - 7.3) | 364 | 3.3 | (1.9 - 5.6) | 326 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 14 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN33: Percentage of students who ever took steroids without a doctor's prescription (pills or shots)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.7 | (1.1 - 2.8) | 1,143 | 2.5 | (1.5 - 4.2) | 592 | 0.9 | (0.4 - 2.3) | 547 |
| Age | | | | | | | | | |
| 11 or younger | 1.9 | (0.9 - 3.9) | 326 | 2.4 | (0.9 - 6.2) | 167 | 1.3 | (0.3 - 5.5) | 159 |
| 12 | 2.0 | (0.9 - 4.4) | 373 | 3.1 | (1.3 - 7.6) | 182 | 0.7 | (0.1 - 4.9) | 188 |
| 13 | 1.6 | (0.6 - 4.4) | 362 | 2.3 | (0.8 - 6.3) | 190 | 1.0 | (0.2 - 4.4) | 171 |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 2.3 | (1.3 - 4.2) | 402 | 3.5 | (1.7 - 7.1) | 208 | 1.1 | (0.3 - 4.3) | 192 |
| 7th | 1.2 | (0.4 - 3.4) | 367 | 1.6 | (0.4 - 5.6) | 181 | 0.7 | (0.1 - 5.0) | 186 |
| 8th | 1.7 | (0.7 - 4.3) | 365 | 2.5 | (1.0 - 6.1) | 198 | 1.0 | (0.2 - 4.3) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 99 | - | - | 47 | _ | - | 51 |
| Hispanic/Latino | 4.0 | (1.9 - 8.4) | 144 | - | - | 68 | - | - | 76 |
| White* | 1.2 | (0.6 - 2.4) | 690 | 1.8 | (0.8 - 3.8) | 363 | 0.6 | (0.1 - 2.6) | 326 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 16 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN34: Percentage of students who ever had sexual intercourse

| Total | | Male | | | Female | | | |
|------------|--|--|---|--|--|--|---|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 7.1 | (5.1 - 9.6) | 1,001 | 9.9 | (7.0 - 13.9) | 514 | 3.9 | (2.3 - 6.4) | 484 |
| | | | | | | | | |
| 2.3 | (1.1 - 4.7) | 277 | 2.9 | (1.0 - 7.7) | 143 | 1.7 | (0.5 - 5.2) | 134 |
| 4.2 | (2.6 - 6.6) | 332 | 7.0 | (4.3 - 11.2) | 158 | 1.2 | (0.3 - 5.0) | 173 |
| 10.8 | (7.6 - 15.2) | 322 | 14.1 | (9.7 - 20.1) | 165 | 7.4 | (4.0 - 13.3) | 155 |
| - | - | 69 | - | - | 48 | - | - | 21 |
| | | | | | | | | |
| 3.3 | (1.6 - 6.9) | 345 | 3.8 | (1.7 - 8.1) | 179 | 2.8 | (1.0 - 7.6) | 166 |
| 6.0 | (3.6 - 9.8) | 321 | 9.7 | (5.6 - 16.1) | 153 | 2.0 | (0.8 - 5.1) | 168 |
| 11.3 | (7.9 - 15.8) | 325 | 16.2 | (11.0 - 23.2) | 177 | 6.4 | (3.2 - 12.3) | 146 |
| | | | | | | | | |
| - | - | 76 | - | - | 37 | - | - | 39 |
| 11.7 | (6.7 - 19.6) | 125 | - | - | 55 | - | - | 69 |
| 5.5 | (3.6 - 8.3) | 622 | 8.0 | (5.1 - 12.4) | 330 | 2.8 | (1.4 - 5.5) | 291 |
| - | - | 41 | - | - | 24 | - | - | 17 |
| - | - | 61 | - | - | 25 | - | - | 36 |
| | 7.1 2.3 4.2 10.8 - 3.3 6.0 11.3 | Percentage 95% confidence interval 7.1 (5.1 - 9.6) 2.3 (1.1 - 4.7) 4.2 (2.6 - 6.6) 10.8 (7.6 - 15.2) | Percentage 95% N confidence interval 7.1 (5.1 - 9.6) 1,001 2.3 (1.1 - 4.7) 277 4.2 (2.6 - 6.6) 332 10.8 (7.6 - 15.2) 322 69 3.3 (1.6 - 6.9) 345 6.0 (3.6 - 9.8) 321 11.3 (7.9 - 15.8) 325 76 11.7 (6.7 - 19.6) 125 5.5 (3.6 - 8.3) 622 - 41 | Percentage 95% confidence interval N Percentage 7.1 (5.1 - 9.6) 1,001 9.9 2.3 (1.1 - 4.7) 277 2.9 4.2 (2.6 - 6.6) 332 7.0 10.8 (7.6 - 15.2) 322 14.1 - - 69 - 3.3 (1.6 - 6.9) 345 3.8 6.0 (3.6 - 9.8) 321 9.7 11.3 (7.9 - 15.8) 325 16.2 - - 76 - 11.7 (6.7 - 19.6) 125 - 5.5 (3.6 - 8.3) 622 8.0 - - 41 - | Percentage 95% confidence interval N Percentage confidence interval 7.1 (5.1 - 9.6) 1,001 9.9 (7.0 - 13.9) 2.3 (1.1 - 4.7) 277 2.9 (1.0 - 7.7) 4.2 (2.6 - 6.6) 332 7.0 (4.3 - 11.2) 10.8 (7.6 - 15.2) 322 14.1 (9.7 - 20.1) - - 69 - - 3.3 (1.6 - 6.9) 345 3.8 (1.7 - 8.1) 6.0 (3.6 - 9.8) 321 9.7 (5.6 - 16.1) 11.3 (7.9 - 15.8) 325 16.2 (11.0 - 23.2) - - - - - 11.7 (6.7 - 19.6) 125 - - 5.5 (3.6 - 8.3) 622 8.0 (5.1 - 12.4) - - 41 - - | Percentage confidence interval N confidence interval N confidence confidence interval N confidence confidence interval 7.1 (5.1 - 9.6) 1,001 9.9 (7.0 - 13.9) 514 2.3 (1.1 - 4.7) 277 2.9 (1.0 - 7.7) 143 4.2 (2.6 - 6.6) 332 7.0 (4.3 - 11.2) 158 10.8 (7.6 - 15.2) 322 14.1 (9.7 - 20.1) 165 - - 69 - - 48 3.3 (1.6 - 6.9) 345 3.8 (1.7 - 8.1) 179 6.0 (3.6 - 9.8) 321 9.7 (5.6 - 16.1) 153 11.3 (7.9 - 15.8) 325 16.2 (11.0 - 23.2) 177 - - - - - - 55 5.5 (3.6 - 8.3) 622 8.0 (5.1 - 12.4) 330 - - 41 - - - 24 | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 7.1 (5.1 - 9.6) 1,001 9.9 (7.0 - 13.9) 514 3.9 2.3 (1.1 - 4.7) 277 2.9 (1.0 - 7.7) 143 1.7 4.2 (2.6 - 6.6) 332 7.0 (4.3 - 11.2) 158 1.2 10.8 (7.6 - 15.2) 322 14.1 (9.7 - 20.1) 165 7.4 - - 69 - - 48 - 3.3 (1.6 - 6.9) 345 3.8 (1.7 - 8.1) 179 2.8 6.0 (3.6 - 9.8) 321 9.7 (5.6 - 16.1) 153 2.0 11.3 (7.9 - 15.8) 325 16.2 (11.0 - 23.2) 177 6.4 - - 76 - - 37 - 11.7 (6.7 - 19.6) 125 - - 55 - 5.5 (3.6 - 8.3) <td>Percentage 95% confidence interval N Percentage confidence interval 95% confidence confidence interval 7.1 (5.1 - 9.6) 1,001 9.9 (7.0 - 13.9) 514 3.9 (2.3 - 6.4) 2.3 (1.1 - 4.7) 277 2.9 (1.0 - 7.7) 143 1.7 (0.5 - 5.2) 4.2 (2.6 - 6.6) 332 7.0 (4.3 - 11.2) 158 1.2 (0.3 - 5.0) 10.8 (7.6 - 15.2) 322 14.1 (9.7 - 20.1) 165 7.4 (4.0 - 13.3) - - 69 - - 48 - - 3.3 (1.6 - 6.9) 345 3.8 (1.7 - 8.1) 179 2.8 (1.0 - 7.6) 6.0 (3.6 - 9.8) 321 9.7 (5.6 - 16.1) 153 2.0 (0.8 - 5.1) 11.3 (7.9 - 15.8) 325 16.2 (11.0 - 23.2) 177 6.4 (3.2 - 12.3) - - - - - - - -</td> | Percentage 95% confidence interval N Percentage confidence interval 95% confidence confidence interval 7.1 (5.1 - 9.6) 1,001 9.9 (7.0 - 13.9) 514 3.9 (2.3 - 6.4) 2.3 (1.1 - 4.7) 277 2.9 (1.0 - 7.7) 143 1.7 (0.5 - 5.2) 4.2 (2.6 - 6.6) 332 7.0 (4.3 - 11.2) 158 1.2 (0.3 - 5.0) 10.8 (7.6 - 15.2) 322 14.1 (9.7 - 20.1) 165 7.4 (4.0 - 13.3) - - 69 - - 48 - - 3.3 (1.6 - 6.9) 345 3.8 (1.7 - 8.1) 179 2.8 (1.0 - 7.6) 6.0 (3.6 - 9.8) 321 9.7 (5.6 - 16.1) 153 2.0 (0.8 - 5.1) 11.3 (7.9 - 15.8) 325 16.2 (11.0 - 23.2) 177 6.4 (3.2 - 12.3) - - - - - - - - |

Note: 158 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN35: Percentage of students who had sexual intercourse for the first time before age 11 years

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.4 | (1.6 - 3.5) | 1,003 | 3.3 | (2.2 - 5.2) | 516 | 1.3 | (0.5 - 3.3) | 484 |
| Age | | | | | | | | | |
| 11 or younger | 2.7 | (1.2 - 5.8) | 280 | 3.3 | (1.3 - 8.1) | 144 | 2.0 | (0.6 - 6.6) | 136 |
| 12 | 1.6 | (0.7 - 3.6) | 330 | 2.5 | (1.0 - 6.0) | 158 | 0.7 | (0.1 - 4.8) | 171 |
| 13 | 2.6 | (1.2 - 5.2) | 323 | 3.9 | (1.5 - 9.4) | 166 | 1.0 | (0.2 - 4.3) | 155 |
| 14 or older | - | - | 69 | - | - | 48 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 2.3 | (1.0 - 5.0) | 347 | 2.2 | (0.8 - 5.8) | 179 | 2.3 | (0.7 - 7.3) | 168 |
| 7th | 2.1 | (1.1 - 4.1) | 320 | 3.6 | (1.7 - 7.2) | 154 | 0.6 | (0.1 - 3.9) | 166 |
| 8th | 2.4 | (1.4 - 4.1) | 326 | 4.3 | (2.4 - 7.7) | 178 | 0.4 | (0.1 - 3.2) | 146 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 75 | - | - | 37 | _ | - | 38 |
| Hispanic/Latino | 6.9 | (3.7 - 12.5) | 126 | - | - | 56 | - | - | 69 |
| White* | 1.8 | (1.0 - 3.2) | 624 | 2.6 | (1.4 - 4.9) | 330 | 0.9 | (0.3 - 2.9) | 293 |
| All other races* | - | - | 42 | - | - | 25 | - | - | 17 |
| Multiple races* | - | - | 60 | - | - | 25 | - | - | 35 |

Note: 156 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN36: Percentage of students who ever had sexual intercourse with three or more persons

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.1 | (1.2 - 3.6) | 1,002 | 3.0 | (1.7 - 5.3) | 514 | 1.0 | (0.3 - 3.0) | 485 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.4 - 3.5) | 278 | 1.7 | (0.5 - 6.1) | 142 | 0.7 | (0.1 - 5.1) | 136 |
| 12 | 1.0 | (0.3 - 3.1) | 331 | 2.0 | (0.6 - 6.0) | 158 | 0.0 | - | 172 |
| 13 | 2.8 | (1.4 - 5.5) | 322 | 3.3 | (1.4 - 7.7) | 165 | 1.9 | (0.5 - 6.6) | 155 |
| 14 or older | - | - | 70 | - | - | 49 | - | - | 21 |
| Grade | | | | | | | | | |
| 6th | 1.1 | (0.4 - 2.9) | 346 | 1.7 | (0.6 - 4.8) | 178 | 0.6 | (0.1 - 4.2) | 168 |
| 7th | 1.6 | (0.6 - 4.2) | 321 | 2.5 | (1.0 - 6.3) | 154 | 0.6 | (0.1 - 3.9) | 167 |
| 8th | 2.8 | (1.4 - 5.9) | 325 | 4.4 | (2.0 - 9.5) | 177 | 1.3 | (0.3 - 6.4) | 146 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 76 | - | - | 37 | - | - | 39 |
| Hispanic/Latino | 5.5 | (2.5 - 11.6) | 124 | - | - | 54 | - | - | 69 |
| White* | 1.7 | (0.9 - 3.1) | 624 | 2.6 | (1.3 - 5.0) | 330 | 0.7 | (0.2 - 3.1) | 293 |
| All other races* | - | - | 42 | - | - | 25 | - | - | 17 |
| Multiple races* | - | - | 60 | - | - | 25 | - | - | 35 |

Note: 157 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN37: Percentage of students who used a condom during last sexual intercourse (among students who ever had sexual intercourse)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|--------|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 75 | - | - | 54 | - | - | 20 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 7 | - | - | 4 | - | - | 3 |
| 12 | - | - | 15 | - | - | 13 | - | - | 2 |
| 13 | - | - | 38 | - | - | 25 | - | - | 12 |
| 14 or older | - | - | 14 | - | - | 12 | - | - | 2 |
| Grade | | | | | | | | | |
| 6th | - | - | 12 | - | - | 7 | - | - | 5 |
| 7th | - | - | 21 | - | - | 17 | - | - | 4 |
| 8th | - | - | 39 | - | - | 29 | - | - | 10 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 14 | - | - | 9 | - | - | 5 |
| Hispanic/Latino | - | - | 14 | - | - | 9 | - | - | 4 |
| White* | - | - | 35 | - | - | 27 | - | - | 8 |
| All other races* | - | - | 2 | - | - | 2 | - | - | 0 |
| Multiple races* | - | - | 6 | - | - | 4 | - | - | 2 |

Note: 1,084 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN38: Percentage of students who described themselves as slightly or very overweight

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 28.1 | (25.9 - 30.5) | 1,121 | 27.7 | (24.1 - 31.7) | 579 | 28.2 | (24.8 - 31.9) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 24.4 | (20.4 - 28.9) | 312 | 26.3 | (19.5 - 34.4) | 160 | 22.4 | (17.2 - 28.6) | 152 |
| 12 | 28.3 | (24.6 - 32.3) | 365 | 29.3 | (23.6 - 35.8) | 177 | 26.6 | (22.0 - 31.7) | 185 |
| 13 | 31.1 | (27.4 - 35.2) | 360 | 29.1 | (22.6 - 36.5) | 187 | 32.8 | (26.1 - 40.4) | 171 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 24.0 | (20.6 - 27.8) | 388 | 24.6 | (19.4 - 30.8) | 201 | 23.0 | (17.7 - 29.4) | 185 |
| 7th | 29.6 | (25.7 - 33.9) | 357 | 30.2 | (24.7 - 36.3) | 174 | 29.0 | (23.7 - 35.0) | 183 |
| 8th | 31.1 | (27.0 - 35.5) | 366 | 28.7 | (21.6 - 37.1) | 199 | 32.8 | (25.7 - 40.7) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 19.3 | (13.0 - 27.8) | 100 | - | - | 48 | - | - | 51 |
| Hispanic/Latino | 29.7 | (22.2 - 38.4) | 144 | - | - | 68 | - | - | 75 |
| White* | 29.3 | (26.6 - 32.0) | 677 | 29.8 | (25.6 - 34.4) | 356 | 28.4 | (24.2 - 33.0) | 320 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |
| | | | | | | | | | |

Note: 38 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN39: Percentage of students who were trying to lose weight

| Total | | Male | | | Female | | | |
|------------|---|--|--|---|--|---|---|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 43.5 | (40.1 - 47.0) | 1,129 | 36.7 | (32.5 - 41.2) | 581 | 50.5 | (45.6 - 55.4) | 543 |
| | | | | | | | | |
| 39.9 | (34.5 - 45.6) | 322 | 36.9 | (29.8 - 44.6) | 166 | 43.1 | (34.2 - 52.4) | 156 |
| 44.8 | (39.3 - 50.5) | 367 | 39.4 | (31.5 - 47.8) | 176 | 50.4 | (43.1 - 57.6) | 188 |
| 46.1 | (40.7 - 51.5) | 358 | 34.5 | (27.9 - 41.7) | 185 | 56.6 | (48.7 - 64.3) | 171 |
| - | - | 80 | - | - | 54 | - | - | 26 |
| | | | | | | | | |
| 40.5 | (35.0 - 46.3) | 396 | 36.9 | (30.8 - 43.5) | 205 | 44.4 | (35.6 - 53.7) | 189 |
| 44.2 | (37.7 - 51.0) | 359 | 36.9 | (28.5 - 46.3) | 173 | 52.2 | (44.6 - 59.6) | 186 |
| 45.9 | (40.0 - 51.9) | 365 | 36.6 | (30.1 - 43.6) | 199 | 54.7 | (45.8 - 63.3) | 164 |
| | | | | | | | | |
| 43.2 | (34.1 - 52.9) | 100 | _ | - | 48 | - | - | 51 |
| 59.7 | (52.8 - 66.3) | 144 | - | - | 68 | - | - | 75 |
| 43.3 | (39.3 - 47.4) | 680 | 36.7 | (31.7 - 42.0) | 356 | 50.4 | (44.4 - 56.3) | 323 |
| - | - | 52 | - | - | 32 | - | - | 20 |
| - | - | 67 | - | - | 30 | - | - | 37 |
| | 43.5 39.9 44.8 46.1 - 40.5 44.2 45.9 43.2 59.7 43.3 | Percentage 95% confidence interval 43.5 (40.1 - 47.0) 39.9 (34.5 - 45.6) 44.8 (39.3 - 50.5) 46.1 (40.7 - 51.5) | Percentage 95% N confidence interval 43.5 (40.1 - 47.0) 1,129 39.9 (34.5 - 45.6) 322 44.8 (39.3 - 50.5) 367 46.1 (40.7 - 51.5) 358 80 40.5 (35.0 - 46.3) 396 44.2 (37.7 - 51.0) 359 45.9 (40.0 - 51.9) 365 43.2 (34.1 - 52.9) 100 59.7 (52.8 - 66.3) 144 43.3 (39.3 - 47.4) 680 52 | Percentage 95% confidence interval N Percentage 43.5 (40.1 - 47.0) 1,129 36.7 39.9 (34.5 - 45.6) 322 36.9 44.8 (39.3 - 50.5) 367 39.4 46.1 (40.7 - 51.5) 358 34.5 - - 80 - 40.5 (35.0 - 46.3) 396 36.9 44.2 (37.7 - 51.0) 359 36.9 45.9 (40.0 - 51.9) 365 36.6 43.2 (34.1 - 52.9) 100 - 59.7 (52.8 - 66.3) 144 - 43.3 (39.3 - 47.4) 680 36.7 - - 52 - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval 43.5 (40.1 - 47.0) 1,129 36.7 (32.5 - 41.2) 39.9 (34.5 - 45.6) 322 36.9 (29.8 - 44.6) 44.8 (39.3 - 50.5) 367 39.4 (31.5 - 47.8) 46.1 (40.7 - 51.5) 358 34.5 (27.9 - 41.7) - - - - - 40.5 (35.0 - 46.3) 396 36.9 (30.8 - 43.5) 44.2 (37.7 - 51.0) 359 36.9 (28.5 - 46.3) 45.9 (40.0 - 51.9) 365 36.6 (30.1 - 43.6) 43.2 (34.1 - 52.9) 100 - - 59.7 (52.8 - 66.3) 144 - - 43.3 (39.3 - 47.4) 680 36.7 (31.7 - 42.0) - - 52 - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 43.5 (40.1 - 47.0) 1,129 36.7 (32.5 - 41.2) 581 39.9 (34.5 - 45.6) 322 36.9 (29.8 - 44.6) 166 44.8 (39.3 - 50.5) 367 39.4 (31.5 - 47.8) 176 46.1 (40.7 - 51.5) 358 34.5 (27.9 - 41.7) 185 - - - 80 - - - 54 40.5 (35.0 - 46.3) 396 36.9 (30.8 - 43.5) 205 44.2 (37.7 - 51.0) 359 36.9 (28.5 - 46.3) 173 45.9 (40.0 - 51.9) 365 36.6 (30.1 - 43.6) 199 43.2 (34.1 - 52.9) 100 - - 48 59.7 (52.8 - 66.3) 144 - - 68 43.3 (39.3 - 47.4) 680 36.7 (31.7 - 42.0) 356 | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 43.5 (40.1 - 47.0) 1,129 36.7 (32.5 - 41.2) 581 50.5 39.9 (34.5 - 45.6) 322 36.9 (29.8 - 44.6) 166 43.1 44.8 (39.3 - 50.5) 367 39.4 (31.5 - 47.8) 176 50.4 46.1 (40.7 - 51.5) 358 34.5 (27.9 - 41.7) 185 56.6 - - 80 - - 54 - 40.5 (35.0 - 46.3) 396 36.9 (30.8 - 43.5) 205 44.4 44.2 (37.7 - 51.0) 359 36.9 (28.5 - 46.3) 173 52.2 45.9 (40.0 - 51.9) 365 36.6 (30.1 - 43.6) 199 54.7 43.2 (34.1 - 52.9) 100 - - 48 - 59.7 (52.8 - 66.3) 144 - - 68 - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N Percentage confidence interval 43.5 (40.1 - 47.0) 1,129 36.7 (32.5 - 41.2) 581 50.5 (45.6 - 55.4) 39.9 (34.5 - 45.6) 322 36.9 (29.8 - 44.6) 166 43.1 (34.2 - 52.4) 44.8 (39.3 - 50.5) 367 39.4 (31.5 - 47.8) 176 50.4 (43.1 - 57.6) 46.1 (40.7 - 51.5) 358 34.5 (27.9 - 41.7) 185 56.6 (48.7 - 64.3) - - 80 - - 54 - - 40.5 (35.0 - 46.3) 396 36.9 (30.8 - 43.5) 205 44.4 (35.6 - 53.7) 44.2 (37.7 - 51.0) 359 36.9 (28.5 - 46.3) 173 52.2 (44.6 - 59.6) 45.9 (40.0 - 51.9) 365 36.6 (30.1 - 43.6) 199 54.7 (45.8 - 63.3) 43.2 (34.1 - 52.9) |

Note: 30 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN40: Percentage of students who did not eat breakfast (during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.2 | (12.2 - 16.6) | 1,134 | 10.4 | (8.0 - 13.4) | 587 | 18.3 | (15.3 - 21.8) | 542 |
| Age | | | | | | | | | |
| 11 or younger | 11.1 | (7.3 - 16.4) | 321 | 8.3 | (4.9 - 13.8) | 166 | 14.0 | (8.8 - 21.6) | 155 |
| 12 | 15.6 | (11.8 - 20.3) | 369 | 12.1 | (7.4 - 19.2) | 179 | 19.1 | (14.6 - 24.6) | 187 |
| 13 | 15.0 | (11.9 - 18.7) | 361 | 10.4 | (6.3 - 16.8) | 188 | 19.7 | (14.9 - 25.6) | 171 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 10.6 | (7.2 - 15.4) | 394 | 7.2 | (4.2 - 12.2) | 205 | 14.0 | (9.1 - 20.8) | 187 |
| 7th | 15.5 | (11.7 - 20.4) | 363 | 11.7 | (7.0 - 18.9) | 177 | 19.8 | (15.2 - 25.5) | 186 |
| 8th | 16.5 | (13.7 - 19.9) | 367 | 11.9 | (7.9 - 17.5) | 200 | 21.3 | (16.4 - 27.3) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.9 | (6.9 - 19.7) | 100 | - | - | 47 | - | - | 52 |
| Hispanic/Latino | 15.7 | (10.3 - 23.2) | 145 | - | - | 69 | - | - | 75 |
| White* | 15.1 | (12.4 - 18.2) | 683 | 10.9 | (7.9 - 14.8) | 360 | 19.8 | (15.8 - 24.4) | 322 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 25 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 43.1 | (40.3 - 45.9) | 1,134 | 50.0 | (46.1 - 53.9) | 587 | 35.8 | (32.2 - 39.6) | 542 |
| Age | | | | | | | | | |
| 11 or younger | 50.8 | (45.0 - 56.6) | 321 | 56.3 | (47.2 - 64.9) | 166 | 44.9 | (38.6 - 51.4) | 155 |
| 12 | 43.4 | (37.7 - 49.3) | 369 | 50.0 | (41.6 - 58.4) | 179 | 36.2 | (29.8 - 43.2) | 187 |
| 13 | 38.2 | (34.3 - 42.3) | 361 | 43.9 | (37.5 - 50.6) | 188 | 33.0 | (28.0 - 38.5) | 171 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 49.4 | (43.6 - 55.1) | 394 | 55.2 | (46.5 - 63.7) | 205 | 42.8 | (36.9 - 48.9) | 187 |
| 7th | 43.1 | (38.4 - 48.1) | 363 | 49.3 | (42.8 - 55.9) | 177 | 36.2 | (30.1 - 42.8) | 186 |
| 8th | 36.7 | (34.1 - 39.4) | 367 | 44.7 | (40.2 - 49.3) | 200 | 29.1 | (23.5 - 35.4) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 34.2 | (26.0 - 43.4) | 100 | - | - | 47 | - | - | 52 |
| Hispanic/Latino | 31.7 | (24.1 - 40.4) | 145 | - | - | 69 | - | - | 75 |
| White* | 45.2 | (41.5 - 49.0) | 683 | 52.6 | (47.6 - 57.6) | 360 | 37.1 | (32.8 - 41.7) | 322 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 25 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN41: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.0 | (59.8 - 66.1) | 1,126 | 63.8 | (59.6 - 67.8) | 584 | 62.6 | (58.3 - 66.7) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 66.4 | (60.5 - 71.8) | 318 | 64.7 | (58.6 - 70.4) | 165 | 68.2 | (59.1 - 76.1) | 153 |
| 12 | 64.4 | (58.5 - 70.0) | 368 | 67.3 | (60.9 - 73.2) | 179 | 62.2 | (54.4 - 69.4) | 186 |
| 13 | 61.3 | (55.6 - 66.7) | 360 | 63.7 | (54.9 - 71.6) | 187 | 59.6 | (52.2 - 66.6) | 171 |
| 14 or older | - | - | 79 | - | - | 53 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 66.7 | (61.4 - 71.7) | 391 | 66.7 | (60.4 - 72.5) | 203 | 67.5 | (60.2 - 74.1) | 186 |
| 7th | 65.6 | (59.5 - 71.2) | 360 | 67.8 | (59.8 - 74.9) | 177 | 63.0 | (55.6 - 69.9) | 183 |
| 8th | 56.6 | (51.1 - 61.9) | 367 | 56.5 | (49.8 - 63.0) | 201 | 57.2 | (49.1 - 64.8) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 49.9 | (42.4 - 57.3) | 146 | - | - | 70 | _ | - | 75 |
| White* | 65.5 | (61.4 - 69.4) | 679 | 66.6 | (61.3 - 71.5) | 359 | 64.4 | (59.2 - 69.4) | 319 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 33 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.4 | (8.5 - 12.7) | 1,126 | 11.0 | (8.8 - 13.7) | 584 | 9.3 | (6.9 - 12.2) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 11.4 | (7.5 - 16.9) | 318 | 9.6 | (5.8 - 15.5) | 165 | 13.3 | (8.2 - 20.9) | 153 |
| 12 | 11.0 | (7.5 - 15.8) | 368 | 10.8 | (6.8 - 16.6) | 179 | 10.2 | (6.4 - 16.0) | 186 |
| 13 | 8.9 | (6.4 - 12.3) | 360 | 12.9 | (8.8 - 18.5) | 187 | 4.5 | (2.3 - 8.7) | 171 |
| 14 or older | - | - | 79 | - | - | 53 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 12.1 | (8.5 - 16.9) | 391 | 10.4 | (7.0 - 15.3) | 203 | 12.9 | (8.4 - 19.3) | 186 |
| 7th | 9.4 | (6.1 - 14.0) | 360 | 10.1 | (6.2 - 15.8) | 177 | 8.6 | (5.0 - 14.2) | 183 |
| 8th | 10.0 | (7.3 - 13.4) | 367 | 12.7 | (9.4 - 16.9) | 201 | 6.7 | (3.7 - 11.8) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 99 | _ | - | 46 | _ | - | 52 |
| Hispanic/Latino | 17.6 | (11.9 - 25.3) | 146 | - | - | 70 | - | - | 75 |
| White* | 8.4 | (6.2 - 11.3) | 679 | 8.2 | (5.7 - 11.7) | 359 | 8.4 | (5.8 - 12.0) | 319 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 33 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 37.4 | (34.2 - 40.6) | 1,126 | 40.0 | (36.3 - 43.9) | 584 | 34.8 | (30.5 - 39.4) | 537 |
| Age | | | | | | | | | |
| 11 or younger | 44.0 | (37.7 - 50.4) | 318 | 42.7 | (35.2 - 50.6) | 165 | 45.3 | (37.4 - 53.4) | 153 |
| 12 | 36.8 | (32.6 - 41.3) | 368 | 37.4 | (31.2 - 44.1) | 179 | 36.8 | (31.2 - 42.7) | 186 |
| 13 | 34.6 | (29.2 - 40.4) | 360 | 41.6 | (34.4 - 49.2) | 187 | 28.1 | (21.4 - 35.9) | 171 |
| 14 or older | - | - | 79 | - | - | 53 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 43.7 | (38.8 - 48.8) | 391 | 42.5 | (36.9 - 48.3) | 203 | 45.6 | (39.6 - 51.7) | 186 |
| 7th | 37.9 | (33.1 - 42.8) | 360 | 40.3 | (33.0 - 48.1) | 177 | 35.0 | (29.8 - 40.6) | 183 |
| 8th | 30.5 | (25.3 - 36.1) | 367 | 37.2 | (31.4 - 43.3) | 201 | 24.0 | (16.9 - 32.8) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 46 | _ | - | 52 |
| Hispanic/Latino | 33.3 | (27.0 - 40.2) | 146 | - | - | 70 | - | - | 75 |
| White* | 38.8 | (35.0 - 42.8) | 679 | 41.6 | (37.2 - 46.1) | 359 | 35.9 | (30.4 - 41.8) | 319 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 33 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN42: Percentage of students who watched television 3 or more hours per day (on an average school day)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.8 | (19.8 - 26.0) | 1,125 | 21.3 | (17.7 - 25.4) | 578 | 24.4 | (20.4 - 28.8) | 542 |
| Age | | | | | | | | | |
| 11 or younger | 20.8 | (14.9 - 28.3) | 320 | 16.1 | (10.4 - 24.2) | 163 | 25.7 | (18.4 - 34.6) | 157 |
| 12 | 21.5 | (17.8 - 25.9) | 366 | 23.3 | (17.5 - 30.3) | 176 | 19.4 | (13.6 - 26.9) | 187 |
| 13 | 22.9 | (18.1 - 28.5) | 357 | 19.9 | (14.5 - 26.7) | 185 | 26.0 | (19.2 - 34.1) | 170 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 21.9 | (16.1 - 29.0) | 394 | 18.5 | (11.9 - 27.6) | 202 | 25.2 | (18.5 - 33.4) | 190 |
| 7th | 22.0 | (18.3 - 26.1) | 358 | 23.2 | (18.0 - 29.5) | 174 | 20.6 | (14.5 - 28.3) | 184 |
| 8th | 24.3 | (19.0 - 30.5) | 363 | 22.1 | (16.4 - 29.1) | 197 | 26.8 | (20.0 - 34.8) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 45 | - | - | 52 |
| Hispanic/Latino | 31.0 | (22.9 - 40.6) | 146 | - | - | 69 | - | - | 76 |
| White* | 20.8 | (17.5 - 24.4) | 679 | 20.3 | (16.8 - 24.4) | 356 | 21.3 | (16.7 - 26.8) | 322 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 34 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN43: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, for something that was not school work, on an average school day)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 48.1 | (44.6 - 51.7) | 1,125 | 54.2 | (49.1 - 59.2) | 582 | 41.6 | (37.2 - 46.0) | 538 |
| Age | | | | | | | | | |
| 11 or younger | 41.8 | (35.3 - 48.6) | 319 | 47.5 | (38.9 - 56.3) | 163 | 35.8 | (26.5 - 46.3) | 156 |
| 12 | 48.3 | (44.4 - 52.2) | 365 | 52.4 | (44.3 - 60.4) | 178 | 44.0 | (37.2 - 51.0) | 184 |
| 13 | 51.1 | (44.3 - 57.9) | 358 | 60.6 | (51.7 - 68.9) | 187 | 41.6 | (34.4 - 49.1) | 169 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 43.2 | (37.4 - 49.1) | 393 | 49.9 | (42.3 - 57.5) | 203 | 35.7 | (27.5 - 44.8) | 188 |
| 7th | 49.3 | (44.5 - 54.2) | 358 | 53.3 | (43.4 - 62.9) | 175 | 44.9 | (38.4 - 51.5) | 183 |
| 8th | 52.4 | (45.5 - 59.2) | 365 | 60.3 | (52.4 - 67.7) | 200 | 44.2 | (37.1 - 51.7) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 44.9 | (36.5 - 53.7) | 147 | - | - | 70 | - | - | 76 |
| White* | 48.4 | (44.3 - 52.5) | 677 | 54.3 | (48.6 - 59.8) | 358 | 41.8 | (36.4 - 47.3) | 318 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 34 students were excluded from this analysis.

N = Number of students in this subgroup.

^{- =} Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN44: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.5 | (76.5 - 83.9) | 1,107 | 80.2 | (75.2 - 84.5) | 570 | 81.0 | (76.6 - 84.7) | 532 |
| Age | | | | | | | | | |
| 11 or younger | 77.6 | (70.3 - 83.5) | 312 | 74.4 | (65.7 - 81.5) | 159 | 80.9 | (72.3 - 87.3) | 153 |
| 12 | 82.3 | (76.8 - 86.8) | 361 | 83.3 | (74.4 - 89.5) | 175 | 81.7 | (74.7 - 87.0) | 183 |
| 13 | 80.3 | (72.9 - 86.0) | 354 | 80.4 | (70.6 - 87.6) | 184 | 80.6 | (72.4 - 86.8) | 168 |
| 14 or older | - | - | 78 | - | - | 52 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 75.3 | (67.8 - 81.4) | 383 | 72.4 | (63.2 - 80.0) | 196 | 78.7 | (70.0 - 85.4) | 185 |
| 7th | 86.8 | (80.9 - 91.1) | 357 | 89.4 | (80.8 - 94.4) | 175 | 83.9 | (77.2 - 89.0) | 182 |
| 8th | 78.8 | (69.4 - 85.9) | 358 | 77.7 | (66.6 - 85.8) | 195 | 80.4 | (70.3 - 87.7) | 161 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 97 | _ | - | 45 | - | - | 51 |
| Hispanic/Latino | 77.5 | (70.4 - 83.2) | 147 | - | - | 70 | - | - | 76 |
| White* | 80.8 | (76.5 - 84.5) | 667 | 79.9 | (73.8 - 84.8) | 350 | 82.1 | (77.3 - 86.1) | 316 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 52 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 77.2 | (73.2 - 80.8) | 1,107 | 76.6 | (71.7 - 80.9) | 570 | 78.2 | (73.8 - 82.1) | 532 |
| Age | | | | | | | | | |
| 11 or younger | 75.8 | (68.0 - 82.2) | 312 | 72.4 | (63.6 - 79.8) | 159 | 79.4 | (70.1 - 86.3) | 153 |
| 12 | 79.1 | (73.9 - 83.4) | 361 | 79.9 | (71.2 - 86.5) | 175 | 78.5 | (72.3 - 83.6) | 183 |
| 13 | 76.0 | (68.7 - 81.9) | 354 | 75.5 | (66.0 - 83.1) | 184 | 77.1 | (69.2 - 83.5) | 168 |
| 14 or older | - | - | 78 | - | - | 52 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 73.5 | (65.6 - 80.1) | 383 | 70.5 | (61.2 - 78.4) | 196 | 77.0 | (67.6 - 84.2) | 185 |
| 7th | 83.6 | (78.7 - 87.5) | 357 | 85.8 | (78.1 - 91.1) | 175 | 81.1 | (75.6 - 85.5) | 182 |
| 8th | 74.2 | (64.9 - 81.8) | 358 | 72.1 | (61.4 - 80.8) | 195 | 76.8 | (67.0 - 84.3) | 161 |
| Race/Ethnicity | | | | | | | | | |
| Black* | _ | _ | 97 | - | - | 45 | - | - | 51 |
| Hispanic/Latino | 70.4 | (61.7 - 77.9) | 147 | - | - | 70 | - | - | 76 |
| White* | 78.4 | (74.0 - 82.2) | 667 | 77.5 | (71.7 - 82.5) | 350 | 79.5 | (74.4 - 83.8) | 316 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 52 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN45: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the past 12 months before the survey)

| | Total | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| Total | 56.5 | (53.8 - 59.2) | 1,118 | 56.7 | (51.6 - 61.6) | 577 | 56.5 | (51.7 - 61.2) | 537 | |
| Age | | | | | | | | | | |
| 11 or younger | 57.8 | (52.4 - 63.0) | 319 | 63.7 | (57.2 - 69.7) | 165 | 51.4 | (42.7 - 60.0) | 154 | |
| 12 | 52.2 | (46.6 - 57.8) | 364 | 55.1 | (45.1 - 64.6) | 175 | 49.4 | (40.9 - 58.0) | 186 | |
| 13 | 59.5 | (54.4 - 64.4) | 354 | 52.3 | (46.6 - 58.0) | 184 | 66.9 | (58.5 - 74.3) | 169 | |
| 14 or older | - | - | 79 | - | - | 53 | - | - | 26 | |
| Grade | | | | | | | | | | |
| 6th | 56.1 | (51.0 - 61.1) | 393 | 61.4 | (55.0 - 67.4) | 204 | 50.4 | (43.1 - 57.7) | 187 | |
| 7th | 55.2 | (49.1 - 61.2) | 357 | 57.0 | (45.3 - 68.0) | 173 | 53.3 | (44.2 - 62.1) | 184 | |
| 8th | 58.5 | (53.8 - 63.0) | 359 | 51.9 | (47.1 - 56.6) | 195 | 65.7 | (56.8 - 73.6) | 162 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | _ | - | 99 | - | - | 46 | - | - | 52 | |
| Hispanic/Latino | 47.0 | (39.3 - 54.8) | 145 | - | - | 69 | - | - | 76 | |
| White* | 57.9 | (54.3 - 61.3) | 673 | 57.0 | (50.6 - 63.1) | 354 | 59.1 | (53.0 - 64.9) | 318 | |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 | |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 | |

Note: 41 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN46: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

| Total | | Male | | | Female | | | |
|------------|--------------------------------------|---|--|---|---|--|---|--|
| Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 15.4 | (13.1 - 18.0) | 1,123 | 15.9 | (12.8 - 19.7) | 580 | 14.9 | (11.9 - 18.5) | 538 |
| | | | | | | | | |
| 18.7 | (15.3 - 22.6) | 317 | 18.5 | (12.5 - 26.6) | 163 | 18.8 | (13.3 - 25.8) | 154 |
| 12.3 | (8.4 - 17.7) | 366 | 13.5 | (8.5 - 20.7) | 178 | 10.8 | (6.2 - 18.2) | 185 |
| 15.5 | (12.2 - 19.5) | 357 | 17.5 | (12.9 - 23.3) | 185 | 13.8 | (9.5 - 19.6) | 170 |
| - | - | 81 | - | - | 54 | - | - | 27 |
| | | | | | | | | |
| 18.7 | (15.4 - 22.4) | 391 | 19.4 | (14.1 - 26.2) | 202 | 18.1 | (12.6 - 25.3) | 187 |
| 12.2 | (7.9 - 18.3) | 360 | 13.3 | (7.5 - 22.5) | 176 | 11.0 | (6.4 - 18.1) | 184 |
| 15.5 | (12.2 - 19.4) | 362 | 15.4 | (11.7 - 20.0) | 197 | 15.4 | (10.8 - 21.4) | 163 |
| | | | | | | | | |
| - | - | 99 | - | - | 46 | - | - | 52 |
| 23.5 | (16.5 - 32.3) | 144 | - | - | 69 | - | - | 74 |
| 14.2 | (11.6 - 17.2) | 675 | 13.3 | (9.8 - 17.8) | 355 | 15.1 | (11.6 - 19.5) | 319 |
| - | - | 51 | - | - | 31 | - | - | 20 |
| - | - | 67 | - | - | 30 | - | - | 37 |
| | 15.4 18.7 12.3 15.5 18.7 12.2 15.5 | Percentage 95% confidence interval 15.4 (13.1 - 18.0) 18.7 (15.3 - 22.6) 12.3 (8.4 - 17.7) 15.5 (12.2 - 19.5) | Percentage 95% N confidence interval 15.4 (13.1 - 18.0) 1,123 18.7 (15.3 - 22.6) 317 12.3 (8.4 - 17.7) 366 15.5 (12.2 - 19.5) 357 - 81 18.7 (15.4 - 22.4) 391 12.2 (7.9 - 18.3) 360 15.5 (12.2 - 19.4) 362 - 99 23.5 (16.5 - 32.3) 144 14.2 (11.6 - 17.2) 675 - 51 | Percentage 95% confidence interval N Percentage 15.4 (13.1 - 18.0) 1,123 15.9 18.7 (15.3 - 22.6) 317 18.5 12.3 (8.4 - 17.7) 366 13.5 15.5 (12.2 - 19.5) 357 17.5 - - 81 - 18.7 (15.4 - 22.4) 391 19.4 12.2 (7.9 - 18.3) 360 13.3 15.5 (12.2 - 19.4) 362 15.4 - - 99 - 23.5 (16.5 - 32.3) 144 - 14.2 (11.6 - 17.2) 675 13.3 - - 51 - | Percentage 95% confidence interval N Percentage confidence confidence interval 15.4 (13.1 - 18.0) 1,123 15.9 (12.8 - 19.7) 18.7 (15.3 - 22.6) 317 18.5 (12.5 - 26.6) 12.3 (8.4 - 17.7) 366 13.5 (8.5 - 20.7) 15.5 (12.2 - 19.5) 357 17.5 (12.9 - 23.3) - - 81 - - 18.7 (15.4 - 22.4) 391 19.4 (14.1 - 26.2) 12.2 (7.9 - 18.3) 360 13.3 (7.5 - 22.5) 15.5 (12.2 - 19.4) 362 15.4 (11.7 - 20.0) - - 99 - - - 23.5 (16.5 - 32.3) 144 - - - 14.2 (11.6 - 17.2) 675 13.3 (9.8 - 17.8) - - 51 - - | Percentage 95% confidence interval N Percentage confidence interval 95% confidence interval N 15.4 (13.1 - 18.0) 1,123 15.9 (12.8 - 19.7) 580 18.7 (15.3 - 22.6) 317 18.5 (12.5 - 26.6) 163 12.3 (8.4 - 17.7) 366 13.5 (8.5 - 20.7) 178 15.5 (12.2 - 19.5) 357 17.5 (12.9 - 23.3) 185 - - 81 - - 54 18.7 (15.4 - 22.4) 391 19.4 (14.1 - 26.2) 202 12.2 (7.9 - 18.3) 360 13.3 (7.5 - 22.5) 176 15.5 (12.2 - 19.4) 362 15.4 (11.7 - 20.0) 197 - - 99 - - - 46 23.5 (16.5 - 32.3) 144 - - 69 14.2 (11.6 - 17.2) 675 13.3 (9.8 - 17.8) 355 - - < | Percentage 95% confidence interval N Percentage confidence interval N Percentage confidence interval 15.4 (13.1 - 18.0) 1,123 15.9 (12.8 - 19.7) 580 14.9 18.7 (15.3 - 22.6) 317 18.5 (12.5 - 26.6) 163 18.8 12.3 (8.4 - 17.7) 366 13.5 (8.5 - 20.7) 178 10.8 15.5 (12.2 - 19.5) 357 17.5 (12.9 - 23.3) 185 13.8 - - 81 - - 54 - 18.7 (15.4 - 22.4) 391 19.4 (14.1 - 26.2) 202 18.1 12.2 (7.9 - 18.3) 360 13.3 (7.5 - 22.5) 176 11.0 15.5 (12.2 - 19.4) 362 15.4 (11.7 - 20.0) 197 15.4 - - 99 - - - 46 - 23.5 (16.5 - 32.3) 144 - - 69 - | Percentage confidence interval N percentage confidence interval 95% confidence interval N percentage confidence interval 95% confidence interval 15.4 (13.1-18.0) 1,123 15.9 (12.8-19.7) 580 14.9 (11.9-18.5) 18.7 (15.3-22.6) 317 18.5 (12.5-26.6) 163 18.8 (13.3-25.8) 12.3 (8.4-17.7) 366 13.5 (8.5-20.7) 178 10.8 (6.2-18.2) 15.5 (12.2-19.5) 357 17.5 (12.9-23.3) 185 13.8 (9.5-19.6) - - 81 - - 54 - - 18.7 (15.4-22.4) 391 19.4 (14.1-26.2) 202 18.1 (12.6-25.3) 12.2 (7.9-18.3) 360 13.3 (7.5-22.5) 176 11.0 (6.4-18.1) 15.5 (12.2-19.4) 362 15.4 (11.7-20.0) 197 15.4 (10.8-21.4) - - - - - - |

Note: 36 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN47: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.5 | (17.4 - 21.8) | 1,118 | 20.4 | (17.3 - 23.9) | 578 | 18.5 | (15.2 - 22.3) | 535 |
| Age | | | | | | | | | |
| 11 or younger | 17.4 | (14.2 - 21.1) | 313 | 18.3 | (12.9 - 25.4) | 161 | 16.3 | (11.6 - 22.5) | 152 |
| 12 | 20.5 | (16.2 - 25.6) | 368 | 19.9 | (14.4 - 26.9) | 180 | 21.2 | (14.8 - 29.3) | 185 |
| 13 | 21.5 | (17.5 - 26.2) | 354 | 24.1 | (18.6 - 30.7) | 183 | 18.9 | (13.7 - 25.4) | 169 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 16.9 | (13.9 - 20.3) | 387 | 16.6 | (12.1 - 22.3) | 200 | 17.3 | (12.5 - 23.5) | 185 |
| 7th | 21.9 | (18.1 - 26.3) | 360 | 23.5 | (18.0 - 30.2) | 176 | 20.1 | (14.1 - 27.9) | 184 |
| 8th | 19.4 | (16.0 - 23.4) | 361 | 20.3 | (15.9 - 25.5) | 197 | 18.3 | (13.1 - 25.1) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 45 | _ | - | 52 |
| Hispanic/Latino | 27.2 | (20.8 - 34.7) | 146 | - | - | 69 | - | - | 76 |
| White* | 17.8 | (15.1 - 20.8) | 674 | 18.2 | (14.6 - 22.4) | 356 | 17.3 | (12.8 - 23.0) | 317 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 41 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN48: Percentage of students who got 8 or more hours of sleep (on an average school night)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 54.7 | (50.8 - 58.5) | 1,118 | 55.4 | (50.6 - 60.1) | 577 | 54.4 | (49.2 - 59.5) | 536 |
| Age | | | | | | | | | |
| 11 or younger | 64.2 | (56.5 - 71.2) | 317 | 62.1 | (52.3 - 71.0) | 164 | 66.5 | (56.5 - 75.2) | 153 |
| 12 | 57.6 | (53.2 - 61.8) | 363 | 59.4 | (51.5 - 66.8) | 176 | 56.5 | (50.5 - 62.3) | 184 |
| 13 | 46.9 | (40.7 - 53.2) | 354 | 48.6 | (39.4 - 57.9) | 182 | 45.8 | (38.2 - 53.5) | 170 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 61.7 | (54.7 - 68.2) | 389 | 59.0 | (50.4 - 67.2) | 201 | 65.4 | (56.2 - 73.6) | 186 |
| 7th | 58.7 | (53.7 - 63.6) | 355 | 61.0 | (52.7 - 68.8) | 172 | 56.1 | (49.7 - 62.4) | 183 |
| 8th | 44.0 | (38.3 - 49.7) | 364 | 45.4 | (37.7 - 53.3) | 199 | 42.9 | (35.6 - 50.6) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 45 | _ | - | 52 |
| Hispanic/Latino | 43.4 | (34.7 - 52.4) | 147 | - | - | 70 | - | - | 76 |
| White* | 56.9 | (52.3 - 61.3) | 673 | 57.8 | (52.0 - 63.4) | 355 | 56.0 | (50.4 - 61.4) | 317 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 41 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN49: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 75.9 | (71.5 - 79.8) | 1,086 | 74.1 | (69.0 - 78.6) | 559 | 78.2 | (72.9 - 82.7) | 522 |
| Age | | | | | | | | | |
| 11 or younger | 80.3 | (73.9 - 85.5) | 306 | 77.3 | (67.9 - 84.5) | 157 | 83.6 | (76.3 - 89.0) | 149 |
| 12 | 71.2 | (62.6 - 78.6) | 353 | 71.5 | (62.6 - 79.0) | 171 | 71.6 | (61.4 - 80.0) | 179 |
| 13 | 79.0 | (72.6 - 84.1) | 346 | 78.4 | (70.1 - 84.9) | 178 | 80.0 | (69.9 - 87.3) | 166 |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 79.9 | (74.1 - 84.6) | 376 | 79.0 | (71.1 - 85.2) | 193 | 81.9 | (75.6 - 86.8) | 181 |
| 7th | 71.5 | (61.7 - 79.7) | 347 | 69.8 | (59.5 - 78.4) | 170 | 73.5 | (62.8 - 82.1) | 177 |
| 8th | 76.5 | (69.6 - 82.2) | 353 | 73.9 | (66.0 - 80.5) | 191 | 79.5 | (69.0 - 87.1) | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 95 | - | - | 43 | - | - | 51 |
| Hispanic/Latino | 67.2 | (58.1 - 75.2) | 141 | - | - | 65 | _ | - | 75 |
| White* | 77.3 | (72.3 - 81.6) | 660 | 75.5 | (69.4 - 80.8) | 347 | 79.4 | (73.3 - 84.4) | 312 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 61 | - | - | 27 | - | - | 34 |

Note: 73 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN50: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.0 | (1.3 - 3.0) | 1,140 | 1.7 | (0.9 - 3.2) | 595 | 2.3 | (1.3 - 4.0) | 540 |
| Age | | | | | | | | | |
| 11 or younger | 2.7 | (1.5 - 4.9) | 324 | 2.7 | (1.0 - 6.7) | 167 | 2.7 | (1.1 - 6.3) | 157 |
| 12 | 1.2 | (0.5 - 2.8) | 368 | 1.4 | (0.5 - 4.5) | 182 | 0.9 | (0.2 - 3.8) | 183 |
| 13 | 2.3 | (1.3 - 4.1) | 366 | 1.4 | (0.5 - 3.9) | 192 | 3.2 | (1.4 - 7.0) | 172 |
| 14 or older | - | - | 80 | - | - | 54 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 2.2 | (1.3 - 3.8) | 399 | 2.3 | (0.9 - 5.4) | 208 | 2.2 | (0.9 - 5.0) | 189 |
| 7th | 1.4 | (0.6 - 3.4) | 364 | 1.5 | (0.5 - 4.1) | 182 | 1.4 | (0.4 - 4.4) | 182 |
| 8th | 2.1 | (1.0 - 4.0) | 369 | 1.5 | (0.4 - 5.8) | 202 | 2.7 | (1.1 - 6.2) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.2 | (2.5 - 14.3) | 101 | - | - | 49 | - | - | 51 |
| Hispanic/Latino | 5.4 | (2.6 - 11.0) | 145 | - | - | 70 | - | - | 74 |
| White* | 0.9 | (0.4 - 2.0) | 685 | 0.9 | (0.3 - 2.7) | 363 | 0.9 | (0.3 - 2.9) | 321 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 65 | - | - | 28 | - | - | 37 |

Note: 19 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN51: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.2 | (2.1 - 4.7) | 1,150 | 3.3 | (2.0 - 5.3) | 597 | 2.9 | (1.7 - 4.9) | 549 |
| Age | | | | | | | | | |
| 11 or younger | 4.5 | (2.4 - 8.4) | 328 | 5.2 | (2.4 - 11.2) | 168 | 3.8 | (1.7 - 8.2) | 160 |
| 12 | 3.2 | (1.8 - 5.5) | 372 | 1.9 | (0.6 - 6.1) | 182 | 4.0 | (1.8 - 8.7) | 187 |
| 13 | 1.5 | (0.6 - 3.4) | 364 | 2.2 | (0.8 - 5.9) | 191 | 0.8 | (0.2 - 3.4) | 172 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 3.7 | (1.9 - 7.2) | 403 | 3.2 | (1.3 - 7.4) | 208 | 3.7 | (1.8 - 7.3) | 193 |
| 7th | 3.6 | (2.3 - 5.8) | 367 | 3.3 | (1.5 - 7.1) | 182 | 4.1 | (1.9 - 8.4) | 185 |
| 8th | 2.0 | (0.7 - 5.3) | 371 | 2.8 | (1.2 - 6.7) | 203 | 1.1 | (0.2 - 5.4) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.9 | (2.3 - 14.3) | 103 | - | - | 50 | - | - | 52 |
| Hispanic/Latino | 7.4 | (4.0 - 13.1) | 146 | - | - | 70 | - | - | 76 |
| White* | 2.2 | (1.2 - 3.8) | 690 | 2.5 | (1.3 - 4.8) | 364 | 1.8 | (0.8 - 4.0) | 325 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 9 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN52: Percentage of students who have ever ridden in a car driven by someone who was texting while they were driving the car

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 60.8 | (57.2 - 64.2) | 1,144 | 57.1 | (52.3 - 61.8) | 595 | 64.9 | (60.0 - 69.5) | 544 |
| Age | | | | | | | | | |
| 11 or younger | 54.7 | (49.2 - 60.1) | 328 | 54.6 | (48.3 - 60.7) | 168 | 54.9 | (47.0 - 62.6) | 160 |
| 12 | 60.3 | (54.0 - 66.3) | 368 | 55.3 | (47.8 - 62.6) | 182 | 66.5 | (57.8 - 74.2) | 183 |
| 13 | 64.6 | (59.3 - 69.5) | 362 | 60.0 | (50.3 - 69.0) | 189 | 69.0 | (61.5 - 75.6) | 171 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 54.5 | (49.7 - 59.2) | 402 | 53.8 | (47.7 - 59.8) | 210 | 55.9 | (48.3 - 63.3) | 190 |
| 7th | 62.5 | (56.5 - 68.1) | 365 | 57.1 | (49.0 - 64.8) | 181 | 68.7 | (61.7 - 74.9) | 184 |
| 8th | 65.1 | (59.1 - 70.6) | 366 | 60.3 | (50.2 - 69.6) | 199 | 69.5 | (61.9 - 76.2) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 65.1 | (53.8 - 74.9) | 101 | - | - | 49 | - | - | 51 |
| Hispanic/Latino | 59.7 | (51.8 - 67.2) | 145 | - | - | 70 | - | - | 74 |
| White* | 62.3 | (57.7 - 66.6) | 686 | 58.8 | (52.6 - 64.7) | 361 | 66.0 | (59.7 - 71.7) | 324 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 15 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN53: Percentage of students who reported that someone they were dating or going out with physically hurt them on purpose (counting such things as being hit, slammed into something or injured with an object or weapon, among students who have ever dated or gone out with someone)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.6 | (6.6 - 11.2) | 683 | 8.5 | (5.9 - 12.3) | 373 | 8.8 | (5.7 - 13.4) | 307 |
| Age | | | | | | | | | |
| 11 or younger | 6.3 | (3.3 - 11.8) | 161 | - | - | 88 | _ | - | 73 |
| 12 | 9.9 | (6.2 - 15.4) | 210 | 9.3 | (4.4 - 18.5) | 100 | 10.8 | (5.9 - 19.0) | 108 |
| 13 | 9.4 | (6.0 - 14.4) | 245 | 7.0 | (3.9 - 12.1) | 139 | 12.2 | (6.5 - 21.8) | 105 |
| 14 or older | - | - | 66 | - | - | 46 | - | - | 20 |
| Grade | | | | | | | | | |
| 6th | 6.6 | (3.9 - 10.8) | 202 | 8.0 | (4.6 - 13.6) | 109 | - | - | 91 |
| 7th | 11.6 | (7.6 - 17.4) | 220 | 11.6 | (6.2 - 20.6) | 109 | 11.6 | (5.9 - 21.8) | 111 |
| 8th | 7.2 | (4.8 - 10.8) | 256 | 5.7 | (2.9 - 11.1) | 152 | 9.1 | (4.7 - 17.1) | 103 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 76 | - | - | 38 | _ | - | 37 |
| Hispanic/Latino | - | - | 96 | - | - | 48 | - | - | 48 |
| White* | 9.2 | (6.8 - 12.3) | 398 | 7.3 | (4.6 - 11.4) | 223 | 11.6 | (7.4 - 17.7) | 174 |
| All other races* | - | - | 30 | - | - | 19 | - | - | 11 |
| Multiple races* | - | - | 37 | - | - | 19 | - | - | 18 |

Note: 476 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.

^{- =} Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN54: Percentage of students who felt sad or hopeless (almost every day for >= 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.7 | (23.2 - 28.3) | 1,135 | 19.2 | (16.1 - 22.7) | 593 | 32.7 | (28.6 - 37.1) | 538 |
| Age | | | | | | | | | |
| 11 or younger | 20.4 | (15.9 - 25.9) | 325 | 14.8 | (9.5 - 22.3) | 168 | 26.5 | (20.8 - 33.0) | 157 |
| 12 | 24.3 | (20.1 - 29.2) | 368 | 17.5 | (11.9 - 24.9) | 183 | 32.2 | (24.8 - 40.5) | 182 |
| 13 | 30.5 | (26.6 - 34.8) | 358 | 23.0 | (17.6 - 29.5) | 187 | 37.4 | (30.9 - 44.5) | 170 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 19.6 | (16.0 - 23.7) | 401 | 13.9 | (9.5 - 20.0) | 210 | 26.2 | (21.1 - 32.0) | 189 |
| 7th | 28.1 | (23.7 - 33.1) | 361 | 22.0 | (17.2 - 27.8) | 181 | 35.4 | (28.1 - 43.4) | 180 |
| 8th | 29.7 | (26.2 - 33.5) | 363 | 21.5 | (16.1 - 28.2) | 197 | 37.2 | (30.0 - 45.1) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.6 | (18.8 - 38.4) | 101 | - | - | 48 | _ | - | 52 |
| Hispanic/Latino | 34.2 | (27.6 - 41.4) | 143 | - | - | 69 | - | - | 74 |
| White* | 25.6 | (22.8 - 28.7) | 684 | 18.8 | (15.1 - 23.1) | 364 | 33.1 | (28.0 - 38.7) | 319 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 62 | - | - | 27 | - | - | 35 |

Note: 24 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN55: Percentage of students who smoked a whole cigarette before age 11 years (for the first time)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (0.8 - 2.9) | 1,132 | 1.3 | (0.6 - 2.9) | 585 | 1.7 | (0.8 - 3.8) | 542 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.5 - 2.9) | 322 | 1.4 | (0.4 - 4.6) | 165 | 1.0 | (0.2 - 4.3) | 157 |
| 12 | 0.3 | (0.0 - 2.4) | 367 | 0.0 | - | 179 | 0.7 | (0.1 - 5.0) | 185 |
| 13 | 3.0 | (1.4 - 6.1) | 360 | 2.4 | (0.7 - 7.2) | 188 | 3.3 | (1.1 - 9.2) | 170 |
| 14 or older | - | - | 81 | - | - | 53 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 0.9 | (0.4 - 2.3) | 397 | 1.1 | (0.3 - 3.6) | 206 | 0.8 | (0.2 - 3.5) | 189 |
| 7th | 0.5 | (0.1 - 2.2) | 363 | 0.0 | - | 179 | 1.0 | (0.2 - 4.5) | 184 |
| 8th | 3.2 | (1.4 - 6.8) | 363 | 3.1 | (1.2 - 7.7) | 197 | 3.3 | (1.1 - 9.1) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 7.1 | (3.5 - 13.7) | 139 | - | - | 64 | - | - | 74 |
| White* | 1.0 | (0.5 - 2.0) | 682 | 0.7 | (0.2 - 2.3) | 361 | 1.2 | (0.5 - 3.2) | 320 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 27 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN56: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey, among students who smoked cigarettes during the 30 days before the survey)

| | | Total | | | Male | | Female | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|----|------------|-------------------------------|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 17 | - | - | 11 | - | - | 6 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 3 | - | - | 2 | _ | - | 1 |
| 12 | - | - | 4 | - | - | 3 | - | - | 1 |
| 13 | - | - | 3 | - | - | 3 | - | - | 0 |
| 14 or older | - | - | 6 | - | - | 3 | - | - | 3 |
| Grade | | | | | | | | | |
| 6th | - | - | 4 | - | - | 2 | _ | - | 2 |
| 7th | - | - | 3 | - | - | 2 | - | - | 1 |
| 8th | - | - | 9 | - | - | 7 | - | - | 2 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 2 | - | _ | 1 | _ | - | 1 |
| Hispanic/Latino | - | - | 4 | - | - | 3 | - | - | 1 |
| White* | - | - | 9 | - | - | 6 | - | - | 3 |
| All other races* | - | - | 1 | - | - | 1 | - | - | 0 |
| Multiple races* | - | - | 0 | - | - | 0 | - | - | 0 |

Note: 1,142 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN57: Percentage of students who were asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)

| | | Total | | | Male | Female | | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|--------|------------|-------------------------------|---|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 12 | - | - | 6 | - | - | 6 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 2 | - | - | 0 | - | - | 2 |
| 12 | - | - | 1 | - | - | 0 | - | - | 1 |
| 13 | - | - | 5 | - | - | 4 | - | - | 1 |
| 14 or older | - | - | 3 | - | - | 2 | - | - | 1 |
| Grade | | | | | | | | | |
| 6th | - | - | 3 | - | - | 0 | - | - | 3 |
| 7th | - | - | 2 | - | - | 2 | - | - | 0 |
| 8th | - | - | 7 | - | - | 4 | - | - | 3 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 2 | - | _ | 1 | - | - | 1 |
| Hispanic/Latino | - | - | 4 | - | - | 4 | - | - | 0 |
| White* | - | - | 4 | - | - | 1 | - | - | 3 |
| All other races* | - | - | 0 | - | - | 0 | - | - | 0 |
| Multiple races* | - | - | 0 | - | - | 0 | - | - | 0 |

Note: 1,147 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN58: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|----|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 44 | - | - | 26 | - | - | 17 |
| Age | | | | | | | | | |
| 11 or younger | - | _ | 8 | - | _ | 4 | _ | - | 4 |
| 12 | - | - | 8 | _ | - | 5 | - | - | 3 |
| 13 | - | - | 18 | - | - | 12 | - | - | 5 |
| 14 or older | - | - | 9 | - | - | 5 | - | - | 4 |
| Grade | | | | | | | | | |
| 6th | - | - | 10 | - | - | 4 | - | - | 6 |
| 7th | - | - | 8 | - | - | 7 | - | - | 1 |
| 8th | - | - | 24 | - | - | 15 | - | - | 9 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 7 | - | _ | 2 | _ | - | 5 |
| Hispanic/Latino | - | - | 11 | - | - | 9 | _ | - | 1 |
| White* | - | - | 19 | - | - | 13 | - | - | 6 |
| All other races* | - | - | 1 | - | - | 0 | - | - | 1 |
| Multiple races* | - | - | 1 | - | - | 1 | - | - | 0 |

Note: 1,115 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN59: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

| | Total | | | Male | Female | | | | |
|------------------|------------|-------------------------------|-----|------------|-------------------------------|----|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 98.8 | (96.2 - 99.7) | 192 | - | - | 97 | - | - | 95 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 20 | - | - | 8 | - | - | 12 |
| 12 | - | - | 60 | - | - | 33 | - | - | 27 |
| 13 | - | - | 84 | - | - | 41 | - | - | 43 |
| 14 or older | - | - | 27 | - | - | 15 | - | - | 12 |
| Grade | | | | | | | | | |
| 6th | - | - | 25 | - | - | 12 | - | - | 13 |
| 7th | - | - | 72 | - | - | 38 | - | - | 34 |
| 8th | - | - | 91 | - | - | 46 | - | - | 45 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 14 | - | - | 5 | - | - | 9 |
| Hispanic/Latino | - | - | 42 | - | - | 19 | - | - | 23 |
| White* | 99.3 | (94.6 - 99.9) | 108 | - | - | 57 | - | - | 51 |
| All other races* | - | - | 9 | - | - | 6 | - | - | 3 |
| Multiple races* | - | - | 14 | - | - | 8 | - | - | 6 |

Note: 967 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN60: Percentage of students who used electronic-vapor products mainly because a friend or family member used them

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.0 | (5.3 - 9.0) | 1,129 | 5.6 | (3.7 - 8.2) | 585 | 8.5 | (6.3 - 11.5) | 541 |
| Age | | | | | | | | | |
| 11 or younger | 3.7 | (2.1 - 6.5) | 327 | 1.9 | (0.6 - 5.5) | 169 | 5.7 | (3.2 - 9.8) | 158 |
| 12 | 7.4 | (4.9 - 10.9) | 366 | 7.0 | (4.1 - 11.9) | 180 | 7.8 | (4.4 - 13.5) | 184 |
| 13 | 8.7 | (6.0 - 12.3) | 355 | 6.4 | (3.0 - 13.0) | 185 | 11.0 | (7.3 - 16.2) | 169 |
| 14 or older | - | - | 79 | - | - | 51 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 3.3 | (1.9 - 5.9) | 401 | 2.4 | (1.0 - 5.4) | 209 | 4.4 | (2.5 - 7.7) | 191 |
| 7th | 7.2 | (4.8 - 10.7) | 360 | 6.3 | (3.6 - 10.8) | 179 | 8.3 | (4.8 - 13.9) | 181 |
| 8th | 10.1 | (7.3 - 13.7) | 358 | 7.8 | (4.2 - 14.0) | 192 | 12.4 | (8.6 - 17.7) | 164 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 4.2 | (1.5 - 10.9) | 101 | _ | - | 49 | - | - | 51 |
| Hispanic/Latino | 14.9 | (9.8 - 22.2) | 137 | - | - | 63 | - | - | 74 |
| White* | 6.6 | (4.9 - 9.0) | 681 | 4.9 | (3.1 - 7.8) | 359 | 8.5 | (5.9 - 12.2) | 321 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 30 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN61: Percentage of students who think they definitely or probably will use an electric vapor product in the next year

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.5 | (10.9 - 16.6) | 1,143 | 13.5 | (10.4 - 17.3) | 594 | 13.3 | (9.9 - 17.7) | 545 |
| Age | | | | | | | | | |
| 11 or younger | 4.8 | (2.9 - 8.0) | 325 | 3.7 | (1.8 - 7.7) | 166 | 6.0 | (2.6 - 13.0) | 159 |
| 12 | 11.5 | (8.4 - 15.5) | 374 | 14.5 | (9.6 - 21.3) | 184 | 8.3 | (5.5 - 12.3) | 187 |
| 13 | 18.3 | (14.3 - 23.2) | 358 | 15.9 | (10.8 - 22.8) | 188 | 20.1 | (14.3 - 27.5) | 169 |
| 14 or older | - | - | 84 | - | - | 56 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 5.3 | (3.3 - 8.4) | 402 | 4.2 | (2.3 - 7.7) | 208 | 6.6 | (3.1 - 13.4) | 192 |
| 7th | 14.1 | (11.1 - 17.9) | 367 | 17.9 | (13.4 - 23.6) | 182 | 9.8 | (6.6 - 14.3) | 185 |
| 8th | 20.7 | (16.2 - 26.1) | 364 | 17.6 | (12.3 - 24.7) | 199 | 23.3 | (16.8 - 31.3) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.0 | (10.7 - 25.9) | 102 | _ | - | 49 | - | - | 52 |
| Hispanic/Latino | 19.9 | (12.5 - 30.0) | 144 | - | - | 69 | - | - | 75 |
| White* | 13.5 | (10.6 - 17.1) | 686 | 13.3 | (9.8 - 18.0) | 360 | 13.5 | (9.6 - 18.6) | 325 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 64 | - | - | 29 | - | - | 35 |

Note: 16 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN62: Percentage of students who think they definitely or probably will smoke a cigarette, cigar, cigarillo, or little cigar in the next year

| | Total | | | Male | Female | | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.9 | (4.3 - 8.0) | 1,147 | 6.6 | (4.6 - 9.4) | 596 | 5.1 | (3.4 - 7.8) | 546 |
| Age | | | | | | | | | |
| 11 or younger | 3.7 | (2.0 - 6.5) | 328 | 5.2 | (2.7 - 9.6) | 168 | 2.1 | (0.7 - 5.9) | 160 |
| 12 | 3.9 | (2.2 - 6.9) | 372 | 4.4 | (2.2 - 8.8) | 184 | 3.5 | (1.3 - 8.9) | 185 |
| 13 | 6.7 | (4.4 - 10.0) | 364 | 6.3 | (3.1 - 12.4) | 190 | 7.1 | (4.4 - 11.3) | 172 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 3.6 | (2.2 - 6.0) | 406 | 5.0 | (2.8 - 8.8) | 211 | 2.1 | (0.9 - 5.2) | 193 |
| 7th | 4.4 | (2.5 - 7.6) | 364 | 4.8 | (2.8 - 8.3) | 181 | 3.9 | (1.5 - 9.4) | 183 |
| 8th | 9.3 | (6.3 - 13.5) | 369 | 9.8 | (5.8 - 16.2) | 201 | 8.8 | (5.5 - 13.8) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.6 | (6.7 - 19.3) | 101 | - | - | 48 | _ | - | 52 |
| Hispanic/Latino | 10.9 | (5.9 - 19.5) | 145 | - | - | 70 | - | - | 74 |
| White* | 5.0 | (3.5 - 7.2) | 689 | 5.7 | (3.5 - 9.1) | 363 | 4.3 | (2.4 - 7.4) | 325 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 12 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN63: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)

| | Total | | | Male | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.1 | (0.5 - 2.2) | 1,115 | 1.1 | (0.5 - 2.6) | 582 | 1.1 | (0.4 - 2.8) | 529 |
| Age | | | | | | | | | |
| 11 or younger | 0.5 | (0.1 - 2.4) | 321 | 1.1 | (0.2 - 4.9) | 163 | 0.0 | - | 158 |
| 12 | 1.0 | (0.3 - 3.9) | 363 | 1.3 | (0.4 - 4.5) | 182 | 0.7 | (0.1 - 4.6) | 178 |
| 13 | 0.8 | (0.3 - 2.6) | 351 | 1.0 | (0.2 - 4.1) | 185 | 0.7 | (0.1 - 5.0) | 165 |
| 14 or older | - | - | 78 | - | - | 52 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 1.0 | (0.3 - 2.8) | 398 | 1.3 | (0.3 - 5.3) | 206 | 0.6 | (0.1 - 4.5) | 190 |
| 7th | 0.7 | (0.1 - 4.6) | 355 | 0.7 | (0.1 - 4.6) | 178 | 0.7 | (0.1 - 4.6) | 177 |
| 8th | 1.4 | (0.7 - 3.0) | 355 | 1.5 | (0.5 - 4.2) | 195 | 1.3 | (0.4 - 4.4) | 158 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 48 | _ | - | 49 |
| Hispanic/Latino | 3.8 | (1.6 - 8.5) | 137 | - | - | 65 | - | - | 72 |
| White* | 0.9 | (0.4 - 2.2) | 675 | 0.9 | (0.3 - 2.6) | 358 | 0.9 | (0.3 - 2.8) | 316 |
| All other races* | - | - | 50 | - | - | 30 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 29 | - | - | 37 |

Note: 44 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN64: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.9 | (2.0 - 4.1) | 1,091 | 3.0 | (1.8 - 4.9) | 566 | 2.7 | (1.6 - 4.6) | 521 |
| Age | | | | | | | | | |
| 11 or younger | 0.9 | (0.3 - 2.7) | 317 | 0.3 | (0.0 - 2.4) | 165 | 1.5 | (0.4 - 5.5) | 152 |
| 12 | 2.6 | (1.5 - 4.3) | 356 | 3.7 | (1.9 - 7.4) | 173 | 1.4 | (0.4 - 4.2) | 180 |
| 13 | 4.0 | (2.4 - 6.7) | 338 | 3.7 | (1.7 - 7.6) | 176 | 4.3 | (2.0 - 9.0) | 161 |
| 14 or older | - | - | 78 | - | - | 52 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 1.2 | (0.5 - 3.1) | 390 | 1.3 | (0.3 - 5.0) | 205 | 1.2 | (0.3 - 4.6) | 183 |
| 7th | 2.6 | (1.3 - 5.1) | 353 | 3.0 | (1.2 - 7.3) | 175 | 2.2 | (0.9 - 5.1) | 178 |
| 8th | 4.6 | (2.9 - 7.4) | 338 | 4.5 | (2.4 - 8.1) | 181 | 4.9 | (2.4 - 9.7) | 155 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 96 | - | - | 46 | - | - | 49 |
| Hispanic/Latino | 3.5 | (1.3 - 9.0) | 134 | - | - | 65 | - | - | 69 |
| White* | 2.8 | (1.8 - 4.2) | 655 | 2.6 | (1.5 - 4.6) | 346 | 3.0 | (1.6 - 5.4) | 308 |
| All other races* | - | - | 47 | - | - | 28 | - | - | 19 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 68 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN65: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)

| | Total | | | Male | Female | | | | |
|------------------|------------|-------------------------------|----|------------|-------------------------------|----|------------|-------------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | - | - | 68 | - | - | 34 | - | - | 32 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 7 | - | - | 3 | - | - | 4 |
| 12 | - | - | 21 | - | - | 9 | - | - | 10 |
| 13 | - | - | 24 | - | - | 13 | - | - | 11 |
| 14 or older | - | - | 15 | - | - | 9 | - | - | 6 |
| Grade | | | | | | | | | |
| 6th | - | - | 12 | - | - | 5 | - | - | 6 |
| 7th | - | - | 19 | - | - | 8 | - | - | 11 |
| 8th | - | - | 36 | - | - | 21 | - | - | 14 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 7 | - | - | 4 | - | - | 3 |
| Hispanic/Latino | - | - | 10 | - | - | 6 | - | - | 4 |
| White* | - | - | 41 | - | - | 20 | - | - | 21 |
| All other races* | - | - | 2 | - | - | 2 | - | - | 0 |
| Multiple races* | - | - | 4 | - | - | 1 | - | - | 3 |

Note: 1,091 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN66: Percentage of students who live with someone who now smokes cigarettes or cigars

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 42.2 | (38.7 - 45.8) | 1,133 | 44.3 | (39.3 - 49.5) | 584 | 39.9 | (35.9 - 43.9) | 545 |
| Age | | | | | | | | | |
| 11 or younger | 41.0 | (35.3 - 46.9) | 325 | 42.8 | (35.6 - 50.3) | 166 | 39.1 | (31.3 - 47.4) | 159 |
| 12 | 44.7 | (38.6 - 51.0) | 366 | 45.8 | (36.6 - 55.2) | 178 | 43.9 | (37.0 - 50.9) | 185 |
| 13 | 37.2 | (31.0 - 43.8) | 358 | 39.7 | (31.6 - 48.5) | 185 | 34.4 | (27.4 - 42.1) | 172 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 41.5 | (36.0 - 47.2) | 400 | 42.4 | (35.6 - 49.4) | 206 | 41.0 | (33.5 - 49.0) | 192 |
| 7th | 44.2 | (37.3 - 51.3) | 360 | 45.7 | (36.1 - 55.7) | 177 | 42.4 | (35.1 - 50.1) | 183 |
| 8th | 41.0 | (33.8 - 48.6) | 363 | 44.8 | (34.9 - 55.2) | 196 | 36.6 | (29.6 - 44.1) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 99 | - | - | 46 | _ | - | 52 |
| Hispanic/Latino | 45.5 | (37.2 - 54.0) | 141 | - | - | 66 | - | - | 75 |
| White* | 41.1 | (36.8 - 45.7) | 685 | 45.0 | (38.9 - 51.2) | 359 | 36.8 | (31.5 - 42.4) | 325 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 65 | - | - | 30 | - | - | 35 |

Note: 26 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN67: Percentage of students who report the rule about smoking inside their home is that smoking is not allowed anywhere inside their home (not counting decks, garages, or porches)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 79.6 | (77.0 - 81.9) | 1,137 | 80.3 | (76.2 - 83.8) | 590 | 79.2 | (75.8 - 82.2) | 542 |
| Age | | | | | | | | | |
| 11 or younger | 80.8 | (75.6 - 85.0) | 323 | 82.3 | (75.2 - 87.8) | 166 | 79.1 | (71.3 - 85.2) | 157 |
| 12 | 77.2 | (72.6 - 81.2) | 368 | 78.7 | (71.1 - 84.7) | 181 | 75.7 | (69.8 - 80.8) | 184 |
| 13 | 83.5 | (79.3 - 87.1) | 363 | 83.5 | (77.0 - 88.5) | 190 | 84.4 | (77.7 - 89.3) | 171 |
| 14 or older | - | - | 81 | - | - | 53 | - | - | 28 |
| Grade | | | | | | | | | |
| 6th | 80.6 | (75.6 - 84.8) | 398 | 83.5 | (77.3 - 88.3) | 206 | 77.9 | (70.0 - 84.2) | 190 |
| 7th | 79.2 | (74.6 - 83.1) | 362 | 79.2 | (71.0 - 85.5) | 180 | 79.2 | (73.2 - 84.1) | 182 |
| 8th | 78.9 | (73.7 - 83.4) | 367 | 77.8 | (70.4 - 83.7) | 200 | 80.5 | (74.3 - 85.6) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 71.4 | (62.2 - 79.2) | 100 | - | - | 47 | _ | - | 52 |
| Hispanic/Latino | 76.5 | (68.9 - 82.7) | 145 | - | - | 69 | - | - | 75 |
| White* | 80.5 | (77.2 - 83.5) | 686 | 79.6 | (74.5 - 83.8) | 362 | 81.9 | (77.8 - 85.3) | 323 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 65 | - | - | 30 | - | - | 35 |

Note: 22 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN68: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.8 | (23.1 - 28.8) | 1,140 | 23.0 | (19.2 - 27.3) | 592 | 28.4 | (24.8 - 32.4) | 543 |
| Age | | | | | | | | | |
| 11 or younger | 24.4 | (19.4 - 30.3) | 325 | 20.4 | (14.5 - 27.9) | 169 | 28.8 | (22.1 - 36.6) | 156 |
| 12 | 25.8 | (21.2 - 30.9) | 370 | 23.5 | (16.6 - 32.3) | 181 | 27.6 | (21.2 - 35.2) | 186 |
| 13 | 26.6 | (21.8 - 32.0) | 361 | 23.8 | (17.9 - 30.8) | 187 | 28.6 | (22.1 - 36.0) | 172 |
| 14 or older | - | - | 82 | - | - | 55 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 25.3 | (20.5 - 30.8) | 400 | 21.2 | (15.8 - 27.9) | 209 | 29.5 | (23.7 - 36.0) | 189 |
| 7th | 24.4 | (20.5 - 28.7) | 362 | 21.5 | (15.4 - 29.0) | 178 | 27.7 | (21.4 - 35.0) | 184 |
| 8th | 27.8 | (22.3 - 34.0) | 368 | 26.7 | (19.6 - 35.3) | 200 | 28.1 | (21.3 - 36.2) | 166 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.0 | (15.8 - 34.7) | 100 | - | - | 48 | - | - | 51 |
| Hispanic/Latino | 25.9 | (18.3 - 35.3) | 147 | - | - | 70 | - | - | 76 |
| White* | 26.1 | (23.0 - 29.3) | 688 | 23.5 | (19.2 - 28.5) | 361 | 28.6 | (24.1 - 33.6) | 326 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 64 | - | - | 30 | - | - | 34 |

Note: 19 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN69: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.6 | (6.7 - 11.0) | 1,141 | 6.9 | (5.0 - 9.4) | 593 | 10.3 | (7.6 - 13.8) | 543 |
| Age | | | | | | | | | |
| 11 or younger | 5.0 | (3.2 - 7.7) | 325 | 4.2 | (2.1 - 8.0) | 167 | 5.9 | (2.8 - 12.1) | 158 |
| 12 | 6.3 | (4.6 - 8.6) | 370 | 5.9 | (3.1 - 10.9) | 182 | 6.8 | (4.4 - 10.5) | 185 |
| 13 | 12.6 | (8.9 - 17.5) | 361 | 9.7 | (6.5 - 14.2) | 188 | 14.6 | (9.4 - 22.1) | 171 |
| 14 or older | - | - | 83 | - | - | 56 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 6.1 | (4.1 - 8.9) | 400 | 5.2 | (3.2 - 8.3) | 207 | 7.2 | (3.9 - 13.1) | 191 |
| 7th | 6.2 | (4.3 - 8.9) | 364 | 4.4 | (2.1 - 8.8) | 181 | 8.4 | (5.0 - 13.7) | 183 |
| 8th | 13.4 | (9.7 - 18.4) | 367 | 11.1 | (7.4 - 16.2) | 200 | 15.3 | (10.3 - 22.2) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.2 | (6.1 - 19.8) | 102 | - | - | 49 | - | - | 52 |
| Hispanic/Latino | 13.2 | (7.7 - 21.7) | 145 | - | - | 69 | - | - | 75 |
| White* | 7.8 | (5.8 - 10.3) | 687 | 6.1 | (4.2 - 8.7) | 362 | 9.4 | (6.3 - 13.8) | 324 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 18 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN70: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.4 | (3.8 - 7.7) | 1,147 | 5.4 | (3.4 - 8.5) | 597 | 5.5 | (3.5 - 8.5) | 545 |
| Age | | | | | | | | | |
| 11 or younger | 2.0 | (0.9 - 4.3) | 327 | 1.4 | (0.3 - 6.8) | 169 | 2.6 | (0.9 - 7.1) | 158 |
| 12 | 3.3 | (1.7 - 6.5) | 371 | 4.0 | (1.9 - 8.1) | 181 | 2.7 | (1.1 - 6.1) | 187 |
| 13 | 6.9 | (4.8 - 9.8) | 364 | 5.5 | (3.3 - 9.1) | 191 | 8.3 | (4.9 - 13.6) | 171 |
| 14 or older | - | - | 83 | - | - | 56 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.9 | (0.8 - 4.1) | 403 | 1.1 | (0.2 - 5.3) | 210 | 2.8 | (0.9 - 8.0) | 191 |
| 7th | 3.9 | (2.1 - 7.3) | 365 | 3.7 | (1.7 - 7.8) | 180 | 4.1 | (1.9 - 9.0) | 185 |
| 8th | 10.1 | (6.9 - 14.6) | 369 | 11.4 | (7.1 - 17.7) | 202 | 8.9 | (5.3 - 14.8) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.2 | (3.1 - 15.8) | 102 | _ | - | 49 | _ | - | 52 |
| Hispanic/Latino | 12.4 | (7.3 - 20.2) | 146 | - | - | 69 | - | - | 76 |
| White* | 4.4 | (3.0 - 6.5) | 691 | 4.2 | (2.3 - 7.3) | 364 | 4.7 | (2.7 - 8.0) | 326 |
| All other races* | - | - | 53 | - | - | 33 | - | - | 20 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 12 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN71: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | (3.3 - 6.2) | 1,143 | 4.5 | (3.2 - 6.4) | 592 | 4.5 | (2.8 - 7.2) | 546 |
| Age | | | | | | | | | |
| 11 or younger | 2.4 | (1.3 - 4.5) | 327 | 1.5 | (0.5 - 4.7) | 168 | 3.4 | (1.5 - 7.7) | 159 |
| 12 | 2.4 | (1.0 - 5.5) | 373 | 2.1 | (0.9 - 5.0) | 182 | 2.7 | (0.9 - 7.7) | 188 |
| 13 | 7.5 | (5.4 - 10.4) | 358 | 8.9 | (5.8 - 13.3) | 186 | 6.0 | (3.1 - 11.0) | 170 |
| 14 or older | - | - | 83 | - | - | 56 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.9 | (1.1 - 3.6) | 403 | 1.2 | (0.4 - 3.8) | 209 | 2.8 | (1.2 - 6.4) | 192 |
| 7th | 3.6 | (2.0 - 6.4) | 365 | 4.3 | (2.4 - 7.7) | 180 | 2.8 | (1.0 - 8.0) | 185 |
| 8th | 7.8 | (5.6 - 10.9) | 365 | 8.5 | (5.7 - 12.6) | 198 | 7.3 | (4.1 - 12.6) | 165 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 47 | _ | - | 51 |
| Hispanic/Latino | 10.8 | (5.9 - 18.9) | 146 | - | - | 69 | - | - | 76 |
| White* | 3.9 | (2.5 - 6.0) | 689 | 3.3 | (1.9 - 5.7) | 363 | 4.4 | (2.5 - 7.9) | 325 |
| All other races* | - | - | 52 | - | - | 32 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 16 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN72: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 75.6 | (72.1 - 78.8) | 1,119 | 72.0 | (67.3 - 76.4) | 578 | 79.8 | (75.7 - 83.4) | 536 |
| Age | | | | | | | | | |
| 11 or younger | 75.0 | (68.4 - 80.6) | 315 | 71.7 | (62.9 - 79.1) | 162 | 78.5 | (70.8 - 84.6) | 153 |
| 12 | 72.5 | (66.8 - 77.5) | 364 | 68.9 | (61.2 - 75.7) | 177 | 76.9 | (70.0 - 82.6) | 184 |
| 13 | 80.5 | (75.1 - 85.0) | 357 | 76.1 | (68.9 - 82.0) | 185 | 85.5 | (78.8 - 90.4) | 170 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 71.9 | (64.3 - 78.5) | 389 | 69.0 | (59.8 - 76.9) | 201 | 75.5 | (66.0 - 83.0) | 186 |
| 7th | 74.4 | (68.7 - 79.4) | 358 | 72.0 | (64.2 - 78.7) | 175 | 77.2 | (69.7 - 83.3) | 183 |
| 8th | 81.0 | (75.6 - 85.5) | 362 | 75.8 | (66.9 - 82.9) | 197 | 87.1 | (82.6 - 90.6) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 69.1 | (60.7 - 76.5) | 144 | - | - | 68 | - | - | 75 |
| White* | 78.4 | (74.2 - 82.0) | 671 | 74.0 | (68.4 - 78.8) | 353 | 83.5 | (78.5 - 87.5) | 317 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 40 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN73: Percentage of students who were taught in their classes about the dangers of tobacco use (during the last school year)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 82.0 | (79.0 - 84.7) | 1,110 | 82.0 | (78.3 - 85.1) | 573 | 82.4 | (78.4 - 85.8) | 533 |
| Age | | | | | | | | | |
| 11 or younger | 78.7 | (72.9 - 83.6) | 311 | 80.7 | (72.5 - 87.0) | 161 | 76.5 | (69.4 - 82.4) | 150 |
| 12 | 80.3 | (74.9 - 84.7) | 366 | 78.5 | (72.2 - 83.7) | 179 | 83.1 | (76.1 - 88.5) | 185 |
| 13 | 87.5 | (82.8 - 91.1) | 351 | 90.0 | (84.0 - 93.9) | 180 | 85.0 | (77.4 - 90.4) | 169 |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 78.4 | (72.6 - 83.3) | 385 | 80.9 | (74.3 - 86.1) | 200 | 76.6 | (69.2 - 82.6) | 183 |
| 7th | 81.8 | (76.6 - 86.1) | 359 | 79.6 | (72.4 - 85.3) | 175 | 84.4 | (77.8 - 89.3) | 184 |
| 8th | 86.1 | (80.4 - 90.3) | 356 | 86.5 | (80.2 - 90.9) | 193 | 85.6 | (77.7 - 91.0) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 82.1 | (73.6 - 88.3) | 143 | - | - | 66 | - | - | 76 |
| White* | 82.1 | (78.4 - 85.2) | 672 | 81.4 | (77.1 - 85.1) | 354 | 82.7 | (77.6 - 86.9) | 317 |
| All other races* | - | - | 48 | - | - | 29 | - | - | 19 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 49 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN74: Percentage of students who participate in extracurricular activities at school (such as sports, band, drama, clubs, or student government)

| | Total | | | Male | | | Female | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 57.6 | (53.5 - 61.6) | 1,104 | 52.9 | (47.7 - 58.0) | 570 | 62.8 | (58.1 - 67.3) | 530 |
| Age | | | | | | | | | |
| 11 or younger | 58.3 | (51.9 - 64.5) | 312 | 58.8 | (50.8 - 66.4) | 163 | 57.8 | (49.9 - 65.3) | 149 |
| 12 | 56.6 | (49.8 - 63.1) | 366 | 52.1 | (44.0 - 60.1) | 179 | 62.1 | (54.3 - 69.3) | 184 |
| 13 | 60.2 | (52.6 - 67.4) | 348 | 51.3 | (40.8 - 61.7) | 178 | 68.4 | (59.8 - 75.8) | 169 |
| 14 or older | - | - | 77 | - | - | 50 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 58.9 | (52.5 - 65.0) | 384 | 57.8 | (50.0 - 65.2) | 201 | 60.9 | (53.6 - 67.8) | 181 |
| 7th | 56.0 | (49.3 - 62.6) | 358 | 52.3 | (43.9 - 60.7) | 175 | 60.2 | (53.2 - 66.8) | 183 |
| 8th | 58.4 | (50.3 - 66.1) | 354 | 48.7 | (39.1 - 58.5) | 189 | 67.4 | (57.9 - 75.6) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | _ | - | 97 | - | - | 45 | - | - | 51 |
| Hispanic/Latino | 55.9 | (48.8 - 62.7) | 141 | - | - | 66 | - | - | 75 |
| White* | 58.1 | (53.3 - 62.9) | 667 | 53.3 | (46.8 - 59.7) | 351 | 63.4 | (57.6 - 68.9) | 315 |
| All other races* | - | - | 48 | - | - | 30 | - | - | 18 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 55 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN75: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.5 | (16.9 - 22.3) | 1,099 | 17.8 | (14.3 - 22.0) | 566 | 21.0 | (17.6 - 24.9) | 529 |
| Age | | | | | | | | | |
| 11 or younger | 18.0 | (13.6 - 23.4) | 311 | 13.9 | (8.6 - 21.8) | 160 | 22.4 | (16.1 - 30.3) | 151 |
| 12 | 18.7 | (14.3 - 24.1) | 364 | 18.3 | (12.3 - 26.2) | 178 | 19.0 | (13.5 - 26.0) | 183 |
| 13 | 21.1 | (16.9 - 26.1) | 345 | 20.9 | (14.5 - 29.3) | 177 | 20.7 | (15.5 - 27.2) | 167 |
| 14 or older | - | - | 78 | - | - | 51 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 18.7 | (14.5 - 23.8) | 385 | 16.3 | (11.1 - 23.3) | 199 | 21.1 | (15.5 - 28.0) | 184 |
| 7th | 18.0 | (13.8 - 23.2) | 355 | 16.7 | (10.9 - 24.6) | 175 | 19.5 | (13.9 - 26.8) | 180 |
| 8th | 21.5 | (17.3 - 26.4) | 350 | 20.6 | (14.8 - 28.0) | 187 | 21.9 | (16.6 - 28.3) | 161 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 96 | - | - | 44 | _ | - | 51 |
| Hispanic/Latino | 28.7 | (22.1 - 36.4) | 140 | - | - | 66 | - | - | 74 |
| White* | 17.3 | (14.4 - 20.5) | 669 | 14.2 | (10.6 - 18.8) | 352 | 20.4 | (16.3 - 25.1) | 316 |
| All other races* | - | - | 47 | - | - | 27 | - | - | 20 |
| Multiple races* | - | - | 65 | - | - | 30 | - | - | 35 |

Note: 60 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN76: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.1 | (13.6 - 18.9) | 1,091 | 14.3 | (11.3 - 18.0) | 564 | 17.7 | (14.2 - 21.7) | 524 |
| Age | | | | | | | | | |
| 11 or younger | 15.4 | (10.8 - 21.6) | 308 | 11.3 | (6.5 - 18.9) | 160 | 19.9 | (13.2 - 29.0) | 148 |
| 12 | 15.3 | (11.2 - 20.5) | 357 | 13.5 | (9.1 - 19.7) | 175 | 16.9 | (11.0 - 25.1) | 180 |
| 13 | 17.5 | (13.7 - 22.0) | 346 | 17.5 | (12.0 - 25.0) | 177 | 16.9 | (12.4 - 22.5) | 168 |
| 14 or older | - | - | 79 | - | - | 52 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 16.0 | (11.5 - 21.9) | 381 | 12.4 | (7.4 - 20.1) | 199 | 19.7 | (13.7 - 27.4) | 180 |
| 7th | 14.2 | (10.1 - 19.6) | 351 | 12.8 | (8.7 - 18.6) | 173 | 15.8 | (10.1 - 23.9) | 178 |
| 8th | 17.7 | (14.6 - 21.4) | 350 | 17.9 | (12.8 - 24.3) | 187 | 17.1 | (12.4 - 23.1) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 94 | - | - | 42 | _ | - | 51 |
| Hispanic/Latino | 19.5 | (13.6 - 27.2) | 140 | - | - | 66 | - | - | 74 |
| White* | 15.3 | (12.4 - 18.7) | 664 | 13.0 | (9.9 - 17.0) | 350 | 17.5 | (13.3 - 22.7) | 313 |
| All other races* | - | - | 48 | - | - | 29 | - | - | 19 |
| Multiple races* | - | - | 65 | - | - | 30 | - | - | 35 |

Note: 68 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN77: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

| | Total | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.9 | (19.9 - 26.2) | 1,091 | 22.6 | (19.0 - 26.5) | 559 | 23.2 | (19.3 - 27.7) | 528 |
| Age | | | | | | | | | |
| 11 or younger | 16.5 | (12.8 - 20.9) | 305 | 17.0 | (12.2 - 23.1) | 159 | 15.9 | (10.4 - 23.6) | 146 |
| 12 | 19.6 | (15.6 - 24.2) | 361 | 19.3 | (13.2 - 27.4) | 174 | 20.2 | (15.6 - 25.7) | 184 |
| 13 | 28.3 | (22.9 - 34.6) | 344 | 26.9 | (20.2 - 34.9) | 174 | 29.5 | (22.5 - 37.6) | 169 |
| 14 or older | - | - | 79 | - | - | 52 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 16.4 | (12.9 - 20.6) | 378 | 16.3 | (11.7 - 22.2) | 197 | 16.6 | (11.3 - 23.8) | 179 |
| 7th | 19.9 | (16.1 - 24.4) | 354 | 20.7 | (15.7 - 26.8) | 171 | 19.1 | (14.9 - 24.1) | 183 |
| 8th | 31.6 | (25.7 - 38.0) | 350 | 30.8 | (24.1 - 38.4) | 186 | 32.4 | (24.8 - 41.0) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | _ | _ | 98 | _ | - | 45 | - | - | 52 |
| Hispanic/Latino | 34.5 | (26.1 - 44.0) | 141 | - | - | 65 | - | - | 75 |
| White* | 21.0 | (17.7 - 24.6) | 659 | 21.4 | (17.3 - 26.3) | 347 | 20.4 | (16.2 - 25.4) | 312 |
| All other races* | - | - | 46 | - | - | 28 | - | - | 18 |
| Multiple races* | - | - | 64 | - | - | 28 | - | - | 36 |

Note: 68 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN78: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.5 | (11.6 - 18.0) | 1,096 | 13.8 | (10.9 - 17.4) | 564 | 15.2 | (11.4 - 19.9) | 529 |
| Age | | | | | | | | | |
| 11 or younger | 8.0 | (5.5 - 11.4) | 309 | 8.5 | (5.4 - 13.2) | 160 | 7.4 | (4.0 - 13.2) | 149 |
| 12 | 9.4 | (6.7 - 12.9) | 358 | 8.8 | (5.3 - 14.4) | 174 | 10.0 | (6.8 - 14.5) | 182 |
| 13 | 22.6 | (16.7 - 29.8) | 347 | 20.6 | (15.3 - 27.1) | 177 | 24.0 | (16.0 - 34.3) | 169 |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 8.3 | (5.7 - 11.9) | 381 | 9.4 | (6.2 - 13.9) | 198 | 7.2 | (3.9 - 12.7) | 181 |
| 7th | 9.5 | (7.1 - 12.6) | 354 | 8.5 | (4.9 - 14.2) | 172 | 10.7 | (7.9 - 14.2) | 182 |
| 8th | 25.6 | (19.8 - 32.5) | 352 | 24.4 | (18.6 - 31.3) | 189 | 26.4 | (18.3 - 36.4) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 96 | - | - | 44 | - | - | 51 |
| Hispanic/Latino | 21.7 | (14.3 - 31.7) | 140 | - | - | 65 | - | _ | 75 |
| White* | 12.9 | (9.7 - 16.9) | 663 | 12.2 | (9.0 - 16.2) | 349 | 13.4 | (8.9 - 19.6) | 313 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 65 | - | - | 29 | - | - | 36 |

Note: 63 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN79: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.7 | (77.5 - 83.5) | 1,093 | 78.3 | (74.1 - 82.0) | 563 | 83.7 | (79.8 - 87.1) | 527 |
| Age | | | | | | | | | |
| 11 or younger | 88.7 | (83.7 - 92.3) | 307 | 89.2 | (83.1 - 93.3) | 160 | 88.0 | (82.6 - 91.9) | 147 |
| 12 | 81.8 | (77.8 - 85.2) | 357 | 78.1 | (70.5 - 84.2) | 174 | 86.8 | (81.3 - 90.9) | 181 |
| 13 | 77.1 | (72.6 - 81.1) | 347 | 73.6 | (67.3 - 79.0) | 176 | 80.9 | (73.7 - 86.6) | 170 |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 86.1 | (81.5 - 89.6) | 375 | 85.2 | (79.5 - 89.5) | 195 | 88.1 | (83.4 - 91.6) | 178 |
| 7th | 83.6 | (79.5 - 87.1) | 355 | 80.1 | (72.1 - 86.3) | 173 | 87.6 | (83.0 - 91.0) | 182 |
| 8th | 73.0 | (67.3 - 78.1) | 355 | 69.7 | (63.6 - 75.3) | 191 | 76.7 | (67.9 - 83.7) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 96 | - | - | 44 | - | - | 51 |
| Hispanic/Latino | 73.9 | (64.7 - 81.4) | 141 | - | - | 66 | - | - | 75 |
| White* | 82.3 | (78.7 - 85.4) | 661 | 81.0 | (76.1 - 85.1) | 348 | 84.1 | (79.3 - 88.0) | 312 |
| All other races* | - | - | 49 | - | - | 30 | - | - | 19 |
| Multiple races* | - | - | 65 | - | - | 29 | - | - | 36 |

Note: 66 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN80: Percentage of students who responded that their parents would feel it would be wrong or very wrong for them to drink beer, wine, or hard liquor (such as vodka, whiskey, or gin) at least once or twice a month

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 89.0 | (86.8 - 90.8) | 1,085 | 88.7 | (86.0 - 91.0) | 558 | 89.5 | (86.5 - 92.0) | 523 |
| Age | | | | | | | | | |
| 11 or younger | 93.5 | (88.5 - 96.4) | 304 | 95.7 | (90.8 - 98.0) | 157 | 91.1 | (83.2 - 95.5) | 147 |
| 12 | 89.8 | (85.9 - 92.7) | 352 | 87.8 | (81.8 - 92.0) | 171 | 93.0 | (88.9 - 95.7) | 179 |
| 13 | 87.3 | (83.7 - 90.1) | 349 | 87.9 | (82.4 - 91.9) | 177 | 86.5 | (80.5 - 90.9) | 170 |
| 14 or older | - | - | 79 | - | - | 53 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 91.6 | (86.2 - 95.0) | 371 | 93.5 | (88.8 - 96.3) | 190 | 90.6 | (84.0 - 94.6) | 179 |
| 7th | 90.4 | (87.6 - 92.6) | 350 | 88.3 | (83.8 - 91.7) | 172 | 92.8 | (88.4 - 95.6) | 178 |
| 8th | 85.6 | (83.4 - 87.6) | 355 | 84.8 | (79.8 - 88.7) | 192 | 86.3 | (81.5 - 90.0) | 162 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 45 | - | - | 52 |
| Hispanic/Latino | 82.3 | (74.1 - 88.3) | 142 | - | - | 66 | - | - | 75 |
| White* | 89.7 | (87.3 - 91.7) | 657 | 89.0 | (85.9 - 91.5) | 347 | 90.5 | (86.6 - 93.4) | 309 |
| All other races* | - | - | 48 | - | - | 29 | - | - | 19 |
| Multiple races* | - | - | 65 | - | - | 29 | - | - | 36 |

Note: 74 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN81: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine, or liquor) nearly every day

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 70.5 | (67.3 - 73.5) | 1,068 | 68.9 | (64.5 - 73.0) | 548 | 72.5 | (68.1 - 76.5) | 516 |
| Age | | | | | | | | | |
| 11 or younger | 73.1 | (67.7 - 78.0) | 303 | 69.2 | (62.5 - 75.2) | 156 | 77.3 | (67.9 - 84.6) | 147 |
| 12 | 70.8 | (65.4 - 75.7) | 346 | 71.0 | (63.4 - 77.6) | 169 | 71.5 | (64.2 - 77.7) | 175 |
| 13 | 71.5 | (66.3 - 76.2) | 340 | 71.0 | (64.0 - 77.2) | 172 | 72.0 | (64.3 - 78.5) | 166 |
| 14 or older | - | <u>-</u> | 78 | - | - | 51 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 71.5 | (66.7 - 76.0) | 371 | 69.2 | (62.4 - 75.2) | 191 | 75.0 | (67.5 - 81.3) | 178 |
| 7th | 72.5 | (65.9 - 78.2) | 342 | 72.3 | (62.8 - 80.1) | 169 | 72.7 | (66.1 - 78.5) | 173 |
| 8th | 67.8 | (62.4 - 72.7) | 346 | 65.2 | (58.9 - 71.1) | 184 | 70.0 | (61.0 - 77.6) | 161 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 94 | - | - | 42 | _ | - | 51 |
| Hispanic/Latino | 65.7 | (55.4 - 74.6) | 140 | - | - | 66 | - | - | 73 |
| White* | 72.5 | (68.7 - 76.0) | 650 | 72.6 | (66.9 - 77.7) | 343 | 72.4 | (67.0 - 77.1) | 306 |
| All other races* | - | - | 46 | - | - | 28 | - | - | 18 |
| Multiple races* | - | - | 64 | - | - | 28 | - | - | 36 |

Note: 91 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN82: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week

| | Total | | | | Male | | | Female | | | |
|---|-----------------------------------|---|--------------------------------------|--------------------------------|--------------------------------|-------------------------------------|--------------|--------------------------------|-------------------------------------|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 76.7 | (73.4 - 79.7) | 1,075 | 73.9 | (69.1 - 78.1) | 554 | 80.0 | (75.7 - 83.7) | 517 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 79.4 | (72.9 - 84.6) | 300 | 77.0 | (68.4 - 83.8) | 155 | 82.0 | (73.3 - 88.3) | 145 | | |
| 12 | 77.5 | (71.9 - 82.2) | 349 | 76.2 | (67.6 - 83.1) | 172 | 79.9 | (72.8 - 85.5) | 175 | | |
| 13 | 76.8 | (71.2 - 81.6) | 345 | 72.5 | (63.9 - 79.6) | 174 | 80.8 | (74.4 - 85.9) | 169 | | |
| 14 or older | - | - | 80 | - | - | 53 | - | - | 27 | | |
| Grade | | | | | | | | | | | |
| 6th | 78.7 | (74.1 - 82.7) | 367 | 76.9 | (70.6 - 82.3) | 190 | 81.7 | (73.9 - 87.6) | 175 | | |
| 7th | 80.0 | (74.7 - 84.5) | 348 | 78.8 | (70.3 - 85.4) | 172 | 81.4 | (74.5 - 86.7) | 176 | | |
| 8th | 71.4 | (64.8 - 77.2) | 351 | 65.7 | (56.3 - 73.9) | 188 | 76.8 | (68.7 - 83.3) | 162 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | - | - | 96 | - | - | 44 | - | - | 51 | | |
| Hispanic/Latino | 69.7 | (59.9 - 77.9) | 140 | - | - | 65 | - | - | 74 | | |
| White* | 78.0 | (74.0 - 81.6) | 650 | 77.4 | (71.4 - 82.4) | 343 | 78.7 | (73.2 - 83.4) | 306 | | |
| All other races* | - | - | 47 | - | - | 29 | - | - | 18 | | |
| Multiple races* | - | - | 65 | - | - | 29 | - | - | 36 | | |
| 7th 8th Race/Ethnicity Black* Hispanic/Latino White* All other races* | 80.0 71.4 - 69.7 78.0 | (74.7 - 84.5) (64.8 - 77.2) - (59.9 - 77.9) (74.0 - 81.6) | 348 351 96 140 650 47 | 78.8 65.7 - - 77.4 | (70.3 - 85.4) (56.3 - 73.9) | 172 188 44 65 343 29 | 81.4 76.8 | (74.5 - 86.7) (68.7 - 83.3) | 176 162 51 74 306 18 | | |

Note: 84 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN83: Percentage of students who have an adult outside of school they can talk to about things that are important to them

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 86.9 | (84.6 - 88.8) | 1,073 | 89.1 | (85.9 - 91.6) | 551 | 84.9 | (81.5 - 87.9) | 518 |
| Age | | | | | | | | | |
| 11 or younger | 90.1 | (87.0 - 92.5) | 302 | 91.1 | (86.7 - 94.1) | 155 | 89.0 | (83.3 - 92.9) | 147 |
| 12 | 88.0 | (83.8 - 91.2) | 354 | 88.7 | (82.2 - 93.1) | 171 | 87.7 | (81.1 - 92.2) | 181 |
| 13 | 84.6 | (81.0 - 87.6) | 341 | 88.3 | (83.6 - 91.8) | 175 | 81.9 | (75.7 - 86.8) | 164 |
| 14 or older | - | - | 75 | - | - | 50 | - | - | 25 |
| Grade | | | | | | | | | |
| 6th | 89.0 | (85.9 - 91.5) | 370 | 90.6 | (86.2 - 93.7) | 190 | 87.8 | (82.0 - 91.9) | 178 |
| 7th | 88.5 | (83.6 - 92.1) | 350 | 88.2 | (80.9 - 92.9) | 169 | 88.9 | (81.6 - 93.5) | 181 |
| 8th | 83.9 | (80.3 - 86.9) | 344 | 89.3 | (84.2 - 92.8) | 188 | 79.0 | (72.8 - 84.1) | 155 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | _ | 95 | - | - | 42 | - | - | 52 |
| Hispanic/Latino | 85.3 | (78.2 - 90.3) | 139 | - | - | 64 | - | - | 74 |
| White* | 88.2 | (85.9 - 90.2) | 647 | 91.3 | (88.4 - 93.6) | 341 | 85.1 | (81.2 - 88.3) | 305 |
| All other races* | - | - | 47 | - | - | 29 | - | - | 18 |
| Multiple races* | - | - | 65 | - | - | 29 | - | - | 36 |

Note: 86 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN84: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 85.6 | (82.9 - 87.9) | 1,069 | 85.6 | (82.1 - 88.5) | 548 | 85.7 | (81.8 - 88.9) | 517 |
| Age | | | | | | | | | |
| 11 or younger | 87.7 | (83.5 - 90.9) | 302 | 88.8 | (83.3 - 92.7) | 156 | 86.5 | (79.2 - 91.5) | 146 |
| 12 | 87.2 | (82.3 - 90.9) | 353 | 86.5 | (80.2 - 90.9) | 174 | 88.4 | (82.4 - 92.6) | 177 |
| 13 | 84.9 | (80.6 - 88.3) | 338 | 85.5 | (77.9 - 90.8) | 169 | 84.4 | (77.3 - 89.6) | 167 |
| 14 or older | - | - | 75 | - | - | 49 | - | - | 26 |
| Grade | | | | | | | | | |
| 6th | 87.7 | (83.9 - 90.7) | 369 | 89.8 | (84.6 - 93.3) | 191 | 86.0 | (80.3 - 90.3) | 176 |
| 7th | 87.7 | (82.1 - 91.7) | 349 | 85.8 | (78.7 - 90.8) | 171 | 89.9 | (82.6 - 94.3) | 178 |
| 8th | 81.7 | (77.6 - 85.2) | 342 | 81.6 | (75.6 - 86.4) | 182 | 81.7 | (73.4 - 87.8) | 159 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 93 | - | - | 42 | _ | - | 50 |
| Hispanic/Latino | 84.6 | (77.8 - 89.6) | 138 | - | - | 64 | - | - | 73 |
| White* | 86.3 | (83.5 - 88.7) | 646 | 86.4 | (82.3 - 89.7) | 338 | 86.2 | (82.0 - 89.4) | 307 |
| All other races* | - | - | 47 | - | - | 30 | - | - | 17 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 90 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN85: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 31.8 | (29.1 - 34.7) | 1,070 | 28.0 | (23.9 - 32.5) | 548 | 35.8 | (31.1 - 40.9) | 519 |
| Age | | | | | | | | | |
| 11 or younger | 31.6 | (26.0 - 37.7) | 299 | 25.7 | (19.0 - 33.7) | 154 | 38.0 | (28.5 - 48.5) | 145 |
| 12 | 31.4 | (27.1 - 36.0) | 356 | 25.9 | (18.8 - 34.5) | 174 | 37.8 | (32.1 - 43.8) | 180 |
| 13 | 33.9 | (28.6 - 39.5) | 339 | 32.9 | (25.5 - 41.3) | 172 | 34.3 | (27.9 - 41.3) | 166 |
| 14 or older | - | - | 75 | - | - | 48 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 29.0 | (24.1 - 34.4) | 368 | 22.5 | (17.1 - 29.1) | 190 | 36.5 | (26.8 - 47.5) | 176 |
| 7th | 34.1 | (30.2 - 38.2) | 351 | 30.7 | (23.3 - 39.2) | 172 | 38.1 | (32.6 - 43.8) | 179 |
| 8th | 32.4 | (27.5 - 37.7) | 344 | 31.1 | (24.7 - 38.2) | 183 | 33.2 | (25.6 - 41.8) | 160 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 97 | - | - | 44 | - | - | 52 |
| Hispanic/Latino | 33.4 | (26.4 - 41.2) | 137 | - | - | 63 | - | - | 74 |
| White* | 31.7 | (28.4 - 35.2) | 647 | 27.1 | (22.5 - 32.3) | 340 | 36.6 | (30.7 - 42.9) | 306 |
| All other races* | - | - | 44 | - | - | 27 | - | - | 17 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 89 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QN86: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

| | Total | | | | Male | | | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 64.4 | (60.6 - 68.0) | 1,063 | 68.1 | (62.8 - 72.9) | 546 | 60.7 | (55.6 - 65.6) | 514 | | |
| Age | | | | | | | | | | | |
| 11 or younger | 75.9 | (70.3 - 80.8) | 297 | 79.8 | (71.3 - 86.3) | 154 | 71.7 | (61.7 - 79.9) | 143 | | |
| 12 | 65.4 | (60.0 - 70.4) | 346 | 69.2 | (60.8 - 76.5) | 169 | 61.4 | (53.5 - 68.7) | 175 | | |
| 13 | 56.2 | (52.0 - 60.4) | 341 | 59.5 | (51.2 - 67.3) | 174 | 53.5 | (45.2 - 61.7) | 166 | | |
| 14 or older | - | - | 77 | - | - | 49 | - | - | 28 | | |
| Grade | | | | | | | | | | | |
| 6th | 74.8 | (69.8 - 79.2) | 365 | 81.1 | (74.8 - 86.1) | 190 | 68.0 | (59.2 - 75.7) | 173 | | |
| 7th | 64.3 | (58.3 - 69.9) | 344 | 67.3 | (60.3 - 73.6) | 168 | 61.0 | (51.4 - 69.8) | 176 | | |
| 8th | 54.9 | (50.1 - 59.6) | 345 | 55.6 | (47.6 - 63.4) | 184 | 54.5 | (46.3 - 62.5) | 160 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | - | - | 95 | - | - | 43 | - | - | 51 | | |
| Hispanic/Latino | 63.0 | (55.1 - 70.3) | 137 | - | - | 67 | - | - | 70 | | |
| White* | 65.1 | (60.6 - 69.4) | 641 | 69.5 | (63.1 - 75.2) | 337 | 60.5 | (54.7 - 66.1) | 303 | | |
| All other races* | - | - | 43 | - | - | 26 | - | - | 17 | | |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 | | |

Note: 96 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 100 students in this subgroup.

Maryland Middle School Survey Cecil County Summary Tables - Weighted Data

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

| | Total | | | | Male | Female | | | |
|------------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.2 | (0.7 - 2.2) | 1,119 | 1.8 | (0.9 - 3.5) | 578 | 0.7 | (0.2 - 2.0) | 536 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.5 - 3.0) | 315 | 2.0 | (0.7 - 5.7) | 162 | 0.3 | (0.0 - 2.3) | 153 |
| 12 | 0.3 | (0.0 - 2.1) | 364 | 0.0 | - | 177 | 0.6 | (0.1 - 4.2) | 184 |
| 13 | 1.5 | (0.6 - 3.4) | 357 | 2.2 | (0.9 - 5.5) | 185 | 0.8 | (0.1 - 6.0) | 170 |
| 14 or older | - | - | 81 | - | - | 54 | - | - | 27 |
| Grade | | | | | | | | | |
| 6th | 1.3 | (0.5 - 3.1) | 389 | 2.2 | (0.8 - 5.7) | 201 | 0.3 | (0.0 - 1.9) | 186 |
| 7th | 0.8 | (0.2 - 2.6) | 358 | 1.0 | (0.2 - 4.3) | 175 | 0.6 | (0.1 - 4.3) | 183 |
| 8th | 1.7 | (0.8 - 3.5) | 362 | 2.3 | (1.0 - 5.3) | 197 | 1.1 | (0.2 - 5.3) | 163 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 46 | - | - | 52 |
| Hispanic/Latino | 3.2 | (1.3 - 7.6) | 144 | - | - | 68 | - | - | 75 |
| White* | 1.0 | (0.4 - 2.5) | 671 | 1.3 | (0.4 - 4.0) | 353 | 0.7 | (0.2 - 2.8) | 317 |
| All other races* | - | - | 51 | - | - | 31 | - | - | 20 |
| Multiple races* | - | - | 67 | - | - | 30 | - | - | 37 |

Note: 40 students were excluded from this analysis. *Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 100 students in this subgroup.