## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN6: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	73.0	(70.5 - 75.4)	265	77.2	(73.7 - 80.3)	129	69.0	( 65.4 - 72.3 )	135
Age									
11 or younger	63.8	(58.5 - 68.8)	66	-	-	27	-	-	39
12	70.7	(66.1 - 74.9)	82	_	_	44	-	_	38
13	78.1	(73.9 - 81.8)	89	-	-	40	-	-	49
14 or older	-	-	27	-	-	17	-	-	9
Grade									
6th	66.7	(62.2 - 71.0)	85	-	-	38	_	-	47
7th	71.3	(67.0 - 75.2)	93	-	-	46	-	-	47
8th	81.3	(77.2 - 84.8)	84	-	-	43	-	-	41
Race/Ethnicity									
Black*	_	_	49	-	-	24	_	-	25
Hispanic/Latino	-	-	25	-	-	10	-	-	15
White*	64.7	( 60.9 - 68.2 )	136	71.3	(66.1 - 76.0)	68	58.3	(53.0 - 63.5)	68
All other races*	-	-	12	-	-	7	-	-	5
Multiple races*	-	-	19	-	-	6	-	-	12

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN7: Percentage of students who rarely or never wore a helmet when rollerblading or skateboarding (among students who used rollerblades or rode a skateboard)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	75.9	(72.0 - 79.3)	108	75.5	( 70.1 - 80.2 )	60	-	-	48
Age									
11 or younger	_	_	28	_	-	12	_	-	16
12	-	-	35	-	-	25	-	-	10
13	-	-	35	-	-	17	-	-	18
14 or older	-	-	10	-	-	6	-	-	4
Grade									
6th	-	-	39	-	-	21	-	-	18
7th	-	-	33	-	-	20	-	-	13
8th	-	-	35	-	-	18	-	-	17
Race/Ethnicity									
Black*	_	_	13	_	-	9	_	-	4
Hispanic/Latino	-	-	9	-	-	3	-	-	6
White*	71.0	(65.5 - 76.0)	58	-	-	32	-	-	26
All other races*	-	-	6	-	-	4	-	-	2
Multiple races*	-	-	9	-	-	4	-	-	5

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.1	(5.1 - 7.4)	322	7.8	(6.2 - 9.9)	158	4.6	(3.4 - 6.2)	163
Age									
11 or younger	4.9	(3.1 - 7.4)	77	-	-	33	-	-	44
12	3.8	(2.4 - 5.7)	99	5.3	(3.2 - 8.5)	53	-	-	46
13	8.7	(6.7 - 11.4)	110	9.9	( 6.8 - 14.3 )	50	7.9	(5.4 - 11.5)	60
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	3.8	(2.4 - 5.8)	98	-	-	45	3.3	(1.8 - 6.0)	53
7th	7.4	(5.5 - 9.9)	116	5.7	(3.5 - 9.2)	57	8.9	(6.1 - 12.8)	59
8th	7.0	(5.2 - 9.4)	104	13.0	(9.5 - 17.6)	53	1.8	(0.8 - 4.3)	51
Race/Ethnicity									
Black*	9.6	(6.8 - 13.4)	56	_	-	26	-	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	4.5	(3.3 - 6.1)	164	7.0	(4.9 - 9.9)	82	2.1	(1.1 - 3.9)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN9: Percentage of students who ever rode with a driver who had been drinking alcohol (in a car)

Total		Male			Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
22.2	( 20.2 - 24.3 )	320	16.9	( 14.5 - 19.8 )	156	26.6	(23.7 - 29.7)	163
15.0	(11.8 - 19.0)	77	-	-	33	-	-	44
18.4	(15.3 - 22.1)	99	14.4	(10.7 - 19.1)	53	-	-	46
27.8	(24.1 - 31.7)	109	-	-	49	32.2	(27.1 - 37.6)	60
-	-	35	-	-	21	-	-	13
16.5	(13.5 - 20.0)	98	-	-	45	23.7	(19.0 - 29.2)	53
22.4	(19.2 - 26.0)	115	18.0	(13.9 - 22.9)	56	26.3	(21.7 - 31.6)	59
27.4	(23.7 - 31.4)	103	24.4	(19.5 - 30.2)	52	29.9	( 24.6 - 35.7 )	51
18.8	( 14.7 - 23.7 )	55	-	-	25	_	_	30
-	<u>-</u>	34	-	-		-	-	19
24.3	(21.4 - 27.3)	164	17.2	(13.8 - 21.2)	82	31.1	(26.9 - 35.8)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	22.2  15.0 18.4 27.8  - 16.5 22.4 27.4  18.8  - 24.3	Percentage 95% confidence interval  22.2 (20.2 - 24.3)  15.0 (11.8 - 19.0) 18.4 (15.3 - 22.1) 27.8 (24.1 - 31.7)	Percentage 95% N confidence interval 320  15.0 (11.8 - 19.0) 77 18.4 (15.3 - 22.1) 99 27.8 (24.1 - 31.7) 109 - 35  16.5 (13.5 - 20.0) 98 22.4 (19.2 - 26.0) 115 27.4 (23.7 - 31.4) 103  18.8 (14.7 - 23.7) 55 - 34 24.3 (21.4 - 27.3) 164 - 14	Percentage       95% confidence interval       N       Percentage         22.2       (20.2 - 24.3)       320       16.9         15.0       (11.8 - 19.0)       77       -         18.4       (15.3 - 22.1)       99       14.4         27.8       (24.1 - 31.7)       109       -         -       -       35       -         16.5       (13.5 - 20.0)       98       -         22.4       (19.2 - 26.0)       115       18.0         27.4       (23.7 - 31.4)       103       24.4         18.8       (14.7 - 23.7)       55       -         -       -       34       -         24.3       (21.4 - 27.3)       164       17.2         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           22.2         (20.2 - 24.3)         320         16.9         (14.5 - 19.8)           15.0         (11.8 - 19.0)         77         -         -           18.4         (15.3 - 22.1)         99         14.4         (10.7 - 19.1)           27.8         (24.1 - 31.7)         109         -         -           -         -         35         -         -           16.5         (13.5 - 20.0)         98         -         -           22.4         (19.2 - 26.0)         115         18.0         (13.9 - 22.9)           27.4         (23.7 - 31.4)         103         24.4         (19.5 - 30.2)           18.8         (14.7 - 23.7)         55         -         -           -         -         34         -         -           24.3         (21.4 - 27.3)         164         17.2         (13.8 - 21.2)           -         -         14         -         -	Percentage confidence interval         N confidence confidence interval         N confidence confidence interval         N confidence confidence interval           22.2         (20.2 - 24.3)         320         16.9         (14.5 - 19.8)         156           15.0         (11.8 - 19.0)         77         -         -         33           18.4         (15.3 - 22.1)         99         14.4         (10.7 - 19.1)         53           27.8         (24.1 - 31.7)         109         -         -         49           -         -         35         -         -         21           16.5         (13.5 - 20.0)         98         -         -         45           22.4         (19.2 - 26.0)         115         18.0         (13.9 - 22.9)         56           27.4         (23.7 - 31.4)         103         24.4         (19.5 - 30.2)         52           18.8         (14.7 - 23.7)         55         -         -         25           -         -         34         -         -         15           24.3         (21.4 - 27.3)         164         17.2         (13.8 - 21.2)         82           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           22.2         (20.2 - 24.3)         320         16.9         (14.5 - 19.8)         156         26.6           15.0         (11.8 - 19.0)         77         -         -         33         -           18.4         (15.3 - 22.1)         99         14.4         (10.7 - 19.1)         53         -           27.8         (24.1 - 31.7)         109         -         -         49         32.2           -         -         35         -         -         21         -           16.5         (13.5 - 20.0)         98         -         -         45         23.7           22.4         (19.2 - 26.0)         115         18.0         (13.9 - 22.9)         56         26.3           27.4         (23.7 - 31.4)         103         24.4         (19.5 - 30.2)         52         29.9           18.8         (14.7 - 23.7)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         - </td <td>Percentage confidence interval         N percentage confidence interval         95% confidence interval         N percentage confidence interval         95% confidence interval           22.2         (20.2 - 24.3)         320         16.9         (14.5 - 19.8)         156         26.6         (23.7 - 29.7)           15.0         (11.8 - 19.0)         77         -         -         33         -         -           18.4         (15.3 - 22.1)         99         14.4         (10.7 - 19.1)         53         -         -           27.8         (24.1 - 31.7)         109         -         -         49         32.2         (27.1 - 37.6)           -         -         35         -         -         45         23.7         (19.0 - 29.2)           22.4         (19.2 - 26.0)         115         18.0         (13.9 - 22.9)         56         26.3         (21.7 - 31.6)           27.4         (23.7 - 31.4)         103         24.4         (19.5 - 30.2)         52         29.9         (24.6 - 35.7)           18.8         (14.7 - 23.7)         55         -         -         25         -         -           24.3         (21.4 - 27.3)         164         17.2         (13.8 - 21.2)         82         <t< td=""></t<></td>	Percentage confidence interval         N percentage confidence interval         95% confidence interval         N percentage confidence interval         95% confidence interval           22.2         (20.2 - 24.3)         320         16.9         (14.5 - 19.8)         156         26.6         (23.7 - 29.7)           15.0         (11.8 - 19.0)         77         -         -         33         -         -           18.4         (15.3 - 22.1)         99         14.4         (10.7 - 19.1)         53         -         -           27.8         (24.1 - 31.7)         109         -         -         49         32.2         (27.1 - 37.6)           -         -         35         -         -         45         23.7         (19.0 - 29.2)           22.4         (19.2 - 26.0)         115         18.0         (13.9 - 22.9)         56         26.3         (21.7 - 31.6)           27.4         (23.7 - 31.4)         103         24.4         (19.5 - 30.2)         52         29.9         (24.6 - 35.7)           18.8         (14.7 - 23.7)         55         -         -         25         -         -           24.3         (21.4 - 27.3)         164         17.2         (13.8 - 21.2)         82 <t< td=""></t<>

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN10: Percentage of students who ever carried a weapon (such as a gun, knife, or club)

Total			Male		Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
39.2	( 36.8 - 41.7 )	319	58.1	( 54.5 - 61.6 )	155	22.1	( 19.4 - 25.0 )	163
34.9	(30.2 - 39.8)	77	-	-	33	-	-	44
40.8	(36.5 - 45.3)	99	61.1	(55.0 - 66.9)	53	-	-	46
37.6	(33.6 - 41.8)	108	-	-	48	24.6	( 20.0 - 29.7 )	60
-	-	34	-	-	20	-	-	13
38.1	( 33.9 - 42.6 )	98	-	-	45	19.6	(15.5 - 24.6)	53
35.8	(32.0 - 39.8)	115	55.3	(49.4 - 61.1)	56	18.5	(14.5 - 23.4)	59
44.7	( 40.4 - 49.0 )	103	64.7	(58.6 - 70.3)	52	27.9	( 22.8 - 33.7 )	51
29.6	(24.6 - 35.1)	56	-	-	26	-	-	30
-	<u>-</u>	34	-	-	15	-	-	19
40.7	( 37.3 - 44.1 )	163	63.9	(59.0 - 68.5)	81	18.5	(15.1 - 22.5)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	39.2 34.9 40.8 37.6 - 38.1 35.8 44.7 29.6 - 40.7	Percentage 95% confidence interval  39.2 (36.8 - 41.7)  34.9 (30.2 - 39.8) 40.8 (36.5 - 45.3) 37.6 (33.6 - 41.8)	Percentage 95% confidence interval 39.2 (36.8 - 41.7) 319  34.9 (30.2 - 39.8) 77 40.8 (36.5 - 45.3) 99 37.6 (33.6 - 41.8) 108 34  38.1 (33.9 - 42.6) 98 35.8 (32.0 - 39.8) 115 44.7 (40.4 - 49.0) 103  29.6 (24.6 - 35.1) 56 - 34 40.7 (37.3 - 44.1) 163 - 14	Percentage       95% confidence interval       N       Percentage         39.2       (36.8 - 41.7)       319       58.1         34.9       (30.2 - 39.8)       77       -         40.8       (36.5 - 45.3)       99       61.1         37.6       (33.6 - 41.8)       108       -         -       -       34       -         38.1       (33.9 - 42.6)       98       -         35.8       (32.0 - 39.8)       115       55.3         44.7       (40.4 - 49.0)       103       64.7         29.6       (24.6 - 35.1)       56       -         -       -       34       -         40.7       (37.3 - 44.1)       163       63.9         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           39.2         (36.8 - 41.7)         319         58.1         (54.5 - 61.6)           34.9         (30.2 - 39.8)         77         -         -           40.8         (36.5 - 45.3)         99         61.1         (55.0 - 66.9)           37.6         (33.6 - 41.8)         108         -         -           -         -         34         -         -           35.8         (32.0 - 39.8)         115         55.3         (49.4 - 61.1)           44.7         (40.4 - 49.0)         103         64.7         (58.6 - 70.3)           29.6         (24.6 - 35.1)         56         -         -           -         -         34         -         -           40.7         (37.3 - 44.1)         163         63.9         (59.0 - 68.5)           -         -         14         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           39.2         (36.8 - 41.7)         319         58.1         (54.5 - 61.6)         155           34.9         (30.2 - 39.8)         77         -         -         33           40.8         (36.5 - 45.3)         99         61.1         (55.0 - 66.9)         53           37.6         (33.6 - 41.8)         108         -         -         48           -         -         34         -         -         20           38.1         (33.9 - 42.6)         98         -         -         45           35.8         (32.0 - 39.8)         115         55.3         (49.4 - 61.1)         56           44.7         (40.4 - 49.0)         103         64.7         (58.6 - 70.3)         52           29.6         (24.6 - 35.1)         56         -         -         26           -         -         34         -         -         15           40.7         (37.3 - 44.1)         163         63.9         (59.0 - 68.5)         81           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           39.2         (36.8 - 41.7)         319         58.1         (54.5 - 61.6)         155         22.1           34.9         (30.2 - 39.8)         77         -         -         33         -           40.8         (36.5 - 45.3)         99         61.1         (55.0 - 66.9)         53         -           37.6         (33.6 - 41.8)         108         -         -         48         24.6           -         -         34         -         -         48         24.6           -         -         34         -         -         45         19.6           35.8         (32.0 - 39.8)         115         55.3         (49.4 - 61.1)         56         18.5           44.7         (40.4 - 49.0)         103         64.7         (58.6 - 70.3)         52         27.9           29.6         (24.6 - 35.1)         56         -         -         26         -           -         -         34         -         -         15         -           40.7         (37.3 - 44.1)         163 <td< td=""><td>Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           39.2         (36.8 - 41.7)         319         58.1         (54.5 - 61.6)         155         22.1         (19.4 - 25.0)           34.9         (30.2 - 39.8)         77         -         -         33         -         -           40.8         (36.5 - 45.3)         99         61.1         (55.0 - 66.9)         53         -         -           37.6         (33.6 - 41.8)         108         -         -         48         24.6         (20.0 - 29.7)           -         -         34         -         -         45         19.6         (15.5 - 24.6)           35.8         (32.0 - 39.8)         115         55.3         (49.4 - 61.1)         56         18.5         (14.5 - 23.4)           44.7         (40.4 - 49.0)         103         64.7         (58.6 - 70.3)         52         27.9         (22.8 - 33.7)           29.6         (24.6 - 35.1)         56         -         -         26         -         -           40.7         (37.3 - 44.1)         163         63.9         (59.0 - 68.5)         81         18.5         (15.1 - 2</td></td<>	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           39.2         (36.8 - 41.7)         319         58.1         (54.5 - 61.6)         155         22.1         (19.4 - 25.0)           34.9         (30.2 - 39.8)         77         -         -         33         -         -           40.8         (36.5 - 45.3)         99         61.1         (55.0 - 66.9)         53         -         -           37.6         (33.6 - 41.8)         108         -         -         48         24.6         (20.0 - 29.7)           -         -         34         -         -         45         19.6         (15.5 - 24.6)           35.8         (32.0 - 39.8)         115         55.3         (49.4 - 61.1)         56         18.5         (14.5 - 23.4)           44.7         (40.4 - 49.0)         103         64.7         (58.6 - 70.3)         52         27.9         (22.8 - 33.7)           29.6         (24.6 - 35.1)         56         -         -         26         -         -           40.7         (37.3 - 44.1)         163         63.9         (59.0 - 68.5)         81         18.5         (15.1 - 2

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN11: Percentage of students who were ever in a physical fight

		Total			Male			Female	
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	47.6	( 45.1 - 50.1 )	318	60.1	( 56.6 - 63.5 )	155	35.8	( 32.6 - 39.2 )	162
Age									
11 or younger	48.8	(43.7 - 53.8)	76	-	-	32	-	-	44
12	50.3	(45.8 - 54.7)	99	56.1	(49.9 - 62.0)	53	-	-	46
13	42.9	( 38.8 - 47.2 )	108	-	-	48	35.9	( 30.6 - 41.5 )	60
14 or older	-	-	34	-	-	21	-	-	12
Grade									
6th	51.2	(46.7 - 55.6)	97	-	-	44	33.4	(28.0 - 39.4)	53
7th	48.9	(44.9 - 53.0)	115	56.0	(50.2 - 61.7)	56	42.7	(37.1 - 48.4)	59
8th	42.2	( 37.9 - 46.5 )	102	54.5	(48.4 - 60.5)	52	31.6	( 26.1 - 37.7 )	50
Race/Ethnicity									
Black*	70.0	(64.2 - 75.2)	55	-	-	26	-	-	29
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	37.4	(34.1 - 40.8)	163	50.7	(45.7 - 55.6)	81	24.6	( 20.7 - 29.0 )	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN12: Percentage of students who were ever bullied on school property

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	47.9	( 45.4 - 50.4 )	320	38.0	( 34.5 - 41.5 )	156	56.7	(53.2 - 60.1)	163
Age									
11 or younger	56.1	(51.1 - 61.1)	77	-	-	33	-	-	44
12	48.0	(43.5 - 52.4)	99	42.6	( 36.6 - 48.8 )	53	-	-	46
13	44.8	( 40.6 - 49.0 )	109	-	-	49	54.2	(48.5 - 59.8)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	56.9	(52.4 - 61.2)	98	-	-	45	68.2	(62.3 - 73.5)	53
7th	43.5	(39.5 - 47.6)	115	40.4	( 34.8 - 46.3 )	56	46.3	(40.6 - 52.0)	59
8th	41.2	( 37.0 - 45.6 )	103	24.9	( 20.0 - 30.5 )	52	54.9	(48.7 - 60.9)	51
Race/Ethnicity									
Black*	36.8	(31.3 - 42.7)	56	-	-	26	-	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	51.7	(48.3 - 55.2)	163	46.1	(41.2 - 51.1)	81	57.1	(52.3 - 61.8)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN13: Percentage of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	22.6	( 20.6 - 24.7 )	318	17.3	( 14.7 - 20.2 )	155	27.6	( 24.6 - 30.8 )	162
Age									
11 or younger	19.7	(16.1 - 23.9)	76	_	-	32	_	-	44
12	23.0	(19.4 - 27.0)	99	20.0	(15.4 - 25.5)	53	-	-	46
13	23.7	(20.2 - 27.5)	107	-	<u>-</u>	48	29.4	(24.5 - 34.9)	59
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	22.5	(19.1 - 26.4)	97	-	-	44	26.6	(21.7 - 32.2)	53
7th	20.7	(17.5 - 24.3)	114	14.9	(11.1 - 19.6)	56	26.0	(21.2 - 31.4)	58
8th	23.7	( 20.2 - 27.6 )	103	16.0	(12.0 - 21.1)	52	30.1	( 24.8 - 36.0 )	51
Race/Ethnicity									
Black*	20.0	(15.8 - 25.0)	56	_	-	26	_	-	30
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	21.2	(18.4 - 24.2)	163	15.1	(11.8 - 19.2)	81	27.0	(22.9 - 31.5)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN14: Percentage of students who ever seriously thought about killing themselves

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.7	(21.6 - 25.8)	318	18.7	(16.0 - 21.7)	156	28.4	( 25.4 - 31.6 )	161
Age									
11 or younger	17.1	(13.7 - 21.1)	77	-	-	33	-	-	44
12	27.2	(23.3 - 31.5)	97	28.0	( 22.6 - 34.1 )	52	-	-	45
13	25.7	( 22.2 - 29.6 )	109	-	-	49	31.4	( 26.4 - 36.8 )	60
14 or older	-	-	34	-	-	21	-	-	12
Grade									
6th	22.3	(18.8 - 26.3)	97	-	-	44	25.4	( 20.5 - 31.0 )	53
7th	26.4	(22.9 - 30.2)	114	22.3	(17.7 - 27.6)	56	30.1	(25.2 - 35.6)	58
8th	22.6	( 19.2 - 26.4 )	103	14.2	( 10.4 - 19.1 )	53	30.0	( 24.7 - 35.8 )	50
Race/Ethnicity									
Black*	22.2	(17.6 - 27.6)	54	_	-	25	-	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	21.6	(18.8 - 24.5)	164	16.2	(12.7 - 20.3)	82	26.8	(22.7 - 31.2)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN15: Percentage of students who ever made a plan about how they would kill themselves

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	15.1	( 13.4 - 17.0 )	316	11.1	(9.0 - 13.6)	155	18.9	(16.3 - 21.7)	160
Age									
11 or younger	11.5	(8.6 - 15.1)	77	-	-	33	-	-	44
12	9.5	(7.2 - 12.6)	98	12.0	(8.4 - 16.7)	53	-	-	45
13	18.8	(15.7 - 22.4)	106	-	-	47	25.4	( 20.8 - 30.6 )	59
14 or older	-	-	34	-	-	21	-	-	12
Grade									
6th	12.2	(9.6 - 15.5)	98	-	-	45	15.0	(11.2 - 19.9)	53
7th	12.2	(9.7 - 15.1)	112	11.5	(8.2 - 16.0)	55	12.7	(9.5 - 16.9)	57
8th	21.6	(18.2 - 25.4)	102	13.3	(9.7 - 18.0)	52	28.6	( 23.4 - 34.5 )	50
Race/Ethnicity									
Black*	11.8	(8.4 - 16.4)	55	_	-	26	_	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	13.5	(11.3 - 16.0)	163	11.5	(8.6 - 15.1)	81	15.4	(12.3 - 19.2)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN16: Percentage of students who ever tried to kill themselves

		Total			Male			Female	
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.3	(8.0 - 10.9)	317	6.1	(4.5 - 8.1)	156	12.5	( 10.4 - 14.9 )	160
Age									
11 or younger	5.5	(3.7 - 8.1)	77	-	-	33	-	-	44
12	7.2	(5.2 - 9.8)	97	4.3	(2.3 - 7.8)	53	-	-	44
13	10.2	(7.9 - 13.1)	108	-	-	48	12.4	(9.2 - 16.5)	60
14 or older	-	-	34	-	-	21	-	-	12
Grade									
6th	7.1	(5.2 - 9.6)	97	-	-	45	9.4	(6.6 - 13.2)	52
7th	7.4	(5.4 - 9.9)	114	4.2	(2.3 - 7.7)	56	10.2	(7.2 - 14.2)	58
8th	14.0	(11.3 - 17.2)	103	9.6	(6.5 - 13.8)	53	17.8	(13.7 - 22.9)	50
Race/Ethnicity									
Black*	7.3	(4.8 - 11.0)	55	_	-	26	-	-	29
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	6.6	(5.1 - 8.6)	163	5.4	(3.5 - 8.4)	82	7.8	(5.7 - 10.7)	81
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN17: Percentage of students who ever tried cigarette smoking (even one or two puffs)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.5	(8.1 - 11.1)	306	7.1	(5.3 - 9.4)	147	11.0	(9.0 - 13.4)	158
Age									
11 or younger	5.0	(3.2 - 7.8)	75	-	-	31	-	-	44
12	9.7	(7.2 - 13.0)	96	11.8	(8.1 - 16.9)	52	-	-	44
13	11.4	(8.8 - 14.6)	100	-	-	43	15.4	(11.6 - 20.0)	57
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	6.7	(4.7 - 9.5)	96	-	-	43	3.6	(1.9 - 6.7)	53
7th	10.0	(7.7 - 12.9)	109	6.2	(3.8 - 9.9)	53	13.4	(9.8 - 18.1)	56
8th	11.3	(8.8 - 14.5)	98	-	-	49	-	-	49
Race/Ethnicity									
Black*	-	_	49	_	-	21	-	-	28
Hispanic/Latino	-	-	33	-	-	15	-	-	18
White*	8.0	(6.3 - 10.1)	162	5.5	(3.6 - 8.4)	80	10.3	(7.8 - 13.5)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN18: Percentage of students who tried cigarette smoking for the first time before age 11 years (even one or two puffs)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.9	(3.0 - 5.0)	304	3.3	(2.2 - 5.2)	145	3.7	(2.6 - 5.3)	158
Age									
11 or younger	4.1	(2.4 - 6.7)	75	-	-	31	-	-	44
12	5.0	(3.2 - 7.6)	95	6.9	(4.2 - 11.1)	51	-	-	44
13	2.9	(1.8 - 4.8)	100	-	-	43	4.8	(2.9 - 7.8)	57
14 or older	-	-	33	-	-	19	-	-	13
Grade									
6th	4.5	(2.9 - 6.9)	96	-	-	43	3.6	(1.9 - 6.7)	53
7th	4.3	(2.8 - 6.6)	108	4.3	(2.3 - 7.8)	52	4.4	(2.4 - 7.9)	56
8th	1.8	(0.9 - 3.2)	97	-	-	48	-	-	49
Race/Ethnicity									
Black*	-	-	49	-	-	21	-	-	28
Hispanic/Latino	-	-	33	-	-	15	-	-	18
White*	1.2	(0.6 - 2.1)	161	2.4	(1.3 - 4.4)	79	0.0	-	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	25	-	-	8	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN19: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.1	(2.3 - 4.0)	310	2.0	(1.2 - 3.3)	148	4.1	(2.9 - 5.6)	161
Age									
11 or younger	2.4	(1.3 - 4.5)	75	-	-	31	-	-	44
12	1.0	(0.4 - 2.5)	96	1.9	(0.8 - 4.5)	51	-	-	45
13	4.5	(3.0 - 6.6)	105	-	-	46	5.9	(3.8 - 9.1)	59
14 or older	-	-	33	-	-	19	-	-	13
Grade									
6th	1.9	(1.0 - 3.5)	96	-	-	43	3.6	(1.9 - 6.7)	53
7th	3.9	(2.5 - 5.9)	111	4.2	(2.3 - 7.5)	54	3.6	(2.0 - 6.7)	57
8th	3.7	(2.4 - 5.7)	100	-	-	49	4.9	(3.0 - 8.0)	51
Race/Ethnicity									
Black*	1.9	(0.8 - 4.4)	52	-	-	23	-	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	2.3	(1.5 - 3.6)	160	1.2	(0.5 - 2.9)	78	3.3	(2.0 - 5.4)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	25	-	-	8	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	0.2	( 0.1 - 0.6 )	310	0.0	-	148	0.5	(0.2 - 1.1)	161
Age									
11 or younger	0.0	-	75	-	-	31	-	-	44
12	0.0	-	96	0.0	-	51	-	-	45
13	0.7	(0.3 - 1.8)	105	-	-	46	1.2	(0.5 - 2.9)	59
14 or older	-	-	33	-	-	19	-	-	13
Grade									
6th	0.0	-	96	_	-	43	0.0	-	53
7th	0.8	(0.3 - 1.9)	111	0.0	-	54	1.5	(0.6 - 3.5)	57
8th	0.0	-	100	-	-	49	0.0	-	51
Race/Ethnicity									
Black*	0.0	-	52	-	-	23	-	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	0.5	(0.2 - 1.1)	160	0.0	-	78	0.9	(0.4 - 2.1)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	25	-	-	8	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

	Total			Male	Female				
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	0.2	(0.1 - 0.6)	310	0.0	-	148	0.5	(0.2 - 1.1)	161
Age									
11 or younger	0.0	-	75	-	-	31	-	-	44
12	0.0	-	96	0.0	-	51	-	-	45
13	0.7	(0.3 - 1.8)	105	-	-	46	1.2	(0.5 - 2.9)	59
14 or older	-	-	33	-	-	19	-	-	13
Grade									
6th	0.0	-	96	-	-	43	0.0	-	53
7th	0.8	(0.3 - 1.9)	111	0.0	-	54	1.5	(0.6 - 3.5)	57
8th	0.0	-	100	-	-	49	0.0	-	51
Race/Ethnicity									
Black*	0.0	-	52	_	-	23	_	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	0.5	(0.2 - 1.1)	160	0.0	-	78	0.9	(0.4 - 2.1)	82
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	25	-	-	8	-	-	16

Note: 12 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN20: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	10	-	-	3	-	-	7
Age									
11 or younger	-	-	2	-	-	0	-	-	2
12	-	-	1	-	-	1	-	-	0
13	-	-	5	-	-	1	-	-	4
14 or older	-	-	2	-	-	1	-	-	1
Grade									
6th	-	-	2	-	-	0	-	-	2
7th	-	-	4	-	-	2	-	-	2
8th	-	-	4	-	-	1	-	-	3
Race/Ethnicity									
Black*	-	-	1	-	_	0	-	-	1
Hispanic/Latino	-	-	2	-	-	0	-	-	2
White*	-	-	4	-	-	1	-	-	3
All other races*	-	-	0	-	-	0	-	-	0
Multiple races*	-	-	1	-	-	1	-	-	0

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN21: Percentage of students who ever used an electronic vapor product

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	29.0	( 26.8 - 31.4 )	303	25.7	( 22.5 - 29.1 )	143	32.1	(29.0 - 35.5)	159
Age									
11 or younger	11.0	(8.1 - 14.6)	74	-	-	31	-	-	43
12	25.5	(21.7 - 29.7)	94	-	-	49	-	-	45
13	45.0	( 40.7 - 49.4 )	102	-	-	43	52.4	(46.7 - 58.1)	59
14 or older	-	-	32	-	-	19	-	-	12
Grade									
6th	14.5	(11.5 - 18.1)	93	-	-	41	10.9	(7.7 - 15.2)	52
7th	30.5	(26.8 - 34.6)	109	27.2	(22.1 - 32.9)	52	33.4	(28.1 - 39.1)	57
8th	44.3	( 39.9 - 48.7 )	98	-	-	48	52.7	(46.5 - 58.9)	50
Race/Ethnicity									
Black*	-	-	48	-	-	21	-	-	27
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	25.2	(22.3 - 28.4)	160	19.6	(16.0 - 23.9)	78	30.4	( 26.1 - 35.0 )	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	9	-	-	15

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN22: Percentage of students who currently used an electronic vapor product (on at least 1 day during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	14.4	( 12.7 - 16.3 )	293	10.3	(8.1 - 12.9)	138	18.1	(15.6 - 21.0)	154
Age									
11 or younger	5.9	(3.8 - 9.0)	74	-	-	31	-	-	43
12	12.7	(9.9 - 16.1)	92	-	-	48	-	-	44
13	21.1	(17.7 - 25.1)	96	-	-	41	29.5	( 24.4 - 35.1 )	55
14 or older	-	-	30	-	-	17	-	-	12
Grade									
6th	8.0	(5.7 - 10.9)	93	-	-	41	5.1	(3.1 - 8.4)	52
7th	15.9	(13.1 - 19.3)	107	10.0	( 6.9 - 14.4 )	51	21.0	(16.6 - 26.2)	56
8th	21.0	(17.5 - 25.1)	90	-	-	44	-	-	46
Race/Ethnicity									
Black*	-	-	47	_	-	20	-	-	27
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	10.2	(8.3 - 12.6)	155	6.0	(3.9 - 9.2)	75	14.1	(11.1 - 17.8)	80
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	22	-	-	8	-	-	13

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	1.8	(1.3 - 2.6)	293	0.0	-	138	3.4	(2.4 - 4.8)	154
Age									
11 or younger	0.9	(0.4 - 2.2)	74	-	-	31	-	-	43
12	0.0	-	92	-	-	48	-	-	44
13	2.8	(1.7 - 4.6)	96	-	-	41	4.6	(2.7 - 7.5)	55
14 or older	-	-	30	-	-	17	-	-	12
Grade									
6th	0.7	(0.3 - 1.7)	93	-	-	41	1.4	(0.6 - 3.3)	52
7th	2.0	(1.1 - 3.7)	107	0.0	-	51	3.7	(2.0 - 6.8)	56
8th	3.0	(1.8 - 4.9)	90	-	-	44	-	-	46
Race/Ethnicity									
Black*	-	-	47	-	-	20	-	-	27
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	1.7	(1.1 - 2.9)	155	0.0	-	75	3.3	(2.0 - 5.5)	80
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	22	-	-	8	-	-	13

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)

	Total			Male	Female				
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	1.1	(0.7 - 1.8)	293	0.0	-	138	2.1	(1.4 - 3.3)	154
Age									
11 or younger	0.9	(0.4 - 2.2)	74	-	-	31	-	-	43
12	0.0	-	92	-	-	48	-	-	44
13	2.8	(1.7 - 4.6)	96	-	-	41	4.6	(2.7 - 7.5)	55
14 or older	-	-	30	-	-	17	-	-	12
Grade									
6th	0.7	(0.3 - 1.7)	93	_	-	41	1.4	(0.6 - 3.3)	52
7th	2.0	(1.1 - 3.7)	107	0.0	-	51	3.7	(2.0 - 6.8)	56
8th	0.8	(0.3 - 1.9)	90	-	-	44	-	-	46
Race/Ethnicity									
Black*	-	-	47	-	-	20	_	-	27
Hispanic/Latino	-	-	33	_	-	14	-	-	19
White*	0.5	(0.2 - 1.2)	155	0.0	-	75	0.9	(0.4 - 2.2)	80
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	22	-	-	8	-	-	13

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN23: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products)

	Total			Male	Female				
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	46	-	-	15	-	-	31
Age									
11 or younger	-	-	4	-	-	2	-	-	2
12	-	-	13	-	-	6	-	-	7
13	-	-	22	-	-	4	-	-	18
14 or older	-	-	7	-	-	3	-	-	4
Grade									
6th	-	-	7	-	-	4	-	-	3
7th	-	-	18	-	-	6	-	-	12
8th	-	-	21	-	-	5	-	-	16
Race/Ethnicity									
Black*	-	-	12	-	_	6	-	-	6
Hispanic/Latino	-	-	8	-	-	1	-	-	7
White*	-	-	18	-	-	5	-	-	13
All other races*	-	-	2	-	-	2	-	-	0
Multiple races*	-	-	4	-	-	1	-	-	3

Note: 276 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN24: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.2	(2.5 - 4.2)	313	3.6	(2.5 - 5.1)	150	2.9	(2.1 - 4.2)	162
Age									
11 or younger	2.3	(1.2 - 4.2)	75	-	-	31	_	-	44
12	4.6	(3.1 - 6.8)	97	5.4	(3.3 - 8.7)	51	-	-	46
13	2.1	(1.3 - 3.5)	107	-	-	47	2.4	(1.3 - 4.4)	60
14 or older	-	-	33	-	-	20	-	-	12
Grade									
6th	1.8	(0.9 - 3.3)	95	-	-	42	1.4	(0.6 - 3.2)	53
7th	4.9	(3.5 - 7.0)	113	5.4	(3.3 - 8.8)	54	4.5	(2.7 - 7.4)	59
8th	3.3	(2.2 - 5.1)	101	3.6	( 2.0 - 6.6 )	51	3.1	(1.7 - 5.6)	50
Race/Ethnicity									
Black*	2.8	(1.5 - 5.2)	54	-	-	24	-	-	30
Hispanic/Latino	-	<u>-</u>	33	-	-	15	-	-	18
White*	2.2	(1.4 - 3.4)	160	2.3	(1.3 - 4.3)	78	2.1	(1.1 - 3.8)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 9 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN25: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.7	( 2.9 - 4.7 )	317	3.2	(2.1 - 4.7)	153	4.2	(3.1 - 5.7)	163
Age									
11 or younger	2.5	(1.3 - 4.6)	77	-	-	33	-	-	44
12	2.7	(1.6 - 4.4)	97	1.6	(0.7 - 3.8)	51	-	-	46
13	4.9	(3.5 - 7.0)	108	-	-	48	5.8	(3.7 - 8.9)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	1.9	(1.0 - 3.7)	97	-	-	44	1.4	(0.6 - 3.2)	53
7th	6.0	(4.4 - 8.3)	114	3.3	(1.8 - 5.9)	55	8.5	(5.8 - 12.3)	59
8th	3.5	(2.3 - 5.4)	102	4.1	(2.2 - 7.4)	51	3.0	(1.6 - 5.6)	51
Race/Ethnicity									
Black*	6.9	(4.4 - 10.5)	55	-	-	25	_	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	1.6	(1.0 - 2.6)	161	1.1	(0.5 - 2.6)	79	2.1	(1.1 - 3.8)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
5.1	(4.1 - 6.3)	312	4.6	(3.3 - 6.3)	149	5.6	(4.3 - 7.4)	162
4.0	(2.4 - 6.6)	76	-	-	32	-	-	44
3.8	(2.4 - 5.8)	95	3.7	(2.0 - 6.6)	50	-	-	45
6.9	(5.1 - 9.3)	107	-	-	47	7.5	(5.1 - 10.9)	60
-	-	33	-	-	19	-	-	13
3.1	(1.9 - 5.2)	96	-	-	43	3.6	(1.9 - 6.7)	53
8.1	(6.1 - 10.7)	112	7.5	(4.9 - 11.3)	54	8.6	(5.9 - 12.5)	58
4.6	(3.1 - 6.7)	101	4.2	(2.3 - 7.5)	50	4.9	(3.0 - 8.0)	51
7.0	(4.5 - 10.7)	54	_	-	25	_	_	29
-	<u>-</u>	34	-	-	15	-	-	19
2.9	(1.9 - 4.2)	160	2.3	(1.3 - 4.3)	78	3.3	(2.0 - 5.4)	82
-	-	14	-	-	9	-	-	5
-	-	25	-	-	8	-	-	16
	5.1  4.0  3.8  6.9  -  3.1  8.1  4.6  7.0  - 2.9	Percentage 95% confidence interval  5.1 (4.1 - 6.3)  4.0 (2.4 - 6.6) 3.8 (2.4 - 5.8) 6.9 (5.1 - 9.3)	Percentage 95% confidence interval   5.1 (4.1 - 6.3) 312  4.0 (2.4 - 6.6) 76 3.8 (2.4 - 5.8) 95 6.9 (5.1 - 9.3) 107 - 33  3.1 (1.9 - 5.2) 96 8.1 (6.1 - 10.7) 112 4.6 (3.1 - 6.7) 101  7.0 (4.5 - 10.7) 54 - 34 2.9 (1.9 - 4.2) 160 - 14	Percentage       95% confidence interval       N       Percentage         5.1       (4.1 - 6.3)       312       4.6         4.0       (2.4 - 6.6)       76       -         3.8       (2.4 - 5.8)       95       3.7         6.9       (5.1 - 9.3)       107       -         -       -       33       -         3.1       (1.9 - 5.2)       96       -         8.1       (6.1 - 10.7)       112       7.5         4.6       (3.1 - 6.7)       101       4.2         7.0       (4.5 - 10.7)       54       -         -       -       34       -         2.9       (1.9 - 4.2)       160       2.3         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence confidence interval           5.1         (4.1 - 6.3)         312         4.6         (3.3 - 6.3)           4.0         (2.4 - 6.6)         76         -         -           3.8         (2.4 - 5.8)         95         3.7         (2.0 - 6.6)           6.9         (5.1 - 9.3)         107         -         -           -         -         33         -         -           8.1         (6.1 - 10.7)         112         7.5         (4.9 - 11.3)           4.6         (3.1 - 6.7)         101         4.2         (2.3 - 7.5)           7.0         (4.5 - 10.7)         54         -         -           -         -         34         -         -           2.9         (1.9 - 4.2)         160         2.3         (1.3 - 4.3)           -         -         -         -         -	Percentage confidence interval         N confidence interval         N confidence confidence interval         N confidence confidence interval           5.1         (4.1 - 6.3)         312         4.6         (3.3 - 6.3)         149           4.0         (2.4 - 6.6)         76         -         -         32           3.8         (2.4 - 5.8)         95         3.7         (2.0 - 6.6)         50           6.9         (5.1 - 9.3)         107         -         -         47           -         -         33         -         -         19           3.1         (1.9 - 5.2)         96         -         -         43           8.1         (6.1 - 10.7)         112         7.5         (4.9 - 11.3)         54           4.6         (3.1 - 6.7)         101         4.2         (2.3 - 7.5)         50           7.0         (4.5 - 10.7)         54         -         -         25           -         -         34         -         -         15           2.9         (1.9 - 4.2)         160         2.3         (1.3 - 4.3)         78           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           5.1         (4.1 - 6.3)         312         4.6         (3.3 - 6.3)         149         5.6           4.0         (2.4 - 6.6)         76         -         -         32         -           3.8         (2.4 - 5.8)         95         3.7         (2.0 - 6.6)         50         -           6.9         (5.1 - 9.3)         107         -         -         47         7.5           -         -         33         -         -         19         -           3.1         (1.9 - 5.2)         96         -         -         43         3.6           8.1         (6.1 - 10.7)         112         7.5         (4.9 - 11.3)         54         8.6           4.6         (3.1 - 6.7)         101         4.2         (2.3 - 7.5)         50         4.9           7.0         (4.5 - 10.7)         54         -         -         25         -           -         -         34         -         -         15         -           2.9         (1.9 - 4.2)         160         2.3         (1.3 -	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           5.1         (4.1 - 6.3)         312         4.6         (3.3 - 6.3)         149         5.6         (4.3 - 7.4)           4.0         (2.4 - 6.6)         76         -         -         32         -         -           3.8         (2.4 - 5.8)         95         3.7         (2.0 - 6.6)         50         -         -           6.9         (5.1 - 9.3)         107         -         -         47         7.5         (5.1 - 10.9)           -         -         33         -         -         19         -         -           3.1         (1.9 - 5.2)         96         -         -         43         3.6         (1.9 - 6.7)           8.1         (6.1 - 10.7)         112         7.5         (4.9 - 11.3)         54         8.6         (5.9 - 12.5)           4.6         (3.1 - 6.7)         101         4.2         (2.3 - 7.5)         50         4.9         (3.0 - 8.0)           7.0         (4.5 - 10.7)         54         -         -         25         -         -

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)

	Total				Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	6.6	(5.5 - 7.9)	311	7.1	(5.5 - 9.2)	149	6.1	(4.7 - 7.9)	161	
Age										
11 or younger	5.3	(3.5 - 8.2)	76	-	-	32	-	_	44	
12	5.8	(4.1 - 8.2)	95	7.4	(4.8 - 11.2)	50	-	-	45	
13	7.6	(5.7 - 10.1)	107	-	-	47	8.7	(6.1 - 12.2)	60	
14 or older	-	-	32	-	-	19	-	-	12	
Grade										
6th	4.2	(2.7 - 6.4)	96	_	-	43	3.6	(1.9 - 6.7)	53	
7th	9.8	(7.6 - 12.6)	112	9.5	(6.5 - 13.7)	54	10.1	(7.2 - 14.1)	58	
8th	6.3	(4.5 - 8.6)	100	7.9	(5.1 - 11.9)	50	5.0	(3.0 - 8.1)	50	
Race/Ethnicity										
Black*	7.0	(4.5 - 10.7)	54	_	-	25	-	-	29	
Hispanic/Latino	-	-	33	-	-	15	_	-	18	
White*	4.5	(3.3 - 6.1)	159	4.7	(3.1 - 7.2)	77	4.2	(2.7 - 6.5)	82	
All other races*	-	-	14	-	-	9	-	-	5	
Multiple races*	-	-	25	-	-	8	-	-	16	

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	17.6	( 15.7 - 19.6 )	296	15.2	( 12.7 - 18.1 )	141	19.8	( 17.2 - 22.7 )	154
Age									
11 or younger	7.2	(4.9 - 10.5)	74	-	-	31	_	-	43
12	16.7	(13.5 - 20.4)	92	-	-	48	-	-	44
13	24.8	(21.2 - 28.8)	100	-	-	44	32.1	( 26.9 - 37.7 )	56
14 or older	-	-	29	-	-	17	-	-	11
Grade									
6th	9.0	(6.7 - 12.1)	93	_	-	41	5.1	(3.1 - 8.4)	52
7th	21.8	(18.5 - 25.5)	110	17.2	(13.1 - 22.3)	53	25.9	(21.1 - 31.2)	57
8th	23.8	( 20.1 - 28.0 )	90	-	-	45	-	-	45
Race/Ethnicity									
Black*	-	-	48	-	-	21	_	-	27
Hispanic/Latino	-	-	32	-	-	14	-	-	18
White*	12.4	(10.3 - 15.0)	155	9.6	(6.9 - 13.2)	75	15.0	(12.0 - 18.8)	80
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	21	-	-	7	-	-	13

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	14.7	( 13.0 - 16.7 )	293	10.9	(8.7 - 13.6)	138	18.1	( 15.6 - 21.0 )	154
Age									
11 or younger	5.9	(3.8 - 9.0)	74	-	-	31	-	-	43
12	12.8	(10.0 - 16.2)	91	-	-	47	-	-	44
13	21.9	(18.4 - 25.9)	97	-	-	42	29.5	( 24.4 - 35.1 )	55
14 or older	-	-	30	-	-	17	-	-	12
Grade									
6th	8.0	(5.7 - 10.9)	93	-	-	41	5.1	(3.1 - 8.4)	52
7th	16.9	(14.0 - 20.4)	107	12.2	(8.6 - 16.9)	51	21.0	(16.6 - 26.2)	56
8th	21.0	(17.5 - 25.1)	90	-	-	44	-	-	46
Race/Ethnicity									
Black*	-	-	47	_	-	20	-	-	27
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	10.2	(8.3 - 12.6)	155	6.0	(3.9 - 9.2)	75	14.1	(11.1 - 17.8)	80
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	21	-	-	7	-	-	13

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN26: Percentage of students who ever drank alcohol (other than a few sips)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	23.1	(21.0 - 25.3)	299	21.0	( 18.1 - 24.2 )	138	25.0	( 22.1 - 28.1 )	160
Age									
11 or younger	15.8	(12.4 - 19.9)	74	-	-	31	-	-	43
12	22.6	(19.1 - 26.6)	93	-	-	47	-	-	46
13	27.0	(23.2 - 31.1)	98	-	-	40	29.3	( 24.4 - 34.8 )	58
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	16.3	(13.2 - 19.9)	92	_	-	40	19.5	(15.2 - 24.7)	52
7th	27.3	(23.6 - 31.3)	105	-	-	47	30.1	(25.1 - 35.7)	58
8th	27.3	(23.6 - 31.4)	98	-	-	48	25.7	(20.8 - 31.3)	50
Race/Ethnicity									
Black*	23.4	(18.6 - 29.0)	51	-	-	22	-	-	29
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18
White*	21.4	(18.6 - 24.4)	152	20.9	(17.1 - 25.4)	71	21.7	(18.0 - 26.0)	81
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN27: Percentage of students who drank alcohol for the first time before age 11 years (other than a few sips)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.3	(8.9 - 12.0)	297	12.6	(10.3 - 15.3)	139	8.4	( 6.7 - 10.6 )	157
Age									
11 or younger	14.9	(11.6 - 18.9)	72	-	-	30	-	-	42
12	13.0	(10.3 - 16.4)	94	-	-	48	-	-	46
13	5.4	(3.8 - 7.6)	97	-	-	41	4.7	(2.8 - 7.7)	56
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	14.6	(11.6 - 18.1)	90	-	-	39	16.0	(12.0 - 20.8)	51
7th	11.4	(8.9 - 14.5)	106	-	-	49	7.9	(5.2 - 11.9)	57
8th	5.1	(3.6 - 7.2)	98	-	-	49	-	-	49
Race/Ethnicity									
Black*	7.8	(5.1 - 11.7)	51	-	-	22	-	-	29
Hispanic/Latino	-	-	31	-	-	14	-	-	17
White*	9.9	(8.0 - 12.3)	152	13.7	(10.5 - 17.6)	73	6.6	(4.5 - 9.6)	79
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN28: Percentage of students who ever used marijuana

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.2	(7.9 - 10.8)	302	7.1	(5.4 - 9.2)	142	11.2	(9.1 - 13.5)	159
Age									
11 or younger	2.4	(1.3 - 4.5)	74	-	-	31	-	-	43
12	2.0	(1.1 - 3.6)	91	-	-	46	-	-	45
13	16.3	(13.3 - 19.8)	103	-	-	45	19.0	( 14.8 - 24.0 )	58
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	1.9	(1.0 - 3.5)	94	_	-	42	1.4	(0.6 - 3.3)	52
7th	8.1	(6.0 - 10.9)	105	-	-	49	9.3	(6.4 - 13.5)	56
8th	18.5	(15.3 - 22.2)	100	-	-	49	22.5	(17.8 - 28.0)	51
Race/Ethnicity									
Black*	22.2	(17.6 - 27.6)	52	-	-	24	-	-	28
Hispanic/Latino	-	-	33	-	-	15	-	-	18
White*	4.3	(3.1 - 5.9)	158	2.7	(1.4 - 5.0)	77	5.7	(3.9 - 8.3)	81
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	24	-	-	7	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN29: Percentage of students who tried marijuana for the first time before age 11 years

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
2.7	(2.0 - 3.6)	306	2.9	(1.9 - 4.5)	146	2.4	(1.6 - 3.8)	159
2.4	(1.3 - 4.5)	74	-	-	31	-	-	43
1.1	(0.5 - 2.7)	91	-	-	46	-	-	45
3.0	(1.8 - 4.9)	106	-	-	48	3.7	(2.0 - 6.7)	58
-	-	34	-	-	20	-	-	13
1.9	(1.0 - 3.5)	94	_	-	42	1.4	(0.6 - 3.3)	52
3.4	(2.1 - 5.5)	107	2.5	(1.0 - 5.7)	51	4.2	(2.3 - 7.6)	56
2.9	(1.8 - 4.8)	101	4.2	(2.3 - 7.5)	50	1.9	(0.8 - 4.6)	51
3.8	(2.1 - 7.0)	51	_	-	23	_	-	28
-	-	33	_	-		-	-	18
1.3	(0.7 - 2.5)	158	2.8	(1.5 - 5.2)	77	0.0	-	81
-	-	14	-	-	9	-	-	5
-	-	25	-	-	8	-	-	16
	2.7  2.4  1.1  3.0  -  1.9  3.4  2.9  3.8  -  1.3	Percentage 95% confidence interval  2.7 (2.0 - 3.6)  2.4 (1.3 - 4.5) 1.1 (0.5 - 2.7) 3.0 (1.8 - 4.9)	Percentage 95% confidence interval  2.7 (2.0 - 3.6) 306  2.4 (1.3 - 4.5) 74 1.1 (0.5 - 2.7) 91 3.0 (1.8 - 4.9) 106 34  1.9 (1.0 - 3.5) 94 3.4 (2.1 - 5.5) 107 2.9 (1.8 - 4.8) 101  3.8 (2.1 - 7.0) 51 33 1.3 (0.7 - 2.5) 158 14	Percentage       95% confidence interval       N       Percentage         2.7       (2.0 - 3.6)       306       2.9         2.4       (1.3 - 4.5)       74       -         1.1       (0.5 - 2.7)       91       -         3.0       (1.8 - 4.9)       106       -         -       -       34       -         1.9       (1.0 - 3.5)       94       -         3.4       (2.1 - 5.5)       107       2.5         2.9       (1.8 - 4.8)       101       4.2         3.8       (2.1 - 7.0)       51       -         -       -       33       -         1.3       (0.7 - 2.5)       158       2.8         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           2.7         (2.0 - 3.6)         306         2.9         (1.9 - 4.5)           2.4         (1.3 - 4.5)         74         -         -           1.1         (0.5 - 2.7)         91         -         -           3.0         (1.8 - 4.9)         106         -         -           -         -         34         -         -           1.9         (1.0 - 3.5)         94         -         -           3.4         (2.1 - 5.5)         107         2.5         (1.0 - 5.7)           2.9         (1.8 - 4.8)         101         4.2         (2.3 - 7.5)           3.8         (2.1 - 7.0)         51         -         -           -         -         33         -         -           1.3         (0.7 - 2.5)         158         2.8         (1.5 - 5.2)           -         -         -         -         -	Percentage confidence interval         N confidence interval         N confidence confidence interval         N confidence confidence interval           2.7         (2.0 - 3.6)         306         2.9         (1.9 - 4.5)         146           2.4         (1.3 - 4.5)         74         -         -         31           1.1         (0.5 - 2.7)         91         -         -         46           3.0         (1.8 - 4.9)         106         -         -         48           -         -         34         -         -         20           1.9         (1.0 - 3.5)         94         -         -         42           3.4         (2.1 - 5.5)         107         2.5         (1.0 - 5.7)         51           2.9         (1.8 - 4.8)         101         4.2         (2.3 - 7.5)         50           3.8         (2.1 - 7.0)         51         -         -         23           -         -         33         -         -         15           1.3         (0.7 - 2.5)         158         2.8         (1.5 - 5.2)         77           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           2.7         (2.0 - 3.6)         306         2.9         (1.9 - 4.5)         146         2.4           2.4         (1.3 - 4.5)         74         -         -         31         -           1.1         (0.5 - 2.7)         91         -         -         46         -           3.0         (1.8 - 4.9)         106         -         -         48         3.7           -         -         34         -         -         20         -           1.9         (1.0 - 3.5)         94         -         -         42         1.4           3.4         (2.1 - 5.5)         107         2.5         (1.0 - 5.7)         51         4.2           2.9         (1.8 - 4.8)         101         4.2         (2.3 - 7.5)         50         1.9           3.8         (2.1 - 7.0)         51         -         -         23         -           -         -         33         -         -         15         -           -         -         33         -         -         15 <t< td=""><td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           2.7         (2.0 - 3.6)         306         2.9         (1.9 - 4.5)         146         2.4         (1.6 - 3.8)           2.4         (1.3 - 4.5)         74         -         -         31         -         -           1.1         (0.5 - 2.7)         91         -         -         46         -         -           3.0         (1.8 - 4.9)         106         -         -         48         3.7         (2.0 - 6.7)           -         -         34         -         -         42         1.4         (0.6 - 3.3)           3.4         (2.1 - 5.5)         107         2.5         (1.0 - 5.7)         51         4.2         (2.3 - 7.6)           2.9         (1.8 - 4.8)         101         4.2         (2.3 - 7.5)         50         1.9         (0.8 - 4.6)           3.8         (2.1 - 7.0)         51         -         -         23         -         -           -         -         33         -         -         15         -         -           <td< td=""></td<></td></t<>	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           2.7         (2.0 - 3.6)         306         2.9         (1.9 - 4.5)         146         2.4         (1.6 - 3.8)           2.4         (1.3 - 4.5)         74         -         -         31         -         -           1.1         (0.5 - 2.7)         91         -         -         46         -         -           3.0         (1.8 - 4.9)         106         -         -         48         3.7         (2.0 - 6.7)           -         -         34         -         -         42         1.4         (0.6 - 3.3)           3.4         (2.1 - 5.5)         107         2.5         (1.0 - 5.7)         51         4.2         (2.3 - 7.6)           2.9         (1.8 - 4.8)         101         4.2         (2.3 - 7.5)         50         1.9         (0.8 - 4.6)           3.8         (2.1 - 7.0)         51         -         -         23         -         -           -         -         33         -         -         15         -         - <td< td=""></td<>

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN30: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, Oxycontin, hydrocodone, and Percocet)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	7.3	(6.1 - 8.6)	316	8.2	( 6.4 - 10.4 )	153	6.5	(5.0 - 8.3)	162
Age									
11 or younger	4.4	(2.8 - 6.8)	75	_	-	31	-	-	44
12	6.9	(4.8 - 9.8)	98	10.9	(7.4 - 15.8)	52	-	-	46
13	8.6	(6.6 - 11.2)	108	-	-	49	8.5	(6.0 - 11.9)	59
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	5.4	(3.6 - 7.9)	95	-	-	42	3.2	(1.7 - 5.9)	53
7th	7.7	(5.8 - 10.1)	115	7.6	(5.0 - 11.5)	57	7.7	(5.2 - 11.2)	58
8th	9.1	(7.0 - 11.9)	102	9.7	( 6.6 - 13.9 )	51	8.7	(5.9 - 12.6)	51
Race/Ethnicity									
Black*	3.5	(1.9 - 6.4)	54	-	-	25	-	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	5.4	(4.1 - 7.2)	163	6.3	(4.3 - 9.2)	81	4.6	(3.0 - 7.0)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 6 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN31: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
3.7	(2.9 - 4.7)	319	3.5	(2.5 - 5.0)	155	4.0	(2.8 - 5.5)	163
0.9	(0.4 - 2.1)	77	-	-	33	-	-	44
2.1	(1.1 - 3.8)	98	3.8	(2.1 - 7.0)	52	-	-	46
7.1	(5.2 - 9.6)	108	-	-	48	9.4	(6.6 - 13.2)	60
-	-	35	-	-	21	-	-	13
0.7	(0.3 - 1.6)	97	_	-	44	1.4	(0.6 - 3.2)	53
5.8	(4.1 - 8.1)	115	4.0	(2.2 - 7.3)	56	7.3	(4.7 - 11.0)	59
4.5	(3.1 - 6.7)	103	5.8	(3.6 - 9.4)	52	3.5	(1.8 - 6.4)	51
1.8	(0.7 - 4.2)	55	_	-	25	-	-	30
-	-	34	_	-		-	-	19
3.4	(2.4 - 4.9)	164	3.3	(2.0 - 5.4)	82	3.6	(2.1 - 5.9)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	3.7  0.9  2.1  7.1  -  0.7  5.8  4.5  1.8  -  3.4	Percentage 95% confidence interval  3.7 (2.9 - 4.7)  0.9 (0.4 - 2.1) 2.1 (1.1 - 3.8) 7.1 (5.2 - 9.6)	Percentage 95% confidence interval 3.7 (2.9 - 4.7) 319  0.9 (0.4 - 2.1) 77 2.1 (1.1 - 3.8) 98 7.1 (5.2 - 9.6) 108 35  0.7 (0.3 - 1.6) 97 5.8 (4.1 - 8.1) 115 4.5 (3.1 - 6.7) 103  1.8 (0.7 - 4.2) 55 - 34 3.4 (2.4 - 4.9) 164 - 14	Percentage       95% confidence interval       N       Percentage         3.7       (2.9 - 4.7)       319       3.5         0.9       (0.4 - 2.1)       77       -         2.1       (1.1 - 3.8)       98       3.8         7.1       (5.2 - 9.6)       108       -         -       -       35       -         0.7       (0.3 - 1.6)       97       -         5.8       (4.1 - 8.1)       115       4.0         4.5       (3.1 - 6.7)       103       5.8         1.8       (0.7 - 4.2)       55       -         -       -       34       -         3.4       (2.4 - 4.9)       164       3.3         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)           0.9         (0.4 - 2.1)         77         -         -         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         - <td< td=""><td>Percentage confidence interval         N confidence confidence interval         N confidence confidence interval         N confidence confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155           0.9         (0.4 - 2.1)         77         -         -         -         33           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52           7.1         (5.2 - 9.6)         108         -         -         -         48           -         -         35         -         -         21           0.7         (0.3 - 1.6)         97         -         -         44           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52           1.8         (0.7 - 4.2)         55         -         -         25           -         -         34         -         -         15           3.4         (2.4 - 4.9)         164         3.3         (2.0 - 5.4)         82           -         -         14         -         -         9     <!--</td--><td>Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0           0.9         (0.4 - 2.1)         77         -         -         33         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4           -         -         35         -         -         44         1.4           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5           1.8         (0.7 - 4.2)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         -         -         15         -           -         -         34         -         -         15         <t< td=""><td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0         (2.8 - 5.5)           0.9         (0.4 - 2.1)         77         -         -         33         -         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4         (6.6 - 13.2)           -         -         35         -         -         21         -         -           0.7         (0.3 - 1.6)         97         -         -         44         1.4         (0.6 - 3.2)           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3         (4.7 - 11.0)           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5         (1.8 - 6.4)           1.8         (0.7 - 4.2)         55         -         -         25         -         -</td></t<></td></td></td<>	Percentage confidence interval         N confidence confidence interval         N confidence confidence interval         N confidence confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155           0.9         (0.4 - 2.1)         77         -         -         -         33           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52           7.1         (5.2 - 9.6)         108         -         -         -         48           -         -         35         -         -         21           0.7         (0.3 - 1.6)         97         -         -         44           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52           1.8         (0.7 - 4.2)         55         -         -         25           -         -         34         -         -         15           3.4         (2.4 - 4.9)         164         3.3         (2.0 - 5.4)         82           -         -         14         -         -         9 </td <td>Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0           0.9         (0.4 - 2.1)         77         -         -         33         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4           -         -         35         -         -         44         1.4           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5           1.8         (0.7 - 4.2)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         -         -         15         -           -         -         34         -         -         15         <t< td=""><td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0         (2.8 - 5.5)           0.9         (0.4 - 2.1)         77         -         -         33         -         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4         (6.6 - 13.2)           -         -         35         -         -         21         -         -           0.7         (0.3 - 1.6)         97         -         -         44         1.4         (0.6 - 3.2)           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3         (4.7 - 11.0)           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5         (1.8 - 6.4)           1.8         (0.7 - 4.2)         55         -         -         25         -         -</td></t<></td>	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0           0.9         (0.4 - 2.1)         77         -         -         33         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4           -         -         35         -         -         44         1.4           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5           1.8         (0.7 - 4.2)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         -         -         15         -           -         -         34         -         -         15 <t< td=""><td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0         (2.8 - 5.5)           0.9         (0.4 - 2.1)         77         -         -         33         -         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4         (6.6 - 13.2)           -         -         35         -         -         21         -         -           0.7         (0.3 - 1.6)         97         -         -         44         1.4         (0.6 - 3.2)           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3         (4.7 - 11.0)           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5         (1.8 - 6.4)           1.8         (0.7 - 4.2)         55         -         -         25         -         -</td></t<>	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.7         (2.9 - 4.7)         319         3.5         (2.5 - 5.0)         155         4.0         (2.8 - 5.5)           0.9         (0.4 - 2.1)         77         -         -         33         -         -           2.1         (1.1 - 3.8)         98         3.8         (2.1 - 7.0)         52         -         -           7.1         (5.2 - 9.6)         108         -         -         48         9.4         (6.6 - 13.2)           -         -         35         -         -         21         -         -           0.7         (0.3 - 1.6)         97         -         -         44         1.4         (0.6 - 3.2)           5.8         (4.1 - 8.1)         115         4.0         (2.2 - 7.3)         56         7.3         (4.7 - 11.0)           4.5         (3.1 - 6.7)         103         5.8         (3.6 - 9.4)         52         3.5         (1.8 - 6.4)           1.8         (0.7 - 4.2)         55         -         -         25         -         -

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN32: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
2.6	(1.9 - 3.4)	314	1.5	(0.8 - 2.7)	150	3.6	(2.6 - 5.0)	163
2.2	(1.2 - 4.1)	77	-	-	33	-	-	44
0.9	(0.4 - 2.0)	97	0.0	-	51	-	-	46
4.3	(2.9 - 6.3)	105	-	-	45	7.1	(4.8 - 10.4)	60
-	-	35	-	-	21	-	-	13
2.4	(1.4 - 4.0)	97	-	-	44	2.7	(1.5 - 5.0)	53
3.8	(2.4 - 5.8)	112	0.0	-	53	6.9	(4.5 - 10.5)	59
1.7	(0.9 - 3.1)	102	2.2	(0.9 - 5.1)	51	1.3	(0.5 - 3.0)	51
1.8	(0.7 - 4.2)	55	-	-	25	_	-	30
-	-	34	-	-	15	-	-	19
0.5	(0.2 - 1.1)	162	0.0	-	80	0.9	(0.4 - 2.1)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	2.6  2.2  0.9  4.3  -  2.4  3.8  1.7  1.8  -  0.5	Percentage 95% confidence interval  2.6 (1.9 - 3.4)  2.2 (1.2 - 4.1) 0.9 (0.4 - 2.0) 4.3 (2.9 - 6.3)	Percentage 95% N confidence interval  2.6 (1.9 - 3.4) 314  2.2 (1.2 - 4.1) 77 0.9 (0.4 - 2.0) 97 4.3 (2.9 - 6.3) 105 35  2.4 (1.4 - 4.0) 97 3.8 (2.4 - 5.8) 112 1.7 (0.9 - 3.1) 102  1.8 (0.7 - 4.2) 55 - 34 0.5 (0.2 - 1.1) 162 - 14	Percentage       95% confidence interval       N       Percentage         2.6       (1.9 - 3.4)       314       1.5         2.2       (1.2 - 4.1)       77       -         0.9       (0.4 - 2.0)       97       0.0         4.3       (2.9 - 6.3)       105       -         -       -       35       -         2.4       (1.4 - 4.0)       97       -         3.8       (2.4 - 5.8)       112       0.0         1.7       (0.9 - 3.1)       102       2.2         1.8       (0.7 - 4.2)       55       -         -       -       34       -         0.5       (0.2 - 1.1)       162       0.0         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           2.6         (1.9 - 3.4)         314         1.5         (0.8 - 2.7)           2.2         (1.2 - 4.1)         77         -         -           0.9         (0.4 - 2.0)         97         0.0         -           4.3         (2.9 - 6.3)         105         -         -           -         -         35         -         -           2.4         (1.4 - 4.0)         97         -         -           3.8         (2.4 - 5.8)         112         0.0         -           1.7         (0.9 - 3.1)         102         2.2         (0.9 - 5.1)           1.8         (0.7 - 4.2)         55         -         -           -         -         34         -         -           0.5         (0.2 - 1.1)         162         0.0         -           -         -         14         -         -	Percentage confidence interval         N confidence interval         N confidence confidence interval         N confidence confidence interval           2.6         (1.9 - 3.4)         314         1.5         (0.8 - 2.7)         150           2.2         (1.2 - 4.1)         77         -         -         33           0.9         (0.4 - 2.0)         97         0.0         -         51           4.3         (2.9 - 6.3)         105         -         -         45           -         -         35         -         -         21           2.4         (1.4 - 4.0)         97         -         -         44           3.8         (2.4 - 5.8)         112         0.0         -         53           1.7         (0.9 - 3.1)         102         2.2         (0.9 - 5.1)         51           1.8         (0.7 - 4.2)         55         -         -         25           -         -         34         -         -         15           0.5         (0.2 - 1.1)         162         0.0         -         80           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           2.6         (1.9 - 3.4)         314         1.5         (0.8 - 2.7)         150         3.6           2.2         (1.2 - 4.1)         77         -         -         33         -           0.9         (0.4 - 2.0)         97         0.0         -         51         -           4.3         (2.9 - 6.3)         105         -         -         45         7.1           -         -         35         -         -         21         -           2.4         (1.4 - 4.0)         97         -         -         44         2.7           3.8         (2.4 - 5.8)         112         0.0         -         53         6.9           1.7         (0.9 - 3.1)         102         2.2         (0.9 - 5.1)         51         1.3           1.8         (0.7 - 4.2)         55         -         -         25         -           -         -         34         -         -         15         -           0.5         (0.2 - 1.1)         162         0.0         -         80	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           2.6         (1.9 - 3.4)         314         1.5         (0.8 - 2.7)         150         3.6         (2.6 - 5.0)           2.2         (1.2 - 4.1)         77         -         -         33         -         -           0.9         (0.4 - 2.0)         97         0.0         -         51         -         -           4.3         (2.9 - 6.3)         105         -         -         45         7.1         (4.8 - 10.4)           -         -         35         -         -         21         -         -           2.4         (1.4 - 4.0)         97         -         -         44         2.7         (1.5 - 5.0)           3.8         (2.4 - 5.8)         112         0.0         -         53         6.9         (4.5 - 10.5)           1.7         (0.9 - 3.1)         102         2.2         (0.9 - 5.1)         51         1.3         (0.5 - 3.0)           1.8         (0.7 - 4.2)         55         -         -         25         -         -

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

## **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN33: Percentage of students who ever took steroids without a doctor's prescription (pills or shots)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	1.9	(1.4 - 2.6)	315	1.1	(0.6 - 2.0)	152	2.7	(1.8 - 3.9)	162
Age									
11 or younger	0.9	(0.4 - 2.1)	77	-	-	33	-	-	44
12	0.0	-	97	0.0	-	51	-	-	46
13	3.3	(2.1 - 5.1)	105	-	-	46	4.3	(2.6 - 7.1)	59
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	0.7	(0.3 - 1.7)	96	_	-	43	1.4	(0.6 - 3.2)	53
7th	1.9	(1.0 - 3.6)	113	0.0	-	55	3.7	(2.0 - 6.7)	58
8th	2.5	(1.5 - 4.1)	102	1.9	(0.8 - 4.4)	51	3.0	(1.6 - 5.6)	51
Race/Ethnicity									
Black*	1.8	(0.7 - 4.2)	55	-	-	25	-	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	1.1	(0.6 - 2.1)	161	1.1	(0.5 - 2.6)	80	1.2	(0.5 - 2.8)	81
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN34: Percentage of students who ever had sexual intercourse

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.7	(5.5 - 8.2)	277	8.2	( 6.2 - 10.7 )	126	5.6	(4.2 - 7.4)	151
Age									
11 or younger	1.8	(0.7 - 4.1)	70	-	-	28	-	-	42
12	5.0	(3.2 - 7.6)	83	-	-	41	-	-	42
13	10.7	(8.1 - 13.8)	91	-	-	36	8.7	(5.9 - 12.6)	55
14 or older	-	-	32	-	-	20	-	-	12
Grade									
6th	3.4	(2.0 - 5.6)	88	-	-	38	1.4	(0.6 - 3.4)	50
7th	5.4	(3.6 - 7.8)	97	-	-	44	6.0	(3.6 - 9.7)	53
8th	11.0	(8.4 - 14.2)	91	-	-	43	-	-	48
Race/Ethnicity									
Black*	-	-	47	_	-	19	-	-	28
Hispanic/Latino	-	-	29	-	-	11	-	-	18
White*	4.6	(3.3 - 6.3)	146	4.5	(2.7 - 7.3)	67	4.7	(3.0 - 7.1)	79
All other races*	-	-	12	-	-	9	-	-	3
Multiple races*	-	-	22	-	-	8	-	-	14

Note: 45 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN35: Percentage of students who had sexual intercourse for the first time before age 11 years

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.3	(1.6 - 3.2)	277	2.9	(1.8 - 4.8)	126	1.8	(1.1 - 2.9)	151
Age									
11 or younger	1.8	(0.8 - 4.2)	69	-	-	28	-	-	41
12	6.2	(4.2 - 9.0)	84	-	-	41	-	-	43
13	0.0	-	93	-	-	38	0.0	-	55
14 or older	-	-	30	-	-	18	-	-	12
Grade									
6th	3.4	(2.1 - 5.7)	87	-	-	38	-	-	49
7th	3.3	(2.0 - 5.4)	99	-	-	45	4.0	(2.2 - 7.3)	54
8th	0.0	-	90	-	-	42	-	-	48
Race/Ethnicity									
Black*	-	-	47	-	-	19	-	-	28
Hispanic/Latino	-	-	29	-	-	11	-	-	18
White*	1.5	(0.8 - 2.8)	146	3.3	(1.8 - 6.0)	68	0.0	-	78
All other races*	-	-	11	-	-	8	-	-	3
Multiple races*	-	-	22	-	-	8	-	-	14

Note: 45 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN36: Percentage of students who ever had sexual intercourse with three or more persons

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	0.7	(0.4 - 1.3)	279	0.9	(0.4 - 2.1)	127	0.5	(0.2 - 1.2)	152
Age									
11 or younger	0.0	-	70	-	-	28	-	-	42
12	0.0	-	85	-	-	42	-	-	43
13	2.1	(1.1 - 3.9)	93	-	-	38	1.3	(0.6 - 3.2)	55
14 or older	-	-	30	-	-	18	-	-	12
Grade									
6th	0.0	-	88	_	-	38	0.0	-	50
7th	0.9	(0.4 - 2.1)	99	-	-	45	1.6	(0.7 - 3.7)	54
8th	1.2	(0.5 - 2.9)	91	-	-	43	-	-	48
Race/Ethnicity									
Black*	-	-	47	-	-	19	-	-	28
Hispanic/Latino	-	-	29	-	-	11	-	-	18
White*	0.5	(0.2 - 1.2)	148	0.0	-	69	0.9	(0.4 - 2.2)	79
All other races*	-	-	11	-	-	8	-	-	3
Multiple races*	-	-	22	-	-	8	-	-	14

Note: 43 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN37: Percentage of students who used a condom during last sexual intercourse (among students who ever had sexual intercourse)

	Total			Male	Female				
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	19	-	-	10	-	-	9
Age									
11 or younger	-	-	1	-	-	1	-	-	0
12	-	-	4	-	-	2	-	-	2
13	-	-	10	-	-	5	-	-	5
14 or older	-	-	4	-	-	2	-	-	2
Grade									
6th	-	-	3	-	-	2	-	-	1
7th	-	-	5	-	-	2	-	-	3
8th	-	-	10	-	-	5	-	-	5
Race/Ethnicity									
Black*	-	-	7	-	-	4	_	-	3
Hispanic/Latino	-	-	2	-	-	0	-	-	2
White*	-	-	7	-	-	3	-	-	4
All other races*	-	-	1	-	-	1	-	-	0
Multiple races*	-	-	1	-	-	1	-	-	0

Note: 303 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN38: Percentage of students who described themselves as slightly or very overweight

Total		Male			Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
26.3	( 24.2 - 28.6 )	311	26.9	( 23.8 - 30.3 )	151	25.3	( 22.4 - 28.5 )	159
28.2	(23.9 - 32.9)	77	-	-	33	-	-	44
25.6	(21.9 - 29.8)	96	26.8	(21.6 - 32.6)	51	-	-	45
29.1	( 25.3 - 33.2 )	103	-	-	46	26.4	(21.6 - 31.8)	57
-	-	35	-	-	21	-	-	13
27.3	(23.5 - 31.4)	98	-	-	45	27.2	(22.2 - 32.9)	53
29.6	(25.8 - 33.6)	107	30.3	(25.0 - 36.1)	52	28.9	(23.9 - 34.6)	55
22.0	(18.6 - 25.9)	103	24.1	(19.2 - 29.8)	52	20.2	(15.7 - 25.7)	51
24.2	( 19.4 - 29.7 )	55	-	-	25	-	_	30
-	<u>-</u>	32	-	-	14	-	-	18
28.7	(25.6 - 32.0)	159	30.7	( 26.3 - 35.5 )	80	26.7	(22.6 - 31.3)	79
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	26.3  28.2  25.6  29.1	Percentage 95% confidence interval  26.3 (24.2 - 28.6)  28.2 (23.9 - 32.9) 25.6 (21.9 - 29.8) 29.1 (25.3 - 33.2)	Percentage 95% N confidence interval 26.3 (24.2 - 28.6) 311  28.2 (23.9 - 32.9) 77 25.6 (21.9 - 29.8) 96 29.1 (25.3 - 33.2) 103 35  27.3 (23.5 - 31.4) 98 29.6 (25.8 - 33.6) 107 22.0 (18.6 - 25.9) 103  24.2 (19.4 - 29.7) 55 - 32 28.7 (25.6 - 32.0) 159 - 14	Percentage       95% confidence interval       N       Percentage         26.3       (24.2 - 28.6)       311       26.9         28.2       (23.9 - 32.9)       77       -         25.6       (21.9 - 29.8)       96       26.8         29.1       (25.3 - 33.2)       103       -         -       -       35       -         27.3       (23.5 - 31.4)       98       -         29.6       (25.8 - 33.6)       107       30.3         22.0       (18.6 - 25.9)       103       24.1         24.2       (19.4 - 29.7)       55       -         -       -       32       -         28.7       (25.6 - 32.0)       159       30.7         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)           28.2         (23.9 - 32.9)         77         -         -           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)           29.1         (25.3 - 33.2)         103         -         -           -         -         35         -         -           27.3         (23.5 - 31.4)         98         -         -           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)           24.2         (19.4 - 29.7)         55         -         -           -         -         32         -         -           28.7         (25.6 - 32.0)         159         30.7         (26.3 - 35.5)           -         -         -         -         -	Percentage confidence interval         N confidence interval         N confidence confidence interval         N confidence confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)         151           28.2         (23.9 - 32.9)         77         -         -         33           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)         51           29.1         (25.3 - 33.2)         103         -         -         46           -         -         35         -         -         21           27.3         (23.5 - 31.4)         98         -         -         45           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)         52           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)         52           24.2         (19.4 - 29.7)         55         -         -         25           -         -         32         -         -         14           28.7         (25.6 - 32.0)         159         30.7         (26.3 - 35.5)         80           -         -         14         -         -         9 <td>Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)         151         25.3           28.2         (23.9 - 32.9)         77         -         -         33         -           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)         51         -           29.1         (25.3 - 33.2)         103         -         -         46         26.4           -         -         35         -         -         21         -           27.3         (23.5 - 31.4)         98         -         -         45         27.2           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)         52         28.9           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)         52         20.2           24.2         (19.4 - 29.7)         55         -         -         25         -           -         -         32         -         -         14         -           28.7         (25.6 - 32.0)         159</td> <td>Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)         151         25.3         (22.4 - 28.5)           28.2         (23.9 - 32.9)         77         -         -         33         -         -           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)         51         -         -           29.1         (25.3 - 33.2)         103         -         -         46         26.4         (21.6 - 31.8)           -         -         35         -         -         45         27.2         (22.2 - 32.9)           27.3         (23.5 - 31.4)         98         -         -         45         27.2         (22.2 - 32.9)           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)         52         28.9         (23.9 - 34.6)           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)         52         20.2         (15.7 - 25.7)           24.2         (19.4 - 29.7)         55         -         -         25         -         -     <!--</td--></td>	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)         151         25.3           28.2         (23.9 - 32.9)         77         -         -         33         -           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)         51         -           29.1         (25.3 - 33.2)         103         -         -         46         26.4           -         -         35         -         -         21         -           27.3         (23.5 - 31.4)         98         -         -         45         27.2           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)         52         28.9           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)         52         20.2           24.2         (19.4 - 29.7)         55         -         -         25         -           -         -         32         -         -         14         -           28.7         (25.6 - 32.0)         159	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           26.3         (24.2 - 28.6)         311         26.9         (23.8 - 30.3)         151         25.3         (22.4 - 28.5)           28.2         (23.9 - 32.9)         77         -         -         33         -         -           25.6         (21.9 - 29.8)         96         26.8         (21.6 - 32.6)         51         -         -           29.1         (25.3 - 33.2)         103         -         -         46         26.4         (21.6 - 31.8)           -         -         35         -         -         45         27.2         (22.2 - 32.9)           27.3         (23.5 - 31.4)         98         -         -         45         27.2         (22.2 - 32.9)           29.6         (25.8 - 33.6)         107         30.3         (25.0 - 36.1)         52         28.9         (23.9 - 34.6)           22.0         (18.6 - 25.9)         103         24.1         (19.2 - 29.8)         52         20.2         (15.7 - 25.7)           24.2         (19.4 - 29.7)         55         -         -         25         -         - </td

Note: 11 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN39: Percentage of students who were trying to lose weight

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	48.8	(46.3 - 51.4)	313	41.8	( 38.3 - 45.4 )	151	55.5	( 52.0 - 58.9 )	161
Age									
11 or younger	47.9	(43.0 - 53.0)	77	-	-	33	-	-	44
12	42.6	(38.2 - 47.1)	95	34.4	( 28.7 - 40.5 )	51	-	-	44
13	61.4	(57.2 - 65.5)	106	-	-	46	63.3	( 57.6 - 68.6 )	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	45.8	(41.4 - 50.2)	98	-	-	45	50.9	(44.8 - 56.9)	53
7th	51.6	(47.4 - 55.7)	111	44.2	( 38.4 - 50.2 )	54	58.2	(52.4 - 63.8)	57
8th	50.1	( 45.8 - 54.5 )	101	40.6	( 34.7 - 46.8 )	50	57.8	(51.6 - 63.8)	51
Race/Ethnicity									
Black*	52.3	(46.4 - 58.2)	56	-	-	26	-	-	30
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	46.0	( 42.5 - 49.5 )	159	41.1	( 36.3 - 46.2 )	78	50.5	(45.6 - 55.4)	81
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 9 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN40: Percentage of students who did not eat breakfast (during the 7 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.3	(5.3 - 7.6)	314	4.5	(3.3 - 6.0)	153	7.5	(5.9 - 9.4)	160
Age									
11 or younger	5.5	(3.7 - 8.1)	75	-	-	33	-	-	42
12	5.5	(3.9 - 7.8)	97	5.6	(3.4 - 9.0)	51	-	-	46
13	5.3	(3.7 - 7.5)	106	-	-	47	5.2	(3.1 - 8.4)	59
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	4.3	(2.9 - 6.3)	96	-	-	44	6.9	(4.5 - 10.6)	52
7th	6.3	(4.6 - 8.7)	112	5.8	(3.5 - 9.4)	55	6.8	(4.4 - 10.3)	57
8th	7.7	(5.8 - 10.2)	103	6.6	(4.3 - 10.0)	52	8.6	(5.8 - 12.5)	51
Race/Ethnicity									
Black*	3.5	(1.9 - 6.3)	55	-	-	25	_	_	30
Hispanic/Latino	-	-	32	-	-	14	-	-	18
White*	5.3	(3.9 - 7.0)	162	3.1	(1.9 - 5.1)	81	7.3	(5.2 - 10.3)	81
All other races*	-	-	12	-	-	8	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 8 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.8	( 35.4 - 40.3 )	314	42.8	( 39.2 - 46.4 )	153	33.5	( 30.3 - 36.9 )	160
Age									
11 or younger	42.0	(37.1 - 47.1)	75	-	-	33	-	-	42
12	45.3	(40.8 - 49.8)	97	42.7	( 36.6 - 48.9 )	51	-	-	46
13	30.3	( 26.5 - 34.4 )	106	-	-	47	19.0	( 14.9 - 23.9 )	59
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	39.7	( 35.4 - 44.2 )	96	-	-	44	44.3	(38.4 - 50.4)	52
7th	43.5	(39.4 - 47.6)	112	53.8	(47.9 - 59.6)	55	34.2	( 28.9 - 40.0 )	57
8th	30.5	( 26.6 - 34.6 )	103	40.6	( 34.8 - 46.7 )	52	22.0	(17.3 - 27.6)	51
Race/Ethnicity									
Black*	44.2	(38.3 - 50.1)	55	-	-	25	-	-	30
Hispanic/Latino	-	-	32	-	-	14	-	-	18
White*	34.0	( 30.9 - 37.4 )	162	39.7	( 35.0 - 44.5 )	81	28.6	( 24.4 - 33.2 )	81
All other races*	-	-	12	-	-	8	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 8 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN41: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	66.7	( 64.3 - 69.0 )	312	67.4	( 63.8 - 70.7 )	149	66.5	( 63.2 - 69.7 )	162
Age									
11 or younger	67.6	(62.6 - 72.2)	76	_	-	32	_	-	44
12	62.1	(57.6 - 66.4)	96	70.5	(64.6 - 75.8)	51	-	-	45
13	67.4	(63.2 - 71.2)	105	-	-	45	66.8	(61.3 - 71.8)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	67.3	(62.9 - 71.4)	96	-	-	43	68.3	(62.4 - 73.7)	53
7th	58.8	(54.7 - 62.8)	113	65.8	(60.0 - 71.2)	55	52.6	(46.9 - 58.3)	58
8th	74.6	(70.6 - 78.2)	100	-	-	49	77.6	(72.1 - 82.2)	51
Race/Ethnicity									
Black*	58.1	(52.1 - 63.9)	53	-	-	24	_	-	29
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	71.5	(68.2 - 74.5)	162	73.3	(68.6 - 77.5)	80	69.7	(65.1 - 73.9)	82
All other races*	-	-	12	-	-	7	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 10 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	13.0	( 11.4 - 14.9 )	312	12.4	( 10.1 - 15.1 )	149	13.1	( 10.9 - 15.6 )	162
Age									
11 or younger	14.7	(11.4 - 18.9)	76	-	-	32	_	-	44
12	13.6	(10.8 - 17.1)	96	8.2	(5.2 - 12.8)	51	-	-	45
13	10.2	(7.9 - 13.1)	105	-	-	45	11.1	(8.1 - 15.1)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	14.0	(11.0 - 17.6)	96	-	-	43	10.8	(7.4 - 15.4)	53
7th	15.6	(12.8 - 18.9)	113	7.2	(4.7 - 10.9)	55	23.1	(18.5 - 28.4)	58
8th	8.7	(6.6 - 11.5)	100	-	-	49	6.1	(3.7 - 9.9)	51
Race/Ethnicity									
Black*	13.9	(10.1 - 18.8)	53	-	-	24	_	-	29
Hispanic/Latino	-	-	33	-	-	14	-	-	19
White*	10.4	(8.4 - 12.7)	162	10.4	(7.7 - 14.0)	80	10.3	(7.7 - 13.5)	82
All other races*	-	-	12	-	-	7	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 10 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	38.0	( 35.6 - 40.4 )	312	42.2	(38.6 - 45.8)	149	34.5	(31.2 - 37.8)	162
Age									
11 or younger	40.6	(35.8 - 45.7)	76	-	-	32	-	-	44
12	35.2	(31.0 - 39.7)	96	45.5	(39.3 - 51.8)	51	-	-	45
13	33.3	(29.4 - 37.5)	105	-	-	45	31.2	(26.1 - 36.7)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	39.2	( 34.9 - 43.6 )	96	-	-	43	37.8	( 32.1 - 43.8 )	53
7th	34.8	(31.0 - 38.9)	113	38.3	( 32.8 - 44.2 )	55	31.7	(26.6 - 37.3)	58
8th	39.9	( 35.6 - 44.2 )	100	-	-	49	33.7	( 28.1 - 39.7 )	51
Race/Ethnicity									
Black*	30.8	( 25.4 - 36.6 )	53	-	-	24	-	-	29
Hispanic/Latino	-	<u>-</u>	33	-	-	14	-	-	19
White*	40.6	( 37.2 - 44.1 )	162	46.4	(41.5 - 51.4)	80	35.1	( 30.6 - 39.9 )	82
All other races*	-	-	12	-	-	7	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 10 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN42: Percentage of students who watched television 3 or more hours per day (on an average school day)

Total		Male			Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
24.2	( 22.1 - 26.4 )	312	21.9	( 19.1 - 25.0 )	152	25.8	( 22.8 - 29.1 )	159
16.9	(13.3 - 21.1)	75	-	-	33	-	-	42
26.4	(22.6 - 30.6)	97	31.4	(25.9 - 37.4)	51	-	-	46
28.7	( 24.9 - 32.9 )	105	-	-	47	34.4	( 29.1 - 40.1 )	58
-	-	34	-	-	20	-	-	13
18.1	(14.9 - 21.8)	97	-	-	45	19.5	(14.9 - 25.0)	52
24.8	(21.4 - 28.7)	111	27.2	(22.1 - 32.9)	54	22.8	(18.2 - 28.2)	57
30.0	( 26.1 - 34.3 )	101	23.9	(19.1 - 29.6)	51	35.2	(29.4 - 41.3)	50
42.3	( 36.5 - 48.3 )	55	_	-	25	_	_	30
-	<u>-</u>	32	-	-	14	-	-	18
20.7	(18.0 - 23.7)	161	14.0	(11.0 - 17.7)	81	27.3	(23.1 - 32.0)	80
-	-	12	-	-	7	-	-	5
-	-	25	-	-	9	-	-	15
	24.2  16.9  26.4  28.7  -  18.1  24.8  30.0  42.3  -  20.7	Percentage 95% confidence interval  24.2 (22.1 - 26.4)  16.9 (13.3 - 21.1) 26.4 (22.6 - 30.6) 28.7 (24.9 - 32.9)	Percentage 95% confidence interval 312  24.2 (22.1 - 26.4) 312  16.9 (13.3 - 21.1) 75 26.4 (22.6 - 30.6) 97 28.7 (24.9 - 32.9) 105 34  18.1 (14.9 - 21.8) 97 24.8 (21.4 - 28.7) 111 30.0 (26.1 - 34.3) 101  42.3 (36.5 - 48.3) 55 - 32 20.7 (18.0 - 23.7) 161 - 12	Percentage       95% confidence interval       N       Percentage         24.2       (22.1 - 26.4)       312       21.9         16.9       (13.3 - 21.1)       75       -         26.4       (22.6 - 30.6)       97       31.4         28.7       (24.9 - 32.9)       105       -         -       -       34       -         18.1       (14.9 - 21.8)       97       -         24.8       (21.4 - 28.7)       111       27.2         30.0       (26.1 - 34.3)       101       23.9         42.3       (36.5 - 48.3)       55       -         -       -       32       -         20.7       (18.0 - 23.7)       161       14.0         -       -       12       -	Percentage         95% confidence interval         N         Percentage confidence interval           24.2         (22.1 - 26.4)         312         21.9         (19.1 - 25.0)           16.9         (13.3 - 21.1)         75         -         -           26.4         (22.6 - 30.6)         97         31.4         (25.9 - 37.4)           28.7         (24.9 - 32.9)         105         -         -           -         -         34         -         -           24.8         (21.4 - 28.7)         111         27.2         (22.1 - 32.9)           30.0         (26.1 - 34.3)         101         23.9         (19.1 - 29.6)           42.3         (36.5 - 48.3)         55         -         -           -         -         32         -         -           20.7         (18.0 - 23.7)         161         14.0         (11.0 - 17.7)           -         -         12         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           24.2         (22.1 - 26.4)         312         21.9         (19.1 - 25.0)         152           16.9         (13.3 - 21.1)         75         -         -         33           26.4         (22.6 - 30.6)         97         31.4         (25.9 - 37.4)         51           28.7         (24.9 - 32.9)         105         -         -         47           -         -         34         -         -         20           18.1         (14.9 - 21.8)         97         -         -         45           24.8         (21.4 - 28.7)         111         27.2         (22.1 - 32.9)         54           30.0         (26.1 - 34.3)         101         23.9         (19.1 - 29.6)         51           42.3         (36.5 - 48.3)         55         -         -         25           -         -         32         -         -         14           20.7         (18.0 - 23.7)         161         14.0         (11.0 - 17.7)         81           -         -         -         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           24.2         (22.1 - 26.4)         312         21.9         (19.1 - 25.0)         152         25.8           16.9         (13.3 - 21.1)         75         -         -         33         -           26.4         (22.6 - 30.6)         97         31.4         (25.9 - 37.4)         51         -           28.7         (24.9 - 32.9)         105         -         -         47         34.4           -         -         34         -         -         20         -           18.1         (14.9 - 21.8)         97         -         -         45         19.5           24.8         (21.4 - 28.7)         111         27.2         (22.1 - 32.9)         54         22.8           30.0         (26.1 - 34.3)         101         23.9         (19.1 - 29.6)         51         35.2           42.3         (36.5 - 48.3)         55         -         -         25         -           -         -         32         -         -         14         -           20.7         (18.0 - 23.7)         161	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           24.2         (22.1 - 26.4)         312         21.9         (19.1 - 25.0)         152         25.8         (22.8 - 29.1)           16.9         (13.3 - 21.1)         75         -         -         33         -         -           26.4         (22.6 - 30.6)         97         31.4         (25.9 - 37.4)         51         -         -           28.7         (24.9 - 32.9)         105         -         -         47         34.4         (29.1 - 40.1)           -         -         34         -         -         45         19.5         (14.9 - 25.0)           24.8         (21.4 - 28.7)         111         27.2         (22.1 - 32.9)         54         22.8         (18.2 - 28.2)           30.0         (26.1 - 34.3)         101         23.9         (19.1 - 29.6)         51         35.2         (29.4 - 41.3)           42.3         (36.5 - 48.3)         55         -         -         25         -         -           20.7         (18.0 - 23.7)         161         14.0         (11.0 - 17.7)         81         27.3         (23.1 - 3

Note: 10 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# Maryland Middle School Survey Kent County Summary Tables - Weighted Data

QN43: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, for something that was not school work, on an average school day)

	Total			Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	45.1	( 42.6 - 47.6 )	310	42.7	( 39.1 - 46.3 )	150	47.0	( 43.5 - 50.5 )	159	
Age										
11 or younger	41.2	( 36.3 - 46.3 )	75	-	-	32	_	-	43	
12	46.5	(42.0 - 51.1)	94	43.6	( 37.4 - 49.9 )	50	-	-	44	
13	45.0	(40.8 - 49.3)	106	-	-	47	51.7	(45.9 - 57.4)	59	
14 or older	-	-	34	-	-	20	-	-	13	
Grade										
6th	40.9	( 36.5 - 45.3 )	97	-	-	44	39.1	( 33.4 - 45.2 )	53	
7th	49.4	(45.2 - 53.7)	109	46.2	(40.3 - 52.3)	53	52.3	(46.4 - 58.1)	56	
8th	45.8	(41.5 - 50.3)	101	40.6	( 34.8 - 46.8 )	51	50.2	( 44.0 - 56.4 )	50	
Race/Ethnicity										
Black*	59.5	(53.5 - 65.2)	54	-	-	24	-	-	30	
Hispanic/Latino	-	-	32	-	-	14	-	-	18	
White*	39.3	(35.9 - 42.7)	161	36.8	( 32.2 - 41.7 )	80	41.6	( 36.9 - 46.5 )	81	
All other races*	-	-	12	-	-	7	-	-	5	
Multiple races*	-	-	24	-	-	9	-	-	14	

Note: 12 students were excluded from this analysis.

N = Number of students in this subgroup.

<sup>- =</sup> Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN44: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

	Total			Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	97.1	( 96.1 - 97.8 )	304	95.5	( 93.8 - 96.8 )	144	98.4	( 97.3 - 99.0 )	159	
Age										
11 or younger	98.6	( 96.8 - 99.4 )	73	-	-	31	_	-	42	
12	95.6	(93.6 - 97.0)	94	-	-	49	-	-	45	
13	96.9	( 95.0 - 98.1 )	104	-	-	45	98.2	(95.8 - 99.2)	59	
14 or older	-	-	32	-	-	18	-	-	13	
Grade										
6th	98.9	( 97.5 - 99.6 )	94	-	-	42	100.0	()	52	
7th	95.7	(93.7 - 97.1)	109	96.6	(93.9 - 98.2)	52	94.9	(91.7 - 96.9)	57	
8th	96.2	(94.2 - 97.6)	98	-	-	48	100.0	()	50	
Race/Ethnicity										
Black*	98.1	(95.6 - 99.2)	52	-	_	22	_	-	30	
Hispanic/Latino	-	<u>-</u>	31	-	-	13	-	-	18	
White*	97.4	(96.1 - 98.2)	159	95.5	(93.2 - 97.1)	77	99.0	( 97.7 - 99.6 )	82	
All other races*	-	-	13	-	-	8	-	-	5	
Multiple races*	-	-	23	-	-	8	-	-	14	

Note: 18 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	94.0	( 92.8 - 95.0 )	304	91.6	(89.5 - 93.3)	144	96.0	(94.5 - 97.1)	159
Age									
11 or younger	97.7	(95.8 - 98.8)	73	-	-	31	-	-	42
12	93.3	(90.8 - 95.2)	94	-	-	49	-	-	45
13	92.9	(90.5 - 94.8)	104	-	-	45	96.5	(93.7 - 98.1)	59
14 or older	-	-	32	-	-	18	-	-	13
Grade									
6th	98.2	(96.7 - 99.0)	94	-	-	42	98.6	(96.7 - 99.4)	52
7th	91.8	(89.1 - 93.8)	109	95.0	(91.9 - 97.0)	52	89.0	(84.7 - 92.2)	57
8th	92.1	(89.5 - 94.0)	98	-	-	48	100.0	()	50
Race/Ethnicity									
Black*	98.1	(95.6 - 99.2)	52	_	-	22	_	-	30
Hispanic/Latino	-	<u>-</u>	31	-	-	13	-	-	18
White*	94.4	(92.7 - 95.7)	159	92.0	(89.1 - 94.2)	77	96.6	(94.4 - 97.9)	82
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	23	-	-	8	-	-	14

Note: 18 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN45: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the past 12 months before the survey)

	Total			Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	55.4	( 52.8 - 57.9 )	307	59.8	( 56.1 - 63.3 )	146	51.8	(48.3 - 55.3)	160	
Age										
11 or younger	55.1	(50.0 - 60.1)	74	-	-	32	_	-	42	
12	54.2	(49.6 - 58.7)	95	-	-	49	-	-	46	
13	61.4	(57.0 - 65.5)	104	-	-	45	55.1	(49.3 - 60.7)	59	
14 or older	-	-	33	-	-	19	-	-	13	
Grade										
6th	57.1	(52.5 - 61.5)	95	-	-	43	55.2	(49.0 - 61.2)	52	
7th	53.5	(49.3 - 57.7)	110	58.8	(52.7 - 64.7)	52	49.1	(43.3 - 54.8)	58	
8th	55.8	(51.4 - 60.2)	99	-	-	49	51.0	( 44.8 - 57.1 )	50	
Race/Ethnicity										
Black*	53.2	(47.2 - 59.2)	53	-	-	23	_	-	30	
Hispanic/Latino	-	<u>-</u>	31	-	-	13	-	-	18	
White*	65.0	(61.6 - 68.2)	162	68.3	(63.5 - 72.8)	80	61.8	(57.0 - 66.4)	82	
All other races*	-	-	13	-	-	8	-	-	5	
Multiple races*	-	-	23	-	-	7	-	-	15	

Note: 15 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN46: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	16.7	( 14.9 - 18.7 )	312	18.5	( 15.9 - 21.6 )	151	15.1	(12.8 - 17.8)	160
Age									
11 or younger	14.1	(11.0 - 18.0)	75	-	-	33	-	-	42
12	17.4	(14.2 - 21.3)	97	19.3	(14.6 - 25.0)	51	-	-	46
13	15.6	(12.7 - 19.0)	105	-	-	46	16.4	(12.5 - 21.3)	59
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	16.3	(13.3 - 19.9)	97	-	-	45	16.1	(12.2 - 21.0)	52
7th	18.0	(15.0 - 21.5)	112	19.1	(14.8 - 24.3)	54	17.1	(13.1 - 22.1)	58
8th	15.6	(12.7 - 19.0)	100	19.6	(15.2 - 25.0)	50	12.2	(8.7 - 16.9)	50
Race/Ethnicity									
Black*	12.6	(9.1 - 17.1)	55	-	-	25	_	-	30
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18
White*	15.4	(13.0 - 18.1)	162	15.9	(12.5 - 20.0)	80	14.9	(11.7 - 18.7)	82
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	24	-	-	8	-	-	15

Note: 10 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN47: Percentage of students who had ever been told by a doctor or nurse that they had asthma

Total			Male		Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
21.8	( 19.7 - 23.9 )	305	24.0	(21.0 - 27.3)	146	19.9	( 17.2 - 22.9 )	158
21.8	(17.8 - 26.5)	73	-	-	32	-	-	41
10.1	(7.7 - 13.1)	95	13.2	(9.6 - 18.0)	50	-	-	45
30.8	( 26.9 - 34.9 )	102	-	-	43	29.6	( 24.6 - 35.2 )	59
-	-	34	-	-	20	-	-	13
18.9	(15.6 - 22.8)	94	-	-	43	15.9	(11.8 - 20.9)	51
20.0	(16.8 - 23.5)	110	21.7	(17.2 - 27.0)	53	18.5	(14.3 - 23.5)	57
27.0	(23.2 - 31.2)	99	-	-	49	25.3	(20.2 - 31.2)	50
36.2	( 30.6 - 42.3 )	52	-	-	23	_	-	29
-	-	32	-	-	14	-	-	18
16.5	(14.0 - 19.3)	160	20.6	(16.8 - 25.0)	79	12.6	(9.7 - 16.3)	81
-	-	13	-	-	8	-	-	5
-	-	24	-	-	8	-	-	15
	21.8 21.8 10.1 30.8 - 18.9 20.0 27.0 36.2 - 16.5	Percentage 95% confidence interval  21.8 (19.7 - 23.9)  21.8 (17.8 - 26.5) 10.1 (7.7 - 13.1) 30.8 (26.9 - 34.9)	Percentage 95% confidence interval 21.8 (19.7 - 23.9) 305  21.8 (17.8 - 26.5) 73 10.1 (7.7 - 13.1) 95 30.8 (26.9 - 34.9) 102 34  18.9 (15.6 - 22.8) 94 20.0 (16.8 - 23.5) 110 27.0 (23.2 - 31.2) 99  36.2 (30.6 - 42.3) 52 - 32 16.5 (14.0 - 19.3) 160 - 13	Percentage       95% confidence interval       N       Percentage         21.8       (19.7 - 23.9)       305       24.0         21.8       (17.8 - 26.5)       73       -         10.1       (7.7 - 13.1)       95       13.2         30.8       (26.9 - 34.9)       102       -         -       -       34       -         18.9       (15.6 - 22.8)       94       -         20.0       (16.8 - 23.5)       110       21.7         27.0       (23.2 - 31.2)       99       -         36.2       (30.6 - 42.3)       52       -         -       -       32       -         16.5       (14.0 - 19.3)       160       20.6         -       -       13       -	Percentage         95% confidence interval         N         Percentage confidence interval           21.8         (19.7 - 23.9)         305         24.0         (21.0 - 27.3)           21.8         (17.8 - 26.5)         73         -         -           10.1         (7.7 - 13.1)         95         13.2         (9.6 - 18.0)           30.8         (26.9 - 34.9)         102         -         -           -         -         34         -         -           18.9         (15.6 - 22.8)         94         -         -           20.0         (16.8 - 23.5)         110         21.7         (17.2 - 27.0)           27.0         (23.2 - 31.2)         99         -         -           36.2         (30.6 - 42.3)         52         -         -           -         -         32         -         -           -         -         32         -         -           -         -         32         -         -           -         -         32         -         -           -         -         32         -         -           -         -         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           21.8         (19.7 - 23.9)         305         24.0         (21.0 - 27.3)         146           21.8         (17.8 - 26.5)         73         -         -         32           10.1         (7.7 - 13.1)         95         13.2         (9.6 - 18.0)         50           30.8         (26.9 - 34.9)         102         -         -         43           -         -         34         -         -         20           18.9         (15.6 - 22.8)         94         -         -         43           20.0         (16.8 - 23.5)         110         21.7         (17.2 - 27.0)         53           27.0         (23.2 - 31.2)         99         -         -         -         49           36.2         (30.6 - 42.3)         52         -         -         23           -         -         32         -         -         14           16.5         (14.0 - 19.3)         160         20.6         (16.8 - 25.0)         79           -         -         13         -         -         8	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           21.8         (19.7 - 23.9)         305         24.0         (21.0 - 27.3)         146         19.9           21.8         (17.8 - 26.5)         73         -         -         32         -           10.1         (7.7 - 13.1)         95         13.2         (9.6 - 18.0)         50         -           30.8         (26.9 - 34.9)         102         -         -         43         29.6           -         -         34         -         -         20         -           18.9         (15.6 - 22.8)         94         -         -         43         15.9           20.0         (16.8 - 23.5)         110         21.7         (17.2 - 27.0)         53         18.5           27.0         (23.2 - 31.2)         99         -         -         49         25.3           36.2         (30.6 - 42.3)         52         -         -         23         -           -         -         32         -         -         14         -           16.5         (14.0 - 19.3)         160         20.6<	Percentage confidence interval         N percentage confidence interval         95% confidence interval         N percentage confidence interval         95% confidence interval           21.8         (19.7 - 23.9)         305         24.0         (21.0 - 27.3)         146         19.9         (17.2 - 22.9)           21.8         (17.8 - 26.5)         73         -         -         32         -         -           10.1         (7.7 - 13.1)         95         13.2         (9.6 - 18.0)         50         -         -           30.8         (26.9 - 34.9)         102         -         -         43         29.6         (24.6 - 35.2)           -         -         34         -         -         43         15.9         (11.8 - 20.9)           20.0         (16.8 - 23.5)         110         21.7         (17.2 - 27.0)         53         18.5         (14.3 - 23.5)           27.0         (23.2 - 31.2)         99         -         -         49         25.3         (20.2 - 31.2)           36.2         (30.6 - 42.3)         52         -         -         23         -         -           -         -         32         -         -         14         -         -

Note: 17 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN48: Percentage of students who got 8 or more hours of sleep (on an average school night)

Age       11 or younger     52.8     (47.7 - 57.9)     73     -     -     32     -     -     -     41       12     55.6     (51.0 - 60.0)     96     53.6     (47.2 - 59.8)     50     -     -     -     46		Total		Male			Female			
Age       11 or younger     52.8     (47.7 - 57.9)     73     -     -     32     -     -     -     41       12     55.6     (51.0 - 60.0)     96     53.6     (47.2 - 59.8)     50     -     -     -     46		Percentage	confidence	N	Percentage	confidence	N	Percentage	confidence	N
11 or younger 52.8 (47.7 - 57.9) 73 32 41 12 55.6 (51.0 - 60.0) 96 53.6 (47.2 - 59.8) 50 46	Total	47.0	( 44.5 - 49.5 )	309	49.5	( 45.8 - 53.1 )	149	45.1	(41.6 - 48.6)	159
12 55.6 (51.0 - 60.0) 96 53.6 (47.2 - 59.8) 50 46	Age									
12 55.6 (51.0 - 60.0) 96 53.6 (47.2 - 59.8) 50 46	11 or younger	52.8	(47.7 - 57.9)	73	-	-	32	-	-	41
12 29.2 (24.2-42.5) 105 46 21.1 (26.0-26.6) 50		55.6	(51.0 - 60.0)	96	53.6	(47.2 - 59.8)	50	-	-	46
15 36.5 (34.2 - 42.3) 103 40 31.1 (20.0 - 30.0) 39	13	38.3	( 34.2 - 42.5 )	105	-	-	46	31.1	( 26.0 - 36.6 )	59
14 or older 34 20 13	14 or older	-	-	34	-	-	20	-	-	13
Grade	Grade									
6th 53.3 (48.8 - 57.9) 94 43 53.0 (46.8 - 59.1) 51	6th	53.3	(48.8 - 57.9)	94	-	-	43	53.0	(46.8 - 59.1)	51
7th 49.3 (45.2 - 53.5) 112 50.6 (44.6 - 56.5) 54 48.2 (42.5 - 54.0) 58	7th	49.3	(45.2 - 53.5)	112	50.6	(44.6 - 56.5)	54	48.2	(42.5 - 54.0)	58
8th 38.2 (34.0 - 42.6) 100 43.1 (37.1 - 49.3) 50 34.2 (28.5 - 40.3) 50	8th	38.2	( 34.0 - 42.6 )	100	43.1	( 37.1 - 49.3 )	50	34.2	( 28.5 - 40.3 )	50
Race/Ethnicity	Race/Ethnicity									
Black* 49.8 (43.7 - 55.9) 52 23 29	Black*	49.8	(43.7 - 55.9)	52	_	-	23	_	-	29
	Hispanic/Latino		-		-	-		-	-	18
	-	46.8	(43.3 - 50.3)	162	50.6	(45.6 - 55.5)	80	43.2	(38.5 - 48.1)	82
	All other races*	-		13		-		-	-	5
Multiple races* 24 8 15	Multiple races*	-	-	24	-	-	8	-	-	15

Note: 13 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN49: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)

Total			Male		Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
80.4	( 78.3 - 82.4 )	304	77.2	(73.9 - 80.3)	146	83.8	(81.0 - 86.2)	157
78.8	(74.2 - 82.7)	73	-	-	32	-	-	41
78.8	(74.5 - 82.6)	92	-	-	48	-	-	44
86.7	(83.5 - 89.3)	106	-	-	47	86.6	(82.2 - 90.0)	59
-	-	32	-	-	18	-	-	13
76.1	(71.9 - 79.8)	94	_	-	43	81.7	(76.4 - 86.1)	51
84.2	(80.8 - 87.0)	109	78.8	(73.4 - 83.3)	53	88.9	(84.6 - 92.1)	56
82.9	(79.3 - 86.0)	98	-	-	48	81.1	(75.8 - 85.4)	50
76.4	(70.7 - 81.3)	51	_	-	23	_	-	28
-	<u>-</u>	32	-	-	14	-	-	18
85.8	(83.1 - 88.1)	160	84.1	(80.0 - 87.5)	79	87.4	(83.8 - 90.3)	81
-	-	12	-	-	7	-	-	5
-	-	23	-	-	7	-	-	15
	78.8 78.8 86.7 76.1 84.2 82.9 76.4	Percentage 95% confidence interval  80.4 (78.3 - 82.4)  78.8 (74.2 - 82.7) 78.8 (74.5 - 82.6) 86.7 (83.5 - 89.3)	Percentage 95% N confidence interval 304  80.4 (78.3 - 82.4) 304  78.8 (74.2 - 82.7) 73 78.8 (74.5 - 82.6) 92 86.7 (83.5 - 89.3) 106 32  76.1 (71.9 - 79.8) 94 84.2 (80.8 - 87.0) 109 82.9 (79.3 - 86.0) 98  76.4 (70.7 - 81.3) 51 - 32 85.8 (83.1 - 88.1) 160 - 12	Percentage       95% confidence interval       N       Percentage         80.4       (78.3 - 82.4)       304       77.2         78.8       (74.2 - 82.7)       73       -         78.8       (74.5 - 82.6)       92       -         86.7       (83.5 - 89.3)       106       -         -       -       32       -         76.1       (71.9 - 79.8)       94       -         84.2       (80.8 - 87.0)       109       78.8         82.9       (79.3 - 86.0)       98       -         76.4       (70.7 - 81.3)       51       -         -       -       32       -         85.8       (83.1 - 88.1)       160       84.1         -       -       12       -	Percentage         95% confidence interval         N         Percentage confidence interval           80.4         (78.3 - 82.4)         304         77.2         (73.9 - 80.3)           78.8         (74.2 - 82.7)         73         -         -           78.8         (74.5 - 82.6)         92         -         -           86.7         (83.5 - 89.3)         106         -         -           -         -         32         -         -           76.1         (71.9 - 79.8)         94         -         -           84.2         (80.8 - 87.0)         109         78.8         (73.4 - 83.3)           82.9         (79.3 - 86.0)         98         -         -           76.4         (70.7 - 81.3)         51         -         -           -         -         32         -         -           85.8         (83.1 - 88.1)         160         84.1         (80.0 - 87.5)           -         -         12         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           80.4         (78.3 - 82.4)         304         77.2         (73.9 - 80.3)         146           78.8         (74.2 - 82.7)         73         -         -         32           78.8         (74.5 - 82.6)         92         -         -         48           86.7         (83.5 - 89.3)         106         -         -         47           -         -         32         -         -         18           76.1         (71.9 - 79.8)         94         -         -         43           84.2         (80.8 - 87.0)         109         78.8         (73.4 - 83.3)         53           82.9         (79.3 - 86.0)         98         -         -         48           76.4         (70.7 - 81.3)         51         -         -         23           -         -         32         -         -         14           85.8         (83.1 - 88.1)         160         84.1         (80.0 - 87.5)         79           -         -         12         -         -         7	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           80.4         (78.3 - 82.4)         304         77.2         (73.9 - 80.3)         146         83.8           78.8         (74.2 - 82.7)         73         -         -         32         -           78.8         (74.5 - 82.6)         92         -         -         48         -           86.7         (83.5 - 89.3)         106         -         -         47         86.6           -         -         32         -         -         18         -           76.1         (71.9 - 79.8)         94         -         -         43         81.7           84.2         (80.8 - 87.0)         109         78.8         (73.4 - 83.3)         53         88.9           82.9         (79.3 - 86.0)         98         -         -         48         81.1           76.4         (70.7 - 81.3)         51         -         -         23         -           -         -         32         -         -         14         -           85.8         (83.1 - 88.1)         160         84.1	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           80.4         (78.3 - 82.4)         304         77.2         (73.9 - 80.3)         146         83.8         (81.0 - 86.2)           78.8         (74.2 - 82.7)         73         -         -         32         -         -           78.8         (74.5 - 82.6)         92         -         -         48         -         -           86.7         (83.5 - 89.3)         106         -         -         47         86.6         (82.2 - 90.0)           -         -         32         -         -         -           76.1         (71.9 - 79.8)         94         -         -         43         81.7         (76.4 - 86.1)           84.2         (80.8 - 87.0)         109         78.8         (73.4 - 83.3)         53         88.9         (84.6 - 92.1)           82.9         (79.3 - 86.0)         98         -         -         48         81.1         (75.8 - 85.4)           76.4         (70.7 - 81.3)         51         -         -         23         -         -           -         -         32         -<

Note: 18 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN50: Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.2	(1.6 - 3.0)	316	2.9	(1.9 - 4.2)	154	1.6	(0.9 - 2.6)	161
Age									
11 or younger	2.2	(1.2 - 4.1)	77	-	-	33	-	-	44
12	1.7	(0.9 - 3.2)	97	1.6	(0.7 - 3.8)	52	-	-	45
13	2.5	(1.5 - 4.1)	107	-	-	47	1.6	(0.7 - 3.8)	60
14 or older	-	-	34	-	-	21	-	-	12
Grade									
6th	2.4	(1.4 - 3.9)	98	-	-	45	2.7	(1.5 - 5.0)	53
7th	1.9	(1.0 - 3.4)	111	1.8	(0.8 - 4.2)	53	1.9	(0.8 - 4.5)	58
8th	2.3	(1.4 - 3.8)	103	5.0	(3.0 - 8.1)	53	0.0	-	50
Race/Ethnicity									
Black*	1.3	(0.6 - 3.2)	53	-	-	24	-	-	29
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	1.0	(0.5 - 1.8)	164	2.0	(1.1 - 3.7)	82	0.0	-	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	9	-	-	15

Note: 6 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN51: Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.3	(2.5 - 4.3)	318	2.1	(1.3 - 3.5)	154	4.4	(3.2 - 5.9)	163
Age									
11 or younger	2.1	(1.1 - 3.9)	76	-	-	32	-	-	44
12	4.4	(2.8 - 6.9)	98	5.0	(2.7 - 9.1)	52	-	-	46
13	3.0	(2.0 - 4.6)	109	-	-	49	4.0	(2.4 - 6.5)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	3.7	(2.3 - 5.7)	97	-	-	44	4.6	(2.7 - 7.4)	53
7th	3.3	(2.1 - 5.1)	114	3.6	(2.0 - 6.6)	55	3.0	(1.6 - 5.5)	59
8th	3.0	(1.8 - 4.9)	103	0.0	-	52	5.5	(3.3 - 9.0)	51
Race/Ethnicity									
Black*	3.6	(1.9 - 6.6)	55	-	-	25	-	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	2.0	(1.2 - 3.4)	163	1.9	(0.8 - 4.5)	81	2.2	(1.2 - 4.0)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 4 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN52: Percentage of students who have ever ridden in a car driven by someone who was texting while they were driving the car

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	62.8	( 60.3 - 65.1 )	316	61.6	( 58.1 - 65.0 )	154	63.6	( 60.2 - 66.9 )	161
Age									
11 or younger	53.0	(48.0 - 58.1)	75	-	-	31	-	-	44
12	62.1	( 57.7 - 66.4 )	97	66.3	(60.4 - 71.8)	53	-	-	44
13	69.5	(65.5 - 73.3)	109	-	-	49	75.4	(70.1 - 80.1)	60
14 or older	-	-	35	-	-	21	-	-	13
Grade									
6th	59.0	(54.6 - 63.4)	95	-	-	43	58.1	(52.0 - 64.0)	52
7th	58.6	(54.4 - 62.6)	113	59.7	(53.8 - 65.3)	55	57.5	(51.7 - 63.1)	58
8th	70.1	( 66.0 - 73.9 )	104	64.8	(58.9 - 70.3)	53	74.7	( 68.8 - 79.7 )	51
Race/Ethnicity									
Black*	66.4	(60.5 - 71.8)	56	-	-	26	_	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	64.0	(60.6 - 67.2)	161	58.6	(53.6 - 63.4)	80	69.1	(64.4 - 73.4)	81
All other races*	-	-	13	-	-	9	-	-	4
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 6 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN53: Percentage of students who reported that someone they were dating or going out with physically hurt them on purpose (counting such things as being hit, slammed into something or injured with an object or weapon, among students who have ever dated or gone out with someone)

	Total			Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	7.3	(5.9 - 9.0)	219	8.6	( 6.5 - 11.3 )	113	5.9	(4.2 - 8.2)	106	
Age										
11 or younger	-	-	42	-	-	22	_	-	20	
12	1.1	(0.5 - 2.7)	69	-	-	38	-	-	31	
13	9.2	(6.8 - 12.3)	86	-	-	40	-	-	46	
14 or older	-	-	21	-	-	12	-	-	9	
Grade										
6th	6.3	(4.1 - 9.7)	60	_	-	31	_	-	29	
7th	5.0	(3.3 - 7.7)	79	-	-	40	-	-	39	
8th	10.4	(7.7 - 13.9)	77	-	-	39	-	-	38	
Race/Ethnicity										
Black*	_	-	45	_	-	25	_	-	20	
Hispanic/Latino	-	-	20	-	-	9	-	-	11	
White*	6.9	(5.0 - 9.5)	103	4.6	(2.5 - 8.3)	50	9.1	(6.2 - 13.2)	53	
All other races*	-	-	10	-	-	8	-	-	2	
Multiple races*	-	-	20	-	-	8	-	-	12	

Note: 103 students were excluded from this analysis.

\*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN54: Percentage of students who felt sad or hopeless (almost every day for >= 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.4	( 25.3 - 29.7 )	317	22.0	( 19.1 - 25.1 )	154	32.6	( 29.5 - 35.9 )	162
Age									
11 or younger	21.3	(17.6 - 25.7)	77	-	-	33	-	-	44
12	30.2	( 26.2 - 34.5 )	98	24.1	(19.1 - 29.8)	52	-	-	46
13	30.8	( 27.0 - 34.8 )	108	-	-	48	38.1	( 32.7 - 43.7 )	60
14 or older	-	-	33	-	-	20	-	-	12
Grade									
6th	26.4	(22.7 - 30.4)	98	-	-	45	27.4	(22.4 - 33.1)	53
7th	25.6	(22.1 - 29.3)	114	16.9	(12.9 - 21.9)	55	33.2	(28.0 - 38.7)	59
8th	30.7	( 26.8 - 34.9 )	101	22.5	(17.7 - 28.2)	51	37.6	(31.8 - 43.7)	50
Race/Ethnicity									
Black*	31.0	(25.9 - 36.6)	55	-	-	26	-	-	29
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	21.7	(18.9 - 24.8)	162	18.2	(14.5 - 22.5)	80	25.0	(21.1 - 29.4)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	8	-	-	16

Note: 5 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN55: Percentage of students who smoked a whole cigarette before age 11 years (for the first time)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.0	(1.4 - 2.8)	311	2.3	(1.5 - 3.6)	151	1.1	(0.6 - 2.0)	159
Age									
11 or younger	2.3	(1.2 - 4.2)	75	-	-	32	_	-	43
12	0.0	-	95	0.0	-	50	-	-	45
13	3.2	(2.1 - 5.0)	106	-	-	48	1.7	(0.7 - 4.0)	58
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	1.7	(0.9 - 3.2)	96	_	-	44	1.4	(0.6 - 3.3)	52
7th	1.8	(1.0 - 3.3)	110	1.6	(0.7 - 3.8)	53	2.0	(0.8 - 4.6)	57
8th	0.9	(0.4 - 2.0)	101	1.9	(0.8 - 4.4)	51	0.0	-	50
Race/Ethnicity									
Black*	0.0	-	52	-	-	24	_	_	28
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	0.5	(0.2 - 1.3)	160	1.1	(0.5 - 2.6)	79	0.0	-	81
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	8	-	-	16

Note: 11 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County**

#### **Summary Tables - Weighted Data**

QN56: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey, among students who smoked cigarettes during the 30 days before the survey)

		Total			Male		Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	8	-	-	1	-	-	7
Age									
11 or younger	-	_	1	-	-	0	-	-	1
12	-	-	0	-	-	0	-	-	0
13	-	-	5	-	-	0	-	-	5
14 or older	-	-	2	-	-	1	-	-	1
Grade									
6th	-	_	1	-	-	0	-	-	1
7th	-	-	3	-	-	0	-	-	3
8th	-	-	4	-	-	1	-	-	3
Race/Ethnicity									
Black*	_	_	1	-	_	0	-	-	1
Hispanic/Latino	-	-	2	-	-	0	-	-	2
White*	-	-	3	-	-	0	-	-	3
All other races*	-	-	1	-	-	0	-	-	1
Multiple races*	-	-	1	-	-	1	-	-	0

Note: 314 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN57: Percentage of students who were asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)

		Total			Male		Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	6	-	-	3	-	-	3
Age									
11 or younger	-	-	1	-	-	1	_	-	0
12	-	-	1	-	-	1	-	-	0
13	-	-	4	-	-	1	-	-	3
14 or older	-	-	0	-	-	0	-	-	0
Grade									
6th	-	-	1	-	_	1	_	-	0
7th	-	_	3	-	-	1	-	-	2
8th	-	-	2	-	-	1	-	-	1
Race/Ethnicity									
Black*	-	-	0	-	_	0	_	-	0
Hispanic/Latino	-	_	1	-	-	0	-	-	1
White*	-	-	3	-	-	2	-	-	1
All other races*	-	-	1	-	-	0	-	-	1
Multiple races*	-	-	0	-	-	0	-	-	0

Note: 316 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN58: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	19	-	-	10	-	-	9
Age									
11 or younger	-	-	5	-	-	1	_	-	4
12	-	-	5	-	-	4	-	-	1
13	-	-	7	-	-	3	-	-	4
14 or older	-	-	2	-	-	2	-	-	0
Grade									
6th	-	-	4	_	-	1	_	-	3
7th	-	-	10	-	-	5	-	-	5
8th	-	-	4	-	-	3	-	-	1
Race/Ethnicity									
Black*	-	-	8	-	-	3	-	-	5
Hispanic/Latino	-	-	2	-	-	0	-	-	2
White*	-	-	4	-	-	3	-	-	1
All other races*	-	-	2	-	-	1	-	-	1
Multiple races*	-	-	1	-	-	1	-	-	0

Note: 303 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN59: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	97.4	( 95.3 - 98.6 )	72	-	-	31	-	-	41
Age									
11 or younger	-	-	5	-	-	3	-	-	2
12	-	-	22	-	-	12	-	-	10
13	-	-	35	-	-	11	-	-	24
14 or older	-	-	10	-	-	5	-	-	5
Grade									
6th	-	-	11	-	-	7	-	-	4
7th	-	-	24	-	-	10	-	-	14
8th	-	-	37	-	-	14	-	-	23
Race/Ethnicity									
Black*	-	-	21	-	-	13	-	-	8
Hispanic/Latino	-	-	8	-	-	1	-	-	7
White*	-	-	30	-	-	13	-	-	17
All other races*	-	-	3	-	-	2	-	-	1
Multiple races*	-	-	8	-	-	2	-	-	6

Note: 250 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN60: Percentage of students who used electronic-vapor products mainly because a friend or family member used them

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	11.3	(9.7 - 13.0)	307	10.7	(8.5 - 13.4)	146	11.8	(9.8 - 14.3)	160
Age									
11 or younger	5.7	(3.7 - 8.7)	76	-	-	32	-	-	44
12	14.5	(11.5 - 18.2)	96	16.2	(11.8 - 21.8)	51	-	-	45
13	11.7	(9.1 - 14.9)	103	-	-	44	14.3	( 10.7 - 18.9 )	59
14 or older	-	-	31	-	-	18	-	-	12
Grade									
6th	10.9	(8.4 - 14.2)	96	-	-	43	6.7	(4.3 - 10.3)	53
7th	7.2	(5.3 - 9.7)	110	3.2	(1.8 - 5.9)	53	10.7	(7.6 - 14.9)	57
8th	15.8	(12.8 - 19.4)	98	-	-	48	18.2	(13.8 - 23.5)	50
Race/Ethnicity									
Black*	18.5	(14.1 - 23.9)	52	_	-	23	-	-	29
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	9.3	(7.5 - 11.6)	159	9.2	(6.6 - 12.7)	79	9.4	(6.9 - 12.6)	80
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	8	-	-	16

Note: 15 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN61: Percentage of students who think they definitely or probably will use an electric vapor product in the next year

	Total		Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	20.3	(18.3 - 22.3)	315	19.5	( 16.7 - 22.6 )	151	21.1	(18.5 - 24.0)	163
Age									
11 or younger	13.5	(10.4 - 17.4)	77	-	-	33	-	-	44
12	17.9	(14.7 - 21.6)	98	14.3	(10.3 - 19.3)	52	-	-	46
13	27.4	(23.7 - 31.4)	106	-	-	46	30.7	(25.8 - 36.2)	60
14 or older	-	-	33	-	-	19	-	-	13
Grade									
6th	13.1	(10.3 - 16.5)	97	_	_	44	4.6	(2.8 - 7.6)	53
7th	25.2	(21.8 - 29.0)	114	15.0	(11.2 - 19.8)	55	34.1	(28.9 - 39.7)	59
8th	22.6	(19.2 - 26.5)	100	-	-	49	25.6	(20.7 - 31.2)	51
Race/Ethnicity									
Black*	29.1	(24.0 - 34.9)	54	-	-	24	_	-	30
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	16.3	(13.9 - 19.1)	161	13.2	(10.1 - 17.1)	79	19.3	(15.8 - 23.3)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 7 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN62: Percentage of students who think they definitely or probably will smoke a cigarette, cigar, cigarillo, or little cigar in the next year

Total			Male		Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
5.8	(4.8 - 7.1)	316	5.0	(3.7 - 6.8)	152	6.6	(5.2 - 8.5)	163
5.1	(3.3 - 7.8)	76	-	-	32	-	-	44
3.7	(2.4 - 5.7)	97	2.0	(0.8 - 4.6)	51	-	-	46
8.6	(6.5 - 11.2)	108	-	-	48	9.5	(6.7 - 13.4)	60
-	-	34	-	-	20	-	-	13
4.0	(2.6 - 6.1)	95	-	-	42	3.3	(1.8 - 6.0)	53
7.8	(5.9 - 10.3)	115	5.4	(3.3 - 8.7)	56	10.0	(7.1 - 14.0)	59
5.3	(3.7 - 7.6)	102	3.5	(1.9 - 6.4)	51	6.8	(4.4 - 10.4)	51
8.8	( 6.0 - 12.7 )	55	-	-	25	_	-	30
-	-	34	-	-		-	-	19
4.8	(3.5 - 6.5)	162	3.9	(2.4 - 6.4)	80	5.6	(3.8 - 8.2)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	5.8 5.1 3.7 8.6 - 4.0 7.8 5.3	Percentage 95% confidence interval  5.8 (4.8 - 7.1)  5.1 (3.3 - 7.8) 3.7 (2.4 - 5.7) 8.6 (6.5 - 11.2)	Percentage 95% confidence interval   5.8 (4.8 - 7.1) 316  5.1 (3.3 - 7.8) 76 3.7 (2.4 - 5.7) 97 8.6 (6.5 - 11.2) 108 34  4.0 (2.6 - 6.1) 95 7.8 (5.9 - 10.3) 115 5.3 (3.7 - 7.6) 102  8.8 (6.0 - 12.7) 55 - 34 4.8 (3.5 - 6.5) 162 - 14	Percentage       95% confidence interval       N       Percentage         5.8       (4.8 - 7.1)       316       5.0         5.1       (3.3 - 7.8)       76       -         3.7       (2.4 - 5.7)       97       2.0         8.6       (6.5 - 11.2)       108       -         -       -       34       -         4.0       (2.6 - 6.1)       95       -         7.8       (5.9 - 10.3)       115       5.4         5.3       (3.7 - 7.6)       102       3.5         8.8       (6.0 - 12.7)       55       -         -       -       34       -         4.8       (3.5 - 6.5)       162       3.9         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)           5.1         (3.3 - 7.8)         76         -         -         -           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         8.6         (6.5 - 11.2)         108         - </td <td>Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152           5.1         (3.3 - 7.8)         76         -         -         32           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51           8.6         (6.5 - 11.2)         108         -         -         48           -         -         34         -         -         20           4.0         (2.6 - 6.1)         95         -         -         42           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51           8.8         (6.0 - 12.7)         55         -         -         25           -         -         34         -         -         15           4.8         (3.5 - 6.5)         162         3.9         (2.4 - 6.4)         80           -         -         14         -         -         9</td> <td>Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152         6.6           5.1         (3.3 - 7.8)         76         -         -         32         -           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51         -           8.6         (6.5 - 11.2)         108         -         -         48         9.5           -         -         34         -         -         42         3.3           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56         10.0           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51         6.8           8.8         (6.0 - 12.7)         55         -         -         25         -           -         -         34         -         -         15         -           4.8         (3.5 - 6.5)         162         3.9         (2.4 - 6.4)         80         5.6           -         -         14         -         -</td> <td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152         6.6         (5.2 - 8.5)           5.1         (3.3 - 7.8)         76         -         -         32         -         -           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51         -         -           8.6         (6.5 - 11.2)         108         -         -         48         9.5         (6.7 - 13.4)           -         -         34         -         -         42         3.3         (1.8 - 6.0)           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56         10.0         (7.1 - 14.0)           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51         6.8         (4.4 - 10.4)           8.8         (6.0 - 12.7)         55         -         -         25         -         -           -         -         34         -         -         15         -         -</td>	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152           5.1         (3.3 - 7.8)         76         -         -         32           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51           8.6         (6.5 - 11.2)         108         -         -         48           -         -         34         -         -         20           4.0         (2.6 - 6.1)         95         -         -         42           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51           8.8         (6.0 - 12.7)         55         -         -         25           -         -         34         -         -         15           4.8         (3.5 - 6.5)         162         3.9         (2.4 - 6.4)         80           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152         6.6           5.1         (3.3 - 7.8)         76         -         -         32         -           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51         -           8.6         (6.5 - 11.2)         108         -         -         48         9.5           -         -         34         -         -         42         3.3           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56         10.0           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51         6.8           8.8         (6.0 - 12.7)         55         -         -         25         -           -         -         34         -         -         15         -           4.8         (3.5 - 6.5)         162         3.9         (2.4 - 6.4)         80         5.6           -         -         14         -         -	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           5.8         (4.8 - 7.1)         316         5.0         (3.7 - 6.8)         152         6.6         (5.2 - 8.5)           5.1         (3.3 - 7.8)         76         -         -         32         -         -           3.7         (2.4 - 5.7)         97         2.0         (0.8 - 4.6)         51         -         -           8.6         (6.5 - 11.2)         108         -         -         48         9.5         (6.7 - 13.4)           -         -         34         -         -         42         3.3         (1.8 - 6.0)           7.8         (5.9 - 10.3)         115         5.4         (3.3 - 8.7)         56         10.0         (7.1 - 14.0)           5.3         (3.7 - 7.6)         102         3.5         (1.9 - 6.4)         51         6.8         (4.4 - 10.4)           8.8         (6.0 - 12.7)         55         -         -         25         -         -           -         -         34         -         -         15         -         -

Note: 6 students were excluded from this analysis.

N = Number of students in this subgroup. -= Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN63: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.8	(2.1 - 3.7)	308	1.7	(1.0 - 2.7)	146	3.8	(2.7 - 5.3)	161
Age									
11 or younger	0.9	(0.4 - 2.2)	74	_	-	30	_	-	44
12	2.9	(1.7 - 4.7)	94	-	-	49	-	-	45
13	4.2	(2.8 - 6.2)	106	-	-	46	5.8	(3.7 - 8.9)	60
14 or older	-	-	33	-	-	20	-	-	12
Grade									
6th	0.7	(0.3 - 1.7)	94	-	-	41	1.4	(0.6 - 3.2)	53
7th	4.7	(3.2 - 6.9)	111	1.8	(0.7 - 4.2)	53	7.2	(4.7 - 10.9)	58
8th	2.6	(1.5 - 4.2)	100	1.9	(0.8 - 4.5)	50	3.1	(1.7 - 5.6)	50
Race/Ethnicity									
Black*	4.7	(2.8 - 7.6)	54	-	-	24	_	-	30
Hispanic/Latino	-	-	31	-	-	14	-	-	17
White*	1.6	(1.0 - 2.7)	160	1.1	(0.5 - 2.6)	78	2.1	(1.1 - 3.8)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	25	-	-	8	-	-	16

Note: 14 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN64: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	4.5	(3.5 - 5.7)	292	3.0	(1.9 - 4.6)	138	5.8	(4.3 - 7.7)	153
Age									
11 or younger	2.3	(1.2 - 4.3)	72	-	-	29	-	-	43
12	1.1	(0.4 - 2.5)	91	-	-	48	-	-	43
13	9.7	(7.4 - 12.8)	99	-	-	43	11.1	(7.9 - 15.5)	56
14 or older	-	-	29	-	-	17	-	-	11
Grade									
6th	1.8	(1.0 - 3.3)	93	_	-	40	1.4	(0.6 - 3.2)	53
7th	4.1	(2.7 - 6.3)	106	4.1	(2.2 - 7.5)	52	4.1	(2.2 - 7.5)	54
8th	8.1	(5.9 - 11.1)	90	-	-	44	-	-	46
Race/Ethnicity									
Black*	10.9	(7.8 - 15.2)	52	-	-	23	-	-	29
Hispanic/Latino	_	· -	32	-	-	15	-	-	17
White*	4.0	(2.8 - 5.7)	148	2.7	(1.4 - 4.9)	72	5.3	(3.4 - 8.0)	76
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	24	-	-	8	-	-	15

Note: 30 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN65: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)

	Total			Male		Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	-	-	29	-	-	12	-	-	17
Age									
11 or younger	-	-	3	-	-	2	-	-	1
12	-	-	8	-	-	5	-	-	3
13	-	-	15	-	-	4	-	-	11
14 or older	-	-	3	-	-	1	-	-	2
Grade									
6th	-	-	4	-	-	3	-	-	1
7th	-	-	12	-	-	5	-	-	7
8th	-	-	13	-	-	4	-	-	9
Race/Ethnicity									
Black*	-	-	10	-	-	5	-	-	5
Hispanic/Latino	-	-	3	-	-	0	-	-	3
White*	-	-	13	-	-	6	-	-	7
All other races*	-	-	1	-	-	0	-	-	1
Multiple races*	-	-	2	-	-	1	-	-	1

Note: 293 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN66: Percentage of students who live with someone who now smokes cigarettes or cigars

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
41.4	( 39.0 - 43.9 )	313	37.8	( 34.3 - 41.5 )	149	44.8	(41.4 - 48.3)	163
44.7	(39.8 - 49.7)	77	-	-	33	-	-	44
42.5	(38.1 - 47.0)	98	42.7	( 36.7 - 49.0 )	52	-	-	46
35.4	(31.4 - 39.7)	104	-	-	44	42.3	( 36.8 - 48.0 )	60
-	-	34	-	-	20	-	-	13
41.9	( 37.6 - 46.4 )	97	-	-	44	42.0	( 36.2 - 48.0 )	53
45.4	(41.3 - 49.6)	112	37.8	(32.1 - 43.9)	53	51.8	(46.1 - 57.4)	59
36.4	( 32.3 - 40.8 )	101	30.6	(25.1 - 36.6)	50	41.2	( 35.3 - 47.3 )	51
41.8	( 36.1 - 47.8 )	55	-	-	25	-	-	30
-	-	34	-	-		-	-	19
40.0	( 36.7 - 43.5 )	161	34.3	(29.7 - 39.3)	79	45.4	(40.6 - 50.2)	82
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	41.4 44.7 42.5 35.4 41.9 45.4 36.4 41.8 -	Percentage 95% confidence interval  41.4 (39.0 - 43.9)  44.7 (39.8 - 49.7) 42.5 (38.1 - 47.0) 35.4 (31.4 - 39.7)	Percentage 95% N confidence interval  41.4 (39.0 - 43.9) 313  44.7 (39.8 - 49.7) 77 42.5 (38.1 - 47.0) 98 35.4 (31.4 - 39.7) 104 34  41.9 (37.6 - 46.4) 97 45.4 (41.3 - 49.6) 112 36.4 (32.3 - 40.8) 101  41.8 (36.1 - 47.8) 55 - 34 40.0 (36.7 - 43.5) 161 - 14	Percentage       95% confidence interval       N       Percentage         41.4       (39.0 - 43.9)       313       37.8         44.7       (39.8 - 49.7)       77       -         42.5       (38.1 - 47.0)       98       42.7         35.4       (31.4 - 39.7)       104       -         -       -       34       -         41.9       (37.6 - 46.4)       97       -         45.4       (41.3 - 49.6)       112       37.8         36.4       (32.3 - 40.8)       101       30.6         41.8       (36.1 - 47.8)       55       -         -       -       34       -         40.0       (36.7 - 43.5)       161       34.3         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence confidence interval           41.4         (39.0 - 43.9)         313         37.8         (34.3 - 41.5)           44.7         (39.8 - 49.7)         77         -         -           42.5         (38.1 - 47.0)         98         42.7         (36.7 - 49.0)           35.4         (31.4 - 39.7)         104         -         -           -         -         34         -         -           45.4         (41.3 - 49.6)         112         37.8         (32.1 - 43.9)           36.4         (32.3 - 40.8)         101         30.6         (25.1 - 36.6)           41.8         (36.1 - 47.8)         55         -         -           -         -         34         -         -           40.0         (36.7 - 43.5)         161         34.3         (29.7 - 39.3)           -         -         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           41.4         (39.0 - 43.9)         313         37.8         (34.3 - 41.5)         149           44.7         (39.8 - 49.7)         77         -         -         33           42.5         (38.1 - 47.0)         98         42.7         (36.7 - 49.0)         52           35.4         (31.4 - 39.7)         104         -         -         44           -         -         34         -         -         20           41.9         (37.6 - 46.4)         97         -         -         44           45.4         (41.3 - 49.6)         112         37.8         (32.1 - 43.9)         53           36.4         (32.3 - 40.8)         101         30.6         (25.1 - 36.6)         50           41.8         (36.1 - 47.8)         55         -         -         25           -         -         34         -         -         15           40.0         (36.7 - 43.5)         161         34.3         (29.7 - 39.3)         79           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           41.4         (39.0 - 43.9)         313         37.8         (34.3 - 41.5)         149         44.8           44.7         (39.8 - 49.7)         77         -         -         33         -           42.5         (38.1 - 47.0)         98         42.7         (36.7 - 49.0)         52         -           35.4         (31.4 - 39.7)         104         -         -         44         42.3           -         -         34         -         -         20         -           41.9         (37.6 - 46.4)         97         -         -         44         42.0           45.4         (41.3 - 49.6)         112         37.8         (32.1 - 43.9)         53         51.8           36.4         (32.3 - 40.8)         101         30.6         (25.1 - 36.6)         50         41.2           41.8         (36.1 - 47.8)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         - </td <td>Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           41.4         (39.0 - 43.9)         313         37.8         (34.3 - 41.5)         149         44.8         (41.4 - 48.3)           44.7         (39.8 - 49.7)         77         -         -         33         -         -           42.5         (38.1 - 47.0)         98         42.7         (36.7 - 49.0)         52         -         -           35.4         (31.4 - 39.7)         104         -         -         44         42.3         (36.8 - 48.0)           -         -         34         -         -         44         42.0         (36.2 - 48.0)           41.9         (37.6 - 46.4)         97         -         -         44         42.0         (36.2 - 48.0)           45.4         (41.3 - 49.6)         112         37.8         (32.1 - 43.9)         53         51.8         (46.1 - 57.4)           36.4         (32.3 - 40.8)         101         30.6         (25.1 - 36.6)         50         41.2         (35.3 - 47.3)           41.8         (36.1 - 47.8)         55         -         -         25         -         -</td>	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           41.4         (39.0 - 43.9)         313         37.8         (34.3 - 41.5)         149         44.8         (41.4 - 48.3)           44.7         (39.8 - 49.7)         77         -         -         33         -         -           42.5         (38.1 - 47.0)         98         42.7         (36.7 - 49.0)         52         -         -           35.4         (31.4 - 39.7)         104         -         -         44         42.3         (36.8 - 48.0)           -         -         34         -         -         44         42.0         (36.2 - 48.0)           41.9         (37.6 - 46.4)         97         -         -         44         42.0         (36.2 - 48.0)           45.4         (41.3 - 49.6)         112         37.8         (32.1 - 43.9)         53         51.8         (46.1 - 57.4)           36.4         (32.3 - 40.8)         101         30.6         (25.1 - 36.6)         50         41.2         (35.3 - 47.3)           41.8         (36.1 - 47.8)         55         -         -         25         -         -

Note: 9 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN67: Percentage of students who report the rule about smoking inside their home is that smoking is not allowed anywhere inside their home (not counting decks, garages, or porches)

	Total				Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
Total	76.8	(74.5 - 78.8)	313	78.4	(75.2 - 81.3)	153	75.7	(72.6 - 78.6)	159	
Age										
11 or younger	78.4	(73.9 - 82.3)	76	-	-	33	_	-	43	
12	75.9	(71.7 - 79.6)	96	77.7	(71.8 - 82.7)	52	-	-	44	
13	75.5	(71.5 - 79.0)	106	-	-	47	74.0	( 68.6 - 78.8 )	59	
14 or older	-	-	34	-	-	20	-	-	13	
Grade										
6th	77.9	(73.9 - 81.5)	96	_	_	44	81.0	(75.8 - 85.4)	52	
7th	75.5	(71.6 - 78.9)	112	83.8	(78.8 - 87.9)	55	67.9	(62.2 - 73.1)	57	
8th	77.7	(73.8 - 81.2)	101	77.9	(72.4 - 82.7)	51	77.5	(71.8 - 82.3)	50	
Race/Ethnicity										
Black*	64.0	(58.1 - 69.5)	55	-	-	25	_	-	30	
Hispanic/Latino	-	-	33	-	-	15	-	-	18	
White*	83.5	(80.7 - 86.0)	160	84.1	(79.8 - 87.6)	80	83.0	(79.0 - 86.4)	80	
All other races*	-	-	14	-	-	9	-	-	5	
Multiple races*	-	-	25	-	-	9	-	-	15	

Note: 9 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN68: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
24.6	( 22.5 - 26.8 )	315	18.7	( 16.0 - 21.7 )	152	30.1	(27.0 - 33.3)	162
20.3	(16.6 - 24.6)	77	-	-	33	-	-	44
23.2	(19.6 - 27.2)	96	16.5	(12.4 - 21.6)	51	-	-	45
32.8	( 28.9 - 36.9 )	107	-	-	47	39.8	( 34.4 - 45.5 )	60
-	-	34	-	-	20	-	-	13
19.3	(16.0 - 23.0)	97	-	-	44	19.9	(15.6 - 25.1)	53
30.6	(26.9 - 34.6)	112	21.8	(17.3 - 27.1)	54	38.2	(32.7 - 43.9)	58
24.1	( 20.5 - 28.2 )	102	13.5	(9.6 - 18.6)	51	32.9	( 27.4 - 38.9 )	51
29.2	(24.1 - 34.7)	54	_	-	24	_	-	30
-	-	34	-	-	15	-	-	19
25.9	(23.0 - 29.1)	161	18.1	(14.4 - 22.5)	80	33.4	(29.0 - 38.1)	81
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	24.6  20.3 23.2 32.8  -  19.3 30.6 24.1  29.2 - 25.9	Percentage 95% confidence interval  24.6 (22.5 - 26.8)  20.3 (16.6 - 24.6) 23.2 (19.6 - 27.2) 32.8 (28.9 - 36.9)	Percentage 95% confidence interval 315  24.6 (22.5 - 26.8) 315  20.3 (16.6 - 24.6) 77 23.2 (19.6 - 27.2) 96 32.8 (28.9 - 36.9) 107 34  19.3 (16.0 - 23.0) 97 30.6 (26.9 - 34.6) 112 24.1 (20.5 - 28.2) 102  29.2 (24.1 - 34.7) 54 34 25.9 (23.0 - 29.1) 161 14	Percentage       95% confidence interval       N       Percentage         24.6       (22.5 - 26.8)       315       18.7         20.3       (16.6 - 24.6)       77       -         23.2       (19.6 - 27.2)       96       16.5         32.8       (28.9 - 36.9)       107       -         -       -       34       -         19.3       (16.0 - 23.0)       97       -         30.6       (26.9 - 34.6)       112       21.8         24.1       (20.5 - 28.2)       102       13.5         29.2       (24.1 - 34.7)       54       -         -       -       34       -         25.9       (23.0 - 29.1)       161       18.1         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           24.6         (22.5 - 26.8)         315         18.7         (16.0 - 21.7)           20.3         (16.6 - 24.6)         77         -         -           23.2         (19.6 - 27.2)         96         16.5         (12.4 - 21.6)           32.8         (28.9 - 36.9)         107         -         -           -         -         34         -         -           30.6         (26.9 - 34.6)         112         21.8         (17.3 - 27.1)           24.1         (20.5 - 28.2)         102         13.5         (9.6 - 18.6)           29.2         (24.1 - 34.7)         54         -         -           -         -         34         -         -           25.9         (23.0 - 29.1)         161         18.1         (14.4 - 22.5)           -         -         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           24.6         (22.5 - 26.8)         315         18.7         (16.0 - 21.7)         152           20.3         (16.6 - 24.6)         77         -         -         33           23.2         (19.6 - 27.2)         96         16.5         (12.4 - 21.6)         51           32.8         (28.9 - 36.9)         107         -         -         47           -         -         34         -         -         20           19.3         (16.0 - 23.0)         97         -         -         44           30.6         (26.9 - 34.6)         112         21.8         (17.3 - 27.1)         54           24.1         (20.5 - 28.2)         102         13.5         (9.6 - 18.6)         51           29.2         (24.1 - 34.7)         54         -         -         24           -         -         34         -         -         15           25.9         (23.0 - 29.1)         161         18.1         (14.4 - 22.5)         80           -         -         14         -         -         9     <	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           24.6         (22.5 - 26.8)         315         18.7         (16.0 - 21.7)         152         30.1           20.3         (16.6 - 24.6)         77         -         -         33         -           23.2         (19.6 - 27.2)         96         16.5         (12.4 - 21.6)         51         -           32.8         (28.9 - 36.9)         107         -         -         47         39.8           -         -         34         -         -         20         -           19.3         (16.0 - 23.0)         97         -         -         44         19.9           30.6         (26.9 - 34.6)         112         21.8         (17.3 - 27.1)         54         38.2           24.1         (20.5 - 28.2)         102         13.5         (9.6 - 18.6)         51         32.9           29.2         (24.1 - 34.7)         54         -         -         24         -           -         -         34         -         -         15         -           25.9         (23.0 - 29.1)         161	Percentage confidence interval         N percentage confidence interval         95% confidence interval         N percentage confidence interval         95% confidence interval           24.6         (22.5 - 26.8)         315         18.7         (16.0 - 21.7)         152         30.1         (27.0 - 33.3)           20.3         (16.6 - 24.6)         77         -         -         33         -         -           23.2         (19.6 - 27.2)         96         16.5         (12.4 - 21.6)         51         -         -           32.8         (28.9 - 36.9)         107         -         -         47         39.8         (34.4 - 45.5)           -         -         34         -         -         20         -         -           19.3         (16.0 - 23.0)         97         -         -         44         19.9         (15.6 - 25.1)           30.6         (26.9 - 34.6)         112         21.8         (17.3 - 27.1)         54         38.2         (32.7 - 43.9)           24.1         (20.5 - 28.2)         102         13.5         (9.6 - 18.6)         51         32.9         (27.4 - 38.9)           29.2         (24.1 - 34.7)         54         -         -         24         -

Note: 7 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN69: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.7	(8.4 - 11.3)	315	8.4	( 6.7 - 10.6 )	152	11.0	(9.1 - 13.2)	162
Age									
11 or younger	5.1	(3.4 - 7.4)	77	-	-	33	-	-	44
12	9.2	(6.9 - 12.2)	97	9.8	( 6.7 - 14.1 )	52	-	-	45
13	11.7	(9.3 - 14.7)	106	-	-	46	14.7	(11.3 - 19.0)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	6.7	(4.9 - 9.0)	97	_	-	44	8.9	(6.2 - 12.5)	53
7th	11.3	(8.8 - 14.2)	113	7.8	(5.1 - 11.7)	55	14.3	(10.7 - 19.0)	58
8th	12.0	(9.5 - 15.0)	102	14.3	(10.5 - 19.3)	51	10.0	(7.1 - 14.1)	51
Race/Ethnicity									
Black*	8.1	(5.5 - 11.7)	55	_	-	25	-	-	30
Hispanic/Latino	-	-	34	-	-	15	-	-	19
White*	8.3	(6.6 - 10.4)	162	7.3	(5.2 - 10.3)	80	9.2	(6.8 - 12.4)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 7 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN70: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	6.6	(5.5 - 8.0)	318	8.3	( 6.6 - 10.5 )	154	5.2	(3.9 - 6.9)	163
Age									
11 or younger	3.7	(2.2 - 6.2)	76	-	-	32	-	-	44
12	2.9	(1.8 - 4.8)	98	5.4	(3.3 - 8.8)	52	-	-	46
13	9.9	(7.7 - 12.7)	109	-	-	49	7.9	(5.3 - 11.4)	60
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	2.9	(1.8 - 4.8)	96	-	-	43	1.4	(0.6 - 3.2)	53
7th	6.6	(4.8 - 9.0)	116	11.6	(8.2 - 16.0)	57	2.1	(0.9 - 4.8)	59
8th	10.3	(8.0 - 13.2)	102	8.3	(5.4 - 12.5)	51	12.0	(8.7 - 16.3)	51
Race/Ethnicity									
Black*	8.0	(5.4 - 11.6)	55	_	-	25	_	-	30
Hispanic/Latino	-	<u>-</u>	34	-	-	15	-	-	19
White*	5.0	(3.7 - 6.7)	162	5.2	(3.4 - 7.9)	80	4.8	(3.1 - 7.2)	82
All other races*	-	-	14	-	-	9	-	-	5
Multiple races*	-	-	26	-	-	9	-	-	16

Note: 4 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN71: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
3.6	(2.8 - 4.6)	316	3.2	(2.1 - 4.7)	153	4.0	(2.9 - 5.5)	162
1.5	(0.6 - 3.5)	77	-	-	33	-	-	44
4.0	(2.6 - 6.0)	98	1.8	(0.7 - 4.1)	52	-	-	46
3.7	(2.4 - 5.7)	105	-	-	46	4.7	(2.8 - 7.7)	59
-	-	35	-	-	21	-	-	13
1.2	(0.5 - 2.8)	97	-	-	44	0.0	-	53
6.6	(4.8 - 9.1)	114	2.0	(0.8 - 4.7)	56	10.8	(7.7 - 15.0)	58
3.4	(2.2 - 5.2)	102	5.4	(3.3 - 8.8)	51	1.7	(0.7 - 4.1)	51
4.6	(2.8 - 7.6)	55	-	-	25	_	-	30
-	-	34	-	-		-	-	19
3.4	(2.4 - 4.9)	162	4.8	(3.1 - 7.3)	81	2.1	(1.1 - 3.9)	81
-	-	14	-	-	9	-	-	5
-	-	26	-	-	9	-	-	16
	3.6  1.5  4.0  3.7  -  1.2  6.6  3.4  4.6  -  3.4	Percentage 95% confidence interval  3.6 (2.8 - 4.6)  1.5 (0.6 - 3.5) 4.0 (2.6 - 6.0) 3.7 (2.4 - 5.7)	Percentage 95% N confidence interval  3.6 (2.8 - 4.6) 316  1.5 (0.6 - 3.5) 77 4.0 (2.6 - 6.0) 98 3.7 (2.4 - 5.7) 105 - 35  1.2 (0.5 - 2.8) 97 6.6 (4.8 - 9.1) 114 3.4 (2.2 - 5.2) 102  4.6 (2.8 - 7.6) 55 - 34 3.4 (2.4 - 4.9) 162 - 14	Percentage       95% confidence interval       N       Percentage         3.6       (2.8 - 4.6)       316       3.2         1.5       (0.6 - 3.5)       77       -         4.0       (2.6 - 6.0)       98       1.8         3.7       (2.4 - 5.7)       105       -         -       -       35       -         1.2       (0.5 - 2.8)       97       -         6.6       (4.8 - 9.1)       114       2.0         3.4       (2.2 - 5.2)       102       5.4         4.6       (2.8 - 7.6)       55       -         -       -       34       -         3.4       (2.4 - 4.9)       162       4.8         -       -       14       -	Percentage         95% confidence interval         N         Percentage confidence interval           3.6         (2.8 - 4.6)         316         3.2         (2.1 - 4.7)           1.5         (0.6 - 3.5)         77         -         -           4.0         (2.6 - 6.0)         98         1.8         (0.7 - 4.1)           3.7         (2.4 - 5.7)         105         -         -           -         -         35         -         -           1.2         (0.5 - 2.8)         97         -         -           6.6         (4.8 - 9.1)         114         2.0         (0.8 - 4.7)           3.4         (2.2 - 5.2)         102         5.4         (3.3 - 8.8)           4.6         (2.8 - 7.6)         55         -         -           -         -         34         -         -           3.4         (2.4 - 4.9)         162         4.8         (3.1 - 7.3)           -         -         14         -         -	Percentage confidence interval         N confidence interval         N confidence confidence interval         N confidence confidence interval           3.6         (2.8 - 4.6)         316         3.2         (2.1 - 4.7)         153           1.5         (0.6 - 3.5)         77         -         -         33           4.0         (2.6 - 6.0)         98         1.8         (0.7 - 4.1)         52           3.7         (2.4 - 5.7)         105         -         -         46           -         -         35         -         -         21           1.2         (0.5 - 2.8)         97         -         -         44           6.6         (4.8 - 9.1)         114         2.0         (0.8 - 4.7)         56           3.4         (2.2 - 5.2)         102         5.4         (3.3 - 8.8)         51           4.6         (2.8 - 7.6)         55         -         -         25           -         -         34         -         -         15           3.4         (2.4 - 4.9)         162         4.8         (3.1 - 7.3)         81           -         -         14         -         -         9	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           3.6         (2.8 - 4.6)         316         3.2         (2.1 - 4.7)         153         4.0           1.5         (0.6 - 3.5)         77         -         -         33         -           4.0         (2.6 - 6.0)         98         1.8         (0.7 - 4.1)         52         -           3.7         (2.4 - 5.7)         105         -         -         46         4.7           -         -         35         -         -         21         -           1.2         (0.5 - 2.8)         97         -         -         44         0.0           6.6         (4.8 - 9.1)         114         2.0         (0.8 - 4.7)         56         10.8           3.4         (2.2 - 5.2)         102         5.4         (3.3 - 8.8)         51         1.7           4.6         (2.8 - 7.6)         55         -         -         25         -           -         -         34         -         -         15         -           -         -         34         -         -         15 <td>Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.6         (2.8 - 4.6)         316         3.2         (2.1 - 4.7)         153         4.0         (2.9 - 5.5)           1.5         (0.6 - 3.5)         77         -         -         33         -         -           4.0         (2.6 - 6.0)         98         1.8         (0.7 - 4.1)         52         -         -           3.7         (2.4 - 5.7)         105         -         -         46         4.7         (2.8 - 7.7)           -         -         35         -         -         21         -         -           1.2         (0.5 - 2.8)         97         -         -         44         0.0         -           6.6         (4.8 - 9.1)         114         2.0         (0.8 - 4.7)         56         10.8         (7.7 - 15.0)           3.4         (2.2 - 5.2)         102         5.4         (3.3 - 8.8)         51         1.7         (0.7 - 4.1)           4.6         (2.8 - 7.6)         55         -         -         25         -         -</td>	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           3.6         (2.8 - 4.6)         316         3.2         (2.1 - 4.7)         153         4.0         (2.9 - 5.5)           1.5         (0.6 - 3.5)         77         -         -         33         -         -           4.0         (2.6 - 6.0)         98         1.8         (0.7 - 4.1)         52         -         -           3.7         (2.4 - 5.7)         105         -         -         46         4.7         (2.8 - 7.7)           -         -         35         -         -         21         -         -           1.2         (0.5 - 2.8)         97         -         -         44         0.0         -           6.6         (4.8 - 9.1)         114         2.0         (0.8 - 4.7)         56         10.8         (7.7 - 15.0)           3.4         (2.2 - 5.2)         102         5.4         (3.3 - 8.8)         51         1.7         (0.7 - 4.1)           4.6         (2.8 - 7.6)         55         -         -         25         -         -

Note: 6 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN72: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
69.1	( 66.7 - 71.4 )	308	70.2	( 66.7 - 73.4 )	148	68.5	( 65.2 - 71.7 )	159
63.6	(58.5 - 68.4)	73	-	-	32	-	-	41
66.3	(61.8 - 70.5)	95	-	-	49	-	-	46
74.9	(71.0 - 78.4)	105	-	-	46	78.2	(73.1 - 82.6)	59
-	-	34	-	-	20	-	-	13
61.2	(56.7 - 65.5)	95	_	-	44	51.8	(45.6 - 57.9)	51
71.8	(67.9 - 75.4)	110	70.0	(64.1 - 75.2)	52	73.3	(67.9 - 78.1)	58
76.1	(72.2 - 79.6)	100	70.5	(64.5 - 75.8)	50	80.7	(75.3 - 85.1)	50
56.2	(50.2 - 62.0)	54	_	-	25	-	-	29
-	<u>-</u>	32	-	-	14	-	-	18
78.5	(75.5 - 81.2)	160	81.4	(77.3 - 84.9)	78	75.9	(71.5 - 79.9)	82
-	-	13	-	-	8	-	-	5
-	-	24	-	-	8	-	-	15
	69.1 63.6 66.3 74.9 61.2 71.8 76.1 56.2	Percentage 95% confidence interval  69.1 (66.7 - 71.4)  63.6 (58.5 - 68.4) 66.3 (61.8 - 70.5) 74.9 (71.0 - 78.4)	Percentage 95% N confidence interval 308  69.1 (66.7 - 71.4) 308  63.6 (58.5 - 68.4) 73 66.3 (61.8 - 70.5) 95 74.9 (71.0 - 78.4) 105 34  61.2 (56.7 - 65.5) 95 71.8 (67.9 - 75.4) 110 76.1 (72.2 - 79.6) 100  56.2 (50.2 - 62.0) 54 - 32 78.5 (75.5 - 81.2) 160 - 13	Percentage       95% confidence interval       N       Percentage         69.1       (66.7 - 71.4)       308       70.2         63.6       (58.5 - 68.4)       73       -         66.3       (61.8 - 70.5)       95       -         74.9       (71.0 - 78.4)       105       -         -       -       34       -         61.2       (56.7 - 65.5)       95       -         71.8       (67.9 - 75.4)       110       70.0         76.1       (72.2 - 79.6)       100       70.5         56.2       (50.2 - 62.0)       54       -         -       -       32       -         78.5       (75.5 - 81.2)       160       81.4         -       -       13       -	Percentage         95% confidence interval         N         Percentage confidence interval           69.1         (66.7 - 71.4)         308         70.2         (66.7 - 73.4)           63.6         (58.5 - 68.4)         73         -         -           66.3         (61.8 - 70.5)         95         -         -           74.9         (71.0 - 78.4)         105         -         -           -         -         34         -         -           61.2         (56.7 - 65.5)         95         -         -           71.8         (67.9 - 75.4)         110         70.0         (64.1 - 75.2)           76.1         (72.2 - 79.6)         100         70.5         (64.5 - 75.8)           56.2         (50.2 - 62.0)         54         -         -           -         -         32         -         -           78.5         (75.5 - 81.2)         160         81.4         (77.3 - 84.9)           -         -         13         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           69.1         (66.7 - 71.4)         308         70.2         (66.7 - 73.4)         148           63.6         (58.5 - 68.4)         73         -         -         32           66.3         (61.8 - 70.5)         95         -         -         49           74.9         (71.0 - 78.4)         105         -         -         46           -         -         34         -         -         20           61.2         (56.7 - 65.5)         95         -         -         44           71.8         (67.9 - 75.4)         110         70.0         (64.1 - 75.2)         52           76.1         (72.2 - 79.6)         100         70.5         (64.5 - 75.8)         50           56.2         (50.2 - 62.0)         54         -         -         25           -         -         32         -         -         14           78.5         (75.5 - 81.2)         160         81.4         (77.3 - 84.9)         78           -         -         13         -         -         8	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           69.1         (66.7 - 71.4)         308         70.2         (66.7 - 73.4)         148         68.5           63.6         (58.5 - 68.4)         73         -         -         32         -           66.3         (61.8 - 70.5)         95         -         -         49         -           74.9         (71.0 - 78.4)         105         -         -         46         78.2           -         -         34         -         -         20         -           61.2         (56.7 - 65.5)         95         -         -         44         51.8           71.8         (67.9 - 75.4)         110         70.0         (64.1 - 75.2)         52         73.3           76.1         (72.2 - 79.6)         100         70.5         (64.5 - 75.8)         50         80.7           56.2         (50.2 - 62.0)         54         -         -         25         -           -         -         32         -         -         14         -           78.5         (75.5 - 81.2)         160         81	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           69.1         (66.7 - 71.4)         308         70.2         (66.7 - 73.4)         148         68.5         (65.2 - 71.7)           63.6         (58.5 - 68.4)         73         -         -         32         -         -           66.3         (61.8 - 70.5)         95         -         -         49         -         -           74.9         (71.0 - 78.4)         105         -         -         46         78.2         (73.1 - 82.6)           -         -         34         -         -         44         51.8         (45.6 - 57.9)           71.8         (67.9 - 75.4)         110         70.0         (64.1 - 75.2)         52         73.3         (67.9 - 78.1)           76.1         (72.2 - 79.6)         100         70.5         (64.5 - 75.8)         50         80.7         (75.3 - 85.1)           56.2         (50.2 - 62.0)         54         -         -         25         -         -           78.5         (75.5 - 81.2)         160         81.4         (77.3 - 84.9)         78         75.9         (71.5 - 79.9)     <

Note: 14 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN73: Percentage of students who were taught in their classes about the dangers of tobacco use (during the last school year)

Total			Male			Female		
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
65.9	( 63.5 - 68.3 )	307	68.3	( 64.8 - 71.7 )	147	63.6	( 60.1 - 66.9 )	159
63.5	(58.4 - 68.4)	73	-	-	32	-	-	41
71.6	(67.3 - 75.5)	96	73.2	(67.2 - 78.5)	50	-	-	46
61.0	(56.7 - 65.2)	103	-	-	44	59.6	(53.8 - 65.1)	59
-	-	34	-	-	20	-	-	13
64.4	(59.9 - 68.6)	94	-	-	43	59.9	(53.7 - 65.8)	51
67.3	(63.2 - 71.1)	111	67.0	(61.0 - 72.4)	53	67.5	(61.9 - 72.7)	58
65.4	(61.1 - 69.5)	99	-	-	49	63.4	( 57.2 - 69.2 )	50
63.5	( 57.4 - 69.2 )	51	_	-	22	_	_	29
-	<u>-</u>	32	-	-	14	-	-	18
68.5	(65.1 - 71.6)	161	67.5	(62.6 - 72.1)	79	69.3	(64.7 - 73.6)	82
-	-	13	-	-	8	-	-	5
-	-	24	-	-	8	-	-	15
	65.9 63.5 71.6 61.0 - 64.4 67.3 65.4	Percentage 95% confidence interval  65.9 (63.5 - 68.3)  63.5 (58.4 - 68.4) 71.6 (67.3 - 75.5) 61.0 (56.7 - 65.2)	Percentage 95% confidence interval 307  65.9 (63.5 - 68.3) 307  63.5 (58.4 - 68.4) 73 71.6 (67.3 - 75.5) 96 61.0 (56.7 - 65.2) 103 34  64.4 (59.9 - 68.6) 94 67.3 (63.2 - 71.1) 111 65.4 (61.1 - 69.5) 99  63.5 (57.4 - 69.2) 51 - 32 68.5 (65.1 - 71.6) 161 - 13	Percentage       95% confidence interval       N       Percentage         65.9       (63.5 - 68.3)       307       68.3         63.5       (58.4 - 68.4)       73       -         71.6       (67.3 - 75.5)       96       73.2         61.0       (56.7 - 65.2)       103       -         -       -       34       -         64.4       (59.9 - 68.6)       94       -         67.3       (63.2 - 71.1)       111       67.0         65.4       (61.1 - 69.5)       99       -         63.5       (57.4 - 69.2)       51       -         -       -       32       -         68.5       (65.1 - 71.6)       161       67.5         -       -       13       -	Percentage         95% confidence interval         N         Percentage confidence interval           65.9         (63.5 - 68.3)         307         68.3         (64.8 - 71.7)           63.5         (58.4 - 68.4)         73         -         -           71.6         (67.3 - 75.5)         96         73.2         (67.2 - 78.5)           61.0         (56.7 - 65.2)         103         -         -           -         -         34         -         -           67.3         (63.2 - 71.1)         111         67.0         (61.0 - 72.4)           65.4         (61.1 - 69.5)         99         -         -           63.5         (57.4 - 69.2)         51         -         -           68.5         (65.1 - 71.6)         161         67.5         (62.6 - 72.1)           -         -         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           65.9         (63.5 - 68.3)         307         68.3         (64.8 - 71.7)         147           63.5         (58.4 - 68.4)         73         -         -         32           71.6         (67.3 - 75.5)         96         73.2         (67.2 - 78.5)         50           61.0         (56.7 - 65.2)         103         -         -         44           -         -         34         -         -         20           64.4         (59.9 - 68.6)         94         -         -         43           67.3         (63.2 - 71.1)         111         67.0         (61.0 - 72.4)         53           65.4         (61.1 - 69.5)         99         -         -         -         49           63.5         (57.4 - 69.2)         51         -         -         22           -         -         32         -         -         14           68.5         (65.1 - 71.6)         161         67.5         (62.6 - 72.1)         79           -         -         13         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           65.9         (63.5 - 68.3)         307         68.3         (64.8 - 71.7)         147         63.6           63.5         (58.4 - 68.4)         73         -         -         32         -           71.6         (67.3 - 75.5)         96         73.2         (67.2 - 78.5)         50         -           61.0         (56.7 - 65.2)         103         -         -         44         59.6           -         -         34         -         -         20         -           64.4         (59.9 - 68.6)         94         -         -         43         59.9           67.3         (63.2 - 71.1)         111         67.0         (61.0 - 72.4)         53         67.5           65.4         (61.1 - 69.5)         99         -         -         49         63.4           63.5         (57.4 - 69.2)         51         -         -         22         -           -         -         32         -         -         14         -           68.5         (65.1 - 71.6)         161         67.	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           65.9         (63.5 - 68.3)         307         68.3         (64.8 - 71.7)         147         63.6         (60.1 - 66.9)           63.5         (58.4 - 68.4)         73         -         -         32         -         -         -           71.6         (67.3 - 75.5)         96         73.2         (67.2 - 78.5)         50         -         -         -           61.0         (56.7 - 65.2)         103         -         -         44         59.6         (53.8 - 65.1)           -         -         34         -         -         43         59.9         (53.7 - 65.8)           67.3         (63.2 - 71.1)         111         67.0         (61.0 - 72.4)         53         67.5         (61.9 - 72.7)           65.4         (61.1 - 69.5)         99         -         -         49         63.4         (57.2 - 69.2)           63.5         (57.4 - 69.2)         51         -         -         22         -         -           -         -         32         -         -

Note: 15 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN74: Percentage of students who participate in extracurricular activities at school (such as sports, band, drama, clubs, or student government)

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
63.1	( 60.6 - 65.5 )	306	65.5	( 62.0 - 68.9 )	148	61.2	( 57.7 - 64.6 )	157
81.4	(77.1 - 85.0)	73	-	-	32	-	-	41
57.6	(53.0 - 62.1)	94	-	-	49	-	-	45
56.0	(51.7 - 60.3)	104	-	-	46	49.1	(43.3 - 54.9)	58
-	-	34	-	-	20	-	-	13
70.7	( 66.4 - 74.7 )	94	_	-	43	65.0	(59.0 - 70.7)	51
63.6	(59.4 - 67.5)	109	64.3	(58.3 - 69.8)	53	62.9	(57.1 - 68.4)	56
54.2	(49.8 - 58.6)	100	52.5	(46.3 - 58.6)	50	55.7	(49.5 - 61.8)	50
58.8	( 52.5 - 64.7 )	50	_	-	22	-	-	28
-	<u>-</u>	32	-	-	14	-	-	18
67.5	(64.2 - 70.7)	161	72.6	(68.1 - 76.8)	80	62.7	(57.8 - 67.3)	81
-	-	13	-	-	8	-	-	5
-	-	24	-	-	8	-	-	15
	63.1 81.4 57.6 56.0 - 70.7 63.6 54.2 58.8 - 67.5	Percentage 95% confidence interval  63.1 (60.6 - 65.5)  81.4 (77.1 - 85.0) 57.6 (53.0 - 62.1) 56.0 (51.7 - 60.3)	Percentage 95% confidence interval   63.1 (60.6 - 65.5) 306  81.4 (77.1 - 85.0) 73 57.6 (53.0 - 62.1) 94 56.0 (51.7 - 60.3) 104 34  70.7 (66.4 - 74.7) 94 63.6 (59.4 - 67.5) 109 54.2 (49.8 - 58.6) 100  58.8 (52.5 - 64.7) 50 - 32 67.5 (64.2 - 70.7) 161 - 13	Percentage       95% confidence interval       N       Percentage         63.1       (60.6 - 65.5)       306       65.5         81.4       (77.1 - 85.0)       73       -         57.6       (53.0 - 62.1)       94       -         56.0       (51.7 - 60.3)       104       -         -       -       34       -         70.7       (66.4 - 74.7)       94       -         63.6       (59.4 - 67.5)       109       64.3         54.2       (49.8 - 58.6)       100       52.5         58.8       (52.5 - 64.7)       50       -         -       -       32       -         67.5       (64.2 - 70.7)       161       72.6         -       -       13       -	Percentage         95% confidence interval         N         Percentage confidence interval           63.1         (60.6 - 65.5)         306         65.5         (62.0 - 68.9)           81.4         (77.1 - 85.0)         73         -         -           57.6         (53.0 - 62.1)         94         -         -           56.0         (51.7 - 60.3)         104         -         -           -         -         34         -         -           70.7         (66.4 - 74.7)         94         -         -           63.6         (59.4 - 67.5)         109         64.3         (58.3 - 69.8)           54.2         (49.8 - 58.6)         100         52.5         (46.3 - 58.6)           58.8         (52.5 - 64.7)         50         -         -           -         -         32         -         -           67.5         (64.2 - 70.7)         161         72.6         (68.1 - 76.8)           -         -         13         -         -         -	Percentage         95% confidence interval         N         Percentage confidence interval         95% confidence interval         N           63.1         (60.6 - 65.5)         306         65.5         (62.0 - 68.9)         148           81.4         (77.1 - 85.0)         73         -         -         32           57.6         (53.0 - 62.1)         94         -         -         49           56.0         (51.7 - 60.3)         104         -         -         46           -         -         34         -         -         20           70.7         (66.4 - 74.7)         94         -         -         43           63.6         (59.4 - 67.5)         109         64.3         (58.3 - 69.8)         53           54.2         (49.8 - 58.6)         100         52.5         (46.3 - 58.6)         50           58.8         (52.5 - 64.7)         50         -         -         22           -         -         32         -         -         14           67.5         (64.2 - 70.7)         161         72.6         (68.1 - 76.8)         80           -         -         13         -         -         8	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           63.1         (60.6 - 65.5)         306         65.5         (62.0 - 68.9)         148         61.2           81.4         (77.1 - 85.0)         73         -         -         32         -           57.6         (53.0 - 62.1)         94         -         -         49         -           56.0         (51.7 - 60.3)         104         -         -         46         49.1           -         -         34         -         -         20         -           70.7         (66.4 - 74.7)         94         -         -         43         65.0           63.6         (59.4 - 67.5)         109         64.3         (58.3 - 69.8)         53         62.9           54.2         (49.8 - 58.6)         100         52.5         (46.3 - 58.6)         50         55.7           58.8         (52.5 - 64.7)         50         -         -         22         -           -         -         32         -         -         14         -           67.5         (64.2 - 70.7)         161         72	Percentage confidence interval         95% confidence interval         N         Percentage confidence interval         95% confidence interval           63.1         (60.6 - 65.5)         306         65.5         (62.0 - 68.9)         148         61.2         (57.7 - 64.6)           81.4         (77.1 - 85.0)         73         -         -         32         -         -           57.6         (53.0 - 62.1)         94         -         -         49         -         -           56.0         (51.7 - 60.3)         104         -         -         46         49.1         (43.3 - 54.9)           -         -         34         -         -         43         65.0         (59.0 - 70.7)           63.6         (59.4 - 67.5)         109         64.3         (58.3 - 69.8)         53         62.9         (57.1 - 68.4)           54.2         (49.8 - 58.6)         100         52.5         (46.3 - 58.6)         50         55.7         (49.5 - 61.8)           58.8         (52.5 - 64.7)         50         -         -         22         -         -           67.5         (64.2 - 70.7)         161         72.6         (68.1 - 76.8)         80         62.7         (57.8 - 67.3)     <

Note: 16 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN75: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	19.5	( 17.6 - 21.7 )	304	13.8	(11.4 - 16.7)	146	24.1	(21.2 - 27.3)	157
Age									
11 or younger	21.8	(17.8 - 26.4)	73	-	-	32	-	-	41
12	19.1	(15.8 - 22.9)	95	15.7	(11.7 - 20.7)	50	-	-	45
13	16.8	(13.7 - 20.4)	102	-	-	44	24.4	(19.7 - 29.7)	58
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	21.8	(18.2 - 25.8)	94	-	-	43	27.1	(21.9 - 33.1)	51
7th	19.2	(16.0 - 22.8)	110	18.4	(14.1 - 23.7)	54	19.9	(15.6 - 25.0)	56
8th	16.7	( 13.6 - 20.4 )	98	-	-	48	25.1	( 20.1 - 30.8 )	50
Race/Ethnicity									
Black*	22.5	(17.8 - 28.0)	51	-	-	23	-	-	28
Hispanic/Latino	-	-	32	-	-	14	-	-	18
White*	16.0	(13.5 - 18.8)	160	13.2	(10.0 - 17.3)	79	18.6	(15.1 - 22.7)	81
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	24	-	-	8	-	-	15

Note: 18 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN76: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	18.4	( 16.4 - 20.5 )	300	16.3	( 13.6 - 19.4 )	142	19.7	( 17.0 - 22.6 )	157
Age									
11 or younger	15.6	(12.2 - 19.8)	71	-	-	30	-	-	41
12	18.2	(14.8 - 22.3)	95	-	-	49	-	-	46
13	18.1	( 14.9 - 21.7 )	100	-	-	43	26.8	( 22.0 - 32.2 )	57
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	21.7	(18.1 - 25.8)	91	-	-	40	18.1	(13.8 - 23.4)	51
7th	16.2	(13.3 - 19.6)	110	12.5	(8.9 - 17.3)	53	19.5	(15.3 - 24.5)	57
8th	16.3	( 13.3 - 19.9 )	96	-	-	47	-	-	49
Race/Ethnicity									
Black*	21.9	(17.2 - 27.5)	51	-	-	23	-	-	28
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18
White*	14.7	(12.4 - 17.5)	160	10.5	(7.7 - 14.3)	79	18.7	(15.2 - 22.9)	81
All other races*	-	-	12	-	-	7	-	-	5
Multiple races*	-	-	22	-	-	6	-	-	15

Note: 22 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN77: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

Total				Male	Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
35.7	( 33.4 - 38.2 )	304	27.9	(24.8 - 31.3)	148	42.5	( 39.0 - 46.0 )	155
27.2	(22.9 - 32.0)	72	-	-	32	-	-	40
38.4	(34.1 - 43.0)	93	-	-	49	-	-	44
39.9	( 35.8 - 44.2 )	104	-	-	46	44.5	( 38.9 - 50.3 )	58
-	-	34	-	-	20	-	-	13
28.8	(24.8 - 33.1)	92	_	_	42	34.0	(28.4 - 40.1)	50
42.4	(38.3 - 46.5)	110	30.7	(25.4 - 36.5)	55	53.2	(47.2 - 59.0)	55
35.9	(31.8 - 40.3)	99	-	-	49	41.1	( 35.2 - 47.2 )	50
32.1	(26.9 - 37.9)	53	_	-	24	-	-	29
-	<u>-</u>	32	-	-	14	-	-	18
34.7	(31.5 - 38.1)	159	24.2	(20.2 - 28.8)	80	44.9	(40.1 - 49.8)	79
-	-	12	-	-	7	-	-	5
-	-	22	-	-	7	-	-	14
	35.7  27.2  38.4  39.9  -  28.8  42.4  35.9  32.1  -  34.7	Percentage 95% confidence interval  35.7 (33.4 - 38.2)  27.2 (22.9 - 32.0) 38.4 (34.1 - 43.0) 39.9 (35.8 - 44.2)	Percentage 95% confidence interval 35.7 (33.4 - 38.2) 304  27.2 (22.9 - 32.0) 72 38.4 (34.1 - 43.0) 93 39.9 (35.8 - 44.2) 104 34  28.8 (24.8 - 33.1) 92 42.4 (38.3 - 46.5) 110 35.9 (31.8 - 40.3) 99  32.1 (26.9 - 37.9) 53 - 32 34.7 (31.5 - 38.1) 159 - 12	Percentage       95% confidence interval       N       Percentage         35.7       (33.4 - 38.2)       304       27.9         27.2       (22.9 - 32.0)       72       -         38.4       (34.1 - 43.0)       93       -         39.9       (35.8 - 44.2)       104       -         -       -       34       -         28.8       (24.8 - 33.1)       92       -         42.4       (38.3 - 46.5)       110       30.7         35.9       (31.8 - 40.3)       99       -         32.1       (26.9 - 37.9)       53       -         -       -       32       -         34.7       (31.5 - 38.1)       159       24.2         -       -       12       -	Percentage         95% confidence interval         N         Percentage confidence interval           35.7         (33.4 - 38.2)         304         27.9         (24.8 - 31.3)           27.2         (22.9 - 32.0)         72         -         -           38.4         (34.1 - 43.0)         93         -         -           39.9         (35.8 - 44.2)         104         -         -           -         -         34         -         -           28.8         (24.8 - 33.1)         92         -         -           42.4         (38.3 - 46.5)         110         30.7         (25.4 - 36.5)           35.9         (31.8 - 40.3)         99         -         -           32.1         (26.9 - 37.9)         53         -         -           -         -         32         -         -           34.7         (31.5 - 38.1)         159         24.2         (20.2 - 28.8)           -         -         -         -         -	Percentage confidence interval         95% confidence interval         N         Percentage confidence confidence interval         N           35.7         (33.4 - 38.2)         304         27.9         (24.8 - 31.3)         148           27.2         (22.9 - 32.0)         72         -         -         32           38.4         (34.1 - 43.0)         93         -         -         49           39.9         (35.8 - 44.2)         104         -         -         46           -         -         34         -         -         20           28.8         (24.8 - 33.1)         92         -         -         42           42.4         (38.3 - 46.5)         110         30.7         (25.4 - 36.5)         55           35.9         (31.8 - 40.3)         99         -         -         49           32.1         (26.9 - 37.9)         53         -         -         24           -         -         32         -         -         14           34.7         (31.5 - 38.1)         159         24.2         (20.2 - 28.8)         80           -         -         12         -         -         7	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           35.7         (33.4 - 38.2)         304         27.9         (24.8 - 31.3)         148         42.5           27.2         (22.9 - 32.0)         72         -         -         32         -           38.4         (34.1 - 43.0)         93         -         -         49         -           39.9         (35.8 - 44.2)         104         -         -         46         44.5           -         -         34         -         -         20         -           28.8         (24.8 - 33.1)         92         -         -         42         34.0           42.4         (38.3 - 46.5)         110         30.7         (25.4 - 36.5)         55         53.2           35.9         (31.8 - 40.3)         99         -         -         49         41.1           32.1         (26.9 - 37.9)         53         -         -         24         -           -         -         32         -         -         14         -           34.7         (31.5 - 38.1)         159         24.2	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           35.7         (33.4 - 38.2)         304         27.9         (24.8 - 31.3)         148         42.5         (39.0 - 46.0)           27.2         (22.9 - 32.0)         72         -         -         32         -         -           38.4         (34.1 - 43.0)         93         -         -         49         -         -           39.9         (35.8 - 44.2)         104         -         -         46         44.5         (38.9 - 50.3)           -         -         34         -         -         42         34.0         (28.4 - 40.1)           42.4         (38.3 - 46.5)         110         30.7         (25.4 - 36.5)         55         53.2         (47.2 - 59.0)           35.9         (31.8 - 40.3)         99         -         -         -         49         41.1         (35.2 - 47.2)           32.1         (26.9 - 37.9)         53         -         -         24         -         -           -         -         32         -         -         14         -

Note: 18 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN78: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

Total				Male			Female			
Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
26.3	( 24.1 - 28.6 )	303	18.9	( 16.2 - 21.9 )	147	33.0	(29.8 - 36.4)	156		
20.8	(16.9 - 25.3)	72	-	-	32	-	-	40		
26.4	(22.7 - 30.6)	94	-	-	49	-	-	45		
32.7	( 28.8 - 36.9 )	104	-	-	46	43.0	( 37.4 - 48.8 )	58		
-	-	32	-	-	19	-	-	13		
19.7	(16.3 - 23.6)	92	-	-	42	20.1	(15.6 - 25.6)	50		
31.4	(27.7 - 35.4)	110	17.7	(13.6 - 22.6)	54	43.8	(38.1 - 49.6)	56		
28.2	( 24.3 - 32.3 )	99	-	-	49	35.7	( 30.1 - 41.8 )	50		
23.4	(18.7 - 28.8)	53	-	-	24	_	-	29		
-	-	32	-	-	14	-	-	18		
22.4	(19.6 - 25.4)	161	14.6	(11.6 - 18.3)	81	29.9	(25.6 - 34.6)	80		
-	-	12	-	-	7	-	-	5		
-	-	20	-	-	6	-	-	14		
	26.3  20.8  26.4  32.7  -  19.7  31.4  28.2  23.4  -  22.4	Percentage 95% confidence interval  26.3 (24.1 - 28.6)  20.8 (16.9 - 25.3) 26.4 (22.7 - 30.6) 32.7 (28.8 - 36.9)	Percentage 95% N confidence interval  26.3 (24.1 - 28.6) 303  20.8 (16.9 - 25.3) 72 26.4 (22.7 - 30.6) 94 32.7 (28.8 - 36.9) 104 32  19.7 (16.3 - 23.6) 92 31.4 (27.7 - 35.4) 110 28.2 (24.3 - 32.3) 99  23.4 (18.7 - 28.8) 53 32 22.4 (19.6 - 25.4) 161 - 12	Percentage       95% confidence interval       N       Percentage         26.3       (24.1 - 28.6)       303       18.9         20.8       (16.9 - 25.3)       72       -         26.4       (22.7 - 30.6)       94       -         32.7       (28.8 - 36.9)       104       -         -       -       32       -         19.7       (16.3 - 23.6)       92       -         31.4       (27.7 - 35.4)       110       17.7         28.2       (24.3 - 32.3)       99       -         23.4       (18.7 - 28.8)       53       -         -       -       32       -         22.4       (19.6 - 25.4)       161       14.6         -       -       12       -	Percentage         95% confidence interval         N         Percentage confidence interval           26.3         (24.1 - 28.6)         303         18.9         (16.2 - 21.9)           20.8         (16.9 - 25.3)         72         -         -           26.4         (22.7 - 30.6)         94         -         -           32.7         (28.8 - 36.9)         104         -         -           -         -         32         -         -           19.7         (16.3 - 23.6)         92         -         -           31.4         (27.7 - 35.4)         110         17.7         (13.6 - 22.6)           28.2         (24.3 - 32.3)         99         -         -           23.4         (18.7 - 28.8)         53         -         -           -         -         32         -         -           22.4         (19.6 - 25.4)         161         14.6         (11.6 - 18.3)           -         -         -         -         -	Percentage confidence interval         95% confidence interval         N         Percentage confidence confidence interval         N           26.3         (24.1 - 28.6)         303         18.9         (16.2 - 21.9)         147           20.8         (16.9 - 25.3)         72         -         -         32           26.4         (22.7 - 30.6)         94         -         -         49           32.7         (28.8 - 36.9)         104         -         -         46           -         -         32         -         -         19           19.7         (16.3 - 23.6)         92         -         -         42           31.4         (27.7 - 35.4)         110         17.7         (13.6 - 22.6)         54           28.2         (24.3 - 32.3)         99         -         -         49           23.4         (18.7 - 28.8)         53         -         -         24           -         -         32         -         -         14           22.4         (19.6 - 25.4)         161         14.6         (11.6 - 18.3)         81           -         -         12         -         -         7	Percentage         95% confidence interval         N         Percentage confidence interval         N         Percentage confidence interval           26.3         (24.1 - 28.6)         303         18.9         (16.2 - 21.9)         147         33.0           20.8         (16.9 - 25.3)         72         -         -         32         -           26.4         (22.7 - 30.6)         94         -         -         49         -           32.7         (28.8 - 36.9)         104         -         -         46         43.0           -         -         32         -         -         19         -           19.7         (16.3 - 23.6)         92         -         -         42         20.1           31.4         (27.7 - 35.4)         110         17.7         (13.6 - 22.6)         54         43.8           28.2         (24.3 - 32.3)         99         -         -         49         35.7           23.4         (18.7 - 28.8)         53         -         -         24         -           -         -         32         -         -         14         -           22.4         (19.6 - 25.4)         161         14.6	Percentage confidence interval         N confidence interval         Percentage confidence interval         95% confidence interval         N confidence interval         Percentage confidence interval           26.3         (24.1 - 28.6)         303         18.9         (16.2 - 21.9)         147         33.0         (29.8 - 36.4)           20.8         (16.9 - 25.3)         72         -         -         32         -         -           26.4         (22.7 - 30.6)         94         -         -         49         -         -           32.7         (28.8 - 36.9)         104         -         -         46         43.0         (37.4 - 48.8)           -         -         32         -         -         -         46         43.0         (37.4 - 48.8)           -         -         32         -         -         42         20.1         (15.6 - 25.6)           31.4         (27.7 - 35.4)         110         17.7         (13.6 - 22.6)         54         43.8         (38.1 - 49.6)           28.2         (24.3 - 32.3)         99         -         -         49         35.7         (30.1 - 41.8)           23.4         (18.7 - 28.8)         53         -         -         24		

Note: 19 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN79: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	76.2	( 74.0 - 78.3 )	305	75.4	(72.0 - 78.4)	147	76.8	(73.8 - 79.6)	157		
Age											
11 or younger	88.7	(84.8 - 91.6)	71	-	-	31	-	-	40		
12	73.7	(69.5 - 77.5)	95	73.5	(67.5 - 78.8)	50	_	-	45		
13	68.2	(64.0 - 72.0)	104	-	-	45	66.4	(60.8 - 71.6)	59		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	84.7	(81.0 - 87.7)	92	-	-	42	87.9	(83.5 - 91.2)	50		
7th	73.1	(69.2 - 76.7)	110	79.3	(73.9 - 83.7)	53	67.7	(62.0 - 72.9)	57		
8th	70.3	(66.2 - 74.2)	100	65.2	(59.0 - 70.9)	50	74.6	( 68.8 - 79.6 )	50		
Race/Ethnicity											
Black*	66.4	( 60.4 - 71.8 )	53	-	-	24	-	-	29		
Hispanic/Latino	-	-	32	-	-	14	-	-	18		
White*	80.5	(77.7 - 83.1)	162	78.4	(74.2 - 82.2)	80	82.5	(78.5 - 85.8)	82		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		

Note: 17 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN80: Percentage of students who responded that their parents would feel it would be wrong or very wrong for them to drink beer, wine, or hard liquor (such as vodka, whiskey, or gin) at least once or twice a month

	Total				Male	Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	89.0	( 87.4 - 90.5 )	303	86.2	(83.5 - 88.5)	148	91.6	(89.5 - 93.3)	154
Age									
11 or younger	95.8	(93.1 - 97.5)	70	_	-	31	_	-	39
12	86.5	(83.1 - 89.3)	95	80.5	(75.1 - 85.0)	50	_	_	45
13	87.8	(84.7 - 90.3)	103	-	· -	46	89.1	(85.2 - 92.1)	57
14 or older	-	-	34	-	-	20	-	-	13
Grade									
6th	93.5	(90.8 - 95.4)	91	_	-	42	_	-	49
7th	87.4	(84.3 - 89.9)	112	85.1	(80.3 - 88.9)	55	89.4	(85.2 - 92.5)	57
8th	85.6	(82.2 - 88.4)	97	-	-	49	-	-	48
Race/Ethnicity									
Black*	89.7	(85.6 - 92.7)	53	-	-	24	_	-	29
Hispanic/Latino	-	-	32	-	-	14	-	-	18
White*	88.9	(86.5 - 90.9)	158	86.1	(82.2 - 89.2)	79	91.6	(88.5 - 93.9)	79
All other races*	-	-	13	-	-	8	-	-	5
Multiple races*	-	-	21	-	-	7	-	-	13

Note: 19 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN81: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine, or liquor) nearly every day

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	72.7	( 70.3 - 74.9 )	295	72.5	( 69.1 - 75.7 )	144	72.6	( 69.3 - 75.7 )	150		
Age											
11 or younger	76.2	(71.4 - 80.4)	67	-	-	29	-	-	38		
12	72.0	(67.6 - 76.0)	92	-	-	49	-	-	43		
13	70.4	( 66.2 - 74.2 )	101	-	-	45	71.5	(65.9 - 76.5)	56		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	73.6	(69.2 - 77.5)	87	-	-	40	-	-	47		
7th	67.8	(63.7 - 71.7)	107	66.4	(60.4 - 71.8)	52	69.1	( 63.3 - 74.4 )	55		
8th	77.2	(73.3 - 80.6)	98	74.4	( 68.8 - 79.3 )	50	-	-	48		
Race/Ethnicity											
Black*	75.4	( 69.8 - 80.3 )	52	-	-	24	-	-	28		
Hispanic/Latino	-	<u>-</u>	31	-	-	14	-	-	17		
White*	76.9	(73.9 - 79.7)	159	74.7	(70.1 - 78.7)	79	79.1	(74.9 - 82.8)	80		
All other races*	-	-	12	-	-	7	-	-	5		
Multiple races*	-	-	19	-	-	7	-	-	11		

Note: 27 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN82: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	70.7	( 68.3 - 72.9 )	299	67.8	( 64.2 - 71.1 )	146	73.1	( 69.8 - 76.2 )	152		
Age											
11 or younger	71.9	( 66.9 - 76.5 )	67	-	-	30	_	-	37		
12	70.9	(66.5 - 74.9)	94	-	-	49	-	-	45		
13	66.8	(62.5 - 70.7)	103	-	-	46	67.0	(61.3 - 72.2)	57		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	70.7	(66.2 - 74.8)	88	-	-	41	-	-	47		
7th	67.8	(63.7 - 71.7)	109	68.4	(62.6 - 73.7)	53	67.3	(61.5 - 72.7)	56		
8th	73.3	( 69.3 - 77.1 )	99	63.6	( 57.4 - 69.4 )	50	-	-	49		
Race/Ethnicity											
Black*	73.0	(67.2 - 78.1)	53	-	-	24	_	-	29		
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18		
White*	72.2	(68.9 - 75.2)	157	67.1	(62.2 - 71.6)	79	77.1	(72.7 - 81.0)	78		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		

Note: 23 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN83: Percentage of students who have an adult outside of school they can talk to about things that are important to them

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	83.1	(81.1 - 84.9)	300	85.1	(82.2 - 87.5)	146	81.8	(78.9 - 84.3)	153		
Age											
11 or younger	86.4	(82.2 - 89.7)	69	-	-	31	-	-	38		
12	79.7	(75.8 - 83.1)	94	-	-	49	-	-	45		
13	84.8	(81.4 - 87.6)	102	-	-	45	83.6	(78.9 - 87.4)	57		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	85.9	(82.3 - 88.9)	90	-	-	42	-	-	48		
7th	78.6	(75.0 - 81.9)	108	81.5	(76.4 - 85.7)	52	76.2	(70.9 - 80.8)	56		
8th	84.9	(81.4 - 87.8)	99	85.8	(80.9 - 89.6)	50	-	-	49		
Race/Ethnicity											
Black*	82.7	(77.5 - 87.0)	52	_	-	24	_	-	28		
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18		
White*	86.0	(83.4 - 88.3)	159	84.9	(81.0 - 88.1)	79	87.0	(83.3 - 90.0)	80		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		

Note: 22 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN84: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	81.3	( 79.2 - 83.2 )	296	81.3	( 78.2 - 84.0 )	143	81.8	( 78.9 - 84.4 )	152		
Age											
11 or younger	87.3	(83.1 - 90.5)	67	-	-	29	_	-	38		
12	79.1	(75.1 - 82.6)	93	-	-	48	-	-	45		
13	79.1	(75.3 - 82.5)	101	-	-	45	76.9	(71.5 - 81.5)	56		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	84.5	(80.6 - 87.7)	86	-	-	38	-	-	48		
7th	81.6	(78.1 - 84.6)	109	78.0	(72.6 - 82.5)	54	84.8	(80.3 - 88.5)	55		
8th	78.3	(74.4 - 81.8)	98	-	-	49	-	-	49		
Race/Ethnicity											
Black*	84.0	(78.8 - 88.1)	51	-	-	23	_	-	28		
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18		
White*	86.0	(83.3 - 88.3)	158	86.4	(82.6 - 89.4)	79	85.6	(81.7 - 88.8)	79		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		

Note: 26 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN85: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	33.8	(31.4 - 36.3)	294	32.5	( 29.0 - 36.1 )	140	35.1	(31.8 - 38.6)	153		
Age											
11 or younger	47.6	(42.3 - 52.9)	68	-	-	30	-	-	38		
12	31.7	(27.7 - 36.1)	93	-	-	48	-	-	45		
13	26.5	( 22.7 - 30.6 )	99	-	-	42	32.1	( 26.9 - 37.8 )	57		
14 or older	-	-	33	-	-	19	-	-	13		
Grade											
6th	41.4	( 36.8 - 46.1 )	88	-	-	40	-	-	48		
7th	37.4	(33.4 - 41.6)	107	35.4	(29.7 - 41.5)	51	39.2	(33.7 - 45.1)	56		
8th	22.1	(18.5 - 26.1)	97	-	-	48	-	-	49		
Race/Ethnicity											
Black*	40.1	(34.3 - 46.2)	52	-	-	24	_	-	28		
Hispanic/Latino	-	<u>-</u>	32	-	-	14	-	-	18		
White*	35.4	( 32.1 - 38.9 )	155	38.7	(33.8 - 43.9)	75	32.5	(28.0 - 37.2)	80		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		
All other races*	-	-	13	-	-	8	32.5 - -	-	5		

Note: 28 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QN86: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	60.1	( 57.6 - 62.7 )	290	63.8	( 60.0 - 67.4 )	140	56.6	( 53.0 - 60.1 )	149		
Age											
11 or younger	70.2	(65.0 - 75.0)	68	-	-	30	-	-	38		
12	57.4	(52.7 - 62.0)	89	-	-	47	-	-	42		
13	58.5	(54.1 - 62.7)	100	-	-	44	57.0	(51.1 - 62.7)	56		
14 or older	-	-	32	-	-	18	-	-	13		
Grade											
6th	66.4	(61.7 - 70.7)	88	-	-	40	-	-	48		
7th	59.4	(55.1 - 63.6)	105	65.9	(59.9 - 71.5)	52	53.4	(47.4 - 59.4)	53		
8th	53.0	(48.5 - 57.5)	94	-	-	46	-	-	48		
Race/Ethnicity											
Black*	-	_	48	-	-	22	_	-	26		
Hispanic/Latino	-	-	32	-	-	14	-	-	18		
White*	65.7	(62.3 - 69.1)	153	69.7	(64.7 - 74.2)	75	62.1	(57.2 - 66.8)	78		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	21	-	-	7	-	-	13		

Note: 32 students were excluded from this analysis. \*Non-Hispanic.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.

# **Maryland Middle School Survey Kent County Summary Tables - Weighted Data**

QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)

	Total				Male			Female			
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
Total	1.8	(1.3 - 2.6)	308	0.5	(0.2 - 1.2)	148	2.4	(1.5 - 3.7)	159		
Age											
11 or younger	1.5	(0.6 - 3.6)	73	-	-	32	-	-	41		
12	3.7	(2.4 - 5.6)	95	-	-	49	-	-	46		
13	0.0	-	105	-	-	46	0.0	-	59		
14 or older	-	-	34	-	-	20	-	-	13		
Grade											
6th	2.1	(1.1 - 3.9)	95	-	-	44	4.3	(2.3 - 7.8)	51		
7th	2.3	(1.4 - 3.8)	110	1.6	(0.7 - 3.8)	52	2.9	(1.6 - 5.4)	58		
8th	0.0	-	100	0.0	-	50	0.0	-	50		
Race/Ethnicity											
Black*	0.0	-	54	-	-	25	-	-	29		
Hispanic/Latino	-	-	32	-	-	14	-	-	18		
White*	1.8	(1.1 - 2.9)	160	0.9	(0.4 - 2.2)	78	2.5	(1.4 - 4.7)	82		
All other races*	-	-	13	-	-	8	-	-	5		
Multiple races*	-	-	24	-	-	8	-	-	15		

Note: 14 students were excluded from this analysis.

N = Number of students in this subgroup.
- = Fewer than 50 students in this subgroup.