# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or al Bisexual Other/Questioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	11.3 (9.3-13.7)	1,339	15.1 (11.3-19.8)	314	15.0 (10.4-21.2)	188	No	No	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	3.1 (2.0-4.8)	616	4.9 (2.2-10.3)	127	3.8 (1.1-12.3)	58	No	No	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	28.2 (22.7-34.4)	620	22.8 (15.7-31.9)	130	21.7 (13.0-34.1)	58	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN12: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	2.8 (2.0-4.0)	1,345	5.2 (3.2-8.3)	314	5.9 (3.1-11.0)	190	No	No	No
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	3.7 (2.6-5.1)	1,341	4.0 (2.3-6.9)	314	2.3 (0.9-5.6)	190	No	No	No
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	6.3 (5.0-7.8)	1,326	15.1 (11.2-20.1)	310	13.4 (9.1-19.4)	187	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

# Risk Behaviors and Sexual Identity Report

	Heterose	Gay, Lesbian, or sexual Bisexual Other/Questioning		tioning*					
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	4.8 (3.8-6.1)	1,345	10.1 (7.0-14.3)	314	8.3 (4.8-14.1)	190	Yes	No	No
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	7.0 (5.6-8.9)	1,346	8.9 (6.0-13.0)	314	8.2 (4.9-13.2)	191	No	No	No
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	9.8 (7.6-12.6)	658	15.0 (10.6-20.9)	167	17.6 (10.4-28.3)	76	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	13.9 (12.1-16.0)	1,340	25.3 (20.6-30.7)	307	23.8 (17.6-31.4)	184	Yes	Yes	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	12.3 (10.5-14.2)	1,336	27.2 (22.1-33.1)	308	21.9 (16.6-28.4)	187	Yes	Yes	No
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	29.3 (26.1-32.7)	1,331	64.0 (58.3-69.3)	306	61.3 (53.4-68.6)	185	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	13.3 (11.5-15.4)	1,334	41.3 (35.4-47.5)	306	43.3 (35.8-51.1)	183	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	10.3 (8.7-12.1)	1,333	27.4 (22.5-32.8)	304	33.9 (26.3-42.5)	181	Yes	Yes	No
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	11.1 (9.4-13.1)	1,333	19.8 (15.7-24.6)	309	16.0 (11.2-22.3)	188	Yes	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heteros	exual	• /	Gay, Lesbian, or Bisexual Other/Questioning*					
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	8.1 (6.7-9.7)	1,338	11.0 (7.8-15.4)	310	9.7 (5.8-16.0)	189	No	No	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	4.0 (2.9-5.5)	1,341	9.4 (6.5-13.3)	312	5.0 (2.4-10.3)	190	Yes	No	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.8 (0.4-1.6)	1,341	2.8 (1.5-5.3)	312	1.0 (0.2-4.3)	190	Yes	No	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.8 (0.4-1.6)	1,341	1.5 (0.6-4.0)	312	1.0 (0.2-4.3)	190	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	36.8 (33.3-40.5)	1,294	44.9 (38.4-51.5)	301	29.8 (22.8-37.8)	180	Yes	No	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	17.8 (15.3-20.5)	1,287	25.0 (19.9-31.0)	293	14.6 (9.8-21.1)	180	Yes	No	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	6.6 (4.9-8.8)	1,287	9.1 (6.3-12.9)	293	3.2 (1.3-7.8)	180	No	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

	Heteros	exual	Gay, Lesbi Bisexu		Other/Quest	tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	4.9 (3.5-6.8)	1,287	7.4 (4.9-11.0)	293	1.1 (0.3-4.3)	180	No	Yes	Yes
QN36: Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)	3.0 (1.3-6.7)	220	4.3 (1.4-12.7)	69	-	24	No	N/A	N/A
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	2.6 (1.8-3.9)	1,313	5.1 (2.9-8.7)	304	3.0 (1.3-6.9)	189	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heteroso	Heterosexual Gay, Lesbian, or Bisexual O		Other/Questioning*					
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.8 (0.4-1.8)	1,313	1.2 (0.4-4.0)	304	0.0	189	No	Yes	No
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.8 (0.3-1.6)	1,313	1.2 (0.4-4.0)	304	0.0	189	No	Yes	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.7 (2.7-5.1)	1,319	6.3 (4.0-9.7)	305	2.4 (1.0-5.8)	191	No	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heteros	exual	Gay, Lesbian, or l Bisexual Oth		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.5 (0.2-1.0)	1,319	1.9 (0.8-4.4)	305	0.0	191	No	Yes	Yes
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.3 (0.1-0.9)	1,319	1.6 (0.6-4.2)	305	0.0	191	No	Yes	Yes
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	5.5 (4.2-7.2)	1,315	11.8 (8.6-16.1)	303	5.5 (2.7-10.9)	190	Yes	No	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	5.9 (4.5-7.7)	1,304	12.5 (9.1-16.9)	299	6.2 (3.2-11.7)	188	Yes	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	18.4 (15.7-21.3)	1,256	26.4 (20.8-32.8)	279	14.1 (9.4-20.6)	178	Yes	No	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	17.9 (15.4-20.8)	1,284	25.7 (20.4-31.7)	291	14.6 (9.8-21.1)	180	Yes	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.2 (12.3-16.3)	1,269	19.5 (15.1-24.8)	288	17.6 (12.7-23.7)	180	Yes	No	No
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	22.1 (19.1-25.4)	1,270	23.3 (18.0-29.6)	283	20.0 (14.5-27.0)	181	No	No	No
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)	12.6 (10.3-15.4)	1,282	12.7 (8.5-18.5)	285	10.3 (6.7-15.6)	181	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Gay, Lesbian, or Heterosexual Bisexual Other/Questionin		Other/Questioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN46: Percentage of students who tried marijuana for the first time before age 13 years	5.2 (4.0-6.7)	1,286	9.4 (6.0-14.4)	291	5.0 (2.6-9.3)	183	No	No	No
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	12.2 (10.2-14.6)	1,286	17.2 (12.8-22.6)	290	11.7 (7.3-18.4)	183	No	No	No
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	11.7 (10.0-13.7)	1,287	22.2 (18.0-27.0)	296	20.3 (14.7-27.5)	181	Yes	Yes	No
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	2.5 (1.7-3.6)	1,295	7.3 (4.7-11.0)	298	1.3 (0.4-4.1)	183	Yes	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterosexual Gay, Lesbian, or Bisexual Other/Question		tioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	2.2 (1.5-3.3)	1,288	6.2 (3.7-10.3)	297	2.0 (0.7-5.6)	184	Yes	No	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	2.1 (1.4-3.3)	1,280	4.0 (2.2-6.9)	294	2.2 (0.8-5.8)	184	No	No	No
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)	2.8 (1.9-4.1)	1,290	7.5 (4.9-11.4)	295	3.4 (1.5-7.8)	184	Yes	No	Yes
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	2.4 (1.6-3.6)	1,282	6.3 (3.9-10.3)	294	1.3 (0.4-4.2)	184	Yes	No	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	16.2 (14.2-18.6)	1,276	18.4 (14.5-23.0)	292	19.3 (14.2-25.8)	182	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### **Sexual Behaviors**

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN57: Percentage of students who ever had sexual intercourse	28.4 (24.5-32.6)	1,182	32.2 (26.5-38.5)	262	16.3 (10.8-23.8)	164	No	Yes	Yes
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	1.9 (1.1-3.1)	1,182	5.8 (3.6-9.2)	263	3.2 (1.3-7.5)	164	Yes	No	No
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	5.4 (3.9-7.4)	1,167	6.4 (3.9-10.3)	259	2.0 (0.6-6.3)	162	No	Yes	Yes
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	18.4 (15.5-21.8)	1,176	21.7 (16.9-27.4)	261	9.8 (6.2-15.3)	164	No	Yes	Yes

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

#### **Sexual Behaviors**

	Heterose	Heterosexual		Gay, Lesbian, or Bisexual		tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN61: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	19.3 (14.7-25.0)	206	24.6 (14.8-38.0)	54	-	17	No	N/A	N/A
QN62: Percentage of students who did not use a condom during last sexual intercourse (among students who were currently sexually active)	43.9 (35.7-52.4)	200	51.0 (35.6-66.3)	51	-	17	No	N/A	N/A

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

#### **Birth Control**

	Heterose	xual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN63: Did not use birth control pills before last sexual intercourse with opposite-sex partner	76.1 (68.4-82.4)	201	71.4 (56.1-83.0)	44	-	14	No	N/A	N/A
QNIUDIMP: Percentage of students who did not use an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner	94.4 (89.9-97.0)	201	95.8 (83.8-99.0)	44	-	14	No	N/A	N/A
QNOTHHPL: Percentage of students who did not use birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner	65.0 (57.0-72.2)	201	67.2 (51.7-79.7)	44	-	14	No	N/A	N/A

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### **Birth Control**

	Heterose	Heterosexual Gay, Lesbian, or Bisexual		Other/Ques	tioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QNDUALBC: Percentage of students who did not use both a condom during last sexual intercourse and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner	88.0 (82.6-91.9)	195	86.3 (73.8-93.4)	50	-	16	No	N/A	N/A
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	12.9 (8.5-19.1)	201	17.1 (8.0-33.0)	44	-	14	No	N/A	N/A

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	xual	Gay, Lesbian, or Bisexual		or Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) <sup>¶</sup>	14.7 (12.7-17.0)	1,193	20.2 (15.4-25.9)	271	12.2 (7.9-18.5)	154	No	No	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)¶	12.7 (10.8-14.8)	1,193	16.9 (13.0-21.6)	271	11.2 (7.3-17.0)	154	No	No	No
QN66: Percentage of students who described themselves as slightly or very overweight	23.8 (21.3-26.6)	1,253	40.2 (34.7-46.0)	288	28.9 (22.1-36.8)	178	Yes	No	Yes
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	35.6 (32.8-38.4)	1,256	37.0 (31.5-42.8)	289	40.0 (32.6-48.0)	180	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	16.0 (13.8-18.5)	1,259	12.8 (9.0-18.0)	289	19.9 (14.3-27.0)	180	No	No	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	9.0 (7.5-10.9)	1,244	5.0 (2.9-8.4)	286	10.5 (6.8-15.9)	178	Yes	No	Yes
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	49.7 (46.7-52.6)	1,257	47.8 (42.0-53.6)	289	62.0 (53.6-69.8)	181	No	Yes	Yes
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	39.8 (36.7-42.9)	1,246	41.7 (35.5-48.2)	283	44.9 (37.3-52.8)	179	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterosexual			Gay, Lesbian, or Bisexual		tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	57.3 (54.2-60.3)	1,253	58.7 (52.4-64.7)	288	59.7 (52.2-66.8)	182	No	No	No
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	20.5 (17.5-23.9)	1,245	16.0 (11.7-21.4)	285	19.9 (14.6-26.6)	181	No	No	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	9.8 (7.7-12.4)	1,223	9.5 (6.1-14.5)	279	7.9 (4.8-12.6)	177	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	12.7 (10.6-15.0)	1,241	13.3 (9.5-18.4)	288	15.2 (10.4-21.7)	180	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	Gay, Lesbian, or erosexual Bisexual		Other/Quest	ioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	7.1 (5.7-8.8)	1,241	9.0 (5.9-13.6)	288	6.5 (3.5-11.6)	180	No	No	No
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	24.0 (21.0-27.4)	1,246	30.2 (24.6-36.4)	290	24.0 (18.1-31.1)	180	No	No	No
QNBK7DAY: Percentage of students who did not eat breakfast on all 7 days (during the 7 days before the survey)	73.3 (70.4-76.1)	1,246	85.1 (80.1-89.0)	290	79.6 (72.7-85.0)	180	Yes	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

# Risk Behaviors and Sexual Identity Report

#### **Physical Activity**

	Heterose	Gay, Lesbian, or terosexual Bisexual Other/Questi		Other/Questioning*					
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN77: Percentage of students who were not physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	52.5 (49.1-55.8)	1,235	72.7 (67.1-77.7)	288	70.9 (63.6-77.2)	178	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	13.8 (11.6-16.3)	1,235	29.3 (24.2-35.0)	288	25.5 (19.8-32.1)	178	Yes	Yes	No
QNPA7DAY: Perentage of students who were not physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	74.7 (71.4-77.7)	1,235	89.3 (84.9-92.5)	288	89.1 (83.5-93.0)	178	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### **Physical Activity**

	Heterose	xual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	69.6 (66.7-72.4)	1,221	79.2 (73.3-84.1)	285	83.3 (76.9-88.1)	179	Yes	Yes	No
QN79: Percentage of students who did not attend physical education (PE) classes on 1 or more days (in an average week when they were in school)	60.7 (55.3-65.9)	1,234	77.8 (70.9-83.4)	283	75.0 (67.2-81.5)	180	Yes	Yes	No
QNDLYPE: Percentage of students who did not attend physical education classes on all 5 days (in an average week when they were in school)	67.4 (62.6-71.8)	1,234	81.6 (75.1-86.8)	283	79.4 (71.8-85.4)	180	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### **Physical Activity**

Heterosexual		exual	Gay, Lesbia Bisexua		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	14.5 (12.6-16.6)	1,237	11.7 (8.0-16.6)	285	11.0 (7.1-16.5)	180	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### Other

	Heterose	exual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN82: Were not tested or were not sure whether they had been tested for human immunodeficiency virus (HIV)	92.0 (90.1-93.5)	1,214	88.6 (83.9-92.1)	283	94.9 (90.1-97.4)	182	No	No	Yes
QN84: Percentage of students who did not see a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	20.9 (18.4-23.5)	1,227	26.5 (21.4-32.3)	287	23.4 (16.7-31.7)	182	Yes	No	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.5 (0.9-2.5)	1,227	0.9 (0.2-3.7)	287	2.1 (0.7-5.7)	182	No	No	No
QN87: Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)	3.5 (2.5-5.0)	1,220	3.6 (1.8-7.0)	280	1.9 (0.7-5.2)	182	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbia Bisexua		Other/Quest	tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN88: Percentage of students who are transgender	0.8 (0.4-1.5)	1,343	11.1 (7.7-15.7)	311	15.3 (10.3-22.1)	191	Yes	Yes	No
QN89: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)	34.5 (29.4-40.1)	681	29.8 (22.3-38.7)	137	31.8 (21.9-43.6)	67	No	No	No
QN90: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)	15.9 (8.0-29.0)	35	-	21	-	7	N/A	N/A	N/A
QN91: Percentage of students who were not asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)	-	20	-	11	-	6	N/A	N/A	N/A

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		or Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN92: Percentage of students who did not have someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)	64.5 (53.1-74.4)	82	-	25	-	14	N/A	N/A	N/A
QN93: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)	95.3 (92.4-97.1)	322	95.1 (86.8-98.3)	95	92.6 (78.6-97.7)	39	No	No	No
QN94: Percentage of students who used electronic-vapor products mainly because a friend or family member used them	12.5 (10.6-14.7)	1,178	17.6 (13.0-23.4)	277	10.9 (6.8-17.1)	178	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN95: Percentage of students who have ever used an electronic vapor product to smoke marijuana, THC or hash oil, or THC wax	13.8 (11.3-16.7)	1,173	19.1 (13.9-25.9)	267	13.4 (8.5-20.4)	176	No	No	No
QN96: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)	2.7 (1.8-4.1)	1,311	4.4 (2.4-7.8)	293	3.7 (1.6-8.6)	184	No	No	No
QN97: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)	1.6 (0.9-2.6)	1,289	4.1 (2.1-7.7)	290	1.7 (0.6-4.7)	186	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbi Bisexua		Other/Quest	ioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN98: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)	3.4 (2.4-4.7)	1,205	7.3 (4.7-11.2)	268	3.7 (1.6-8.1)	174	Yes	No	No
QN99: Percentage of students who did not completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)	77.3 (70.3-83.0)	170	90.6 (79.0-96.1)	56	-	25	Yes	N/A	N/A
QN100: Percentage of students who live with someone who now smokes cigarettes or cigars	30.0 (27.0-33.3)	1,294	38.9 (33.2-45.1)	296	36.4 (30.1-43.2)	185	Yes	No	No
QN101: Percentage of students who report that the rule about smoking inside their home is that there are no rules about smoking, that smoking is allowed in some places or at sometimes, or that smoking is allowed anywhere, inside their home (not counting decks, garages, or porches)	15.4 (13.5-17.4)	1,304	25.7 (20.8-31.4)	299	29.6 (22.8-37.4)	187	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

#### **Risk Behaviors and Sexual Identity Report**

	Gay, Lesbian, or Heterosexual Bisexual Other/Questioni		Other/Questioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN102: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)	23.0 (20.4-25.8)	1,295	33.7 (28.2-39.6)	301	29.9 (23.0-37.7)	186	Yes	No	No
QN103: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)	63.4 (55.6-70.5)	155	63.5 (50.0-75.2)	60	-	25	No	N/A	N/A
QN104: Percentage of students who reported that they or someone in their home tested positive for COVID-19	37.1 (34.2-40.1)	1,206	35.8 (30.1-42.0)	278	30.9 (24.6-38.1)	180	No	No	No
QN105: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of their state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)	18.4 (15.9-21.2)	1,190	13.9 (10.4-18.5)	280	9.7 (5.9-15.6)	176	No	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

Based on t-test analyses, p<0.05.
- = Fewer than 30 students in the denominator (subgroup).

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		r Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN106: Percentage of students who have ever lied to people important to them about how much they gambled	4.3 (3.1-6.0)	1,176	5.6 (3.5-9.1)	271	1.0 (0.3-3.9)	174	No	Yes	Yes
QN107: Percentage of students who have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing schoolwork, playing sports, or being with friends)	7.9 (6.3-9.8)	1,206	12.1 (8.7-16.5)	278	10.3 (6.7-15.5)	180	No	No	No
QN108: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)	10.9 (9.0-13.2)	1,201	18.6 (14.0-24.3)	278	16.6 (11.6-23.3)	179	Yes	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual		or Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN109: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)	7.9 (6.4-9.7)	1,193	14.9 (10.8-20.3)	272	13.2 (8.5-19.9)	177	Yes	No	No
QN110: Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down (during their life)	11.6 (9.7-13.8)	1,207	19.4 (14.8-25.0)	276	25.9 (19.5-33.4)	178	Yes	Yes	No
QN111: Percentage of students who ever lived with someone who was having a problem with alcohol or drug use	25.2 (22.4-28.2)	1,180	40.5 (35.0-46.2)	278	38.8 (31.5-46.6)	174	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterose	exual	Gay, Lesbian, or Bisexual Other/Questioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN112: Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal	29.0 (26.3-31.8)	1,180	58.5 (52.7-64.1)	276	55.7 (48.3-62.9)	171	Yes	Yes	No
QN113: Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center	14.3 (12.2-16.7)	1,188	22.1 (17.1-28.2)	271	16.5 (11.4-23.3)	175	Yes	No	No
QN114: Percentage of students who reported that their parents or other adults in their home most of the time or always slapped, hit, kicked, punched, or beat each other up (during their life)	2.1 (1.4-3.2)	1,197	3.9 (2.0-7.6)	272	2.5 (1.0-5.9)	178	No	No	No
QN115: Percentage of students who did not participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)	42.8 (38.7-47.0)	1,184	46.1 (40.0-52.5)	270	40.5 (31.9-49.7)	174	No	No	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

				Gay, Lesbian, or Bisexual		tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning?§	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN116: Percentage of students who were not taught or who were not sure if they were taught in any of their classes about the dangers of tobacco use (during the last school year)	42.4 (38.6-46.4)	1,183	43.0 (36.3-50.0)	273	44.0 (36.2-52.1)	177	No	No	No
QN117: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends	35.9 (33.2-38.7)	1,180	39.8 (33.0-47.1)	275	29.3 (23.7-35.6)	175	No	No	Yes
QN118: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in	19.1 (16.7-21.8)	1,187	21.2 (16.5-26.8)	276	18.5 (13.3-25.1)	174	No	No	No
QN119: Percentage of students who sometimes, rarely, or never feel that they are able to talk to an adult in their family or another caring adult about their feelings (during their life)	54.6 (51.5-57.7)	1,188	73.8 (68.0-78.8)	274	76.0 (67.2-82.9)	176	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN120: Percentage of students who would not feel comfortable seeking help from adults besides their parents if they had an important question affecting their life	24.3 (21.8-27.0)	1,190	29.0 (23.9-34.8)	275	34.0 (26.2-42.8)	174	No	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

# Maryland High School Survey Saint Mary's County

### **Risk Behaviors and Sexual Identity Report**

#### **Mental Health**

Hetero		Gay, Lesbian sexual Bisexual		,	´ 0.1 10 11 *				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual?§	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning?§
QN85: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)	21.8 (19.0-24.8)	1,221	52.5 (46.0-58.8)	282	58.5 (50.3-66.2)	180	Yes	Yes	No

<sup>\*</sup>Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. †Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.