Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Unintentional Injuries/Violence**

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	12.8 (10.4-15.7)	920	18.7 (13.1-25.9)	191	16.5 (10.2-25.4)	122	No	No	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	2.4 (1.3-4.5)	361	12.9 (4.3-32.9)	62	10.6 (4.5-22.9)	41	No	No	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	23.3 (18.6-28.7)	369	30.6 (17.9-47.1)	66	22.9 (11.1-41.3)	39	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Unintentional Injuries/Violence**

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN12: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	4.5 (3.3-6.2)	924	5.7 (2.3-13.4)	194	5.5 (2.7-10.9)	122	No	No	No
QN13: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	4.0 (2.8-5.8)	919	7.6 (3.9-14.0)	193	4.0 (1.7-9.2)	122	No	No	No
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	7.3 (5.2-10.2)	897	12.2 (7.6-19.0)	189	8.4 (4.7-14.7)	122	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Unintentional Injuries/Violence**

	Heterose	xual	Gay, Lesbi Bisexu		or Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.2 (3.8-7.0)	922	13.8 (8.7-21.0)	193	9.6 (5.6-15.9)	123	Yes	No	No
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.4 (5.0-8.2)	921	10.7 (5.9-18.7)	193	5.6 (2.7-11.2)	124	No	No	No
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	11.1 (8.0-15.2)	411	34.2 (24.5-45.6)	102	35.5 (22.5-51.1)	45	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Unintentional Injuries/Violence**

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Question		ioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	13.4 (11.1-16.0)	913	25.1 (18.6-32.9)	185	16.8 (10.8-25.1)	121	Yes	No	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	13.8 (11.3-16.7)	913	30.6 (24.3-37.7)	186	20.4 (13.6-29.4)	120	Yes	No	No
QN25: Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	28.9 (25.4-32.7)	900	70.4 (62.6-77.1)	183	63.8 (53.9-72.6)	118	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Unintentional Injuries/Violence**

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	15.4 (12.6-18.7)	909	50.0 (42.5-57.4)	182	37.6 (28.8-47.3)	118	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	12.5 (10.1-15.4)	911	38.2 (30.3-46.7)	181	31.3 (22.9-41.0)	118	Yes	Yes	No
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	16.3 (13.6-19.4)	908	33.7 (27.3-40.8)	186	22.4 (15.6-31.0)	122	Yes	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Tobacco Use

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	8.0 (6.2-10.3)	909	16.2 (11.2-23.0)	185	10.9 (6.3-18.1)	125	Yes	No	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	4.1 (2.9-5.8)	914	9.1 (5.1-15.6)	186	8.2 (3.8-16.7)	123	Yes	No	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.8 (0.3-1.9)	914	1.6 (0.5-5.1)	186	1.0 (0.1-7.2)	123	No	No	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.7 (0.3-1.6)	914	0.0	186	1.0 (0.1-7.2)	123	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Tobacco Use

	Heterose	xual	Gay, Lesbi Bisexua		or Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	36.1 (32.3-40.2)	881	54.2 (45.3-62.9)	178	38.8 (29.0-49.7)	118	Yes	No	Yes
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	15.1 (12.4-18.2)	854	33.1 (25.9-41.3)	178	18.1 (10.9-28.3)	116	Yes	No	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	4.6 (3.1-6.6)	854	12.2 (7.4-19.4)	178	5.7 (2.4-12.8)	116	Yes	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Tobacco Use

	Heterose	exual	Gay, Lesbian, or ual Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	3.1 (2.0-4.6)	854	8.3 (4.1-16.1)	178	5.0 (1.9-12.4)	116	No	No	No
QN36: Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)	9.2 (5.2-15.7)	128	12.6 (4.3-31.5)	59	-	19	No	N/A	N/A
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	4.3 (3.1-6.1)	887	11.2 (6.9-17.7)	189	7.4 (3.8-13.7)	121	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Tobacco Use

	Heterose	Gay, Lesbian, or erosexual Bisexual Other/Questioning*							
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.6 (0.3-1.4)	887	1.3 (0.3-5.4)	189	1.8 (0.5-7.2)	121	No	No	No
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.4 (0.1-1.1)	887	0.5 (0.1-3.6)	189	1.8 (0.5-7.2)	121	No	No	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	3.7 (2.5-5.5)	902	14.1 (9.4-20.6)	190	7.0 (3.4-13.9)	123	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Tobacco Use

	Heterose	xual	Gay, Lesbia Bisexua		Other/Ques	tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.6 (0.2-1.4)	902	1.9 (0.6-5.9)	190	2.3 (0.7-7.3)	123	No	No	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.5 (0.2-1.3)	902	1.2 (0.3-5.0)	190	1.8 (0.4-7.2)	123	No	No	No
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	5.8 (4.3-7.9)	893	17.5 (11.9-24.9)	183	10.0 (5.1-18.6)	121	Yes	No	No
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	7.1 (5.5-9.3)	874	19.9 (14.2-27.2)	180	12.2 (6.4-21.8)	119	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Tobacco Use

	Gay, Lesbian, or Heterosexual Bisexual		Other/Questioning*						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	16.4 (13.5-19.8)	822	37.0 (29.3-45.5)	170	18.4 (11.1-29.1)	113	Yes	No	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	15.5 (12.7-18.8)	851	34.5 (27.0-43.0)	173	18.1 (10.9-28.6)	115	Yes	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Alcohol/Other Drug Use

	Heterose	xual	Gay, Lesbian, or Bisexual		r Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.0 (11.4-17.0)	852	28.7 (21.8-36.9)	181	24.7 (17.0-34.3)	119	Yes	Yes	No
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	15.2 (12.4-18.5)	860	32.2 (24.8-40.6)	177	19.9 (13.0-29.2)	121	Yes	No	Yes
QN42: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)	7.5 (5.3-10.4)	878	14.9 (9.8-22.1)	178	10.2 (5.4-18.6)	121	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Alcohol/Other Drug Use

	Heterose	xual	Gay, Lesbian, or al Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN46: Percentage of students who tried marijuana for the first time before age 13 years	6.6 (5.0-8.7)	877	17.6 (11.8-25.5)	183	7.0 (3.4-13.9)	121	Yes	No	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	13.7 (11.4-16.5)	878	33.0 (25.9-40.9)	185	18.6 (11.9-28.0)	120	Yes	No	Yes
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	14.8 (12.8-17.1)	878	30.4 (24.5-37.0)	182	24.8 (17.6-33.7)	121	Yes	Yes	No
QN50: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	3.2 (2.2-4.6)	887	9.7 (5.1-17.5)	186	7.1 (3.6-13.5)	122	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Alcohol/Other Drug Use

	Heterose	Gay, Lesbian, or Heterosexual Bisexual Other/Questioning*							
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	3.7 (2.4-5.8)	887	7.9 (3.7-15.9)	186	6.6 (2.9-14.6)	120	No	No	No
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	3.4 (2.3-4.9)	882	8.4 (4.2-16.2)	184	6.5 (3.0-13.6)	117	No	No	No
QN54: Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)	2.6 (1.8-3.8)	886	8.7 (4.9-15.2)	185	5.3 (2.6-10.5)	120	Yes	No	No
QN55: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	2.1 (1.3-3.4)	876	6.0 (2.5-14.0)	180	7.0 (3.2-14.9)	120	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### Alcohol/Other Drug Use

	Heterosexual		Gay, Lesbia Bisexua	/	Other/Quest	tioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>	
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	22.0 (19.3-25.0)	866	27.5 (20.6-35.6)	175	26.0 (18.3-35.4)	117	No	No	No	

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval. \*Based on t-test analyses, p<0.05.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Sexual Behaviors**

	Heterose	xual	Gay, Lesbian, or Bisexual		, or Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN57: Percentage of students who ever had sexual intercourse	29.6 (25.4-34.1)	745	34.2 (26.6-42.8)	161	20.5 (13.2-30.5)	99	No	No	Yes
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	3.5 (2.4-5.1)	744	10.2 (6.0-16.9)	168	4.4 (1.8-10.6)	97	Yes	No	No
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	5.1 (3.6-7.2)	736	8.5 (4.9-14.4)	163	0.0	95	No	Yes	Yes
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	18.7 (15.2-22.7)	741	24.3 (17.9-32.0)	166	9.5 (4.4-19.3)	97	No	Yes	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Sexual Behaviors**

	Heterose	xual	Gay, Lesbian, or Bisexual O		Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN61: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	13.1 (8.0-20.9)	135	38.5 (24.1-55.3)	38	-	7	Yes	N/A	N/A
QN62: Percentage of students who did not use a condom during last sexual intercourse (among students who were currently sexually active)	52.5 (42.8-62.0)	133	79.0 (59.2-90.7)	38	-	7	Yes	N/A	N/A

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Birth Control** 

	Heterose	xual	Gay, Lesbian, or Bisexual Othe		Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN63: Did not use birth control pills before last sexual intercourse with opposite-sex partner	77.5 (69.7-83.7)	121	83.4 (67.6-92.4)	35	-	7	No	N/A	N/A
QNIUDIMP: Percentage of students who did not use an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner	98.4 (93.4-99.6)	121	87.8 (67.5-96.2)	35	-	7	No	N/A	N/A
QNOTHHPL: Percentage of students who did not use birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner	69.2 (60.4-76.8)	121	57.6 (39.8-73.6)	35	-	7	No	N/A	N/A

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Birth Control** 

	Heterose	xual	Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QNDUALBC: Percentage of students who did not use both a condom during last sexual intercourse and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner	90.9 (83.1-95.3)	123	91.7 (70.1-98.1)	36	-	7	No	N/A	N/A
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	20.9 (13.0-31.8)	121	18.8 (8.8-35.7)	35	-	7	No	N/A	N/A

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Dietary Behaviors**

	Heterose	xual	Gay, Lesbia Bisexua		Other/Quest	tioning*			
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) <sup>¶</sup>	22.2 (19.1-25.6)	845	27.4 (19.1-37.6)	166	23.6 (16.0-33.4)	101	No	No	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) <sup>¶</sup>	17.7 (14.8-21.1)	845	17.5 (12.2-24.4)	166	19.4 (13.0-27.9)	101	No	No	No
QN66: Percentage of students who described themselves as slightly or very overweight	29.9 (26.3-33.7)	866	42.8 (34.7-51.3)	178	40.2 (31.8-49.2)	122	Yes	Yes	No
QN68: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	37.4 (33.8-41.2)	847	33.4 (25.7-42.0)	180	46.1 (36.8-55.7)	116	No	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

<sup>§</sup>Based on t-test analyses, p<0.05.

Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Dietary Behaviors**

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioni		tioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	17.5 (15.0-20.3)	864	21.5 (15.0-30.0)	181	17.4 (11.4-25.6)	119	No	No	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	11.0 (9.0-13.3)	840	10.9 (7.2-16.2)	179	8.9 (4.8-15.9)	115	No	No	No
QN70: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	44.8 (41.0-48.5)	866	51.4 (43.2-59.5)	182	53.3 (42.7-63.6)	119	No	No	No
QN71: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	44.1 (40.5-47.8)	858	43.2 (34.3-52.7)	180	51.2 (41.7-60.7)	117	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Dietary Behaviors**

	Heterose	xual	Gay, Lesbia Bisexua		Other/Quest	tioning*			
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN72: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	62.4 (58.3-66.3)	861	61.0 (53.2-68.2)	180	56.6 (45.6-67.0)	117	No	No	No
QN73: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	24.0 (21.1-27.2)	858	20.7 (15.2-27.6)	180	16.2 (10.2-24.8)	118	No	Yes	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	10.9 (8.9-13.4)	846	10.4 (6.2-17.0)	175	10.9 (6.1-18.7)	116	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	13.5 (11.3-16.0)	848	20.9 (15.0-28.3)	179	13.1 (7.7-21.4)	117	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

#### **Dietary Behaviors**

	Heterose	xual	Gay, Lesbian, or Bisexual		r Other/Questioning				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	8.8 (6.9-11.2)	848	19.1 (13.2-26.6)	179	8.5 (4.5-15.5)	117	Yes	No	Yes
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	26.8 (23.4-30.4)	855	30.8 (24.5-38.0)	178	27.5 (19.2-37.8)	118	No	No	No
QNBK7DAY: Percentage of students who did not eat breakfast on all 7 days (during the 7 days before the survey)	79.1 (76.1-81.8)	855	87.2 (81.2-91.4)	178	91.1 (83.2-95.5)	118	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Physical Activity** 

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioni		tioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN77: Percentage of students who were not physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	57.6 (53.5-61.7)	846	77.5 (70.0-83.5)	178	68.7 (59.8-76.4)	115	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	17.5 (14.5-20.9)	846	23.4 (17.4-30.8)	178	24.3 (17.4-32.8)	115	No	No	No
QNPA7DAY: Perentage of students who were not physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	75.0 (71.8-78.0)	846	87.2 (79.6-92.3)	178	91.5 (82.7-96.1)	115	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Physical Activity** 

	Heterose	xual	Gay, Lesbia Bisexua		r Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	69.5 (65.4-73.3)	830	79.0 (71.5-84.9)	178	77.9 (67.8-85.5)	114	Yes	No	No
QN79: Percentage of students who did not attend physical education (PE) classes on 1 or more days (in an average week when they were in school)	67.9 (63.0-72.5)	843	74.4 (66.7-80.8)	177	70.8 (60.9-79.0)	116	No	No	No
QNDLYPE: Percentage of students who did not attend physical education classes on all 5 days (in an average week when they were in school)	76.1 (71.3-80.2)	843	82.2 (75.5-87.3)	177	76.7 (67.6-83.9)	116	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Physical Activity** 

			• /	Gay, Lesbian, or Bisexual Other		tioning*			
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	17.9 (15.1-21.1)	845	13.4 (9.1-19.4)	177	15.2 (9.6-23.2)	113	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval. \*Based on t-test analyses, p<0.05.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Other

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN82: Were not tested or were not sure whether they had been tested for human immunodeficiency virus (HIV)	87.9 (85.0-90.4)	831	83.8 (76.7-89.0)	173	87.7 (79.3-93.0)	115	No	No	No
QN84: Percentage of students who did not see a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	28.8 (25.4-32.4)	848	44.9 (37.0-53.1)	175	43.4 (34.2-53.2)	115	Yes	Yes	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.9 (0.5-2.0)	848	4.4 (1.4-13.0)	175	6.7 (3.1-14.1)	115	No	Yes	No
QN87: Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)	7.1 (5.2-9.5)	841	9.3 (4.8-17.2)	177	10.4 (5.7-18.0)	114	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbia Bisexua	/	Other/Quest	tioning*			
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN88: Percentage of students who are transgender	0.6 (0.3-1.4)	924	11.3 (7.5-16.7)	189	13.2 (8.2-20.5)	124	Yes	Yes	No
QN89: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)	30.5 (25.2-36.4)	428	37.3 (25.7-50.5)	77	25.2 (13.7-41.7)	43	No	No	No
QN90: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)	-	21	-	12	-	5	N/A	N/A	N/A
QN91: Percentage of students who were not asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)	-	25	-	8	-	3	N/A	N/A	N/A

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbian, or Bisexual		r Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>8</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN92: Percentage of students who did not have someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)	67.0 (53.2-78.4)	65	-	20	-	15	N/A	N/A	N/A
QN93: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)	93.5 (88.3-96.5)	209	93.0 (82.3-97.5)	84	100.0 ()	30	No	Yes	Yes
QN94: Percentage of students who used electronic-vapor products mainly because a friend or family member used them	10.5 (8.2-13.4)	797	16.3 (10.8-24.0)	169	6.8 (3.0-14.8)	110	No	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN95: Percentage of students who have ever used an electronic vapor product to smoke marijuana, THC or hash oil, or THC wax	14.1 (11.1-17.7)	784	29.5 (22.4-37.8)	159	17.5 (10.2-28.4)	109	Yes	No	Yes
QN96: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, or little cigars, flavored smokeless tobacco products, or both, not counting menthol cigarettes, during the 30 days before the survey)	2.5 (1.6-4.1)	881	5.7 (2.8-11.2)	177	3.2 (1.0-9.5)	118	No	No	No
QN97: Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)	2.2 (1.4-3.5)	885	4.0 (2.0-7.9)	178	4.0 (1.5-10.3)	118	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbia Bisexua		or Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN98: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)	3.3 (2.2-4.8)	805	8.8 (5.1-14.8)	161	2.1 (0.5-8.6)	108	Yes	No	Yes
QN99: Percentage of students who did not completely quit using all tobacco products (during the 12 months before the survey, among students who used tobacco products during the 12 months before the survey)	69.5 (59.1-78.2)	115	84.9 (71.0-92.9)	37	-	9	Yes	N/A	N/A
QN100: Percentage of students who live with someone who now smokes cigarettes or cigars	30.5 (27.2-34.0)	882	38.8 (31.8-46.2)	178	35.1 (26.0-45.4)	119	Yes	No	No
QN101: Percentage of students who report that the rule about smoking inside their home is that there are no rules about smoking, that smoking is allowed in some places or at sometimes, or that smoking is allowed anywhere, inside their home (not counting decks, garages, or porches)	20.5 (17.9-23.3)	898	35.3 (28.3-42.9)	184	36.4 (27.3-46.6)	123	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbi Bisexua	/	Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN102: Percentage of students who were in the same room with someone who was smoking (on at least one day during the 7 days before the survey)	23.8 (20.9-27.0)	898	40.1 (32.3-48.4)	189	30.0 (22.0-39.4)	124	Yes	No	No
QN103: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)	58.2 (48.1-67.6)	140	58.2 (43.6-71.6)	61	_	24	No	N/A	N/A
QN104: Percentage of students who reported that they or someone in their home tested positive for COVID-19	38.1 (34.6-41.8)	834	30.3 (23.1-38.7)	174	33.8 (23.8-45.6)	109	No	No	No
QN105: Percentage of students who gambled on a sports team, gambled when playing cards or a dice game, played one of their state's lottery games, gambled on the Internet, or bet on a game of personal skill such as pool or a video game (one or more times during the 12 months before the survey)	14.5 (11.8-17.6)	819	13.8 (9.1-20.4)	174	7.0 (3.3-14.3)	110	No	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbian, or Bisexual		r Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN106: Percentage of students who have ever lied to people important to them about how much they gambled	6.7 (5.0-8.8)	801	4.7 (2.3-9.4)	169	2.0 (0.5-8.4)	110	No	Yes	No
QN107: Percentage of students who have a disability or long-term health problem that keeps them from doing everyday activities (such as bathing, getting dressed, doing schoolwork, playing sports, or being with friends)	10.0 (7.9-12.7)	827	12.7 (8.8-18.1)	172	12.3 (7.2-20.3)	112	No	No	No
QN108: Percentage of students who reported that their family was often or sometimes worried that their food money would run out before they got money to buy more (during the 12 months before the survey)	18.3 (15.1-21.9)	828	28.3 (21.2-36.6)	168	17.9 (11.7-26.4)	110	Yes	No	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbian, or Bisexual Other/Questioning <sup>*</sup>						
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN109: Percentage of students who reported that often or sometimes the food their family bought did not last and they did not have money to get more (during the 12 months before the survey)	14.8 (11.9-18.3)	811	24.1 (17.4-32.5)	167	16.6 (10.6-25.1)	107	Yes	No	No
QN110: Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down (during their life)	9.8 (7.8-12.4)	825	25.4 (19.5-32.4)	176	21.5 (14.3-31.1)	111	Yes	Yes	No
QN111: Percentage of students who ever lived with someone who was having a problem with alcohol or drug use	27.6 (24.3-31.2)	803	43.8 (35.9-52.1)	170	34.6 (26.0-44.4)	105	Yes	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbia Bisexua		Other/Questioning*				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>8</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN112: Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal	33.3 (29.3-37.5)	794	64.5 (55.3-72.7)	164	54.8 (44.4-64.8)	105	Yes	Yes	No
QN113: Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center	23.9 (20.9-27.2)	797	29.3 (22.9-36.7)	168	25.1 (16.9-35.5)	106	No	No	No
QN114: Percentage of students who reported that their parents or other adults in their home most of the time or always slapped, hit, kicked, punched, or beat each other up (during their life)	2.9 (1.9-4.5)	814	9.3 (5.5-15.3)	175	1.4 (0.3-6.7)	110	Yes	No	Yes
QN115: Percentage of students who did not participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)	45.2 (40.4-50.1)	791	60.6 (50.2-70.1)	168	58.7 (48.1-68.7)	104	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterose	xual	Gay, Lesbia Bisexua		or Other/Questioning <sup>*</sup>				
Health Risk Behavior	% 95% CI <sup>†</sup>	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN116: Percentage of students who were not taught or who were not sure if they were taught in any of their classes about the dangers of tobacco use (during the last school year)	48.5 (44.5-52.4)	805	49.3 (42.7-56.0)	167	55.5 (45.0-65.4)	110	No	No	No
QN117: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends	46.1 (42.0-50.3)	806	45.1 (36.7-53.8)	172	40.1 (32.0-48.7)	107	No	No	No
QN118: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in	27.0 (23.5-30.9)	798	28.5 (20.5-38.0)	170	17.5 (10.6-27.6)	106	No	Yes	No
QN119: Percentage of students who sometimes, rarely, or never feel that they are able to talk to an adult in their family or another caring adult about their feelings (during their life)	62.4 (58.6-66.1)	804	75.3 (66.5-82.4)	174	80.3 (71.5-86.8)	109	Yes	Yes	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

Site-Added

	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>8</sup>
QN120: Percentage of students who would not feel comfortable seeking help from adults besides their parents if they had an important question affecting their life	29.4 (25.8-33.3)	805	32.3 (25.2-40.3)	173	39.1 (29.3-49.9)	108	No	No	No

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval. \*Based on t-test analyses, p<0.05.

Maryland High School Survey

Wicomico County

**Risk Behaviors and Sexual Identity Report** 

**Mental Health** 

	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning*				
Health Risk Behavior	% 95% CI†	N	% 95% CI	N	% 95% CI	N	Difference Between Heterosexual and Gay, Lesbian, or Bisexual? <sup>§</sup>	Difference Between Heterosexual and Other/ Questioning? <sup>§</sup>	Difference Between Gay, Lesbian, or Bisexual and Other/ Questioning? <sup>§</sup>
QN85: Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)	20.3 (17.4-23.6)	838	63.6 (55.3-71.1)	175	45.7 (36.5-55.2)	116	Yes	Yes	Yes

\*Includes students who responded 'I describe my sexual identity some other way' or 'I am not sure about my sexual identity (questioning)'. \*Confidence interval. \*Based on t-test analyses, p<0.05.