Maryland PRAMS Report 2017 Births

Pregnancy Risk Assessment Monitoring System



Maryland Department of Health

Maternal and Child Health Bureau Vital Statistics Administration



www.marylandprams.org

Larry Hogan, Governor -Boyd K. Rutherford, Lt. Governor -Robert R. Neall, Secretary

"Maryland Health kept me and babies healthy and happy. Thank you!"
"I am a nurse and my husband and I are very fortunate financially. I would like to see more support for WIC, free birth control, breastfeeding and father support."
"I'm glad I decided to participate even though my husband and I lost our child. My hope is that while I grieve, I can still be a help to another mom in some way shape or form. Good luck with the program and hopefully one day I will be answering this survey about a new, healthy baby!"
PRAMS mothers

Maryland PRAMS Report

2017 Births

Prevention and Health Promotion Administration

Maternal and Child Health Bureau (MCHB)
Michael Spencer, LGSW, (former) Director

Vital Statistics Administration (VSA)

Lee Hurt, DrPH, Director

PRAMS Team

Maura Dwyer, DrPH, MPH, PRAMS Spanish Interpreter, MDH
Helen Espitallier, MS, PRAMS Analyst, VSA
Dawn Gardner, MS, PRAMS Data Manager, MCHB
Laurie Kettinger, MS, PRAMS Project Coordinator, MCHB
Lawrence Reid, PhD, MPH, (former) Director, PRAMS Analyst, MCHB Epidemiology
Kate Schneider, MPH, PRAMS Analyst, MCHB Epidemiology



The Maryland PRAMS Report is also available at www.marylandprams.org

For further information, please contact:

Laurie Kettinger, M.S.
PRAMS Project Coordinator
Maternal and Child Health Bureau
Maryland Department of Health
201 W. Preston Street, 3rd floor
Baltimore, MD 21201
Phone: 410-767-0803
laurie.kettinger@maryland.gov

TABLE OF CONTENTS

Introduction	
Methodology	v
Sampling and Data Collection	ν
Survey Response and Data Analysis	vi
Acknowledgments	vi
Maryland PRAMS Steering Committee	1
Maryland PRAMS Highlights 2017	2
Maryland PRAMS 2013, 2014, 2015, 206, and 2017 Surveillance and Selected Healthy People 2020 Objectives	
Preconception Factors	
Comments from PRAMS Mothers	6
Intendedness of Pregnancy	7
Husband/Partner Thoughts on Pregnancy Intention	8
General Health Before Pregnancy	9
Health Care Visits Pre-Pregnancy	10
Multivitamin Use, One Month Pre-Pregnancy	11 12
Pre-Pregnancy Body Mass Index (BMI)	13
Health Problems, Three Months Pre-Pregnancy Health Care Visit Discussion, Twelve Months Pre-Pregnancy	13
•	15
Oral Health, Twelve Months Pre-Pregnancy	
Prior Cesearen Delivery	16
Prenatal Factors	
Comments from PRAMS Mothers	18
Trimester Prenatal Care Began	19
Topics Discussed during Prenatal Care Visits	20
HIV Testing during Pregnancy or Delivery	21
Flu Vaccination, Twelve Month Pre-Delivery	22
Teeth Cleaning, During Pregnancy	23
Health Conditions, During Pregnancy	24
Health Care Coverage, WIC, Home Visiting, and Employment	
Comments from PRAMS Mothers	26
Health Insurance Just Before Pregnancy	27

Source of Payment for Prenatal Care	28
Source of Current Health Insurance	29
Child Care During Work or School	30
Workplace Leave	31
Factors Affecting Decision to Take Leave	32
Selected Risk Factors	3
Comments from PRAMS Mothers	34
Smoking during the Three Months before Pregnancy	35
Smoking during the Last Three Months of Pregnancy	36
Smoking After Pregnancy	37
Use of Electronic Nicotine Products, Three Months Pre-Pregnancy	38
Alcohol Use during the Three Months before Pregnancy	39
Alcohol Binges Before and During Pregnancy	40
Alcohol Use during the Last Three Months of Pregnancy	41
Physical Abuse by Husband or Partner, Twelve Months before Pregnancy	42
Postpartum Factors: Maternal and Infant Health	43
Comments from PRAMS Mothers	44
Reasons for Not Using Birth Control	45
Reasons for No Postpartum Checkup	46
Breastfeeding Initiation and Information Sources	47
Breastfeeding Length	48
Infant Sleep Position	49
Co-sleeping Co-sleeping	50
Sleep Environment	51
Postpartum Depression Symptoms	52
Maryland PRAMS Phase 8 Questionnaire	53
Comments from PRAMS Mothers	54
Survey	55

INTRODUCTION

This report highlights data from births occurring to Maryland residents in 2017 collected through the Pregnancy Risk Assessment Monitoring System (PRAMS). PRAMS is a surveillance system established by the Centers for Disease Control and Prevention (CDC) in 1987 to obtain information about maternal behaviors and experiences that may be associated with adverse pregnancy outcomes. Data are collected by surveying women who have recently delivered live born infants.

PRAMS projects are conducted through cooperative agreements between the CDC and state health departments. PRAMS projects for 2017 births were underway in 48 states and New York City, representing 83% of all U.S. live births. All surveys include a core set of standardized questions, which allows for multi-state analyses. In addition, each state can add questions tailored to meet its needs. The core section of the survey includes questions relating to prenatal care, obstetric history, smoking, alcohol use, physical abuse, contraception, economic status, maternal stress, and infant health. The Maryland-specific section of the survey includes questions on maternal employment, pre-pregnancy health, co-sleeping and sleep environment, contraceptive use, depression, oral health, chronic disease, infections, and labor induction.

The PRAMS project in Maryland is a collaborative effort of the Maternal and Child Health Bureau (MCHB), the Vital Statistics Administration (VSA) of the Maryland Department of Health (MDH), and the CDC. Maryland began collecting PRAMS data from mothers who delivered in 2000.

METHODOLOGY

Sampling and Data Collection

Women eligible to participate in PRAMS are selected from Maryland's live birth certificate files and need to be Maryland residents who have delivered in the state. Each month, a stratified, random sample of approximately 200 live births is selected. The sample is stratified by infant birth weight (<2500 grams, ≥2500 grams). This sampling frame over-samples mothers who have delivered a low birth weight infant (<2500 grams).

PRAMS combines two modes of data collection; a survey conducted by mailed questionnaire with multiple follow-up attempts, and if mail is not successful, a survey conducted by telephone interview. Survey questionnaires and other materials are available in both English and Spanish.

The first mailing, which is done two to four months after delivery, is a letter that introduces PRAMS to the mother and informs her that a questionnaire will soon arrive. Within seven days of this letter, the questionnaire packet is mailed. This packet includes the 84-item main survey along with an informed consent page, calendar, and resource brochure. In addition, a manicure file is sent as an incentive for completing the survey. Seven to 10 days after the initial packet is mailed, a tickler that serves as a thank you and reminder note is sent. Mothers

who do not respond to the tickler within seven to 14 days are mailed a second questionnaire packet. A third questionnaire packet is mailed to all remaining nonrespondents seven to 14 days later. Telephone follow-up is initiated for all nonrespondents.

Data collected through PRAMS are linked to birth certificate data, which allows for the survey data to be weighted to reflect the total birth population. Sampling, nonresponse, and noncoverage adjustment factors are applied to the data in order to make the results generalizable to the state's population of women delivering live born infants during the study period. Further information on PRAMS methodology, including weighting procedures, may be found on the CDC website at http://www.cdc.gov/prams/methodology.htm.

Survey Response and Data Analysis

The CDC recommends that states obtain a response rate of at least 55% for analysis of PRAMS 2017 births data. The weighted response rate among women delivering in Maryland between January 1, 2017 and December 31, 2017 was 57%. During this 12-month period, 1,060 mothers completed the PRAMS questionnaire with a weighted response reflecting 64,204 mothers. The weighted figure included 26,779 births to white non-Hispanic, 19,403 births to black non-Hispanic, 4,840 births to Asian, 10,854 births to Hispanic women, 74 births to American Indian, 2,123 Other/Mixed, and 131 Missing race/ethnicity. Survey findings in this report are shown by race/Hispanic origin (White Non-Hispanic, Black Non-Hispanic, Asian Non-Hispanic, and Hispanic), maternal age, and maternal years of education.

ACKNOWLEDGMENTS

The Maryland PRAMS Project would like to acknowledge the CDC PRAMS Team for their technical assistance and support, especially Denise D'Angelo, MPH, and Ada Dieke, PhD, our project managers who have expertly guided and assisted our program. Additionally, our thanks go to the Maryland PRAMS Steering Committee for their invaluable input to many aspects of our project.

Most importantly, we very much appreciate the 1,060 mothers who took the time to complete the questionnaires that are represented in this report. Their answers will contribute greatly towards our continuing efforts to improve the health of Maryland mothers and babies.

Maryland PRAMS Steering Committee

(January 2017)

Tania Araya

Family Violence Response Program Mercy Hospital

Katy Battani, RDH, MS

Maryland Oral Health Association

Margaret Chisolm, MD

Psychiatry

Center for Addiction and Pregnancy, Bayview Johns Hopkins Medicine

Chelsea Crabtree, DO

Obstetrics and Gynecology, Women's Health Chase Brexton Health Care

Sara Daly, LCSW-C

Perinatal Depression Outreach Program Sinai Hospital of Baltimore

Anne Eder

March of Dimes, Maryland Chapter

Linda Grossman, MD

Bureau of Clinical Services Baltimore County Department of Health

Shari Lawson, MD

Women's Services at Bayview Johns Hopkins Medicine

Jenna McCall, MPH

Center for HIV Prevention and Health Services*

Cynthia Minkovitz, MD, MPH

Johns Hopkins Medicine, Pediatrics

Rosemary Murphey, MBA, RN

HealthChoice and Acute Care Administration*

Shayna Murphy, MS, CHES

Center for Healthy Maryland, Inc. MedChi, The Maryland Medical Society

Sherri Sabol, RD, LDN, CLC

Nutrition and Breastfeeding Services Maryland WIC Program*

Jodi Shaefer, RN, PhD

National Fetal and Infant Mortality Review American College of Obstetricians and Gynecologists (ACOG)

Donna Strobino, PhD

Population, Family and Reproductive Health Johns Hopkins Bloomberg School of Public Health

Mishka Terplan, MD, MPH, FACOG, Diplomate ABAM

Behavioral Health System Baltimore

PRAMS Staff:

Maura Dwyer, DrPH, MPH, Spanish Interpreter, MDH
Helen Espitallier, MS, Vital Statistics Administration
Dawn Gardner, MS, Data Manager, MDH
Isabelle Horon, DrPH, Director (Former), Vital Statistics Administration
Laurie Kettinger, MS, Project Coordinator, MDH
Lawrence Reid, PhD, MPH, Director (Former), Maternal and Child Health Epidemiology, MDH
Kate Schneider, MPH, Data Analyst, Maternal and Child Health Epidemiology, MDH

^{*}Maryland Department of Health (MDH)

Maryland PRAMS Highlights--2017

Preconception factors

- Forty-two percent of all live births were unintended (includes women who said they were 'not sure' how they felt about the pregnancy).
- Nineteen percent of women reported they were covered by Medicaid or Health Choice just before pregnancy and 17% were uninsured.
- According to their body mass index (BMI) just before pregnancy, 24% of mothers were overweight and 29% were obese.
- Thirty-five percent of women reported taking a multivitamin daily in the month before conception.
- Before pregnancy, 18% of women reported they had anxiety and 11% had depression.
- During the 3 months just before pregnancy, 11% of women smoked, 52% consumed alcohol, and 16% had at least one episode of binge drinking.
- In the 12 months before pregnancy, 36% of women had not had a **dental cleaning**.
- Sixty-five percent of mothers reported they had a **health care visit** with a doctor, nurse or other health care worker.

Prenatal factors

- Eighty-four percent of mothers began prenatal care during the first trimester of pregnancy, and 2% began in the third trimester or received no care.
- Sixty-five percent of mothers reported that **HIV testing** was discussed during prenatal care visits; 41% reported getting an HIV test prenatally and 63% reported getting the test during pregnancy or delivery.
- Eleven percent of women had gestational diabetes.

- Physical abuse by a current husband/partner or ex-husband/partner during the 12 months before pregnancy was reported by 4% of mothers
- Five percent of women smoked during the last three months of pregnancy. Eight percent of women reported using alcohol and 0.3% of women reported a binge-drinking episode during the last three months of pregnancy.
- Sixty-three percent of women were vaccinated for seasonal flu during the 12 months before delivery or during pregnancy.
- Thirty-one percent of women used Medicaid or Health Choice for their prenatal care and 4% were uninsured.
- During pregnancy, 69% of women worked at a job for pay.
- Of the women who worked, sixty-three percent of them felt that the amount of time they were able to take off after the birth of their new baby was too little.

Infant health and related factors

- Eighty-nine percent of infants were breastfed after delivery, and 77% were breastfed eight weeks or longer.
- In terms of **sleeping environment**, 83% of infants were usually placed on their backs to sleep and 58% always slept alone in their own crib or bed in the past 2 weeks.

Maternal postpartum factors

- Twenty-one percent of mothers reported they were not using **postpartum contraception.**
- Seven percent of mothers smoked postpartum.
- Five percent of mothers reported feeling down, depressed or hopeless always or often since their new baby was born.

MARYLAND PRAMS 2013-2017 SURVEILLANCE AND SELECTED HEALTHY PEOPLE 2020 OBJECTIVES

Healthy People 2020 Objective	Maryland PRAMS 2013 Births	Maryland PRAMS 2014 Births	Maryland PRAMS 2015 Births	Maryland PRAMS 2016 Births	Maryland PRAMS 2017 Births	Healthy People 2020 Target
Preconception						
Increase the proportion of pregnancies that are intended.**	59%	55%	59%	59%	58%	56.0%
Increase the proportion of women who took multivitamins/folic acid daily prior to pregnancy.	34%	34%	35%	35%	35%	33.1%
Increase the proportion of women who did not smoke during the three months prior to pregnancy.	84%	85%	86%	87%	89%	85.4%
Increase the proportion of women who did not drink alcohol during the three months prior to pregnancy.	50%	49%	49%	45%	48%	56.4%
Increase the proportion of women who had a healthy weight (BMI 18.5-24.9) prior to pregnancy.	48%	50%	47%	46%	44%	53.4%
Prenatal						
Increase the proportion of pregnant women who receive prenatal care beginning in the first trimester of pregnancy.***	83%	82%	81%	84%	84%	77.9%
Increase abstinence from cigarette smoking among pregnant women.	92%	94%	94%	94%	95%	98.6%
Increase abstinence from alcohol among pregnant women.	92%	91%	90%	91%	92%	98.3%
Increase abstinence from binge drinking**** among pregnant women.	99.5%	99%	99.5%	99%	99.7%	100.0%
Postpartum						
Increase the proportion of infants who are put to sleep on their backs.	77%	80%	79%	80%	83%	75.9%
Increase the proportion of infants who were breastfed (ever).	88%	89%	87%	88%	89%	81.9%

^{**}PRAMS data includes only information on pregnancies that end in live birth;

^{***}First trimester defined by PRAMS as <13weeks


^{****}Binge drinking = 4 or more drinks in a two hour sitting, starting 2009 births. Prior to 2009, binge drinking = 5 or more drinks in one episode.

Preconception Factors











INTENDEDNESS OF PREGNANCY

Question 15: Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

Distribution of Mothers by Intendedness of Pregnancy




Percentage of Mothers With Unintended Pregnancies




HUSBAND/PARTNER THOUGHTS ON PREGNANCY INTENTION

Question 63: Thinking back to just before you got pregnant with your new baby, how did your husband or partner feel about your becoming pregnant?

Distribution of Husbands/Partners by Intendedness of Pregnancy




Percentage of Husbands/Partners Who Wanted Mom Pregnant *Then*



GENERAL HEALTH BEFORE PREGNANCY


Question 6: *Before* you got pregnant, would you say that, in general, your health was-Excellent, Very Good, Good, Fair, or Poor *

Distribution of Mothers by Rating of Health



* Mothers reporting "Poor" was less than 1%

Percentage of Mothers Who Reported Having Excellent or Very Good Health Before Pregnancy




*Includes only mothers ages 20 and above.

HEALTH CARE VISITS

Question 9: In the 12 *months before* you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker?

Question 10: What type of health care visit did you have in the *12 months* before you got pregnant with your new baby?


Percentage and Types of Health Care Visits Mothers Reported




MULTIVITAMIN USE

Question 8: During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Distribution of Mothers by Frequency of Multivitamin Use in the Month Before Pregnancy



Percentage of Mothers Who Reported Less Than Daily Multivitamin Use in the Month Before Pregnancy




*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.


PRE-PREGNANCY BMI

Question 1: How tall are you without shoes? Question 2: *Just before* you got pregnant with your new baby, how much did you weigh?

Distribution of Mothers by BMI Status Before Pregnancy



Percentage of Mothers Who Were Classified as Obese Before Pregnancy




^{*} Mothers <20 years of age had BMI >30 (and were not classified as obese via childhood growth charts) Note: Percentages are not reported if the number of respondents was less than five.

PRE-PREGNANCY HEALTH PROBLEMS

Question 7: During the *3 months before* you got pregnant with your new baby, did you have any of the following health conditions?

Mothers Reporting Health Problems Before Pregnancy




HEALTH CARE VISIT

Question 11: During any of your health care visits in the *12 months* before you got pregnant, did a doctor, nurse, or health care worker <u>do</u> any of the following things?

For each item, check No if they did not or Yes if they did.


Mothers Reporting Actions During Health Care Visit




ORAL HEALTH

Question 10: What type of health care visit did you have in the *12 months before* you got pregnant with your new baby?

Mothers Reporting on Teeth Cleaning 12 Months Before Pregnancy




Percentage of Mothers Who Reported Having Had their Teeth Cleaned 12 Months Before Pregnancy




PRIOR CESAREAN DELIVERY

Question 5: *Before* you had your new baby, did you ever have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)?

Distribution of Mothers Having a Cesarean Delivery



Percentage of Mothers Who Reported Having a Cesarean Delivery



*Includes only mothers ages 20 and above.


Note: Percentages are not reported if the number of respondents was less than five.

Prenatal Factors











TRIMESTER PRENATAL CARE BEGAN

Question 16: How many weeks or months pregnant were you when you had your first visit for prenatal care?

Distribution of Mothers by Trimester Prenatal Care Began




Percentage of Mothers Who Began Prenatal Care During the Second or Third Trimester of Pregnancy



TOPICS DISCUSSED DURING PRENATAL CARE VISITS

Question 17: *During any of your prenatal care visits*, did a doctor, nurse, or other healthcare worker ask you any of the things listed below?


Mothers Reporting That Selected Topics Were Asked During Prenatal Care Visits




HIV TESTING

Question 18: At any time during *your most recent* pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?

Distribution of Mothers by HIV Testing Status




Percentage of Mothers Who Reported They Did Not Have an HIV Test During Pregnancy or Delivery




INFLUENZA IMMUNIZATIONS

Question 20: During the 12 months before the delivery of your new baby, did you get a flu shot?

Distribution of Mothers by Flu Immunization Status One Year Before Delivery




Percentage of Mothers Who Reported They Did Not Get a Flu Shot One Year Before Delivery




TEETH CLEANING

Question 21: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?

Distribution of Mothers by Teeth Cleaning During Pregnancy



Percentage of Mothers Who Did Not Have Their Teeth Cleaned During Pregnancy




*Includes only mothers ages 20 and above.


HEALTH CONDITIONS

Question 22: During *your most recent* pregnancy, did you have any of the following health conditions? For each one, check **No** if you did not have the condition or **Yes** if you did.

Mothers Reporting Health Problems During Pregnancy



Percentage of Mothers Who Had Gestational Diabetes



*Includes only mothers ages 20 and above

Note: Percentages are not reported if the number of respondents was less than five.

Health Care Coverage, WIC, Home Visiting, and Employment







"I decided to return to Maryland from abroad in the middle of my pregnancy, to be closer to family and in a system I'm familiar/comfortable with. I truly believe the health care and support I've received (hospital, OBGYN, pediatrician, WIC) had made a tremendous difference. Had I stayed abroad to give birth and live with baby, I don't think we would be thriving and full of love like we are today."

"If I had stayed out longer I would have lost my job."

"My company does not allow a pregnant woman to work so I soon as they find out that I was pregnant in my 3rd month, they removed me from the schedule. I went back to work 3 month after my baby was born."


"I make money, but with all the bills coming in it's still difficult to afford formula. I believe income needs to either be higher to get WIC or not an issue. A lot of woman out there are struggling to afford diapers & formula and don't ask for any help."

PRAMS mothers

HEALTH INSURANCE BEFORE PREGNANCY


Question 12: During the *month before* you got pregnant with your new baby, what kind of health insurance did you have?

Health Insurance Status Just Before Pregnancy**



** Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.


Percentage of Mothers Who Reported Having Medicaid or No Health Insurance Just Before



²⁷


SOURCE OF PAYMENT FOR PRENATAL CARE

Question 13: During *your most recent* pregnancy, what kind of health insurance did you have to pay for your prenatal care?




** Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

Percentage of Mothers Who Identified Insurance or Medicaid as a Source of Payment for Prenatal Care




CURRENT HEALTH INSURANCE

Question 14: What kind of health insurance do you have now?



** Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

Percentage of Mothers Who Identified as Currently Having Insurance or Medicaid




^{*}Includes only mothers ages 20 and above.

CHILD CARE DURING WORK OR SCHOOL


Question 65: Are you currently in school or working?

Question 66: Which one of the following people spends the most time taking care of your new baby when you are at school or work?

Distribution of Mothers Who go to Work or School




People Who Spend the Most Time with Baby While Momis at Work or School



WORKPLACE LEAVE


Question 70: Did you take leave from work after your new baby was born?

Distribution of Mothers Who Took Paid or Unpaid Leave After the Baby Was Born



** Respondents were instructed to check ALL that apply, therefore percentages do not sum to 100.

Percentage of Mothers Who Took Unpaid Leave After the Baby Was Born




FACTORS AFFECTING LEAVE TIME


Question 72: How did you feel about the amount of time you were able to take off *after* the birth of your new baby?

Question 73: Did any of the things listed below affect your decision about taking leave from work *after* your new baby was born?

Distribution of How Mothers Felt About The Amount of Time Taken Off




Factors Affecting Decision to Take Leave




Selected Risk Factors










PRAMS mothers


SMOKING BEFORE PREGNANCY

Question 24: In the *three months <u>before</u>* you got pregnant, how many cigarettes did you smoke on an average day?

Distribution of Mothers by Smoking Status During the Three Month Period Before Pregnancy Began



Percentage of Mothers Who Reported They Smoked During the Three Month Period Before Pregnancy Began




^{*}Includes only mothers ages 20 and above.


SMOKING DURING PREGNANCY

Question 25: In the <u>last</u> 3 months of your pregnancy, how many cigarettes did you smoke on an average day?

Distribution of Mothers by Smoking Status During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported They Smoked During the Last Three Months of Pregnancy




^{*}Includes only mothers ages 20 and above.


SMOKING AFTER PREGNANCY

Question 26: How many cigarettes do you smoke on an average day now?

Distribution of Mothers by Smoking Status in the Postpartum Period



Percentage of Mothers Who Reported They Smoked in the Postpartum Period




^{*}Includes only mothers ages 20 and above.


USE OF ELECTRONIC NICOTINE PRODUCTS

Question 28: During the *3 months <u>before</u>* you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?

Distribution of Mothers by How Often E-cigarettes or Other Electronic Nicotine Products Were Used



Percentage of Mothers Who Reported E-cigarettes or Electronic Nicotine Products Use in the Three Months Preceding Pregnancy




*Includes only mothers ages 20 and above.


ALCOHOL USE BEFORE PREGNANCY

Question 31: During the *3 months <u>before</u>* you got pregnant, how many alcoholic drinks did you have in an average week?

Distribution of Mothers by the Number of Alcoholic Drinks During the Three Month Period Preceding Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Three Months Preceding Pregnancy




ALCOHOL BINGES BEFORE AND DURING PREGNANCY


Question 32: During the *3 months <u>before</u>* you got pregnant, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?

Question 34: During the <u>last</u> 3 months of your pregnancy, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?

Distribution of Mothers by the Number of Alcohol Binges (4+ Drinks in One Sitting) Before and During Pregnancy



Percentage of Mothers Who Reported Any Binge Drinking in the Three Months Preceding Pregnancy




*Includes only mothers ages 20 and above.


ALCOHOL USE DURING PREGNANCY

Question 33: During the <u>last</u> 3 months of your pregnancy, how many alcoholic drinks did you have in an average week?

Distribution of Mothers by the Number of Alcoholic Drinks During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Last Three Months of Pregnancy




*Includes only mothers ages 20 and above.


PHYSICAL ABUSE BEFORE PREGNANCY

Question 35: During the *12 months <u>before</u>* you got pregnant with your new baby, did any of the following people push, hit slap, kick, choke, or physically hurt you in any other way?

Distribution of Mothers by Abuse Before Pregnancy by Husband/Partner or Ex-Husband/Ex-Partner



Percentage of Mothers Who Reported Being Physically Abused Before Pregnancy by a Husband/Partner or Ex-Husband/Ex-Partner




^{*}Includes only mothers ages 20 and above.

Postpartum Factors







"Not having paid leave in Maryland adds financial pressure to couples at a	ı
time where another stressor is not needed."	

"I had a great experience with the nurses at the hospital! Their childbearing/rearing and breastfeeding classes were also awesome!"

"I don't feel like postpartum depression, or psychosis is discussed enough. It is a sensitive subject, yes, but for family planning and dismissal from the hospital. I feel like the subject should be gently discussed and give the family contact info in case of abnormal occurrences. Waiting until 6-7 weeks post- op visit is sometimes too long."


"The amount of support I received at the hospital to breastfeed and bond immediately with baby was excellent. Support groups for new moms are so important."

PRAMS mothers

REASONS FOR NO POSTPARTUM BIRTH CONTROL

Question 53: Are you or your husband or partner doing anything <u>now</u> to keep from getting pregnant? Question 54: What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant <u>now</u>? Check all that apply.

Reasons Reported for Not Using Postpartum Birth Control




REASONS FOR NO POSTPARTUM CHECKUP FOR MOM

Question 56: Since your new baby was born, have you had a postpartum checkup for yourself? Question 57: Did any of these things keep you from having a postpartum checkup?

Check <u>all</u> that apply.

Reasons Reported for Not Having a Postpartum Checkup



BREASTFEEDING


Question 44: Before or after your new baby was born, did you receive information

about breastfeeding from any of the following sources?

Question 45: Did you ever breastfeed or pump breast milk to feed your new baby,

even for a short period of time?


Breastfeeding Information Sources




BREASTFEEDING DURATION

Question 47: How many weeks or months did you breastfeed or feed pumped milk to your baby?

Distribution of Mothers by Length of Time Infant Was Breastfed



Percentage of Mothers Who Reported Never Breastfeeding




48


SLEEP POSITION

Question 48: In which *one* position do you <u>most often</u> lay your baby down to sleep now?

Distribution of Infants by Sleep Position




Percentage of Infants Not Placed on Back to Sleep




CO-SLEEPING

Question 49: In the *past 2 weeks*, how often has your new baby slept alone in his or her own crib or bed?

Distribution of How Often Babies Slept Alone In Their Own Crib or Bed



Percentage of Babies Who <u>Never</u> Slept Alone In a Crib or Bed




*Includes only mothers ages 20 and above


SLEEP ENVIRONMENT

Question 51: Listed below are some more things about how babies sleep. How did your new baby *usually* sleep in the *past 2 weeks*?

Check **No** if your baby did not usually sleep like this or **Yes** if he or she did.




Percentage of Infants Who Did Not Sleep on an Approved Surface (crib) in the past 2 weeks



SYMPTOMS OF POSTPARTUM DEPRESSION


Question 59: Since your new baby was born, how often have you felt down, depressed, or hopeless?

Distribution of Mothers by Postpartum Depression



*Includes mothers who reported having symptoms "Always" or "Often" to Question 59

Percentage of Mothers Who Reported *Always* or Oftenl Almost Always Having Postpartum Depression



**Includes only mothers ages 20 and above.

Phase 8 Questionnaire







"Thank you for helping babies live!"
"Hope this helps. Good luck with the research!"
"Mi experience fue excelente. Me cuide mucho y otras madres deberian hacer lo mismo. Que disfruten su embarazo porque es lo mejor. (My experience was excellent. Take good care of me and other mothers should do the same. Enjoy your pregnancy because it is the best.)"
PRAMS mothers

Please check the box next to your answer or follow the directions included with the question. You may be asked to skip some questions that do not apply to you.

BEFORE PREGNANCY			
The first questions are about you.			
1.	1. How tall are <i>you</i> without shoes?		
	Feet Inches OR Centimeters		
2.	Just before you got pregnant with your new baby, how much did you weigh?		
	Pounds OR Kilos		
3.	What is <u>your</u> date of birth?		
	Month Day Year		
The next questions are about the time <u>before</u> you got pregnant with your <i>new</i> baby.			
4. Before you got pregnant with your new baby, did you ever have any other babies who were born alive?			
_ _	□ No ———— Go to Question 6 □ Yes		

Go to Question 5

	have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)?	
	□ No □ Yes	
6.	Before you got pregnant, would you say that, in general, your health was—	
	□ Excellent□ Very good□ Good□ Fair□ Poor	
7.	During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did.	
	No Yes	
a. b. c. d. e. f. g. h.	Type 1 or Type 2 diabetes (not gestational diabetes or diabetes that starts during pregnancy)	
8.	During the <i>month before</i> you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?	
	 □ I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin in the month before I got pregnant □ 1 to 3 times a week □ 4 to 6 times a week □ Every day of the week 	

5. Before you had your new baby, did you ever

9.	In the 12 months before you got pregna with your new baby, did you have any care visits with a doctor, nurse, or othe health care worker, including a dental mental health worker?	realth 12 months before you got pregnant, did a doctor, nurse, or other health care worker
↓ 10.	□ No ☐ Yes ☐ Go to Que □ Yes ☐ Go to Que the 12 months before you got pregnant your new baby? Check ALL the	a. Tell me to take a vitamin with folic acid b. Talk to me about maintaining a healthy weight
	Regular checkup at my family doctor's Regular checkup at my OB/GYN's office Visit for an illness or chronic condition Visit for family planning or birth control Visit for depression or anxiety Visit to have my teeth cleaned by a dedental hygienist Other Please	d. Talk to me about my desire to have or not have children

Check ALL that apply

14. What kind of health insurance do you have

now?

The next questions are about your health insurance coverage before, during, and after your pregnancy with your new baby.

				Private health insurance of my husband or partner	er
12.	During the <u>month before</u> with your new baby, wh insurance did you have?	at kind of health		Private health insurance Private health insurance Health Insurance Market www.marylandhealthco HealthCare.gov	from the Maryland place,
	 Private health insurance of my husband or particular private health insurance. Private health insurance. Health Insurance Marke www.marylandhealthchealthCare.gov Medicaid or HealthCho 	ner te from my parents te from the Maryland etplace, connection.gov, or	0	Medicaid or HealthChoic TRICARE or other military Other health insurance -	y health care ➤ Please tell us:
	☐ TRICARE or other milita☐ Other health insurance		w	ninking back to <i>just befo</i> ith your new baby, how ecoming pregnant?	
	☐ I did not have any heal	th insurance during the			Check ONE answer
	month before I got preg			I wanted to be pregnant is I wanted to be pregnant s I wanted to be pregnant t	ooner hen
13.	kind of health insurance your prenatal care?			I didn't want to be pregna in the future I wasn't sure what I wante	·
13.	kind of health insurance your prenatal care? □ I did not go for	Check ALL that apply Go to Question 14 the from my job or the job oner the from my parents the from the Maryland the tellace, the connection.gov, or the point of the point of the point of the maryland the tellace, the point of the point		in the future	·

DURING PREGNANCY

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

16.	How many weeks <i>or</i> months pregnant w you when you had your first visit for pre care?		
	Weeks OR Months ☐ I didn't go for prenatal care	ion 18	
17.	During any of your prenatal care visits, did doctor, nurse, or other health care work you any of the things listed below? For eitem, check No if they did not ask you about Yes if they did.	er ask ach	
	No	Yes	
a.	If I knew how much weight I should gain during pregnancy		
b.	If I was taking any prescription medication		
c.	If I was smoking cigarettes		
d.	If I was drinking alcohol		
e.	If someone was hurting me emotionally or physically		
f.	If I was feeling down or depressed \square		
g.	If I was using drugs such as marijuana, cocaine, crack, or meth		
h.	If I wanted to be tested for HIV (the virus that causes AIDS)		
i.	If I planned to breastfeed my new baby		
j.	If I planned to use birth control after my baby was born		

ο.	pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?
	□ No □ Yes □ I don't know
9.	During the 12 months before the <u>delivery</u> of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?
	□ No □ Yes
20.	During the 12 months <i>before the <u>delivery</u></i> of your new baby, did you <i>get</i> a flu shot?
	Check ONE answer
	NoYes, before my pregnancyYes, during my pregnancy
21.	During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?
	□ No □ Yes
22.	During your most recent pregnancy, did you have any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did.
	No Yes
a.	Gestational diabetes (diabetes that started during this pregnancy)
b.	High blood pressure (that started during this pregnancy), pre-eclampsia or eclampsia
c.	Depression

The next questions are about using other

tobacco products around the time of

pregnancy.

The next questions are about smoking cigarettes around the time of pregnancy (before, during, and after).

23. Have you smoked any cigarettes in the <i>past</i> 2 years?	E-cigarettes (electronic cigarettes) and other electronic nicotine products (such as vape pens, e-hookahs, hookah pens, e-cigars, e-pipes) are battery-powered devices that use nicotine liquid rather than tobacco leaves, and produce vapor instead of smoke.	
□ No → Go to Question 27 □ Yes		
24. In the 3 months <u>before</u> you got pregnant, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes.	A hookah is a water pipe used to smoke tobacco. It is not the same as an e-hookah or hookah pen.	
 □ 41 cigarettes or more □ 21 to 40 cigarettes □ 11 to 20 cigarettes □ 6 to 10 cigarettes 	27. Have you used any of the following products in the past 2 years? For each item, check No if you did not use it or Yes if you did.	
1 to 5 cigarettesLess than 1 cigaretteI didn't smoke then	a. E-cigarettes or other electronic nicotine products	
25. In the <u>last 3</u> months of your pregnancy, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes.	b. Hookah	
 41 cigarettes or more 21 to 40 cigarettes 11 to 20 cigarettes 6 to 10 cigarettes 	nicotine products in the <i>past 2 years</i> , go to Question 28. Otherwise, go to Page 6, Question 30.	
☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I didn't smoke then	28. During the 3 months <u>before</u> you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?	
26. How many cigarettes do you smoke on an average day now? A pack has 20 cigarettes.	☐ More than once a day	
 □ 41 cigarettes or more □ 21 to 40 cigarettes □ 11 to 20 cigarettes □ 6 to 10 cigarettes □ 1 to 5 cigarettes □ Less than 1 cigarette □ I don't smoke now 	 □ Once a day □ 2-6 days a week □ 1 day a week or less □ I did not use e-cigarettes or other electronic nicotine products then 	

29. During the <u>last 3</u> months of your pregnancy, on average, how often did you use e-cigarettes or other electronic nicotine	33. During the <u>last 3</u> months of your pregnancy, how many alcoholic drinks did you have in an average week?
products? ☐ More than once a day ☐ Once a day ☐ 2-6 days a week ☐ 1 day a week or less ☐ I did not use e-cigarettes or other electronic nicotine products then	14 drinks or more a week 8 to 13 drinks a week 4 to 7 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then Go to Question 35
The next questions are about drinking alcohol around the time of pregnancy.	34. During the <u>last 3</u> months of your pregnancy, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?
30. Have you had any alcoholic drinks in the past 2 years? A drink is 1 glass of wine, wine cooler, can or bottle of beer, shot of liquor, or mixed drink.	 6 or more times 4 to 5 times 2 to 3 times 1 time I didn't have 4 drinks or more in a 2 hour time span
 No → Go to Question 35 Yes 31. During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week? 	Pregnancy can be a difficult time. The next questions are about things that may have happened <u>before</u> and <u>during</u> your most recent pregnancy.
14 drinks or more a week 8 to 13 drinks a week 4 to 7 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then Go to Question 33	35. In the 12 months <u>before</u> you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? For each person, check No if they did not hurt you during this time or Yes if they did.
32. During the 3 months <u>before</u> you got pregnant, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?	a. My husband or partner
 6 or more times 4 to 5 times 2 to 3 times 1 time I didn't have 4 drinks or more in a 2 hour time span 	36. During your most recent pregnancy, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? For each person, check No if they did not hurt you during this time or Yes if they did.
	a. My husband or partner

Check ONE answer

40. Which statement best describes whose idea

(c-section)?

it was for you to have a cesarean delivery

AFTER PREGNANCY

The next questions are about the time since your new baby was born.

37.	When was your new baby born?	 My health care provider recommended a cesarean delivery <i>before</i> I went into labor My health care provider recommended a
	/ / _20	cesarean delivery while I was in labor I asked for the cesarean delivery
	Month Day Year	41. After your baby was delivered, how long did he or she stay in the hospital?
Ţ	38. How was your new baby delivered? Uaginally Go to Question 41 Cesarean delivery (c-section) 39. What was the reason that your new baby was	Less than 24 hours (less than 1 day) 24 to 48 hours (1 to 2 days) 3 to 5 days 6 to 14 days More than 14 days My baby was not born in a hospital
	born by cesarean delivery (c-section)? Check ALL that apply	My baby is still in the hospital Go to Page 8, Question 44
	 I had a previous cesarean delivery (c-section) My baby was in the wrong position (such as breech) 	42. Is your baby alive now? No We are very sorry for your loss.
	I was past my due dateMy health care provider worried that my baby was too big	☐ No ───────────────────────────────────
	☐ I had a medical condition that made labor dangerous for me (such as heart condition,	43. Is your baby living with you now?
	physical disability) I had a complication in my pregnancy (such as pre-eclampsia, placental problems, infection,	□ No → Go to Page 9, Question 53 □ Yes
	preterm labor) My health care provider tried to induce my labor, but it didn't work	Go to Page 8, Question 44
	□ Labor was taking too long □ The fetal monitor showed that my baby was having problems before or during labor (fetal distress)	
	☐ I wanted to schedule my delivery☐ I didn't want to have my baby vaginally☐ Other → Please tell us:	

44.	Before or after your new baby was born, did you receive information about breastfeeding from any of the following sources? For each one, check No if you did not receive information	If your baby is still in the hospital, go to Question 53.
	from this source or Yes if you did.	48. In which one position do you most often lay
	No Yes	your baby down to sleep now?
2	My doctor	Check ONE answer
	A nurse, midwife, or doula	☐ On his or her side
	A breastfeeding or lactation specialist	On his or her side
	My baby's doctor or health care	On his or her stomach
u.	provider	
e.	A breastfeeding support group	49. In the <i>past 2 weeks</i> , how often has your new
	A breastfeeding hotline or toll-free	baby slept alone in his or her own crib or bed?
	number	(□ Always
	Family or friends	☐ Often
h.	Other	☐ Sometimes
	Please tell us:	Rarely ☐ Never → Go to Question 51
		do to Question 31
		50. When your new baby sleeps alone, is his or
1 E	Did you ever breastfeed or pump breast	her crib or bed in the same room where <u>you</u>
43.	milk to feed your new baby, even for a short	sleep?
	period of time?	□ No
		☐ Yes
_	☐ No ——— Go to Question 48 ☐ Yes	
\downarrow		51. Listed below are some more things about
46.	Are you currently breastfeeding or feeding	how babies sleep. How did your new baby usually sleep in the past 2 weeks? For each
	pumped milk to your new baby?	item, check No if your baby did not usually sleep
	□ No	like this or Yes if he or she did.
	☐ Yes Go to Question 48	No Yes
V		a. In a crib, bassinet, or pack and play
47.		b. On a twin or larger mattress or bed
	breastfeed or feed pumped milk to your	c. On a couch, sofa, or armchair
	baby?	d. In an infant car seat or swing
	☐ Less than 1 week	e. In a sleeping sack or wearable blanket
		f. With a blanket
	Weeks OR Months	g. With toys, cushions, or pillows,
		including nursing pillows
		non-mesh)

Did a doctor, nurse, or other health care worker tell you any of the following things? For each thing, check No if they did not tell you or Yes if they did.	If you or your husband or partner is <u>not doing</u> anything to keep from getting pregnant <i>now</i> , go to Question 56.			
sleep	55. What kind of birth control are you or your husband or partner using <i>now</i> to keep from getting pregnant?			
bassinet, or pack and play	Check ALL that apply			
	Tubes tied or blocked (female sterilization or			
What things should and should not go in bed with my baby	Essure®) Vasectomy (male sterilization) Birth control pills Condoms			
Are you or your husband or partner doing anything now to keep from getting pregnant? Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning.	 □ Shots or injections (Depo-Provera®) □ Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) □ IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) □ Contraceptive implant in the arm (Nexplanon®) 			
O No Yes → Go to Question 55	or Implanon®) Natural family planning (including rhythm method) Withdrawal (pulling out)			
partner's reasons for not doing anything to keep from getting pregnant now?	□ Not having sex (abstinence) □ Other → Please tell us:			
Check ALL that apply				
 I want to get pregnant I am pregnant now I had my tubes tied or blocked I don't want to use birth control I am worried about side effects from birth control I am not having sex My husband or partner doesn't want to use anything I have problems paying for birth control Other → Please tell us: 	56. Since your new baby was born, have you had a postpartum checkup for yourself? A postpartum checkup is the regular checkup a woman has about 4-6 weeks after she gives birth. One has about 4-6 weeks after she gives birth. Go to Page 10, Question 58 Go to Page 10, Question 57			
	worker tell you any of the following things? For each thing, check No if they did not tell you or Yes if they did. No Yes Place my baby on his or her back to sleep			

58. During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things? For each item, check No if they did not do it or Yes if they did.
a. Tell me to take a vitamin with folic acid b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy
h. Ask me if someone was hurting me emotionally or physically
i. Ask me if I was feeling down or depressed
59. Since your new baby was born, how often have you felt down, depressed, or hopeless?
☐ Always ☐ Often ☐ Sometimes ☐ Rarely ☐ Never
60. Since your new baby was born, how often have you had little interest or little pleasure in doing things you usually enjoyed?
□ Always □ Often □ Sometimes □ Rarely □ Never

61. Since your new baby was born, how often have you felt panicky?	If your baby is not alive, is not living with you, or is still in the hospital, go to Question 68.		
☐ Always ☐ Often ☐ Sometimes ☐ Rarely ☐ Never	65. Are you currently in school or working? ☐ No, I don't go to		
62. Since your new baby was born, how often have you felt restless?	Yes, I go to school or work from home		
☐ Always ☐ Often ☐ Sometimes	66. Which <i>one</i> of the following people spends the most time taking care of your new baby when you are at school or work?		
Rarely	Check ONE answer		
□ Never	My husband or partnerBaby's grandparentOther close family member or relative		
OTHER EXPERIENCES	☐ Friend or neighbor☐ Babysitter, nanny, or other child care provider☐		
The next questions are on a variety of topics.	☐ Staff at day care center ☐ Other → Please tell us:		
63. Thinking back to <i>just before</i> you got pregnant with your new baby, how did your husband or partner feel about your becoming pregnant?	☐ The baby is with me while I am at school or work — → Go to Question 68		
Check ONE answer ☐ Wanted me to be pregnant sooner ☐ Wanted me to be pregnant later ☐ Wanted me to be pregnant then ☐ Didn't want me to be pregnant then or at any time in the future	67. While you are away from your new baby for school or work, how often do you feel that he or she is well cared for? Check ONE answer		
☐ I don't know ☐ I didn't have a husband or partner	☐ Always ☐ Often ☐ Sometimes		
64. During any of the following time periods, did your husband or partner threaten you, limit your activities against your will, or make you	☐ Rarely ☐ Never		
feel unsafe in any other way? For each time period, check No if it did not happen then or Yes if it did.	68. At any time during your most recent pregnancy, did you work at a job for pay?		
No Yes	☐ No → Go to Page 12, Question 74 ☐ Yes		
a. During the 12 months before I got pregnant	Go to Page 12, Question 69		


69. Have you returned to the job you had during your most recent pregnancy? Check ONE answer	73. Did any of the things listed below affect your decision about taking leave from work after your new baby was born? For each item, check No if it does not apply to you or Yes if it does.
□ No, and I do not plan to return → Go to Question 74 No, but I will be returning Yes	a. I could not financially afford to take leave
70. Did you take leave from work after your new baby was born? Check ALL that apply I took paid leave from my job I took unpaid leave from my job I did not take any leave Go to Question 73	or stayed out longer
71. How many weeks <i>or</i> months of leave, in total, did you take or will you take?	The last questions are about the time during the 12 months before your new baby was born.
— Weeks OR — Months □ Less than 1 week	
72. How did you feel about the amount of time you were able to take off <i>after</i> the birth of your new baby? Check ONE answer	74. During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. All information will be kept private and will not affect any services you are now getting.
☐ Too little time ☐ Just the right amount of time ☐ Too much time	\$0 to \$16,000 \$16,001 to \$20,000 \$20,001 to \$24,000 \$24,001 to \$28,000 \$28,001 to \$32,000 \$32,001 to \$40,000 \$40,001 to \$48,000 \$48,001 to \$57,000 \$57,001 to \$60,000 \$573,001 to \$85,000 \$85,001 or more

		1
75.	During the 12 months before your new baby was born, how many people, including yourself, depended on this income?	
	People	
76.	What is today's date?	
	/ / _20	
	Month Day Year	

Please use this space for any additional comments you would like to make about your experiences around the time of your pregnancy or the health of mothers and babies in Maryland.

Thanks for answering our questions!

Your answers will help us work to keep mothers and babies in Maryland healthy.





The services and facilities of the Maryland Department of Health (MDH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges, and accommodations.

The Department, in compliance with the Americans With Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from MDH services, programs, benefits, and employment opportunities.

Funding for this publication was provided by the Maryland Department of Health and by a cooperative agreement # UR6/DP-000542 with the Centers for Disease Control and Prevention (CDC) for the Maryland Pregnancy Risk Assessment Monitoring System (PRAMS). The contents do not necessarily represent the official views of the CDC.