# Maryland PRAMS Report 2019 Births

#### **Pregnancy Risk Assessment Monitoring System**





Maternal and Child Health Bureau Vital Statistics Administration



Pregnancy Risk Assessment Monitoring System

www.marylandprams.org

Larry Hogan, Governor -Boyd K. Rutherford, Lt. Governor -Robert R. Neall, Secretary

"This survey is such a wonderful tool for research."

*"Pregnancy was a wonderful experience. You should enjoy the experience of being pregnant."* 

"Thank you for your research and attempt to help the world and current and future moms and kids. Sorry for the delay."

PRAMS mothers

# Maryland PRAMS Report

## 2019 Births

**Prevention and Health Promotion Administration** 

Maternal and Child Health Bureau (MCHB) Courtney McFadden, MPH, (former) Director

Vital Statistics Administration (VSA)

Lee Hurt, DrPH, Director

**PRAMS Team** 

Maura Dwyer, DrPH, MPH, (*former*) PRAMS Spanish Interpreter, MDH Helen Espitallier, MS, PRAMS Analyst, VSA Dawn Gardner, MS, PRAMS Data Manager, MCHB Laurie Kettinger, MS, PRAMS Project Coordinator, MCHB Lawrence Reid, PhD, MPH, (*former*) Director, PRAMS Analyst, MCHB Epidemiology Kate Schneider, MPH, PRAMS Analyst, MCHB Epidemiology



August 2021

The Maryland PRAMS Report is also available at www.marylandprams.org

For further information, please contact:

Laurie Kettinger, M.S. PRAMS Project Coordinator Maternal and Child Health Bureau Maryland Department of Health 201 W. Preston Street, 3<sup>rd</sup> floor Baltimore, MD 21201 Phone: 410-767-0803 laurie.kettinger@maryland.gov

#### TABLE OF CONTENTS

Introduction				
Methodology	v			
Sampling and Data Collection	v			
Survey Response and Data Analysis	vi			
Acknowledgments	vi			
Maryland PRAMS Steering Committee	1			
Maryland PRAMS Highlights 2019	2			
Maryland PRAMS 2014, 2015, 206, 2017, 2018, and 2019 Surveillance and Selected Healthy People 2020 Objectives	3			
Preconception Factors	5			
Comments from PRAMS Mothers	6			
Intendedness of Pregnancy	7			
Husband/Partner Thoughts on Pregnancy Intention	8			
General Health Before Pregnancy	9			
Health Care Visits Pre-Pregnancy	10			
Multivitamin Use, One Month Pre-Pregnancy	11			
Pre-Pregnancy Body Mass Index (BMI)	12			
Health Problems, Three Months Pre-Pregnancy	13			
Health Care Visit Discussion, Twelve Months Pre-Pregnancy	14			
Oral Health, Twelve Months Pre-Pregnancy	15			
Prior Cesarean Delivery	16			
Prenatal Factors	17			
Comments from PRAMS Mothers	18			
Trimester Prenatal Care Began	19			
Topics Discussed during Prenatal Care Visits	20			
HIV Testing during Pregnancy or Delivery	21			
Flu Vaccination, Twelve Month Pre-Delivery	22			
Teeth Cleaning, During Pregnancy	23			
Health Conditions, During Pregnancy	24			
Health Care Coverage, WIC, Home Visiting, and Employment	25			
Comments from PRAMS Mothers	26			
Health Insurance Just Before Pregnancy	27			

Source of Payment for Prenatal Care	28
Source of Current Health Insurance	29
Child Care During Work or School	30
Workplace Leave	31
Factors Affecting Decision to Take Leave	32
Selected Risk Factors	33
Comments from PRAMS Mothers	34
Smoking during the Three Months before Pregnancy	35
Smoking during the Last Three Months of Pregnancy	36
Smoking After Pregnancy	37
Use of Electronic Nicotine Products, Three Months Pre-Pregnancy	38
Alcohol Use during the Three Months before Pregnancy	39
Alcohol Binges Before and During Pregnancy	40
Alcohol Use during the Last Three Months of Pregnancy	41
Physical Abuse by Husband or Partner, Twelve Months before Pregnancy	42
Disability	43
Postpartum Factors: Maternal and Infant Health	44
Comments from PRAMS Mothers	45
Reasons for Not Using Birth Control	46
Reasons for No Postpartum Checkup	47
Breastfeeding Initiation and Information Sources	48
Breastfeeding Length	49
Infant Sleep Position	50
Co-sleeping	51
Sleep Environment	52
Postpartum Depression Symptoms	53
Maryland PRAMS Phase 8 Questionnaire	54
Comments from PRAMS Mothers	55
Survey	56

#### **INTRODUCTION**

This report highlights data from births occurring to Maryland residents in 2019 collected through the Pregnancy Risk Assessment Monitoring System (PRAMS). PRAMS is a surveillance system established by the Centers for Disease Control and Prevention (CDC) in 1987 to obtain information about maternal behaviors and experiences that may be associated with adverse pregnancy outcomes. Data are collected by surveying pregnant people and birthing people who have recently delivered live born infants.

PRAMS projects are conducted through cooperative agreements between the CDC and state health departments. PRAMS projects for 2019 births were underway in 48 states and New York City, representing 83% of all U.S. live births. All surveys include a core set of standardized questions, which allows for multi-state analyses. In addition, each state can add questions tailored to meet its needs. The core section of the survey includes questions relating to prenatal care, obstetric history, smoking, alcohol use, intimate partner violence, contraception, economic status, maternal stress, and infant health. The Maryland-specific section of the survey includes questions on maternal employment, pre-pregnancy health, co-sleeping and sleep environment, contraceptive use, depression, oral health, chronic disease, infections, and labor induction.

The PRAMS project in Maryland is a collaborative effort of the Maternal and Child Health Bureau (MCHB), the Vital Statistics Administration (VSA) of the Maryland Department of Health (MDH), and the CDC. Maryland began collecting PRAMS data from mothers who delivered in 2000.

#### METHODOLOGY

#### **Sampling and Data Collection**

Women eligible to participate in PRAMS are selected from Maryland's live birth certificate files and need to be Maryland residents who have delivered in the state. Each month, a stratified, random sample of approximately 200 live births is selected. The sample is stratified by infant birth weight (<2500 grams,  $\geq$ 2500 grams). This sampling frame over-samples mothers who have delivered a low birth weight infant (<2500 grams).

PRAMS combines two modes of data collection; a survey conducted by mailed questionnaire with multiple follow-up attempts, and if mail is not successful, a survey conducted by telephone interview. Survey questionnaires and other materials are available in both English and Spanish.

The first mailing, which is done two to four months after delivery, is a letter that introduces PRAMS to the parent and informs her that a questionnaire will soon arrive. Within seven days of this letter, the questionnaire packet is mailed. This packet includes the 84-item main survey along with an informed consent page, calendar, and resource brochure. In addition, a manicure file is sent as an incentive for completing the survey. Seven to 10 days after the initial packet is mailed, a tickler that serves as a thank you and reminder note is sent. Mothers who do not respond to the tickler within seven to 14 days are mailed a second questionnaire packet. A third questionnaire packet is mailed to all remaining nonrespondents seven to 14 days later. Telephone follow-up is initiated for all nonrespondents.

Data collected through PRAMS are linked to birth certificate data, which allows for the survey data to be weighted to reflect the total birth population. Sampling, nonresponse, and noncoverage adjustment factors are applied to the data in order to make the results generalizable to the state's population of women delivering live born infants during the study period. Further information on PRAMS methodology, including weighting procedures, may be found on the CDC website at *http://www.cdc.gov/prams/methodology.htm*.

#### **Survey Response and Data Analysis**

The CDC recommends that states obtain a response rate of at least 50% for analysis of PRAMS 2019 births data. The weighted response rate among women delivering in Maryland between January 1, 2019 and December 31, 2019 was 51%. During this 12-month period, 952 mothers completed the PRAMS questionnaire with a weighted response reflecting 63,057 mothers. The weighted figure included 25,714 births to white non-Hispanic, 18,727 births to black non-Hispanic, 4,380 births to Asian/Pacific Islander, 11,954 births to Hispanic women, 59 births to American Indian, 2,081 Other/Mixed, and 142 Missing race/ethnicity. Survey findings in this report are shown by race/Hispanic origin (White Non-Hispanic, Black Non-Hispanic, Asian Non-Hispanic, and Hispanic), maternal age, and maternal years of education.

#### ACKNOWLEDGMENTS

The Maryland PRAMS Project would like to acknowledge the CDC PRAMS Team for their technical assistance and support, especially Ada Dieke, PhD, our project manager who has expertly guided and assisted our program. Additionally, our thanks go to the Maryland PRAMS Steering Committee for their invaluable input to many aspects of our project.

Most importantly, we very much appreciate the 952 mothers who took the time to complete the questionnaires that are represented in this report. Their answers will contribute greatly towards our continuing efforts to improve the health of Maryland mothers and babies.

#### **Maryland PRAMS Steering Committee**

(January 2019)

**Tania Araya** Family Violence Response Program Mercy Hospital

Katy Battani, RDH, MS Maryland Oral Health Association

Margaret Chisolm, MD Psychiatry Center for Addiction and Pregnancy, Bayview Johns Hopkins Medicine

**Chelsea Crabtree, DO** *Obstetrics and Gynecology, Women's Health Chase Brexton Health Care* 

**Sara Daly, LCSW-C** *Perinatal Depression Outreach Program Sinai Hospital of Baltimore* 

Anne Eder March of Dimes, Maryland Chapter

**Linda Grossman, MD** Bureau of Clinical Services Baltimore County Department of Health

Shari Lawson, MD Women's Services at Bayview Johns Hopkins Medicine Jenna McCall, MPH Center for HIV Prevention and Health Services\*

**Cynthia Minkovitz, MD, MPH** Johns Hopkins Medicine, Pediatrics

**Rosemary Murphey, MBA, RN** *HealthChoice and Acute Care Administration\** 

Shayna Murphy, MS, CHES Center for Healthy Maryland, Inc. MedChi, The Maryland Medical Society

Sherri Sabol, RD, LDN, CLC Nutrition and Breastfeeding Services Maryland WIC Program\*

Jodi Shaefer, RN, PhD National Fetal and Infant Mortality Review American College of Obstetricians and Gynecologists (ACOG)

**Donna Strobino, PhD** *Population, Family and Reproductive Health Johns Hopkins Bloomberg School of Public Health* 

Mishka Terplan, MD, MPH, FACOG, Diplomate ABAM Behavioral Health System Baltimore

PRAMS Staff: Maura Dwyer, DrPH, MPH, Spanish Interpreter, MDH Helen Espitallier, MS, Vital Statistics Administration Dawn Gardner, MS, Data Manager, MDH Isabelle Horon, DrPH, Director (*Former*), Vital Statistics Administration Laurie Kettinger, MS, Project Coordinator, MDH Lawrence Reid, PhD, MPH, Director (*Former*), Maternal and Child Health Epidemiology, MDH Kate Schneider, MPH, Data Analyst, Maternal and Child Health Epidemiology, MDH

\*Maryland Department of Health (MDH)

#### Maryland PRAMS Highlights--2019

#### **Preconception factors**

- Forty-one percent of all live births were **unintended** (includes women who said they were 'not sure' how they felt about the pregnancy).
- Twenty-one percent of women reported they were covered by Medicaid or Health Choice just before pregnancy and 16% were uninsured.
- According to their body mass index (BMI) just before pregnancy, 27% of mothers were overweight and 26% were obese.
- Thirty-nine percent of women reported taking a **multivitamin daily** in the month before conception.
- Before pregnancy, 21% of women reported they had **anxiety** and 13% had **depression**.
- During the 3 months just before pregnancy, 11% of women smoked, 56% consumed alcohol, and 18% had at least one episode of binge drinking.
- In the 12 months before pregnancy, 37% of women had not had a **dental cleaning**.
- Seventy-three percent of mothers reported they had a **health care visit** with a doctor, nurse or other health care worker.

#### **Prenatal factors**

- Eighty-five percent of mothers began **prenatal care** during the first trimester of pregnancy, and 2% began in the third trimester or received no care.
- Sixty-one percent of mothers reported that HIV testing was discussed during prenatal care visits; 38% reported getting an HIV test prenatally and 56% reported getting the test during pregnancy or delivery.
- Ten percent of women had **gestational diabetes.**

- Intimate partner violence by a current husband/partner or ex-husband/partner during the 12 months before pregnancy was reported by 3% of mothers
- Five percent of women smoked during the last three months of pregnancy. Seven percent of women reported using alcohol and 0.7% of women reported a binge-drinking episode during the last three months of pregnancy.
- Sixty-siz percent of women were vaccinated for **seasonal flu** during the 12 months before delivery or during pregnancy.
- Thirty-two percent of women used **Medicaid or Health Choice** for their prenatal care and 4% were **uninsured**.
- During pregnancy, 61% of women worked at a job for pay.
- Of the women who worked, sixty-two percent of them felt that the **amount of time they were able to take off** after the birth of their new baby was too little.

#### Infant health and related factors

- Ninety-one percent of infants were **breastfed** after delivery, and 74% were breastfed eight weeks or longer.
- In terms of **sleeping environment**, 82% of infants were usually placed on their backs to sleep and 60% always slept alone in their own crib or bed in the past 2 weeks.

#### Maternal postpartum factors

- Twenty-two percent of mothers reported they were not using **postpartum contraception**.
- Eight percent of mothers **smoked postpartum**.
- Six percent of mothers reported feeling down, depressed or hopeless always or often since their new baby was born.

#### MARYLAND PRAMS 2015-2019 SURVEILLANCE AND SELECTED HEALTHY PEOPLE 2020 OBJECTIVES

Healthy People 2020 Objective	Maryland PRAMS 2015 Births	Maryland PRAMS 2016 Births	Maryland PRAMS 2017 Births	Maryland PRAMS 2018 Births	Maryland PRAMS 2019 Births	Healthy People 2020 Target
Preconception						
Increase the proportion of pregnancies that are intended.**	59%	59%	58%	61%	59%	56.0%
Increase the proportion of women who took multivitamins/folic acid daily prior to pregnancy.	35%	35%	35%	35%	39%	33.1%
Increase the proportion of women who did not smoke during the three months prior to pregnancy.	86%	87%	89%	89%	89%	85.4%
Increase the proportion of women who did not drink alcohol during the three months prior to pregnancy.	49%	45%	48%	49%	44%	56.4%
Increase the proportion of women who had a healthy weight (BMI 18.5-24.9) prior to pregnancy.	47%	46%	44%	45%	43%	53.4%
Prenatal						
Increase the proportion of pregnant women who receive prenatal care beginning in the first trimester of pregnancy.***	81%	84%	84%	83%	85%	77 <b>.9%</b>
Increase abstinence from cigarette smoking among pregnant women.	94%	94%	95%	95%	95%	98.6%
Increase abstinence from alcohol among pregnant women.	90%	91%	92%	91%	92%	98.3%
Increase abstinence from binge drinking**** among pregnant women.	99.5%	99%	99.7%	99.6%	99.3%	100.0%
Postpartum						
Increase the proportion of infants who are put to sleep on their backs.	79%	80%	83%	80%	82%	75.9%
Increase the proportion of infants who were breastfed (ever).	87%	88%	89%	90%	91%	81.9%

\*\*PRAMS data includes only information on pregnancies that end in live birth \*\*\*First trimester defined by PRAMS as <13weeks \*\*\*\*Binge drinking = 4 or more drinks in a two hour sitting

# **Preconception Factors**







"I had suicidal ideation the night before I found out I was pregnant. The pregnancy helped me keep a good focus."

"I started pregnancy in another state and finished pregnancy in Maryland. I live in a rural area in MD and felt it was hard to get access to doctors in rural areas and instead rely on midwives."


"My children were both conceived via IVF so I was given a lot of information going into pregnancy."

PRAMS mothers


# **INTENDEDNESS OF PREGNANCY**

Question 15: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant?

#### Distribution of Mothers by Intendedness of Pregnancy



**Percentage of Mothers With Unintended** Pregnancies



Race and ethnicity


\*Includes only mothers ages 20 and above.

education\*


# HUSBAND/PARTNER THOUGHTS ON PREGNANCY INTENTION

Question 63: Thinking back to just before you got pregnant with your new baby, how did your husband or partner feel about your becoming pregnant?

#### Distribution of Husbands/Partners by Intendedness of Pregnancy




#### Percentage of Husbands/Partners Who Wanted Mom Pregnant *Then*




<sup>\*</sup>Includes only mothers ages 20 and above.


## **GENERAL HEALTH BEFORE PREGNANCY**

Question 6: *Before* you got pregnant, would you say that, in general, your health was-Excellent, Very Good, Good, Fair, or Poor \*



\* Mothers reporting "Poor" was less than 1%






# **HEALTH CARE VISITS**

Question 9: In the 12 *months before* you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker?


Question 10: What type of health care visit did you have in the *12 months* before you got pregnant with your new baby?




# **MULTIVITAMIN USE**

Question 8: During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

#### Distribution of Mothers by Frequency of Multivitamin Use in the Month Before Pregnancy



#### Percentage of Mothers Who Reported Less Than Daily Multivitamin Use in the Month Before Pregnancy




\*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.


#### **PRE-PREGNANCY BMI**

Question 1: How tall are you without shoes? Question 2: *Just before* you got pregnant with your new baby, how much did you weigh?

#### Distribution of Mothers by BMI Status Before Pregnancy



#### Percentage of Mothers Who Were Classified as Obese Before Pregnancy




\* Mothers <20 years of age had BMI >30 (and were not classified as obese via childhood growth charts) Note: Percentages are not reported if the number of respondents was less than five.

#### **PRE-PREGNANCY HEALTH PROBLEMS**

Question 7: During the *3 months before* you got pregnant with your new baby, did you have any of the following health conditions?






# **HEALTH CARE VISIT**

Question 11: During any of your health care visits in the *12 months* before you got pregnant, did a doctor, nurse, or health care worker <u>do</u> any of the following things? For each item, check No if they did not or Yes if they did.

#### **Mothers Reporting Actions During Health Care Visit**




## **ORAL HEALTH**

Question 10: What type of health care visit did you have in the *12 months before* you got pregnant with your new baby?

# Hothers Reporting on Teeth Cleaning 12 Months Before Pregnancy


Percentage of Mothers Who Reported Having Had their Teeth Cleaned 12 Months Before Pregnancy




# **PRIOR CESAREAN DELIVERY**

Question 5: Before you had your new baby, did you ever have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)?

**Distribution of Mothers Having a Cesarean Delivery** 



Percentage of Mothers Who Reported Having a **Cesarean Delivery** 



Race and ethnicity

Years of education\*

\*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

# **Prenatal Factors**







"I developed preeclampsia with both pregnancies around 32 weeks. In my 1st, I wish I would've been more informed about the risks of this disease."


"My office did a good job answering all the questions I had but as a first time mother I didn't think of many questions myself plus I am a shy person and felt weird asking certain things so it would be helpful if they told me info themselves instead of waiting for me to ask. Breastfeeding was a big surprise for me. I didn't know what I was getting myself into. Could use info on that at the time."

"Are there any plans or programs that offer women physical therapy after a C-section? I have had 2 C-sections and I do not know of insurance that would cover physical therapy after a C-section. I have found this to be discouraging in women's health care."


PRAMS mothers

#### **TRIMESTER PRENATAL CARE BEGAN**

Question 16: How many weeks or months pregnant were you when you had your first visit for prenatal care?



#### Percentage of Mothers Who Began Prenatal Care During the Second or Third Trimester of Pregnancy




education\*

# TOPICS DISCUSSED DURING PRENATAL CARE VISITS

Question 17: *During any of your prenatal care visits*, did a doctor, nurse, or other healthcare worker ask you any of the things listed below?


#### Mothers Reporting That Selected Topics Were Asked During Prenatal Care Visits




#### **HIV TESTING**

Question 18: At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?

#### **Distribution of Mothers by HIV Testing Status**



Percentage of Mothers Who Reported They Did Not Have an HIV **Test During Pregnancy or Delivery** 




education\*


# **INFLUENZA IMMUNIZATIONS**

Question 20: During the 12 months before the delivery of your new baby, did you get a flu shot?

#### **Distribution of Mothers by Flu Immunization Status One Year Before Delivery**



#### Percentage of Mothers Who Reported They Did Not Get a Flu Shot One Year Before Delivery




education\*


#### **TEETH CLEANING**

Question 21: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?





Percentage of Mothers Who <u>Did Not</u> Have Their Teeth Cleaned During Pregnancy




Race and ethnicity

Age


Years of education\*

# **HEALTH CONDITIONS**

Question 22: During *your most recent* pregnancy, did you have any of the following health conditions? For each one, check **No** if you did not have the condition or **Yes** if you did.



Percentage of Mothers Who Had Gestational Diabetes



\*Includes only mothers ages 20 and above

Note: Percentages are not reported if the number of respondents was less than five.

24

# Health Care Coverage, WIC, Home Visiting, and Employment







"My biggest challenge is the fact that I had no insurance and it did take some time to get it afterwards, and it did cause me extra costs and caused me worry a lot along with a new baby."

"One item that this survey did not ask me about that I think probably has a significant impact on maternal & infant outcomes is the lack of state or federally mandated maternity leave."

"I wish the state of Maryland would offer to pay for maternity leave."


"Please provide affordable or free health insurance for working mothers or middle class family. Right now I have to pay out of pocket for private insurance for me and my baby. It is very expensive. I am using my savings for that. Currently I am not working but my income from last year prohibits me from being eligible for government insurance."

PRAMS mothers


## **HEALTH INSURANCE BEFORE PREGNANCY**

Question 12: During the *month before* you got pregnant with your new baby, what kind of health insurance did you have?

#### Health Insurance Status Just Before Pregnancy\*\*




\*\* Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.




#### **SOURCE OF PAYMENT FOR PRENATAL CARE**

Question 13: During *your most recent* pregnancy, what kind of health insurance did you have to pay for your prenatal care?




\*\* Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

#### Percentage of Mothers Who Identified Insurance or Medicaid as a Source of Payment for Prenatal Care




## **CURRENT HEALTH INSURANCE**

Question 14: What kind of health insurance do you have *now*?



\*\* Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

### Percentage of Mothers Who Identified as Currently Having Insurance or Medicaid




\*Includes only mothers ages 20 and above.


# **CHILD CARE DURING WORK OR SCHOOL**

Question 65: Are you currently in school or working? Question 66: Which one of the following people spends the most time taking care of your new baby when you are at school or work?

## Distribution of Mothers Who go to Work or School




#### People Who Spend the Most Time with Baby While Mom is at Work or School



## **WORKPLACE LEAVE**


Question 70: Did you take leave from work after your new baby was born?

#### Distribution of Mothers Who Took Paid or Unpaid Leave After the Baby Was Born



\*\* Respondents were instructed to check ALL that apply, therefore percentages do not sum to 100.

#### Percentage of Mothers Who Took Unpaid Leave After the Baby Was Born




\*Includes only mothers ages 20 and above.


# **FACTORS AFFECTING LEAVE TIME**

Question 72: How did you feel about the amount of time you were able to take off *after* the birth of your new baby? Question 73: Did any of the things listed below affect your decision about taking leave from work *after* your new baby was born?

#### Distribution of How Mothers Felt About The Amount of Time Taken Off



### **Factors Affecting Decision to Take Leave**



# **Selected Risk Factors**







"Used some narcotics during period of time I was not aware I was pregnant, like marijuana, and LSD one time. Pregnancy was like an emotional roller coaster, but nothing serious."

"There was no medication that could really help me eat. I'm not a normal smoker. Nothing but marijuana helped me. Honestly, if it didn't help my daughter wouldn't be here today, because it helped me to eat. I know several women also who do the same thing. The doctors are very understanding. I don't think women should be have it held against them; because it helps and doesn't hurt, compared to other legal things, like alcohol."


"No medicine, no alcohol, no drugs, this survey was helpful and I learned and I'm glad mothers are taking this. Mothers should take care of themselves and be informed."

PRAMS mothers


## **SMOKING BEFORE PREGNANCY**

Question 24: In the *three months <u>before</u>* you got pregnant, how many cigarettes did you smoke on an average day?

#### Distribution of Mothers by Smoking Status During the Three Month Period Before Pregnancy Began



Percentage of Mothers Who Reported They Smoked During the Three Month Period Before Pregnancy




\*Includes only mothers ages 20 and above.


## **SMOKING DURING PREGNANCY**

Question 25: In the *last 3 months* of your pregnancy, how many cigarettes did you smoke on an average day?

#### Distribution of Mothers by Smoking Status During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported They Smoked During the Last Three Months of Pregnancy




\*Includes only mothers ages 20 and above.


## **SMOKING AFTER PREGNANCY**

Question 26: How many cigarettes do you smoke on an average day now?

#### Distribution of Mothers by Smoking Status in the Postpartum Period



Percentage of Mothers Who Reported They Smoked in the Postpartum Period 15




\*Includes only mothers ages 20 and above.


## **USE OF ELECTRONIC NICOTINE PRODUCTS**

Question 28: During the *3 months <u>before</u>* you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?

## Distribution of Mothers by How Often E-cigarettes or Other Electronic Nicotine Products Were Used



#### Percentage of Mothers Who Reported E-cigarettes or Electronic Nicotine Products Use in the Three Months Preceding Pregnancy




\*Includes only mothers ages 20 and above.


## **ALCOHOL USE BEFORE PREGNANCY**

Question 31: During the *3 months <u>before</u>* you got pregnant, how many alcoholic drinks did you have in an average week?

#### Distribution of Mothers by the Number of Alcoholic Drinks During the Three Month Period Preceding Pregnancy



#### Percentage of Mothers Who Reported Any Alcohol Use in the Three Months Preceding Pregnancy




\*Includes only mothers ages 20 and above.


# **ALCOHOL BINGES BEFORE AND DURING PREGNANCY**

Question 32: During the 3 months before you got pregnant, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span? Question 34: During the *last 3 months* of your pregnancy, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?

Distribution of Mothers by the Number of Alcohol Binges (4+ Drinks in One Sitting) Before and During Pregnancy



Percentage of Mothers Who Reported Any Binge Drinking in the Three Months Preceding Pregnancy




\*Includes only mothers ages 20 and above.

education\*


## **ALCOHOL USE DURING PREGNANCY**

Question 33: During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

### Distribution of Mothers by the Number of Alcoholic Drinks During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Last Three Months of Pregnancy




\*Includes only mothers ages 20 and above.


## **PHYSICAL ABUSE BEFORE PREGNANCY**

Question 35: During the *12 months <u>before</u>* you got pregnant with your new baby, did any of the following people push, hit slap, kick, choke, or physically hurt you in any other way?

#### Distribution of Mothers by Abuse Before Pregnancy by Husband/Partner or Ex-Husband/Ex-Partner



#### Percentage of Mothers Who Reported Being Physically Abused Before Pregnancy by a Husband/Partner or Ex-Husband/Ex-Partner




\*Includes only mothers ages 20 and above.

## **DISABILITY**

Question D1-6 : Do you have difficulty\* 1) seeing 2) hearing 3) walking or climbing steps 4) remembering or concentrating 5) self care, washing all over or dressing 6) communicating, understanding or being understood?


\*includes 'some difficulty', 'a lot of difficulty' and 'cannot do this at all'



# **Postpartum Factors**







"I think mother need to be more aware of their mental health during pregnancy. Postpartum depression should be discussed more frequently."

"Offer better care for breastfeeding women, allow insurance to cover a pump and also better postnatal care."

"I wish a greater emphasis was placed on "alone back crib" at the hospital. I know a family that lost a baby because of unsafe sleeping practices. The first few months with a new baby are exhausting and parents need clear instructions on safe sleep and education on the dangers of bedsharing/falling asleep while holding a baby so that the parents aren't tempted to follow unsafe practices when they are tired. I think if more parents understood the extent of the danger, they'd do better."


"I felt ill prepared about postpartum anxiety/depression. After pregnancy I went through a rough period of out of control hormones and sadness. I saw a therapist who diagnosed me with anxiety."

"I was extremely depressed during my pregnancy because I did not want a baby."

PRAMS mothers


# REASONS FOR NO POSTPARTUM BIRTH CONTROL

Question 53: Are you or your husband or partner doing anything <u>now</u> to keep from getting pregnant?Question 54: What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant <u>now</u>? Check <u>all</u> that apply.



# REASONS FOR NO POSTPARTUM CHECKUP FOR MOM


Question 56: Since your new baby was born, have you had a postpartum checkup for yourself? Question 57: Did any of these things keep you from having a postpartum checkup? Check <u>all</u> that apply.



## BREASTFEEDING


Question 44: Before or after your new baby was born, did you receive information about breastfeeding from any of the following sources?Question 45: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?

#### **Breastfeeding Information Sources**




Question 47: How many weeks or months did you breastfeed or feed pumped milk to your baby?

### Distribution of Mothers by Length of Time Infant Was Breastfed




Percentage of Mothers Who Reported Never Breastfeeding




48 \*Includes only mothers ages 20 and above.

## **Distribution of Infants by Sleep Position**




Percentage of Infants Not Placed on Back to Sleep




\*Includes only mothers ages 20 and above.



### Distribution of How Often Babies Slept Alone In Their Own Crib or Bed








50 \*Includes only mothers ages 20 and above


# **SLEEP ENVIRONMENT**

Question 51: Listed below are some more things about how babies sleep. How did your new baby *usually* sleep in the *past 2 weeks*?

Check No if your baby did not usually sleep like this or Yes if he or she did.



Percentage of Infants Who Did Not Sleep on an Approved Surface (crib) in the *past 2 weeks* 




\*Includes only mothers ages 20 and above.

## **SYMPTOMS OF POSTPARTUM DEPRESSION**


Question 59: Since your new baby was born, how often have you felt down, depressed, or hopeless?

#### **Distribution of Mothers by Postpartum Depression**



\*Includes mothers who reported having symptoms "Always" or "Often" to Question 59

#### Percentage of Mothers Who Reported Always or Often/Almost Always Having Postpartum Depression



\*\*Includes only mothers ages 20 and above.

# Phase 8 Questionnaire







"Thanks for conducting this important survey! I was lucky enough to have wonderful private health insurance through my partner's federal job. Because of this, I got excellent prenatal care during which I developed relationships of trust with my doctors and nurses."

"I hope this helps!"

"Interesting survey. I hope this information is helpful. Let's lobby for universal parental leave!"

PRAMS mothers

Please check the box next to your answer or follow the directions included with the question. You may be asked to skip some	5. <i>Before</i> you had your new baby, did you ever have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)?
questions that do not apply to you. BEFORE PREGNANCY	<ul><li>No</li><li>Yes</li></ul>
The first questions are about <i>you</i> .	6. <i>Before</i> you got pregnant, would you say that, in general, your health was—
<ol> <li>How tall are you without shoes?</li> <li>Feet Inches</li> </ol>	<ul> <li>Excellent</li> <li>Very good</li> <li>Good</li> <li>Fair</li> <li>Poor</li> </ul>
<ul> <li>OR Centimeters</li> <li>2. Just before you got pregnant with your new baby, how much did you weigh?</li> </ul>	7. During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did.
<ul> <li>Pounds OR Kilos</li> <li>What is your date of birth?</li> <li> / /</li> <li>Month Day Year</li> <li>The next questions are about the time before you got pregnant with your new</li> </ul>	No Yes         a. Type 1 or Type 2 diabetes (not gestational diabetes or diabetes that starts during pregnancy)         b. High blood pressure or hypertension         c. Depression         d. Asthma         e. Anemia (poor blood, low iron)         f. Thyroid problems         g. PCOS (polycystic ovarian syndrome)         h. Anxiety
<ul> <li>baby.</li> <li><i>Before</i> you got pregnant with your new baby, did you ever have any other babies who were</li> </ul>	8. During the <i>month before</i> you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?
born alive? No	<ul> <li>I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin in the <i>month before</i> I got pregnant</li> <li>1 to 3 times a week</li> <li>4 to 6 times a week</li> <li>Every day of the week</li> </ul>

9. In the 12 months before you got pregnant 11. During any of your health care visits in the with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? Go to Question 12 🛛 No – Yes 10. What type of health care visit did you have in the 12 months before you got pregnant with your new baby? Check ALL that apply □ Regular checkup at my family doctor's office Regular checkup at my OB/GYN's office Usit for an illness or chronic condition U Visit for an injury Usit for family planning or birth control □ Visit for depression or anxiety □ Visit to have my teeth cleaned by a dentist or dental hygienist Other — → Please tell us:

2

	12 months before you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? For each item, check No if they did not or Yes if they did.			
	No Yes			
a.	Tell me to take a vitamin with folic acid 📮 📮			
b.	Talk to me about maintaining a healthy weight			
c.	Talk to me about controlling any			
	medical conditions such as diabetes or high blood pressure			
d.	Talk to me about my desire to have or not have children			
e.	Talk to me about using birth control to prevent pregnancy			
f.	Talk to me about how I could improve my health before a pregnancy			
g.	Talk to me about sexually transmitted			
	infections such as chlamydia,			
	gonorrhea, or syphilis			
h.	Ask me if I was smoking cigarettes 🖵 🗳			
i.	Ask me if someone was hurting me emotionally or physically			
j.	Ask me if I was feeling down or depressed			
k.	Ask me about the kind of work I do 🔲 🔲			
I.	Test me for HIV (the virus that causes AIDS)			

- The next questions are about your *health insurance coverage* before, during, and after your pregnancy with your *new* baby.
- 12. During the <u>month before</u> you got pregnant with your new baby, what kind of health insurance did you have?

#### Check ALL that apply

- Private health insurance from my job or the job of my husband or partner
- D Private health insurance from my parents
- Private health insurance from the Maryland Health Insurance Marketplace, www.marylandhealthconnection.gov, or HealthCare.gov
- Medicaid or HealthChoice
- □ TRICARE or other military health care
- □ Other health insurance Please tell us:
- □ I did not have any health insurance during the *month before* I got pregnant
- 13. During your <u>most recent pregnancy</u>, what kind of health insurance did you have for your prenatal care?

#### Check ALL that apply

- I did not go for prenatal care Go to Question 14
- Private health insurance from my job or the job of my husband or partner
- □ Private health insurance from my parents
- Private health insurance from the Maryland Health Insurance Marketplace, www.marylandhealthconnection.gov, or HealthCare.gov
- Medicaid or HealthChoice
- □ TRICARE or other military health care
- □ Other health insurance > Please tell us:
- □ I did not have any health insurance for my *prenatal care*


14. What kind of health insurance do you have <u>now</u>?


#### Check ALL that apply

- Private health insurance from my job or the job of my husband or partner
- □ Private health insurance from my parents
- Private health insurance from the Maryland Health Insurance Marketplace, www.marylandhealthconnection.gov, or HealthCare.gov
- Medicaid or HealthChoice
- □ TRICARE or other military health care
- □ Other health insurance Please tell us:
- □ I do not have health insurance *now*
- 15. Thinking back to *just before* you got pregnant with your new baby, how did you feel about becoming pregnant?

#### **Check ONE answer**

- □ I wanted to be pregnant later
- □ I wanted to be pregnant sooner
- □ I wanted to be pregnant then
- □ I didn't want to be pregnant then or at any time in the future
- I wasn't sure what I wanted





- 23. Have you smoked any cigarettes in the past 2 years? 🛛 No -Go to Question 27 Yes 24. In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes. 41 cigarettes or more 21 to 40 cigarettes □ 11 to 20 cigarettes **G** to 10 cigarettes □ 1 to 5 cigarettes
  - Less than 1 cigarette
  - □ I didn't smoke then
- 25. In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes.
  - □ 41 cigarettes or more
  - 21 to 40 cigarettes
  - □ 11 to 20 cigarettes
  - □ 6 to 10 cigarettes
  - □ 1 to 5 cigarettes
  - Less than 1 cigarette
  - □ I didn't smoke then
- 26. How many cigarettes do you smoke on an average day now? A pack has 20 cigarettes.
  - □ 41 cigarettes or more
  - 21 to 40 cigarettes
  - □ 11 to 20 cigarettes
  - □ 6 to 10 cigarettes
  - □ 1 to 5 cigarettes
  - Less than 1 cigarette
  - □ I don't smoke now

#### The next questions are about using other tobacco products around the time of pregnancy.

E-cigarettes (electronic cigarettes) and other electronic nicotine products (such as vape pens, e-hookahs, hookah pens, e-cigars, e-pipes) are battery-powered devices that use nicotine liquid rather than tobacco leaves, and produce vapor instead of smoke.

A **hookah** is a water pipe used to smoke tobacco. It is not the same as an e-hookah or hookah pen.


27. Have you used any of the following products in the past 2 years? For each item, check No if you did not use it or **Yes** if you did.


#### No Yes

- a. E-cigarettes or other electronic nicotine products..... b. Hookah .....

If you used e-cigarettes or other electronic nicotine products in the *past 2 years*, go to Question 28. Otherwise, go to Page 6, Question 30.

- 28. During the 3 months before you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?
  - More than once a day
  - Once a day
  - □ 2-6 days a week
  - □ 1 day a week or less
  - □ I did not use e-cigarettes or other electronic nicotine products then






Check ONE answer

Go to Page 8,

Question 44



	9
52. Did a doctor, nurse, or other health care worker tell you any of the following things? For each thing, check No if they did not tell you or Yes if they did.	If you or your husband or partner is <u>not doing</u> anything to keep from getting pregnant <i>now,</i> go to Question 56.
<ul> <li>No Yes</li> <li>a. Place my baby on his or her back to sleep</li> <li>b. Place my baby to sleep in a crib, bassinet, or pack and play</li> <li>c. Place my baby's crib or bed in my room</li> <li>d. What things should and should not go in bed with my baby</li> </ul>	<ul> <li>55. What kind of birth control are you or your husband or partner using now to keep from getting pregnant?</li> <li>Check ALL that apply</li> <li>Tubes tied or blocked (female sterilization or Essure®)</li> <li>Vasectomy (male sterilization)</li> </ul>
<ul> <li>53. Are you or your husband or partner doing anything now to keep from getting pregnant? Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning.</li> <li>No</li> <li>Yes</li> <li>Go to Question 55</li> <li>54. What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant now?</li> </ul>	<ul> <li>Birth control pills</li> <li>Condoms</li> <li>Shots or injections (Depo-Provera®)</li> <li>Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®)</li> <li>IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®)</li> <li>Contraceptive implant in the arm (Nexplanon® or Implanon®)</li> <li>Natural family planning (including rhythm method)</li> <li>Withdrawal (pulling out)</li> <li>Not having sex (abstinence)</li> <li>Other -&gt; Please tell us:</li> </ul>
Check ALL that apply         I want to get pregnant         I am pregnant now         I had my tubes tied or blocked         I don't want to use birth control         I am worried about side effects from birth control         I am not having sex         My husband or partner doesn't want to use anything         I have problems paying for birth control         Other	<ul> <li>56. Since your new baby was born, have you had a postpartum checkup for yourself? A postpartum checkup is the regular checkup a woman has about 4-6 weeks after she gives birth.</li> <li>↓ No</li> <li>↓ Yes → Go to Page 10, Question 58</li> <li>Go to Page 10, Question 57</li> </ul>

## 57. Did any of these things keep you from having a postpartum checkup?


#### Check ALL that apply


- □ I didn't have health insurance to cover the cost of the visit
- □ I felt fine and did not think I needed to have a visit
- I couldn't get an appointment when I wanted one
- □ I didn't have any transportation to get to the clinic or doctor's office
- □ I had too many things going on
- □ I couldn't take time off from work
- □ Other Please tell us:

If you did <u>not</u> have a postpartum checkup, go to Question 59.

<b>90</b> .	doctor, nurse, or other health care worke do any of the following things? For each it check No if they did not do it or Yes if they d	em,
a. b. c.	No Tell me to take a vitamin with folic acid Talk to me about healthy eating, exercise, and losing weight gained during pregnancy Talk to me about how long to wait before getting pregnant again	
d. e.	Talk to me about birth control methods I can use after giving birth Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera <sup>®</sup> ), NuvaRing <sup>®</sup> , or condoms	
f. g. h. i.	Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®) Ask me if I was smoking cigarettes Ask me if someone was hurting me emotionally or physically Ask me if I was feeling down or depressed Test me for diabetes	
59.	<i>Since your new baby was born,</i> how often you felt down, depressed, or hopeless?	have
	<ul> <li>Always</li> <li>Often</li> <li>Sometimes</li> <li>Rarely</li> <li>Never</li> </ul>	
50.	Since your new baby was born, how often you had little interest or little pleasure in doing things you usually enjoyed?	
	<ul> <li>Always</li> <li>Often</li> <li>Sometimes</li> <li>Rarely</li> <li>Never</li> </ul>	

....





	decision about taking leave from wor your new baby was born? For each ite No if it does not apply to you or Yes if it	m, c	heck
		No	Yes
a.	I could not financially afford to take leave	🗖	
b.	I was afraid I'd lose my job if I took leave or stayed out longer	🗖	
c.	I had too much work to do to take leave or stay out longer		
d.	My job does not have paid leave	🗖	
e.	My job does not offer a flexible work schedule	🗖	
f.	I had not built up enough leave time		

The last questions are about the time during the 12 months before your new baby was born.

- 74. During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. All information will be kept private and will not affect any services you are now getting.
  - □ \$0 to \$16,000
  - □ \$16,001 to \$20,000
  - □ \$20,001 to \$24,000
  - □ \$24,001 to \$28,000
  - □ \$28,001 to \$32,000
  - □ \$32,001 to \$40,000
  - □ \$40,001 to \$48,000
  - □ \$48,001 to \$57,000
  - □ \$57,001 to \$60,000
  - □ \$60,001 to \$73,000
  - □ \$73,001 to \$85,000
  - □ \$85,001 or more

75. During the 12 months before your new baby was born, how many people, including yourself, depended on this income?

\_\_\_\_ People

76. What is today's date?



Please use this space for any additional comments you would like to make about your experiences around the time of your pregnancy or the health of mothers and babies in Maryland.

Thanks for answering our questions!

Your answers will help us work to keep mothers and babies in Maryland healthy.





The services and facilities of the Maryland Department of Health (MDH) are operated on a nondiscriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges, and accommodations.

The Department, in compliance with the Americans With Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from MDH services, programs, benefits, and employment opportunities.

Funding for this publication was provided by the Maryland Department of Health and by a cooperative agreement # UR6/DP-000542 with the Centers for Disease Control and Prevention (CDC) for the Maryland Pregnancy Risk Assessment Monitoring System (PRAMS). The contents do not necessarily represent the official views of the CDC.

August 2021 (revised September 2022)