Maryland PRAMS Report 2009-2011 Births

Pregnancy Risk Assessment Monitoring System



Maryland Department of Health and Mental Hygiene Maternal and Child Health Bureau Vital Statistics Adminstration

Martin O'Malley, Governor; Anthony G. Brown, Lieutenant Governor; Joshua M. Sharfstein, Secretary

"Thank you for having the chance to share my journey before, during and after being pregnant. This pregnancy was a surprise and then again it shouldn't have been. Once again, thanks for this opportunity and thanks for advocating for those who wish to be heard."

PRAMS mother

Maryland PRAMS Report

2009-2011 Births

Prevention and Health Promotion Administration

Maternal and Child Health Bureau Ilise Marrazzo, RN, BSN, MPH, Acting Director S. Lee Woods, MD, PhD, Director, Office of Surveillance and Quality Initiatives

Vital Statistics Administration

Isabelle Horon, DrPH, Director

PRAMS Team

Sara Barra, MS, Data Analyst, Center for Chronic Disease Prevention and Control Diana Cheng, MD, PRAMS Project Director, Maternal and Child Health Bureau (MCHB) Dawn Gardner, MS, PRAMS Data Manager, MCHB Bob Hayman, PhD, Vital Statistics Administration (VSA) Isabelle Horon, DrPH, VSA Lee Hurt, MS, DrPH, MCH Epidemiologist, MCHB Laurie Kettinger, MS, PRAMS Project Coordinator, MCHB Debbie Krome, Administrative Assistant, MCHB



March 2013

The Maryland PRAMS Report is also available at www.marylandprams.org

For further information, please contact:

Diana Cheng, M.D. PRAMS Project Director Medical Director, Women's Health Maternal and Child Health Bureau Maryland Department of Health and Mental Hygiene 201 W. Preston Street, Room 309 Baltimore, MD 21201 Phone: 410-767-6713 diana.cheng@maryland.gov

TABLE OF CONTENTS

Introductionv				
Methodology	v			
	v			
Survey Response and Data Analysis	vi			
Methodology. v Sampling and Data Collection v Survey Response and Data Analysis vi Acknowledgments. vi Maryland PRAMS Steering Committee 1 Maryland PRAMS Steering Committee 1 Maryland PRAMS Steering Committee 2 Maryland PRAMS 2001-2003, 2004-2008, 2009-2011 Surveillance and 2 Selected Healthy People 2020 Objectives. 3 Preconception Factors. 5 Comments from PRAMS Mothers 6 Intendedness of Pregnancy 7 Pregnancy Intent and Birth Control use 8 Fertility Treatment 9 Multivitamin Use, One Month Pre-Pregnancy 10 BMI, Just Before Pregnancy 11 Health Problems, Three Months Pre-Delivery 13 Topics Discussed During Pre-Pregnancy Health Care Visits 14 Stressors, Twelve Months Pre-Delivery 15 Teeth Cleaning, Year(s) Pre-Delivery 16 Prenatal Factors 17 Comments from PRAMS Mothers 18 Trimester Prenatal Care Began 18 Trimester Prenatal Care 20				
	Maryland PRAMS 2001-2003, 2004-2008, 2009-2011 Surveillance and	2		
	Selected Healthy People 2020 Objectives	3		
-				
č				
✓				
	-			
, · · ·				
Teeth Cleaning, Year(s) Pre-Delivery	16			
Prenatal Factors	17			
Comments from PRAMS Mothers	18			
Trimester Prenatal Care Began	19			
Reasons for Late Prenatal Care	20			
Topics Discussed during Prenatal Care Visits	21			
Medical Complications during Pregnancy	22			
HIV Testing during Pregnancy	23			
Flu Vaccination	24			
Cesarean Section	25			

Health Care Coverage and WIC Participation	
Comments from PRAMS Mothers	28
Health Insurance Just Before Pregnancy	29
Source of Payment for Prenatal Care	30
WIC Participation during Pregnancy	31
Source of Payment for Delivery	32
Selected Risk Factors	33
Comments from PRAMS Mothers	34
Smoking during the Three Months before Pregnancy	35
Smoking during the Last Three Months of Pregnancy	36
Smoking After Pregnancy	37
Alcohol Use during the Three Months before Pregnancy	38
Alcohol Use during the Last Three Months of Pregnancy	39
Alcohol Binges during the Three Months before Pregnancy	40
Alcohol Binges during the Last Three Months of Pregnancy	41
Physical Abuse by Husband or Partner, Twelve Months before Pregnancy	42
Physical Abuse by Husband or Partner during Pregnancy	43
Postpartum Factors: Maternal and Infant Health	45
Comments from PRAMS Mothers	46
Neonatal Intensive Care Unit Admission	47
Length of Hospital Stay for Newborn	47
Reasons for Not Using Birth Control	48
Breastfeeding	49
Infant Sleep Position	50
Co-sleeping	51
Postpartum Depression Diagnosed	52
Maryland PRAMS Phase 6 Questionnaire	53
Comments from PRAMS Mothers	54
Survey	55

INTRODUCTION

This report highlights data from births occurring to Maryland residents in 2009-2011 collected through the Pregnancy Risk Assessment Monitoring System (PRAMS). PRAMS is a surveillance system established by the Centers for Disease Control and Prevention (CDC) in 1987 to obtain information about maternal behaviors and experiences that may be associated with adverse pregnancy outcomes. Data are collected by surveying women who have recently delivered live born infants.

PRAMS projects are conducted through cooperative agreements between the CDC and state health departments. PRAMS projects are currently underway in 40 states and New York City, representing 78% of all U.S. live births. All surveys include a core set of standardized questions, which allows for multi-state analyses. In addition, each state can add questions tailored to meet its needs. The core section of the survey includes questions relating to prenatal care, obstetric history, smoking, alcohol use, physical abuse, contraception, economic status, maternal stress, and infant health. The Maryland-specific section of the survey includes questions on assisted reproduction, pre-pregnancy health, co-sleeping, contraceptive use, depression, oral health, chronic disease, physical activity, and infections.

The PRAMS project in Maryland is a collaborative effort of the Maternal and Child Health Bureau (MCHB), the Vital Statistics Administration (VSA) of the Maryland Department of Health and Mental Hygiene, and the CDC. Maryland began collecting PRAMS data from mothers who delivered in 2000.

METHODOLOGY

Sampling and Data Collection

Women eligible to participate in PRAMS are selected from Maryland's live birth certificate files and need to be Maryland residents who have delivered in the state. Each month, a stratified, random sample of approximately 200 live births is selected. The sample is stratified by maternal age (<35 years, \geq 35 years) and infant birth weight (<2500 grams, \geq 2500 grams). This sampling frame over-samples mothers who have delivered a low birth weight infant (<2500 grams) as well as mothers who are 35 years of age or older.

PRAMS combines two modes of data collection, a survey conducted by mailed questionnaire with multiple follow-up attempts, and if mail is not successful, a survey conducted by telephone interview. Survey questionnaires and other materials are available in both English and Spanish.

The first mailing, which is done two to four months after delivery, is a letter that introduces PRAMS to the mother and informs her that a questionnaire will soon arrive. Within seven days of this letter, the questionnaire packet is mailed. This packet includes the 73-item main survey along with a 12-question flu supplement, informed consent page, calendar, and resource brochure. In addition, a pocket calendar is sent as an incentive for completing the

survey. Seven to 10 days after the initial packet is mailed, a tickler that serves as a thank you and reminder note is sent. Mothers who do not respond to the tickler within seven to 14 days are mailed a second questionnaire packet. A third questionnaire packet is mailed to all remaining nonrespondents seven to 14 days later. Telephone follow-up is initiated for all nonrespondents.

Data collected through PRAMS are linked to birth certificate data, which allows for the survey data to be weighted to reflect the total birth population. Sampling, nonresponse and noncoverage adjustment factors are applied to the data in order to make the results generalizable to the state's population of women delivering live born infants during the study period. Further information on PRAMS methodology, including weighting procedures, may be found on the CDC website at *http://www.cdc.gov/reproductivehealth/methodology.htm*.

Survey Response and Data Analysis

CDC recommends that states obtain a response rate of at least 65% for analysis of PRAMS. The weighted response rate among women delivering in Maryland between January 1, 2009 and December 31, 2011 was 67%. During this period, 4,548 mothers completed the PRAMS questionnaire with a weighted response reflecting 200,665 mothers. The weighted figure included 91,494 births to white non-Hispanic, 64,086 births to black non-Hispanic, 14,216 births to Asian, and 27,574 births to Hispanic women. Survey findings in this report are shown by race/Hispanic origin (White Non-Hispanic, Black Non-Hispanic, Asian and Hispanic), maternal age and maternal years of education.

ACKNOWLEDGMENTS

The Maryland PRAMS Project would like to acknowledge the CDC PRAMS Team for their technical assistance and support, especially Denise D'Angelo, MPH, our project manager who has expertly guided and assisted our program. Additionally, our thanks go to the Maryland PRAMS Steering Committee for their invaluable input to many aspects of our project.

Most importantly, we very much appreciate all the 4,548 mothers who took the time to complete the questionnaires that are represented in this report. Their answers will contribute greatly towards our continuing efforts to improve the health of Maryland mothers and babies.

Maryland PRAMS Steering Committee (March 2013)

Sara Barra, MS Center for Chronic Disease Prevention and Control*

Margaret Chisolm, MD Psychiatry Johns Hopkins Bayview Center for Addiction and Pregnancy

Martha Clark, PhD, LCSW-C Social Services Administration Department of Human Resources

Anne Eder Program Services March of Dimes, Maryland Chapter

Michelle Fox, MD Obstetrics and Gynecology Johns Hopkins Bayview

Harry Goodman, DMD, MPH *Oral Health**

Jenna McCall, MPH Center for HIV Prevention and Health Services Infectious Diseases Bureau*

Yvette McEachern, MA *Maternal and Child Health Bureau** **Colleen Moore** Family Violence Response Program Mercy Hospital

Rosemary Murphey, MBA, RN *Medicaid Office of Planning**

Erin Johnson Patton, MPH, CHES Center for Healthy Maryland at MedChi

Sherri Sabol, RD, LDN, CLC Office of Maryland WIC Program*

Jodi Shaefer, RN, PhD Community Public Health Nursing Johns Hopkins University School of Nursing

Donna Strobino, PhD *Population, Family and Reproductive Health Johns Hopkins Bloomberg School of Public Health*

Mishka Terplan, MD, MPH Obstetrics and Gynecology University of Maryland Medical Systems

Suzette Tucker, MHS Alcohol and Drug Abuse Administration*

Kelechi Uduhiri, MD, MPH, MS Healthcare for the Homeless, Baltimore County Family Medicine, Franklin Square Hospital

PRAMS Staff:
Sara Barra, MS, Data Analyst
Diana Cheng, MD, Project Director
Maura Dwyer, DrPH, Health Policy Analyst, Spanish translator/interpreter
Dawn Gardner, MS, Data Manager
Isabelle Horon, DrPH, Director, Vital Statistics Administration
Lee Hurt, MS, DrPH, MCH Epidemiologist
Laurie Kettinger, MS, Project Coordinator
S. Lee Woods, MD, PhD, Director, Office of Surveillance and Quality Initiatives

*Maryland Department of Health and Mental Hygiene (DHMH)

Maryland PRAMS Highlights—2009-2011

Preconception factors

- Forty-five percent of all live births were **unintended**.
- Sixty-nine percent of women reported having health insurance just before pregnancy, 14% reported they were covered by Medicaid or Health Choice and 18% were uninsured.
- According to their body mass index (BMI) just before pregnancy, 23% of mothers were overweight and 22% were obese.
- Thirty-two percent of women reported taking a **multivitamin daily** in the month before conception.
- Six percent of mothers used **fertility treatments** to help conceive.
- In the 12 months before pregnancy, 43% of women had not had a **dental cleaning**.
- Thirty-two percent of mothers reported they had a **preconception health visit**.

Prenatal factors

- Seventy-nine percent of mothers began **prenatal care** during the first trimester of pregnancy, and 2% began in the third trimester or received no care.
- Forty-four percent of women participated in the **WIC** program during pregnancy.
- Sixty-four percent of mothers reported one or more medical complications during pregnancy; severe nausea and vaginal bleeding were the most common complications.
- Seventy-five percent of mothers reported that **HIV testing** was discussed during prenatal care visits; 72% reported getting an HIV test.
- **Physical abuse** by a current husband or partner was reported by 3% of mothers.

- Eight percent of women smoked during the last three months of pregnancy. Nine percent of women reported using alcohol and 1% of women reported a binge-drinking episode during the last three months of pregnancy.
- Forty-three percent of women were vaccinated for **seasonal flu** during pregnancy.
- The delivery method for 35% of mothers was by **cesarean section**.
- Sixty-three percent of women reported that health insurance or an HMO paid for their delivery; 35% used Medicaid or Health Choice for their delivery; 2% were uninsured.

Infant health and related factors

- Thirteen percent of newborns were admitted to a **neonatal intensive care** unit.
- Fifty-five percent of newborns were discharged from the hospital within two days of delivery, 7% remained in the hospital for 6 or more days.
- Eighty-four percent of infants were **breastfed** after delivery, and 62% were breastfed eight weeks or longer.
- In terms of **sleeping position**, 74% of infants were usually placed on their backs to sleep.

Maternal postpartum factors

- Seventeen percent of mothers reported they were not using **postpartum contraception**.
- Thirteen percent of mothers **smoked postpartum**.
- Eight percent of mothers reported that they were told by their health provider that they had **postpartum depression**.


MARYLAND PRAMS 2001-2011 SURVEILLANCE AND SELECTED HEALTHY PEOPLE 2020 OBJECTIVES

Healthy People 2020 Objective	Maryland PRAMS 2001-2003 Births	Maryland PRAMS 2004-2008 Births	Maryland PRAMS 2009-2011 Births	Healthy People 2020 Target
Preconception				
Increase the proportion of pregnancies that are intended.*	58%	59%	55%	56.0%
Increase the proportion of women who took multivitamins/folic acid daily prior to pregnancy.	30%	31%	32%	33.1%
Increase the proportion of women who did not smoke during the three months prior to pregnancy.	81%	82%	81%	85.4%
Increase the proportion of women who did not drink alcohol during the three months prior to pregnancy.	50%	49%	45%	56.4%
Increase the proportion of women who had a healthy weight (BMI 18.5-24.9) prior to pregnancy.	54%	53%	52%	53.4%
Prenatal				
Increase the proportion of pregnant women who receive prenatal care beginning in the first trimester of pregnancy.**	77%	77%	79%	77.9%
Increase abstinence from cigarette smoking among pregnant women.	90%	90%	92%	98.6%
Increase abstinence from alcohol among pregnant women.	92%	93%	91%	98.3%
Increase abstinence from binge drinking*** among pregnant women.	<100%	<100%	99%	100.0%
Postpartum				
Increase the proportion of infants who are put to sleep on their backs.	63%	68%	74%	75.9%
Increase the proportion of infants who were breastfed (ever).	75%	79%	84%	81.9%

*PRAMS data includes only information on pregnancies that end in live birth **First trimester defined by PRAMS as <13weeks *** Pinese driveling 4 arrange drives in a two hours eithing starting 2000 him

*** Binge drinking = 4 or more drinks in a two hour sitting, starting 2009 births. Prior to 2009, binge drinking = 5 or more drinks in one episode.

Pre-Pregnancy Factors



"No, I didn't know anything about folic acid. I just knew it was in my food. I didn't know about taking it in vitamins and even when I was pregnant I couldn't take them because they made me gag."


"With my 1st child I saw a preconception specialist prior to trying to get pregnant to make sure I was in good health."

PRAMS mothers


INTENDEDNESS OF PREGNANCY

Question 15: Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

Distribution of Mothers by Intendedness of Pregnancy



Percentage of Mothers With Unintended Pregnancies




*Includes only mothers ages 20 and above.

PREGNANCY INTENTION AND BIRTH CONTROL USE

Question 16: When you got pregnant with your new baby, were you trying to get pregnant? Question 17: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?

Question 18: What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant?


Mothers Reporting Reasons for Not Using Birth Control




FERTILITY TREATMENT

Question 19: Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your *new* baby? (This may include infertility treatments such as fertility-enhancing drugs or assisted reproductive technology.)

Distribution of Mothers Who Were Attempting to Become Pregnant by Use of Fertility Treatment



Percentage of Mothers Who Reported Using Fertility Treatment




*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.


MULTIVITAMIN USE

Question 3: During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Distribution of Mothers by Frequency of Multivitamin Use in the Month Before Pregnancy




Percentage of Mothers Who Reported Less Than Daily Multivitamin Use in the Month Before Pregnancy




PRE-PREGNANCY BMI

Question 5: *Just before* you got pregnant with your new baby, how much did you weigh? Question 6: How tall are you without shoes?

Distribution of Mothers by BMI Status Before Pregnancy



Percentage of Mothers Who Were Classified as Obese Before Pregnancy




* Mothers <20 years of age had BMI >30 (and were not classified as obese via childhood growth charts) **Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

PRE-PREGNANCY HEALTH PROBLEMS Question 11: During the *3 months before* you got pregnant with your new baby, did you have any of the following health problems?


Mothers Reporting Health Problems During the Three Months Prior to Pregnancy



PRE-PREGNANCY ACTIVITIES

Question 1: At any time during the *12 months before* you got pregnant with your new baby, did you do any of the following things?


Mothers Reporting Activities During the Twelve Months Prior to Pregnancy



TOPICS DISCUSSED DURING PRE-PREGNANCY HEALTHCARE VISITS

Question 8: *Before* you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how to prepare for a healthy pregnancy and baby?


Mothers Reporting Topics Discussed During Pre-Pregnancy Visits



STRESS

Question 40: This question is about things that may have happened during the 12 months before your new baby was born. For each item, circle YES if it happened to you or NO if it did not.


Mothers Reporting Stress by Type of Event





Percentage of Mothers Who Reported Having Had their Teeth Cleaned More than 5 Years Ago or Never

Within Past Year 56%




Prenatal Factors




"I was close to 6 months pregnant when I started going for prenatal care because that is when I got insurance."

"Information on dealing with a c-section was not given to me by my doctor or my hospital. After 3 previous vaginal births it was difficult to come home with twins and not be sure what pain was normal and how to care for the incision."


PRAMS mothers



Distribution of Mothers by Trimester Prenatal Care Began



Percentage of Mothers Who Did Not Begin Prenatal Care During the First Trimester of Pregnancy




*Includes only mothers ages 20 and above.

REASONS FOR LATE PRENATAL CARE

Question 24: Did any of these things keep you from getting prenatal care at all or as early as you wanted?

Reasons Given for Not Beginning Prenatal Care As Early in Pregnancy As Desired




TOPICS DISCUSSED DURING PRENATAL CARE VISITS

Question 26: *During any of your prenatal care visits*, did a doctor, nurse, or other healthcare worker talk with you about any of the things listed below?

Please count only discussions, not reading materials or videos.


Mothers Reporting That Selected Topics Were Discussed During Prenatal Care Visits



COMPLICATIONS DURING PREGNANCY

Question 31: Did you have any of these problems during your most recent pregnancy? For each item, circle YES if you had the problem or circle NO if you did not.


Mothers Reporting Pregnancy Complications by Type of Complication




HIV TESTING

Question 27: At any time during *your most recent* pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?

Distribution of Mothers by HIV Testing Status



Percentage of Mothers Who Reported They Did Not Have an HIV Test During Pregnancy or Delivery




*Includes only mothers ages 20 and above.


INFLUENZA IMMUNIZATIONS

Question 28: Did you get a flu vaccination during your most recent pregnancy?

Distribution of Mothers by Flu Immunization Status



Percentage of Mothers Who Reported They Did Not Have a Flu Shot




*Includes only mothers ages 20 and above.

REASONS FOR CESAREAN DELIVERY

Question 47: What was the reason that your new baby was born by cesarean delivery (c-section)?

Reasons Given for Cesarean Delivery



Health Care Coverage and WIC Participation




"I am very thankful and grateful that I was able to receive Medicaid because I was forced to stop working because of my pregnancy. If it weren't for the state assistance we would be facing a lot of problems right now. Please keep this coverage available. I have a healthy newborn because of it."

PRAMS mother


HEALTH INSURANCE BEFORE PREGNANCY

Question 2: During the *month before* you got pregnant with your new baby, were you covered by any of these health insurance plans?

Health Insurance Status Just Before Pregnancy**




** Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.



*Includes only mothers ages 20 and above.


SOURCE OF PAYMENT FOR PRENATAL CARE


Question 25: Did any of these health insurance plans help you pay for your prenatal care?



** Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.


Percentage of Mothers Who Identified Insurance or Medicaid as a Source of Payment for Prenatal Care





WIC PARTICIPATION


Program During Pregnancy



*Includes only mothers ages 20 and above.


SOURCE OF PAYMENT FOR DELIVERY


Question 49: Did any of these health insurance plans help you pay for the delivery of your new baby? Check all that apply.



**Respondents were instructed to identify all sources of payment, therefore percentages do not sum to 100.

Percentage of Mothers Who Identified Insurance or Medicaid as a Source of Payment for Delivery





Selected Risk Factors



"I don't think enough importance is paid to the emotional and psychological abuse by spouse/partner. It is just as harmful, depressing and demoralizing as physical abuse. Thanks for listening."


"I smoked and my baby was healthy. I shouldn't have, but I don't think smoking has a big effect when you're pregnant. I don't smoke around my kids now because they can inhale it, but when you're pregnant they can't."

PRAMS mothers


SMOKING BEFORE PREGNANCY

Question 33: In the *three months before* you got pregnant, how many cigarettes did you smoke on an average day?

Distribution of Mothers by Smoking Status During the Three Month Period Before Pregnancy Began



Percentage of Mothers Who Reported They Smoked During the Three Month Period Before Pregnancy Began




*Includes only mothers ages 20 and above.


SMOKING DURING PREGNANCY


Question 34: In the *last three months* of your pregnancy, how many cigarettes did you smoke on an average day?

Distribution of Mothers by Smoking Status During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported They Smoked During the Last Three Months of Pregnancy







SMOKING AFTER PREGNANCY

Question 35: How many cigarettes do you smoke on an average day now?

Distribution of Mothers by Smoking Status in the Postpartum Period



Percentage of Mothers Who Reported They Smoked in the Postpartum Period




*Includes only mothers ages 20 and above.


ALCOHOL USE BEFORE PREGNANCY


Question 38a: During the *3 months before* you got pregnant, how many alcoholic drinks did you have in an average week?

Distribution of Mothers by the Number of Alcoholic Drinks During the Three Month Period Preceding Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Three Months Preceding Pregnancy







ALCOHOL USE DURING PREGNANCY

Question 39a: During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

Distribution of Mothers by the Number of Alcoholic Drinks During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported Any Alcohol Use in the Last Three Months of Pregnancy




*Includes only mothers ages 20 and above.


ALCOHOL BINGES BEFORE PREGNANCY


Question 38b: During the *3 months before* you got pregnant, how many times did you drink 4 alcoholic drinks or more in one sitting? (A sitting is a two hour time span.)

Distribution of Mothers by the Number of Alcohol Binges (4+ Drinks in One Sitting) During the Three Month Period Preceding Pregnancy



Percentage of Mothers Who Reported Any Binge Drinking in the Three Months Preceding Pregnancy







ALCOHOL BINGES DURING PREGNANCY

Question 39b: During the *last 3 months of* your pregnancy, how many times did you drink 4 alcoholic drinks or more in one sitting? (A sitting is a two hour time span.)

Distribution of Mothers by the Number of Alcohol Binges (4+ Drinks in One Sitting) During the Last Three Months of Pregnancy



Percentage of Mothers Who Reported Any Binge Drinking in the Last Three Months of Pregnancy




*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.


PHYSICAL ABUSE BEFORE PREGNANCY

Question 41: During the *12 months before* you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Distribution of Mothers by Abuse Before Pregnancy by Husband or Partner



Percentage of Mothers Who Reported Being Physically Abused Before Pregnancy by a Husband or Partner




*Includes only mothers ages 20 and above.

42 Note: Percentages are not reported if the number of respondents was less than five.


PHYSICAL ABUSE DURING PREGNANCY

Question 42: During *your most recent* pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Distribution of Mothers by Abuse During Pregnancy by Husband or Partner



Percentage of Mothers Who Reported Being Physically Abused During Pregnancy by a Husband or Partner



*Includes only mothers ages 20 and above.

Note: Percentages are not reported if the number of respondents was less than five.

Postpartum Factors Maternal and Infant Health



"I am a pediatrician and I would like to see more...encouragement and education on breastfeeding. Breastfeeding is not something that comes naturally and needs to be taught."


"I believe postpartum depression/anxiety is still not discussed enough. Even though the OB office has signs and pamphlets, nothing prepared me for how bad it was."

PRAMS mothers

NEONATAL INTENSIVE CARE

Question 50: After your baby was born, was he or she put in an intensive care unit?


Distribution of Infants by Admission to a Neonatal Intensive Care Unit



LENGTH OF HOSPITAL STAY--NEWBORN

Question 51: After your baby was born, how long did he or she stay in the hospital?


Distribution of Infants by Length of Hospital Stay



REASONS FOR NO POSTPARTUM BIRTH CONTROL

Question 62: What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check <u>all</u> that apply.


Reasons Reported for Not Using Postpartum Birth Control




BREASTFEEDING

Question 56: How many weeks or months did you breastfeed or pump milk to feed your baby?

Distribution of Mothers by Length of Time Infant Was Breastfed




Percentage of Mothers Who Reported Never Breastfeeding




*Includes only mothers ages 20 and above.


SLEEP POSITION Question 58: In which *one* position do you *most often* lay your baby down to sleep now?

Distribution of Infants by Sleep Position



Percentage of Infants Not Placed on Back to Sleep







CO-SLEEPING

Question 59: How often does your new baby sleep in the same bed with you or anyone else?

Distribution of Infant Co-Sleeping



Percentage of Infants Co-Sleeping Often or Always




*Includes only mothers ages 20 and above.


POSTPARTUM DEPRESSION DIAGNOSED


Question 64: Since your new baby was born, has a doctor, nurse, or other health care worker told you that you had depression?

Distribution of Mothers by Diagnosis of Postpartum Depression



Percentage of Mothers Who Reported a Diagnosis of **Postpartum Depression**





Maryland PRAMS Phase 6 Questionnaire



"I hope my answers to these questions help you to solve problems with certain problems in pregnant women! Thank you for letting me be a part of this survey!"

PRAMS mother

Please mark your answers. Follow the directions included with the questions. If no directions are presented, check the box next to your answer or fill in the blanks. Because not all questions will apply to everyone, you may be asked to skip certain questions.

BEFORE PREGNANCY

First, we would like to ask a few questions about *you* and the time *before* you got pregnant with your new baby.

1. At any time during the *12 months before* you got pregnant with your new baby, did you do any of the following things? For each item.

	circle Y (Yes) if you did it or circle N you did not.	(No)	if
		No	Yes
a.	I was dieting (changing my eating		
	habits) to lose weight	. N	Y
b.	I was exercising 3 or more days		
	of the week	. N	Y
c.	I was regularly taking prescription		
	medicines other than birth control	. N	Y
d.	I visited a health care worker to		
	be checked or treated for diabetes	. N	Y
e.	I visited a health care worker to		
	be checked or treated for high		
	blood pressure	. N	Y
f.	I visited a health care worker to		
	be checked or treated for depression		
	or anxiety	. N	Y
g.	I talked to a health care worker		
	about my family medical history	. N	Y
h.	I had my teeth cleaned by a dentist		
	or dental hygienist	. N	Y

2. During the *month before* you got pregnant with your new baby, were you covered by any of these health insurance plans?

Check <u>all</u> that apply

	 Health insurance from your job or the job of your husband, partner, or parents Health insurance that you or someone paid for (not from a job) Medicaid or HealthChoice TRICARE or other military health care Other source(s) — Please tell 							
		I did not have any health insurance before I got pregnant						
3.	During the <i>month before</i> you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?							
1		I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin at all 1 to 3 times a week 4 to 6 times a week Every day of the week						
١.	mu acio	at were your reasons for not taking ltivitamins, prenatal vitamins, or folic l vitamins during the <i>month before</i> you pregnant with your new baby? Check <u>all</u> that apply						
		I wasn't planning to get pregnant I didn't think I needed to take vitamins The vitamins were too expensive The vitamins gave me side effects						

 5. Just before you got pregnant with your new baby, how much did you weigh? Pounds OR Kilos 6. How tall are you without shoes? 	 8. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how to prepare for a healthy pregnancy and baby? No> Go to Question 10
 6. How tail are you without shoes: Feet Inches OR Meters 7. What is your date of birth? / / 19 	 9. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos. For each item, circle Y (Yes) if someone talked with you about it or circle N (No) if no one talked with you about it.
Month Day Year	No Yes a. Taking vitamins with folic acid before pregnancyN Y b. Being a healthy weight before pregnancyN Y c. Getting my vaccines updated before pregnancyN Y d. Visiting a dentist or dental hygienist before pregnancyN Y e. Getting counseling for any genetic diseases that run in my familyN Y f. Controlling any medical conditions such as diabetes and high blood pressureN Y g. Getting counseling or treatment for depression or anxietyN Y h. The safety of using prescription or over-the-counter medicines during pregnancyN Y i How smoking during pregnancy can affect a babyN Y j. How drinking alcohol during pregnancy can affect a babyN Y k. How using illegal drugs during pregnancy can affect a babyN Y

10. Before you got pregnant with your new 14. Was the baby just before your new one baby, were you ever told by a doctor, nurse, born more than 3 weeks before his or her or other health care worker that you had date? Type 1 or Type 2 diabetes? This is not the same as gestational diabetes or diabetes that □ Yes starts during pregnancy. No The next questions are about the time when Yes you got pregnant with your new baby. 11. During the 3 months before you got 15. Thinking back to just before you got pregnant with your new baby, did you pregnant with your new baby, how did you have any of the following health problems? feel about becoming pregnant? For each one, circle Y (Yes) if you had the problem or circle N (No) if you did not. Check one answer No Yes I wanted to be pregnant sooner AsthmaN Y a. I wanted to be pregnant later b. High blood pressure (hypertension) . . N Y I wanted to be pregnant then Anemia (poor blood, low iron).....N Y c. □ I didn't want to be pregnant then Heart problems N Y d. or at any time in the future Epilepsy (seizures) N Y e. f. Thyroid problems N Y DepressionN g. Y 16. When you got pregnant with your new baby, were you trying to get pregnant? Anxiety N Y h. No 12. Before you got pregnant with your new Go to Page 4, Question 19 Yesbaby, did you ever have any other babies who were born alive? 17. When you got pregnant with your new baby, were you or your husband or partner No -Go to Question 15 doing anything to keep from getting Yes pregnant? (Some things people do to keep from getting pregnant include not having sex 13. Did the baby born *just before* your new at certain times [natural family planning or one weigh more than 5 pounds, 8 ounces rhythm] or withdrawal, and using birth control (2.5 kilos) at birth? methods such as the pill, condoms, vaginal ring, IUD, having their tubes tied, or their □ Yes partner having a vasectomy.) No Go to Page 5, Question 21 Yes -Go to Page 4, Question 18

18. What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant?

Check all that apply

- □ I didn't mind if I got pregnant
- □ I thought I could not get pregnant at that time
- □ I had side effects from the birth control method I was using
- □ I had problems getting birth control when I needed it
- □ I thought my husband or partner or I was sterile (could not get pregnant at all)
- My husband or partner didn't want to use anything
- \Box Other \longrightarrow Please tell us:

If you were <u>not trying</u> to get pregnant when you got pregnant with your new baby, go to Question 21.

19. Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby? (This may include infertility treatments such as fertility-enhancing drugs or assisted reproductive technology.)

Go to Question 21 Go to Question 20 20. Did you use any of the following fertility treatments *during the month you got pregnant* with your *new* baby?

Check <u>all</u> that apply

- ☐ Fertility-enhancing drugs prescribed by a doctor (fertility drugs include Clomid[®], Serophene[®], Pergonal[®], or other drugs that stimulate ovulation)
- Artificial insemination or intrauterine insemination (treatments in which sperm, but NOT eggs, were collected and medically placed into a woman's body)
- Assisted reproductive technology (treatments in which BOTH a woman's eggs and a man's sperm were handled in the laboratory, such as in vitro fertilization [IVF], gamete intrafallopian transfer [GIFT], zygote intrafallopian transfer [ZIFT], intracytoplasmic sperm injection [ICSI], frozen embryo transfer, or donor embryo transfer)
- □ Other medical treatment \rightarrow Please tell us:
- □ I wasn't using fertility treatments during the month that I got pregnant with my new baby


DURING PREGNANCY

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

- 21. How many weeks or months pregnant were you when you were sure you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)

Weeks **OR** Months

- □ I don't remember
- 22. How many weeks or months pregnant were you when you had your first visit for prenatal care? Do not count a visit that was only for a pregnancy test or only for WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children).



23. Did you get prenatal care as early in your pregnancy as you wanted?



24. Did any of these things keep you from getting prenatal care at all or as early as you wanted? For each item, circle T (True) if it was a reason that you didn't get prenatal care when you wanted or circle \mathbf{F} (False) if it was not a reason for you or if something does not apply to you.

True False

a.	I couldn't get an appointment	
	when I wanted one	F
b.	I didn't have enough money or	
	insurance to pay for my visits T	F
c.	I had no transportation to get to	
	the clinic or doctor's officeT	F
d.	The doctor or my health plan	
	would not start care as early	
	as I wanted	F
e.	I had too many other things	
	going on	F
f.	I couldn't take time off from work	
	or schoolT	F
g.	I didn't have my Medicaid or	
	HealthChoice card T	F
h.	I had no one to take care of my	
	children	F
i.	I didn't know that I was pregnant T	F
j.	I didn't want anyone else to know	
	I was pregnant T	F
k.	I didn't want prenatal care T	F

If you did not go for prenatal care, go to Page 7, Ouestion 27.

25. Did any of these health insurance plans help you pay for your *prenatal care*?

Check all that apply

- Health insurance from your job or the job of your husband, partner, or parents
- □ Health insurance that you or someone else paid for (not from a job)
- Medicaid or HealthChoice
- TRICARE or other military health care
- $\Box \quad \text{Other source(s)} \longrightarrow \text{Please tell us:}$
- □ I did not have health insurance to help pay for my prenatal care

26. During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos. For each item, circle Y (Yes) if someone talked with you about it or circle N (No) if no one talked with you about it.

	No	Yes
a.	How smoking during pregnancy	
	could affect my babyN	Y
b.	Breastfeeding my baby N	Y
c.	How drinking alcohol during	
	pregnancy could affect my babyN	Y
d.	Using a seat belt during my	
	pregnancy N	Y
e.	Medicines that are safe to take during	
	my pregnancy N	Y
f.	How using illegal drugs could affect	
	my babyN	Y
g.	Doing tests to screen for birth defects	
	or diseases that run in my family N	Y
h.	The signs and symptoms of preterm	
	labor (labor more than 3 weeks before	
	the baby is due)N	Y
i.	What to do if my labor starts early N	Y
j.	Getting tested for HIV (the virus	
	that causes AIDS) N	Y
k.	What to do if I feel depressed during	
	my pregnancy or after my baby	
	is born N	Y
1.	Physical abuse to women by their	
	husbands or partners N	Y

 27. At any time during <i>your most recent</i> pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)? No 	31. Did you have any of the following problems during your most recent pregnancy? For each item, circle Y (Yes) if you had the problem or circle N (No) if you did not.				
 No Yes I don't know 	No Yes a. Vaginal bleeding N Y b. Kidney or bladder (urinary tract)				
28. Did you get a flu vaccination during <i>your most recent</i> pregnancy?	c. <i>Severe</i> nausea, vomiting, or dehydration N Y				
NoYes	 d. Cervix had to be sewn shut (cerclage for incompetent cervix)N Y e. High blood pressure, hypertension 				
29. During <i>your most recent</i> pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?	 (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemiaN Y f. Problems with the placenta (such as 				
NoYes	abruptio placentae or placenta previa)N Y g. Labor pains more than 3 weeks before my baby was due (preterm				
30. During <i>your most recent</i> pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational disk tag (disk tag that tog that doring disk	or early labor) N Yh. Water broke more than 3 weeksbefore my baby was due (premature				
diabetes (diabetes that started during <i>this</i> pregnancy)?	rupture of membranes [PROM])NYi.I had to have a blood transfusionNY				
NoYes	j. I was hurt in a car accident N Y				

	during <i>your most recent</i> pregnancy's each item, circle Y (Yes) if you had th problem or circle N (No) if you did no	ne	r
		No	Yes
a.	Vaginal bleeding	. N	Y
b.	Kidney or bladder (urinary tract)		
	infection	. N	Y
c.	Severe nausea, vomiting, or		
	dehydration	. N	Y
d.	Cervix had to be sewn shut		
	(cerclage for incompetent cervix)	. N	Y
e.	High blood pressure, hypertension		
	(including pregnancy-induced		
	hypertension [PIH]), preeclampsia,		
	or toxemia	. N	Y
f.	Problems with the placenta (such as		
	abruptio placentae or		
	placenta previa)	. N	Y
g.	Labor pains more than 3 weeks		
	before my baby was due (preterm		
	or early labor)	. N	Y
h.	Water broke more than 3 weeks		
	before my baby was due (premature		
	rupture of membranes [PROM])		Y
i.	I had to have a blood transfusion		Y
j.	I was hurt in a car accident	. N	Y

The next questions are about smoking cigarettes around the time of pregnancy (before, during, and after).

32. Have you smoked any cigarettes in the *past* 2 years?

□ No → Go to Question 36
□ Yes

- 33. In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.)
 - □ 41 cigarettes or more
 - $\Box 21 \text{ to } 40 \text{ cigarettes}$
 - □ 11 to 20 cigarettes
 - **6** to 10 cigarettes
 - \Box 1 to 5 cigarettes
 - Less than 1 cigarette
 - □ I didn't smoke then
- 34. In the *last 3 months* of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.)
 - □ 41 cigarettes or more
 - □ 21 to 40 cigarettes
 - □ 11 to 20 cigarettes
 - □ 6 to 10 cigarettes
 - \Box 1 to 5 cigarettes
 - Less than 1 cigarette
 - I didn't smoke then

- 35. How many cigarettes do you smoke on an average day *now*? (A pack has 20 cigarettes.)
 - 41 cigarettes or more
 - \Box 21 to 40 cigarettes
 - □ 11 to 20 cigarettes
 - \Box 6 to 10 cigarettes
 - $\Box 1 \text{ to 5 cigarettes}$
 - Less than 1 cigarette
 - □ I don't smoke now
- 36. Which of the following statements best describes the rules about smoking *inside* your home *now*?


Check one answer

- □ No one is allowed to smoke anywhere inside my home
- □ Smoking is allowed in some rooms or at some times
- Smoking is permitted anywhere inside my home

The next questions are about drinking alcohol around the time of pregnancy (before, during, and after).

37. Have you had any alcoholic drinks in the *past 2 years*? A drink is 1 glass of wine, wine cooler, can or bottle of beer, shot of liquor, or mixed drink.





Pregnancy can be a difficult time for some women. The next questions are about things that may have happened <u>before</u> and <u>during</u> your most recent pregnancy.

40. This question is about things that may have happened during the 12 months before your new baby was born. For each item, circle Y (Yes) if it happened to you or circle N (No) if it did not. (It may help to look at the calendar when you answer these questions.)


No Yes

a.	A close family member was very sick	
	and had to go into the hospital N	Y
b.	I got separated or divorced from my	
	husband or partnerN	Y
c.	I moved to a new address N	Y
d.	I was homeless N	Y
e.	My husband or partner lost his job N	Y
f.	I lost my job even though I wanted	
	to go on workingN	Y
g.	I argued with my husband or partner	
	more than usualN	Y
h.	My husband or partner said he	
	didn't want me to be pregnant N	Y
i.	I had a lot of bills I couldn't payN	Y
j.	I was in a physical fight N	Y
k.	My husband or partner or I	
	went to jailN	Y
1.	Someone very close to me had a	
	problem with drinking or drugs N	Y
m.	Someone very close to me died N	Y

41. During the *12 months before* you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 42. During *your most recent* pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Yes

The next questions are about your labor and delivery. (It may help to look at the calendar when you answer these questions.)



46. How was your new baby delivered? ❑ Vaginally → Go to Question 48
 ❑ Cesarean delivery (c-section) 47. What was the reason that your *new* baby was born by cesarean delivery (c-section)? Check all that apply □ I had a previous cesarean delivery (c-section) □ My baby was in the wrong position I was past my due date □ My health care provider worried that my baby was too big **I** had a medical condition that made labor dangerous for me □ My health care provider tried to induce my labor, but it didn't work Labor was taking too long □ The fetal monitor showed that my baby was having problems during labor I wanted to schedule my delivery I didn't want to have my baby vaginally Other reason(s) \longrightarrow Please tell us: 48. When were you discharged from the hospital after your baby was born? Dav Year Month I didn't have my baby in a hospital

49. Did any of these health insurance plans help you pay for the *delivery* of your new baby?


Check <u>all</u> that apply


- Health insurance from your job or the job of your husband, partner, or parents
- □ Health insurance that you or someone else paid for (not from a job)
- □ Medicaid or HealthChoice
- TRICARE or other military health care
- $\Box \quad \text{Other source(s)} \longrightarrow \text{Please tell us:}$
- □ I did not have health insurance to help pay for my delivery


AFTER PREGNANCY

The next questions are about the time since your new baby was born.

- 50. After your baby was born, was he or she put in an intensive care unit?
 - No
 - **Yes**
 - I don't know
- 51. After your baby was born, how long did he or she stay in the hospital?
- Less than 24 hours (less than 1 day) \Box 24 to 48 hours (1 to 2 days) \Box 3 to 5 days \bigcirc 6 to 14 days □ More than 14 days My baby was not born in a hospital □ My baby is still in the hospital - Go to Page 12, Question 54 52. Is your baby alive now? Go to Page 12, Question 61 No -Yes 53. Is your baby living with you now? Go to Page 12, Question 61 No · Yes Go to Page 12, Question 54







□ \$50.000 or more

Please use this space for any additional comments you would like to make about the health of mothers and babies in Maryland.


Thanks for answering our questions!

Your answers will help us work to make Maryland mothers and babies healthier.

72. During the *12 months before* your new baby was born, how many people, *including yourself*, depended on this income?

People

73. What is today's date?



The last questions are about flu illness.	F7. At any time during <i>your most recent</i> pregnancy, were you sick with a fever?	F8. At any time during <i>your most recent</i> pregnancy, did a doctor, nurse or other hooth one norton tall your that you had the	flu? \square No \longrightarrow Survey complete	★ F9. Were you hospitalized for the flu during your most recent pregnancy?	□ No □ Yes		Thank you for answering these final	questions! Your answers will help us learn how to keep pregnant women healthy.
 F5. Where did you get your flu shot? Check <u>one</u> answer My obstetrician or gynecologist's office 	 My family doctor or other doctor's office A health department or community clinic A hospital A pharmacy, drug store or grocery store My work place or school 	Other Please tell us:	If you got a flu shot, go to Question F7.	•	No J anything	 about getting a flu shot N Y b. I was worried about side effects of the flu shot for me N Y c. I was worried that the flu shot might harm my baby N Y d. I was not worried about getting sick with the flu N Y 	 e. I do not think the flu shot works	
These next questions are about the flu shot.	F1. At anytime during <i>your most recent</i> pregnancy, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?	No Yes Since August 1, 2010, did vou get a flu shot?	$ \begin{array}{c c} \square & N_0 \\ \hline & \square & Yes \end{array} $ Go to Question F6	F3. Did you get this flu shot <i>during</i> or <i>after</i> your most recent pregnancy?	F4. During what month and year did you get	the flu shot? August 2010 September 2010 November 2010 December 2010	 January 2011 February 2011 March 2011 April 2011 May 2011 June 2011 	I don't remember



The services and facilities of the Maryland Department of Health and Mental Hygiene (DHMH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges, and accommodations.

The Department, in compliance with the Americans With Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from DHMH services, programs, benefits, and employment opportunities.

Funding for this publication was provided by the Maryland Department of Health and Mental Hygiene and by a cooperative agreement # UR6/DP-000542 with the Centers for Disease Control and Prevention (CDC) for the Maryland Pregnancy Risk Assessment Monitoring Systems (PRAMS). The contents do not necessarily represent the official views of the CDC.