

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN10: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.6 | (14.6 - 16.7) | 4,427 | 16.0 | (14.6 - 17.6) | 2,126 | 15.1 | (13.4 - 17.0) | 2,266 |
| Age | | | | | | | | | |
| 15 or younger | 15.3 | (14.2 - 16.5) | 2,127 | 15.5 | (13.1 - 18.2) | 1,005 | 14.8 | (13.2 - 16.6) | 1,101 |
| 16 or 17 | 15.2 | (13.5 - 17.2) | 2,083 | 15.9 | (14.2 - 17.8) | 1,004 | 14.6 | (12.4 - 17.1) | 1,075 |
| 18 or older | 23.6 | (17.7 - 30.8) | 201 | 22.2 | (14.5 - 32.4) | 113 | - | - | 87 |
| Grade | | | | | | | | | |
| 9th | 13.3 | (11.1 - 15.9) | 1,187 | 14.8 | (11.6 - 18.8) | 566 | 11.8 | (9.1 - 15.2) | 614 |
| 10th | 17.0 | (14.9 - 19.3) | 1,053 | 16.1 | (13.0 - 19.7) | 507 | 17.7 | (14.5 - 21.5) | 540 |
| 11th | 15.4 | (13.2 - 17.8) | 1,130 | 15.0 | (12.4 - 18.0) | 564 | 15.6 | (13.0 - 18.4) | 562 |
| 12th | 16.3 | (13.2 - 20.0) | 997 | 17.7 | (13.5 - 22.7) | 460 | 15.1 | (11.9 - 18.9) | 534 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 15.8 | (12.9 - 19.1) | 837 | 15.6 | (12.7 - 19.0) | 408 | 16.1 | (12.4 - 20.5) | 428 |
| Hispanic/Latino | 18.1 | (15.7 - 20.7) | 1,049 | 19.9 | (16.9 - 23.2) | 473 | 15.7 | (12.3 - 19.9) | 565 |
| White* | 14.9 | (13.3 - 16.7) | 1,407 | 14.3 | (11.7 - 17.5) | 707 | 15.6 | (13.9 - 17.5) | 695 |
| All other races* | 11.5 | (9.0 - 14.6) | 760 | 12.5 | (8.8 - 17.5) | 368 | 10.4 | (7.8 - 13.8) | 391 |
| Multiple races* | 17.6 | (13.2 - 23.0) | 219 | - | - | 91 | 18.0 | (12.7 - 24.9) | 128 |

Note: 29 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN11: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 6.0 | (4.6 - 7.7) | 1,604 | 7.2 | (5.8 - 9.0) | 809 | 3.8 | (2.7 - 5.4) | 782 |
| 15 or younger | 7.1 | (4.7 - 10.7) | 357 | 7.6 | (4.6 - 12.2) | 186 | 3.6 | (2.0 - 6.5) | 164 |
| 16 or 17 | 4.9 | (3.6 - 6.7) | 1,123 | 6.4 | (4.9 - 8.2) | 555 | 3.3 | (2.1 - 5.2) | 566 |
| 18 or older | 11.7 | (7.8 - 17.3) | 120 | - | - | 67 | - | - | 52 |
| Grade | | | | | | | | | |
| 9th | 7.1 | (4.4 - 11.1) | 174 | - | - | 90 | - | - | 83 |
| 10th | 3.7 | (1.6 - 8.5) | 231 | 3.5 | (1.4 - 8.6) | 129 | - | - | 99 |
| 11th | 3.2 | (1.9 - 5.3) | 563 | 4.4 | (2.5 - 7.6) | 291 | 1.9 | (0.7 - 4.8) | 270 |
| 12th | 7.8 | (6.1 - 9.9) | 613 | 9.7 | (7.5 - 12.5) | 286 | 5.7 | (3.9 - 8.1) | 324 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 4.8 | (3.1 - 7.2) | 300 | 6.9 | (4.6 - 10.3) | 145 | 2.5 | (1.2 - 5.3) | 155 |
| Hispanic/Latino | 7.1 | (4.8 - 10.3) | 412 | 8.8 | (5.4 - 13.9) | 194 | 4.5 | (2.4 - 8.3) | 213 |
| White* | 4.6 | (3.5 - 6.1) | 552 | 6.2 | (4.7 - 8.3) | 294 | 2.7 | (1.1 - 6.4) | 258 |
| All other races* | 5.5 | (3.0 - 10.0) | 218 | 3.2 | (1.3 - 7.7) | 116 | 8.5 | (3.6 - 18.9) | 102 |
| Multiple races* | - | - | 66 | - | - | 30 | - | - | 36 |

Note: 2,852 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN12: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 25.0 | (23.0 - 27.2) | 1,609 | 27.8 | (25.3 - 30.5) | 814 | 21.2 | (18.4 - 24.2) | 781 |
| 15 or younger | 14.7 | (11.6 - 18.5) | 363 | 16.8 | (13.0 - 21.5) | 190 | 9.5 | (5.3 - 16.6) | 165 |
| 16 or 17 | 26.9 | (23.8 - 30.1) | 1,121 | 30.3 | (26.5 - 34.5) | 555 | 22.9 | (19.2 - 27.1) | 564 |
| 18 or older | 43.6 | (35.4 - 52.0) | 121 | - | - | 68 | - | - | 52 |
| Grade | | | | | | | | | |
| 9th | 15.9 | (10.1 - 24.1) | 178 | - | - | 94 | - | - | 83 |
| 10th | 12.2 | (8.4 - 17.3) | 230 | 14.4 | (10.0 - 20.2) | 127 | - | - | 99 |
| 11th | 17.4 | (13.3 - 22.3) | 567 | 21.7 | (16.1 - 28.6) | 295 | 12.4 | (9.1 - 16.8) | 270 |
| 12th | 39.1 | (35.4 - 42.9) | 611 | 41.6 | (34.8 - 48.8) | 285 | 36.4 | (30.2 - 43.1) | 323 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.0 | (13.7 - 20.9) | 302 | 17.2 | (11.6 - 24.6) | 147 | 16.8 | (13.0 - 21.4) | 155 |
| Hispanic/Latino | 26.7 | (22.6 - 31.2) | 417 | 31.2 | (27.3 - 35.3) | 198 | 21.0 | (15.6 - 27.6) | 213 |
| White* | 27.2 | (22.2 - 32.9) | 551 | 27.9 | (23.1 - 33.3) | 292 | 26.4 | (19.3 - 35.0) | 259 |
| All other races* | 24.3 | (15.8 - 35.4) | 217 | 27.8 | (15.0 - 45.7) | 116 | 20.0 | (12.0 - 31.3) | 101 |
| Multiple races* | - | - | 67 | - | - | 31 | - | - | 36 |

Note: 2,847 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN13: Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-------|---------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.4 | (8.2 - 10.8) | 4,396 | 13.4 | (11.8 - 15.2) | 2,108 | 4.9 | (4.1 - 6.0) | 2,256 |
| Age | | | | | | | | | |
| 15 or younger | 8.8 | (7.0 - 11.1) | 2,113 | 12.7 | (10.2 - 15.7) | 1,001 | 4.2 | (3.2 - 5.5) | 1,093 |
| 16 or 17 | 10.0 | (8.9 - 11.1) | 2,071 | 14.5 | (12.5 - 16.6) | 992 | 5.5 | (4.7 - 6.5) | 1,076 |
| 18 or older | 10.7 | (7.6 - 14.9) | 196 | 12.5 | (8.1 - 18.8) | 111 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 8.7 | (6.4 - 11.8) | 1,180 | 12.6 | (9.1 - 17.3) | 563 | 4.3 | (3.0 - 6.2) | 610 |
| 10th | 9.3 | (8.0 - 10.9) | 1,052 | 13.8 | (11.8 - 16.1) | 507 | 4.0 | (2.9 - 5.6) | 539 |
| 11th | 7.9 | (5.9 - 10.5) | 1,124 | 12.4 | (9.6 - 15.8) | 555 | 3.3 | (1.6 - 6.8) | 564 |
| 12th | 11.3 | (9.5 - 13.4) | 984 | 14.3 | (11.5 - 17.5) | 453 | 8.2 | (6.0 - 11.0) | 529 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.6 | (6.7 - 11.0) | 831 | 12.2 | (9.6 - 15.3) | 401 | 4.9 | (3.1 - 7.6) | 429 |
| Hispanic/Latino | 9.8 | (7.4 - 12.8) | 1,040 | 14.8 | (10.7 - 20.1) | 470 | 4.7 | (3.4 - 6.5) | 560 |
| White* | 9.5 | (7.6 - 11.8) | 1,401 | 13.6 | (11.1 - 16.5) | 702 | 4.8 | (3.4 - 6.7) | 693 |
| All other races* | 5.5 | (4.0 - 7.6) | 756 | 6.2 | (4.6 - 8.2) | 367 | 4.8 | (3.0 - 7.5) | 389 |
| Multiple races* | 13.5 | (7.8 - 22.2) | 216 | - | - | 89 | 6.2 | (3.1 - 12.0) | 127 |

Note: 60 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN15: Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.6 | (2.1 - 3.4) | 4,392 | 3.8 | (2.9 - 4.9) | 2,105 | 1.3 | (0.9 - 1.9) | 2,254 |
| Age | | | | | | | | | |
| 15 or younger | 2.5 | (1.9 - 3.2) | 2,112 | 3.4 | (2.5 - 4.5) | 999 | 1.1 | (0.7 - 1.9) | 1,093 |
| 16 or 17 | 2.7 | (1.8 - 3.9) | 2,068 | 4.1 | (2.9 - 5.8) | 991 | 1.3 | (0.7 - 2.2) | 1,074 |
| 18 or older | 4.3 | (2.3 - 8.0) | 196 | 4.6 | (2.1 - 10.0) | 111 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 2.0 | (1.4 - 2.9) | 1,179 | 3.0 | (2.0 - 4.5) | 562 | 1.0 | (0.4 - 2.6) | 610 |
| 10th | 2.6 | (1.7 - 4.0) | 1,052 | 4.0 | (2.7 - 5.9) | 507 | 0.5 | (0.1 - 1.8) | 538 |
| 11th | 2.1 | (1.1 - 4.0) | 1,120 | 3.6 | (2.1 - 6.3) | 552 | 0.5 | (0.1 - 1.7) | 563 |
| 12th | 3.5 | (2.5 - 4.8) | 985 | 3.9 | (2.4 - 6.4) | 454 | 3.1 | (1.8 - 5.0) | 529 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.4 | (1.4 - 3.8) | 831 | 3.4 | (2.3 - 5.1) | 401 | 1.3 | (0.5 - 3.0) | 429 |
| Hispanic/Latino | 3.4 | (2.3 - 5.0) | 1,035 | 4.9 | (2.9 - 8.1) | 468 | 1.5 | (0.8 - 2.6) | 557 |
| White* | 1.5 | (1.1 - 2.1) | 1,403 | 2.3 | (1.5 - 3.6) | 703 | 0.6 | (0.3 - 1.4) | 694 |
| All other races* | 2.1 | (1.1 - 3.9) | 755 | 2.4 | (1.7 - 3.2) | 366 | 1.8 | (0.5 - 6.0) | 389 |
| Multiple races* | 4.8 | (2.7 - 8.2) | 215 | - | - | 89 | 2.3 | (0.8 - 6.9) | 126 |

Note: 64 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN16: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.8 | (5.3 - 6.3) | 4,408 | 6.4 | (5.4 - 7.5) | 2,119 | 4.8 | (3.9 - 6.0) | 2,256 |
| Age | | | | | | | | | |
| 15 or younger | 5.5 | (4.9 - 6.1) | 2,118 | 6.3 | (5.3 - 7.4) | 1,003 | 4.1 | (3.0 - 5.6) | 1,095 |
| 16 or 17 | 5.8 | (5.0 - 6.6) | 2,079 | 5.9 | (4.5 - 7.6) | 1,002 | 5.6 | (4.5 - 6.9) | 1,074 |
| 18 or older | 9.2 | (6.1 - 13.8) | 195 | 11.8 | (7.3 - 18.6) | 110 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 5.1 | (4.1 - 6.3) | 1,183 | 6.6 | (5.1 - 8.6) | 563 | 3.5 | (1.9 - 6.2) | 613 |
| 10th | 6.1 | (4.9 - 7.6) | 1,052 | 6.6 | (4.6 - 9.5) | 509 | 5.0 | (3.7 - 6.6) | 537 |
| 11th | 6.3 | (5.1 - 7.8) | 1,126 | 6.7 | (4.9 - 9.1) | 559 | 5.8 | (3.9 - 8.6) | 563 |
| 12th | 4.7 | (3.6 - 6.1) | 988 | 4.4 | (2.7 - 7.1) | 458 | 5.0 | (3.5 - 7.0) | 528 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.1 | (4.5 - 8.1) | 835 | 6.9 | (4.5 - 10.5) | 406 | 5.2 | (3.8 - 7.1) | 428 |
| Hispanic/Latino | 8.3 | (6.8 - 10.0) | 1,043 | 10.7 | (7.9 - 14.2) | 473 | 5.4 | (4.0 - 7.2) | 559 |
| White* | 3.6 | (2.7 - 4.8) | 1,406 | 3.2 | (1.9 - 5.3) | 706 | 4.0 | (2.7 - 6.0) | 694 |
| All other races* | 3.1 | (2.0 - 5.0) | 755 | 2.6 | (1.1 - 6.1) | 367 | 3.8 | (2.2 - 6.3) | 388 |
| Multiple races* | 6.7 | (3.8 - 11.5) | 217 | - | - | 89 | 4.1 | (1.8 - 8.9) | 128 |

Note: 48 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN17: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.5 | (5.8 - 7.4) | 4,447 | 8.0 | (6.9 - 9.3) | 2,140 | 4.8 | (3.9 - 5.9) | 2,271 |
| Age | | | | | | | | | |
| 15 or younger | 6.8 | (5.8 - 7.9) | 2,136 | 8.3 | (6.5 - 10.6) | 1,013 | 4.7 | (3.7 - 5.8) | 1,101 |
| 16 or 17 | 6.1 | (4.8 - 7.7) | 2,093 | 7.6 | (5.8 - 9.9) | 1,009 | 4.6 | (3.2 - 6.5) | 1,080 |
| 18 or older | 9.1 | (6.1 - 13.4) | 202 | 8.3 | (4.4 - 15.0) | 114 | - | - | 87 |
| Grade | | | | | | | | | |
| 9th | 5.9 | (4.6 - 7.5) | 1,191 | 8.1 | (6.0 - 10.9) | 571 | 3.5 | (2.0 - 6.1) | 613 |
| 10th | 7.6 | (6.2 - 9.2) | 1,058 | 8.6 | (7.0 - 10.6) | 510 | 6.0 | (4.4 - 8.0) | 541 |
| 11th | 5.7 | (4.4 - 7.4) | 1,138 | 7.5 | (5.8 - 9.6) | 568 | 3.8 | (2.4 - 5.9) | 565 |
| 12th | 6.2 | (4.5 - 8.6) | 1,000 | 6.9 | (4.3 - 10.9) | 461 | 5.6 | (3.3 - 9.4) | 536 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.5 | (6.2 - 8.9) | 844 | 9.4 | (7.4 - 11.8) | 409 | 5.5 | (3.9 - 7.6) | 434 |
| Hispanic/Latino | 8.0 | (6.4 - 9.8) | 1,053 | 10.3 | (8.2 - 12.8) | 478 | 5.4 | (3.4 - 8.5) | 564 |
| White* | 4.9 | (3.9 - 6.1) | 1,412 | 5.8 | (4.3 - 7.9) | 711 | 3.8 | (3.1 - 4.7) | 695 |
| All other races* | 4.2 | (2.7 - 6.5) | 760 | 3.9 | (2.8 - 5.4) | 369 | 4.5 | (2.2 - 9.0) | 391 |
| Multiple races* | 6.8 | (4.3 - 10.6) | 219 | - | - | 91 | 1.5 | (0.4 - 5.6) | 128 |

Note: 9 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN20: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.9 | (7.4 - 10.7) | 4,436 | 12.2 | (10.1 - 14.7) | 2,134 | 4.9 | (3.9 - 6.2) | 2,266 |
| Age | | | | | | | | | |
| 15 or younger | 9.3 | (7.2 - 12.0) | 2,129 | 12.8 | (10.0 - 16.2) | 1,010 | 4.7 | (3.2 - 6.8) | 1,097 |
| 16 or 17 | 8.2 | (6.7 - 10.1) | 2,090 | 11.4 | (9.1 - 14.2) | 1,006 | 5.0 | (3.4 - 7.2) | 1,080 |
| 18 or older | 11.5 | (9.0 - 14.6) | 201 | 14.4 | (10.0 - 20.4) | 114 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 10.1 | (7.9 - 13.0) | 1,187 | 14.6 | (11.3 - 18.6) | 568 | 5.1 | (3.6 - 7.2) | 612 |
| 10th | 8.2 | (6.0 - 11.2) | 1,057 | 11.4 | (8.0 - 16.0) | 510 | 4.1 | (2.7 - 6.3) | 540 |
| 11th | 8.8 | (6.7 - 11.5) | 1,136 | 12.3 | (9.2 - 16.1) | 567 | 5.2 | (3.0 - 8.8) | 564 |
| 12th | 7.0 | (5.6 - 8.8) | 997 | 9.2 | (7.2 - 11.6) | 459 | 4.8 | (2.9 - 7.7) | 535 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.5 | (9.5 - 13.9) | 843 | 16.0 | (12.6 - 20.2) | 408 | 6.8 | (5.5 - 8.4) | 434 |
| Hispanic/Latino | 10.2 | (8.1 - 12.8) | 1,050 | 13.1 | (9.7 - 17.4) | 478 | 6.9 | (5.0 - 9.4) | 561 |
| White* | 5.7 | (4.2 - 7.5) | 1,408 | 8.2 | (6.6 - 10.2) | 708 | 2.6 | (1.5 - 4.3) | 694 |
| All other races* | 6.2 | (4.4 - 8.6) | 758 | 9.6 | (7.5 - 12.3) | 367 | 2.6 | (1.0 - 6.7) | 391 |
| Multiple races* | 13.1 | (9.3 - 18.0) | 219 | - | - | 91 | 8.9 | (4.8 - 16.0) | 128 |

Note: 20 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN21: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.6 | (6.5 - 8.8) | 4,391 | 6.0 | (4.9 - 7.3) | 2,103 | 9.0 | (7.3 - 11.0) | 2,259 |
| Age | | | | | | | | | |
| 15 or younger | 6.5 | (5.6 - 7.6) | 2,105 | 5.0 | (4.1 - 6.1) | 993 | 7.7 | (6.1 - 9.7) | 1,097 |
| 16 or 17 | 8.3 | (6.8 - 10.1) | 2,073 | 6.3 | (4.8 - 8.2) | 995 | 10.2 | (7.9 - 13.0) | 1,074 |
| 18 or older | 12.5 | (9.6 - 16.1) | 197 | 12.0 | (7.8 - 18.0) | 111 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 6.4 | (4.9 - 8.4) | 1,180 | 5.0 | (3.6 - 6.9) | 561 | 7.7 | (5.1 - 11.5) | 612 |
| 10th | 5.5 | (4.3 - 6.9) | 1,048 | 4.1 | (3.0 - 5.6) | 504 | 6.7 | (5.0 - 8.9) | 540 |
| 11th | 8.1 | (6.7 - 9.7) | 1,121 | 5.8 | (4.0 - 8.4) | 556 | 10.0 | (7.9 - 12.5) | 561 |
| 12th | 10.4 | (8.0 - 13.6) | 988 | 9.2 | (6.7 - 12.5) | 455 | 11.7 | (8.5 - 16.0) | 530 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.3 | (6.5 - 10.7) | 833 | 7.6 | (5.7 - 10.2) | 403 | 9.1 | (6.7 - 12.4) | 429 |
| Hispanic/Latino | 10.7 | (9.0 - 12.9) | 1,041 | 7.9 | (5.0 - 12.3) | 471 | 13.2 | (11.2 - 15.4) | 563 |
| White* | 5.0 | (4.0 - 6.3) | 1,407 | 3.4 | (2.4 - 4.7) | 705 | 6.6 | (4.8 - 9.0) | 696 |
| All other races* | 5.8 | (4.1 - 8.0) | 751 | 5.6 | (3.6 - 8.5) | 363 | 6.0 | (3.9 - 8.9) | 388 |
| Multiple races* | 7.1 | (3.4 - 14.1) | 217 | - | - | 89 | 7.6 | (3.2 - 17.1) | 128 |

Note: 65 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN22: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 9.5 | (8.1 - 11.0) | 2,226 | 7.8 | (6.3 - 9.6) | 1,084 | 10.8 | (9.1 - 12.6) | 1,127 |
| 15 or younger | 9.0 | (7.2 - 11.3) | 917 | 8.0 | (5.7 - 11.1) | 460 | 9.6 | (7.4 - 12.4) | 447 |
| 16 or 17 | 9.1 | (7.2 - 11.5) | 1,168 | 6.6 | (4.4 - 9.9) | 547 | 11.3 | (9.1 - 14.1) | 620 |
| 18 or older | 15.0 | (10.1 - 21.8) | 133 | - | - | 73 | - | - | 60 |
| Grade | | | | | | | | | |
| 9th | 7.8 | (5.3 - 11.2) | 502 | 7.8 | (5.2 - 11.6) | 259 | 7.8 | (4.3 - 13.7) | 240 |
| 10th | 8.9 | (6.6 - 11.9) | 503 | 8.1 | (5.3 - 12.2) | 252 | 9.0 | (5.9 - 13.5) | 249 |
| 11th | 9.2 | (7.7 - 11.1) | 608 | 6.3 | (3.9 - 10.1) | 287 | 11.3 | (8.8 - 14.4) | 318 |
| 12th | 10.0 | (6.7 - 14.7) | 582 | 7.2 | (4.0 - 12.7) | 268 | 12.8 | (8.6 - 18.6) | 313 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.3 | (6.2 - 13.7) | 437 | 8.9 | (5.7 - 13.5) | 228 | 9.9 | (5.9 - 16.1) | 209 |
| Hispanic/Latino | 12.8 | (9.6 - 16.7) | 626 | 10.2 | (6.0 - 16.8) | 276 | 14.1 | (11.1 - 17.7) | 343 |
| White* | 5.7 | (4.2 - 7.7) | 707 | 3.8 | (2.4 - 6.0) | 358 | 7.9 | (5.4 - 11.3) | 347 |
| All other races* | 7.7 | (4.3 - 13.5) | 260 | 6.9 | (3.8 - 12.3) | 134 | 8.6 | (4.1 - 17.0) | 126 |
| Multiple races* | 10.4 | (6.6 - 16.1) | 121 | - | - | 48 | - | - | 73 |

Note: 2,230 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN23: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 10.7 | (9.0 - 12.6) | 2,220 | 6.4 | (4.6 - 8.8) | 1,079 | 14.5 | (12.4 - 17.0) | 1,124 |
| 15 or younger | 11.2 | (8.7 - 14.5) | 915 | 6.4 | (3.9 - 10.2) | 459 | 15.8 | (12.5 - 19.6) | 445 |
| 16 or 17 | 9.2 | (7.2 - 11.7) | 1,165 | 4.8 | (2.8 - 8.0) | 544 | 13.2 | (10.5 - 16.3) | 619 |
| 18 or older | 18.5 | (13.2 - 25.4) | 132 | - | - | 72 | - | - | 60 |
| Grade | | | | | | | | | |
| 9th | 11.3 | (8.1 - 15.5) | 499 | 7.4 | (4.5 - 12.1) | 258 | 15.8 | (10.4 - 23.2) | 238 |
| 10th | 8.8 | (6.1 - 12.3) | 503 | 4.5 | (2.2 - 9.3) | 252 | 12.6 | (8.5 - 18.4) | 249 |
| 11th | 9.6 | (7.7 - 11.8) | 607 | 6.5 | (4.2 - 9.9) | 286 | 11.8 | (8.5 - 16.0) | 318 |
| 12th | 12.2 | (8.9 - 16.7) | 580 | 6.9 | (3.5 - 13.4) | 266 | 17.2 | (13.4 - 21.8) | 312 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.0 | (6.8 - 14.3) | 434 | 7.7 | (4.2 - 13.9) | 226 | 12.7 | (9.3 - 17.2) | 208 |
| Hispanic/Latino | 13.4 | (11.1 - 16.1) | 626 | 8.3 | (5.5 - 12.2) | 277 | 16.9 | (13.7 - 20.6) | 341 |
| White* | 9.5 | (7.8 - 11.5) | 706 | 4.5 | (2.5 - 7.7) | 357 | 14.7 | (13.0 - 16.7) | 347 |
| All other races* | 6.5 | (3.7 - 11.3) | 259 | 3.5 | (1.0 - 12.1) | 133 | 10.0 | (6.2 - 15.6) | 126 |
| Multiple races* | 12.0 | (5.7 - 23.4) | 121 | - | - | 48 | - | - | 73 |

Note: 2,236 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN24: Percentage of students who were bullied on school property (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 17.5 | (16.1 - 19.0) | 4,359 | 16.7 | (15.0 - 18.6) | 2,093 | 18.2 | (16.1 - 20.6) | 2,237 |
| Age | | | | | | | | | |
| 15 or younger | 20.0 | (17.6 - 22.7) | 2,092 | 19.8 | (16.4 - 23.7) | 992 | 20.3 | (17.7 - 23.2) | 1,084 |
| 16 or 17 | 14.8 | (13.4 - 16.3) | 2,054 | 13.2 | (11.3 - 15.4) | 986 | 16.2 | (13.9 - 18.9) | 1,065 |
| 18 or older | 15.6 | (9.8 - 23.7) | 197 | 16.4 | (8.6 - 28.8) | 111 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 22.1 | (19.9 - 24.5) | 1,169 | 21.6 | (17.5 - 26.4) | 560 | 22.5 | (19.0 - 26.5) | 602 |
| 10th | 17.5 | (15.1 - 20.1) | 1,040 | 16.6 | (13.7 - 19.8) | 499 | 18.6 | (15.8 - 21.8) | 536 |
| 11th | 15.6 | (13.6 - 17.8) | 1,116 | 14.1 | (11.9 - 16.7) | 554 | 16.8 | (14.2 - 19.7) | 557 |
| 12th | 13.0 | (11.5 - 14.7) | 982 | 12.4 | (9.7 - 15.8) | 454 | 13.4 | (11.1 - 16.2) | 526 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.9 | (12.6 - 17.6) | 825 | 15.0 | (11.5 - 19.5) | 397 | 14.8 | (12.3 - 17.7) | 427 |
| Hispanic/Latino | 18.9 | (16.6 - 21.5) | 1,029 | 16.6 | (13.3 - 20.6) | 466 | 20.9 | (17.8 - 24.5) | 556 |
| White* | 18.7 | (17.4 - 20.0) | 1,397 | 17.2 | (15.3 - 19.3) | 702 | 20.1 | (17.3 - 23.1) | 689 |
| All other races* | 15.1 | (13.7 - 16.5) | 748 | 16.7 | (14.5 - 19.0) | 365 | 13.4 | (10.8 - 16.7) | 383 |
| Multiple races* | 16.1 | (11.6 - 21.9) | 214 | - | - | 89 | 15.0 | (9.5 - 22.9) | 125 |

Note: 97 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN25: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.4 | (13.4 - 15.4) | 4,404 | 11.5 | (10.2 - 12.9) | 2,107 | 17.2 | (15.1 - 19.5) | 2,267 |
| Age | | | | | | | | | |
| 15 or younger | 15.5 | (14.1 - 17.0) | 2,115 | 11.5 | (9.1 - 14.5) | 998 | 19.3 | (16.5 - 22.5) | 1,100 |
| 16 or 17 | 13.1 | (11.7 - 14.7) | 2,075 | 11.2 | (9.0 - 13.8) | 995 | 14.9 | (13.1 - 17.0) | 1,077 |
| 18 or older | 14.6 | (9.7 - 21.3) | 198 | 14.2 | (9.0 - 21.8) | 110 | - | - | 87 |
| Grade | | | | | | | | | |
| 9th | 16.3 | (15.0 - 17.6) | 1,179 | 11.8 | (9.5 - 14.7) | 560 | 20.8 | (17.2 - 25.0) | 612 |
| 10th | 14.5 | (12.3 - 16.9) | 1,050 | 11.3 | (8.7 - 14.6) | 506 | 17.6 | (15.4 - 20.1) | 540 |
| 11th | 13.3 | (11.3 - 15.5) | 1,126 | 10.7 | (8.2 - 13.9) | 559 | 15.7 | (13.9 - 17.8) | 563 |
| 12th | 12.7 | (10.5 - 15.3) | 990 | 11.7 | (9.3 - 14.6) | 452 | 13.8 | (10.6 - 17.8) | 536 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.8 | (11.5 - 14.1) | 837 | 12.6 | (10.2 - 15.5) | 401 | 13.0 | (10.9 - 15.5) | 435 |
| Hispanic/Latino | 14.9 | (12.9 - 17.3) | 1,042 | 11.0 | (8.0 - 14.8) | 472 | 18.3 | (15.4 - 21.6) | 562 |
| White* | 15.5 | (14.2 - 16.9) | 1,407 | 10.9 | (8.3 - 14.1) | 706 | 20.7 | (18.4 - 23.1) | 695 |
| All other races* | 12.1 | (10.5 - 13.9) | 752 | 10.2 | (8.1 - 12.6) | 363 | 14.1 | (11.2 - 17.6) | 389 |
| Multiple races* | 14.5 | (8.6 - 23.5) | 218 | - | - | 91 | 15.7 | (8.5 - 27.1) | 127 |

Note: 52 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN26: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.5 | (25.8 - 29.2) | 4,390 | 19.3 | (18.2 - 20.4) | 2,103 | 35.7 | (32.7 - 38.7) | 2,257 |
| Age | | | | | | | | | |
| 15 or younger | 24.8 | (23.7 - 26.1) | 2,109 | 16.6 | (14.5 - 19.0) | 996 | 32.9 | (30.7 - 35.1) | 1,096 |
| 16 or 17 | 30.1 | (26.9 - 33.5) | 2,070 | 21.9 | (19.4 - 24.8) | 995 | 38.3 | (33.2 - 43.6) | 1,072 |
| 18 or older | 31.0 | (22.9 - 40.4) | 195 | 24.2 | (15.6 - 35.5) | 108 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 24.2 | (22.2 - 26.2) | 1,179 | 15.9 | (12.9 - 19.3) | 561 | 32.5 | (29.9 - 35.3) | 611 |
| 10th | 26.0 | (23.0 - 29.1) | 1,049 | 17.9 | (14.7 - 21.6) | 505 | 34.2 | (29.0 - 39.8) | 540 |
| 11th | 31.3 | (28.7 - 34.1) | 1,126 | 23.4 | (21.2 - 25.7) | 559 | 39.3 | (34.2 - 44.5) | 563 |
| 12th | 29.4 | (24.9 - 34.3) | 981 | 21.5 | (16.3 - 27.9) | 450 | 37.2 | (31.5 - 43.2) | 529 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.0 | (22.8 - 31.6) | 831 | 17.3 | (13.5 - 22.1) | 398 | 36.9 | (32.0 - 42.1) | 432 |
| Hispanic/Latino | 35.1 | (33.0 - 37.2) | 1,040 | 26.7 | (24.7 - 28.8) | 471 | 42.7 | (38.7 - 46.9) | 561 |
| White* | 23.3 | (20.3 - 26.7) | 1,400 | 16.5 | (13.1 - 20.5) | 702 | 30.3 | (25.3 - 35.7) | 692 |
| All other races* | 24.4 | (21.2 - 27.8) | 753 | 16.9 | (14.1 - 20.1) | 366 | 32.2 | (27.7 - 37.2) | 387 |
| Multiple races* | 24.1 | (18.8 - 30.5) | 219 | - | - | 91 | 31.6 | (23.2 - 41.3) | 128 |

Note: 66 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN27: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.6 | (14.4 - 16.9) | 4,369 | 11.1 | (10.0 - 12.4) | 2,095 | 20.0 | (18.2 - 21.9) | 2,245 |
| Age | | | | | | | | | |
| 15 or younger | 14.3 | (13.5 - 15.3) | 2,103 | 9.4 | (8.1 - 10.8) | 994 | 18.9 | (17.2 - 20.8) | 1,093 |
| 16 or 17 | 16.9 | (15.0 - 18.9) | 2,055 | 12.7 | (10.3 - 15.5) | 987 | 21.1 | (18.0 - 24.5) | 1,065 |
| 18 or older | 17.8 | (11.2 - 27.2) | 195 | 15.6 | (7.0 - 31.2) | 110 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 13.0 | (11.3 - 14.9) | 1,178 | 8.5 | (5.8 - 12.3) | 562 | 17.2 | (14.9 - 19.8) | 609 |
| 10th | 16.1 | (14.5 - 17.8) | 1,047 | 10.6 | (8.7 - 12.9) | 503 | 21.4 | (18.7 - 24.4) | 540 |
| 11th | 16.5 | (14.0 - 19.2) | 1,116 | 12.6 | (10.7 - 14.9) | 556 | 20.2 | (16.2 - 25.0) | 556 |
| 12th | 17.1 | (14.3 - 20.4) | 973 | 13.0 | (9.4 - 17.8) | 445 | 20.9 | (17.7 - 24.6) | 526 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.5 | (13.3 - 15.8) | 830 | 8.8 | (7.5 - 10.4) | 400 | 20.5 | (18.6 - 22.6) | 429 |
| Hispanic/Latino | 19.8 | (17.2 - 22.7) | 1,032 | 16.2 | (13.3 - 19.6) | 466 | 22.8 | (19.8 - 26.1) | 559 |
| White* | 14.2 | (13.1 - 15.5) | 1,398 | 10.4 | (7.8 - 13.7) | 704 | 18.1 | (15.4 - 21.2) | 688 |
| All other races* | 11.6 | (9.1 - 14.6) | 746 | 7.0 | (4.9 - 10.0) | 362 | 16.4 | (13.0 - 20.5) | 384 |
| Multiple races* | 18.1 | (12.6 - 25.3) | 217 | - | - | 90 | 24.1 | (15.7 - 35.2) | 127 |

Note: 87 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN28: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.8 | (11.1 - 12.6) | 4,393 | 8.4 | (7.1 - 9.7) | 2,110 | 15.2 | (13.7 - 16.9) | 2,251 |
| Age | | | | | | | | | |
| 15 or younger | 11.4 | (10.4 - 12.5) | 2,114 | 7.5 | (5.5 - 10.1) | 1,003 | 14.9 | (12.6 - 17.4) | 1,093 |
| 16 or 17 | 12.1 | (10.5 - 14.0) | 2,065 | 8.8 | (7.4 - 10.3) | 992 | 15.5 | (12.6 - 19.0) | 1,069 |
| 18 or older | 14.6 | (9.7 - 21.2) | 198 | 13.4 | (8.5 - 20.7) | 111 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 11.5 | (9.6 - 13.8) | 1,180 | 7.3 | (4.9 - 10.8) | 566 | 15.6 | (11.8 - 20.3) | 607 |
| 10th | 10.4 | (8.3 - 12.8) | 1,051 | 7.0 | (4.7 - 10.3) | 505 | 13.6 | (11.3 - 16.3) | 541 |
| 11th | 11.8 | (10.0 - 13.9) | 1,119 | 8.0 | (6.0 - 10.6) | 558 | 15.7 | (12.2 - 20.0) | 557 |
| 12th | 13.7 | (11.5 - 16.3) | 985 | 11.4 | (8.6 - 15.0) | 451 | 15.7 | (12.9 - 18.9) | 531 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.4 | (10.2 - 12.7) | 835 | 6.8 | (4.9 - 9.3) | 404 | 16.2 | (14.4 - 18.2) | 430 |
| Hispanic/Latino | 14.9 | (12.8 - 17.4) | 1,039 | 12.0 | (9.5 - 15.0) | 471 | 17.6 | (14.7 - 20.8) | 559 |
| White* | 9.7 | (8.3 - 11.3) | 1,400 | 6.8 | (4.7 - 9.9) | 703 | 12.4 | (9.7 - 15.8) | 691 |
| All other races* | 9.7 | (8.2 - 11.4) | 752 | 6.9 | (4.6 - 10.2) | 365 | 12.7 | (10.4 - 15.3) | 387 |
| Multiple races* | 14.5 | (10.1 - 20.4) | 218 | - | - | 91 | 18.8 | (11.3 - 29.5) | 127 |

Note: 63 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN32: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.1 | (4.2 - 6.2) | 4,379 | 6.1 | (4.9 - 7.6) | 2,099 | 3.8 | (2.9 - 4.8) | 2,248 |
| Age | | | | | | | | | |
| 15 or younger | 4.8 | (3.8 - 6.1) | 2,106 | 5.5 | (4.1 - 7.4) | 998 | 3.7 | (2.5 - 5.4) | 1,092 |
| 16 or 17 | 5.0 | (3.8 - 6.5) | 2,059 | 6.2 | (4.2 - 8.9) | 987 | 3.7 | (2.8 - 4.8) | 1,067 |
| 18 or older | 8.8 | (6.5 - 11.9) | 197 | 11.0 | (6.9 - 17.0) | 110 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 4.7 | (3.4 - 6.5) | 1,175 | 5.6 | (4.1 - 7.5) | 560 | 3.8 | (2.2 - 6.6) | 608 |
| 10th | 4.8 | (3.8 - 6.0) | 1,045 | 6.1 | (4.1 - 8.9) | 503 | 2.8 | (1.8 - 4.6) | 536 |
| 11th | 4.5 | (3.3 - 6.1) | 1,120 | 5.6 | (3.2 - 9.6) | 557 | 3.2 | (1.8 - 5.6) | 559 |
| 12th | 5.4 | (3.3 - 8.6) | 980 | 6.5 | (3.2 - 12.7) | 449 | 4.2 | (2.8 - 6.2) | 529 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.4 | (3.6 - 8.0) | 826 | 7.5 | (5.0 - 11.2) | 397 | 3.2 | (2.0 - 5.1) | 428 |
| Hispanic/Latino | 7.5 | (5.8 - 9.6) | 1,032 | 8.5 | (5.4 - 13.0) | 467 | 6.1 | (4.6 - 8.0) | 558 |
| White* | 2.8 | (2.0 - 3.8) | 1,399 | 3.6 | (2.8 - 4.6) | 701 | 1.9 | (1.0 - 3.6) | 692 |
| All other races* | 3.1 | (1.9 - 5.0) | 757 | 3.7 | (2.1 - 6.5) | 366 | 2.4 | (1.3 - 4.5) | 390 |
| Multiple races* | 5.1 | (3.1 - 8.2) | 216 | - | - | 90 | 4.0 | (1.8 - 8.5) | 126 |

Note: 77 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN33: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.0 | (5.0 - 7.2) | 4,304 | 6.6 | (5.5 - 7.8) | 2,048 | 5.2 | (3.8 - 7.3) | 2,226 |
| Age | | | | | | | | | |
| 15 or younger | 4.3 | (3.3 - 5.5) | 2,086 | 4.6 | (3.3 - 6.3) | 984 | 3.6 | (2.3 - 5.5) | 1,086 |
| 16 or 17 | 7.0 | (5.2 - 9.3) | 2,016 | 7.7 | (5.6 - 10.4) | 958 | 6.3 | (4.2 - 9.4) | 1,055 |
| 18 or older | 16.9 | (12.1 - 23.2) | 185 | 18.0 | (11.7 - 26.7) | 102 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 3.8 | (2.7 - 5.3) | 1,168 | 4.6 | (2.9 - 7.2) | 557 | 3.0 | (2.0 - 4.5) | 604 |
| 10th | 4.8 | (3.3 - 6.8) | 1,032 | 6.1 | (4.2 - 8.6) | 493 | 3.1 | (2.0 - 4.7) | 535 |
| 11th | 7.1 | (5.3 - 9.4) | 1,103 | 7.1 | (4.3 - 11.4) | 542 | 6.9 | (4.2 - 11.3) | 557 |
| 12th | 8.5 | (6.1 - 11.7) | 944 | 8.8 | (6.3 - 12.1) | 427 | 8.2 | (5.1 - 12.8) | 516 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 4.5 | (2.5 - 7.8) | 805 | 5.6 | (3.4 - 8.8) | 382 | 3.4 | (1.4 - 8.3) | 422 |
| Hispanic/Latino | 8.3 | (6.5 - 10.6) | 1,005 | 8.9 | (7.2 - 10.9) | 453 | 7.2 | (4.8 - 10.6) | 544 |
| White* | 5.7 | (4.5 - 7.3) | 1,383 | 6.3 | (4.6 - 8.4) | 690 | 5.2 | (3.3 - 8.3) | 688 |
| All other races* | 3.0 | (2.0 - 4.5) | 750 | 2.8 | (1.6 - 4.7) | 359 | 3.3 | (1.8 - 6.1) | 390 |
| Multiple races* | 7.1 | (4.2 - 11.6) | 216 | - | - | 89 | 7.7 | (3.9 - 14.7) | 127 |

Note: 152 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QNFRSIG: Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (1.1 - 2.0) | 4,304 | 1.7 | (1.2 - 2.4) | 2,048 | 1.3 | (0.9 - 1.9) | 2,226 |
| Age | | | | | | | | | |
| 15 or younger | 1.2 | (0.7 - 1.8) | 2,086 | 1.6 | (1.0 - 2.5) | 984 | 0.8 | (0.5 - 1.3) | 1,086 |
| 16 or 17 | 1.3 | (0.8 - 2.1) | 2,016 | 1.1 | (0.7 - 1.7) | 958 | 1.6 | (0.9 - 2.7) | 1,055 |
| 18 or older | 6.7 | (4.2 - 10.4) | 185 | 8.2 | (4.3 - 14.9) | 102 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 1.2 | (0.7 - 2.2) | 1,168 | 1.6 | (0.9 - 3.0) | 557 | 0.8 | (0.3 - 1.9) | 604 |
| 10th | 1.0 | (0.5 - 1.7) | 1,032 | 1.2 | (0.7 - 1.9) | 493 | 0.7 | (0.3 - 2.0) | 535 |
| 11th | 1.1 | (0.7 - 1.7) | 1,103 | 1.4 | (0.9 - 2.2) | 542 | 0.9 | (0.4 - 2.0) | 557 |
| 12th | 2.4 | (1.4 - 4.2) | 944 | 2.4 | (1.0 - 5.4) | 427 | 2.5 | (1.5 - 4.1) | 516 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.9 | (0.3 - 2.5) | 805 | 1.2 | (0.3 - 5.2) | 382 | 0.6 | (0.2 - 2.2) | 422 |
| Hispanic/Latino | 1.8 | (1.3 - 2.6) | 1,005 | 2.2 | (1.3 - 3.7) | 453 | 1.5 | (1.0 - 2.2) | 544 |
| White* | 1.5 | (0.9 - 2.4) | 1,383 | 1.4 | (0.8 - 2.6) | 690 | 1.6 | (0.9 - 2.8) | 688 |
| All other races* | 0.8 | (0.3 - 2.1) | 750 | 0.7 | (0.2 - 2.1) | 359 | 1.0 | (0.3 - 3.7) | 390 |
| Multiple races* | 2.3 | (0.9 - 5.8) | 216 | - | - | 89 | 0.8 | (0.1 - 5.3) | 127 |

Note: 152 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.0 | (0.8 - 1.3) | 4,304 | 1.3 | (0.9 - 1.9) | 2,048 | 0.7 | (0.4 - 1.1) | 2,226 |
| Age | | | | | | | | | |
| 15 or younger | 0.8 | (0.5 - 1.4) | 2,086 | 1.2 | (0.7 - 2.1) | 984 | 0.4 | (0.2 - 0.9) | 1,086 |
| 16 or 17 | 0.8 | (0.4 - 1.4) | 2,016 | 0.7 | (0.4 - 1.2) | 958 | 0.8 | (0.4 - 2.0) | 1,055 |
| 18 or older | 5.5 | (3.5 - 8.6) | 185 | 7.4 | (3.8 - 14.2) | 102 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 1.0 | (0.6 - 1.6) | 1,168 | 1.4 | (0.8 - 2.6) | 557 | 0.5 | (0.2 - 1.2) | 604 |
| 10th | 0.3 | (0.1 - 0.9) | 1,032 | 0.4 | (0.1 - 1.3) | 493 | 0.2 | (0.0 - 1.3) | 535 |
| 11th | 0.8 | (0.5 - 1.3) | 1,103 | 1.1 | (0.6 - 2.0) | 542 | 0.5 | (0.2 - 1.7) | 557 |
| 12th | 1.6 | (0.9 - 2.9) | 944 | 1.9 | (0.8 - 4.4) | 427 | 1.3 | (0.6 - 2.8) | 516 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.8 | (0.3 - 2.0) | 805 | 1.0 | (0.2 - 4.0) | 382 | 0.6 | (0.2 - 2.2) | 422 |
| Hispanic/Latino | 1.3 | (0.8 - 2.2) | 1,005 | 1.7 | (0.9 - 3.3) | 453 | 1.0 | (0.5 - 2.0) | 544 |
| White* | 0.7 | (0.3 - 1.3) | 1,383 | 1.0 | (0.5 - 1.9) | 690 | 0.3 | (0.1 - 1.2) | 688 |
| All other races* | 0.7 | (0.3 - 2.0) | 750 | 0.5 | (0.1 - 1.9) | 359 | 1.0 | (0.3 - 3.7) | 390 |
| Multiple races* | 1.8 | (0.6 - 5.0) | 216 | - | - | 89 | 0.8 | (0.1 - 5.3) | 127 |

Note: 152 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN34: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.7 | (7.4 - 18.0) | 246 | 13.0 | (7.4 - 21.8) | 125 | 9.4 | (4.3 - 19.3) | 116 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 82 | - | - | 42 | - | - | 36 |
| 16 or 17 | 4.9 | (2.1 - 11.1) | 134 | - | - | 66 | - | - | 68 |
| 18 or older | - | - | 29 | - | - | 17 | - | - | 12 |
| Grade | | | | | | | | | |
| 9th | - | - | 38 | - | - | 22 | - | - | 16 |
| 10th | - | - | 47 | - | - | 29 | - | - | 16 |
| 11th | - | - | 74 | - | - | 34 | - | - | 39 |
| 12th | - | - | 77 | - | - | 36 | - | - | 41 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 35 | - | - | 20 | - | - | 15 |
| Hispanic/Latino | - | - | 78 | - | - | 37 | - | - | 38 |
| White* | - | - | 76 | - | - | 41 | - | - | 35 |
| All other races* | - | - | 25 | - | - | 11 | - | - | 14 |
| Multiple races* | - | - | 16 | - | - | 6 | - | - | 10 |

Note: 4,210 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN35: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 15.1 | (10.8 - 20.6) | 204 | 16.6 | (10.6 - 25.2) | 105 | - | - | 96 |
| 15 or younger | - | - | 77 | - | - | 42 | - | - | 32 |
| 16 or 17 | 18.9 | (11.7 - 29.0) | 127 | - | - | 63 | - | - | 64 |
| 18 or older | - | - | 0 | - | - | 0 | - | - | 0 |
| Grade | | | | | | | | | |
| 9th | - | - | 31 | - | - | 17 | - | - | 14 |
| 10th | - | - | 42 | - | - | 27 | - | - | 13 |
| 11th | - | - | 68 | - | - | 31 | - | - | 37 |
| 12th | - | - | 54 | - | - | 26 | - | - | 28 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 26 | - | - | 14 | - | - | 12 |
| Hispanic/Latino | - | - | 62 | - | - | 29 | - | - | 31 |
| White* | - | - | 68 | - | - | 36 | - | - | 32 |
| All other races* | - | - | 20 | - | - | 10 | - | - | 10 |
| Multiple races* | - | - | 13 | - | - | 6 | - | - | 7 |

Note: 4,252 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNCIGINT: Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 5.1 | (2.4 - 10.7) | 204 | 5.3 | (1.9 - 13.6) | 105 | - | - | 96 |
| 15 or younger | - | - | 77 | - | - | 42 | - | - | 32 |
| 16 or 17 | 3.8 | (1.7 - 8.2) | 127 | - | - | 63 | - | - | 64 |
| 18 or older | - | - | 0 | - | - | 0 | - | - | 0 |
| Grade | | | | | | | | | |
| 9th | - | - | 31 | - | - | 17 | - | - | 14 |
| 10th | - | - | 42 | - | - | 27 | - | - | 13 |
| 11th | - | - | 68 | - | - | 31 | - | - | 37 |
| 12th | - | - | 54 | - | - | 26 | - | - | 28 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 26 | - | - | 14 | - | - | 12 |
| Hispanic/Latino | - | - | 62 | - | - | 29 | - | - | 31 |
| White* | - | - | 68 | - | - | 36 | - | - | 32 |
| All other races* | - | - | 20 | - | - | 10 | - | - | 10 |
| Multiple races* | - | - | 13 | - | - | 6 | - | - | 7 |

Note: 4,252 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)

| | Percentage | Total | | Percentage | Male | | Percentage | Female | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | | 95% confidence interval | N | | 95% confidence interval | N | | 95% confidence interval | N |
| Total | 3.4 | (2.6 - 4.3) | 4,275 | 4.5 | (3.4 - 6.0) | 2,049 | 1.8 | (1.3 - 2.6) | 2,192 |
| Age | | | | | | | | | |
| 15 or younger | 3.4 | (2.5 - 4.7) | 2,051 | 4.3 | (2.7 - 7.0) | 972 | 1.8 | (1.1 - 2.9) | 1,061 |
| 16 or 17 | 2.7 | (1.8 - 4.2) | 2,017 | 3.6 | (2.2 - 5.7) | 965 | 1.8 | (1.0 - 3.1) | 1,047 |
| 18 or older | 9.1 | (5.8 - 13.9) | 190 | 14.0 | (8.8 - 21.4) | 108 | - | - | 81 |
| Grade | | | | | | | | | |
| 9th | 3.4 | (2.3 - 5.0) | 1,149 | 4.4 | (2.6 - 7.6) | 547 | 2.4 | (1.4 - 4.1) | 595 |
| 10th | 2.5 | (1.6 - 3.8) | 1,017 | 3.6 | (2.2 - 5.8) | 495 | 0.6 | (0.3 - 1.2) | 516 |
| 11th | 2.6 | (1.6 - 4.2) | 1,098 | 3.6 | (2.0 - 6.5) | 545 | 1.5 | (0.6 - 3.5) | 548 |
| 12th | 4.2 | (2.7 - 6.6) | 953 | 6.0 | (3.9 - 9.2) | 432 | 2.1 | (1.0 - 4.4) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.2 | (2.1 - 4.7) | 789 | 4.7 | (3.4 - 6.4) | 374 | 1.7 | (0.7 - 4.1) | 414 |
| Hispanic/Latino | 4.8 | (3.7 - 6.3) | 995 | 6.5 | (4.3 - 9.6) | 455 | 2.6 | (1.7 - 3.9) | 531 |
| White* | 2.2 | (1.3 - 3.5) | 1,387 | 3.5 | (2.1 - 5.8) | 697 | 0.6 | (0.3 - 1.6) | 684 |
| All other races* | 1.5 | (0.9 - 2.5) | 740 | 1.2 | (0.6 - 2.7) | 359 | 1.7 | (0.7 - 4.0) | 380 |
| Multiple races* | 2.8 | (1.1 - 7.2) | 213 | - | - | 87 | 0.8 | (0.1 - 5.3) | 126 |

Note: 181 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.1 | (6.2 - 8.0) | 4,400 | 8.9 | (7.7 - 10.4) | 2,111 | 5.0 | (4.0 - 6.2) | 2,253 |
| Age | | | | | | | | | |
| 15 or younger | 4.8 | (4.0 - 5.9) | 2,117 | 5.8 | (4.0 - 8.2) | 1,003 | 3.6 | (2.5 - 5.1) | 1,094 |
| 16 or 17 | 8.6 | (7.3 - 10.0) | 2,067 | 11.2 | (9.4 - 13.3) | 991 | 5.9 | (4.6 - 7.6) | 1,071 |
| 18 or older | 17.6 | (12.7 - 24.0) | 199 | 21.4 | (14.3 - 30.7) | 113 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 4.9 | (4.0 - 6.0) | 1,183 | 6.4 | (4.7 - 8.6) | 566 | 3.4 | (2.1 - 5.5) | 610 |
| 10th | 4.3 | (3.3 - 5.5) | 1,050 | 5.6 | (4.1 - 7.7) | 507 | 2.5 | (1.3 - 4.5) | 536 |
| 11th | 7.0 | (5.4 - 8.9) | 1,121 | 8.8 | (6.4 - 11.9) | 557 | 5.2 | (3.6 - 7.6) | 559 |
| 12th | 12.7 | (9.3 - 17.2) | 986 | 16.4 | (12.1 - 21.8) | 451 | 8.9 | (6.2 - 12.7) | 532 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.8 | (5.8 - 10.3) | 825 | 9.7 | (7.1 - 13.0) | 395 | 5.8 | (3.9 - 8.7) | 429 |
| Hispanic/Latino | 8.0 | (6.4 - 9.9) | 1,039 | 9.6 | (7.1 - 12.9) | 472 | 6.1 | (4.1 - 8.9) | 557 |
| White* | 6.8 | (5.6 - 8.3) | 1,406 | 9.1 | (7.5 - 11.0) | 707 | 4.4 | (3.0 - 6.4) | 693 |
| All other races* | 3.3 | (2.3 - 4.7) | 755 | 3.6 | (2.6 - 5.1) | 366 | 2.9 | (1.8 - 4.7) | 388 |
| Multiple races* | 6.1 | (3.3 - 10.9) | 218 | - | - | 91 | 3.9 | (1.3 - 11.2) | 127 |

Note: 56 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN39: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-------|---------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 34.8 | (32.9 - 36.8) | 4,280 | 36.0 | (33.4 - 38.6) | 2,045 | 33.7 | (30.9 - 36.7) | 2,210 |
| Age | | | | | | | | | |
| 15 or younger | 28.2 | (25.8 - 30.8) | 2,044 | 29.5 | (26.3 - 33.1) | 967 | 26.9 | (24.7 - 29.3) | 1,066 |
| 16 or 17 | 41.7 | (38.3 - 45.2) | 2,031 | 42.6 | (37.4 - 47.9) | 967 | 40.9 | (36.9 - 44.9) | 1,060 |
| 18 or older | 41.4 | (32.8 - 50.6) | 189 | 44.2 | (34.9 - 53.9) | 107 | - | - | 81 |
| Grade | | | | | | | | | |
| 9th | 25.6 | (22.5 - 28.9) | 1,142 | 27.7 | (23.4 - 32.5) | 541 | 23.4 | (20.1 - 27.0) | 595 |
| 10th | 32.6 | (29.2 - 36.1) | 1,017 | 33.8 | (28.9 - 39.1) | 492 | 31.2 | (27.2 - 35.5) | 522 |
| 11th | 37.6 | (34.7 - 40.6) | 1,105 | 36.0 | (30.5 - 41.8) | 542 | 39.1 | (33.5 - 45.1) | 559 |
| 12th | 46.1 | (40.9 - 51.3) | 961 | 50.1 | (45.2 - 55.0) | 442 | 42.2 | (36.2 - 48.5) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 37.7 | (34.0 - 41.5) | 796 | 38.5 | (32.9 - 44.5) | 375 | 36.9 | (32.8 - 41.2) | 421 |
| Hispanic/Latino | 43.8 | (41.6 - 46.1) | 1,012 | 44.3 | (40.1 - 48.6) | 458 | 43.6 | (39.6 - 47.7) | 549 |
| White* | 32.4 | (30.1 - 34.7) | 1,377 | 35.2 | (31.1 - 39.6) | 692 | 29.4 | (26.1 - 33.0) | 680 |
| All other races* | 19.4 | (15.5 - 23.9) | 744 | 20.8 | (16.1 - 26.4) | 362 | 17.9 | (14.1 - 22.4) | 381 |
| Multiple races* | 34.9 | (31.1 - 39.0) | 214 | - | - | 89 | 36.3 | (31.7 - 41.1) | 125 |

Note: 176 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN40: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.0 | (15.7 - 18.5) | 4,288 | 17.8 | (16.1 - 19.5) | 2,043 | 16.0 | (14.2 - 18.1) | 2,214 |
| 15 or younger | 13.5 | (12.2 - 14.9) | 2,052 | 14.4 | (12.2 - 16.9) | 967 | 12.1 | (10.5 - 13.9) | 1,069 |
| 16 or 17 | 20.2 | (17.7 - 23.1) | 2,027 | 20.6 | (16.9 - 24.8) | 964 | 19.8 | (17.0 - 22.9) | 1,058 |
| 18 or older | 25.7 | (18.9 - 33.9) | 193 | 27.3 | (17.9 - 39.3) | 108 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 11.9 | (9.6 - 14.7) | 1,142 | 13.6 | (10.3 - 17.8) | 538 | 10.3 | (7.9 - 13.3) | 598 |
| 10th | 16.2 | (14.5 - 18.2) | 1,022 | 17.2 | (14.3 - 20.6) | 492 | 14.6 | (12.8 - 16.5) | 524 |
| 11th | 18.0 | (15.6 - 20.6) | 1,101 | 17.6 | (13.0 - 23.3) | 543 | 18.3 | (14.5 - 22.8) | 554 |
| 12th | 23.2 | (19.4 - 27.5) | 967 | 24.2 | (20.0 - 29.0) | 441 | 22.0 | (16.8 - 28.3) | 523 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 16.5 | (13.1 - 20.6) | 793 | 16.6 | (12.3 - 22.0) | 374 | 16.4 | (13.2 - 20.3) | 419 |
| Hispanic/Latino | 21.2 | (19.1 - 23.5) | 1,012 | 21.7 | (19.0 - 24.6) | 456 | 20.2 | (18.0 - 22.6) | 547 |
| White* | 17.0 | (14.0 - 20.4) | 1,381 | 18.1 | (14.4 - 22.4) | 693 | 15.9 | (12.9 - 19.5) | 683 |
| All other races* | 8.0 | (5.6 - 11.4) | 744 | 9.0 | (5.7 - 14.2) | 360 | 7.0 | (4.6 - 10.6) | 383 |
| Multiple races* | 16.9 | (13.3 - 21.2) | 213 | - | - | 88 | 15.4 | (9.7 - 23.7) | 125 |

Note: 168 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNTOB4: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.4 | (20.8 - 24.0) | 4,205 | 23.9 | (22.4 - 25.6) | 2,004 | 20.5 | (17.9 - 23.2) | 2,167 |
| Age | | | | | | | | | |
| 15 or younger | 17.3 | (15.7 - 19.1) | 2,015 | 18.6 | (15.6 - 22.1) | 947 | 15.3 | (13.4 - 17.5) | 1,049 |
| 16 or 17 | 26.7 | (24.0 - 29.5) | 1,982 | 28.0 | (24.3 - 32.0) | 944 | 25.3 | (21.4 - 29.7) | 1,033 |
| 18 or older | 37.0 | (30.1 - 44.5) | 192 | 41.7 | (34.6 - 49.2) | 109 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 16.0 | (13.4 - 19.0) | 1,125 | 18.4 | (14.1 - 23.7) | 531 | 13.6 | (11.2 - 16.4) | 588 |
| 10th | 19.7 | (17.4 - 22.2) | 995 | 21.7 | (18.2 - 25.6) | 480 | 17.1 | (14.5 - 20.0) | 509 |
| 11th | 23.5 | (20.8 - 26.5) | 1,085 | 23.4 | (18.3 - 29.5) | 537 | 23.5 | (18.0 - 30.0) | 543 |
| 12th | 31.9 | (26.7 - 37.6) | 941 | 34.6 | (30.4 - 39.2) | 426 | 29.1 | (22.1 - 37.3) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.2 | (18.7 - 26.1) | 764 | 24.5 | (19.9 - 29.7) | 356 | 20.0 | (16.5 - 24.0) | 408 |
| Hispanic/Latino | 27.6 | (24.9 - 30.5) | 975 | 28.4 | (24.9 - 32.3) | 439 | 26.0 | (22.5 - 29.9) | 525 |
| White* | 22.4 | (20.1 - 24.8) | 1,368 | 24.4 | (21.6 - 27.5) | 689 | 20.3 | (16.8 - 24.3) | 674 |
| All other races* | 10.6 | (7.6 - 14.5) | 737 | 11.4 | (8.0 - 16.1) | 357 | 9.7 | (6.3 - 14.6) | 379 |
| Multiple races* | 22.1 | (18.6 - 26.0) | 212 | - | - | 88 | 20.6 | (13.5 - 30.2) | 124 |

Note: 251 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QNTOB3: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.1 | (9.6 - 12.8) | 4,231 | 13.1 | (11.4 - 14.9) | 2,023 | 8.6 | (6.6 - 11.3) | 2,173 |
| Age | | | | | | | | | |
| 15 or younger | 8.0 | (6.4 - 9.8) | 2,048 | 8.8 | (6.4 - 12.1) | 968 | 6.2 | (4.4 - 8.8) | 1,060 |
| 16 or 17 | 13.2 | (11.1 - 15.6) | 1,979 | 16.1 | (13.4 - 19.2) | 946 | 10.4 | (7.7 - 13.8) | 1,029 |
| 18 or older | 26.0 | (19.8 - 33.4) | 187 | 30.0 | (22.0 - 39.4) | 105 | - | - | 81 |
| Grade | | | | | | | | | |
| 9th | 7.5 | (5.9 - 9.5) | 1,149 | 9.5 | (6.7 - 13.3) | 548 | 5.5 | (3.7 - 8.3) | 594 |
| 10th | 8.0 | (6.0 - 10.5) | 1,004 | 9.8 | (7.6 - 12.7) | 486 | 5.3 | (3.4 - 8.0) | 512 |
| 11th | 11.2 | (9.2 - 13.7) | 1,082 | 12.9 | (9.7 - 17.1) | 535 | 9.4 | (6.1 - 14.2) | 543 |
| 12th | 18.4 | (13.5 - 24.6) | 936 | 21.8 | (16.5 - 28.3) | 424 | 14.8 | (10.0 - 21.4) | 509 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.3 | (7.6 - 13.9) | 774 | 12.7 | (9.4 - 16.8) | 367 | 8.0 | (5.2 - 12.2) | 406 |
| Hispanic/Latino | 13.7 | (11.5 - 16.2) | 970 | 15.4 | (12.8 - 18.4) | 439 | 11.1 | (8.2 - 14.9) | 521 |
| White* | 11.2 | (9.1 - 13.7) | 1,379 | 13.8 | (11.2 - 16.9) | 693 | 8.4 | (5.6 - 12.5) | 681 |
| All other races* | 5.0 | (3.5 - 7.0) | 743 | 5.1 | (3.6 - 7.1) | 358 | 4.9 | (2.9 - 8.2) | 384 |
| Multiple races* | 9.3 | (5.5 - 15.2) | 212 | - | - | 87 | 7.8 | (4.0 - 15.0) | 125 |

Note: 225 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNTOB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.1 | (8.8 - 11.6) | 4,329 | 11.9 | (10.4 - 13.6) | 2,072 | 8.1 | (6.2 - 10.4) | 2,225 |
| Age | | | | | | | | | |
| 15 or younger | 7.0 | (5.8 - 8.5) | 2,097 | 7.7 | (5.5 - 10.5) | 993 | 5.9 | (4.1 - 8.2) | 1,087 |
| 16 or 17 | 12.3 | (10.3 - 14.7) | 2,023 | 15.1 | (12.5 - 18.2) | 968 | 9.6 | (7.1 - 12.7) | 1,051 |
| 18 or older | 24.3 | (18.3 - 31.5) | 192 | 27.5 | (20.2 - 36.3) | 107 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 6.7 | (5.4 - 8.4) | 1,175 | 8.3 | (5.9 - 11.5) | 563 | 5.1 | (3.5 - 7.4) | 605 |
| 10th | 6.9 | (5.5 - 8.6) | 1,032 | 8.3 | (6.5 - 10.6) | 496 | 5.0 | (3.3 - 7.7) | 532 |
| 11th | 10.7 | (8.7 - 13.0) | 1,104 | 12.4 | (9.3 - 16.3) | 546 | 8.8 | (5.6 - 13.5) | 554 |
| 12th | 17.2 | (12.7 - 22.8) | 960 | 20.4 | (15.5 - 26.4) | 438 | 13.8 | (9.5 - 19.5) | 519 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.6 | (7.1 - 13.0) | 808 | 11.7 | (8.8 - 15.5) | 387 | 7.5 | (4.8 - 11.6) | 420 |
| Hispanic/Latino | 12.2 | (10.1 - 14.7) | 1,008 | 13.5 | (10.7 - 16.9) | 454 | 10.3 | (7.8 - 13.5) | 545 |
| White* | 10.3 | (8.5 - 12.4) | 1,393 | 12.5 | (10.3 - 15.1) | 699 | 7.9 | (5.3 - 11.6) | 689 |
| All other races* | 4.7 | (3.3 - 6.6) | 753 | 4.8 | (3.3 - 6.9) | 363 | 4.6 | (2.7 - 7.8) | 389 |
| Multiple races* | 8.7 | (5.2 - 14.3) | 216 | - | - | 90 | 7.8 | (4.0 - 14.8) | 126 |

Note: 127 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNNOTOB4: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.9 | (79.3 - 82.3) | 4,046 | 79.9 | (78.4 - 81.4) | 1,909 | 81.7 | (79.0 - 84.2) | 2,113 |
| Age | | | | | | | | | |
| 15 or younger | 85.6 | (84.1 - 87.0) | 1,950 | 84.4 | (81.4 - 87.0) | 914 | 86.9 | (84.9 - 88.7) | 1,025 |
| 16 or 17 | 76.2 | (73.4 - 78.7) | 1,913 | 75.9 | (72.1 - 79.3) | 899 | 76.4 | (72.0 - 80.3) | 1,011 |
| 18 or older | 72.1 | (64.3 - 78.7) | 167 | - | - | 92 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 87.2 | (84.3 - 89.7) | 1,089 | 85.5 | (80.3 - 89.4) | 509 | 88.9 | (86.8 - 90.6) | 574 |
| 10th | 82.6 | (80.3 - 84.8) | 970 | 81.0 | (77.2 - 84.2) | 466 | 84.5 | (81.8 - 86.9) | 501 |
| 11th | 79.2 | (76.4 - 81.6) | 1,048 | 80.5 | (74.9 - 85.1) | 510 | 77.8 | (71.6 - 83.0) | 535 |
| 12th | 72.4 | (67.2 - 77.0) | 886 | 70.4 | (66.7 - 73.9) | 396 | 74.2 | (66.3 - 80.8) | 489 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 81.6 | (77.2 - 85.3) | 731 | 80.3 | (74.3 - 85.3) | 336 | 82.8 | (78.7 - 86.2) | 395 |
| Hispanic/Latino | 76.9 | (74.3 - 79.2) | 919 | 75.9 | (72.2 - 79.4) | 414 | 77.7 | (74.1 - 80.9) | 500 |
| White* | 79.5 | (77.0 - 81.8) | 1,338 | 78.5 | (75.4 - 81.3) | 664 | 80.4 | (76.2 - 84.0) | 669 |
| All other races* | 91.0 | (87.9 - 93.4) | 721 | 90.5 | (86.5 - 93.4) | 347 | 91.5 | (87.4 - 94.4) | 373 |
| Multiple races* | 79.9 | (75.7 - 83.6) | 207 | - | - | 84 | 80.0 | (69.8 - 87.4) | 123 |

Note: 410 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNNOTOB3: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 90.8 | (89.3 - 92.2) | 4,146 | 89.4 | (87.5 - 91.0) | 1,968 | 92.3 | (90.0 - 94.2) | 2,151 |
| Age | | | | | | | | | |
| 15 or younger | 94.0 | (92.3 - 95.3) | 2,008 | 93.2 | (89.9 - 95.5) | 947 | 95.0 | (92.6 - 96.6) | 1,048 |
| 16 or 17 | 88.2 | (85.7 - 90.4) | 1,949 | 86.3 | (83.3 - 88.8) | 922 | 90.1 | (86.4 - 92.8) | 1,024 |
| 18 or older | 79.8 | (73.8 - 84.8) | 172 | - | - | 95 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 94.3 | (92.3 - 95.8) | 1,129 | 92.8 | (89.2 - 95.3) | 535 | 95.8 | (93.8 - 97.2) | 587 |
| 10th | 93.2 | (91.1 - 94.8) | 993 | 91.6 | (89.2 - 93.6) | 479 | 95.0 | (92.3 - 96.8) | 511 |
| 11th | 90.1 | (87.7 - 92.1) | 1,066 | 89.4 | (85.7 - 92.2) | 521 | 90.9 | (86.5 - 94.0) | 541 |
| 12th | 84.6 | (78.7 - 89.1) | 903 | 82.1 | (76.5 - 86.6) | 404 | 87.0 | (80.0 - 91.7) | 498 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 91.6 | (87.4 - 94.5) | 759 | 90.2 | (85.0 - 93.7) | 356 | 93.0 | (88.5 - 95.8) | 402 |
| Hispanic/Latino | 88.4 | (86.0 - 90.5) | 948 | 86.8 | (83.7 - 89.4) | 428 | 90.1 | (86.6 - 92.8) | 514 |
| White* | 90.2 | (87.8 - 92.2) | 1,358 | 88.4 | (85.6 - 90.8) | 675 | 92.1 | (88.0 - 94.9) | 678 |
| All other races* | 96.1 | (94.7 - 97.1) | 732 | 96.1 | (94.2 - 97.4) | 352 | 96.1 | (93.6 - 97.7) | 379 |
| Multiple races* | 91.8 | (86.3 - 95.2) | 210 | - | - | 85 | 92.2 | (85.0 - 96.0) | 125 |

Note: 310 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNNOTOB2: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 91.2 | (89.8 - 92.4) | 4,271 | 90.0 | (88.5 - 91.3) | 2,030 | 92.5 | (90.4 - 94.2) | 2,212 |
| Age | | | | | | | | | |
| 15 or younger | 94.1 | (92.6 - 95.3) | 2,075 | 93.6 | (91.0 - 95.5) | 980 | 94.8 | (92.6 - 96.4) | 1,080 |
| 16 or 17 | 88.9 | (86.5 - 90.8) | 1,999 | 87.0 | (84.1 - 89.4) | 947 | 90.6 | (87.3 - 93.2) | 1,049 |
| 18 or older | 80.3 | (74.7 - 84.9) | 180 | - | - | 99 | - | - | 80 |
| Grade | | | | | | | | | |
| 9th | 94.4 | (93.0 - 95.6) | 1,163 | 93.3 | (90.8 - 95.2) | 554 | 95.5 | (93.8 - 96.8) | 602 |
| 10th | 93.6 | (91.7 - 95.1) | 1,028 | 92.4 | (90.2 - 94.1) | 493 | 95.2 | (92.5 - 97.0) | 531 |
| 11th | 90.4 | (88.1 - 92.3) | 1,091 | 89.5 | (85.9 - 92.3) | 534 | 91.4 | (87.1 - 94.3) | 553 |
| 12th | 85.3 | (80.0 - 89.4) | 933 | 83.1 | (77.8 - 87.3) | 420 | 87.4 | (81.4 - 91.7) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 92.0 | (87.9 - 94.8) | 795 | 91.0 | (86.3 - 94.3) | 376 | 92.9 | (88.4 - 95.8) | 418 |
| Hispanic/Latino | 89.1 | (86.9 - 91.1) | 993 | 87.9 | (84.8 - 90.5) | 447 | 90.7 | (87.6 - 93.1) | 539 |
| White* | 90.8 | (88.6 - 92.5) | 1,378 | 89.1 | (86.6 - 91.2) | 686 | 92.5 | (88.8 - 95.0) | 687 |
| All other races* | 96.0 | (94.4 - 97.1) | 746 | 96.1 | (94.3 - 97.4) | 358 | 95.8 | (92.9 - 97.5) | 387 |
| Multiple races* | 91.8 | (86.1 - 95.3) | 215 | - | - | 89 | 92.2 | (85.2 - 96.0) | 126 |

Note: 185 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN41: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 50.2 | (47.9 - 52.5) | 4,221 | 47.5 | (44.8 - 50.3) | 2,012 | 53.0 | (50.4 - 55.5) | 2,179 |
| Age | | | | | | | | | |
| 15 or younger | 39.2 | (37.4 - 41.1) | 2,032 | 36.7 | (34.1 - 39.4) | 958 | 41.5 | (39.1 - 43.9) | 1,059 |
| 16 or 17 | 61.4 | (58.5 - 64.3) | 1,994 | 58.3 | (53.6 - 62.9) | 949 | 64.5 | (61.0 - 67.8) | 1,040 |
| 18 or older | 66.3 | (58.6 - 73.2) | 181 | 64.3 | (50.3 - 76.2) | 102 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 33.5 | (30.7 - 36.5) | 1,136 | 32.3 | (27.9 - 37.0) | 537 | 34.8 | (31.9 - 37.8) | 592 |
| 10th | 47.9 | (45.6 - 50.2) | 1,001 | 44.8 | (42.0 - 47.5) | 478 | 50.7 | (47.1 - 54.3) | 518 |
| 11th | 57.5 | (54.1 - 60.8) | 1,081 | 52.7 | (47.1 - 58.3) | 533 | 62.3 | (58.5 - 65.9) | 545 |
| 12th | 66.8 | (63.5 - 70.0) | 949 | 65.4 | (61.3 - 69.3) | 436 | 68.2 | (63.3 - 72.7) | 510 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 45.1 | (40.8 - 49.4) | 779 | 38.9 | (32.8 - 45.4) | 370 | 51.4 | (48.6 - 54.1) | 408 |
| Hispanic/Latino | 55.0 | (51.2 - 58.6) | 980 | 50.8 | (46.6 - 54.9) | 439 | 58.7 | (54.8 - 62.4) | 533 |
| White* | 55.3 | (51.8 - 58.8) | 1,372 | 55.3 | (50.7 - 59.9) | 690 | 55.4 | (50.3 - 60.4) | 676 |
| All other races* | 36.7 | (33.3 - 40.3) | 743 | 35.9 | (31.1 - 41.0) | 361 | 37.7 | (34.0 - 41.6) | 381 |
| Multiple races* | 51.9 | (46.5 - 57.3) | 212 | - | - | 87 | 60.9 | (53.6 - 67.8) | 125 |

Note: 235 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN42: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.0 | (14.1 - 15.9) | 4,287 | 16.1 | (14.7 - 17.5) | 2,054 | 13.7 | (12.4 - 15.1) | 2,203 |
| Age | | | | | | | | | |
| 15 or younger | 16.5 | (15.6 - 17.5) | 2,059 | 16.7 | (14.9 - 18.6) | 973 | 16.0 | (14.1 - 18.0) | 1,071 |
| 16 or 17 | 13.4 | (12.0 - 14.9) | 2,020 | 15.2 | (13.4 - 17.1) | 966 | 11.6 | (10.1 - 13.4) | 1,049 |
| 18 or older | 14.3 | (9.5 - 21.0) | 192 | 18.1 | (11.2 - 28.0) | 111 | - | - | 80 |
| Grade | | | | | | | | | |
| 9th | 17.2 | (15.8 - 18.7) | 1,153 | 16.9 | (14.4 - 19.7) | 547 | 17.5 | (14.9 - 20.5) | 600 |
| 10th | 15.1 | (12.9 - 17.5) | 1,020 | 17.2 | (13.9 - 21.1) | 488 | 12.5 | (10.7 - 14.6) | 525 |
| 11th | 12.6 | (11.2 - 14.2) | 1,094 | 13.9 | (12.4 - 15.4) | 541 | 11.3 | (9.2 - 13.7) | 550 |
| 12th | 13.8 | (11.5 - 16.4) | 966 | 15.1 | (11.0 - 20.4) | 448 | 12.3 | (10.1 - 14.8) | 515 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 15.5 | (13.4 - 17.9) | 798 | 15.9 | (13.2 - 19.0) | 379 | 14.9 | (12.2 - 18.1) | 418 |
| Hispanic/Latino | 21.0 | (19.2 - 22.9) | 1,008 | 23.5 | (19.4 - 28.2) | 458 | 18.0 | (16.0 - 20.1) | 541 |
| White* | 11.2 | (9.9 - 12.5) | 1,390 | 12.5 | (10.4 - 14.9) | 700 | 9.8 | (7.1 - 13.4) | 685 |
| All other races* | 10.2 | (8.0 - 12.9) | 744 | 10.7 | (8.0 - 14.1) | 363 | 9.7 | (7.4 - 12.7) | 380 |
| Multiple races* | 15.3 | (11.7 - 19.8) | 212 | - | - | 85 | 16.3 | (11.9 - 22.0) | 127 |

Note: 169 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN43: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.7 | (22.2 - 27.4) | 4,074 | 21.8 | (19.4 - 24.4) | 1,940 | 27.7 | (24.4 - 31.2) | 2,104 |
| Age | | | | | | | | | |
| 15 or younger | 16.6 | (14.8 - 18.7) | 1,983 | 13.6 | (11.3 - 16.3) | 934 | 19.5 | (17.0 - 22.2) | 1,034 |
| 16 or 17 | 33.3 | (29.3 - 37.7) | 1,907 | 30.4 | (26.3 - 34.8) | 909 | 36.1 | (31.1 - 41.4) | 993 |
| 18 or older | 35.3 | (30.2 - 40.6) | 168 | - | - | 93 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 12.2 | (9.1 - 16.1) | 1,108 | 10.3 | (6.5 - 16.0) | 524 | 14.0 | (11.0 - 17.7) | 577 |
| 10th | 22.5 | (20.3 - 24.9) | 971 | 19.5 | (17.3 - 22.0) | 464 | 25.5 | (22.1 - 29.1) | 503 |
| 11th | 30.4 | (26.8 - 34.2) | 1,044 | 25.1 | (21.3 - 29.4) | 515 | 35.5 | (30.7 - 40.6) | 526 |
| 12th | 38.0 | (32.6 - 43.7) | 898 | 37.4 | (30.9 - 44.3) | 411 | 38.5 | (32.3 - 45.0) | 484 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.7 | (14.8 - 20.9) | 731 | 11.6 | (8.4 - 15.7) | 351 | 23.9 | (20.5 - 27.7) | 379 |
| Hispanic/Latino | 26.0 | (24.4 - 27.6) | 943 | 22.5 | (20.3 - 24.9) | 425 | 29.0 | (26.3 - 31.8) | 511 |
| White* | 32.0 | (27.5 - 36.9) | 1,340 | 30.5 | (26.8 - 34.5) | 669 | 34.1 | (27.9 - 40.8) | 665 |
| All other races* | 14.7 | (10.8 - 19.5) | 726 | 12.9 | (10.0 - 16.6) | 350 | 16.5 | (10.9 - 24.2) | 375 |
| Multiple races* | 26.9 | (20.9 - 33.9) | 207 | - | - | 82 | 29.2 | (22.4 - 37.0) | 125 |

Note: 382 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN44: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.5 | (9.9 - 13.3) | 4,265 | 11.2 | (9.5 - 13.1) | 2,029 | 11.8 | (9.6 - 14.4) | 2,206 |
| Age | | | | | | | | | |
| 15 or younger | 6.5 | (5.6 - 7.6) | 2,048 | 5.5 | (4.2 - 7.2) | 963 | 7.3 | (5.9 - 9.0) | 1,070 |
| 16 or 17 | 16.3 | (13.2 - 19.9) | 2,016 | 16.6 | (13.1 - 20.8) | 957 | 15.9 | (12.0 - 20.8) | 1,054 |
| 18 or older | 22.1 | (16.8 - 28.4) | 185 | 21.3 | (16.1 - 27.6) | 105 | - | - | 79 |
| Grade | | | | | | | | | |
| 9th | 3.8 | (2.8 - 5.2) | 1,143 | 3.8 | (2.2 - 6.4) | 543 | 3.9 | (3.0 - 5.1) | 593 |
| 10th | 10.1 | (8.8 - 11.7) | 1,016 | 9.2 | (7.6 - 11.2) | 483 | 10.9 | (8.7 - 13.5) | 528 |
| 11th | 14.0 | (11.1 - 17.6) | 1,094 | 13.3 | (9.9 - 17.6) | 538 | 14.7 | (10.3 - 20.4) | 553 |
| 12th | 20.5 | (16.3 - 25.3) | 957 | 21.8 | (16.8 - 27.8) | 437 | 19.1 | (14.4 - 24.8) | 517 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.4 | (5.6 - 9.6) | 787 | 5.4 | (3.8 - 7.6) | 372 | 9.3 | (6.6 - 13.1) | 414 |
| Hispanic/Latino | 11.2 | (10.1 - 12.4) | 1,003 | 10.7 | (9.0 - 12.7) | 451 | 11.4 | (9.1 - 14.2) | 544 |
| White* | 17.0 | (14.0 - 20.6) | 1,382 | 17.3 | (14.5 - 20.5) | 693 | 17.0 | (12.3 - 22.9) | 683 |
| All other races* | 5.2 | (3.6 - 7.4) | 747 | 4.3 | (2.4 - 7.8) | 362 | 6.2 | (3.8 - 9.9) | 384 |
| Multiple races* | 11.5 | (7.8 - 16.5) | 210 | - | - | 86 | 11.0 | (6.2 - 18.8) | 124 |

Note: 191 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN46: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 49.6 | (47.9 - 51.4) | 1,008 | 43.2 | (39.4 - 47.1) | 429 | 55.0 | (50.6 - 59.3) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 50.1 | (47.0 - 53.2) | 326 | 47.7 | (40.7 - 54.8) | 128 | 52.8 | (45.3 - 60.2) | 194 |
| 16 or 17 | 49.6 | (47.4 - 51.7) | 622 | 40.7 | (35.5 - 46.1) | 270 | 56.7 | (52.2 - 61.1) | 349 |
| 18 or older | - | - | 60 | - | - | 31 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 52.6 | (44.0 - 61.0) | 131 | - | - | 51 | - | - | 78 |
| 10th | 47.3 | (41.2 - 53.5) | 216 | - | - | 93 | 49.4 | (42.9 - 56.0) | 122 |
| 11th | 47.6 | (42.4 - 52.8) | 306 | 41.5 | (33.7 - 49.8) | 127 | 51.4 | (44.7 - 58.1) | 178 |
| 12th | 51.7 | (49.0 - 54.5) | 341 | 40.7 | (33.3 - 48.5) | 154 | 62.8 | (55.9 - 69.3) | 185 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 43.8 | (34.1 - 54.0) | 127 | - | - | 41 | - | - | 86 |
| Hispanic/Latino | 48.9 | (44.4 - 53.4) | 244 | - | - | 97 | 53.5 | (43.8 - 63.0) | 145 |
| White* | 53.6 | (49.7 - 57.4) | 433 | 44.4 | (38.7 - 50.2) | 207 | 62.7 | (54.4 - 70.2) | 226 |
| All other races* | 51.0 | (42.3 - 59.6) | 110 | - | - | 47 | - | - | 63 |
| Multiple races* | - | - | 56 | - | - | 20 | - | - | 36 |

Note: 3,448 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN47: Percentage of students who ever used marijuana (one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 28.4 | (26.4 - 30.6) | 4,236 | 29.5 | (27.4 - 31.7) | 2,018 | 27.5 | (24.1 - 31.1) | 2,190 |
| Age | | | | | | | | | |
| 15 or younger | 17.1 | (14.9 - 19.5) | 2,036 | 18.0 | (15.5 - 20.7) | 958 | 16.2 | (13.4 - 19.3) | 1,064 |
| 16 or 17 | 39.9 | (37.3 - 42.7) | 2,002 | 41.1 | (37.3 - 45.1) | 950 | 38.7 | (34.7 - 42.9) | 1,048 |
| 18 or older | 44.2 | (37.0 - 51.6) | 184 | 44.8 | (35.3 - 54.7) | 107 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 12.6 | (10.4 - 15.2) | 1,135 | 14.3 | (12.0 - 17.0) | 537 | 10.7 | (8.0 - 14.2) | 591 |
| 10th | 23.9 | (20.0 - 28.2) | 1,014 | 25.8 | (21.1 - 31.2) | 486 | 21.8 | (18.1 - 26.1) | 524 |
| 11th | 35.3 | (32.6 - 38.2) | 1,090 | 35.0 | (30.2 - 40.1) | 537 | 35.6 | (29.9 - 41.6) | 549 |
| 12th | 47.0 | (42.5 - 51.5) | 947 | 49.0 | (43.4 - 54.6) | 433 | 45.1 | (39.2 - 51.3) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 31.5 | (27.7 - 35.6) | 778 | 32.4 | (26.2 - 39.2) | 365 | 30.7 | (26.1 - 35.8) | 412 |
| Hispanic/Latino | 35.2 | (32.4 - 38.2) | 986 | 35.2 | (31.4 - 39.1) | 448 | 35.6 | (32.2 - 39.2) | 531 |
| White* | 27.5 | (25.0 - 30.1) | 1,379 | 29.6 | (26.3 - 33.1) | 690 | 25.3 | (20.3 - 31.2) | 684 |
| All other races* | 14.0 | (10.3 - 18.7) | 741 | 16.0 | (11.9 - 21.0) | 361 | 12.0 | (8.3 - 17.0) | 379 |
| Multiple races* | 28.0 | (23.2 - 33.4) | 213 | - | - | 87 | 27.0 | (20.3 - 35.0) | 126 |

Note: 220 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN48: Percentage of students who tried marijuana before age 13 years (for the first time)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.3 | (4.2 - 6.5) | 4,273 | 6.5 | (5.2 - 8.0) | 2,034 | 3.9 | (3.0 - 5.2) | 2,208 |
| Age | | | | | | | | | |
| 15 or younger | 5.2 | (4.0 - 6.7) | 2,050 | 6.2 | (4.8 - 7.9) | 966 | 4.0 | (2.9 - 5.6) | 1,068 |
| 16 or 17 | 5.0 | (3.9 - 6.4) | 2,018 | 6.4 | (4.5 - 9.0) | 954 | 3.6 | (2.6 - 5.0) | 1,060 |
| 18 or older | 8.9 | (6.7 - 11.7) | 188 | 10.2 | (7.2 - 14.3) | 110 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 5.6 | (4.0 - 7.8) | 1,140 | 6.5 | (4.4 - 9.6) | 538 | 4.7 | (3.0 - 7.2) | 595 |
| 10th | 5.1 | (4.0 - 6.6) | 1,024 | 6.8 | (5.0 - 9.3) | 492 | 3.2 | (2.5 - 4.1) | 527 |
| 11th | 4.7 | (3.3 - 6.5) | 1,097 | 5.8 | (3.6 - 9.2) | 539 | 3.6 | (2.5 - 5.3) | 554 |
| 12th | 5.3 | (3.6 - 7.7) | 960 | 6.9 | (4.7 - 10.1) | 439 | 3.5 | (2.0 - 6.2) | 519 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.9 | (4.9 - 9.7) | 790 | 8.6 | (5.5 - 13.1) | 369 | 5.4 | (4.0 - 7.3) | 420 |
| Hispanic/Latino | 8.3 | (6.2 - 11.1) | 999 | 11.1 | (8.1 - 15.1) | 457 | 5.6 | (3.6 - 8.7) | 534 |
| White* | 3.0 | (2.2 - 4.0) | 1,383 | 3.3 | (2.1 - 5.2) | 690 | 2.6 | (1.5 - 4.5) | 688 |
| All other races* | 1.9 | (1.2 - 3.0) | 746 | 2.4 | (1.2 - 4.7) | 364 | 1.3 | (0.6 - 2.9) | 381 |
| Multiple races* | 5.0 | (2.3 - 10.5) | 213 | - | - | 86 | 1.7 | (0.4 - 7.4) | 127 |

Note: 183 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN49: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.8 | (15.2 - 18.7) | 4,245 | 19.1 | (16.9 - 21.5) | 2,024 | 14.7 | (12.9 - 16.7) | 2,192 |
| Age | | | | | | | | | |
| 15 or younger | 10.5 | (9.2 - 12.0) | 2,042 | 12.0 | (10.2 - 14.0) | 962 | 9.1 | (7.3 - 11.2) | 1,065 |
| 16 or 17 | 22.9 | (20.6 - 25.4) | 2,002 | 25.7 | (22.3 - 29.6) | 950 | 20.1 | (17.9 - 22.6) | 1,048 |
| 18 or older | 30.1 | (24.2 - 36.8) | 185 | 32.8 | (25.8 - 40.6) | 108 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 6.6 | (5.2 - 8.4) | 1,138 | 8.0 | (6.3 - 10.1) | 539 | 5.3 | (3.7 - 7.4) | 592 |
| 10th | 15.3 | (12.7 - 18.3) | 1,017 | 17.6 | (14.5 - 21.1) | 488 | 13.1 | (10.4 - 16.3) | 524 |
| 11th | 20.6 | (18.4 - 23.0) | 1,089 | 21.5 | (17.4 - 26.2) | 537 | 19.6 | (15.9 - 24.0) | 548 |
| 12th | 27.8 | (23.2 - 32.8) | 949 | 33.1 | (28.1 - 38.5) | 434 | 22.7 | (18.5 - 27.5) | 514 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 18.6 | (13.8 - 24.6) | 781 | 20.1 | (12.6 - 30.6) | 365 | 17.1 | (13.5 - 21.6) | 415 |
| Hispanic/Latino | 19.0 | (17.3 - 21.0) | 993 | 21.1 | (18.9 - 23.4) | 453 | 17.3 | (14.6 - 20.3) | 532 |
| White* | 18.5 | (16.7 - 20.4) | 1,383 | 21.4 | (18.7 - 24.3) | 691 | 15.5 | (12.8 - 18.7) | 686 |
| All other races* | 7.0 | (4.8 - 10.2) | 738 | 8.9 | (6.0 - 13.1) | 361 | 5.0 | (3.0 - 8.3) | 376 |
| Multiple races* | 15.5 | (11.2 - 21.2) | 211 | - | - | 86 | 13.4 | (8.4 - 20.7) | 125 |

Note: 211 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN50: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | (3.6 - 5.5) | 4,324 | 5.3 | (4.2 - 6.7) | 2,067 | 3.3 | (2.4 - 4.4) | 2,223 |
| Age | | | | | | | | | |
| 15 or younger | 3.9 | (3.0 - 5.1) | 2,074 | 4.4 | (3.2 - 6.1) | 977 | 2.6 | (1.7 - 4.0) | 1,077 |
| 16 or 17 | 4.6 | (3.5 - 6.0) | 2,041 | 5.8 | (4.0 - 8.3) | 975 | 3.3 | (2.4 - 4.6) | 1,062 |
| 18 or older | 10.2 | (7.7 - 13.4) | 195 | 9.7 | (5.5 - 16.7) | 112 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 3.6 | (2.8 - 4.6) | 1,159 | 4.1 | (2.9 - 5.7) | 552 | 3.2 | (1.9 - 5.5) | 600 |
| 10th | 3.1 | (1.8 - 5.5) | 1,027 | 4.7 | (3.0 - 7.3) | 491 | 0.9 | (0.3 - 2.8) | 529 |
| 11th | 4.9 | (3.8 - 6.3) | 1,108 | 6.2 | (4.0 - 9.3) | 548 | 3.5 | (2.4 - 5.0) | 556 |
| 12th | 5.7 | (3.9 - 8.2) | 973 | 6.2 | (3.6 - 10.6) | 447 | 5.0 | (3.1 - 7.9) | 524 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.8 | (2.4 - 6.2) | 797 | 5.8 | (3.5 - 9.5) | 376 | 1.9 | (0.9 - 3.7) | 420 |
| Hispanic/Latino | 6.2 | (4.7 - 8.0) | 1,014 | 6.3 | (4.0 - 9.7) | 460 | 5.2 | (3.7 - 7.3) | 544 |
| White* | 3.5 | (2.5 - 4.8) | 1,398 | 4.1 | (3.0 - 5.6) | 702 | 2.8 | (1.6 - 5.0) | 690 |
| All other races* | 2.2 | (1.5 - 3.3) | 752 | 2.4 | (1.7 - 3.3) | 367 | 2.0 | (1.0 - 4.2) | 384 |
| Multiple races* | 3.0 | (1.4 - 6.2) | 215 | - | - | 89 | 1.7 | (0.4 - 7.0) | 126 |

Note: 132 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN51: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.8 | (6.1 - 7.7) | 4,306 | 7.4 | (6.4 - 8.6) | 2,053 | 6.0 | (4.9 - 7.4) | 2,219 |
| Age | | | | | | | | | |
| 15 or younger | 7.1 | (6.2 - 8.2) | 2,066 | 6.9 | (5.5 - 8.5) | 971 | 6.8 | (5.5 - 8.4) | 1,076 |
| 16 or 17 | 6.1 | (4.9 - 7.7) | 2,031 | 7.3 | (5.9 - 9.0) | 967 | 5.0 | (3.3 - 7.3) | 1,059 |
| 18 or older | 11.6 | (7.5 - 17.4) | 195 | 13.8 | (7.3 - 24.4) | 112 | - | - | 82 |
| Grade | | | | | | | | | |
| 9th | 7.3 | (6.0 - 8.7) | 1,152 | 6.9 | (5.3 - 8.9) | 545 | 7.7 | (6.1 - 9.7) | 600 |
| 10th | 6.5 | (4.9 - 8.6) | 1,025 | 7.8 | (5.6 - 10.7) | 491 | 4.8 | (3.1 - 7.4) | 527 |
| 11th | 6.1 | (4.7 - 7.8) | 1,105 | 8.3 | (6.2 - 11.0) | 546 | 4.0 | (2.6 - 6.1) | 555 |
| 12th | 6.5 | (4.5 - 9.3) | 967 | 6.3 | (4.1 - 9.4) | 442 | 6.5 | (3.7 - 11.5) | 523 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.5 | (5.8 - 9.8) | 788 | 8.3 | (6.5 - 10.5) | 370 | 6.8 | (4.4 - 10.5) | 417 |
| Hispanic/Latino | 8.7 | (7.2 - 10.5) | 1,010 | 9.7 | (6.8 - 13.7) | 458 | 7.3 | (5.7 - 9.2) | 543 |
| White* | 5.4 | (4.5 - 6.6) | 1,394 | 5.8 | (4.7 - 7.2) | 698 | 5.1 | (3.4 - 7.6) | 690 |
| All other races* | 3.7 | (2.4 - 5.7) | 751 | 4.2 | (2.6 - 6.8) | 367 | 3.3 | (1.4 - 7.2) | 383 |
| Multiple races* | 7.0 | (4.5 - 10.9) | 216 | - | - | 89 | 6.3 | (2.8 - 13.3) | 127 |

Note: 150 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | | N |
|-----------------------|------------|-------------------------|--|-------|------------|-------------------------|--|-------|------------|-------------------------|--|-------|
| | | 95% confidence interval | | | | 95% confidence interval | | | | 95% confidence interval | | |
| Total | 3.1 | (2.3 - 4.0) | | 4,208 | 3.9 | (2.8 - 5.3) | | 2,008 | 1.9 | (1.5 - 2.6) | | 2,168 |
| Age | | | | | | | | | | | | |
| 15 or younger | 3.1 | (2.3 - 4.1) | | 2,017 | 3.6 | (2.3 - 5.5) | | 950 | 2.2 | (1.5 - 3.1) | | 1,050 |
| 16 or 17 | 2.3 | (1.5 - 3.6) | | 1,988 | 3.4 | (2.2 - 5.2) | | 946 | 1.2 | (0.6 - 2.2) | | 1,037 |
| 18 or older | 10.0 | (6.5 - 14.9) | | 189 | 11.2 | (6.5 - 18.8) | | 109 | - | - | | 79 |
| Grade | | | | | | | | | | | | |
| 9th | 3.0 | (2.0 - 4.4) | | 1,118 | 3.3 | (2.1 - 5.0) | | 533 | 2.7 | (1.6 - 4.6) | | 579 |
| 10th | 2.4 | (1.2 - 4.8) | | 1,006 | 3.4 | (1.6 - 7.1) | | 478 | 0.8 | (0.2 - 2.5) | | 521 |
| 11th | 2.5 | (1.5 - 4.1) | | 1,075 | 3.9 | (2.2 - 6.8) | | 533 | 1.1 | (0.7 - 1.9) | | 538 |
| 12th | 3.6 | (2.2 - 5.8) | | 954 | 4.6 | (2.7 - 7.9) | | 436 | 2.4 | (1.3 - 4.5) | | 516 |
| Race/Ethnicity | | | | | | | | | | | | |
| Black* | 3.2 | (1.9 - 5.3) | | 762 | 5.2 | (3.2 - 8.5) | | 358 | 1.2 | (0.6 - 2.6) | | 403 |
| Hispanic/Latino | 4.0 | (2.6 - 5.9) | | 979 | 5.2 | (2.9 - 9.3) | | 444 | 2.6 | (1.7 - 4.2) | | 527 |
| White* | 1.7 | (1.1 - 2.6) | | 1,381 | 2.2 | (1.2 - 3.8) | | 690 | 1.2 | (0.7 - 2.1) | | 686 |
| All other races* | 1.8 | (0.9 - 3.5) | | 730 | 1.8 | (1.0 - 3.3) | | 356 | 1.8 | (0.6 - 5.1) | | 373 |
| Multiple races* | 3.1 | (1.5 - 6.3) | | 211 | - | - | | 89 | 1.8 | (0.4 - 7.6) | | 122 |

Note: 248 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | | N |
|-----------------------|------------|-------------------------|--|-------|------------|-------------------------|--|-------|------------|-------------------------|--|-------|
| | | 95% confidence interval | | | | 95% confidence interval | | | | 95% confidence interval | | |
| Total | 3.2 | (2.5 - 4.0) | | 4,307 | 3.8 | (2.9 - 4.9) | | 2,051 | 2.3 | (1.6 - 3.3) | | 2,223 |
| Age | | | | | | | | | | | | |
| 15 or younger | 3.1 | (2.2 - 4.2) | | 2,065 | 3.4 | (2.3 - 5.1) | | 971 | 2.1 | (1.3 - 3.5) | | 1,076 |
| 16 or 17 | 2.7 | (1.8 - 3.9) | | 2,033 | 3.3 | (2.2 - 4.8) | | 965 | 2.1 | (1.1 - 3.8) | | 1,063 |
| 18 or older | 9.9 | (7.0 - 13.8) | | 195 | 11.6 | (8.1 - 16.4) | | 112 | - | - | | 82 |
| Grade | | | | | | | | | | | | |
| 9th | 2.5 | (1.7 - 3.7) | | 1,152 | 2.7 | (1.7 - 4.3) | | 546 | 2.3 | (1.4 - 3.7) | | 599 |
| 10th | 2.5 | (1.3 - 4.6) | | 1,024 | 3.1 | (1.5 - 6.2) | | 490 | 1.1 | (0.5 - 2.8) | | 528 |
| 11th | 3.2 | (2.0 - 5.1) | | 1,103 | 4.4 | (2.6 - 7.6) | | 543 | 2.1 | (1.2 - 3.5) | | 556 |
| 12th | 4.0 | (2.8 - 5.6) | | 970 | 4.6 | (3.1 - 6.9) | | 443 | 3.2 | (1.5 - 6.3) | | 525 |
| Race/Ethnicity | | | | | | | | | | | | |
| Black* | 2.9 | (1.9 - 4.3) | | 790 | 3.6 | (2.1 - 6.3) | | 370 | 2.2 | (1.2 - 3.8) | | 419 |
| Hispanic/Latino | 4.2 | (2.9 - 6.2) | | 1,012 | 5.0 | (2.8 - 8.9) | | 457 | 3.0 | (1.9 - 4.8) | | 546 |
| White* | 1.8 | (1.4 - 2.3) | | 1,392 | 2.4 | (1.7 - 3.3) | | 697 | 1.2 | (0.6 - 2.5) | | 689 |
| All other races* | 2.0 | (1.1 - 3.7) | | 751 | 1.9 | (1.0 - 3.5) | | 366 | 2.2 | (1.0 - 4.5) | | 384 |
| Multiple races* | 3.8 | (2.0 - 7.3) | | 215 | - | - | | 88 | 3.2 | (1.1 - 8.7) | | 127 |

Note: 149 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN54: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | | N |
|-----------------------|------------|-------------------------|-------|---|------------|-------------------------|-------|---|------------|-------------------------|-------|---|
| | | 95% confidence interval | | | | 95% confidence interval | | | | 95% confidence interval | | |
| Total | 5.5 | (4.7 - 6.3) | 4,301 | | 6.5 | (5.7 - 7.5) | 2,050 | | 4.2 | (3.6 - 5.0) | 2,221 | |
| Age | | | | | | | | | | | | |
| 15 or younger | 4.6 | (3.8 - 5.6) | 2,062 | | 5.6 | (4.4 - 7.1) | 971 | | 3.4 | (2.6 - 4.3) | 1,075 | |
| 16 or 17 | 5.5 | (4.5 - 6.7) | 2,030 | | 6.6 | (5.1 - 8.4) | 964 | | 4.4 | (3.5 - 5.6) | 1,062 | |
| 18 or older | 14.4 | (9.0 - 22.2) | 195 | | 15.4 | (8.1 - 27.4) | 112 | | - | - | 82 | |
| Grade | | | | | | | | | | | | |
| 9th | 4.4 | (3.4 - 5.8) | 1,152 | | 5.4 | (4.0 - 7.4) | 547 | | 3.4 | (2.2 - 5.2) | 598 | |
| 10th | 4.4 | (3.1 - 6.2) | 1,022 | | 5.5 | (3.7 - 8.2) | 488 | | 3.0 | (2.1 - 4.4) | 528 | |
| 11th | 4.3 | (3.2 - 5.8) | 1,101 | | 6.0 | (4.1 - 8.6) | 542 | | 2.5 | (1.6 - 3.9) | 555 | |
| 12th | 8.5 | (5.7 - 12.5) | 970 | | 9.7 | (5.3 - 17.1) | 444 | | 7.4 | (5.6 - 9.7) | 525 | |
| Race/Ethnicity | | | | | | | | | | | | |
| Black* | 5.1 | (3.6 - 7.2) | 788 | | 7.5 | (5.2 - 10.7) | 369 | | 2.8 | (1.6 - 4.9) | 418 | |
| Hispanic/Latino | 7.3 | (5.8 - 9.1) | 1,010 | | 8.0 | (5.7 - 11.2) | 457 | | 6.4 | (4.8 - 8.3) | 545 | |
| White* | 4.2 | (3.1 - 5.7) | 1,392 | | 5.0 | (3.6 - 6.8) | 696 | | 3.3 | (2.0 - 5.5) | 690 | |
| All other races* | 3.1 | (2.0 - 4.9) | 751 | | 2.9 | (1.7 - 4.9) | 367 | | 3.3 | (1.9 - 5.7) | 383 | |
| Multiple races* | 7.1 | (4.6 - 10.8) | 215 | | - | - | 88 | | 2.3 | (0.9 - 6.3) | 127 | |

Note: 155 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN55: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-------|---------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.0 | (4.9 - 7.2) | 4,275 | 6.8 | (5.4 - 8.4) | 2,037 | 5.0 | (4.1 - 6.1) | 2,205 |
| Age | | | | | | | | | |
| 15 or younger | 5.2 | (4.1 - 6.4) | 2,055 | 5.7 | (4.4 - 7.3) | 968 | 4.4 | (3.4 - 5.5) | 1,068 |
| 16 or 17 | 6.0 | (4.3 - 8.3) | 2,017 | 7.1 | (4.6 - 10.7) | 955 | 5.0 | (3.8 - 6.6) | 1,057 |
| 18 or older | 14.7 | (10.9 - 19.4) | 190 | 14.7 | (9.7 - 21.7) | 111 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 4.3 | (3.0 - 6.0) | 1,144 | 4.7 | (3.5 - 6.3) | 545 | 3.9 | (2.2 - 6.5) | 592 |
| 10th | 5.2 | (4.0 - 6.7) | 1,019 | 6.6 | (4.7 - 9.1) | 486 | 3.4 | (2.3 - 4.9) | 526 |
| 11th | 5.6 | (4.2 - 7.4) | 1,094 | 6.3 | (3.8 - 10.4) | 537 | 4.9 | (3.4 - 7.1) | 553 |
| 12th | 8.5 | (5.9 - 12.0) | 962 | 9.5 | (6.3 - 14.2) | 440 | 7.3 | (5.1 - 10.2) | 519 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.3 | (4.3 - 9.0) | 783 | 8.0 | (4.5 - 13.8) | 368 | 4.6 | (3.5 - 5.9) | 414 |
| Hispanic/Latino | 8.4 | (7.0 - 9.9) | 1,003 | 8.5 | (6.1 - 11.6) | 453 | 8.0 | (6.5 - 9.8) | 541 |
| White* | 4.6 | (3.3 - 6.4) | 1,384 | 5.5 | (4.0 - 7.5) | 692 | 3.7 | (2.2 - 6.0) | 686 |
| All other races* | 2.8 | (1.8 - 4.3) | 748 | 3.3 | (2.1 - 5.1) | 366 | 2.3 | (1.4 - 3.8) | 381 |
| Multiple races* | 6.2 | (3.3 - 11.1) | 215 | - | - | 88 | 5.6 | (2.6 - 11.3) | 127 |

Note: 181 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN56: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.1 | (2.5 - 3.8) | 4,343 | 3.7 | (3.0 - 4.6) | 2,072 | 2.1 | (1.6 - 2.7) | 2,235 |
| Age | | | | | | | | | |
| 15 or younger | 3.5 | (2.7 - 4.5) | 2,080 | 4.0 | (2.9 - 5.6) | 979 | 2.3 | (1.5 - 3.6) | 1,081 |
| 16 or 17 | 2.1 | (1.4 - 3.0) | 2,048 | 2.4 | (1.7 - 3.4) | 975 | 1.6 | (0.9 - 3.0) | 1,068 |
| 18 or older | 8.8 | (6.7 - 11.5) | 198 | 11.1 | (7.4 - 16.5) | 114 | - | - | 83 |
| Grade | | | | | | | | | |
| 9th | 2.5 | (1.7 - 3.8) | 1,164 | 2.6 | (1.5 - 4.5) | 554 | 2.5 | (1.6 - 3.9) | 603 |
| 10th | 3.3 | (2.2 - 4.9) | 1,030 | 4.4 | (2.8 - 6.8) | 492 | 1.4 | (0.9 - 2.3) | 531 |
| 11th | 2.3 | (1.3 - 4.1) | 1,109 | 3.3 | (1.7 - 6.3) | 548 | 1.4 | (0.6 - 3.0) | 557 |
| 12th | 3.4 | (2.3 - 4.9) | 979 | 4.1 | (2.5 - 6.7) | 448 | 2.3 | (1.3 - 4.1) | 528 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.4 | (2.1 - 5.3) | 801 | 4.8 | (3.0 - 7.6) | 379 | 2.0 | (1.0 - 3.8) | 421 |
| Hispanic/Latino | 4.5 | (3.1 - 6.4) | 1,026 | 5.3 | (3.1 - 8.9) | 465 | 3.0 | (2.1 - 4.3) | 551 |
| White* | 1.5 | (1.0 - 2.2) | 1,397 | 1.8 | (1.0 - 3.1) | 699 | 1.2 | (0.7 - 1.8) | 692 |
| All other races* | 1.5 | (0.8 - 2.7) | 754 | 1.5 | (0.7 - 2.9) | 366 | 1.6 | (0.7 - 3.7) | 387 |
| Multiple races* | 3.5 | (1.8 - 6.5) | 215 | - | - | 88 | 1.6 | (0.4 - 5.7) | 127 |

Note: 113 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN57: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 12.5 | (10.9 - 14.2) | 4,284 | 13.0 | (11.3 - 15.0) | 2,041 | 11.7 | (10.0 - 13.7) | 2,210 |
| 15 or younger | 8.6 | (7.4 - 10.0) | 2,056 | 8.2 | (6.4 - 10.3) | 967 | 8.6 | (7.4 - 10.0) | 1,070 |
| 16 or 17 | 16.0 | (13.3 - 19.1) | 2,021 | 17.1 | (14.1 - 20.7) | 959 | 14.9 | (11.7 - 18.6) | 1,058 |
| 18 or older | 21.7 | (15.3 - 29.8) | 193 | 25.4 | (15.6 - 38.4) | 112 | - | - | 80 |
| Grade | | | | | | | | | |
| 9th | 6.8 | (5.4 - 8.7) | 1,145 | 7.2 | (5.5 - 9.5) | 542 | 6.5 | (4.6 - 9.2) | 596 |
| 10th | 10.3 | (9.1 - 11.7) | 1,017 | 10.1 | (7.5 - 13.3) | 486 | 9.9 | (7.9 - 12.3) | 524 |
| 11th | 13.7 | (11.4 - 16.4) | 1,098 | 15.9 | (11.1 - 22.3) | 541 | 11.7 | (8.2 - 16.5) | 553 |
| 12th | 20.4 | (15.1 - 26.9) | 967 | 21.3 | (15.3 - 28.7) | 443 | 19.4 | (14.0 - 26.3) | 522 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.5 | (10.0 - 15.4) | 788 | 15.4 | (11.0 - 21.1) | 370 | 9.6 | (6.9 - 13.1) | 417 |
| Hispanic/Latino | 14.6 | (12.4 - 17.1) | 1,000 | 14.3 | (11.2 - 18.0) | 452 | 14.3 | (11.7 - 17.4) | 538 |
| White* | 12.3 | (10.2 - 14.8) | 1,389 | 12.2 | (9.9 - 14.9) | 693 | 12.6 | (9.4 - 16.7) | 690 |
| All other races* | 6.7 | (5.0 - 8.9) | 748 | 6.5 | (4.7 - 8.8) | 365 | 7.0 | (4.7 - 10.2) | 382 |
| Multiple races* | 13.5 | (10.6 - 17.0) | 214 | - | - | 88 | 14.0 | (9.1 - 20.8) | 126 |

Note: 172 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN58: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | |
|-----------------------|------------|-------------------------|-------|---|------------|-------------------------|-------|---|------------|-------------------------|-------|
| | | 95% confidence interval | N | | | 95% confidence interval | N | | | 95% confidence interval | N |
| Total | 2.9 | (2.4 - 3.5) | 4,304 | | 3.6 | (2.8 - 4.7) | 2,051 | | 2.0 | (1.5 - 2.5) | 2,221 |
| Age | | | | | | | | | | | |
| 15 or younger | 3.2 | (2.6 - 3.9) | 2,058 | | 4.1 | (3.0 - 5.5) | 967 | | 1.9 | (1.3 - 2.6) | 1,074 |
| 16 or 17 | 1.9 | (1.3 - 2.7) | 2,037 | | 2.1 | (1.2 - 3.7) | 969 | | 1.7 | (0.9 - 3.0) | 1,064 |
| 18 or older | 10.0 | (7.0 - 14.0) | 192 | | 11.8 | (7.4 - 18.3) | 111 | | - | - | 80 |
| Grade | | | | | | | | | | | |
| 9th | 3.0 | (2.1 - 4.4) | 1,152 | | 3.7 | (2.4 - 5.6) | 545 | | 2.4 | (1.5 - 3.8) | 600 |
| 10th | 2.5 | (1.5 - 4.1) | 1,021 | | 3.7 | (2.3 - 5.9) | 490 | | 1.0 | (0.4 - 2.5) | 525 |
| 11th | 2.1 | (1.4 - 3.0) | 1,103 | | 3.0 | (1.9 - 4.8) | 542 | | 1.2 | (0.5 - 2.7) | 557 |
| 12th | 3.3 | (2.1 - 5.1) | 970 | | 3.3 | (1.6 - 6.8) | 444 | | 3.0 | (2.0 - 4.7) | 524 |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 3.5 | (2.4 - 5.2) | 796 | | 4.9 | (3.3 - 7.0) | 377 | | 2.1 | (0.9 - 4.8) | 418 |
| Hispanic/Latino | 3.2 | (2.3 - 4.4) | 1,008 | | 4.6 | (2.8 - 7.5) | 459 | | 1.5 | (0.7 - 3.2) | 541 |
| White* | 1.8 | (1.1 - 2.9) | 1,391 | | 2.1 | (1.0 - 4.3) | 692 | | 1.4 | (0.8 - 2.7) | 693 |
| All other races* | 2.0 | (1.0 - 3.7) | 754 | | 1.8 | (0.9 - 3.8) | 367 | | 2.1 | (1.0 - 4.6) | 386 |
| Multiple races* | 2.5 | (1.2 - 5.3) | 212 | | - | - | 87 | | 1.8 | (0.4 - 7.1) | 125 |

Note: 152 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN59: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 28.1 | (26.7 - 29.6) | 4,277 | 29.2 | (27.5 - 31.0) | 2,036 | 26.9 | (24.8 - 29.1) | 2,212 |
| Age | | | | | | | | | |
| 15 or younger | 25.8 | (24.1 - 27.7) | 2,043 | 26.9 | (25.2 - 28.6) | 963 | 24.5 | (21.9 - 27.4) | 1,066 |
| 16 or 17 | 30.6 | (28.4 - 32.9) | 2,025 | 32.1 | (28.7 - 35.7) | 959 | 29.1 | (26.5 - 31.9) | 1,062 |
| 18 or older | 29.2 | (24.3 - 34.7) | 192 | 28.0 | (21.5 - 35.5) | 110 | - | - | 81 |
| Grade | | | | | | | | | |
| 9th | 23.7 | (22.3 - 25.2) | 1,141 | 25.4 | (22.6 - 28.5) | 541 | 21.5 | (19.3 - 23.7) | 593 |
| 10th | 27.5 | (24.2 - 31.0) | 1,016 | 27.3 | (23.9 - 31.1) | 485 | 27.9 | (23.3 - 32.9) | 526 |
| 11th | 32.0 | (30.0 - 34.1) | 1,097 | 32.8 | (30.2 - 35.5) | 540 | 31.0 | (26.6 - 35.7) | 553 |
| 12th | 29.4 | (26.9 - 31.9) | 967 | 31.5 | (27.1 - 36.2) | 440 | 27.1 | (23.9 - 30.5) | 525 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 31.2 | (28.0 - 34.7) | 788 | 33.5 | (29.0 - 38.4) | 369 | 29.0 | (25.9 - 32.4) | 418 |
| Hispanic/Latino | 32.3 | (29.5 - 35.3) | 1,001 | 33.4 | (29.5 - 37.6) | 454 | 31.3 | (27.9 - 35.0) | 539 |
| White* | 25.4 | (22.5 - 28.6) | 1,388 | 27.3 | (23.9 - 30.9) | 692 | 22.9 | (19.8 - 26.4) | 690 |
| All other races* | 21.9 | (18.3 - 26.0) | 751 | 19.6 | (15.9 - 24.1) | 365 | 24.4 | (19.8 - 29.6) | 385 |
| Multiple races* | 28.7 | (24.7 - 33.1) | 211 | - | - | 87 | 23.8 | (15.8 - 34.4) | 124 |

Note: 179 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN60: Percentage of students who ever had sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.2 | (20.6 - 26.1) | 3,786 | 25.8 | (22.6 - 29.2) | 1,755 | 20.8 | (18.0 - 23.9) | 2,010 |
| Age | | | | | | | | | |
| 15 or younger | 12.3 | (10.6 - 14.1) | 1,816 | 14.2 | (11.0 - 18.1) | 826 | 10.3 | (7.9 - 13.3) | 981 |
| 16 or 17 | 33.3 | (29.6 - 37.3) | 1,798 | 37.1 | (31.9 - 42.6) | 839 | 29.8 | (26.7 - 33.2) | 955 |
| 18 or older | 47.7 | (40.4 - 55.1) | 159 | - | - | 87 | - | - | 71 |
| Grade | | | | | | | | | |
| 9th | 8.6 | (6.8 - 10.8) | 1,007 | 11.4 | (8.4 - 15.3) | 460 | 5.6 | (3.7 - 8.4) | 540 |
| 10th | 19.4 | (16.3 - 23.0) | 912 | 22.1 | (17.9 - 26.9) | 422 | 17.0 | (13.6 - 21.0) | 488 |
| 11th | 28.6 | (25.2 - 32.1) | 982 | 30.6 | (26.2 - 35.5) | 471 | 26.6 | (22.6 - 31.1) | 508 |
| 12th | 40.4 | (33.7 - 47.5) | 846 | 43.8 | (36.7 - 51.2) | 382 | 37.3 | (30.3 - 45.0) | 463 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.1 | (19.6 - 31.6) | 670 | 31.4 | (23.5 - 40.5) | 304 | 19.5 | (14.9 - 25.0) | 365 |
| Hispanic/Latino | 34.5 | (31.5 - 37.6) | 850 | 39.1 | (35.4 - 43.0) | 369 | 30.6 | (26.9 - 34.7) | 476 |
| White* | 19.8 | (17.6 - 22.2) | 1,286 | 21.4 | (17.4 - 26.2) | 632 | 18.0 | (15.1 - 21.2) | 649 |
| All other races* | 9.8 | (6.7 - 14.1) | 681 | 10.3 | (6.3 - 16.4) | 324 | 9.3 | (6.5 - 13.4) | 356 |
| Multiple races* | 26.5 | (21.1 - 32.7) | 192 | - | - | 75 | 27.5 | (20.0 - 36.4) | 117 |

Note: 670 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse before age 13 years (for the first time)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.1 | (2.2 - 4.2) | 3,788 | 4.0 | (2.7 - 5.9) | 1,755 | 2.0 | (1.4 - 2.9) | 2,012 |
| Age | | | | | | | | | |
| 15 or younger | 2.5 | (1.6 - 4.0) | 1,822 | 3.3 | (2.0 - 5.4) | 828 | 1.6 | (0.9 - 2.8) | 984 |
| 16 or 17 | 3.3 | (2.5 - 4.3) | 1,797 | 4.2 | (2.6 - 6.7) | 838 | 2.3 | (1.4 - 3.7) | 955 |
| 18 or older | 7.2 | (5.1 - 10.2) | 157 | - | - | 86 | - | - | 70 |
| Grade | | | | | | | | | |
| 9th | 2.6 | (1.9 - 3.5) | 1,009 | 3.2 | (2.3 - 4.4) | 460 | 1.8 | (1.0 - 3.3) | 542 |
| 10th | 2.8 | (1.4 - 5.7) | 917 | 5.0 | (2.6 - 9.5) | 426 | 0.7 | (0.3 - 2.1) | 489 |
| 11th | 3.5 | (2.6 - 4.7) | 976 | 3.8 | (2.4 - 6.0) | 467 | 2.9 | (1.8 - 4.6) | 505 |
| 12th | 3.0 | (1.8 - 5.0) | 847 | 3.8 | (1.9 - 7.7) | 381 | 2.2 | (1.3 - 3.9) | 465 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.9 | (2.8 - 5.4) | 670 | 5.3 | (3.5 - 7.9) | 301 | 2.6 | (1.6 - 4.3) | 368 |
| Hispanic/Latino | 5.0 | (3.4 - 7.3) | 850 | 8.0 | (5.0 - 12.7) | 372 | 2.1 | (1.2 - 3.7) | 472 |
| White* | 1.5 | (1.0 - 2.4) | 1,286 | 1.5 | (0.8 - 2.7) | 631 | 1.6 | (0.8 - 3.1) | 650 |
| All other races* | 1.1 | (0.6 - 2.4) | 683 | 1.2 | (0.4 - 3.2) | 325 | 1.1 | (0.4 - 3.1) | 357 |
| Multiple races* | 5.2 | (2.8 - 9.6) | 192 | - | - | 75 | 2.6 | (0.9 - 7.1) | 117 |

Note: 668 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with four or more persons (during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.6 | (4.4 - 7.0) | 3,769 | 7.2 | (5.6 - 9.2) | 1,743 | 4.0 | (3.1 - 5.2) | 2,005 |
| Age | | | | | | | | | |
| 15 or younger | 2.9 | (2.0 - 4.2) | 1,810 | 4.3 | (2.9 - 6.3) | 826 | 1.5 | (1.0 - 2.3) | 974 |
| 16 or 17 | 7.8 | (5.8 - 10.5) | 1,792 | 9.6 | (6.7 - 13.4) | 830 | 6.2 | (4.3 - 8.7) | 958 |
| 18 or older | 14.2 | (11.2 - 17.8) | 155 | - | - | 84 | - | - | 70 |
| Grade | | | | | | | | | |
| 9th | 3.0 | (2.0 - 4.3) | 1,000 | 4.6 | (3.1 - 6.6) | 457 | 1.4 | (0.8 - 2.5) | 536 |
| 10th | 3.8 | (2.2 - 6.4) | 912 | 6.2 | (3.4 - 11.2) | 425 | 1.5 | (0.9 - 2.3) | 485 |
| 11th | 6.4 | (4.8 - 8.3) | 975 | 8.0 | (5.9 - 10.6) | 463 | 4.6 | (3.0 - 6.9) | 508 |
| 12th | 9.7 | (6.6 - 14.1) | 843 | 10.5 | (6.5 - 16.5) | 377 | 9.1 | (6.3 - 13.0) | 465 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.8 | (4.9 - 9.3) | 670 | 9.9 | (7.0 - 13.8) | 301 | 4.1 | (2.6 - 6.4) | 368 |
| Hispanic/Latino | 8.4 | (6.7 - 10.5) | 841 | 13.0 | (10.1 - 16.6) | 365 | 4.2 | (2.6 - 6.6) | 470 |
| White* | 4.3 | (2.9 - 6.2) | 1,284 | 4.5 | (2.9 - 6.7) | 630 | 4.1 | (2.5 - 6.5) | 649 |
| All other races* | 2.0 | (1.2 - 3.3) | 681 | 1.4 | (0.8 - 2.6) | 324 | 2.5 | (1.2 - 5.2) | 356 |
| Multiple races* | 5.6 | (2.8 - 11.1) | 189 | - | - | 74 | 3.1 | (1.2 - 7.7) | 115 |

Note: 687 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN63: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.1 | (14.1 - 18.3) | 3,764 | 16.9 | (14.8 - 19.2) | 1,739 | 15.2 | (13.0 - 17.7) | 2,004 |
| Age | | | | | | | | | |
| 15 or younger | 9.2 | (7.9 - 10.7) | 1,809 | 10.0 | (8.5 - 11.8) | 824 | 8.3 | (6.4 - 10.7) | 975 |
| 16 or 17 | 22.2 | (19.7 - 24.9) | 1,789 | 23.2 | (20.0 - 26.9) | 829 | 21.2 | (19.0 - 23.7) | 956 |
| 18 or older | 33.5 | (26.3 - 41.6) | 154 | - | - | 83 | - | - | 70 |
| Grade | | | | | | | | | |
| 9th | 6.5 | (4.9 - 8.6) | 998 | 8.1 | (6.0 - 10.9) | 456 | 4.8 | (3.0 - 7.4) | 535 |
| 10th | 13.3 | (11.0 - 16.0) | 914 | 13.9 | (10.7 - 17.9) | 425 | 12.7 | (10.2 - 15.8) | 487 |
| 11th | 19.0 | (16.7 - 21.6) | 974 | 18.4 | (14.8 - 22.7) | 462 | 19.3 | (16.1 - 22.9) | 508 |
| 12th | 28.4 | (22.5 - 35.0) | 839 | 30.6 | (23.8 - 38.3) | 375 | 26.4 | (20.7 - 33.0) | 463 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 15.9 | (11.6 - 21.4) | 663 | 19.0 | (12.4 - 27.9) | 296 | 13.2 | (9.9 - 17.4) | 366 |
| Hispanic/Latino | 23.2 | (19.9 - 26.9) | 842 | 24.4 | (19.9 - 29.4) | 364 | 22.2 | (18.5 - 26.4) | 472 |
| White* | 15.0 | (13.3 - 16.8) | 1,284 | 15.5 | (12.7 - 18.7) | 631 | 14.3 | (11.8 - 17.3) | 648 |
| All other races* | 6.6 | (4.6 - 9.5) | 679 | 7.0 | (4.0 - 11.9) | 323 | 6.3 | (3.8 - 10.2) | 355 |
| Multiple races* | 18.1 | (13.4 - 23.9) | 191 | - | - | 75 | 19.4 | (13.0 - 28.1) | 116 |

Note: 692 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN64: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.0 | (23.8 - 30.5) | 589 | 28.4 | (25.2 - 31.8) | 283 | 25.3 | (20.8 - 30.4) | 303 |
| Age | | | | | | | | | |
| 15 or younger | 29.4 | (23.0 - 36.7) | 157 | - | - | 77 | - | - | 78 |
| 16 or 17 | 26.2 | (22.6 - 30.2) | 384 | 28.4 | (24.0 - 33.3) | 182 | 23.6 | (18.8 - 29.2) | 201 |
| 18 or older | - | - | 48 | - | - | 24 | - | - | 24 |
| Grade | | | | | | | | | |
| 9th | - | - | 58 | - | - | 34 | - | - | 23 |
| 10th | 31.2 | (25.9 - 36.9) | 118 | - | - | 56 | - | - | 62 |
| 11th | 26.6 | (20.0 - 34.3) | 175 | - | - | 79 | - | - | 94 |
| 12th | 23.4 | (18.6 - 29.0) | 231 | 21.5 | (15.9 - 28.5) | 111 | 25.4 | (20.5 - 31.1) | 120 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.2 | (16.2 - 37.0) | 103 | - | - | 54 | - | - | 49 |
| Hispanic/Latino | 28.5 | (23.7 - 33.9) | 192 | - | - | 88 | 26.0 | (18.5 - 35.1) | 102 |
| White* | 25.7 | (17.5 - 36.0) | 190 | - | - | 95 | - | - | 94 |
| All other races* | - | - | 48 | - | - | 24 | - | - | 24 |
| Multiple races* | - | - | 36 | - | - | 13 | - | - | 23 |

Note: 3,867 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN65: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 64.7 | (59.2 - 69.9) | 577 | 71.0 | (66.1 - 75.5) | 277 | 58.7 | (49.4 - 67.4) | 297 |
| Age | | | | | | | | | |
| 15 or younger | 62.5 | (52.9 - 71.2) | 152 | - | - | 75 | - | - | 76 |
| 16 or 17 | 66.9 | (59.5 - 73.6) | 374 | 71.8 | (65.1 - 77.6) | 178 | 62.5 | (51.2 - 72.6) | 195 |
| 18 or older | - | - | 49 | - | - | 24 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 65.0 | (56.3 - 72.8) | 116 | - | - | 56 | - | - | 60 |
| 11th | 68.3 | (56.8 - 78.0) | 172 | - | - | 80 | - | - | 91 |
| 12th | 64.1 | (57.1 - 70.6) | 225 | 68.3 | (59.4 - 76.0) | 105 | 59.8 | (48.3 - 70.4) | 120 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 69.7 | (61.5 - 76.8) | 100 | - | - | 51 | - | - | 49 |
| Hispanic/Latino | 57.0 | (50.8 - 63.0) | 188 | - | - | 86 | 48.2 | (34.5 - 62.2) | 101 |
| White* | 70.2 | (62.7 - 76.7) | 186 | - | - | 95 | - | - | 90 |
| All other races* | - | - | 47 | - | - | 23 | - | - | 24 |
| Multiple races* | - | - | 35 | - | - | 13 | - | - | 22 |

Note: 3,879 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN66: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.2 | (10.7 - 16.2) | 575 | 10.0 | (7.2 - 13.8) | 276 | 16.6 | (12.8 - 21.1) | 297 |
| Age | | | | | | | | | |
| 15 or younger | 5.3 | (2.4 - 11.2) | 155 | - | - | 78 | - | - | 76 |
| 16 or 17 | 17.3 | (14.3 - 20.7) | 370 | 13.4 | (9.9 - 18.0) | 175 | 21.1 | (16.7 - 26.3) | 195 |
| 18 or older | - | - | 48 | - | - | 23 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 7.6 | (5.0 - 11.6) | 117 | - | - | 57 | - | - | 60 |
| 11th | 16.6 | (12.4 - 21.9) | 169 | - | - | 79 | - | - | 90 |
| 12th | 16.8 | (12.9 - 21.5) | 225 | 12.8 | (7.9 - 20.1) | 104 | 20.7 | (15.3 - 27.5) | 121 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/Latino | 7.8 | (4.5 - 13.3) | 188 | - | - | 87 | 11.9 | (6.9 - 19.8) | 101 |
| White* | 19.8 | (14.4 - 26.7) | 187 | - | - | 96 | - | - | 90 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,881 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNIUDIMP: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 1.2 | (0.6 - 2.3) | 575 | 1.3 | (0.5 - 3.3) | 276 | 1.1 | (0.4 - 3.4) | 297 |
| 15 or younger | 0.8 | (0.1 - 6.1) | 155 | - | - | 78 | - | - | 76 |
| 16 or 17 | 1.3 | (0.6 - 3.0) | 370 | 2.1 | (0.8 - 5.8) | 175 | 0.5 | (0.1 - 3.3) | 195 |
| 18 or older | - | - | 48 | - | - | 23 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 1.1 | (0.1 - 7.5) | 117 | - | - | 57 | - | - | 60 |
| 11th | 0.6 | (0.1 - 4.2) | 169 | - | - | 79 | - | - | 90 |
| 12th | 2.1 | (0.8 - 5.3) | 225 | 2.6 | (0.9 - 7.3) | 104 | 1.7 | (0.4 - 6.1) | 121 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/Latino | 1.1 | (0.3 - 4.5) | 188 | - | - | 87 | 2.2 | (0.5 - 8.4) | 101 |
| White* | 1.0 | (0.3 - 4.1) | 187 | - | - | 96 | - | - | 90 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,881 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNSHPARG: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 2.8 | (1.8 - 4.3) | 575 | 1.2 | (0.4 - 3.5) | 276 | 4.4 | (2.9 - 6.9) | 297 |
| 15 or younger | 1.3 | (0.3 - 5.3) | 155 | - | - | 78 | - | - | 76 |
| 16 or 17 | 3.3 | (2.0 - 5.5) | 370 | 1.3 | (0.3 - 4.6) | 175 | 5.3 | (3.2 - 8.5) | 195 |
| 18 or older | - | - | 48 | - | - | 23 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 2.6 | (0.8 - 8.3) | 117 | - | - | 57 | - | - | 60 |
| 11th | 1.8 | (0.6 - 5.5) | 169 | - | - | 79 | - | - | 90 |
| 12th | 4.4 | (2.7 - 7.2) | 225 | 1.1 | (0.2 - 7.1) | 104 | 7.8 | (4.4 - 13.4) | 121 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/Latino | 3.6 | (1.9 - 6.6) | 188 | - | - | 87 | 3.6 | (2.2 - 5.9) | 101 |
| White* | 3.0 | (1.3 - 6.7) | 187 | - | - | 96 | - | - | 90 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,881 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNOTHHPL: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.1 | (14.2 - 20.5) | 575 | 12.5 | (9.6 - 16.1) | 276 | 22.2 | (18.0 - 26.9) | 297 |
| 15 or younger | 7.4 | (4.1 - 13.0) | 155 | - | - | 78 | - | - | 76 |
| 16 or 17 | 21.9 | (18.5 - 25.7) | 370 | 16.8 | (12.5 - 22.2) | 175 | 26.9 | (22.6 - 31.6) | 195 |
| 18 or older | - | - | 48 | - | - | 23 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 11.3 | (7.6 - 16.6) | 117 | - | - | 57 | - | - | 60 |
| 11th | 19.0 | (14.9 - 23.9) | 169 | - | - | 79 | - | - | 90 |
| 12th | 23.3 | (18.1 - 29.5) | 225 | 16.5 | (10.5 - 25.1) | 104 | 30.2 | (23.0 - 38.4) | 121 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/Latino | 12.5 | (8.3 - 18.5) | 188 | - | - | 87 | 17.7 | (12.3 - 24.8) | 101 |
| White* | 23.8 | (19.0 - 29.3) | 187 | - | - | 96 | - | - | 90 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,881 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNDUALBC: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 7.5 | (6.5 - 8.6) | 567 | 4.1 | (2.6 - 6.5) | 270 | 10.9 | (8.8 - 13.6) | 295 |
| 15 or younger | 4.5 | (2.5 - 7.9) | 150 | - | - | 74 | - | - | 75 |
| 16 or 17 | 8.3 | (6.5 - 10.5) | 368 | 4.2 | (1.9 - 8.9) | 174 | 12.4 | (9.4 - 16.2) | 194 |
| 18 or older | - | - | 47 | - | - | 22 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 52 | - | - | 30 | - | - | 21 |
| 10th | 6.4 | (4.2 - 9.8) | 116 | - | - | 56 | - | - | 60 |
| 11th | 9.2 | (6.6 - 12.5) | 167 | - | - | 77 | - | - | 90 |
| 12th | 8.7 | (5.9 - 12.6) | 223 | 3.7 | (1.9 - 6.9) | 103 | 13.7 | (8.9 - 20.5) | 120 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 98 | - | - | 49 | - | - | 49 |
| Hispanic/Latino | 4.1 | (1.9 - 8.3) | 186 | - | - | 86 | 6.8 | (3.3 - 13.5) | 100 |
| White* | 9.9 | (7.3 - 13.5) | 183 | - | - | 93 | - | - | 89 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,889 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNBCNONE: Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.0 | (14.5 - 22.2) | 575 | 13.2 | (9.3 - 18.4) | 276 | 22.2 | (16.9 - 28.7) | 297 |
| Age | | | | | | | | | |
| 15 or younger | 27.2 | (20.9 - 34.7) | 155 | - | - | 78 | - | - | 76 |
| 16 or 17 | 13.1 | (8.9 - 19.0) | 370 | 10.4 | (6.3 - 16.7) | 175 | 15.8 | (9.6 - 24.9) | 195 |
| 18 or older | - | - | 48 | - | - | 23 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | - | - | 55 | - | - | 32 | - | - | 22 |
| 10th | 23.9 | (17.0 - 32.5) | 117 | - | - | 57 | - | - | 60 |
| 11th | 16.4 | (10.4 - 25.1) | 169 | - | - | 79 | - | - | 90 |
| 12th | 10.4 | (7.4 - 14.4) | 225 | 8.8 | (5.3 - 14.3) | 104 | 12.1 | (8.1 - 17.6) | 121 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/Latino | 25.6 | (20.2 - 31.9) | 188 | - | - | 87 | 31.9 | (22.6 - 42.8) | 101 |
| White* | 9.7 | (5.7 - 15.9) | 187 | - | - | 96 | - | - | 90 |
| All other races* | - | - | 46 | - | - | 22 | - | - | 24 |
| Multiple races* | - | - | 34 | - | - | 12 | - | - | 22 |

Note: 3,881 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNOBESE: Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.5 | (6.3 - 9.0) | 4,020 | 9.2 | (7.6 - 11.2) | 1,990 | 5.7 | (4.6 - 7.0) | 2,030 |
| Age | | | | | | | | | |
| 15 or younger | 7.2 | (5.8 - 8.8) | 1,894 | 9.4 | (7.3 - 11.9) | 927 | 4.7 | (3.9 - 5.6) | 967 |
| 16 or 17 | 8.1 | (6.3 - 10.3) | 1,945 | 9.5 | (7.0 - 12.9) | 961 | 6.6 | (4.8 - 8.9) | 984 |
| 18 or older | 6.3 | (3.9 - 10.1) | 181 | 5.2 | (2.2 - 11.6) | 102 | - | - | 79 |
| Grade | | | | | | | | | |
| 9th | 6.0 | (4.1 - 8.6) | 1,052 | 8.6 | (5.7 - 12.7) | 513 | 3.1 | (1.8 - 5.1) | 539 |
| 10th | 8.8 | (7.5 - 10.2) | 957 | 10.3 | (8.6 - 12.5) | 482 | 7.0 | (5.2 - 9.4) | 475 |
| 11th | 8.1 | (5.9 - 11.2) | 1,044 | 9.6 | (6.8 - 13.4) | 529 | 6.6 | (4.2 - 10.1) | 515 |
| 12th | 7.2 | (5.5 - 9.3) | 935 | 8.1 | (5.7 - 11.2) | 444 | 6.2 | (4.1 - 9.2) | 491 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.3 | (7.9 - 13.3) | 773 | 12.0 | (9.4 - 15.2) | 387 | 8.4 | (5.7 - 12.2) | 386 |
| Hispanic/Latino | 12.3 | (10.3 - 14.6) | 919 | 15.0 | (12.1 - 18.4) | 437 | 9.6 | (7.3 - 12.5) | 482 |
| White* | 3.5 | (2.5 - 4.8) | 1,320 | 4.7 | (3.7 - 6.0) | 674 | 2.1 | (1.0 - 4.5) | 646 |
| All other races* | 4.9 | (3.5 - 6.8) | 694 | 6.4 | (4.6 - 8.9) | 345 | 3.2 | (1.6 - 6.4) | 349 |
| Multiple races* | 6.0 | (3.0 - 11.4) | 207 | - | - | 86 | 3.8 | (1.5 - 9.4) | 121 |

Note: 436 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.5 | (12.1 - 14.9) | 4,020 | 14.6 | (13.0 - 16.4) | 1,990 | 12.2 | (10.5 - 14.1) | 2,030 |
| Age | | | | | | | | | |
| 15 or younger | 14.2 | (12.1 - 16.6) | 1,894 | 15.9 | (13.3 - 18.9) | 927 | 12.4 | (9.8 - 15.6) | 967 |
| 16 or 17 | 12.1 | (10.7 - 13.7) | 1,945 | 12.8 | (10.9 - 14.9) | 961 | 11.5 | (9.5 - 13.7) | 984 |
| 18 or older | 18.6 | (12.5 - 26.6) | 181 | 18.6 | (11.3 - 29.1) | 102 | - | - | 79 |
| Grade | | | | | | | | | |
| 9th | 13.7 | (11.3 - 16.4) | 1,052 | 15.5 | (12.3 - 19.4) | 513 | 11.6 | (8.8 - 15.1) | 539 |
| 10th | 14.4 | (11.8 - 17.5) | 957 | 15.9 | (12.7 - 19.7) | 482 | 12.8 | (9.3 - 17.4) | 475 |
| 11th | 13.5 | (11.6 - 15.7) | 1,044 | 13.9 | (11.0 - 17.5) | 529 | 13.1 | (11.0 - 15.4) | 515 |
| 12th | 11.9 | (9.7 - 14.6) | 935 | 12.3 | (9.7 - 15.6) | 444 | 11.4 | (9.0 - 14.4) | 491 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 16.8 | (13.1 - 21.3) | 773 | 15.0 | (11.8 - 18.7) | 387 | 18.9 | (13.0 - 26.5) | 386 |
| Hispanic/Latino | 18.4 | (16.7 - 20.3) | 919 | 18.7 | (16.9 - 20.7) | 437 | 18.1 | (14.5 - 22.3) | 482 |
| White* | 9.9 | (8.1 - 12.0) | 1,320 | 12.2 | (9.3 - 15.7) | 674 | 7.3 | (5.3 - 10.0) | 646 |
| All other races* | 8.1 | (5.7 - 11.4) | 694 | 12.3 | (8.2 - 18.2) | 345 | 3.5 | (2.1 - 5.8) | 349 |
| Multiple races* | 10.2 | (6.6 - 15.2) | 207 | - | - | 86 | 7.5 | (3.9 - 13.9) | 121 |

Note: 436 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN69: Percentage of students who described themselves as slightly or very overweight

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.4 | (23.8 - 27.1) | 4,218 | 20.8 | (19.3 - 22.3) | 2,023 | 30.2 | (27.9 - 32.6) | 2,166 |
| Age | | | | | | | | | |
| 15 or younger | 24.7 | (22.7 - 26.9) | 2,014 | 21.0 | (19.6 - 22.6) | 955 | 28.7 | (25.4 - 32.4) | 1,043 |
| 16 or 17 | 26.1 | (24.0 - 28.4) | 2,003 | 20.0 | (17.5 - 22.8) | 954 | 32.1 | (29.1 - 35.2) | 1,044 |
| 18 or older | 25.9 | (19.2 - 33.8) | 189 | 25.3 | (18.3 - 33.9) | 111 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 23.5 | (21.0 - 26.1) | 1,117 | 19.2 | (17.3 - 21.2) | 534 | 28.1 | (23.6 - 33.2) | 577 |
| 10th | 25.9 | (22.8 - 29.2) | 1,007 | 22.4 | (19.4 - 25.7) | 485 | 29.7 | (25.0 - 34.8) | 517 |
| 11th | 26.7 | (24.7 - 28.8) | 1,081 | 20.7 | (17.3 - 24.6) | 535 | 32.4 | (29.9 - 34.9) | 542 |
| 12th | 26.4 | (23.3 - 29.7) | 957 | 21.2 | (17.0 - 26.1) | 440 | 31.5 | (26.5 - 37.0) | 515 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 23.4 | (20.4 - 26.6) | 778 | 15.7 | (12.7 - 19.3) | 372 | 31.2 | (26.7 - 36.2) | 405 |
| Hispanic/Latino | 33.8 | (31.0 - 36.7) | 985 | 30.1 | (26.6 - 33.9) | 451 | 37.8 | (34.3 - 41.5) | 526 |
| White* | 19.9 | (17.5 - 22.7) | 1,370 | 15.4 | (13.2 - 17.8) | 684 | 24.9 | (20.3 - 30.1) | 681 |
| All other races* | 25.7 | (21.9 - 29.9) | 739 | 24.8 | (21.1 - 28.8) | 362 | 26.8 | (21.4 - 33.0) | 376 |
| Multiple races* | 20.8 | (16.9 - 25.4) | 209 | - | - | 87 | 24.7 | (17.6 - 33.6) | 122 |

Note: 238 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN71: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.6 | (25.5 - 27.8) | 4,263 | 23.7 | (22.0 - 25.6) | 2,034 | 29.4 | (27.7 - 31.1) | 2,196 |
| Age | | | | | | | | | |
| 15 or younger | 26.7 | (25.4 - 28.1) | 2,030 | 24.5 | (22.4 - 26.7) | 957 | 28.8 | (26.7 - 31.0) | 1,055 |
| 16 or 17 | 26.4 | (24.4 - 28.5) | 2,026 | 22.4 | (19.6 - 25.5) | 963 | 30.2 | (28.3 - 32.2) | 1,059 |
| 18 or older | 27.8 | (20.7 - 36.1) | 190 | 27.8 | (20.0 - 37.2) | 110 | - | - | 79 |
| Grade | | | | | | | | | |
| 9th | 26.9 | (24.6 - 29.4) | 1,126 | 25.1 | (22.2 - 28.3) | 533 | 28.7 | (25.2 - 32.4) | 587 |
| 10th | 26.7 | (24.9 - 28.6) | 1,012 | 24.3 | (21.4 - 27.5) | 486 | 28.8 | (25.3 - 32.5) | 519 |
| 11th | 24.9 | (22.8 - 27.0) | 1,096 | 21.9 | (18.6 - 25.6) | 539 | 27.8 | (24.7 - 31.1) | 553 |
| 12th | 27.0 | (24.0 - 30.3) | 970 | 21.6 | (17.1 - 26.8) | 446 | 32.2 | (28.7 - 35.9) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.4 | (21.9 - 27.2) | 782 | 21.2 | (17.8 - 24.9) | 373 | 27.6 | (23.3 - 32.3) | 408 |
| Hispanic/Latino | 23.4 | (21.6 - 25.3) | 999 | 23.7 | (20.9 - 26.7) | 451 | 23.0 | (19.7 - 26.6) | 539 |
| White* | 28.3 | (26.3 - 30.4) | 1,380 | 24.0 | (20.9 - 27.5) | 687 | 33.1 | (29.5 - 36.8) | 688 |
| All other races* | 30.0 | (27.0 - 33.3) | 747 | 27.1 | (24.1 - 30.4) | 365 | 33.1 | (27.8 - 38.9) | 382 |
| Multiple races* | 26.3 | (21.2 - 32.0) | 211 | - | - | 88 | 32.2 | (22.1 - 44.3) | 123 |

Note: 193 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN72: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | | N |
|-----------------------|------------|-------------------------|-------|---|------------|-------------------------|-------|---|------------|-------------------------|-------|---|
| | | 95% confidence interval | | | | 95% confidence interval | | | | 95% confidence interval | | |
| Total | 10.8 | (9.8 - 12.0) | 4,248 | | 11.7 | (10.3 - 13.1) | 2,025 | | 9.9 | (8.6 - 11.4) | 2,190 | |
| Age | | | | | | | | | | | | |
| 15 or younger | 10.9 | (8.9 - 13.3) | 2,024 | | 11.9 | (9.5 - 14.7) | 953 | | 9.8 | (7.8 - 12.2) | 1,053 | |
| 16 or 17 | 10.5 | (9.1 - 12.0) | 2,021 | | 11.3 | (9.8 - 13.0) | 960 | | 9.7 | (7.4 - 12.6) | 1,057 | |
| 18 or older | 13.6 | (9.0 - 19.9) | 186 | | 12.6 | (7.0 - 21.7) | 108 | | - | - | 77 | |
| Grade | | | | | | | | | | | | |
| 9th | 10.3 | (8.0 - 13.1) | 1,121 | | 11.0 | (8.7 - 13.9) | 531 | | 9.6 | (6.7 - 13.6) | 584 | |
| 10th | 11.0 | (8.8 - 13.8) | 1,009 | | 12.2 | (9.1 - 16.2) | 485 | | 9.7 | (7.7 - 12.0) | 517 | |
| 11th | 9.7 | (8.4 - 11.1) | 1,095 | | 11.6 | (9.5 - 14.1) | 536 | | 7.7 | (5.7 - 10.4) | 555 | |
| 12th | 11.7 | (8.9 - 15.3) | 965 | | 11.0 | (8.4 - 14.2) | 444 | | 12.3 | (8.6 - 17.3) | 518 | |
| Race/Ethnicity | | | | | | | | | | | | |
| Black* | 17.8 | (13.9 - 22.6) | 780 | | 19.6 | (15.4 - 24.7) | 370 | | 16.1 | (10.7 - 23.5) | 409 | |
| Hispanic/Latino | 14.7 | (13.2 - 16.3) | 996 | | 16.1 | (13.9 - 18.5) | 450 | | 13.1 | (10.9 - 15.6) | 537 | |
| White* | 6.1 | (5.1 - 7.4) | 1,377 | | 6.3 | (4.9 - 8.0) | 689 | | 6.0 | (4.4 - 8.0) | 683 | |
| All other races* | 5.2 | (3.8 - 7.0) | 740 | | 5.8 | (3.8 - 9.0) | 359 | | 4.5 | (3.0 - 6.8) | 381 | |
| Multiple races* | 9.8 | (6.3 - 15.0) | 211 | | - | - | 88 | | 7.8 | (2.7 - 20.5) | 123 | |

Note: 208 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.7 | (5.4 - 6.1) | 4,225 | 6.2 | (5.2 - 7.4) | 2,013 | 5.2 | (4.2 - 6.3) | 2,179 |
| Age | | | | | | | | | |
| 15 or younger | 5.5 | (4.5 - 6.7) | 2,011 | 6.0 | (4.3 - 8.4) | 946 | 4.8 | (3.7 - 6.3) | 1,047 |
| 16 or 17 | 5.5 | (4.5 - 6.6) | 2,013 | 6.1 | (5.2 - 7.1) | 955 | 4.9 | (3.6 - 6.7) | 1,054 |
| 18 or older | 11.2 | (7.5 - 16.4) | 184 | 9.5 | (4.3 - 19.7) | 108 | - | - | 75 |
| Grade | | | | | | | | | |
| 9th | 5.0 | (4.0 - 6.3) | 1,113 | 5.5 | (3.7 - 8.0) | 526 | 4.6 | (3.3 - 6.4) | 581 |
| 10th | 6.0 | (4.6 - 7.8) | 1,005 | 6.9 | (4.8 - 9.7) | 483 | 5.0 | (4.0 - 6.2) | 515 |
| 11th | 4.7 | (3.8 - 5.8) | 1,089 | 5.9 | (4.4 - 7.9) | 533 | 3.4 | (2.2 - 5.1) | 552 |
| 12th | 6.8 | (5.5 - 8.4) | 960 | 6.2 | (4.7 - 8.2) | 442 | 7.2 | (5.0 - 10.4) | 515 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.6 | (5.8 - 9.9) | 772 | 8.6 | (6.9 - 10.5) | 366 | 6.7 | (3.9 - 11.3) | 405 |
| Hispanic/Latino | 8.9 | (7.7 - 10.2) | 989 | 10.9 | (8.5 - 13.7) | 446 | 6.8 | (4.6 - 10.0) | 534 |
| White* | 3.3 | (2.4 - 4.5) | 1,374 | 3.2 | (2.5 - 4.0) | 686 | 3.4 | (2.1 - 5.5) | 683 |
| All other races* | 3.4 | (2.3 - 4.9) | 738 | 3.4 | (1.7 - 6.6) | 359 | 3.3 | (2.1 - 5.2) | 379 |
| Multiple races* | 5.0 | (2.1 - 11.6) | 210 | - | - | 88 | 6.2 | (1.9 - 18.8) | 122 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | | N |
|-----------------------|------------|-------------------------|-------|---|------------|-------------------------|-------|---|------------|-------------------------|-------|---|
| | | 95% confidence interval | | | | 95% confidence interval | | | | 95% confidence interval | | |
| Total | 64.8 | (63.6 - 65.9) | 4,225 | | 66.4 | (65.0 - 67.7) | 2,013 | | 63.2 | (61.4 - 64.9) | 2,179 | |
| Age | | | | | | | | | | | | |
| 15 or younger | 65.8 | (64.3 - 67.3) | 2,011 | | 66.7 | (64.3 - 69.0) | 946 | | 65.1 | (62.2 - 67.9) | 1,047 | |
| 16 or 17 | 64.4 | (62.2 - 66.5) | 2,013 | | 67.0 | (64.2 - 69.6) | 955 | | 61.9 | (59.0 - 64.8) | 1,054 | |
| 18 or older | 56.5 | (45.3 - 67.1) | 184 | | 59.2 | (45.2 - 71.9) | 108 | | - | - | 75 | |
| Grade | | | | | | | | | | | | |
| 9th | 66.2 | (62.8 - 69.5) | 1,113 | | 67.9 | (64.1 - 71.5) | 526 | | 64.6 | (58.8 - 70.0) | 581 | |
| 10th | 64.6 | (60.6 - 68.4) | 1,005 | | 64.4 | (59.0 - 69.4) | 483 | | 65.3 | (60.6 - 69.7) | 515 | |
| 11th | 66.3 | (64.1 - 68.4) | 1,089 | | 68.2 | (65.6 - 70.7) | 533 | | 64.5 | (60.2 - 68.6) | 552 | |
| 12th | 61.8 | (58.1 - 65.4) | 960 | | 65.8 | (61.8 - 69.6) | 442 | | 57.9 | (52.8 - 62.7) | 515 | |
| Race/Ethnicity | | | | | | | | | | | | |
| Black* | 59.2 | (56.2 - 62.1) | 772 | | 62.0 | (56.5 - 67.2) | 366 | | 56.6 | (50.4 - 62.6) | 405 | |
| Hispanic/Latino | 60.3 | (58.0 - 62.6) | 989 | | 60.4 | (57.7 - 63.1) | 446 | | 60.3 | (56.5 - 64.0) | 534 | |
| White* | 71.2 | (69.0 - 73.2) | 1,374 | | 72.9 | (68.5 - 76.8) | 686 | | 69.2 | (65.3 - 72.8) | 683 | |
| All other races* | 66.2 | (61.4 - 70.7) | 738 | | 66.8 | (62.3 - 71.0) | 359 | | 65.6 | (59.1 - 71.5) | 379 | |
| Multiple races* | 67.3 | (61.2 - 73.0) | 210 | | - | - | 88 | | 63.1 | (55.0 - 70.6) | 122 | |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)

| | Percentage | Total | | N | Male | | N | Female | | N |
|-----------------------|------------|-------------------------|-------|------|-------------------------|-------|------|-------------------------|-------|---|
| | | 95% confidence interval | | | 95% confidence interval | | | 95% confidence interval | | |
| Total | 34.8 | (33.1 - 36.6) | 4,225 | 36.4 | (34.2 - 38.7) | 2,013 | 33.4 | (31.4 - 35.5) | 2,179 | |
| Age | | | | | | | | | | |
| 15 or younger | 35.0 | (32.6 - 37.4) | 2,011 | 37.0 | (34.4 - 39.6) | 946 | 33.3 | (29.7 - 37.1) | 1,047 | |
| 16 or 17 | 35.1 | (32.4 - 37.8) | 2,013 | 36.7 | (33.1 - 40.3) | 955 | 33.7 | (30.1 - 37.5) | 1,054 | |
| 18 or older | 29.7 | (24.0 - 36.2) | 184 | 28.7 | (22.2 - 36.3) | 108 | - | - | 75 | |
| Grade | | | | | | | | | | |
| 9th | 36.4 | (32.2 - 40.7) | 1,113 | 38.8 | (34.6 - 43.2) | 526 | 34.1 | (28.6 - 40.1) | 581 | |
| 10th | 33.3 | (30.5 - 36.3) | 1,005 | 33.8 | (30.1 - 37.8) | 483 | 33.1 | (28.7 - 37.8) | 515 | |
| 11th | 35.2 | (32.9 - 37.6) | 1,089 | 36.5 | (32.4 - 40.7) | 533 | 34.1 | (30.8 - 37.5) | 552 | |
| 12th | 34.3 | (30.5 - 38.3) | 960 | 36.5 | (31.2 - 42.1) | 442 | 32.2 | (27.8 - 36.8) | 515 | |
| Race/Ethnicity | | | | | | | | | | |
| Black* | 32.6 | (29.8 - 35.6) | 772 | 36.2 | (30.4 - 42.4) | 366 | 29.1 | (24.3 - 34.3) | 405 | |
| Hispanic/Latino | 30.3 | (27.0 - 33.8) | 989 | 31.0 | (27.5 - 34.8) | 446 | 30.0 | (25.4 - 34.9) | 534 | |
| White* | 39.6 | (36.8 - 42.4) | 1,374 | 40.3 | (36.9 - 43.8) | 686 | 39.0 | (35.5 - 42.7) | 683 | |
| All other races* | 36.6 | (32.6 - 40.7) | 738 | 37.2 | (31.3 - 43.5) | 359 | 35.9 | (31.9 - 40.2) | 379 | |
| Multiple races* | 37.8 | (31.5 - 44.5) | 210 | - | - | 88 | 35.0 | (27.4 - 43.5) | 122 | |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.3 | (19.0 - 21.6) | 4,225 | 21.8 | (20.4 - 23.3) | 2,013 | 18.9 | (17.4 - 20.5) | 2,179 |
| Age | | | | | | | | | |
| 15 or younger | 19.6 | (17.9 - 21.4) | 2,011 | 21.2 | (18.9 - 23.6) | 946 | 18.0 | (16.3 - 19.9) | 1,047 |
| 16 or 17 | 21.0 | (18.8 - 23.3) | 2,013 | 22.6 | (20.1 - 25.3) | 955 | 19.4 | (16.7 - 22.5) | 1,054 |
| 18 or older | 21.6 | (18.2 - 25.4) | 184 | 20.9 | (16.4 - 26.3) | 108 | - | - | 75 |
| Grade | | | | | | | | | |
| 9th | 20.8 | (17.5 - 24.6) | 1,113 | 22.7 | (18.6 - 27.3) | 526 | 19.1 | (15.3 - 23.6) | 581 |
| 10th | 18.6 | (16.4 - 21.1) | 1,005 | 19.1 | (16.2 - 22.4) | 483 | 18.4 | (15.9 - 21.1) | 515 |
| 11th | 21.3 | (19.4 - 23.2) | 1,089 | 22.3 | (19.8 - 25.1) | 533 | 20.4 | (17.8 - 23.3) | 552 |
| 12th | 20.3 | (16.9 - 24.1) | 960 | 22.9 | (18.8 - 27.5) | 442 | 17.6 | (13.8 - 22.2) | 515 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 21.5 | (19.4 - 23.8) | 772 | 24.3 | (20.6 - 28.5) | 366 | 18.7 | (15.7 - 22.1) | 405 |
| Hispanic/Latino | 19.8 | (17.4 - 22.4) | 989 | 21.0 | (18.5 - 23.7) | 446 | 18.8 | (15.7 - 22.3) | 534 |
| White* | 21.0 | (17.7 - 24.8) | 1,374 | 21.3 | (17.7 - 25.4) | 686 | 20.9 | (16.8 - 25.7) | 683 |
| All other races* | 18.7 | (16.0 - 21.8) | 738 | 21.1 | (16.9 - 26.0) | 359 | 16.2 | (13.1 - 19.9) | 379 |
| Multiple races* | 22.7 | (17.6 - 28.7) | 210 | - | - | 88 | 20.4 | (14.7 - 27.4) | 122 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN73: Percentage of students who did not eat salad (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 35.6 | (33.4 - 37.8) | 4,235 | 38.7 | (36.1 - 41.4) | 2,016 | 32.3 | (29.5 - 35.2) | 2,186 |
| Age | | | | | | | | | |
| 15 or younger | 35.4 | (33.2 - 37.8) | 2,012 | 40.0 | (36.7 - 43.3) | 945 | 30.8 | (28.3 - 33.3) | 1,049 |
| 16 or 17 | 35.6 | (32.4 - 38.9) | 2,018 | 37.5 | (33.6 - 41.5) | 959 | 33.8 | (29.6 - 38.2) | 1,055 |
| 18 or older | 36.3 | (31.2 - 41.7) | 188 | 37.7 | (28.8 - 47.6) | 108 | - | - | 79 |
| Grade | | | | | | | | | |
| 9th | 34.5 | (30.6 - 38.6) | 1,109 | 39.2 | (34.3 - 44.4) | 521 | 29.7 | (25.6 - 34.1) | 582 |
| 10th | 36.8 | (33.5 - 40.1) | 1,006 | 41.4 | (37.5 - 45.4) | 484 | 32.0 | (28.3 - 36.0) | 515 |
| 11th | 35.0 | (31.5 - 38.6) | 1,091 | 37.2 | (33.0 - 41.5) | 535 | 32.9 | (28.5 - 37.7) | 552 |
| 12th | 35.7 | (32.0 - 39.5) | 970 | 36.9 | (32.1 - 42.0) | 446 | 34.6 | (29.5 - 40.2) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 46.2 | (43.0 - 49.4) | 778 | 48.9 | (44.0 - 53.8) | 367 | 43.6 | (38.7 - 48.6) | 410 |
| Hispanic/Latino | 37.9 | (35.2 - 40.6) | 994 | 41.8 | (37.3 - 46.5) | 449 | 34.1 | (28.1 - 40.6) | 536 |
| White* | 25.5 | (23.8 - 27.2) | 1,374 | 30.7 | (27.9 - 33.7) | 685 | 19.7 | (16.5 - 23.3) | 684 |
| All other races* | 38.8 | (36.1 - 41.5) | 736 | 38.8 | (35.9 - 41.8) | 359 | 38.7 | (33.5 - 44.2) | 377 |
| Multiple races* | 38.9 | (33.0 - 45.3) | 211 | - | - | 88 | 33.2 | (25.0 - 42.6) | 123 |

Note: 221 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN74: Percentage of students who did not eat potatoes (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-------|---------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.8 | (37.1 - 40.5) | 4,242 | 37.3 | (34.5 - 40.2) | 2,018 | 40.0 | (37.7 - 42.3) | 2,189 |
| Age | | | | | | | | | |
| 15 or younger | 41.5 | (38.6 - 44.5) | 2,018 | 40.2 | (36.1 - 44.5) | 946 | 42.4 | (39.4 - 45.4) | 1,052 |
| 16 or 17 | 36.0 | (34.1 - 37.8) | 2,019 | 34.4 | (31.4 - 37.5) | 959 | 37.5 | (34.7 - 40.4) | 1,056 |
| 18 or older | 35.9 | (31.6 - 40.4) | 188 | 34.7 | (27.0 - 43.2) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 41.7 | (38.0 - 45.5) | 1,115 | 39.3 | (33.9 - 44.9) | 524 | 43.8 | (38.7 - 49.0) | 585 |
| 10th | 39.3 | (35.5 - 43.3) | 1,005 | 39.8 | (34.8 - 45.1) | 483 | 38.2 | (33.3 - 43.3) | 515 |
| 11th | 35.7 | (33.2 - 38.4) | 1,094 | 34.4 | (30.1 - 38.9) | 536 | 37.1 | (34.0 - 40.2) | 553 |
| 12th | 37.1 | (34.1 - 40.1) | 968 | 34.2 | (29.7 - 38.9) | 445 | 40.1 | (35.2 - 45.3) | 520 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 49.1 | (44.9 - 53.4) | 774 | 48.7 | (43.0 - 54.5) | 366 | 49.4 | (42.8 - 56.0) | 407 |
| Hispanic/Latino | 39.8 | (37.7 - 42.0) | 995 | 38.7 | (34.5 - 43.1) | 448 | 40.8 | (37.9 - 43.8) | 536 |
| White* | 32.0 | (30.0 - 33.9) | 1,374 | 30.5 | (28.3 - 32.7) | 684 | 33.4 | (29.1 - 38.0) | 685 |
| All other races* | 37.3 | (34.9 - 39.7) | 745 | 35.0 | (30.7 - 39.5) | 361 | 39.7 | (35.5 - 44.1) | 384 |
| Multiple races* | 38.9 | (34.1 - 43.9) | 209 | - | - | 88 | 38.0 | (29.9 - 46.9) | 121 |

Note: 214 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QN75: Percentage of students who did not eat carrots (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 46.5 | (44.5 - 48.4) | 4,224 | 46.1 | (44.0 - 48.2) | 2,008 | 47.3 | (44.5 - 50.0) | 2,181 |
| Age | | | | | | | | | |
| 15 or younger | 46.2 | (44.4 - 48.1) | 2,011 | 46.8 | (44.9 - 48.7) | 941 | 46.2 | (42.8 - 49.6) | 1,050 |
| 16 or 17 | 46.3 | (43.5 - 49.2) | 2,010 | 44.6 | (41.1 - 48.2) | 954 | 48.2 | (44.5 - 51.9) | 1,052 |
| 18 or older | 50.7 | (42.0 - 59.4) | 187 | 51.4 | (41.7 - 61.1) | 109 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 45.5 | (41.4 - 49.6) | 1,112 | 44.8 | (40.6 - 49.1) | 521 | 46.5 | (40.3 - 52.9) | 585 |
| 10th | 48.0 | (45.5 - 50.6) | 998 | 49.3 | (45.8 - 52.9) | 479 | 47.2 | (43.3 - 51.0) | 512 |
| 11th | 44.1 | (41.7 - 46.5) | 1,090 | 42.7 | (39.3 - 46.2) | 535 | 45.7 | (42.2 - 49.2) | 550 |
| 12th | 48.1 | (44.3 - 51.8) | 964 | 46.8 | (42.6 - 51.0) | 443 | 49.4 | (44.7 - 54.1) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 61.1 | (57.6 - 64.5) | 764 | 59.4 | (54.5 - 64.2) | 360 | 62.6 | (58.1 - 67.0) | 403 |
| Hispanic/Latino | 49.3 | (46.6 - 52.0) | 991 | 49.5 | (45.7 - 53.4) | 446 | 50.0 | (45.6 - 54.3) | 534 |
| White* | 36.2 | (33.2 - 39.2) | 1,370 | 36.5 | (32.9 - 40.2) | 681 | 36.0 | (32.2 - 39.9) | 684 |
| All other races* | 45.0 | (40.7 - 49.4) | 745 | 44.9 | (39.4 - 50.5) | 362 | 45.1 | (39.3 - 51.1) | 383 |
| Multiple races* | 44.4 | (39.3 - 49.7) | 208 | - | - | 88 | 44.7 | (38.2 - 51.4) | 120 |

Note: 232 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN76: Percentage of students who did not eat other vegetables (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.6 | (14.2 - 17.1) | 4,203 | 16.1 | (14.3 - 18.2) | 1,996 | 14.8 | (13.3 - 16.6) | 2,172 |
| Age | | | | | | | | | |
| 15 or younger | 15.1 | (13.5 - 16.9) | 2,003 | 16.7 | (14.1 - 19.6) | 938 | 13.3 | (11.5 - 15.2) | 1,045 |
| 16 or 17 | 15.2 | (13.8 - 16.6) | 1,998 | 14.6 | (12.7 - 16.8) | 945 | 15.7 | (13.9 - 17.6) | 1,049 |
| 18 or older | 24.5 | (17.6 - 33.0) | 186 | 23.4 | (15.5 - 33.6) | 109 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 14.5 | (12.4 - 16.9) | 1,109 | 16.0 | (13.5 - 18.9) | 520 | 12.9 | (10.3 - 16.0) | 583 |
| 10th | 16.4 | (13.6 - 19.6) | 994 | 17.9 | (14.0 - 22.6) | 479 | 14.4 | (11.8 - 17.4) | 508 |
| 11th | 15.5 | (13.3 - 18.1) | 1,081 | 15.2 | (12.9 - 17.9) | 528 | 15.8 | (13.1 - 19.0) | 548 |
| 12th | 15.6 | (14.0 - 17.2) | 959 | 15.0 | (12.7 - 17.8) | 439 | 16.0 | (13.9 - 18.4) | 517 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.6 | (21.5 - 28.1) | 763 | 26.1 | (23.2 - 29.2) | 357 | 23.1 | (18.6 - 28.2) | 405 |
| Hispanic/Latino | 21.0 | (18.9 - 23.1) | 981 | 22.4 | (19.1 - 26.0) | 442 | 19.7 | (16.5 - 23.3) | 528 |
| White* | 9.2 | (7.7 - 11.0) | 1,366 | 10.2 | (7.7 - 13.5) | 679 | 8.0 | (5.5 - 11.5) | 682 |
| All other races* | 8.8 | (6.5 - 11.9) | 743 | 8.0 | (5.9 - 10.7) | 363 | 9.7 | (6.6 - 14.1) | 380 |
| Multiple races* | 9.4 | (5.7 - 15.0) | 207 | - | - | 87 | 6.6 | (3.1 - 13.6) | 120 |

Note: 253 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 6.8 | (5.9 - 7.9) | 4,155 | 7.8 | (6.4 - 9.4) | 1,969 | 5.8 | (5.1 - 6.6) | 2,153 |
| 15 or younger | 6.6 | (5.4 - 8.0) | 1,972 | 8.5 | (6.3 - 11.3) | 919 | 4.6 | (3.7 - 5.8) | 1,035 |
| 16 or 17 | 6.6 | (5.6 - 7.9) | 1,985 | 6.8 | (5.6 - 8.3) | 939 | 6.5 | (5.3 - 7.9) | 1,042 |
| 18 or older | 10.6 | (6.9 - 15.9) | 182 | 8.9 | (4.0 - 18.9) | 107 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 6.7 | (5.5 - 8.2) | 1,085 | 8.8 | (6.8 - 11.3) | 504 | 4.6 | (3.7 - 5.7) | 575 |
| 10th | 6.5 | (5.1 - 8.4) | 986 | 8.4 | (5.6 - 12.2) | 473 | 4.7 | (3.2 - 6.8) | 506 |
| 11th | 6.2 | (4.6 - 8.2) | 1,072 | 6.4 | (4.6 - 8.8) | 525 | 5.9 | (4.0 - 8.5) | 543 |
| 12th | 7.4 | (6.0 - 9.1) | 953 | 7.0 | (4.6 - 10.6) | 437 | 7.8 | (5.6 - 10.6) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.6 | (10.7 - 14.6) | 752 | 15.2 | (12.8 - 18.1) | 350 | 10.0 | (7.9 - 12.5) | 401 |
| Hispanic/Latino | 8.6 | (7.2 - 10.3) | 968 | 9.8 | (6.7 - 14.1) | 437 | 7.7 | (5.6 - 10.7) | 522 |
| White* | 3.6 | (2.5 - 5.1) | 1,357 | 4.3 | (2.5 - 7.1) | 672 | 2.8 | (1.8 - 4.2) | 680 |
| All other races* | 3.5 | (2.2 - 5.6) | 733 | 3.3 | (1.8 - 5.8) | 358 | 3.7 | (1.9 - 7.2) | 375 |
| Multiple races* | 4.1 | (1.7 - 9.6) | 207 | - | - | 87 | 1.7 | (0.4 - 7.3) | 120 |

Note: 301 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 64.7 | (63.0 - 66.4) | 4,155 | 66.5 | (64.6 - 68.5) | 1,969 | 62.8 | (60.2 - 65.3) | 2,153 |
| 15 or younger | 64.5 | (62.2 - 66.7) | 1,972 | 64.5 | (62.2 - 66.6) | 919 | 64.4 | (61.3 - 67.3) | 1,035 |
| 16 or 17 | 65.4 | (63.2 - 67.6) | 1,985 | 69.4 | (66.2 - 72.3) | 939 | 61.6 | (58.6 - 64.5) | 1,042 |
| 18 or older | 60.0 | (52.0 - 67.4) | 182 | 62.4 | (51.2 - 72.5) | 107 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 64.2 | (60.4 - 67.9) | 1,085 | 64.4 | (60.4 - 68.3) | 504 | 64.0 | (58.1 - 69.5) | 575 |
| 10th | 65.2 | (61.3 - 68.9) | 986 | 64.6 | (58.8 - 69.9) | 473 | 65.7 | (62.2 - 69.1) | 506 |
| 11th | 65.6 | (62.9 - 68.2) | 1,072 | 70.0 | (65.7 - 74.0) | 525 | 61.2 | (58.0 - 64.4) | 543 |
| 12th | 64.3 | (60.9 - 67.5) | 953 | 68.0 | (64.0 - 71.8) | 437 | 60.4 | (55.8 - 64.9) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 51.6 | (48.6 - 54.6) | 752 | 56.2 | (53.0 - 59.4) | 350 | 47.2 | (42.1 - 52.4) | 401 |
| Hispanic/Latino | 57.8 | (56.0 - 59.6) | 968 | 58.6 | (55.3 - 61.8) | 437 | 56.8 | (53.8 - 59.7) | 522 |
| White* | 73.9 | (71.1 - 76.6) | 1,357 | 73.9 | (69.2 - 78.1) | 672 | 74.0 | (70.3 - 77.3) | 680 |
| All other races* | 74.0 | (72.0 - 76.0) | 733 | 76.6 | (72.7 - 80.1) | 358 | 71.3 | (67.7 - 74.8) | 375 |
| Multiple races* | 68.5 | (62.6 - 73.9) | 207 | - | - | 87 | 69.7 | (63.1 - 75.6) | 120 |

Note: 301 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| Age | | | | | | | | | |
| Total | 31.4 | (30.2 - 32.7) | 4,155 | 33.0 | (31.4 - 34.6) | 1,969 | 30.0 | (28.0 - 32.0) | 2,153 |
| 15 or younger | 31.4 | (29.7 - 33.2) | 1,972 | 33.2 | (30.8 - 35.6) | 919 | 29.7 | (27.7 - 31.8) | 1,035 |
| 16 or 17 | 31.5 | (29.4 - 33.7) | 1,985 | 32.8 | (30.5 - 35.1) | 939 | 30.3 | (26.9 - 33.9) | 1,042 |
| 18 or older | 30.4 | (25.0 - 36.4) | 182 | 31.2 | (22.7 - 41.2) | 107 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 32.2 | (29.4 - 35.1) | 1,085 | 34.0 | (30.6 - 37.6) | 504 | 30.5 | (26.9 - 34.4) | 575 |
| 10th | 30.8 | (27.3 - 34.6) | 986 | 31.4 | (26.6 - 36.5) | 473 | 29.9 | (27.0 - 33.0) | 506 |
| 11th | 30.6 | (28.7 - 32.5) | 1,072 | 32.7 | (29.7 - 35.8) | 525 | 28.6 | (25.6 - 31.7) | 543 |
| 12th | 32.4 | (28.6 - 36.3) | 953 | 33.7 | (28.1 - 39.8) | 437 | 31.1 | (26.7 - 35.9) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.3 | (21.5 - 27.2) | 752 | 27.9 | (24.6 - 31.5) | 350 | 20.8 | (16.8 - 25.5) | 401 |
| Hispanic/Latino | 27.1 | (25.2 - 29.1) | 968 | 27.4 | (23.8 - 31.3) | 437 | 26.7 | (22.8 - 31.1) | 522 |
| White* | 36.3 | (33.8 - 38.9) | 1,357 | 36.7 | (33.4 - 40.2) | 672 | 36.0 | (32.7 - 39.5) | 680 |
| All other races* | 38.0 | (35.4 - 40.7) | 733 | 39.9 | (35.8 - 44.1) | 358 | 36.1 | (32.3 - 40.0) | 375 |
| Multiple races* | 34.4 | (26.8 - 42.8) | 207 | - | - | 87 | 32.4 | (26.1 - 39.3) | 120 |

Note: 301 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNVEG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 16.4 | (15.5 - 17.4) | 4,155 | 17.4 | (16.2 - 18.7) | 1,969 | 15.4 | (13.4 - 17.6) | 2,153 |
| 15 or younger | 16.8 | (15.1 - 18.7) | 1,972 | 18.2 | (15.7 - 20.9) | 919 | 15.4 | (13.3 - 17.9) | 1,035 |
| 16 or 17 | 16.2 | (14.4 - 18.2) | 1,985 | 16.9 | (14.7 - 19.5) | 939 | 15.3 | (12.7 - 18.4) | 1,042 |
| 18 or older | 15.0 | (10.7 - 20.6) | 182 | 14.9 | (9.9 - 21.8) | 107 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 16.9 | (14.5 - 19.6) | 1,085 | 17.9 | (14.9 - 21.3) | 504 | 16.1 | (13.0 - 19.7) | 575 |
| 10th | 17.1 | (14.4 - 20.2) | 986 | 18.4 | (14.7 - 22.6) | 473 | 15.5 | (12.1 - 19.6) | 506 |
| 11th | 15.7 | (14.4 - 17.1) | 1,072 | 16.2 | (14.2 - 18.4) | 525 | 15.1 | (13.0 - 17.5) | 543 |
| 12th | 15.7 | (12.7 - 19.4) | 953 | 16.8 | (12.6 - 22.1) | 437 | 14.6 | (10.9 - 19.2) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.4 | (10.2 - 15.0) | 752 | 14.3 | (10.8 - 18.6) | 350 | 10.6 | (8.3 - 13.4) | 401 |
| Hispanic/Latino | 15.6 | (13.4 - 18.0) | 968 | 17.5 | (14.5 - 21.0) | 437 | 13.9 | (10.0 - 18.9) | 522 |
| White* | 17.7 | (15.1 - 20.6) | 1,357 | 16.8 | (14.4 - 19.5) | 672 | 18.6 | (15.2 - 22.6) | 680 |
| All other races* | 20.4 | (17.6 - 23.6) | 733 | 21.9 | (18.0 - 26.5) | 358 | 18.8 | (14.1 - 24.7) | 375 |
| Multiple races* | 17.8 | (12.4 - 24.9) | 207 | - | - | 87 | 15.0 | (11.8 - 19.0) | 120 |

Note: 301 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN77: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 34.2 | (33.3 - 35.1) | 4,225 | 30.2 | (27.6 - 32.9) | 2,008 | 38.1 | (36.1 - 40.0) | 2,183 |
| Age | | | | | | | | | |
| 15 or younger | 33.8 | (31.6 - 36.0) | 2,011 | 29.3 | (26.6 - 32.1) | 942 | 38.3 | (35.0 - 41.7) | 1,049 |
| 16 or 17 | 34.9 | (32.7 - 37.1) | 2,010 | 31.8 | (28.0 - 35.8) | 953 | 38.0 | (34.6 - 41.5) | 1,054 |
| 18 or older | 29.8 | (24.3 - 36.0) | 188 | 26.1 | (19.7 - 33.7) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 33.7 | (31.3 - 36.1) | 1,112 | 30.6 | (27.2 - 34.3) | 522 | 36.8 | (32.6 - 41.2) | 584 |
| 10th | 33.1 | (29.3 - 37.2) | 1,001 | 27.5 | (22.8 - 32.9) | 482 | 38.9 | (34.6 - 43.5) | 512 |
| 11th | 34.8 | (31.2 - 38.6) | 1,087 | 33.4 | (28.2 - 39.0) | 533 | 36.1 | (31.7 - 40.8) | 550 |
| 12th | 34.9 | (30.9 - 39.2) | 966 | 29.3 | (25.6 - 33.3) | 442 | 40.4 | (34.0 - 47.2) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 33.9 | (30.2 - 37.7) | 765 | 32.0 | (26.3 - 38.3) | 360 | 35.5 | (32.7 - 38.4) | 404 |
| Hispanic/Latino | 27.0 | (24.0 - 30.3) | 990 | 25.9 | (22.7 - 29.4) | 445 | 28.0 | (24.0 - 32.5) | 535 |
| White* | 35.9 | (33.9 - 38.1) | 1,373 | 30.3 | (24.4 - 37.0) | 684 | 42.0 | (38.5 - 45.6) | 684 |
| All other races* | 42.2 | (36.1 - 48.6) | 743 | 35.0 | (27.3 - 43.5) | 360 | 49.8 | (43.6 - 56.1) | 383 |
| Multiple races* | 31.2 | (26.5 - 36.3) | 208 | - | - | 88 | 35.9 | (29.4 - 42.8) | 120 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| Total | 10.7 | (10.1 - 11.4) | 4,225 | 13.2 | (12.0 - 14.6) | 2,008 | 8.2 | (7.3 - 9.3) | 2,183 |
| Age | | | | | | | | | |
| 15 or younger | 10.0 | (8.7 - 11.5) | 2,011 | 12.4 | (9.9 - 15.4) | 942 | 7.5 | (6.5 - 8.7) | 1,049 |
| 16 or 17 | 10.5 | (9.6 - 11.4) | 2,010 | 12.9 | (11.3 - 14.7) | 953 | 8.1 | (6.9 - 9.6) | 1,054 |
| 18 or older | 21.3 | (16.5 - 26.9) | 188 | 22.2 | (17.3 - 28.0) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 10.2 | (8.2 - 12.6) | 1,112 | 12.5 | (8.9 - 17.2) | 522 | 7.9 | (6.3 - 10.0) | 584 |
| 10th | 10.6 | (8.5 - 13.2) | 1,001 | 13.7 | (11.0 - 17.0) | 482 | 7.3 | (5.1 - 10.5) | 512 |
| 11th | 9.4 | (8.2 - 10.9) | 1,087 | 10.9 | (9.2 - 12.8) | 533 | 8.0 | (5.9 - 10.7) | 550 |
| 12th | 12.8 | (10.5 - 15.6) | 966 | 16.1 | (12.5 - 20.5) | 442 | 9.7 | (7.6 - 12.4) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.6 | (8.0 - 16.6) | 765 | 13.8 | (9.1 - 20.3) | 360 | 9.5 | (6.5 - 13.7) | 404 |
| Hispanic/Latino | 14.8 | (11.8 - 18.3) | 990 | 17.9 | (14.8 - 21.5) | 445 | 11.8 | (7.3 - 18.5) | 535 |
| White* | 9.0 | (7.7 - 10.6) | 1,373 | 11.2 | (8.9 - 14.1) | 684 | 6.6 | (5.1 - 8.6) | 684 |
| All other races* | 7.1 | (5.3 - 9.5) | 743 | 8.9 | (7.2 - 10.9) | 360 | 5.2 | (3.0 - 9.0) | 383 |
| Multiple races* | 7.5 | (5.3 - 10.3) | 208 | - | - | 88 | 0.7 | (0.1 - 4.5) | 120 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.0 | (5.6 - 6.6) | 4,225 | 7.7 | (6.8 - 8.6) | 2,008 | 4.4 | (3.8 - 5.0) | 2,183 |
| Age | | | | | | | | | |
| 15 or younger | 5.3 | (4.4 - 6.3) | 2,011 | 6.7 | (4.9 - 9.2) | 942 | 3.8 | (3.2 - 4.5) | 1,049 |
| 16 or 17 | 6.5 | (5.7 - 7.4) | 2,010 | 8.4 | (7.2 - 9.7) | 953 | 4.7 | (4.0 - 5.5) | 1,054 |
| 18 or older | 9.8 | (6.2 - 15.2) | 188 | 10.4 | (6.7 - 15.9) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 5.6 | (4.4 - 7.0) | 1,112 | 6.8 | (4.4 - 10.5) | 522 | 4.3 | (2.9 - 6.3) | 584 |
| 10th | 5.8 | (4.6 - 7.2) | 1,001 | 8.0 | (6.4 - 10.1) | 482 | 3.3 | (2.1 - 5.0) | 512 |
| 11th | 5.4 | (4.4 - 6.7) | 1,087 | 6.2 | (4.8 - 8.2) | 533 | 4.5 | (3.0 - 6.7) | 550 |
| 12th | 7.6 | (5.9 - 9.8) | 966 | 9.8 | (7.0 - 13.6) | 442 | 5.5 | (4.6 - 6.6) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.8 | (5.3 - 11.2) | 765 | 9.7 | (5.9 - 15.5) | 360 | 5.9 | (3.8 - 8.9) | 404 |
| Hispanic/Latino | 8.9 | (7.2 - 11.0) | 990 | 11.6 | (9.1 - 14.7) | 445 | 6.4 | (3.6 - 11.1) | 535 |
| White* | 4.1 | (3.3 - 4.9) | 1,373 | 5.1 | (4.0 - 6.5) | 684 | 3.0 | (1.8 - 4.7) | 684 |
| All other races* | 3.5 | (2.1 - 5.8) | 743 | 3.9 | (2.7 - 5.7) | 360 | 3.1 | (1.2 - 7.4) | 383 |
| Multiple races* | 4.2 | (1.7 - 9.6) | 208 | - | - | 88 | 0.7 | (0.1 - 4.5) | 120 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
 Montgomery County
 Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.6 | (3.0 - 4.3) | 4,225 | 4.7 | (4.0 - 5.6) | 2,008 | 2.5 | (1.8 - 3.5) | 2,183 |
| Age | | | | | | | | | |
| 15 or younger | 2.9 | (2.2 - 3.7) | 2,011 | 3.7 | (2.4 - 5.6) | 942 | 2.0 | (1.4 - 2.9) | 1,049 |
| 16 or 17 | 3.8 | (3.0 - 4.8) | 2,010 | 5.2 | (4.4 - 6.3) | 953 | 2.5 | (1.4 - 4.4) | 1,054 |
| 18 or older | 9.8 | (6.2 - 15.2) | 188 | 10.4 | (6.7 - 15.9) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 2.8 | (2.0 - 3.8) | 1,112 | 3.5 | (2.0 - 6.0) | 522 | 2.1 | (1.2 - 3.6) | 584 |
| 10th | 3.8 | (3.0 - 4.7) | 1,001 | 5.4 | (4.4 - 6.6) | 482 | 2.1 | (1.3 - 3.5) | 512 |
| 11th | 3.3 | (2.2 - 4.8) | 1,087 | 4.5 | (3.2 - 6.4) | 533 | 1.9 | (0.8 - 4.5) | 550 |
| 12th | 4.7 | (3.5 - 6.2) | 966 | 5.6 | (4.0 - 7.8) | 442 | 3.9 | (2.3 - 6.3) | 521 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.0 | (3.4 - 7.3) | 765 | 6.9 | (4.3 - 10.9) | 360 | 3.2 | (1.6 - 6.2) | 404 |
| Hispanic/Latino | 5.8 | (4.5 - 7.4) | 990 | 7.9 | (6.2 - 10.1) | 445 | 3.8 | (1.7 - 8.2) | 535 |
| White* | 1.9 | (1.4 - 2.5) | 1,373 | 2.1 | (1.3 - 3.2) | 684 | 1.7 | (0.9 - 3.0) | 684 |
| All other races* | 1.9 | (0.9 - 3.9) | 743 | 2.0 | (1.1 - 3.5) | 360 | 1.8 | (0.6 - 5.3) | 383 |
| Multiple races* | 2.2 | (1.0 - 5.0) | 208 | - | - | 88 | 0.0 | - | 120 |

Note: 231 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN80: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| Age | | | | | | | | | |
| Total | 40.2 | (37.5 - 43.0) | 4,204 | 48.0 | (43.6 - 52.4) | 2,000 | 32.6 | (30.6 - 34.7) | 2,170 |
| 15 or younger | 45.0 | (41.3 - 48.8) | 2,005 | 53.4 | (48.4 - 58.4) | 940 | 37.0 | (32.6 - 41.6) | 1,045 |
| 16 or 17 | 35.6 | (32.6 - 38.8) | 1,996 | 43.1 | (37.5 - 48.9) | 947 | 28.5 | (25.8 - 31.3) | 1,045 |
| 18 or older | 31.8 | (27.4 - 36.6) | 188 | 35.7 | (29.5 - 42.5) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 48.9 | (44.1 - 53.7) | 1,109 | 58.6 | (55.3 - 61.9) | 521 | 39.1 | (32.4 - 46.3) | 582 |
| 10th | 39.9 | (34.7 - 45.4) | 992 | 45.7 | (38.4 - 53.1) | 476 | 34.1 | (29.4 - 39.1) | 509 |
| 11th | 34.6 | (31.8 - 37.5) | 1,086 | 41.6 | (36.7 - 46.7) | 535 | 28.1 | (24.9 - 31.5) | 546 |
| 12th | 35.2 | (31.4 - 39.3) | 960 | 42.9 | (35.4 - 50.7) | 439 | 27.9 | (24.3 - 31.9) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 39.7 | (35.6 - 44.0) | 761 | 49.9 | (41.8 - 58.0) | 358 | 29.8 | (25.4 - 34.7) | 402 |
| Hispanic/Latino | 32.8 | (27.9 - 38.1) | 991 | 39.8 | (32.9 - 47.2) | 445 | 26.6 | (22.4 - 31.3) | 535 |
| White* | 49.5 | (46.6 - 52.5) | 1,363 | 55.4 | (50.8 - 59.8) | 683 | 43.2 | (39.5 - 47.0) | 675 |
| All other races* | 34.1 | (29.4 - 39.2) | 739 | 41.2 | (35.0 - 47.8) | 357 | 26.7 | (21.3 - 32.9) | 382 |
| Multiple races* | 45.8 | (41.1 - 50.7) | 206 | - | - | 87 | 34.6 | (27.4 - 42.5) | 119 |

Note: 252 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.6 | (16.0 - 19.4) | 4,204 | 13.7 | (12.4 - 15.2) | 2,000 | 21.5 | (19.3 - 23.8) | 2,170 |
| 15 or younger | 14.8 | (13.2 - 16.6) | 2,005 | 11.7 | (10.1 - 13.7) | 940 | 17.8 | (15.4 - 20.4) | 1,045 |
| 16 or 17 | 20.0 | (17.6 - 22.6) | 1,996 | 15.3 | (12.5 - 18.6) | 947 | 24.5 | (22.1 - 27.2) | 1,045 |
| 18 or older | 25.0 | (20.0 - 30.9) | 188 | 19.1 | (14.3 - 25.1) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 14.3 | (12.0 - 16.9) | 1,109 | 12.0 | (9.6 - 15.0) | 521 | 16.1 | (13.6 - 19.0) | 582 |
| 10th | 16.7 | (14.4 - 19.2) | 992 | 12.2 | (10.0 - 14.9) | 476 | 21.4 | (18.8 - 24.2) | 509 |
| 11th | 20.5 | (18.0 - 23.2) | 1,086 | 17.5 | (14.3 - 21.4) | 535 | 23.4 | (20.4 - 26.6) | 546 |
| 12th | 19.8 | (16.7 - 23.4) | 960 | 13.7 | (10.7 - 17.3) | 439 | 25.8 | (21.9 - 30.1) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 21.6 | (17.7 - 26.1) | 761 | 16.2 | (12.7 - 20.6) | 358 | 26.6 | (21.9 - 32.0) | 402 |
| Hispanic/Latino | 21.6 | (18.8 - 24.6) | 991 | 17.3 | (15.1 - 19.7) | 445 | 25.9 | (21.9 - 30.2) | 535 |
| White* | 11.2 | (9.9 - 12.6) | 1,363 | 8.7 | (6.5 - 11.6) | 683 | 13.6 | (12.3 - 15.1) | 675 |
| All other races* | 20.6 | (18.2 - 23.1) | 739 | 16.6 | (12.6 - 21.4) | 357 | 24.7 | (20.2 - 29.8) | 382 |
| Multiple races* | 12.4 | (8.7 - 17.3) | 206 | - | - | 87 | 13.7 | (8.9 - 20.6) | 119 |

Note: 252 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 19.9 | (18.4 - 21.5) | 4,204 | 26.5 | (23.4 - 29.9) | 2,000 | 13.3 | (11.9 - 14.8) | 2,170 |
| 15 or younger | 22.6 | (20.7 - 24.6) | 2,005 | 29.5 | (25.9 - 33.3) | 940 | 15.8 | (13.7 - 18.2) | 1,045 |
| 16 or 17 | 17.0 | (15.2 - 19.1) | 1,996 | 23.6 | (19.8 - 27.9) | 947 | 10.7 | (9.1 - 12.7) | 1,045 |
| 18 or older | 17.9 | (15.3 - 20.7) | 188 | 22.3 | (17.9 - 27.3) | 109 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 24.5 | (21.5 - 27.8) | 1,109 | 32.3 | (28.8 - 36.0) | 521 | 16.7 | (13.5 - 20.3) | 582 |
| 10th | 19.8 | (16.7 - 23.4) | 992 | 25.2 | (19.5 - 32.1) | 476 | 14.2 | (10.8 - 18.4) | 509 |
| 11th | 16.0 | (14.3 - 17.8) | 1,086 | 21.8 | (18.4 - 25.6) | 535 | 10.5 | (8.7 - 12.7) | 546 |
| 12th | 18.0 | (14.9 - 21.6) | 960 | 25.4 | (19.7 - 32.0) | 439 | 10.9 | (8.9 - 13.2) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.4 | (20.2 - 24.7) | 761 | 29.8 | (24.4 - 35.9) | 358 | 15.1 | (12.7 - 17.8) | 402 |
| Hispanic/Latino | 16.0 | (13.4 - 19.1) | 991 | 22.8 | (17.6 - 29.0) | 445 | 10.1 | (8.2 - 12.3) | 535 |
| White* | 23.3 | (21.2 - 25.5) | 1,363 | 29.9 | (25.5 - 34.8) | 683 | 15.8 | (13.2 - 18.8) | 675 |
| All other races* | 15.1 | (12.0 - 18.9) | 739 | 19.6 | (15.3 - 24.8) | 357 | 10.5 | (6.7 - 15.9) | 382 |
| Multiple races* | 28.4 | (23.6 - 33.9) | 206 | - | - | 87 | 21.0 | (15.2 - 28.1) | 119 |

Note: 252 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN81: Percentage of students who watched television 3 or more hours per day (on an average school day)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.5 | (16.5 - 20.7) | 4,179 | 18.4 | (15.6 - 21.5) | 1,992 | 18.7 | (17.0 - 20.5) | 2,153 |
| Age | | | | | | | | | |
| 15 or younger | 18.7 | (15.5 - 22.5) | 1,988 | 18.9 | (14.5 - 24.1) | 935 | 18.6 | (15.9 - 21.6) | 1,033 |
| 16 or 17 | 18.3 | (16.0 - 20.9) | 1,992 | 17.8 | (14.8 - 21.3) | 943 | 18.8 | (16.6 - 21.1) | 1,045 |
| 18 or older | 19.3 | (13.8 - 26.3) | 184 | 19.5 | (12.3 - 29.4) | 110 | - | - | 73 |
| Grade | | | | | | | | | |
| 9th | 18.8 | (16.3 - 21.6) | 1,100 | 17.9 | (15.4 - 20.7) | 520 | 19.8 | (16.1 - 24.1) | 574 |
| 10th | 19.5 | (14.8 - 25.1) | 984 | 18.8 | (12.4 - 27.4) | 472 | 20.1 | (16.2 - 24.6) | 505 |
| 11th | 16.7 | (14.1 - 19.7) | 1,082 | 17.5 | (14.4 - 21.0) | 532 | 16.2 | (13.2 - 19.7) | 545 |
| 12th | 19.0 | (15.4 - 23.1) | 954 | 19.3 | (14.6 - 25.1) | 438 | 18.6 | (15.4 - 22.1) | 513 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 23.2 | (19.8 - 26.9) | 756 | 23.2 | (19.1 - 27.9) | 354 | 23.2 | (18.5 - 28.6) | 401 |
| Hispanic/Latino | 23.7 | (21.3 - 26.3) | 977 | 24.0 | (20.2 - 28.3) | 440 | 23.4 | (20.5 - 26.7) | 526 |
| White* | 14.5 | (12.0 - 17.3) | 1,359 | 13.7 | (10.7 - 17.5) | 684 | 15.4 | (13.3 - 17.8) | 670 |
| All other races* | 12.9 | (10.9 - 15.2) | 739 | 13.0 | (10.8 - 15.5) | 358 | 12.9 | (9.0 - 17.9) | 381 |
| Multiple races* | 13.6 | (11.0 - 16.8) | 206 | - | - | 88 | 13.3 | (9.8 - 17.8) | 118 |

Note: 277 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 36.2 | (34.5 - 38.0) | 4,218 | 37.0 | (35.1 - 39.0) | 2,010 | 35.4 | (33.3 - 37.6) | 2,174 |
| Age | | | | | | | | | |
| 15 or younger | 36.4 | (34.8 - 38.1) | 2,010 | 35.5 | (33.5 - 37.5) | 944 | 37.3 | (34.6 - 40.0) | 1,046 |
| 16 or 17 | 36.5 | (33.5 - 39.6) | 2,006 | 39.0 | (35.4 - 42.7) | 953 | 34.1 | (31.2 - 37.2) | 1,049 |
| 18 or older | 32.8 | (26.5 - 39.7) | 187 | 36.2 | (27.1 - 46.4) | 109 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 35.3 | (32.0 - 38.8) | 1,114 | 34.2 | (30.2 - 38.3) | 524 | 35.9 | (31.5 - 40.6) | 584 |
| 10th | 37.5 | (34.1 - 40.9) | 995 | 36.6 | (31.5 - 41.9) | 478 | 38.8 | (35.4 - 42.3) | 510 |
| 11th | 36.3 | (32.7 - 40.0) | 1,087 | 39.6 | (34.7 - 44.6) | 536 | 33.2 | (29.5 - 37.1) | 546 |
| 12th | 36.0 | (32.2 - 40.0) | 963 | 38.5 | (34.3 - 42.8) | 442 | 33.4 | (30.0 - 36.9) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 36.1 | (32.8 - 39.4) | 770 | 34.1 | (30.5 - 37.8) | 365 | 37.9 | (34.0 - 41.8) | 404 |
| Hispanic/Latino | 38.8 | (36.1 - 41.5) | 987 | 40.2 | (36.0 - 44.6) | 445 | 37.3 | (34.1 - 40.6) | 531 |
| White* | 31.7 | (28.7 - 34.8) | 1,367 | 33.8 | (30.2 - 37.4) | 684 | 29.1 | (25.1 - 33.5) | 678 |
| All other races* | 44.0 | (40.1 - 47.9) | 743 | 44.5 | (40.0 - 49.0) | 359 | 43.4 | (37.4 - 49.7) | 384 |
| Multiple races* | 32.5 | (28.6 - 36.6) | 207 | - | - | 87 | 33.3 | (27.8 - 39.4) | 120 |

Note: 238 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data**

QN83: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-------|---------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 42.3 | (38.2 - 46.5) | 4,198 | 48.7 | (43.9 - 53.5) | 1,998 | 35.7 | (30.9 - 40.8) | 2,168 |
| Age | | | | | | | | | |
| 15 or younger | 57.4 | (50.9 - 63.6) | 1,999 | 61.5 | (54.1 - 68.4) | 940 | 53.0 | (45.3 - 60.6) | 1,041 |
| 16 or 17 | 26.3 | (23.1 - 29.8) | 2,001 | 35.2 | (30.3 - 40.3) | 948 | 17.6 | (13.9 - 22.1) | 1,049 |
| 18 or older | 34.9 | (26.7 - 44.1) | 183 | 38.3 | (28.5 - 49.0) | 106 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 81.5 | (76.1 - 85.8) | 1,105 | 81.6 | (75.7 - 86.2) | 521 | 81.5 | (74.8 - 86.7) | 578 |
| 10th | 28.9 | (23.6 - 34.7) | 993 | 37.8 | (30.0 - 46.2) | 476 | 19.8 | (15.9 - 24.3) | 510 |
| 11th | 23.1 | (18.4 - 28.6) | 1,084 | 29.5 | (24.4 - 35.1) | 533 | 16.7 | (11.5 - 23.8) | 546 |
| 12th | 27.0 | (22.5 - 32.1) | 958 | 37.2 | (31.1 - 43.7) | 438 | 17.0 | (12.7 - 22.5) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 44.7 | (39.3 - 50.3) | 762 | 52.5 | (44.7 - 60.3) | 358 | 36.9 | (31.9 - 42.2) | 403 |
| Hispanic/Latino | 44.3 | (38.8 - 49.9) | 981 | 47.7 | (42.3 - 53.1) | 443 | 40.7 | (33.4 - 48.3) | 529 |
| White* | 41.7 | (36.4 - 47.2) | 1,362 | 49.0 | (43.3 - 54.8) | 681 | 33.6 | (26.6 - 41.5) | 676 |
| All other races* | 35.8 | (31.6 - 40.3) | 744 | 42.3 | (35.5 - 49.3) | 360 | 29.1 | (25.6 - 32.9) | 384 |
| Multiple races* | 43.8 | (36.6 - 51.1) | 205 | - | - | 86 | 34.9 | (27.7 - 43.0) | 119 |

Note: 258 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 30.4 | (24.8 - 36.6) | 4,198 | 35.0 | (28.0 - 42.8) | 1,998 | 25.7 | (20.8 - 31.3) | 2,168 |
| Age | | | | | | | | | |
| 15 or younger | 43.9 | (34.9 - 53.5) | 1,999 | 47.4 | (36.9 - 58.1) | 940 | 40.7 | (31.7 - 50.4) | 1,041 |
| 16 or 17 | 16.8 | (13.6 - 20.5) | 2,001 | 23.4 | (18.6 - 29.1) | 948 | 10.4 | (7.5 - 14.4) | 1,049 |
| 18 or older | 14.0 | (8.1 - 23.4) | 183 | 12.9 | (6.7 - 23.3) | 106 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 64.7 | (49.9 - 77.1) | 1,105 | 65.4 | (52.4 - 76.4) | 521 | 64.1 | (46.5 - 78.5) | 578 |
| 10th | 18.5 | (13.5 - 24.7) | 993 | 24.3 | (17.1 - 33.4) | 476 | 12.5 | (8.5 - 18.1) | 510 |
| 11th | 14.9 | (11.2 - 19.6) | 1,084 | 19.4 | (14.8 - 25.1) | 533 | 10.7 | (6.5 - 17.0) | 546 |
| 12th | 16.2 | (12.4 - 21.0) | 958 | 23.6 | (17.5 - 31.1) | 438 | 9.1 | (6.8 - 12.0) | 518 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.0 | (20.6 - 34.4) | 762 | 31.4 | (22.5 - 41.8) | 358 | 22.5 | (17.1 - 29.0) | 403 |
| Hispanic/Latino | 27.1 | (18.8 - 37.4) | 981 | 28.6 | (19.1 - 40.5) | 443 | 25.6 | (18.0 - 35.0) | 529 |
| White* | 35.5 | (29.1 - 42.3) | 1,362 | 41.4 | (33.5 - 49.8) | 681 | 28.9 | (22.1 - 36.9) | 676 |
| All other races* | 28.6 | (23.9 - 33.9) | 744 | 34.1 | (28.2 - 40.5) | 360 | 22.9 | (18.5 - 28.1) | 384 |
| Multiple races* | 36.2 | (28.9 - 44.2) | 205 | - | - | 86 | 28.2 | (20.3 - 37.7) | 119 |

Note: 258 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN85: Percentage of students who were ever tested for HIV (not including tests done when donating blood)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.6 | (9.5 - 11.8) | 4,092 | 11.7 | (10.2 - 13.4) | 1,945 | 9.5 | (8.2 - 11.1) | 2,120 |
| Age | | | | | | | | | |
| 15 or younger | 8.7 | (7.6 - 10.0) | 1,949 | 10.3 | (8.3 - 12.7) | 918 | 7.1 | (5.3 - 9.3) | 1,017 |
| 16 or 17 | 11.7 | (10.1 - 13.4) | 1,953 | 12.3 | (10.1 - 14.9) | 920 | 11.1 | (9.7 - 12.6) | 1,029 |
| 18 or older | 20.8 | (13.4 - 30.7) | 177 | 18.6 | (11.9 - 27.9) | 103 | - | - | 73 |
| Grade | | | | | | | | | |
| 9th | 8.7 | (7.2 - 10.5) | 1,081 | 10.5 | (8.6 - 12.7) | 510 | 6.9 | (4.6 - 10.4) | 565 |
| 10th | 8.8 | (6.4 - 11.9) | 965 | 10.1 | (6.7 - 14.8) | 461 | 7.3 | (5.1 - 10.4) | 499 |
| 11th | 11.4 | (9.9 - 13.1) | 1,061 | 12.7 | (10.6 - 15.2) | 521 | 10.2 | (8.3 - 12.5) | 535 |
| 12th | 13.8 | (10.4 - 18.0) | 933 | 13.4 | (9.3 - 18.8) | 424 | 14.2 | (10.7 - 18.5) | 507 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 13.7 | (10.5 - 17.9) | 740 | 16.4 | (13.0 - 20.4) | 347 | 11.2 | (7.3 - 16.9) | 392 |
| Hispanic/Latino | 15.2 | (12.7 - 18.1) | 954 | 16.5 | (13.3 - 20.3) | 432 | 14.0 | (11.5 - 16.9) | 514 |
| White* | 6.7 | (5.5 - 8.1) | 1,346 | 6.9 | (5.1 - 9.2) | 672 | 6.5 | (4.7 - 9.0) | 669 |
| All other races* | 6.1 | (4.4 - 8.3) | 720 | 6.9 | (4.8 - 9.9) | 348 | 5.2 | (3.1 - 8.5) | 372 |
| Multiple races* | 11.1 | (7.6 - 15.8) | 202 | - | - | 84 | 9.4 | (5.3 - 16.1) | 118 |

Note: 364 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.6 | (78.3 - 82.7) | 4,197 | 79.7 | (77.6 - 81.7) | 1,997 | 81.8 | (79.1 - 84.2) | 2,168 |
| Age | | | | | | | | | |
| 15 or younger | 84.0 | (82.2 - 85.6) | 1,999 | 84.1 | (82.3 - 85.6) | 940 | 84.5 | (81.9 - 86.7) | 1,041 |
| 16 or 17 | 78.5 | (75.3 - 81.5) | 1,998 | 77.0 | (73.7 - 80.0) | 946 | 80.1 | (76.2 - 83.5) | 1,048 |
| 18 or older | 63.1 | (54.6 - 70.9) | 187 | 61.4 | (51.8 - 70.1) | 108 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 83.6 | (81.6 - 85.5) | 1,107 | 82.2 | (80.1 - 84.1) | 523 | 85.3 | (82.4 - 87.8) | 578 |
| 10th | 81.7 | (78.7 - 84.4) | 988 | 82.7 | (78.6 - 86.2) | 472 | 81.1 | (76.4 - 85.1) | 511 |
| 11th | 79.3 | (76.2 - 82.2) | 1,082 | 78.9 | (74.9 - 82.4) | 533 | 80.1 | (75.8 - 83.8) | 544 |
| 12th | 77.2 | (71.8 - 81.8) | 960 | 74.0 | (67.8 - 79.4) | 439 | 80.6 | (75.6 - 84.8) | 519 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 72.5 | (68.8 - 75.9) | 767 | 71.1 | (67.0 - 74.9) | 362 | 73.8 | (68.6 - 78.4) | 404 |
| Hispanic/Latino | 76.5 | (73.8 - 79.0) | 984 | 74.1 | (70.0 - 77.9) | 442 | 79.2 | (75.4 - 82.5) | 532 |
| White* | 89.7 | (88.2 - 91.1) | 1,361 | 89.4 | (87.0 - 91.3) | 683 | 90.3 | (86.8 - 92.9) | 673 |
| All other races* | 80.6 | (76.3 - 84.2) | 742 | 79.8 | (73.4 - 85.0) | 359 | 81.4 | (76.7 - 85.3) | 383 |
| Multiple races* | 80.5 | (74.9 - 85.1) | 206 | - | - | 87 | 80.0 | (75.8 - 83.6) | 119 |

Note: 259 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.0 | (22.8 - 25.2) | 4,142 | 25.1 | (23.4 - 26.8) | 1,967 | 22.9 | (21.3 - 24.7) | 2,145 |
| Age | | | | | | | | | |
| 15 or younger | 25.0 | (23.3 - 26.8) | 1,969 | 27.0 | (24.9 - 29.2) | 924 | 23.0 | (21.0 - 25.2) | 1,029 |
| 16 or 17 | 23.3 | (21.3 - 25.5) | 1,979 | 24.1 | (20.9 - 27.6) | 934 | 22.6 | (21.0 - 24.4) | 1,041 |
| 18 or older | 20.6 | (14.5 - 28.3) | 180 | 16.5 | (9.7 - 26.8) | 105 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 23.7 | (21.5 - 25.9) | 1,088 | 26.4 | (23.5 - 29.7) | 512 | 20.8 | (17.3 - 24.8) | 570 |
| 10th | 25.3 | (23.5 - 27.3) | 974 | 26.4 | (23.7 - 29.3) | 465 | 23.9 | (20.1 - 28.3) | 505 |
| 11th | 23.3 | (19.4 - 27.6) | 1,072 | 22.2 | (16.5 - 29.3) | 527 | 24.5 | (21.1 - 28.2) | 541 |
| 12th | 23.4 | (21.4 - 25.5) | 950 | 24.1 | (20.6 - 28.0) | 434 | 22.6 | (19.4 - 26.1) | 514 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 26.6 | (23.6 - 29.8) | 754 | 28.5 | (23.2 - 34.6) | 357 | 24.7 | (22.5 - 27.0) | 396 |
| Hispanic/Latino | 27.7 | (26.0 - 29.5) | 961 | 29.2 | (26.6 - 31.9) | 429 | 26.4 | (23.1 - 30.1) | 524 |
| White* | 20.2 | (19.1 - 21.4) | 1,357 | 20.2 | (17.5 - 23.2) | 679 | 20.2 | (18.8 - 21.8) | 673 |
| All other races* | 21.5 | (19.2 - 24.0) | 733 | 23.7 | (20.9 - 26.8) | 354 | 19.2 | (15.8 - 23.0) | 379 |
| Multiple races* | 30.0 | (24.9 - 35.6) | 204 | - | - | 87 | 26.5 | (21.1 - 32.7) | 117 |

Note: 314 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN88: Percentage of students who had 8 or more hours of sleep (on an average school night)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.7 | (17.3 - 22.4) | 4,160 | 21.0 | (18.9 - 23.3) | 1,983 | 18.4 | (15.6 - 21.6) | 2,148 |
| Age | | | | | | | | | |
| 15 or younger | 24.7 | (22.4 - 27.2) | 1,984 | 25.9 | (23.9 - 27.9) | 932 | 23.7 | (20.4 - 27.3) | 1,034 |
| 16 or 17 | 14.7 | (12.2 - 17.6) | 1,979 | 16.2 | (13.3 - 19.7) | 940 | 13.3 | (10.7 - 16.3) | 1,037 |
| 18 or older | 14.1 | (10.5 - 18.6) | 184 | 15.7 | (11.0 - 21.9) | 107 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 28.7 | (25.8 - 31.8) | 1,093 | 30.6 | (28.9 - 32.4) | 517 | 26.9 | (22.1 - 32.3) | 571 |
| 10th | 21.3 | (18.9 - 23.8) | 981 | 20.9 | (17.5 - 24.8) | 467 | 21.7 | (19.5 - 24.1) | 508 |
| 11th | 13.5 | (11.2 - 16.3) | 1,075 | 16.3 | (13.9 - 19.0) | 530 | 10.9 | (7.7 - 15.3) | 542 |
| 12th | 13.3 | (10.8 - 16.2) | 953 | 14.2 | (10.7 - 18.5) | 439 | 12.2 | (8.8 - 16.6) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.9 | (14.7 - 21.6) | 761 | 18.5 | (15.8 - 21.5) | 361 | 17.3 | (12.5 - 23.5) | 399 |
| Hispanic/Latino | 20.1 | (16.4 - 24.4) | 970 | 20.6 | (15.9 - 26.3) | 434 | 19.7 | (16.2 - 23.7) | 527 |
| White* | 23.5 | (20.7 - 26.6) | 1,352 | 24.9 | (21.7 - 28.4) | 677 | 22.1 | (18.8 - 25.9) | 671 |
| All other races* | 15.1 | (12.3 - 18.5) | 736 | 18.5 | (15.2 - 22.3) | 359 | 11.6 | (8.8 - 15.1) | 377 |
| Multiple races* | 16.9 | (12.9 - 22.0) | 203 | - | - | 85 | 17.2 | (11.4 - 25.2) | 118 |

Note: 296 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN89: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.6 | (78.3 - 82.7) | 4,081 | 78.1 | (75.4 - 80.5) | 1,955 | 83.5 | (81.5 - 85.3) | 2,099 |
| Age | | | | | | | | | |
| 15 or younger | 82.7 | (79.7 - 85.4) | 1,931 | 80.2 | (77.0 - 83.1) | 917 | 85.7 | (82.8 - 88.2) | 998 |
| 16 or 17 | 79.8 | (76.1 - 83.0) | 1,954 | 76.8 | (72.4 - 80.6) | 928 | 82.7 | (79.1 - 85.8) | 1,023 |
| 18 or older | 66.5 | (55.7 - 75.7) | 184 | 67.7 | (57.0 - 76.9) | 106 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 83.4 | (79.0 - 87.1) | 1,060 | 81.3 | (76.8 - 85.1) | 507 | 85.9 | (81.3 - 89.6) | 547 |
| 10th | 80.6 | (76.7 - 84.0) | 959 | 76.3 | (71.4 - 80.6) | 459 | 85.3 | (80.9 - 88.8) | 495 |
| 11th | 80.6 | (76.2 - 84.4) | 1,062 | 80.0 | (75.0 - 84.2) | 528 | 81.2 | (75.8 - 85.7) | 532 |
| 12th | 77.6 | (73.3 - 81.4) | 945 | 74.0 | (69.0 - 78.4) | 433 | 81.2 | (75.7 - 85.8) | 510 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 76.5 | (71.7 - 80.8) | 745 | 72.3 | (64.4 - 78.9) | 357 | 81.1 | (75.3 - 85.8) | 387 |
| Hispanic/Latino | 67.7 | (63.7 - 71.5) | 934 | 64.3 | (59.4 - 69.0) | 416 | 70.4 | (66.1 - 74.4) | 510 |
| White* | 90.1 | (87.9 - 91.9) | 1,342 | 88.0 | (84.9 - 90.5) | 678 | 92.7 | (90.9 - 94.2) | 659 |
| All other races* | 89.1 | (85.0 - 92.3) | 729 | 87.6 | (82.2 - 91.6) | 355 | 90.7 | (86.8 - 93.6) | 374 |
| Multiple races* | 85.1 | (79.2 - 89.5) | 199 | - | - | 82 | 88.5 | (77.9 - 94.3) | 117 |

Note: 375 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN90: Percentage of students who report that their parents or guardians own the home or place where they live

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 66.3 | (61.9 - 70.5) | 4,409 | 67.9 | (62.9 - 72.6) | 2,121 | 65.0 | (60.7 - 69.0) | 2,257 |
| Age | | | | | | | | | |
| 15 or younger | 69.9 | (66.7 - 72.8) | 2,114 | 72.2 | (69.1 - 75.1) | 1,003 | 67.9 | (63.4 - 72.1) | 1,093 |
| 16 or 17 | 64.0 | (58.2 - 69.5) | 2,079 | 64.8 | (57.4 - 71.5) | 1,001 | 63.3 | (58.0 - 68.4) | 1,074 |
| 18 or older | 50.1 | (43.6 - 56.6) | 201 | 53.5 | (43.7 - 63.1) | 113 | - | - | 87 |
| Grade | | | | | | | | | |
| 9th | 70.0 | (65.0 - 74.5) | 1,179 | 72.2 | (66.8 - 77.0) | 566 | 67.7 | (61.6 - 73.2) | 606 |
| 10th | 65.3 | (61.3 - 69.1) | 1,050 | 66.3 | (61.9 - 70.3) | 506 | 64.8 | (60.1 - 69.2) | 539 |
| 11th | 63.2 | (57.4 - 68.6) | 1,130 | 64.6 | (59.1 - 69.8) | 561 | 61.9 | (54.9 - 68.5) | 564 |
| 12th | 66.7 | (60.8 - 72.2) | 995 | 68.0 | (57.6 - 76.9) | 459 | 65.6 | (61.1 - 69.9) | 533 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 46.6 | (39.6 - 53.7) | 844 | 51.2 | (40.8 - 61.5) | 410 | 41.8 | (37.6 - 46.2) | 433 |
| Hispanic/Latino | 53.3 | (49.1 - 57.5) | 1,045 | 53.6 | (47.4 - 59.6) | 472 | 53.5 | (49.0 - 58.0) | 564 |
| White* | 87.0 | (84.3 - 89.3) | 1,404 | 88.3 | (84.3 - 91.3) | 708 | 86.2 | (82.3 - 89.3) | 690 |
| All other races* | 73.7 | (69.1 - 77.8) | 756 | 71.3 | (65.9 - 76.2) | 367 | 76.2 | (71.5 - 80.3) | 389 |
| Multiple races* | 68.3 | (60.7 - 75.0) | 217 | - | - | 90 | 66.6 | (56.6 - 75.3) | 127 |

Note: 47 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN91: Percentage of students who lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.4 | (3.8 - 5.1) | 4,385 | 4.4 | (3.4 - 5.8) | 2,108 | 4.1 | (3.3 - 5.1) | 2,251 |
| Age | | | | | | | | | |
| 15 or younger | 3.6 | (2.9 - 4.4) | 2,103 | 3.7 | (2.7 - 5.0) | 998 | 3.2 | (2.5 - 4.2) | 1,091 |
| 16 or 17 | 4.4 | (3.5 - 5.4) | 2,071 | 4.4 | (3.3 - 5.7) | 997 | 4.3 | (3.2 - 5.8) | 1,071 |
| 18 or older | 12.8 | (9.2 - 17.4) | 196 | 12.8 | (8.3 - 19.2) | 109 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 3.4 | (2.6 - 4.4) | 1,176 | 3.9 | (2.4 - 6.4) | 564 | 2.9 | (1.7 - 4.9) | 605 |
| 10th | 4.0 | (2.8 - 5.9) | 1,050 | 4.6 | (2.7 - 7.8) | 506 | 3.5 | (2.1 - 5.7) | 541 |
| 11th | 4.2 | (3.1 - 5.8) | 1,126 | 4.5 | (3.1 - 6.5) | 558 | 3.8 | (2.4 - 5.8) | 563 |
| 12th | 5.0 | (3.6 - 6.9) | 981 | 4.0 | (2.4 - 6.7) | 451 | 5.8 | (4.1 - 8.3) | 528 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.5 | (1.8 - 6.6) | 833 | 4.3 | (2.0 - 8.9) | 405 | 2.6 | (1.3 - 5.1) | 427 |
| Hispanic/Latino | 8.7 | (7.3 - 10.5) | 1,037 | 8.9 | (6.2 - 12.7) | 467 | 8.3 | (6.1 - 11.2) | 564 |
| White* | 1.7 | (1.1 - 2.7) | 1,407 | 1.5 | (1.0 - 2.4) | 708 | 2.0 | (1.0 - 3.8) | 693 |
| All other races* | 2.2 | (1.5 - 3.3) | 750 | 1.8 | (0.9 - 3.7) | 364 | 2.5 | (1.6 - 4.0) | 386 |
| Multiple races* | 3.7 | (2.4 - 5.8) | 219 | - | - | 91 | 3.0 | (1.3 - 7.0) | 128 |

Note: 71 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN92: Percentage of students who usually slept in a friend's, relative's, or stranger's home at night (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.5 | (1.1 - 1.9) | 4,412 | 1.4 | (0.9 - 2.0) | 2,120 | 1.5 | (1.0 - 2.2) | 2,258 |
| Age | | | | | | | | | |
| 15 or younger | 1.0 | (0.7 - 1.5) | 2,120 | 0.9 | (0.6 - 1.5) | 1,004 | 1.0 | (0.5 - 1.9) | 1,095 |
| 16 or 17 | 1.7 | (1.2 - 2.5) | 2,077 | 1.3 | (0.7 - 2.7) | 999 | 1.9 | (1.2 - 2.9) | 1,074 |
| 18 or older | 4.8 | (2.6 - 8.6) | 200 | 5.9 | (3.3 - 10.4) | 113 | - | - | 86 |
| Grade | | | | | | | | | |
| 9th | 1.1 | (0.7 - 1.7) | 1,178 | 1.5 | (0.7 - 2.9) | 563 | 0.7 | (0.3 - 1.7) | 608 |
| 10th | 0.8 | (0.4 - 1.9) | 1,053 | 0.6 | (0.2 - 1.9) | 509 | 1.1 | (0.4 - 3.0) | 538 |
| 11th | 1.8 | (1.1 - 3.0) | 1,132 | 0.9 | (0.4 - 2.1) | 562 | 2.5 | (1.4 - 4.3) | 565 |
| 12th | 2.4 | (1.5 - 3.8) | 991 | 2.7 | (1.5 - 4.9) | 457 | 2.0 | (1.1 - 3.5) | 531 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 1.3 | (0.7 - 2.4) | 842 | 1.4 | (0.6 - 3.6) | 408 | 1.2 | (0.5 - 3.2) | 433 |
| Hispanic/Latino | 2.4 | (1.7 - 3.3) | 1,043 | 2.5 | (1.5 - 4.1) | 472 | 2.1 | (1.3 - 3.4) | 560 |
| White* | 0.7 | (0.3 - 1.5) | 1,410 | 0.3 | (0.1 - 1.1) | 710 | 1.2 | (0.6 - 2.5) | 694 |
| All other races* | 0.6 | (0.2 - 2.0) | 751 | 0.7 | (0.2 - 3.3) | 364 | 0.4 | (0.1 - 3.1) | 387 |
| Multiple races* | 1.3 | (0.3 - 5.3) | 219 | - | - | 91 | 0.7 | (0.1 - 4.7) | 128 |

Note: 44 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN93: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.2 | (8.0 - 10.4) | 4,300 | 9.9 | (8.4 - 11.6) | 2,061 | 8.4 | (6.8 - 10.1) | 2,210 |
| Age | | | | | | | | | |
| 15 or younger | 7.1 | (6.2 - 8.2) | 2,078 | 7.7 | (6.3 - 9.3) | 988 | 6.4 | (5.1 - 7.9) | 1,074 |
| 16 or 17 | 11.0 | (9.3 - 12.9) | 2,024 | 11.7 | (9.2 - 14.8) | 968 | 10.3 | (7.9 - 13.2) | 1,053 |
| 18 or older | 15.1 | (10.9 - 20.6) | 182 | 17.6 | (11.3 - 26.2) | 101 | - | - | 80 |
| Grade | | | | | | | | | |
| 9th | 6.6 | (5.3 - 8.2) | 1,161 | 8.6 | (6.7 - 10.9) | 559 | 4.5 | (3.6 - 5.6) | 595 |
| 10th | 8.8 | (6.9 - 11.1) | 1,029 | 9.2 | (7.4 - 11.4) | 497 | 8.4 | (6.0 - 11.5) | 530 |
| 11th | 10.2 | (9.1 - 11.4) | 1,098 | 9.3 | (7.0 - 12.3) | 543 | 11.0 | (8.2 - 14.5) | 550 |
| 12th | 11.4 | (9.0 - 14.5) | 956 | 12.8 | (9.3 - 17.3) | 434 | 10.2 | (7.3 - 14.0) | 520 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.7 | (6.3 - 11.9) | 800 | 7.7 | (5.4 - 11.0) | 381 | 9.7 | (6.7 - 13.9) | 418 |
| Hispanic/Latino | 10.9 | (9.7 - 12.3) | 1,011 | 12.0 | (9.5 - 15.1) | 458 | 9.9 | (8.2 - 11.8) | 545 |
| White* | 9.4 | (7.9 - 11.1) | 1,388 | 11.4 | (9.3 - 14.0) | 698 | 7.1 | (4.9 - 10.1) | 685 |
| All other races* | 5.2 | (3.6 - 7.4) | 744 | 5.7 | (3.9 - 8.1) | 359 | 4.7 | (2.7 - 7.9) | 385 |
| Multiple races* | 8.9 | (5.3 - 14.4) | 212 | - | - | 90 | 12.2 | (7.2 - 20.0) | 122 |

Note: 156 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN94: Percentage of students who completely quit using all tobacco products (during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 47.2 | (44.1 - 50.2) | 696 | 47.9 | (43.8 - 52.0) | 351 | 45.8 | (42.2 - 49.5) | 337 |
| 15 or younger | 55.3 | (49.8 - 60.7) | 245 | 57.4 | (52.4 - 62.2) | 119 | 53.2 | (43.9 - 62.3) | 120 |
| 16 or 17 | 42.5 | (37.9 - 47.3) | 397 | 43.5 | (36.2 - 51.1) | 201 | 41.2 | (36.7 - 45.8) | 195 |
| 18 or older | - | - | 53 | - | - | 31 | - | - | 22 |
| Grade | | | | | | | | | |
| 9th | 57.7 | (47.2 - 67.5) | 122 | - | - | 64 | - | - | 57 |
| 10th | 51.4 | (44.4 - 58.4) | 141 | - | - | 72 | - | - | 66 |
| 11th | 45.1 | (36.9 - 53.7) | 191 | - | - | 92 | - | - | 97 |
| 12th | 39.6 | (33.9 - 45.6) | 228 | 38.7 | (29.7 - 48.5) | 115 | 40.7 | (31.2 - 50.9) | 113 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 48.6 | (40.7 - 56.6) | 131 | - | - | 53 | - | - | 78 |
| Hispanic/Latino | 50.0 | (42.9 - 57.1) | 191 | - | - | 89 | - | - | 99 |
| White* | 41.2 | (33.6 - 49.2) | 223 | 44.4 | (35.3 - 53.9) | 135 | - | - | 88 |
| All other races* | - | - | 76 | - | - | 42 | - | - | 34 |
| Multiple races* | - | - | 39 | - | - | 15 | - | - | 24 |

Note: 3,760 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN95: Percentage of students who used flavored tobacco products (flavored cigars, cigarillos, little cigars, or flavored smokeless tobacco products, or both, excluding menthol cigarettes, during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 8.8 | (7.8 - 10.0) | 4,325 | 9.7 | (8.7 - 10.9) | 2,069 | 7.8 | (6.4 - 9.5) | 2,222 |
| 15 or younger | 5.8 | (4.8 - 7.0) | 2,087 | 6.4 | (4.7 - 8.6) | 988 | 4.9 | (3.8 - 6.4) | 1,080 |
| 16 or 17 | 11.5 | (9.9 - 13.5) | 2,031 | 12.8 | (10.7 - 15.2) | 973 | 10.4 | (8.1 - 13.1) | 1,054 |
| 18 or older | 17.1 | (12.3 - 23.3) | 190 | 17.7 | (11.3 - 26.5) | 104 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 5.0 | (3.5 - 7.0) | 1,154 | 5.9 | (3.9 - 8.8) | 551 | 4.0 | (2.8 - 5.7) | 596 |
| 10th | 7.0 | (5.5 - 8.9) | 1,044 | 7.8 | (6.0 - 10.1) | 501 | 5.7 | (4.2 - 7.6) | 537 |
| 11th | 9.5 | (7.8 - 11.5) | 1,110 | 10.3 | (7.7 - 13.8) | 555 | 8.7 | (6.4 - 11.8) | 550 |
| 12th | 14.9 | (11.1 - 19.8) | 960 | 16.5 | (12.5 - 21.5) | 434 | 13.5 | (8.8 - 20.2) | 524 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.6 | (6.0 - 12.1) | 812 | 8.0 | (5.7 - 11.1) | 386 | 9.2 | (5.9 - 14.2) | 425 |
| Hispanic/Latino | 10.6 | (9.2 - 12.1) | 1,010 | 12.1 | (10.9 - 13.3) | 456 | 9.0 | (7.0 - 11.4) | 545 |
| White* | 8.6 | (7.1 - 10.4) | 1,389 | 10.4 | (8.7 - 12.5) | 699 | 6.7 | (4.5 - 9.9) | 684 |
| All other races* | 5.0 | (3.3 - 7.6) | 752 | 5.1 | (3.5 - 7.3) | 364 | 5.0 | (2.8 - 8.8) | 387 |
| Multiple races* | 9.1 | (6.6 - 12.4) | 212 | - | - | 88 | 8.1 | (5.1 - 12.8) | 124 |

Note: 131 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN96: Percentage of students who have smoked 100 or more cigarettes (5 or more packs, during their life)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.0 | (1.5 - 2.8) | 4,409 | 2.2 | (1.6 - 3.1) | 2,117 | 1.7 | (1.1 - 2.5) | 2,257 |
| Age | | | | | | | | | |
| 15 or younger | 1.2 | (0.8 - 1.9) | 2,115 | 1.3 | (0.7 - 2.3) | 999 | 1.1 | (0.7 - 1.7) | 1,096 |
| 16 or 17 | 2.5 | (1.6 - 3.8) | 2,076 | 2.9 | (2.0 - 4.2) | 998 | 2.1 | (1.2 - 3.6) | 1,073 |
| 18 or older | 5.8 | (3.9 - 8.7) | 202 | 5.6 | (3.2 - 9.7) | 116 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 1.2 | (0.7 - 1.9) | 1,180 | 1.4 | (0.7 - 2.7) | 563 | 1.0 | (0.5 - 1.9) | 610 |
| 10th | 1.3 | (0.6 - 2.8) | 1,048 | 1.7 | (0.9 - 3.2) | 504 | 0.8 | (0.2 - 3.1) | 537 |
| 11th | 1.5 | (0.9 - 2.6) | 1,129 | 1.1 | (0.5 - 2.4) | 562 | 1.9 | (0.9 - 4.3) | 562 |
| 12th | 3.8 | (2.2 - 6.5) | 993 | 4.9 | (2.8 - 8.5) | 458 | 2.6 | (1.3 - 5.1) | 532 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.9 | (0.3 - 3.0) | 832 | 0.9 | (0.2 - 4.9) | 400 | 0.9 | (0.3 - 2.6) | 431 |
| Hispanic/Latino | 3.0 | (2.2 - 4.1) | 1,045 | 3.8 | (2.7 - 5.3) | 477 | 2.3 | (1.6 - 3.3) | 558 |
| White* | 2.1 | (1.4 - 3.1) | 1,405 | 2.0 | (1.1 - 3.6) | 705 | 2.2 | (1.2 - 3.9) | 694 |
| All other races* | 1.0 | (0.5 - 1.9) | 759 | 0.7 | (0.2 - 2.0) | 367 | 1.2 | (0.5 - 3.2) | 391 |
| Multiple races* | 3.2 | (1.5 - 6.4) | 216 | - | - | 90 | 1.6 | (0.4 - 5.9) | 126 |

Note: 47 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN97: Percentage of students who were asked to show proof of age (among students who bought or tried to buy cigarettes at a store during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 47.8 | (34.8 - 61.1) | 152 | 48.1 | (34.5 - 62.0) | 104 | - | - | 46 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 51 | - | - | 33 | - | - | 17 |
| 16 or 17 | - | - | 71 | - | - | 51 | - | - | 20 |
| 18 or older | - | - | 29 | - | - | 20 | - | - | 9 |
| Grade | | | | | | | | | |
| 9th | - | - | 31 | - | - | 19 | - | - | 12 |
| 10th | - | - | 27 | - | - | 22 | - | - | 4 |
| 11th | - | - | 33 | - | - | 26 | - | - | 7 |
| 12th | - | - | 55 | - | - | 35 | - | - | 20 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 27 | - | - | 20 | - | - | 7 |
| Hispanic/Latino | - | - | 52 | - | - | 35 | - | - | 17 |
| White* | - | - | 39 | - | - | 26 | - | - | 13 |
| All other races* | - | - | 16 | - | - | 9 | - | - | 7 |
| Multiple races* | - | - | 4 | - | - | 4 | - | - | 0 |

Note: 4,304 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN98: Percentage of students who had someone refuse to sell them cigarettes because of their age (among students who tried to buy cigarettes during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 32.9 | (25.1 - 41.9) | 251 | 38.4 | (28.3 - 49.5) | 158 | - | - | 88 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 93 | - | - | 52 | - | - | 37 |
| 16 or 17 | 37.1 | (26.6 - 49.0) | 118 | - | - | 80 | - | - | 38 |
| 18 or older | - | - | 38 | - | - | 25 | - | - | 13 |
| Grade | | | | | | | | | |
| 9th | - | - | 54 | - | - | 29 | - | - | 25 |
| 10th | - | - | 53 | - | - | 38 | - | - | 13 |
| 11th | - | - | 55 | - | - | 38 | - | - | 17 |
| 12th | - | - | 77 | - | - | 48 | - | - | 29 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 58 | - | - | 37 | - | - | 21 |
| Hispanic/Latino | 26.2 | (13.0 - 45.8) | 101 | - | - | 60 | - | - | 40 |
| White* | - | - | 45 | - | - | 30 | - | - | 15 |
| All other races* | - | - | 23 | - | - | 15 | - | - | 8 |
| Multiple races* | - | - | 8 | - | - | 7 | - | - | 1 |

Note: 4,205 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN99: Percentage of students who live with someone who now smokes cigarettes or cigars

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.8 | (24.0 - 27.6) | 4,350 | 25.6 | (23.7 - 27.7) | 2,078 | 26.1 | (24.1 - 28.2) | 2,242 |
| Age | | | | | | | | | |
| 15 or younger | 26.1 | (24.1 - 28.2) | 2,090 | 26.8 | (24.2 - 29.6) | 989 | 25.4 | (23.7 - 27.3) | 1,086 |
| 16 or 17 | 25.1 | (22.3 - 28.2) | 2,053 | 23.8 | (20.0 - 27.9) | 979 | 26.6 | (23.4 - 30.0) | 1,070 |
| 18 or older | 29.8 | (24.4 - 35.7) | 190 | 30.2 | (22.9 - 38.7) | 106 | - | - | 83 |
| Grade | | | | | | | | | |
| 9th | 25.4 | (23.4 - 27.4) | 1,166 | 26.6 | (23.0 - 30.4) | 555 | 24.3 | (21.8 - 26.9) | 604 |
| 10th | 27.0 | (22.7 - 31.8) | 1,041 | 27.2 | (20.6 - 34.9) | 502 | 26.9 | (23.9 - 30.2) | 534 |
| 11th | 25.4 | (22.2 - 28.8) | 1,113 | 21.4 | (17.2 - 26.2) | 549 | 29.5 | (24.8 - 34.6) | 559 |
| 12th | 25.4 | (22.7 - 28.3) | 974 | 26.8 | (23.0 - 31.1) | 444 | 24.0 | (20.7 - 27.7) | 529 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.5 | (25.0 - 30.1) | 813 | 29.2 | (23.7 - 35.5) | 388 | 25.8 | (21.5 - 30.5) | 424 |
| Hispanic/Latino | 28.9 | (26.5 - 31.4) | 1,032 | 27.8 | (23.6 - 32.5) | 466 | 30.1 | (27.8 - 32.5) | 559 |
| White* | 22.7 | (19.1 - 26.7) | 1,398 | 21.5 | (18.0 - 25.6) | 703 | 24.2 | (19.6 - 29.4) | 689 |
| All other races* | 23.9 | (20.2 - 28.0) | 750 | 23.8 | (17.9 - 30.9) | 363 | 24.1 | (20.6 - 27.9) | 386 |
| Multiple races* | 24.8 | (21.2 - 28.7) | 215 | - | - | 88 | 22.6 | (18.1 - 28.0) | 127 |

Note: 106 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN100: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 89.3 | (88.7 - 89.9) | 4,348 | 88.6 | (87.8 - 89.4) | 2,078 | 90.3 | (89.1 - 91.3) | 2,243 |
| Age | | | | | | | | | |
| 15 or younger | 89.2 | (88.2 - 90.2) | 2,086 | 88.5 | (86.2 - 90.4) | 985 | 90.2 | (88.4 - 91.8) | 1,088 |
| 16 or 17 | 89.8 | (88.9 - 90.7) | 2,051 | 89.4 | (88.0 - 90.6) | 979 | 90.5 | (89.3 - 91.5) | 1,068 |
| 18 or older | 86.3 | (79.2 - 91.2) | 195 | 84.5 | (74.0 - 91.3) | 110 | - | - | 84 |
| Grade | | | | | | | | | |
| 9th | 89.6 | (88.4 - 90.7) | 1,164 | 89.1 | (87.3 - 90.7) | 549 | 89.9 | (87.8 - 91.7) | 608 |
| 10th | 89.1 | (86.9 - 90.9) | 1,038 | 87.8 | (82.9 - 91.4) | 502 | 90.8 | (88.2 - 92.9) | 532 |
| 11th | 90.0 | (88.5 - 91.4) | 1,113 | 89.8 | (86.8 - 92.1) | 550 | 90.6 | (88.5 - 92.4) | 559 |
| 12th | 89.8 | (86.7 - 92.2) | 976 | 88.9 | (84.3 - 92.2) | 447 | 90.6 | (87.6 - 92.9) | 528 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 87.5 | (85.8 - 89.0) | 815 | 86.5 | (83.2 - 89.2) | 386 | 88.4 | (85.7 - 90.7) | 428 |
| Hispanic/Latino | 89.9 | (88.2 - 91.5) | 1,030 | 88.1 | (83.7 - 91.4) | 466 | 92.1 | (90.6 - 93.4) | 558 |
| White* | 90.2 | (88.5 - 91.7) | 1,389 | 90.6 | (88.6 - 92.3) | 697 | 89.8 | (86.7 - 92.2) | 687 |
| All other races* | 90.9 | (88.7 - 92.7) | 749 | 90.7 | (85.6 - 94.1) | 363 | 91.0 | (89.2 - 92.6) | 385 |
| Multiple races* | 89.2 | (84.4 - 92.6) | 217 | - | - | 90 | 91.5 | (87.3 - 94.4) | 127 |

Note: 108 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN101: Percentage of students who were in the same room with someone who was smoking cigarettes (on at least one day during the 7 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.3 | (16.8 - 19.9) | 4,383 | 17.7 | (16.0 - 19.5) | 2,098 | 18.8 | (16.8 - 21.1) | 2,249 |
| Age | | | | | | | | | |
| 15 or younger | 17.1 | (14.9 - 19.5) | 2,105 | 16.2 | (13.4 - 19.6) | 995 | 17.7 | (15.4 - 20.2) | 1,090 |
| 16 or 17 | 19.3 | (17.9 - 20.9) | 2,061 | 19.1 | (17.1 - 21.4) | 985 | 19.5 | (16.8 - 22.6) | 1,071 |
| 18 or older | 22.6 | (17.1 - 29.1) | 200 | 20.3 | (14.7 - 27.2) | 114 | - | - | 85 |
| Grade | | | | | | | | | |
| 9th | 16.0 | (13.5 - 18.9) | 1,173 | 16.2 | (12.9 - 20.0) | 558 | 16.0 | (13.3 - 19.2) | 608 |
| 10th | 18.4 | (16.7 - 20.3) | 1,045 | 18.0 | (14.9 - 21.7) | 504 | 18.3 | (15.1 - 22.1) | 534 |
| 11th | 20.0 | (17.7 - 22.5) | 1,118 | 18.8 | (15.8 - 22.3) | 555 | 21.1 | (18.3 - 24.2) | 559 |
| 12th | 18.7 | (15.4 - 22.5) | 986 | 17.6 | (14.6 - 21.1) | 451 | 19.7 | (14.9 - 25.6) | 532 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.8 | (14.2 - 22.1) | 817 | 17.6 | (13.2 - 23.1) | 390 | 18.0 | (14.6 - 22.0) | 426 |
| Hispanic/Latino | 18.4 | (16.5 - 20.5) | 1,040 | 18.1 | (15.3 - 21.1) | 472 | 18.1 | (14.6 - 22.2) | 558 |
| White* | 19.2 | (17.5 - 21.0) | 1,399 | 18.3 | (16.2 - 20.7) | 703 | 20.4 | (17.7 - 23.3) | 690 |
| All other races* | 14.0 | (11.8 - 16.6) | 756 | 12.3 | (9.7 - 15.5) | 366 | 15.9 | (12.4 - 20.2) | 389 |
| Multiple races* | 20.7 | (16.4 - 25.8) | 217 | - | - | 90 | 22.8 | (17.0 - 29.9) | 127 |

Note: 73 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN102: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 95.0 | (94.3 - 95.6) | 1,351 | 93.7 | (92.5 - 94.8) | 657 | 96.7 | (95.2 - 97.7) | 682 |
| Age | | | | | | | | | |
| 15 or younger | 94.1 | (90.3 - 96.5) | 499 | 93.1 | (87.2 - 96.4) | 235 | 95.5 | (91.6 - 97.6) | 256 |
| 16 or 17 | 96.4 | (94.0 - 97.9) | 769 | 94.8 | (90.9 - 97.1) | 370 | 98.0 | (96.4 - 98.9) | 397 |
| 18 or older | - | - | 81 | - | - | 52 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 93.4 | (88.2 - 96.4) | 237 | 91.4 | (83.4 - 95.8) | 114 | 95.4 | (88.0 - 98.4) | 123 |
| 10th | 94.5 | (91.8 - 96.3) | 299 | 93.1 | (86.4 - 96.6) | 145 | 96.7 | (90.6 - 98.9) | 150 |
| 11th | 97.5 | (95.7 - 98.5) | 381 | 95.1 | (92.1 - 97.0) | 179 | 99.5 | (96.7 - 99.9) | 200 |
| 12th | 95.2 | (90.8 - 97.6) | 415 | 94.9 | (88.6 - 97.8) | 212 | 95.6 | (91.6 - 97.7) | 201 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 94.3 | (91.5 - 96.2) | 270 | 90.7 | (86.0 - 93.9) | 126 | 97.9 | (95.9 - 98.9) | 144 |
| Hispanic/Latino | 94.1 | (92.4 - 95.4) | 416 | 92.1 | (88.4 - 94.7) | 188 | 96.3 | (93.1 - 98.1) | 223 |
| White* | 97.0 | (95.3 - 98.1) | 410 | 96.4 | (93.7 - 98.0) | 225 | 97.8 | (94.8 - 99.1) | 185 |
| All other races* | 95.6 | (91.1 - 97.9) | 134 | - | - | 71 | - | - | 63 |
| Multiple races* | - | - | 67 | - | - | 23 | - | - | 44 |

Note: 3,105 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN103: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 6.6 | (5.7 - 7.7) | 4,299 | 6.8 | (5.7 - 8.1) | 2,052 | 6.0 | (4.9 - 7.3) | 2,211 |
| 15 or younger | 5.2 | (4.4 - 6.2) | 2,061 | 4.8 | (3.4 - 6.8) | 970 | 4.9 | (3.8 - 6.3) | 1,071 |
| 16 or 17 | 7.2 | (5.6 - 9.2) | 2,028 | 7.7 | (5.9 - 10.0) | 967 | 6.7 | (5.0 - 9.0) | 1,056 |
| 18 or older | 16.3 | (12.2 - 21.5) | 193 | 19.1 | (13.2 - 26.7) | 111 | - | - | 81 |
| Grade | | | | | | | | | |
| 9th | 4.5 | (3.7 - 5.5) | 1,150 | 4.9 | (3.8 - 6.3) | 546 | 4.1 | (2.9 - 5.8) | 597 |
| 10th | 4.9 | (3.6 - 6.8) | 1,018 | 4.0 | (2.0 - 7.5) | 488 | 5.4 | (3.4 - 8.5) | 523 |
| 11th | 6.9 | (5.0 - 9.3) | 1,102 | 8.4 | (5.2 - 13.2) | 545 | 5.4 | (3.2 - 8.9) | 553 |
| 12th | 9.9 | (7.6 - 12.8) | 968 | 10.5 | (7.4 - 14.8) | 443 | 9.0 | (6.4 - 12.6) | 522 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.0 | (5.4 - 9.1) | 793 | 7.9 | (5.3 - 11.8) | 377 | 6.1 | (4.6 - 8.0) | 415 |
| Hispanic/Latino | 7.6 | (6.0 - 9.6) | 1,010 | 8.1 | (5.2 - 12.4) | 457 | 6.5 | (5.0 - 8.4) | 543 |
| White* | 6.1 | (4.8 - 7.8) | 1,388 | 5.8 | (4.7 - 7.0) | 693 | 6.6 | (4.3 - 10.1) | 689 |
| All other races* | 2.5 | (1.5 - 4.1) | 751 | 2.5 | (1.5 - 4.1) | 365 | 2.4 | (1.3 - 4.6) | 385 |
| Multiple races* | 7.8 | (5.3 - 11.4) | 210 | - | - | 86 | 8.0 | (4.4 - 14.1) | 124 |

Note: 157 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN104: Percentage of students who participate in any extracurricular activities at school (such as sports, band, drama, clubs, or student government)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 70.7 | (67.5 - 73.7) | 4,113 | 69.4 | (65.4 - 73.1) | 1,950 | 71.9 | (68.8 - 74.8) | 2,136 |
| Age | | | | | | | | | |
| 15 or younger | 72.3 | (69.3 - 75.0) | 1,953 | 71.1 | (67.4 - 74.6) | 917 | 73.5 | (70.0 - 76.7) | 1,023 |
| 16 or 17 | 70.4 | (65.5 - 74.8) | 1,968 | 68.7 | (63.2 - 73.7) | 928 | 71.9 | (66.9 - 76.4) | 1,037 |
| 18 or older | 54.6 | (50.3 - 58.8) | 177 | 58.3 | (50.4 - 65.8) | 101 | - | - | 75 |
| Grade | | | | | | | | | |
| 9th | 70.7 | (66.6 - 74.5) | 1,079 | 69.6 | (64.5 - 74.2) | 507 | 71.8 | (66.2 - 76.8) | 567 |
| 10th | 71.8 | (66.7 - 76.4) | 971 | 70.5 | (64.2 - 76.1) | 461 | 73.0 | (68.0 - 77.5) | 505 |
| 11th | 72.5 | (67.7 - 76.7) | 1,062 | 70.5 | (64.0 - 76.2) | 521 | 74.2 | (68.8 - 79.0) | 538 |
| 12th | 67.5 | (60.3 - 73.9) | 945 | 66.0 | (58.4 - 72.9) | 431 | 68.8 | (60.7 - 75.8) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 69.3 | (65.4 - 72.9) | 743 | 70.5 | (62.5 - 77.4) | 349 | 68.3 | (65.2 - 71.2) | 393 |
| Hispanic/Latino | 54.3 | (49.5 - 59.1) | 958 | 52.6 | (47.0 - 58.2) | 431 | 55.8 | (48.2 - 63.1) | 521 |
| White* | 81.0 | (78.4 - 83.4) | 1,342 | 79.6 | (76.4 - 82.5) | 668 | 82.6 | (76.8 - 87.2) | 670 |
| All other races* | 76.5 | (72.9 - 79.8) | 731 | 73.1 | (66.2 - 79.0) | 354 | 80.1 | (76.5 - 83.4) | 377 |
| Multiple races* | 79.4 | (69.7 - 86.6) | 203 | - | - | 84 | 87.3 | (80.6 - 91.9) | 119 |

Note: 343 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN105: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 64.8 | (62.1 - 67.4) | 4,141 | 64.8 | (61.4 - 68.1) | 1,975 | 64.9 | (62.1 - 67.5) | 2,137 |
| Age | | | | | | | | | |
| 15 or younger | 68.9 | (66.7 - 71.1) | 1,965 | 70.1 | (65.4 - 74.4) | 927 | 67.7 | (65.0 - 70.3) | 1,022 |
| 16 or 17 | 61.9 | (58.1 - 65.4) | 1,980 | 61.4 | (58.1 - 64.5) | 938 | 62.4 | (57.4 - 67.2) | 1,040 |
| 18 or older | 49.5 | (43.2 - 55.8) | 181 | 45.9 | (38.1 - 53.8) | 106 | - | - | 74 |
| Grade | | | | | | | | | |
| 9th | 81.1 | (77.7 - 84.1) | 1,081 | 82.7 | (77.9 - 86.6) | 511 | 79.8 | (75.6 - 83.5) | 564 |
| 10th | 53.1 | (50.5 - 55.7) | 980 | 55.3 | (50.0 - 60.5) | 467 | 50.5 | (45.3 - 55.6) | 506 |
| 11th | 72.4 | (66.9 - 77.3) | 1,071 | 69.4 | (64.1 - 74.1) | 528 | 75.4 | (68.6 - 81.1) | 540 |
| 12th | 50.8 | (46.9 - 54.7) | 953 | 49.3 | (45.2 - 53.4) | 439 | 52.5 | (47.5 - 57.4) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 63.6 | (57.9 - 68.9) | 753 | 66.8 | (59.7 - 73.3) | 357 | 60.5 | (54.8 - 65.9) | 395 |
| Hispanic/Latino | 61.8 | (57.6 - 65.9) | 969 | 59.9 | (54.2 - 65.3) | 436 | 63.8 | (58.0 - 69.2) | 525 |
| White* | 67.6 | (65.3 - 69.8) | 1,349 | 67.2 | (63.6 - 70.6) | 676 | 68.1 | (65.3 - 70.7) | 668 |
| All other races* | 65.9 | (62.6 - 69.2) | 733 | 65.4 | (60.1 - 70.4) | 357 | 66.5 | (60.7 - 71.9) | 376 |
| Multiple races* | 70.6 | (64.0 - 76.5) | 204 | - | - | 87 | 75.1 | (67.5 - 81.5) | 117 |

Note: 315 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 31.8 | (29.1 - 34.5) | 4,083 | 32.7 | (29.7 - 35.9) | 1,945 | 30.7 | (27.7 - 33.9) | 2,107 |
| Age | | | | | | | | | |
| 15 or younger | 29.6 | (26.5 - 32.9) | 1,945 | 31.2 | (27.2 - 35.4) | 919 | 27.8 | (24.2 - 31.7) | 1,009 |
| 16 or 17 | 33.1 | (30.3 - 36.0) | 1,951 | 33.7 | (29.9 - 37.7) | 921 | 32.6 | (29.9 - 35.4) | 1,026 |
| 18 or older | 42.2 | (33.3 - 51.6) | 174 | 39.1 | (27.9 - 51.7) | 102 | - | - | 71 |
| Grade | | | | | | | | | |
| 9th | 30.7 | (26.8 - 34.9) | 1,069 | 31.0 | (27.2 - 35.1) | 506 | 30.7 | (24.5 - 37.7) | 557 |
| 10th | 29.1 | (25.0 - 33.5) | 967 | 31.7 | (27.0 - 36.9) | 461 | 26.0 | (21.4 - 31.2) | 499 |
| 11th | 33.1 | (30.5 - 35.9) | 1,055 | 34.5 | (31.9 - 37.3) | 519 | 31.6 | (27.3 - 36.2) | 533 |
| 12th | 33.2 | (28.9 - 37.9) | 935 | 32.3 | (27.3 - 37.7) | 429 | 34.0 | (27.9 - 40.7) | 503 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 42.9 | (38.9 - 46.9) | 744 | 42.7 | (36.7 - 49.0) | 354 | 43.2 | (37.2 - 49.4) | 389 |
| Hispanic/Latino | 43.3 | (39.9 - 46.7) | 942 | 42.8 | (38.7 - 47.0) | 420 | 43.8 | (38.0 - 49.8) | 514 |
| White* | 17.9 | (16.3 - 19.6) | 1,338 | 21.3 | (18.1 - 24.8) | 672 | 14.1 | (11.4 - 17.3) | 661 |
| All other races* | 28.3 | (24.4 - 32.6) | 728 | 28.9 | (22.7 - 36.0) | 354 | 27.7 | (24.6 - 31.1) | 373 |
| Multiple races* | 26.2 | (20.3 - 33.0) | 202 | - | - | 85 | 23.5 | (15.5 - 33.9) | 117 |

Note: 373 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.6 | (17.0 - 20.3) | 4,108 | 21.1 | (19.5 - 22.7) | 1,962 | 15.9 | (14.2 - 17.6) | 2,115 |
| Age | | | | | | | | | |
| 15 or younger | 17.5 | (15.4 - 19.8) | 1,948 | 19.4 | (17.7 - 21.2) | 919 | 15.1 | (12.7 - 17.8) | 1,012 |
| 16 or 17 | 19.0 | (17.7 - 20.5) | 1,962 | 22.1 | (20.1 - 24.2) | 933 | 16.1 | (14.4 - 17.9) | 1,025 |
| 18 or older | 26.6 | (21.0 - 33.1) | 185 | 28.7 | (20.8 - 38.0) | 107 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 18.7 | (15.5 - 22.5) | 1,077 | 20.6 | (17.7 - 23.8) | 510 | 17.0 | (13.0 - 22.0) | 561 |
| 10th | 15.8 | (13.6 - 18.3) | 967 | 18.7 | (16.3 - 21.5) | 463 | 12.3 | (10.0 - 15.1) | 497 |
| 11th | 19.6 | (17.4 - 21.9) | 1,060 | 22.3 | (18.6 - 26.6) | 523 | 16.6 | (13.7 - 19.9) | 534 |
| 12th | 19.4 | (16.8 - 22.3) | 949 | 21.9 | (18.3 - 25.9) | 436 | 16.7 | (13.3 - 20.7) | 510 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 24.3 | (21.3 - 27.6) | 747 | 27.4 | (22.8 - 32.6) | 355 | 21.2 | (18.1 - 24.7) | 391 |
| Hispanic/Latino | 23.6 | (21.1 - 26.4) | 954 | 26.6 | (22.7 - 30.9) | 430 | 20.6 | (17.6 - 24.1) | 516 |
| White* | 13.5 | (11.6 - 15.5) | 1,343 | 16.1 | (13.2 - 19.4) | 675 | 10.5 | (9.0 - 12.2) | 663 |
| All other races* | 13.0 | (11.0 - 15.4) | 733 | 14.8 | (11.8 - 18.5) | 356 | 11.2 | (8.7 - 14.3) | 376 |
| Multiple races* | 17.7 | (12.2 - 24.9) | 200 | - | - | 85 | 15.3 | (11.0 - 21.0) | 115 |

Note: 348 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN108: Percentage of students who somewhat or strongly disapprove of someone their age having one or two drinks of an alcoholic beverage nearly every day

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 68.3 | (66.6 - 70.1) | 4,120 | 65.4 | (62.9 - 67.8) | 1,966 | 71.6 | (69.1 - 74.0) | 2,124 |
| Age | | | | | | | | | |
| 15 or younger | 71.3 | (69.2 - 73.4) | 1,953 | 69.3 | (65.9 - 72.5) | 923 | 73.8 | (70.4 - 76.9) | 1,014 |
| 16 or 17 | 66.1 | (62.9 - 69.0) | 1,969 | 61.9 | (57.8 - 65.8) | 934 | 70.1 | (66.3 - 73.6) | 1,032 |
| 18 or older | 58.7 | (48.0 - 68.7) | 183 | 56.7 | (40.0 - 71.9) | 105 | - | - | 77 |
| Grade | | | | | | | | | |
| 9th | 74.3 | (71.9 - 76.6) | 1,076 | 72.0 | (67.7 - 75.8) | 510 | 76.5 | (73.4 - 79.3) | 560 |
| 10th | 66.8 | (64.0 - 69.5) | 970 | 64.6 | (60.6 - 68.4) | 463 | 69.7 | (65.7 - 73.4) | 500 |
| 11th | 67.1 | (64.6 - 69.6) | 1,066 | 62.7 | (59.0 - 66.3) | 528 | 71.6 | (67.1 - 75.7) | 536 |
| 12th | 65.0 | (60.6 - 69.1) | 952 | 61.2 | (55.0 - 67.1) | 435 | 68.8 | (63.9 - 73.3) | 514 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 62.6 | (59.1 - 66.0) | 751 | 55.6 | (52.3 - 58.9) | 358 | 69.5 | (64.1 - 74.5) | 392 |
| Hispanic/Latino | 62.0 | (59.5 - 64.5) | 954 | 61.2 | (56.8 - 65.4) | 424 | 63.0 | (59.1 - 66.8) | 522 |
| White* | 73.1 | (70.0 - 76.0) | 1,351 | 70.9 | (66.2 - 75.2) | 681 | 75.5 | (71.5 - 79.0) | 665 |
| All other races* | 77.5 | (74.9 - 79.9) | 731 | 73.3 | (69.1 - 77.2) | 355 | 81.9 | (78.1 - 85.1) | 376 |
| Multiple races* | 72.8 | (67.1 - 77.9) | 199 | - | - | 85 | 77.1 | (66.8 - 85.0) | 114 |

Note: 336 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN109: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol once or twice a week (such as beer, wine, or liquor)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 82.0 | (80.6 - 83.4) | 4,037 | 79.4 | (77.7 - 81.0) | 1,934 | 84.9 | (82.8 - 86.8) | 2,077 |
| 15 or younger | 84.2 | (82.8 - 85.4) | 1,916 | 82.4 | (79.9 - 84.6) | 908 | 86.3 | (83.4 - 88.7) | 993 |
| 16 or 17 | 81.5 | (79.6 - 83.3) | 1,928 | 78.1 | (75.4 - 80.6) | 919 | 85.0 | (82.6 - 87.0) | 1,007 |
| 18 or older | 63.1 | (55.1 - 70.4) | 180 | 60.9 | (52.8 - 68.5) | 103 | - | - | 76 |
| Grade | | | | | | | | | |
| 9th | 83.6 | (81.6 - 85.4) | 1,050 | 82.8 | (79.5 - 85.6) | 499 | 84.5 | (80.5 - 87.8) | 545 |
| 10th | 82.7 | (80.2 - 84.9) | 953 | 79.7 | (76.2 - 82.8) | 456 | 86.3 | (83.7 - 88.5) | 491 |
| 11th | 84.8 | (83.0 - 86.4) | 1,047 | 82.1 | (78.9 - 84.9) | 522 | 87.4 | (85.2 - 89.4) | 524 |
| 12th | 77.7 | (72.8 - 81.9) | 935 | 72.9 | (68.6 - 76.7) | 428 | 82.3 | (74.7 - 87.9) | 504 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 82.6 | (78.7 - 85.9) | 732 | 79.2 | (75.3 - 82.5) | 349 | 86.0 | (80.1 - 90.4) | 382 |
| Hispanic/Latino | 77.7 | (75.0 - 80.2) | 935 | 73.6 | (69.6 - 77.2) | 419 | 81.6 | (76.9 - 85.5) | 508 |
| White* | 83.5 | (81.4 - 85.4) | 1,336 | 81.5 | (78.4 - 84.1) | 676 | 85.9 | (81.6 - 89.3) | 656 |
| All other races* | 85.5 | (84.1 - 86.9) | 716 | 83.8 | (80.5 - 86.6) | 348 | 87.4 | (83.4 - 90.5) | 368 |
| Multiple races* | 87.8 | (79.3 - 93.1) | 196 | - | - | 84 | 91.7 | (79.9 - 96.8) | 112 |

Note: 419 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN110: Percentage of students who have an adult outside of school they can talk to about things that are important to them

| | Percentage | Total | | N | Percentage | Male | | N | Percentage | Female | |
|-----------------------|------------|-------------------------|-------|---|------------|-------------------------|-------|---|------------|-------------------------|-------|
| | | 95% confidence interval | N | | | 95% confidence interval | N | | | 95% confidence interval | N |
| Total | 83.7 | (82.6 - 84.7) | 4,075 | | 84.1 | (82.7 - 85.3) | 1,944 | | 83.3 | (81.6 - 84.8) | 2,105 |
| Age | | | | | | | | | | | |
| 15 or younger | 85.2 | (83.6 - 86.6) | 1,936 | | 86.0 | (84.5 - 87.4) | 916 | | 84.4 | (82.1 - 86.4) | 1,006 |
| 16 or 17 | 82.4 | (80.1 - 84.4) | 1,950 | | 82.5 | (79.7 - 85.1) | 922 | | 82.1 | (78.9 - 85.0) | 1,025 |
| 18 or older | 79.3 | (73.6 - 84.0) | 176 | | 77.1 | (69.3 - 83.3) | 102 | | - | - | 73 |
| Grade | | | | | | | | | | | |
| 9th | 85.9 | (83.3 - 88.1) | 1,068 | | 87.0 | (83.0 - 90.2) | 508 | | 84.8 | (81.1 - 87.9) | 554 |
| 10th | 83.8 | (81.9 - 85.5) | 961 | | 84.3 | (81.9 - 86.4) | 462 | | 83.2 | (80.4 - 85.7) | 496 |
| 11th | 82.5 | (80.4 - 84.5) | 1,052 | | 82.2 | (79.1 - 84.9) | 516 | | 82.9 | (79.3 - 86.1) | 533 |
| 12th | 82.1 | (79.2 - 84.7) | 939 | | 81.5 | (77.7 - 84.8) | 430 | | 82.6 | (79.3 - 85.5) | 507 |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 80.1 | (77.5 - 82.5) | 744 | | 80.5 | (76.2 - 84.1) | 351 | | 79.9 | (76.5 - 82.9) | 392 |
| Hispanic/Latino | 79.8 | (77.4 - 82.0) | 943 | | 79.7 | (75.7 - 83.1) | 420 | | 79.8 | (76.5 - 82.7) | 516 |
| White* | 90.4 | (88.4 - 92.1) | 1,335 | | 89.9 | (86.6 - 92.5) | 676 | | 90.9 | (87.5 - 93.4) | 654 |
| All other races* | 80.6 | (78.5 - 82.6) | 725 | | 81.7 | (78.1 - 84.9) | 354 | | 79.5 | (76.3 - 82.4) | 371 |
| Multiple races* | 83.9 | (76.8 - 89.1) | 202 | | - | - | 84 | | 83.8 | (74.1 - 90.4) | 118 |

Note: 381 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey
Montgomery County
Summary Tables - Weighted Data

QN111: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 76.9 | (75.6 - 78.2) | 4,120 | 77.4 | (75.1 - 79.5) | 1,966 | 76.5 | (75.2 - 77.8) | 2,126 |
| Age | | | | | | | | | |
| 15 or younger | 75.9 | (74.4 - 77.3) | 1,954 | 76.3 | (73.3 - 79.0) | 923 | 75.5 | (73.4 - 77.5) | 1,012 |
| 16 or 17 | 77.9 | (75.4 - 80.2) | 1,971 | 78.7 | (74.7 - 82.3) | 933 | 77.0 | (73.5 - 80.1) | 1,035 |
| 18 or older | 79.4 | (73.3 - 84.4) | 185 | 76.0 | (69.8 - 81.3) | 106 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 75.3 | (72.8 - 77.6) | 1,076 | 76.5 | (72.1 - 80.4) | 511 | 74.0 | (70.4 - 77.3) | 559 |
| 10th | 76.4 | (73.9 - 78.7) | 966 | 76.2 | (73.0 - 79.0) | 462 | 76.8 | (73.2 - 80.1) | 498 |
| 11th | 77.4 | (74.9 - 79.8) | 1,072 | 78.3 | (74.4 - 81.8) | 530 | 76.5 | (72.6 - 80.0) | 539 |
| 12th | 79.3 | (76.1 - 82.2) | 952 | 78.9 | (74.2 - 82.9) | 434 | 79.6 | (75.8 - 83.0) | 515 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 74.4 | (70.3 - 78.0) | 756 | 77.0 | (71.6 - 81.7) | 360 | 71.9 | (67.2 - 76.1) | 395 |
| Hispanic/Latino | 75.1 | (70.8 - 78.9) | 952 | 73.9 | (67.8 - 79.1) | 424 | 76.2 | (73.2 - 78.9) | 519 |
| White* | 82.4 | (80.7 - 83.9) | 1,343 | 80.6 | (77.8 - 83.1) | 675 | 84.2 | (82.5 - 85.7) | 663 |
| All other races* | 73.3 | (70.0 - 76.3) | 735 | 76.2 | (72.8 - 79.3) | 357 | 70.2 | (66.2 - 73.9) | 378 |
| Multiple races* | 74.9 | (67.1 - 81.4) | 201 | - | - | 83 | 71.2 | (61.3 - 79.4) | 118 |

Note: 336 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN112: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 33.8 | (32.0 - 35.6) | 4,027 | 31.3 | (29.0 - 33.7) | 1,917 | 36.2 | (34.4 - 38.1) | 2,087 |
| Age | | | | | | | | | |
| 15 or younger | 31.6 | (29.7 - 33.6) | 1,904 | 29.9 | (27.6 - 32.3) | 901 | 33.1 | (30.8 - 35.6) | 990 |
| 16 or 17 | 35.7 | (32.5 - 38.9) | 1,936 | 32.4 | (29.0 - 36.0) | 912 | 38.8 | (35.2 - 42.5) | 1,021 |
| 18 or older | 39.0 | (33.3 - 45.0) | 176 | 34.4 | (28.7 - 40.5) | 100 | - | - | 75 |
| Grade | | | | | | | | | |
| 9th | 32.2 | (30.3 - 34.2) | 1,045 | 30.7 | (28.0 - 33.6) | 498 | 34.0 | (31.1 - 37.0) | 541 |
| 10th | 30.9 | (27.7 - 34.4) | 945 | 29.6 | (25.5 - 34.0) | 446 | 31.7 | (28.2 - 35.5) | 494 |
| 11th | 33.8 | (29.9 - 37.9) | 1,053 | 30.1 | (26.0 - 34.5) | 519 | 37.5 | (32.4 - 42.9) | 532 |
| 12th | 38.8 | (35.4 - 42.4) | 933 | 35.4 | (31.4 - 39.5) | 426 | 42.0 | (37.6 - 46.5) | 505 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 35.6 | (33.2 - 38.0) | 728 | 33.3 | (28.6 - 38.3) | 343 | 37.9 | (34.1 - 41.9) | 384 |
| Hispanic/Latino | 34.4 | (31.7 - 37.3) | 922 | 31.8 | (27.6 - 36.2) | 409 | 36.8 | (34.2 - 39.5) | 508 |
| White* | 35.1 | (32.2 - 38.1) | 1,330 | 33.7 | (30.6 - 37.0) | 671 | 36.4 | (33.2 - 39.8) | 654 |
| All other races* | 29.2 | (25.2 - 33.5) | 725 | 25.9 | (21.2 - 31.2) | 352 | 32.7 | (27.0 - 38.9) | 373 |
| Multiple races* | 31.9 | (28.3 - 35.7) | 198 | - | - | 82 | 38.8 | (30.9 - 47.3) | 116 |

Note: 429 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2014 YOUTH RISK BEHAVIOR SURVEY RESULTS

Maryland High School Survey

Montgomery County

Summary Tables - Weighted Data

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-------|------------|-------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 53.9 | (52.7 - 55.1) | 4,086 | 57.5 | (55.6 - 59.3) | 1,952 | 50.3 | (48.5 - 52.1) | 2,107 |
| Age | | | | | | | | | |
| 15 or younger | 52.3 | (50.1 - 54.5) | 1,932 | 56.4 | (52.9 - 59.8) | 914 | 48.1 | (45.6 - 50.6) | 1,002 |
| 16 or 17 | 54.4 | (51.6 - 57.2) | 1,957 | 57.1 | (53.3 - 60.9) | 928 | 51.8 | (49.0 - 54.7) | 1,026 |
| 18 or older | 65.7 | (59.0 - 71.8) | 185 | 70.0 | (62.3 - 76.8) | 106 | - | - | 78 |
| Grade | | | | | | | | | |
| 9th | 54.2 | (50.5 - 57.8) | 1,064 | 59.0 | (52.7 - 64.9) | 506 | 49.1 | (45.3 - 52.8) | 552 |
| 10th | 51.7 | (48.3 - 55.1) | 959 | 55.2 | (51.3 - 59.0) | 458 | 47.7 | (42.4 - 53.0) | 495 |
| 11th | 53.9 | (48.9 - 58.8) | 1,062 | 56.6 | (50.6 - 62.4) | 528 | 51.3 | (46.3 - 56.3) | 533 |
| 12th | 55.8 | (52.2 - 59.3) | 946 | 59.1 | (52.3 - 65.6) | 432 | 52.6 | (48.8 - 56.4) | 512 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 53.9 | (51.4 - 56.3) | 746 | 59.7 | (55.3 - 64.0) | 358 | 48.1 | (41.6 - 54.6) | 387 |
| Hispanic/Latino | 51.9 | (49.6 - 54.2) | 944 | 56.3 | (51.6 - 60.9) | 421 | 47.7 | (43.2 - 52.4) | 515 |
| White* | 55.4 | (52.7 - 58.0) | 1,340 | 56.8 | (54.0 - 59.7) | 674 | 53.9 | (50.8 - 56.9) | 661 |
| All other races* | 56.2 | (52.8 - 59.5) | 727 | 60.7 | (56.2 - 65.0) | 352 | 51.5 | (46.9 - 56.2) | 375 |
| Multiple races* | 47.1 | (41.0 - 53.3) | 199 | - | - | 82 | 50.2 | (40.3 - 60.0) | 117 |

Note: 370 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.